

Compatibility Matrix for AssetCetner 4.3.1

Notes:

Database engines are client-server applications. What we call '*database server*' here is the computer where the server part of the database engine is installed, especially the databases. What we call '*client*' here is any of the computers where the client part of the database engine is installed. AssetCenter, AssetCenter Server and all the other programs provided with AssetCenter, rely on the database engine layer on the client computer to access data from the databases on the server, so no part of AssetCenter needs to be installed on the server.

The Unix packages (for Linux, Solaris or AIX) contain only command line tools. The programs are available with a graphical interface only with MS-Windows.

NWLINK is another name for IPX/SPX. We just mention here IPX/SPX.

NetBEUI is another name for Netbios. We just mention here Netbios.

AssetCenter Web is based on top of OAA 4.1.1.1. For more information about OAA, please refer to the corresponding documentation.

Click on the link below to jump to the section of your choice.

Language Support

[Supported configurations on the database server](#)

[Supported configurations on the client \(Oracle database server\)](#)

[Supported configurations on the client \(MS SQL database server\)](#)

[Supported configurations on the client \(Sybase database server\)](#)

[Supported configurations on the client \(DB2 database server\)](#)

[Supported configurations for AssetCenter Web Server](#)

[Supported configurations for AssetCenter Web - Browsers](#)

[Peregrine Integration Points](#)

Language Support

Abbreviation	Description	Languages
L1	Languages Validated : translated and fully tested	English, French, German, Italian
L2	Languages Enabled : not translated and not part of the standard testing process	Spanish, Portuguese, Basque, Catalan, Dutch, Danish, Finnish, Norwegian, Swedish, Icelandic

Supported configurations on the database server

Database engine	Operating system	Network protocol	Languages	Client configuration support
Oracle 8.0.x (x>=6), 8.1.x (x>=7), 9.0.1 and 9.2	All Operating Systems supported by the DBMS	TCP/IP, IPX/SPX, Netbios	L1, L2	Supported configurations
MS SQL server 7.0 SPx (x>=4) and MS SQL 2000 SPx (x>=3)	All Operating Systems supported by the DBMS	TCP/IP, Netbios, Named Pipes	L1, L2	Supported configurations
Sybase Adaptive Server 12.0 and 12.5	All Operating Systems supported by the DBMS	TCP/IP, IPX/SPX, Netbios	L1, L2	Supported configurations

DB2 UDB 7.2 FPx (x>=7), 8.1 FPx (x>=4)	All Operating Systems supported by the DBMS	TCP/IP, Netbios, Named Pipes	L1, L2	Supported configurations
--	---	------------------------------	--------	--------------------------

Supported configurations on the client (Oracle database server)

Platform	Operating system	Database client (1)	Network protocol	AssetCenter	AssetCenter Export GUI	AssetCenter Server GUI	AssetCenter Database Administrator GUI	AssetCenter Script Analyzer	AssetCenter Import NOGUI	AssetCenter Export NOGUI	AssetCenter Server NOGUI	AssetCenter Database Administrator NOGUI	AssetCenter APIs	Languages
Microsoft	Windows 98 SE	8.0.x (x>=6), 8.1.x (x>=7), 9.0.1, 9.2	TCP/IP, IPX/SPX, Netbios	X	X				X	X			X	L1, L2
Microsoft	Windows ME	8.0.x (x>=6), 8.1.x (x>=7), 9.0.1, 9.2	TCP/IP, IPX/SPX, Netbios	X	X				X	X			X	L1, L2
Microsoft	Windows NT 4 SP6 or later	8.0.x (x>=6), 8.1.x (x>=7), 9.0.1, 9.2	TCP/IP, IPX/SPX, Netbios	X	X	X	X	X	X	X		X	X	L1, L2
Microsoft	Windows NT 4 Terminal Server SP6 or later	8.0.x (x>=6), 8.1.x (x>=7), 9.0.1, 9.2	TCP/IP, IPX/SPX, Netbios	X	X	X	X	X	X	X		X	X	L1, L2

		9.0.1, 9.2														
Sun (SPARC)	Solaris 7	8.0.x (x>=6), 8.1.x (x>=7), 9.0.1, 9.2	TCP/IP						X	X	X	X	X	X	L1, L2	
Sun (SPARC)	Solaris 8	8.0.x (x>=6), 8.1.x (x>=7), 9.0.1, 9.2	TCP/IP						X	X	X	X	X	X	L1, L2	
IBM	AIX 5.x (x>=1)	8.0.x (x>=6), 8.1.x (x>=7), 9.0.1, 9.2	TCP/IP						X	X	X	X	X	X	L1, L2	

(1) These clients use SQL Net 2.x

Supported configurations on the client (MS SQL database server)

Platform	Operating system	Connectivity (2)	Network protocol	AssetCenter	AssetCenter Export GUI	AssetCenter Server GUI	AssetCenter Database Administrator GUI	AssetCenter Script Analyzer	AssetCenter Import NOGUI	AssetCenter Export NOGUI	AssetCenter Server NOGUI	AssetCenter Database Administrator NOGUI	AssetCenter APIs	Languages
Microsoft	Windows 98 SE	ODBC	TCP/IP, Netbios, Named Pipes	X	X				X	X			X	L1, L2
Microsoft	Windows ME	ODBC	TCP/IP, Netbios, Named Pipes	X	X				X	X			X	L1, L2

Metaframe XP 1.0																	
Microsoft	Windows XP SP1 or later	ODBC	TCP/IP, Netbios, Named Pipes	X	X	X	X	X	X	X	X	X	X	X	X	X	L1, L2
Microsoft	Windows Server 2003	ODBC	TCP/IP, Netbios, Named Pipes	X	X	X	X	X	X	X	X	X	X	X	X	X	L1, L2
Microsoft	Windows Server 2003 with Terminal Services	ODBC	TCP/IP, Netbios, Named Pipes	X	X	X	X	X	X	X	X	X	X	X	X	X	L1, L2
Microsoft	Windows Server 2003 with Terminal Services and Citrix Metaframe XP 1.0	ODBC	TCP/IP, Netbios, Named Pipes	X	X	X	X	X	X	X	X	X	X	X	X	X	L1, L2

(2) Microsoft SQL Server access is carried out via ODBC. SQL Server 7.0 & ODBC 3.0x, 3.5x & ODBC driver 3.70x 32-bit. SQL Server 2000 with ODBC 3.52

Supported configurations on the client (Sybase database server)

Platform	Operating system	Sybase Connectivity (3)	Network protocol	AssetCenter	AssetCenter Export GUI	AssetCenter Server GUI	AssetCenter Database Administrator GUI	AssetCenter Script Analyzer	AssetCenter Import NOGUI	AssetCenter Export NOGUI	AssetCenter Server NOGUI	AssetCenter Database Administrator NOGUI	AssetCenter APIs	Languages
Microsoft	Windows	12.0, 12.5	TCP/IP,	X	X				X	X			X	L1, L2

	98 SE		IPX/SPX, Netbios																			
Microsoft	Windows ME	12.0, 12.5	TCP/IP, IPX/SPX, Netbios	X	X									X	X					X	L1, L2	
Microsoft	Windows NT 4 SP6 or later	12.0, 12.5	TCP/IP, IPX/SPX, Netbios	X		X	X	X	X	X	X	X	X			X	X		X	X	L1, L2	
Microsoft	Windows NT 4 Terminal Server SP6 or later	12.0, 12.5	TCP/IP, IPX/SPX, Netbios	X		X	X	X	X	X	X	X	X				X	X		X	L1, L2	
Microsoft	Windows NT 4 Terminal Server SP6 or later with Citrix Metaframe 1.x (x>=6)	12.0, 12.5	TCP/IP, IPX/SPX, Netbios	X		X	X	X	X	X	X	X	X				X	X		X	L1, L2	
Microsoft	Windows 2000 SP2 or later	12.0, 12.5	TCP/IP, IPX/SPX, Netbios	X		X	X	X	X	X	X	X	X				X	X		X	L1, L2	
Microsoft	Windows 2000 SP2 or later with Terminal Services	12.0, 12.5	TCP/IP, IPX/SPX, Netbios	X		X	X	X	X	X	X	X	X				X	X		X	L1, L2	
Microsoft	Windows 2000 SP2	12.0, 12.5	TCP/IP, IPX/SPX,	X		X	X	X	X	X	X	X	X				X	X		X	L1, L2	

Linux (Intel)	Debian 2.x (x>=1)	12.0, 12.5	TCP/IP						X	X	X	X	X	L1, L2
Linux (Intel)	Debian 3.0	12.0, 12.5	TCP/IP						X	X	X	X	X	L1, L2
Sun (SPARC)	Solaris 2.6	12.0	TCP/IP						X	X	X	X	X	L1, L2
Sun (SPARC)	Solaris 7	12.0	TCP/IP						X	X	X	X	X	L1, L2
Sun (SPARC)	Solaris 8	12.0, 12.5	TCP/IP						X	X	X	X	X	L1, L2
IBM	AIX 5.x (x>=1)	12.5	TCP/IP						X	X	X	X	X	L1, L2

(3) Sybase Adaptive Server access is carried out via Ct/Lib supplied with Sybase Connectivity Library specified in this column.

Supported configurations on the client (DB2 database server)

Platform	Operating system	Database engine	Network protocol	AssetCenter	AssetCenter Export GUI	AssetCenter Server GUI	AssetCenter Database Administrator GUI	AssetCenter Script Analyzer	AssetCenter Import NOGUI	AssetCenter Export NOGUI	AssetCenter Server NOGUI	AssetCenter Database Administrator NOGUI	AssetCenter APIs	Languages
Microsoft	Windows 98 SE	DB2 UDB 7.2 FPx (x>=7), 8.1 FPx (x>=4)	TCP/IP, IPX/SPX, Netbios	X	X				X	X			X	L1, L2
Microsoft	Windows ME	DB2 UDB 7.2 FPx (x>=7), 8.1 FPx	TCP/IP, IPX/SPX, Netbios	X	X				X	X			X	L1, L2

Services ($x \geq 4$) and Citrix Metaframe XP 1.0																	
Microsoft	Windows XP SP1 or later	DB2 UDB 7.2 FPx ($x \geq 7$), 8.1 FPx ($x \geq 4$)	TCP/IP, IPX/SPX, Netbios	X		X		X		X		X		X		X	L1, L2
Microsoft	Windows Server 2003	DB2 UDB 7.2 FPx ($x \geq 7$), 8.1 FPx ($x \geq 4$)	TCP/IP, IPX/SPX, Netbios	X		X		X		X		X		X		X	L1, L2
Microsoft	Windows Server 2003 with Terminal Services	DB2 UDB 7.2 FPx ($x \geq 7$), 8.1 FPx ($x \geq 4$)	TCP/IP, IPX/SPX, Netbios	X		X		X		X		X		X		X	L1, L2
Microsoft	Windows Server 2003 with Terminal Services and Citrix Metaframe XP 1.0	DB2 UDB 7.2 FPx ($x \geq 7$), 8.1 FPx ($x \geq 4$)	TCP/IP, IPX/SPX, Netbios	X		X		X		X		X		X		X	L1, L2
Linux (Intel)	RedHat 8.x ($x \geq 0$)	DB2 UDB 7.2 FPx ($x \geq 7$), 8.1 FPx ($x \geq 4$)	TCP/IP									X		X		X	L1, L2
Linux (Intel)	RedHat Enterprise Linux WS, AS and ES	DB2 UDB 7.2 FPx ($x \geq 7$), 8.1 FPx	TCP/IP							X		X		X		X	L1, L2

2.x		(x>=4)													
Platform	OS Version	DB2 UDB Version	Protocol							X	X	X	X	X	L1, L2
Linux (Intel)	Debian 2.x (x>=1)	DB2 UDB 7.2 FPx (x>=7), 8.1 FPx (x>=4)	TCP/IP							X	X	X	X	X	L1, L2
Linux (Intel)	Debian 3.0	DB2 UDB 7.2 FPx (x>=7), 8.1 FPx (x>=4)	TCP/IP							X	X	X	X	X	L1, L2
Sun (SPARC)	Solaris 2.6	DB2 UDB 7.2 FPx (x>=7), 8.1 FPx (x>=4)	TCP/IP							X	X	X	X	X	L1, L2
Sun (SPARC)	Solaris 7	DB2 UDB 7.2 FPx (x>=7), 8.1 FPx (x>=4)	TCP/IP							X	X	X	X	X	L1, L2
Sun (SPARC)	Solaris 8	DB2 UDB 7.2 FPx (x>=7), 8.1 FPx (x>=4)	TCP/IP							X	X	X	X	X	L1, L2
IBM	AIX 5.x (x>=1)	DB2 UDB 7.2 FPx (x>=7), 8.1 FPx (x>=4)	TCP/IP							X	X	X	X	X	L1, L2

AssetCenter Web - Application Servers

Application Server	Operating System
Tomcat 4.1.x (x>=24)	Windows 2000 SP2 or later AIX 5.1, 5.2 Solaris 2.6, 7, 8 Redhat Linux 8.0
WebSphere Application Server 4.0.x, 5.0.x	Windows 2000 SP2 or later AIX 5.1, 5.2 Solaris 2.6, 7, 8 Redhat Linux 8.0
WebLogic 6.1 SP4	Windows 2000 SP2 or later AIX 5.1, 5.2 Solaris 2.6, 7, 8 Redhat Linux 8.0

AssetCenter Web - Web Servers

Web Server	Operating System
IIS 5.0 for Win 2000	Windows 2000 SP2 or later
Apache 1.3.19, 2.0.x (x>=43)	Windows 2000 SP2 or later AIX 5.1, 5.2 Solaris 2.6, 7, 8 Redhat Linux 8.0
iPlanet 4.1	Solaris 2.6, 7, 8
SunONE 6.0	Solaris 2.6, 7, 8
IBM HTTP Server (minimum 1.3.19)	Windows 2000 SP2 or later AIX 5.1, 5.2

	Solaris 2.6, 7, 8 Redhat Linux 8.0
--	---------------------------------------

AssetCenter Web - Portal Servers

Portal Server	Application Server
WebSphere Portal Server 4.1, 4.2	WebSphere Application Server 4.0

AssetCenter Web - Browsers

Browser	Operating System
Netscape 6.2 and 7.0	Windows 2000 SP2 or later Windows XP Windows 98 Redhat Linux 8.0, 9
Internet Explorer 6.0	Windows 2000 SP2 or later Windows XP Windows 98
Mozilla 1.2, 1.3, 1.4	Windows 2000 SP2 or later Windows XP Windows 98 Solaris 2.6, 7, 8, 9

AssetCenter Web - Language Platform Support

Platform	Level
Windows 2000	L1, L2
AIX, Solaris, Linux	L1, L2

Peregrine Integration Points

Product	Version
Connect-It	3.2.1
Desktop Administration	6.0.1
Get-Answers	4.x
Get-Resources (ACW and Get-Resources must reside on different servers)	4.1
Peregrine Mobile	4.0.1