

Compatibility Matrix for AssetCenter 4.4.1

Notes:

Database engines are client-server applications. What we call '*database server*' here is the computer where the server part of the database engine is installed, especially the databases. What we call '*client*' here is any of the computers where the client part of the database engine is installed. AssetCenter, AssetCenter Server and all the other programs provided with AssetCenter, rely on the database engine layer on the client computer to access data from the databases on the server, so no part of AssetCenter needs to be installed on the server.

The Unix packages (for Linux, Solaris or AIX) contain only command line tools. The programs are available with a graphical interface only with MS-Windows.

NWLINK is another name for IPX/SPX. We just mention here IPX/SPX.

NetBEUI is another name for Netbios. We just mention here Netbios.

AssetCenter Web is based on top of OAA 4.2.0. For more information about OAA, please refer to the corresponding documentation.

Click on the link below to jump to the section of your choice.

[Language Support](#)

[AssetCenter Components Support](#)

[Supported Database Servers](#)

[Supported Configurations on the Client \(Oracle\)](#)

[Supported Configurations on the Client \(MS SQL\)](#)

[Supported Configurations on the Client \(DB2 UDB\)](#)

[Supported Configurations on the Client \(Sybase Adaptive Server\)](#)

[Supported Configurations for AssetCenter Web Server](#)

[Supported Configurations for AssetCenter Web - Browsers](#)

[Peregrine Integration Points](#)

[Third-party Products Integration Points](#)

[Dropped support](#)

Language Support

Abbreviation	Description	Languages
L1	Validated languages: Translated and fully validated	English, French, Italian, German, Spanish
L2	Enabled languages,	Portuguese, Basque, Catalan,

	using the standard English version: Not translated and not part of the standard testing process.	Dutch, Danish, Finnish, Norwegian, Swedish, Icelandic
L3	Validated languages: Translated and fully validated	Japanese

Multilingual databases are supported only with languages using the same charset.
L1 and L2 use the same charset (Latin-1).

AssetCenter Components Support

AssetCenter (Graphical Client)	AssetCenter Export (Graphical)	AssetCenter Server (1), Database Administrator and Script Analyzer (Graphical)	AssetCenter Import and Export (Command line)	AssetCenter Server (Command line)	AssetCenter Database Administrator (Command line)	AssetCenter APIs
Intel platform						
Microsoft Windows 98 SE						
Microsoft Windows ME						
X	X		X			X
Intel platform						
Microsoft Windows 2000 SP4 or later						
Microsoft Windows XP SP1 or later (including SP2)						
Microsoft Windows Server 2003						
X	X	X	X		X	X
Intel platform						
RedHat Enterprise Linux 2.1 WS, ES and AS						
RedHat Enterprise Linux 3.0 WS, ES and AS						
RedHat Enterprise Linux 4.0 WS, ES and AS						
SPARC platform						
Sun Solaris 2.6						
Sun Solaris 7						
Sun Solaris 8						
Sun Solaris 9						
pSeries						

IBM AIX 5.x (x>=1)						
			X	X	X	X

Supported Database Servers

Database Engine	Versions	Languages	End of Support (2)	Client Configuration Support
Oracle Database	8.1.x (x>=7)	L1, L2, L3	2007-12-31	Supported configurations
Oracle Database	9.0.1	L1, L2, L3	2006-12-31	Supported configurations
Oracle Database	9.2.0 (including RAC)	L1, L2, L3	2007-12-31	Supported configurations
Oracle Database	10.1.0 (including Grid)	L1, L2, L3		Supported configurations
Microsoft SQL server	7.0 SPx (x>=4)	L1, L2, L3	2010-12-31	Supported configurations
Microsoft SQL server	2000 SPx (x>=3)	L1, L2, L3		Supported configurations
IBM DB2 UDB	8.1 FPx (x>=4)	L1, L2, L3		Supported configurations
IBM DB2 UDB	8.2	L1, L2, L3		Supported configurations
Sybase Adaptive Server	12.5.x	L1, L2, L3		Supported configurations

The MSDE delivered with AssetCenter is NOT SUPPORTED for production environments. MSDE is for DEMONSTRATION PURPOSES ONLY.

Supported Configurations on the Client (Oracle)

Platform	Operating system	Versions	Network protocol	Languages
Intel /	Windows 98 SE	8.1.x (x>=7) (8i), 9.0.1,	TCP/IP, IPX/SPX,	L1, L2, L3

Microsoft		9.2	Netbios	
Intel / Microsoft	Windows 2000 SP4 or later	8.1.x (x>=7) (8i), 9.0.1, 9.2, 10.1.0	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later with Terminal Services	8.1.x (x>=7) (8i), 9.0.1, 9.2, 10.1.0	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later with Terminal Services and Citrix Metaframe XP 1.0	8.1.x (x>=7) (8i), 9.0.1, 9.2, 10.1.0	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows XP SP1 or later	8.1.x (x>=7) (8i), 9.0.1, 9.2, 10.1.0	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003	9.2, 10.1.0	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003 with Terminal Services	9.2, 10.1.0	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003 with Terminal Services and Citrix Metaframe XP 1.0	9.2, 10.1.0	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 2.1	8.1.x (x>=7) (8i), 9.0.1, 9.2, 10.1.0	TCP/IP	L1, L2
Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 3.0	9.2, 10.1.0	TCP/IP	L1, L2
Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 4.0	9.2, 10.1.0	TCP/IP	L1, L2
SPARC / Sun	Solaris 2.6	8.1.x (x>=7) (8i), 9.0.1, 9.2	TCP/IP	L1, L2
SPARC / Sun	Solaris 7	8.1.x (x>=7) (8i), 9.0.1, 9.2	TCP/IP	L1, L2
SPARC / Sun	Solaris 8	8.1.x (x>=7) (8i), 9.0.1, 9.2, 10.1.0	TCP/IP	L1, L2
SPARC / Sun	Solaris 9	8.1.x (x>=7) (8i), 9.0.1, 9.2, 10.1.0	TCP/IP	L1, L2

pSeries / IBM	AIX 5.x (x>=1)	8.1.x (x>=7) (8i), 9.0.1, 9.2, 10.1.0	TCP/IP	L1, L2
------------------	----------------	---	--------	--------

Supported Configurations on the Client (MS SQL)

Platform	Operating system	Versions	Network protocol	Languages
Intel / Microsoft	Windows 98 SE	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3
Intel / Microsoft	Windows ME	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later with Terminal Services	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later with Terminal Services and Citrix Metaframe XP 1.0	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3
Intel / Microsoft	Windows XP SP1 or later	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3
Intel / Microsoft	Windows Server 2003	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3
Intel / Microsoft	Windows Server 2003 with Terminal Services	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3
Intel / Microsoft	Windows Server 2003 with Terminal Services and Citrix Metaframe XP 1.0	7.0 SPx (x>=4), 2000 SPx (x>=3)	TCP/IP, Netbios, Named Pipes	L1, L2, L3

Supported Configurations on the Client (DB2 UDB)

Platform	Operating system	Versions	Network protocol	Languages
Intel / Microsoft	Windows 98 SE	8.1 FPx (x>=4), 8.2	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows ME	8.1 FPx (x>=4), 8.2	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later	8.1 FPx (x>=4), 8.2	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later with Terminal Services	8.1 FPx (x>=4), 8.2	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later with Terminal Services and Citrix Metaframe XP 1.0	8.1 FPx (x>=4), 8.2	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows XP SP1 or later	8.1 FPx (x>=4), 8.2	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003	8.1 FPx (x>=4)	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003 with Terminal Services	8.1 FPx (x>=4), 8.2	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003 with Terminal Services and Citrix Metaframe XP 1.0	8.1 FPx (x>=4), 8.2	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 2.1	8.1 FPx (x>=4), 8.2	TCP/IP	L1, L2
Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 3.0 Update 1 or higher	8.1 FPx (x>=5), 8.2	TCP/IP	L1, L2
Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 4.0	8.2	TCP/IP	L1, L2
SPARC / Sun	Solaris 7	8.1 FPx (x>=4), 8.2	TCP/IP	L1, L2
SPARC / Sun	Solaris 8	8.1 FPx (x>=4), 8.2	TCP/IP	L1, L2

SPARC / Sun	Solaris 9	8.1 FPx (x>=4), 8.2	TCP/IP	L1, L2
pSeries / IBM	AIX 5.x (x>=1)	8.1 FPx (x>=4), 8.2	TCP/IP	L1, L2

Supported Configurations on the Client (Sybase Adaptive Server)

Platform	Operating system	Versions	Network protocol	Languages
Intel / Microsoft	Windows 98 SE	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows ME	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later with Terminal Services	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows 2000 SP4 or later with Terminal Services and Citrix Metaframe XP 1.0	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows XP SP1 or later	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003 with Terminal Services	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / Microsoft	Windows Server 2003 with Terminal Services and Citrix Metaframe XP 1.0	12.5.x	TCP/IP, IPX/SPX, Netbios	L1, L2, L3
Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 2.1	12.5.x	TCP/IP	L1, L2
Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 3.0	12.5.x	TCP/IP	L1, L2

Intel / RedHat	RedHat Enterprise Linux WS, AS and ES 4.0	12.5.x	TCP/IP	L1, L2
SPARC / Sun	Solaris 8	12.5.x	TCP/IP	L1, L2
SPARC / Sun	Solaris 9	12.5.x	TCP/IP	L1, L2
pSeries / IBM	AIX 5.x (x>=1)	12.5.x	TCP/IP	L1, L2

AssetCenter Web - Application Servers

Application Server	Operating System
Tomcat 4.1.x (x>=29), 5.0	Windows 2000 SP4 or later Windows Server 2003 AIX 5.x (x>=1) Solaris 7, 8, 9 Redhat Enterprise Linux 2.1, 3.0
WebSphere Application Server 4.0.x (x>=7), 5.0.x (x>=2), 5.1	Windows 2000 SP4 or later Windows Server 2003 AIX 5.x (x>=1) Solaris 7, 8, 9 Redhat Enterprise Linux 2.1, 3.0
WebLogic 6.1 SPx (x>=4) ⁽¹⁾ , 8.1 ⁽¹⁾	Windows 2000 SP4 or later Windows Server 2003 AIX 5.x (x>=1) Solaris 7, 8, 9 Redhat Enterprise Linux 2.1, 3.0

(1): L1 and L2 support only. L3 is not supported.

AssetCenter Web - Web Servers

Web Server	Operating System
IIS 5.0 for Windows 2000 IIS 6.0 for Windows Server 2003	Windows 2000 SP4 or later Windows Server 2003
Apache 1.3.19	AIX 5.x (x>=1)
Apache 2.0.x (x>=43)	Windows 2000 SP4 or later Windows Server 2003 Solaris 7, 8, 9 Redhat Enterprise Linux 2.1,

	3.0
Sun Java Web Server 6.0, 6.1 (SunONE)	Solaris 7, 8, 9
IBM HTTP Server (minimum 1.3.19)	Windows 2000 SP4 or later Windows Server 2003 AIX 5.x (x>=1) Solaris 7, 8, 9 Redhat Enterprise Linux 2.1, 3.0

AssetCenter Web - Portal Servers

Portal Server	Application Server
WebSphere Portal Server 4.1, 4.2	WebSphere Application Server 4.0

AssetCenter Web - Browsers

Browser	Operating System
Netscape 7.0, 7.1, 7.2	Windows 2000 SP4 or later Windows Server 2003 Windows XP SP1 (SP2 not supported until Microsoft releases patch number Q889386) Redhat Enterprise Linux 2.1, 3.0
Internet Explorer 6.0	Windows 2000 SP4 or later Windows Server 2003 Windows XP SP1 (SP2 not supported until Microsoft releases patch number Q889386)
Mozilla 1.7	Windows 2000 SP4 or later Windows Server 2003 Windows XP SP1 (SP2 not supported until Microsoft releases patch number Q889386) Solaris 7, 8, 9 Redhat Enterprise Linux 2.1, 3.0

AssetCenter Web - Language Platform Support

Platform	Level
Windows 2000	L1, L2, L3 ⁽¹⁾
AIX, Solaris, Linux	L1, L2

AssetCenter Web - Localization Notes

While a server may be configured to support multiple languages concurrently, the set of configured languages must be consistent in character set, which must match the default character encoding of the operating system. For example, L3 must be hosted on a Japanese version of Windows 2000. L1 and L2 use the same character set (ISO-8859-1).

Peregrine Integration Points

Product	Version
Connect-It	3.4.0
Desktop Agents	6.0.1, 6.0.2
Get-Answers (AssetCenter client integration)	4.x
Get-Resources, Get-Services, Get-Answers (ACW/OAA compatibility)	4.2.0

Validated Third-Party Products Integration Points

Product	Version
Crystal Reports	8.5, 9, 10
NetOp Remote Control	7.6
Symantec pcAnywhere	11
Microsoft RDP	

Dropped support

Product	Version	in AC Version
Microsoft Windows	95	4.3.0
	NT 4 Workstation, Server, Terminal Server Edition	4.4.0
RedHat Linux	7.3 and earlier	4.3.1
	8.0	4.4.0

Debian Linux	2.x and 3.0	4.4.0
IBM AIX	4.3	4.3.1
Oracle Database	7.3.4 and earlier	4.3.1
	8.0.x	4.4.0
DB2 UDB	7.2	4.4.0
Sybase Adaptive Server	12.0	4.4.0

- (1): AssetCenter Server is installed as both a graphical program and a Windows service.
- (2): Technical support expiration dates given by software providers, subject to revision.