## This matrix shows OV Internet Services (OVIS) 5.2, 6.0, 6.10, 6.20

### Contents

- 1. Introduction
- 2. OVIS Server
- OVIS Database
   OVIS Dashboard (view)
- 5.OVIS Reports 6. Probe System
- 7. Integrations
- 8. Coexistence

# Legal Notices with Warranty, Copyrights Notices and Trademark Notices

Warranty.

Hewlett-Packard makes no warranty of any kind with regard to this document, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be held liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

### Copyright Notices.

Copyright 2007 Hewlett-Packard Development Company, L.P., all rights reserved.

No part of this document may be copied, reproduced, or translated to another language without the prior written consent of Hewlett-Packard Company.

The information contained in this material is subject to change without notice.

### Trademark Notices

HP-UX Release 10.20 and later and HP-UX Release 11.00 and later (in both 32 and 64-bit configurations) on all HP 9000 computers are Open Group UNIX 95 branded products. Microsoft™ is a U.S. registered trademark of Microsoft Corporation.

Microsoft™ is a U.S. registered trademark of Microsoft Corporation.

Netscape™ and Netscape Navigator are U.S. trademarks of Netscape Communications Corporation.

OpenView™ is a registered U.S. trademark of Hewlett-Packard Company.

Oracle™ is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

Pentium™ is a U.S. registered trademark of Intel Corporation.

SQL\*Plus™ is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

UNIX™ is a registered trademark of the Open Group.
Windows NT™ is a U.S. registered trademark of Microsoft Corporation.

Windows™ and MS Windows™ are U.S. registered trademarks of Microsoft Corporation.

All other product names are the property of their respective trademark or service mark holders and are hereby acknowledged.

For detailed patch info check the hp OpenView software patches webpage: http://support.openview.hp.com/patches/patch\_index.jsp

Updated: March 30, 2007 - HP Internal, Channel Partner and HP OpenView Customer Use Only

## OVIS Server Support

Ovis server support		6.20	6.11	6.10	6.00	5.20
Operating System	OS Version	English	Japanese	English	English	English
Microsoft						
Windows	2000 SP4 Pro/Svr/Adv	Drop	•	•	•	•
	2000 Data Center Server	Drop	•(2)	•(2)	•(1)	•(1)
	XP Professional SP1 (IIS 5.1), XP Pro SP2					
	Server 2003 Standard & Enterprise, Std & Ent SP1	• (3) (4)	• (3) (4)	• (3) (4)	• (3) (4)	• (3) (4)
	Server 2003 Standard & Enterprise, Std & Ent SP2					
	Vista	Not Supported				

- (1) DataCenter Server is supported in that it runs on this version of W2K
- (2) Cluster support is available for A.06.10, A.06.11 and A.06.20
  (3) All architectures are IA-32, no support for 64-bit IPF (Itanium Processor Family)
- (4) Support for Windows 32 bit not 64 bit.

## **OVIS Database**

_		6.20	6.11	6.10	6.00	5.20
Oracle		English	Japanese	English	English	English
	HP-UX 11.0	Drop	•	•	•	•
	Solaris 7, 8	Drop	•		•	•

9.2.x	HP-UX 11.0	Drop	•	•	•	•
Standard & Enterprise Edition	HP-UX 11.11	•		•	•	•
	Solaris 7, 8, 9	•			•	•
10.x Standard & Enterprise Edition & Oracle for OpenView (1)	HP-UX 11.0. 11.11	•(1)	•(1)	•(1)		
Clade for Openview (1)	Solaris 7, 8, 9, 10	•(1)	•(1)	•(1)		
Microsoft SQL Server						
2000	Windows 2000 Server SP4		•			
	Windows 2000 Server Remote			•	•	•
	Windows 2003 SP1 local & remote			•	•	•
	XP Professional SP1 or SP2	•		•		
2005 (SP1)	Windows 2003 Local	•	•(3)	•(3)	•(3)	
	Windows 2003 Server Remote	•	•(4)	•(4)	•(4)	
Microsoft Desktop Engine						
MSDE SP3, SP3A	Windows 2000 Pro/Svr/Adv SP4					
	XP Professional SP1 or SP2					
	Windows 2003 Std & Ent, Std & Ent SP1	•	•	•	•	•
Microsoft Access 2000	Windows 2000 Pro/Svr/Adv SP2, SP3					•(2)
	313					

(1) Oracle 10g supported only with the latest patches recommended by Oracle installed See QXCR1000292098 and Oracle Bug 3417593, Note 3417593.8 for fix to problem OVIS - 'Required tablies not found error' when entering Config Mgr - Oracle 10g (2) QVIS 5.20 supports Access 2000 on Windows 2000 FroWs/Mdx 9P2, SP3 on upgrade only (3) For a local SQL 2005 database. It is recommended to install MSDE first. Follow Microsoft upgrade instructions to SQL 2005. May require several steps. (4) Install OVIS with defaults. Then apply OVIS SQL 2005 hoffix from HP support before attaching to SQL 2005 database.

# OVIS Dashboard (view)

	6.20	6.11	6.10	6.00	5.20
Web Browser					
IE 5.5+ Security Update					•
IE 5.5 with SP2 or SP2+					•
IE 6.0 (+Security Update)	•		•		•
IE 7.0	•				
Netscape 4.7					•
Netscape 6.2					•
Netscape 7					•
Netscape 7.1					•
Mozilla 1.7.2	•	•	•	•	
Mozilla 1.7.13 (HP-UX)	•				
Firefox 2.0.0.1 (Win/Linux)	•				

Firefox 1.5.0.0 (HP-UX)
-------------------------

## **OVIS** Reports

	6.20	6.11	6.10	6.00	5.20
Crystal Reports					
Crystal 8.5					•
Crystal 10.0	•	•	•	•	•(1)
Crystal XI	• (2)				

(1) Requires downloading Crystal 10 templates and Replops from ftp://ftp.hp.com/pub/ovreporter/ and latest Reporter A.03.50 patch from OpenView web site (2) Only if we end up supporting Reporter 3.8

Probe		6.20	6.11	6.10	6.00	5.20
Operating System	OS Version	English	Japanese	English	English	English
Microsoft						
Vindows	2000 SP4 all editions					
	XP Professional SP1, XP Pro SP2				١.	
	Ar Floressional Sr 1, Ar Flo Sr 2					
	Server 2003, Server 2003 SP1					
	all editions (IA32 only, no IA 64					
	support)					
	Server 2003, Server 2003 SP2					
	all editions (IA32 only, no IA 64	•				
	support)					
	Vista (2)					
	VISIG (2)				l	<u> </u>
lnux						
SuSE Linux	8.0					
	8.1 8.2	Drop	•	•	•	•
	9.0	Drop				
	7.0	Біор				
	9 .1 Professional					
	9 .2 Professional					
	0.00 ( )					
	9.3 Professional					
SuSE Linux Enterprise Server	8.0	Drop				
Sust tillux tillerprise server						
	9.0	•				
RedHat Linux	7.0					
	7.1					•
	7.2					•
	7.3	-				
	8.0 9.0	Drop Drop		•	•	•
						1
RedHat Enterprise Linux	ES 2.1	Drop	•	•	•	•
	AS/ES/WS 2.1					
	ES 3.0					
	ES 4.0	÷	<u> </u>	-:-		<u> </u>
	ES 5.0	•				
HP .						
HP.UX HP 9000 /	11.0	Drop			١.	
HP IA64)	11.0	ыор		•		•
	11 11 (11) 11 (1)					
	11.11 (11i v1.0)	•	٠	•	•	•
	11.22 (11i v1.6)	Drop				
	, .=,		1	l	ı	I

11.23 (11i v2)

• (1)

	11.31 (11i v3)	• (1)				
Sun						
Solaris	7					•
	8	•	•	•	•	•
	9	•	•	•	•	•
	10 (SPARC only, not Intel)	•	•	•		

NOTE: The XLSLAM probe is supported on OVIS 5.20 but was discontinued on OVIS 6.0 and beyond. It runs locally only on the Windows management server.

NOTE: The following probes are not available on UNIX: Streaming Media, SMS, SYS\_BASIC\_WMII, ODBC, Exchange, and OVTA integration service types - WEBAPP, SOAPAPP, JMSAPP, RMIAPP, COMAPP.

NOTE: HTTP\_TRANS probe in Internet Explorer heavyweight mode is not available on UNIX but is available in URL mode on UNIX systems
NOTE: NTLM authentication is not available on UNIX in the HTTP, HTTPS, SOAP and HTTP\_TRANS URL mode probes but the other authentication modes are supported

(1) PA-RISC and IA64, no SAP Probe support on IA64

(2) Vista is not supported.

The following Operating System patches and components are required on the specified platforms and operating system versions:

Platform HP-UX 11.0,11.11 Patches

PHSS\_24627 HP aC++ -AA runtime libraries (aCC A.03.33)

PHSS\_24303 ld(1) and linker tools cumulative patch PHCO\_25707 libc cumulative patch

PHCO\_26000 Pthread library cumulative patch

PHSS\_30967

106327-15 SunOS 5.7: 32-Bit Shared library patch for C++

106950-18 SunOS 5.7: Linker Patch

106980-23 libthread patch

Solaris 8: 108434-08 SunOS 5.8: 32-Bit Shared library patch for C++

108434-18 SunOS 5.8: 32-Bit Shared library patch for C++ Note: 108435-18 is the corresponding 64-Bit patch 108993-25 LDAP2 client, libc, libthread, libral libraries

109147-15 SunOS 5.8: Linker catch

110934

Red Hat Linux

RedHat Linux requires compat-libstdc++7.3-2.96 or higher

Integration		6.20	6.11	6.10	6.00	5.20
OV Reporter		0.20	0.11	0.10	0.00	0.20
OVR	3.5		l			•(1)
	3.6					•(2)
	3.7	•				` '
	3.8					
OV Performance Insight						
OVPI	5.0	•	•	•	•	•
	5.1	•	•	•	•	
	5.2	•				
OV Service Information Portal						
OV SIP	3.1					•
	3.2	Drop	•(4)	•(4)	•(4)	
OV Dashboard						
OVD	2.0	•				
OV Performance Manager			<u>'</u>	<u>'</u>	<u>'</u>	
OVPM	4.04	Drop		•	•	•
	4.05					
	5.0	•	•	•	•	•(3)
	6.0/6.01	•				
OV Performance Agent						
OVPA (ARM)	3.x	•	•	•	•	•
	4.0	•	•	•	•	•
	4.5	•				
	4.6	•				
OV Transaction Analyzer						
OVTA	2.0					•
	2.1	Drop	•	•	•	•
	3.0	•	•	•	•	•
	3.1	•	•	•	•	•
	3.1.1	•	•	•	•	٠
OV Internet Services Probe Bull PB						
PR .	1.0					•
	2.0		•(10)			- :
	2.1	•	•(10)	•	•	-
	2.2	•	•(10)	•	•	
OV Operations for Windows	12.2		-(10)			
OVOW	7.10					•(5)
	7.21	Drop	•(6)	•(6)	•(6)	•(6)
	7.50	•(6)	•(6)	•(6)	•(6)	•(6)
		(0)	\-/	\-/	(~/	(2)
OV Operations for UNIX						

	8.0	•(7)	•(7)	•(7)	• (7)	•(7)
	8.10	•	•	•	•	
	8.20	•				
<b>OV Business Process Insigh</b>	ht					
OVBPI	1.0					•
	1.1	•	•	•	•	•
	2.0	•				
	2.10	•				
Systems Insight Manager						
SIM	4.2	•	•	•	•	
	5.0	•				
	5.1	•				
OV SOA Manager						
SOAM	2.0				•	•
OV Service Desk						
OVSD	4.5					
	5.0					
	5.0 SP1	•	•	•	•	
	5.1	•				
Network Node Manager						
NNM	6.2					•(8)
	6.41					• (8)
	7.0/7.01	•	•	•	•	•
	7.5/7.51	•	•	•	•	• (9)

- (1) Requires latest Reporter A. 03.50 patch
  (2) Requires updated set of templates from ftp://ftp.hp.com/pub/ovreporter/
  (3) See OVPM release notes for required workarounds
  (4) Requires SIP aggregate patch 4 or higher for the platform SIP is running on
  (5) OpcMsp integration Only (No Service Tree Integration)
  (6) OpcMsg and Service Tree Integration
  (7) Patch files at ftp://owweb.external.hp.com/pub/ovis/upgrades/ required
  (8) Not supported on HPUX 10.20
  (9) Call support for required "nnm7.5-ovis platform integration" hotfix
  (10) Probe Builder is not I18N compliant.

Coexistence
-------------

		6.20	6.11	6.10	6.00	5.20
OV Reporter						
OVR	3.5					•
	3.6	•	•	•	•	•
	3.7	•				
	3.8					
OV Performance Insight						
OVPI	5.0	•	•	•	•	•
	5.2	•				
OV Service Information Por	tal					
SIP	3.1					•
	3.2	Dropped	•	•	•	•
OV Dashboard					<u> </u>	
OVD	2.0					
OV Performance Manager						
· ·						
OVPM Patch CD	4.04 Patch CD	Drop	•	•	•	
	C 05.00					
	6.0/6.01					ļ
OV Performance Agent	0.07 0.01					
OVPA (ARM)	3.x					
	4.0					
	4.5	•				l
	4.6					
OV Transaction Analyzer	4.0					
OVTA	2.1					
OVIA	2.1	•				
	3.0/3.1/3.1.1	•	•	•	•	•
OV Internet Services Probe	Bullder			<u> </u>	<u> </u>	<u> </u>
PB	1.0			1		
10	2.0					•
	2.1		•	•	•	•
	2.2	•				l
OV Operations for Window		•				
ovow	7.1	Drop				
OVOV	7.21	Drop	•	•		• (1)
	7.5	• Diop	-:	-	-:-	• (1)
	8.0	•	•	•	·	•
Systems Insight Manager	0.0					
SIM	4.2					
JIIVI	5.0	<u> </u>	•		•	L
	5.0	<u> </u>				
OV Service Desk	5.1					
SD Service Desk	5.0					
2D						•
	5.0 SP1 5.1	•	•	•	•	l
OV SOA Manager	5.1	(2)				
OV 30A Ivianager		_				_
LCM4WS (SOAManager)					•	
LCIVI+VVS (SOAIVIAIIAGEI)						

Network Node Manager							
NNM Windows 2000	6.2						•
	6.41						•
	7.0/7.01		•	•	•	•	•
	7.5		•	•	•	•	•
	7.51		•				
OV Business Process Insight							
OVBPI	1.0						•
	1.1		•	•	•	•	•
	2.0		•				
	2.10		•				
HP Diagnostics							
Diagnostics	6.5		•				

(1) NOT on XP
(2) Coexistance with SD 5.1 will not work until SD 5.1 Service Pack 4, due out in July 2007. Do not attempt to install OVIS 06.20 and OVSD 5.1 on the same