

BEA WebLogic Server SPI

updated:

Version

[back to Intro](#)

Availability

included in Application CD Release

OVO Unix

OVO Windows

	link to SUMA						link to SUMA				
	04.20	A.04.00	A.03.50	A.03.10	A.03.00	A.02.06	05.10	04.10	B.03.61	B.02.09	B.02.05
	Jan-07	Jan-06	Nov-04	Jul-04	Mar-04	Sep-03 Dec-03 (Japanese, Korean, S Chinese)	Dec-07	Jun/July 2006	April/May 2005	Dec-03	Aug-03
	SPICD 2006.1	SPICD 2005.1	SPICD 2004.3	SPICD 2004.2	SPICD 2004.1	SPICD 9/03	SPI DVD 2007.1	SPICD 2006.1	SPICD 2005.1	SPICD 12/03	SKW 7.2
							OMW 8.0 & OVOW 7.5	OVOW 7.5	OVOW 7.5		

Compliance Info

Add'l Disk Space on Server	50 MB	50 MB	50 MB	50 MB	50 MB	50 MB	50 MB	50 MB	50 MB	50 MB	50 MB
Add'l Disk Space on Node	10 MB	10 MB	10 MB	10 MB	10 MB	10 MB	10 MB	10 MB	10 MB	10 MB	10 MB
Add'l RAM on Server	-	-	-	-	-	-	-	-	-	-	-
Add'l RAM on Node	-	-	-	-	-	-	-	-	-	-	-
MC/ServiceGuard Ready	n/a	n/a	n/a	n/a	n/a	n/a	X ¹⁹	n/a	n/a	n/a	n/a
Y2K Compliant	X	X	X	X	X	X	X	X	X	X	X
Internationalization (I18N) support ³	X	X	X	X	X	X	X	X	X	X	X

Management Server Platforms

OV/Operations 6.00	X	X	X	X	X ¹³	X					
OV/Operations 7.00	X	X	X	X	X	X					
OVO 7.10	X	X	X	X	X	X					
OVO Unix 8.0 DCE	X ¹⁵	X ¹⁵	X ¹⁵	X							
OVO Unix 8.0 HTTPS	X ¹⁵	X ¹⁵	X ¹⁵								
OVO Unix 8.10 HTTPS/DCE	X	X	X								
OVO Unix 8.20 HTTPS/DCE	X	X									
OVO Windows 7.2x							X ²¹	X	X	X	X
OVO Windows 7.5x							X				
OM Windows 8.0 (both DCE & HTTPS agents)							X				

OV Product Integrations

OV Performance	X	X	X	X	X	X	X	X	X	X	X
OV Performance Agent 4.5	X						X	X	X	X	X
OV Performance Agent 4.6	X						X	X	X	X	X
OV Performance Agent 4.7	X						X ²⁰	X	X	X	X
CODA component in platform	X	X	X	X	X	X	X	X	X	X	X
OVPA Unix	X	X	X	X	X	X	X	X	X	X	X
OVPA Windows	X	X	X	X	X	X	X	X	X	X	X
OVPA Linux 4.x	X	X	X	X	X	X	X	X	X	X	X
Reporter 2.x, 3.5	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴	X (3.x) ¹⁴
Crystal Reports (8, 8.5)	8, 8.5	8, 8.5	8, 8.5	8, 8.5	8, 8.5	8, 8.5	8, 8.5	8, 8.5	8, 8.5	8, 8.5	8, 8.5
Reporter 3.8	X						X				
Reporter 3.7	X ¹⁷						X	X	X	X	X
Reporter 3.6	X ¹⁷	X ¹⁷	X ¹⁷				X	X	X	X	X
Crystal Reports (10)	X	X	X				X	X	X	X	X
OV Performance Manager for Windows	X	X	X	X	X	X	X	X	X	X	X
OV Performance Manager for Solaris, HP/UX	X	X	X				X	X	X	X	X
OV Performance Insight	X	X	X				X (RNS 8.0)	X (RNS 8.0)	X (RNS 8.0)		
Service Navigator (OVUnix)	X	X	X	X	X						

Supported BEA WebLogic Application Server

WLS 5.1 ²							X ²				X ²
WLS 6.1 SP1, SP2, SP3, SP4, SP5 ¹	X ¹	X ¹	X ¹	X ¹	X ¹	X ¹	X ¹	X ¹	X ¹	X ¹	X ¹
WebLogic Server & WebLogic Express are supported	X	X	X	X	X	X	X	X	X	X	X
WLS 7.0, 7.00.1 SP1, SP2, SP3, SP4	X	X	X	X	X	X	X	X	X	X	X
WLS 8.1 SP1 SP2 SP3 SP4 SP5	X	X	X	X	X	X	X	X	X	X	X ⁵
WLS 9.0	X	X					X	X	X	X	
WLS 9.1	X	X ¹⁸					X	X	X	X	
WLS 9.2	X						X	X	X	X	
WLS 10.0	X						X	X	X	X	

BEA WebLogic Application Server (Managed Node)

Remote monitoring			X	X	X	X	X	X	X	X	X	X	X
BEA WLS Version	HP												
6.1 sp1+, 7.0 sp1+, 8.1 sp1+		HPUX 11.00, 11.11		X	X	X	X	X	X	X	X	X	X
6.1 sp1+, 7.0 sp1+, 8.1 sp1+		HPUX 11.11	X										
8.1 sp1+		HPUX 11.23 PI (PA-RISC)	X	X	X								
9.0,		11.11, 11.23	X	X									
9.1		11.11, 11.23	X	X ¹⁸									
9.2		11.11, 11.23	X										
9.2		11.31											
10.0	HP S700/800, PA-RISC	11.31											
9.0		HPUX 11.23/IA64	X	X									
9.1		HPUX 11.23/IA64	X	X ¹⁸									
9.2		HPUX 11.23/IA64	X										
10.0		HPUX 11.23/IA64											
9.2		HPUX 11.31/IA64											
10.0	Itanium	HPUX 11.31/IA64											
6.1 sp1+, 7.0 sp1+, 8.1 sp1+		HP Tru64 5.1A, 5.1B, 5.2	X	X	X	X	X	X	X	X	X	X	X
9.0,9.1		HP Tru64 5.1A, 5.1B, 5.2	X	X ¹⁸									
9.2	Tru64	HP Tru64 5.1A, 5.1B, 5.2	X										
BEA WLS Version	Sun												
6.1 sp1+		Solaris 2.6	X ¹⁵	X ¹⁵	X ¹⁵	X ¹⁵	X ^{6,13}	X ⁶	X ^{6,13}	X ^{6,13}	X ^{6,13}	X ^{6,13}	X ⁶
6.1 sp1+, 7.0 sp1+		Solaris 7.0	X ⁷	X ⁷	X ⁷	X ⁷	X ⁷	X ⁷	X ⁷	X ⁷	X ⁷	X ⁷	X ⁷
9.0		Solaris 7.0		X									
7.0 sp1+, 8.1 sp1+		Solaris 8.0	X	X	X	X	X	X	X	X	X	X	X
9.0		Solaris 8.0	X	X									
9.1		Solaris 8.0	X	X ¹⁸									
9.2		Solaris 8.0	X										
10.0		Solaris 8.0											
7.0 sp1+, 8.1 sp1+		Solaris 9.0	X	X ¹⁰	X ¹⁰	X ¹⁰	X ¹⁰	X ¹⁰	X	X	X ¹⁰	X ¹⁰	X ¹⁰
9.0		Solaris 9.0	X	X									
9.1		Solaris 9.0	X	X ¹⁸									
9.2		Solaris 9.0	X										
10.0		Solaris 9.0											
7.0 sp1+, 8.1 sp1+, 9.0		Solaris 10.0	X	X									
9.1		Solaris 10.0	X	X ¹⁸									
9.2		Solaris 10.0	X										
10.0	SunSPARC	Solaris 10.0	X										
BEA WLS Version	IBM												
8.1 sp1+, 9.0,9.1		AIX 4.3.1, 4.3.2, 4.3.3, 5.1, 5.2, 5.3		X									
8.1 sp1+, 9.0,9.1		AIX 5.1, 5.2, 5.3	X										
9.2		AIX 5.1, 5.2, 5.3	X										
10.0	IBM RS/6000	AIX 5.2, 5.3											
BEA WLS Version	Microsoft												
6.1 sp1+, 7.0 sp1+, 8.1 sp1+		Windows 2000 Server ¹¹	X ⁸	X ⁸	X ⁸	X ⁸	X ⁸	X ⁸	X ⁸	X ⁸	X ⁸	X ⁸	X ⁸
9.0		Windows 2000 Server	X	X									
9.1		Windows 2000 Server	X	X ¹⁸									
9.2		Windows 2000 Server	X										
10.0		Windows 2000 Server											
7.0 sp1+, 8.1 sp1+		Windows 2003 32 bit	X	X	X	X	X	X	X	X	X	X	X
9.0,		Windows 2003 32 bit	X	X									
9.1		Windows 2003 32 bit	X	X ¹⁸									
9.2		Windows 2003 32 bit	X										
10.0		Windows 2003 32 bit											
8.1 sp1+, 9.0, 9.1, 9.2		Windows 2003 on x64 (EM64T)	X										
10.0	Intel	Windows 2003 on x64 (EM64T)							X ²²	X ²²			
8.1 sp1+, 9.0, 9.1, 9.2		Windows 2003 on x64 (AMD64)							X ²²	X ²²			
10.0	AMD	Windows 2003 on x64 (AMD64)							X ²²	X ²²			
8.1 sp1+		Windows 2003 64 bit	X	X	X				X ²²	X	X		
9.0		Windows 2003 64 bit	X	X					X ²²	X			
9.1		Windows 2003 64 bit	X	X ¹⁸					X ²²	X			
9.2		Windows 2003 64 bit	X						X ²²				
10.0	Itanium	Windows 2003 64 bit							X ²²				

BEA WLS Version		Red Hat											
7.0 sp1+		Linux Red Hat Enterprise 2.1 AS/ES (32bit)	X	X	X	X	X		X	X	X		
8.1 sp1+		Linux Red Hat Enterprise 3.0 AS/ES (32bit)	X	X	X	X			X	X	X		
8.1 sp1+		Linux Red Hat Enterprise 3.0 AS/ES (64bit)	X	X					X	X	X		
8.1 sp1+		Linux Red Hat Enterprise 4.0 (32bit)	X						X				
9.0		Linux Red Hat Enterprise 2.1, 3.0 AS/ES (32bit/64bit)	X	X					X	X			
9.0		Linux Red Hat Enterprise 4.0 ES (32bit)	X						X				
9.0		Linux Red Hat Enterprise 4.0 ES (64-bit)	X										
9.0		Linux Red Hat Enterprise 4.0 AS (64-bit)	X										
9.1		Linux Red Hat Enterprise 4.0 ES (32bit)	X	X ¹⁸					X	X			
9.1		Linux Red Hat Enterprise 4.0 ES (64-bit)	X										
9.1		Linux Red Hat Enterprise 4.0 AS (64-bit)	X										
9.2		Linux Red Hat Enterprise 3.0 AS/ES (32bit/64bit)	X						X				
9.2		Linux Red Hat Enterprise 4.0 ES (32bit)	X						X				
9.2		Linux Red Hat Enterprise 4.0 ES (64-bit)	X										
9.2		Linux Red Hat Enterprise 4.0 AS (64-bit)	X										
10.0		Linux Red Hat Enterprise 3.0 AS/ES (32bit/64bit)	X						X				
10.0		Linux Red Hat Enterprise 4.0 ES (32bit)	X						X				
BEA WLS Version		SuSE											
8.1 sp1+		Suse Linux Enterprise Server (SLES) 7	X ¹⁶	X ¹⁶	X ¹⁶				X ¹⁶	X ¹⁶	X ¹⁶		
8.1 sp1+		Suse Linux Enterprise Server (SLES) 8 (32 bit)	X	X	X				X	X	X		
9.0		Suse Linux Enterprise Server (SLES) 8 (32 bit)	X	X					X	X			
9.1		Suse Linux Enterprise Server (SLES) 8 (32 bit)	X	X ¹⁸					X	X			
8.1 sp1+, 9.0	Itanium	Suse Linux Enterprise Server (SLES) 8 (32bit)	X	X					X				
8.1 sp1+, 9.0		Suse Linux Enterprise Server (SLES) 9 (32bit)	X	X					X				
9.1		Suse Linux Enterprise Server (SLES) 9 (32 bit)	X	X ¹⁸					X	X			
9.2		Suse Linux Enterprise Server (SLES) 8.0 (32 bit), 9.0 (32 bit)	X						X				
9.2		Suse Linux Enterprise Server (SLES) 10.0 (64 bit) on x64							X				
10.0		Suse Linux Enterprise Server (SLES) 9.0 (32 bit)							X				
10.0		Suse Linux Enterprise Server (SLES) 10.0 (64 bit) on x64							X				
DSI2DDF													
		DSI2DDF 1.1, 1.12, 1.2x, 1.30, 2.0	X	X	X	X	X	X	X	X	X	X	X
		DSI2DDF 1.23 (OVOWindows only)							X	X	X		
		DSI2DDF 2.0 (OVOUNix only)	X	X	X	X							
		DSI2DDF 2.02 (OVOUNix only)	X	X									
		DSI2DDF 2.21 (OVOUNix only)	X										
		DSI2DDF 64-bit							X				

¹ SP2, SP3 supported with Patch

² WebLogic 5.1 support is for availability monitoring only, No Discovery

³ 118N support implies that the English version of the Software can be installed and used under non-English language systems. This SPI depends on Crystal Reports, and Crystal reports do not allow you to generate a single set of report templates that can be used on all non-English languages. Hence, the report templates that must display non-ASCII characters may corrupt the non-ASCII characters.

⁴ Does support WebLogic 7.0 but does not include WebLogic 7.0 specific metrics

⁶ Only supported for WebLogic 6, 6.1

⁷ Not supported for WebLogic 8.1

⁸ Windows 2000 Pro not supported for WebLogic 8.1

⁹ Only supported with WebLogic 7.0

¹⁰ Only supported for WebLogic 6.1, 7.0, 8.1

¹¹ Windows 2000 Server includes Windows 2000 Advanced Server and Data Center

¹² Work around is required for OVO Windows with patch OVOW_00087 on nodes Tru64 5.1B, Redhat Linux 2.1, 3.0, Itanium 11.23. See documentation for more details on NSMbb63634.

¹⁴ Reporter Patch for Reporter

3.5 is required (OVR_00008) for

the Korean and S-Chinese

customers otherwise the reports

will not generate correctly. The

SPI patches for OVO/W will be a

patch to Reporter-Lite for

OVO/W (Reporter 3.43)

¹⁵ Deprecated, not supported and no patches will be issued

¹⁶ SLES 7 is supported for WebLogic 6.1 and WebLogic 7.0, not support for WebLogic 8.1

¹⁷ msi files for OV Reporter 3.6 are located at ftp://ftp.hp.com/pub/ovreporter

¹⁸ WebLogic 9.1 is supported on OVOU through a patch release. To get 9.1 support, customer needs to have A.04.00 base version and a patch with version A.04.00.01 needs to be installed on top of that

¹⁹ MC/SG supported for hardware failover on HPUX managed node cluster (each managed node should be HPUX)

²⁰ HP Performance Agent 4.70 is not supported on x86_64 nodes having 32 bit DCE agent. Install PA 4.60 on such nodes.

²¹ Install OVOU server patch OVOW_00244 for this SPI version to run on OVOW 7.5

²² Support for 64-bit Windows nodes is only available via 32-bit DCE emulation mode