HP IT Executive Scorecard

Software Version: 9.50
Windows ® operating system

Content Reference Guide for the Integration with Microsoft Hyper-V

Document Release Date: February 2015
Software Release Date: June 2014



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2011-2014 Hewlett-Packard Development Company, L.P.

Trademark Notices

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

AMD is a trademark of Advanced Micro Devices, Inc.

Intel and Xeon are trademarks of Intel Corporation in the U.S. and other countries.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to: **https://softwaresupport.hp.com**

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to: **https://hpp12.passport.hp.com/hppcf/createuser.do**

Or click the **the Register** link at the top of the HP Software Support page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

Visit the HP Software Support Online web site at: **https://softwaresupport.hp.com**

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests

- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

https://hpp12.passport.hp.com/hppcf/createuser.do

To find more information about access levels, go to:

https://softwaresupport.hp.com/web/softwaresupport/access-levels

HP Software Solutions Now accesses the HPSW Solution and Integration Portal Web site. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of Integrations between HP Products, as well as a listing of ITIL Processes. The URL for this Web site is **http://h20230.www2.hp.com/sc/solutions/index.jsp**

About this PDF Version of Online Help

This document is a PDF version of the online help. This PDF file is provided so you can easily print multiple topics from the help information or read the online help in PDF format. Because this content was originally created to be viewed as online help in a web browser, some topics may not be formatted properly. Some interactive topics may not be present in this PDF version. Those topics can be successfully printed from within the online help.

Contents

Hyper-V Data Source - Integration, Associated Contexts, KPIs, Metrics, Data Lineage 5
Hyper-V Data Source 7
Activate the Calculation for the Cost of VM CPU 11
CloudOptimization Context 30
Amount of Used Storage Metric 45
Incoming Network Traffic Metric 46
Outgoing Network Traffic Metric 47
Network Traffic Metric 48
Number of Used Instances KPI 48
% of CPU Utilization KPI 50

Send Documentation Feedback 51

Hyper-V Data Source - Integration, Associated Contexts, KPIs, Metrics, Data Lineage

This document describes the integration, contexts, KPIs, Metrics, data lineage, and reports associated with the integration with the Microsoft Hyper-V data source.

Hyper-V virtualization platform helps organizations make optimum use of server hardware by consolidating multiple server roles as separate Virtual Machines (VMs), providing greater scalability and built-in reliability features. This increases the efficiency, availability, and flexibility of your IT organization. Additionally, you can also transform your data center into a cloud computing environment to provide IT services on demand.

Hyper-V Server 2012 is a hypervisor-based server virtualization product provided by Microsoft, Hyper-V infrastructure technology enables you to virtualize hardware to establish your private cloud environment. Microsoft System Center 2012 – Operations Manager (SCOM) offers comprehensive monitoring for your datacenter and cloud, both private and public. Microsoft System Center 2012 - Virtual Machine Manager (SCVMM) is a management solution for the virtualized datacenter, enabling you to configure and manage your virtualization host, networking, and storage resources in order to create and deploy virtual machines and services to private clouds that you have created. The integration with Hyper-V is based on SCOM 2012 SP1 + SCVMM 2012 SP1 private cloud solution. This out-of-the-box data integration imports SCOM+SCVMM data into Executive Scorecard. The data is then combined with other data sources, transformed, analyzed, and loaded as metrics on a series of Executive Scorecard tabs. The SCOM + SCVMM data includes Infrastructure Usage and utilization data.

The data warehouse is connected to Hyper-V through high-level integration processes. A set of database views enables the extraction of the main Hyper-V objects.

Hyper-V is the data source used by the CSA_CloudOptimization and CSA_CloudOptimization_Demo contexts (universes).

Cloud Optimization Offering

The Cloud Optimization offering includes integrations with:

- **Amazon Web Services (AWS).** For details see AWS Data Source - Integration, Associated Context, KPIs, Metrics, and Data Lineage in the *IT Executive Scorecard Content Reference Guide for the Integration of Amazon Web Services*.
- **Amazon Web Service CloudWatch(AWSCW).** For details see AWSCW Data Source - Integration, Associated Context, KPIs, Metrics, and Data Lineage in the *IT Executive Scorecard Content Reference Guide for the Integration of Amazon Web Service CloudWatch*.
- **HP Cloud Service Automation (CSA).** For details see CSA Data Source - Integration, Associated Context, KPIs, Metrics, and Data Lineage in the *IT Executive Scorecard Content Reference Guide for the Integration of HP Cloud Service Automation*.
- **vCenter Chargeback Manager (VCM).** For details see VCM Data Source - Integration, Associated Context, KPIs, Metrics, and Data Lineage in the *IT Executive Scorecard Content Reference Guide for the Integration of vCenter Chargeback Manager*.

- **Microsoft Hyper-V (HPV).** For details see Hyper-V Data Source - Integration, Associated Contexts, KPIs, Metrics, Data Lineage, and Reports in the *IT Executive Scorecard Content Reference Guide for the Integration of Hyper-V*.

Note: Information about the ALT data source and more general content issues are detailed in the *IT Executive Scorecard Content Reference Guide for the Integration of Alternate Data Sources*.

Data Lineage

For details on how to understand the data lineage graph, see Data Lineage in the *IT Executive Scorecard Content Reference Guide*

Hyper-V Data Source

The purpose of the integration of Hyper-V (HPV) as a data source is to provide server optimization information into the Data Warehouse.

To access:

Select **Admin > Data Source Management** then click **Activate** to activate the integration processes for the **HPV** data source.



Learn More

Content Packs and their functionality

To learn about Content Packs and their functionality, see Data Source Management in the *IT Executive Scorecard Administrator Guide*.

Important Information

- Hyper-V supports multiple instances of the Content Pack.
- It is recommended to install Hyper-V 2012, System Center Virtual Machine Manager 2012 SP1 and System Center Operations Manager 2012 SP1 to ensure quality integration between XS and Hyper-V.
- All fields are case-sensitive.

Tasks

Activate the Integration

1. **Prerequisites:**
   - Calculate the cost of **vm cpu(/GHz)** and import the management pack developed by HP engineers.
   - Before running ETL workflow, set the relevant unit-price in **Pricing_Model.xls** located in **<HPXS>\agora\DataWarehouse\ExternalSources** .
   - Activate the ALT Content Pack to get the exchange rate.
   - Copy the relevant HPV records from **<HPXS>\agora\ContentPacks\Core\ETL\flatfiles\CostCategory.xls** to **<HPXS>\agora\DataWarehouse\ExternalSources\CostCategory.xls**

- Make sure that the System Center Operations Manager (SCOM) SP1 is integrated with the System Center Virtual Machine Manager (SCVMM) SP1.
- If you want to calculate the costs of VM CPU, discover Hyper-V host as "AgentManaged" ,and import a Management Pack package into SCOM, go to "Activate the Calculation for the Cost of VM CPU" on page 11 before you activate Hyper-V .


2. Select **Admin** > **Data Source Management** then click **Add data source**.
3. The Add Data Source page opens. Select the **HPV** data source type.
4. Select or enter the configuration parameters.
5. Click **Next** to proceed to the validation page.

Note: To perform configuration and activation tasks using the Automation tool, see The Automation Tool in the *IT Executive Scorecard Administrator Guide*.

UI Description

Hyper-V Activation Page

The data warehouse is connected to Hyper-V through high-level integration processes. A set of database views enables the extraction of the main HPV objects.



Mandatory fields are marked with a red asterisk.

User interface elements are described below:

UI Element	Description
Instance name	Enter a name for the data source instance you are activating.
HPV Version	This field is read-only.
Time Zone	Select the time zone for the data source.
Data Source Type	HPV should be configured to run on an SQL Server.
Username	Enter the name used to log on to database of SCOM.
Password	Enter the password used to log on to database of SCOM.
Hostname/IP Address	Enter the hostname or IP address of the server on which the SCOM database is installed.
Port	Enter the server port number.
Protocol	Enter the database name of SCOM. The default name is **OperationsManagerDW**.
Initial Load Period (months)	Select the number of months from which you want the initial data loaded.

Reference

List of Entities

List of Entities in Excel format

This document is available in the PDFs directory in the Installation DVD, is accessible from the Help Center page in the online Help Center (documentation library), or from the HP Software Product Manual Site (http://h20230.www2.hp.com/selfsolve/manuals).

Activate the Calculation for the Cost of VM CPU

If you want to calculate the costs of **VM CPU**, discover the Hyper-V Host and import the Management Pack package into SCOM. For details, see below.

The other costs are provided without the need for a rule or a package.

Tasks | Reference

Tasks

This section includes the following tasks:


"Discover the Hyper-V Host" below

"Import a Management Pack into SCOM" on page 20


Discover the Hyper-V Host

1. Log on to the System Center Operations Manager (SCOM).
2. In the Operations console, click **Administration**.


3. Right-click **AgentManaged** ,and then click **Discovery Wizard…**.




4. Choose the type of Hyper-V host: **Windows computers**, and click **Next**.




5. Select **Advanced discovery**, and click **Next**.




6. Click **Configure**.




7. Input the computer name of Hyper-V host ,and click **OK**.




8. Click **Next**.


Computer and Device Management Wizard
Discovery Method
Discovery Type
Auto or Advanced?
Discovery Method
Administrator Account
Select Objects to Manage
Summary
How do you want to discover computers?
Scan Active Directory
Select objects from Active Directory to scan, or create an advanced query.
(&(sAMAccountType=805306369)(name=HYPER2012HOST*))
Configure...
Domain:
FPAZSH
Browse for, or type-in computer names
Browse Active Directory or type computer names into the list below. Separate each computer name by a semi-colon, comma or a new line:
Browse...
For example, server1.contoso.com or server1
< Previous
Next >
Discover
Cancel


9. Input a user account with Administrator rights on the Hyper-V.



10. Select the Hyper-V host , and click **Next**.



11. Click **Finish**.




12. The procedure is now complete.

Import a Management Pack into SCOM


To import a Management Pack into SCOM:

1. Log on to System Center Operations Manager (SCOM).
2. In the Operations console, click **Administration**.


3. Right-click **Management Packages**, and then click **Import Management Packs**.




4. The **Import Management Packs** wizard opens. Click **Add** and then click **Add from disk**.




5. Select **Yes** to download the dependent packs.




6. Select the supported management pack. It monitors the server CPU clock speed (/MHz) to calculate the usage of the virtual machine CPU.



7. Click **Install**.



8. Click **Close** to complete the import.



Reference

The HP.XS.HyperV.VM.xml file is as follows:

```
<?xml version="1.0" encoding="utf-8"?><ManagementPack ContentReadable="true"
SchemaVersion="2.0" OriginalSchemaVersion="1.1"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
  <Manifest>
    <Identity>
      <ID>HP.XS.HyperV.VM</ID>
      <Version>1.0.0.0</Version>
    </Identity>
    <Name>HP XS HyperV VM</Name>
    <References>
```

```
        <Reference Alias="SystemCenter2">
          <ID>Microsoft.SystemCenter.VirtualMachineManager.2012.Reports</ID>
          <Version>3.1.6011.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
        <Reference Alias="SCDW">
          <ID>Microsoft.SystemCenter.DataWarehouse.Library</ID>
          <Version>7.0.8432.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
        <Reference Alias="SystemCenter1">
          <ID>Microsoft.SystemCenter.VirtualMachineManager.Library</ID>
          <Version>3.1.6011.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
        <Reference Alias="MicrosoftWindowsLibrary7585010">
          <ID>Microsoft.Windows.Library</ID>
          <Version>7.5.8501.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
        <Reference Alias="Performance">
          <ID>System.Performance.Library</ID>
          <Version>7.0.8432.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
        <Reference Alias="System">
          <ID>System.Library</ID>
          <Version>7.5.8501.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
        <Reference
    Alias="MicrosoftSystemCenterVirtualMachineManager2012Discovery3160110">
          <ID>Microsoft.SystemCenter.VirtualMachineManager.2012.Discovery</ID>
          <Version>3.1.6011.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
        <Reference Alias="SystemCenter">
          <ID>Microsoft.SystemCenter.Library</ID>
          <Version>7.0.8432.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
        <Reference Alias="MicrosoftWindowsHyperVLibrary6266400">
          <ID>Microsoft.Windows.HyperV.Library</ID>
          <Version>6.2.6640.0</Version>
          <PublicKeyToken>31bf3856ad364e35</PublicKeyToken>
        </Reference>
      </References>
    </Manifest>
    <Monitoring>
```

```
    <Rules>
      <Rule ID="MomUIGeneratedRule2904b60a3424441eb794b0ccdb9c8a5e" Enabled="true"
Target="MicrosoftWindowsHyperVLibrary6266400!Microsoft.Windows.HyperV.ServerRole"
ConfirmDelivery="false" Remotable="true" Priority="Normal" DiscardLevel="100">
        <Category>PerformanceCollection</Category>
        <DataSources>
          <DataSource ID="DS"
TypeID="Performance!System.Performance.OptimizedDataProvider">
            <ComputerName>$Target/Host/Property
[Type="MicrosoftWindowsLibrary7585010!Microsoft.Windows.Computer"]
/NetworkName$</ComputerName>
            <CounterName>Processor Frequency</CounterName>
            <ObjectName>Processor Information</ObjectName>
            <InstanceName>_Total</InstanceName>
            <AllInstances>false</AllInstances>
            <Frequency>1800</Frequency>
            <Tolerance>0</Tolerance>
            <ToleranceType>Absolute</ToleranceType>
            <MaximumSampleSeparation>1</MaximumSampleSeparation>
          </DataSource>
        </DataSources>
        <WriteActions>
          <WriteAction ID="WriteToDB"
TypeID="SystemCenter!Microsoft.SystemCenter.CollectPerformanceData" />
          <WriteAction ID="WriteToDW"
TypeID="SCDW!Microsoft.SystemCenter.DataWarehouse.PublishPerformanceData" />
        </WriteActions>
      </Rule>
    </Rules>
    <Overrides>
      <RuleConfigurationOverride
ID="OverrideForRuleMomUIGeneratedRule2904b60a3424441eb794b0ccdb9c8a5eForContextMicr
osoftWindowsHyperVServerRole4d08de8a627740dda5cca1c39f5fa72a"
Context="MicrosoftWindowsHyperVLibrary6266400!Microsoft.Windows.HyperV.ServerRole"
Enforced="false" Rule="MomUIGeneratedRule2904b60a3424441eb794b0ccdb9c8a5e"
Parameter="Frequency" Module="DS">
        <Value>70</Value>
      </RuleConfigurationOverride>
      <RuleConfigurationOverride
ID="OverrideForRuleMicrosoftSystemCenterVirtualMachineManager2012VirtualMachineNetS
entBytesPerSecForContextMicrosoftSystemCenterVirtualMachineManager2012ManagementGro
upc23d12a5dbb84bd6b05e035e0970ccdf"
Context="MicrosoftSystemCenterVirtualMachineManager2012Discovery3160110!Microsoft.S
ystemCenter.VirtualMachineManager.2012.ManagementGroup" Enforced="false"
Rule="SystemCenter2!Microsoft.SystemCenter.VirtualMachineManager.2012.VirtualMachin
e.NetSentBytesPerSec" Parameter="IntervalSeconds" Module="PerformanceDS">
        <Value>70</Value>
      </RuleConfigurationOverride>
    </Overrides>
```

```
  </Monitoring>
  <Presentation>
    <Views>
      <View ID="View_5aa655ae73374b8c89dfc4783e0ad883" Accessibility="Public"
Enabled="true" Target="System!System.Entity"
TypeID="SystemCenter!Microsoft.SystemCenter.PerformanceViewType" Visible="true">
        <Category>Operations</Category>
        <Criteria>
          <RuleList>
            <Rule>a156ba4b-e14c-763b-ad03-8e70cc466bb9</Rule>
          </RuleList>
        </Criteria>
        <Presentation>
          <SortedColumnIndex>0</SortedColumnIndex>
          <SortOrder>0</SortOrder>
          <StartTime>2013-08-08T11:15:14.2264567+08:00</StartTime>
          <EndTime>2013-08-09T11:15:14.2264567+08:00</EndTime>
          <DynamicTimeTicks>864000000000</DynamicTimeTicks>
          <IsDynamic>true</IsDynamic>
          <Is3DMode>false</Is3DMode>
          <ShowAlerts>false</ShowAlerts>
          <ShowMaintenanceMode>false</ShowMaintenanceMode>
          <BaselineMode>false</BaselineMode>
          <ShowPointLabels>false</ShowPointLabels>
          <EnableSmartLabels>true</EnableSmartLabels>
          <RightAngleAxes>false</RightAngleAxes>
          <ClusterSeries>false</ClusterSeries>
          <Title />
          <TitleFont>Microsoft Sans Serif,12,Regular</TitleFont>
          <ChartFont>Microsoft Sans Serif,8.25,Regular</ChartFont>
          <ShowBands>false</ShowBands>
          <BandColor>-1579033</BandColor>
          <ChartType>Line</ChartType>
          <Depth>100</Depth>
          <GapDepth>100</GapDepth>
          <Perspective>10</Perspective>
          <GraphXRotation>0</GraphXRotation>
          <GraphYRotation>0</GraphYRotation>
          <XLabelAngle>0</XLabelAngle>
          <LabelColor>-16777216</LabelColor>
          <LabelFont>Microsoft Sans Serif,8.25,Regular</LabelFont>
          <XAxisVisible>True</XAxisVisible>
          <XShowMajorGridlines>false</XShowMajorGridlines>
          <XShowMinorGridlines>false</XShowMinorGridlines>
          <ShowInterlaceStrips>false</ShowInterlaceStrips>
          <XInterlaceColor>16777215</XInterlaceColor>
          <XShowSideMargin>true</XShowSideMargin>
          <XAxisFont>Microsoft Sans Serif,8.25,Regular</XAxisFont>
          <AutoAxis>true</AutoAxis>
```

```
          <AxisMax>100</AxisMax>
          <AxisMin>0</AxisMin>
          <YAxisVisible>True</YAxisVisible>
          <YShowMajorGridlines>true</YShowMajorGridlines>
          <YShowMinorGridlines>false</YShowMinorGridlines>
          <YShowInterlaceStrips>false</YShowInterlaceStrips>
          <YShowSideMargin>true</YShowSideMargin>
          <YAxisFont>Microsoft Sans Serif,8.25,Regular</YAxisFont>
          <BackgroundColor1>-1</BackgroundColor1>
          <BackgroundColor2>-1</BackgroundColor2>
          <GradientType>None</GradientType>
          <Series />
        </Presentation>
        <Target />
      </View>
    </Views>
    <Folders>
      <Folder ID="Folder_7e96f5172a6e4dc9b99a74e62a11d6c3" Accessibility="Public"
ParentFolder="SystemCenter!Microsoft.SystemCenter.Monitoring.ViewFolder.Root" />
    </Folders>
    <FolderItems>
      <FolderItem ElementID="View_5aa655ae73374b8c89dfc4783e0ad883"
ID="i34ac438e214b41e09968bbfec56bbd21" Folder="Folder_
7e96f5172a6e4dc9b99a74e62a11d6c3" />
    </FolderItems>
  </Presentation>
  <LanguagePacks>
    <LanguagePack ID="ENU" IsDefault="false">
      <DisplayStrings>
        <DisplayString ElementID="HP.XS.HyperV.VM">
          <Name>HP XS HyperV VM</Name>
        </DisplayString>
        <DisplayString ElementID="Folder_7e96f5172a6e4dc9b99a74e62a11d6c3">
          <Name>HP XS HyperV VM</Name>
        </DisplayString>
        <DisplayString
ElementID="MomUIGeneratedRule2904b60a3424441eb794b0ccdb9c8a5e">
          <Name>HP XS Hyper-V/Host Processor Frequency</Name>
          <Description />
        </DisplayString>
        <DisplayString ElementID="View_5aa655ae73374b8c89dfc4783e0ad883">
          <Name>HP_XS_HyperV_Host</Name>
        </DisplayString>
        <DisplayString
ElementID="MomUIGeneratedRule2904b60a3424441eb794b0ccdb9c8a5e"
SubElementID="WriteToDW">
          <Name>Performance data publisher</Name>
        </DisplayString>
        <DisplayString
```

```
ElementID="MomUIGeneratedRule2904b60a3424441eb794b0ccdb9c8a5e"
SubElementID="WriteToDB">
          <Name>Performance Data Collection Write Action</Name>
        </DisplayString>
        <DisplayString
ElementID="MomUIGeneratedRule2904b60a3424441eb794b0ccdb9c8a5e" SubElementID="DS">
          <Name>DS</Name>
        </DisplayString>
      </DisplayStrings>
    </LanguagePack>
  </LanguagePacks>
</ManagementPack>
```

CloudOptimization Context

The CloudOptimization context gathers data from several data sources.

Data sources of the CloudOptimization context

The CloudOptimization context contains the attributes and classes that relate to the following data sources:

- Amazon Web Services (AWS) offers a complete set of infrastructure and application services that enable you to run virtually everything in the cloud: from enterprise applications and big data projects to social games and mobile apps. One of the key benefits of cloud computing is the opportunity to replace up-front capital infrastructure expenses with low variable costs that scale with your business.

  The integration with AWS provides cost and usage reports based on the cost allocation report provided by AWS account.

  For details, see AWS Data Source in the *IT Executive Scorecard Content Reference Guide for the Integration of Amazon Web Services*.
- HP Cloud Service Automation (CSA) is a platform that orchestrates the deployment of computation and infrastructure resources and of complex multi-tier application architectures. HP CSA integrates and leverages the strengths of a hybrid cloud environment, providing the ability to design and deploy enterprise-ready cloud services tailored to the business needs of your organization. It works through a catalog-based subscription process. Subscribers request and modify cloud service offerings with pre-defined pricing and other customer-specific features. Once the request is approved, through a policy-driven process, HP CSA deploys the cloud service offering using a structured lifecycle with pre-defined integration mechanisms for invoking external processes.

  The integration with CSA as new content pack provides reporting analysis based on CSA data model.

  For details, see CSA Data Source in the *IT Executive Scorecard Content Reference Guide for the Integration of HP Cloud Service Automation*.
- Amazon CloudWatch monitors your Amazon Web Services (AWSCW) resources and the applications you run on AWS in real-time. You can use CloudWatch to collect and track metrics, which are the variables you want to measure for your resources and applications. CloudWatch alarms send notifications or automatically make changes to the resources you are monitoring based on rules that you define. For example, you can monitor the CPU usage and disk reads and writes of your Amazon Elastic Compute Cloud (Amazon EC2) instances and then use this data to determine whether you should launch additional instances to handle increased load. You can also use this data to stop under-used instances to save money. In addition to monitoring the built-in metrics that come with AWS, you can monitor your own custom metrics. With CloudWatch, you gain system-wide visibility into resource utilization, application performance, and operational health.

  For details, see AWSCW Data Source in the *IT Executive Scorecard Content Reference Guide for the Integration of Amazon Web Service CloudWatch*.

To access:

In Executive Scorecard, click **Admin > Semantic Layer > Semantic Layer**. In the Context Management page, click **Launch Context Designer**. In the Context Designer page, click **Open an existing context**, and select the Context.

Tasks | Reference

Tasks

Display the Context

1. In Executive Scorecard, click **Admin > Semantic Layer > Semantic Layer**. The Context Management page opens.
2. The list of out-of-the-box Contexts is displayed.
3. Click **Launch Context Designer**.
4. In the Context Designer page that opens, click **Open an existing context**.
5. Select the relevant Context.


   The structure of the Context is displayed.

For additional details about Context Designer, see Semantic Layer - Context Designer in the *IT Executive Scorecard Administrator Guide*.

Reference

Context Tables and Structure

The context includes the following tables and relationships:



Statistics

Entity Count	Field Count	Table Count	Alias Count	Join Count
18	94	18	4	17

Model Structure

The table lists all the views and fields included in the model even when the corresponding objects have not been selected to be part of the corresponding Context.

TABLE_NAME	COLUMN_NAME	TYPE
xs.BILLING_FACT_V	AMOUNT_BASE	NUMERIC
xs.BILLING_FACT_V	RECURRING_FLAG	NUMERIC
xs.BUSINESS_UNIT_DIM_V	Name	STRING
xs.BUSINESS_UNIT_DIM_V	ORG_TYPE	STRING
xs.MAXIMUM_SERVICE_PROVIDER_ OFFERING_V	SERVICE_OFFERING_ DURABLE_KEY	NUMERIC
xs.PERIOD_DIM_V	Day	STRING
xs.PERIOD_DIM_V	Day	STRING
xs.PERIOD_DIM_V	Day	STRING
xs.PERIOD_DIM_V	Month	STRING
xs.PERIOD_DIM_V	Month	STRING
xs.PERIOD_DIM_V	Month	STRING
xs.PERIOD_DIM_V	PERIODICITY	STRING
xs.PERIOD_DIM_V	PERIODICITY	STRING
xs.PERIOD_DIM_V	PERIODICITY	STRING
xs.PERIOD_DIM_V	Quarter	STRING
xs.PERIOD_DIM_V	Quarter	STRING
xs.PERIOD_DIM_V	Quarter	STRING
xs.PERIOD_DIM_V	Week	STRING
xs.PERIOD_DIM_V	Week	STRING
xs.PERIOD_DIM_V	Week	STRING

TABLE_NAME	COLUMN_NAME	TYPE
xs.PERIOD_DIM_V	Year	STRING
xs.PERIOD_DIM_V	Year	STRING
xs.PERIOD_DIM_V	Year	STRING
xs.PERSON_DIM_V	Name	STRING
xs.RESOURCE_PROVIDER_DIM_V	FLAG_INTERNAL	STRING
xs.RESOURCE_PROVIDER_DIM_V	FLAG_INTERNAL	STRING
xs.RESOURCE_PROVIDER_DIM_V	FLAG_INTERNAL	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL0	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL0	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL0	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL1	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL1	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL1	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL2	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL2	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL2	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL3	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL3	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL3	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL4	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL4	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL4	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL5	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL5	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL5	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL6	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL6	STRING

TABLE_NAME	COLUMN_NAME	TYPE
xs.RESOURCE_PROVIDER_DIM_V	LEVEL6	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL7	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL7	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL7	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL8	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL8	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL8	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL9	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL9	STRING
xs.RESOURCE_PROVIDER_DIM_V	LEVEL9	STRING
xs.RESOURCE_PROVIDER_DIM_V	Name	STRING
xs.RESOURCE_PROVIDER_DIM_V	Name	STRING
xs.RESOURCE_PROVIDER_DIM_V	Name	STRING
xs.SERVICE_BLUEPRINT_DIM_V	DISPLAY_LABEL	STRING
xs.SERVICE_BLUEPRINT_DIM_V	NAME	STRING
xs.SERVICE_BLUEPRINT_DIM_V	SVC_BLUPRT_TYPE	STRING
xs.SERVICE_CATALOG_DIM_V	DISPLAY_LABEL	STRING
xs.SERVICE_CATALOG_DIM_V	NAME	STRING
xs.SERVICE_CATEGORY_DIM_V	DISPLAY_LABEL	STRING
xs.SERVICE_CATEGORY_DIM_V	NAME	STRING
xs.SERVICE_INSTANCE_DIM_V	DISPLAY_LABEL	STRING
xs.SERVICE_INSTANCE_DIM_V	NAME	STRING
xs.SERVICE_INSTANCE_DIM_V	SVC_INS_STATE	STRING
xs.SERVICE_OFFERING_DIM_V	CATEGORY	STRING
xs.SERVICE_OFFERING_DIM_V	DISPLAY_LABEL	STRING
xs.SERVICE_OFFERING_DIM_V	MD_DURABLE_KEY	NUMERIC
xs.SERVICE_OFFERING_DIM_V	NAME	STRING

TABLE_NAME	COLUMN_NAME	TYPE
xs.SERVICE_OFFERING_DIM_V	SVC_OFFERING_STATE	STRING
xs.SERVICE_PROVIDER_BILLING_FACT_V	COST_BASE	NUMERIC
xs.SERVICE_PROVIDER_BILLING_FACT_V	USAGE_QUANTITY	NUMERIC
xs.SERVICE_PROVIDER_BILLING_FACT_V	USAGE_TYPE	STRING
xs.SERVICE_PROVIDER_BILLING_FACT_V	USAGE_TYPE_CATEGORY	STRING
xs.SERVICE_PROVIDER_BILLING_FACT_V	VIRTUAL_INF_ID	STRING
xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	AVG_UTILIZATION	NUMERIC
xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	CATEGORY	STRING
xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	MAX_UTILIZATION	NUMERIC
xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	MIN_UTILIZATION	NUMERIC
xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	UNIT	STRING
xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	UTILIZATION_TYPE	STRING
xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	VIRTUAL_INF_ID	STRING
xs.SUBSCRIPTION_DIM_V	DATE_END_LOC	DATE
xs.SUBSCRIPTION_DIM_V	DATE_START_LOC	DATE
xs.SUBSCRIPTION_DIM_V	INITIAL_PRICE	NUMERIC
xs.SUBSCRIPTION_DIM_V	NAME	STRING
xs.SUBSCRIPTION_DIM_V	RECURRING_PERIOD	STRING
xs.SUBSCRIPTION_DIM_V	RECURRING_PRICE	NUMERIC
xs.SUBSCRIPTION_DIM_V	STATUS	STRING

Object List

The table lists all the entities and fields of the model that were selected to be part of the Context.

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
Billing	Amount	xs.BILLING_FACT_V	NULL	AMOUNT_BASE	NUMERIC
Billing	RecurringFlag	xs.BILLING_FACT_V	NULL	RECURRING_FLAG	NUMERIC
BillingPeriod	Day	xs.PERIOD_DIM_V	BILLING_PERIOD	Day	STRING
BillingPeriod	Month	xs.PERIOD_DIM_V	BILLING_PERIOD	Month	STRING
BillingPeriod	PERIODICITY	xs.PERIOD_DIM_V	BILLING_PERIOD	PERIODICITY	STRING
BillingPeriod	Quarter	xs.PERIOD_DIM_V	BILLING_PERIOD	Quarter	STRING
BillingPeriod	Week	xs.PERIOD_DIM_V	BILLING_PERIOD	Week	STRING
BillingPeriod	Year	xs.PERIOD_DIM_V	BILLING_PERIOD	Year	STRING
BusinessUnit	Name	xs.BUSINESS_UNIT_DIM_V	NULL	Name	STRING
BusinessUnit	Type	xs.BUSINESS_UNIT_DIM_V	NULL	ORG_TYPE	STRING
Consumer	Name	xs.PERSON_DIM_V	NULL	Name	STRING
MaxServProvOffering	ServiceOfferingId	xs.MAXIMUM_SERVICE_PROVIDER_OFFERING_V	NULL	SERVICE_OFFERING_DURABLE_KEY	NUMERIC
MaxServProvOfferingResProvider	IsPrivate	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVID	FLAG_INTERNAL	STRING

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
			ER_DIM_V2		
MaxServProvOfferingResProvider	LEVEL0	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL0	STRING
MaxServProvOfferingResProvider	LEVEL1	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL1	STRING
MaxServProvOfferingResProvider	LEVEL2	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL2	STRING
MaxServProvOfferingResProvider	LEVEL3	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL3	STRING
MaxServProvOfferingResProvider	LEVEL4	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL4	STRING
MaxServProvOfferingResProvider	LEVEL5	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL5	STRING
MaxServProvOfferingRe	LEVEL6	xs.RESOURC	xs_	LEVEL6	STRIN

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
sProvider		E_PROVIDER_DIM_V	RESOURCE_PROVIDER_DIM_V2		G
MaxServProvOfferingResProvider	LEVEL7	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL7	STRING
MaxServProvOfferingResProvider	LEVEL8	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL8	STRING
MaxServProvOfferingResProvider	LEVEL9	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	LEVEL9	STRING
MaxServProvOfferingResProvider	Name	xs.RESOURCE_PROVIDER_DIM_V	xs_RESOURCE_PROVIDER_DIM_V2	Name	STRING
ResourceProvider	IsPrivate	xs.RESOURCE_PROVIDER_DIM_V	NULL	FLAG_INTERNAL	STRING
ResourceProvider	LEVEL0	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL0	STRING
ResourceProvider	LEVEL1	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL1	STRING

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
ResourceProvider	LEVEL2	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL2	STRING
ResourceProvider	LEVEL3	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL3	STRING
ResourceProvider	LEVEL4	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL4	STRING
ResourceProvider	LEVEL5	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL5	STRING
ResourceProvider	LEVEL6	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL6	STRING
ResourceProvider	LEVEL7	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL7	STRING
ResourceProvider	LEVEL8	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL8	STRING
ResourceProvider	LEVEL9	xs.RESOURCE_PROVIDER_DIM_V	NULL	LEVEL9	STRING
ResourceProvider	Name	xs.RESOURCE_PROVIDER_DIM_V	NULL	Name	STRING
ResourceProviderUtilization	IsPrivate	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	FLAG_INTERNAL	STRING
ResourceProviderUtilization	LEVEL0	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL0	STRING

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
ResourceProviderUtilization	LEVEL1	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL1	STRING
ResourceProviderUtilization	LEVEL2	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL2	STRING
ResourceProviderUtilization	LEVEL3	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL3	STRING
ResourceProviderUtilization	LEVEL4	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL4	STRING
ResourceProviderUtilization	LEVEL5	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL5	STRING
ResourceProviderUtilization	LEVEL6	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL6	STRING
ResourceProviderUtilization	LEVEL7	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL7	STRING
ResourceProviderUtilization	LEVEL8	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL8	STRING

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
ResourceProviderUtilization	LEVEL9	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	LEVEL9	STRING
ResourceProviderUtilization	Name	xs.RESOURCE_PROVIDER_DIM_V	RESOURCE_PROV_UTILIZATION	Name	STRING
ServiceBluePrint	DisplayLabel	xs.SERVICE_BLUEPRINT_DIM_V	NULL	DISPLAY_LABEL	STRING
ServiceBluePrint	Name	xs.SERVICE_BLUEPRINT_DIM_V	NULL	NAME	STRING
ServiceBluePrint	Type	xs.SERVICE_BLUEPRINT_DIM_V	NULL	SVC_BLUPRT_TYPE	STRING
ServiceCatalog	DISPLAY_LABEL	xs.SERVICE_CATALOG_DIM_V	NULL	DISPLAY_LABEL	STRING
ServiceCatalog	NAME	xs.SERVICE_CATALOG_DIM_V	NULL	NAME	STRING
ServiceCategory	DISPLAY_LABEL	xs.SERVICE_CATEGORY_DIM_V	NULL	DISPLAY_LABEL	STRING
ServiceCategory	NAME	xs.SERVICE_CATEGORY_DIM_V	NULL	NAME	STRING
ServiceInstance	DisplayLabel	xs.SERVICE_INSTANCE_DIM_V	NULL	DISPLAY_LABEL	STRING
ServiceInstance	Name	xs.SERVICE_INSTANCE_DIM_V	NULL	NAME	STRING

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
ServiceInstance	State	xs.SERVICE_INSTANCE_DIM_V	NULL	SVC_INS_STATE	STRING
ServiceOffering	Category	xs.SERVICE_OFFERING_DIM_V	NULL	CATEGORY	STRING
ServiceOffering	DisplayLabel	xs.SERVICE_OFFERING_DIM_V	NULL	DISPLAY_LABEL	STRING
ServiceOffering	Name	xs.SERVICE_OFFERING_DIM_V	NULL	NAME	STRING
ServiceOffering	ServiceOfferingId	xs.SERVICE_OFFERING_DIM_V	NULL	MD_DURABLE_KEY	NUMERIC
ServiceOffering	State	xs.SERVICE_OFFERING_DIM_V	NULL	SVC_OFFERING_STATE	STRING
ServiceProviderBilling	Cost	xs.SERVICE_PROVIDER_BILLING_FACT_V	NULL	COST_BASE	NUMERIC
ServiceProviderBilling	UsageQuantity	xs.SERVICE_PROVIDER_BILLING_FACT_V	NULL	USAGE_QUANTITY	NUMERIC
ServiceProviderBilling	UsageType	xs.SERVICE_PROVIDER_BILLING_FACT_V	NULL	USAGE_TYPE	STRING
ServiceProviderBilling	UsageTypeCategory	xs.SERVICE_PROVIDER_BILLING_FACT_V	NULL	USAGE_TYPE_CATEGORY	STRING
ServiceProviderBilling	VirtualInfraStructureId	xs.SERVICE_PROVIDER_BILLING_	NULL	VIRTUAL_INF_ID	STRING

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
		FACT_V			
ServiceProviderBillingPeriod	Day	xs.PERIOD_DIM_V	SERVICE_PROV_BILLING_PERIOD	Day	STRING
ServiceProviderBillingPeriod	Month	xs.PERIOD_DIM_V	SERVICE_PROV_BILLING_PERIOD	Month	STRING
ServiceProviderBillingPeriod	PERIODICITY	xs.PERIOD_DIM_V	SERVICE_PROV_BILLING_PERIOD	PERIODICITY	STRING
ServiceProviderBillingPeriod	Quarter	xs.PERIOD_DIM_V	SERVICE_PROV_BILLING_PERIOD	Quarter	STRING
ServiceProviderBillingPeriod	Week	xs.PERIOD_DIM_V	SERVICE_PROV_BILLING_PERIOD	Week	STRING
ServiceProviderBillingPeriod	Year	xs.PERIOD_DIM_V	SERVICE_PROV_BILLING_PERIOD	Year	STRING
ServiceProviderUtilization	AvgUtilization	xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	NULL	AVG_UTILIZATION	NUMERIC
ServiceProviderUtilization	Category	xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	NULL	CATEGORY	STRING
ServiceProviderUtilization	MaxUtilization	xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	NULL	MAX_UTILIZATION	NUMERIC

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
ServiceProviderUtilization	MinUtilization	xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	NULL	MIN_UTILIZATION	NUMERIC
ServiceProviderUtilization	Unit	xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	NULL	UNIT	STRING
ServiceProviderUtilization	UtilizationType	xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	NULL	UTILIZATION_TYPE	STRING
ServiceProviderUtilization	VirtualInfraStructureId	xs.SERVICE_PROVIDER_UTILIZATION_FACT_V	NULL	VIRTUAL_INF_ID	STRING
ServiceProviderUtilPeriod	Day	xs.PERIOD_DIM_V	NULL	Day	STRING
ServiceProviderUtilPeriod	Month	xs.PERIOD_DIM_V	NULL	Month	STRING
ServiceProviderUtilPeriod	PERIODICITY	xs.PERIOD_DIM_V	NULL	PERIODICITY	STRING
ServiceProviderUtilPeriod	Quarter	xs.PERIOD_DIM_V	NULL	Quarter	STRING
ServiceProviderUtilPeriod	Week	xs.PERIOD_DIM_V	NULL	Week	STRING
ServiceProviderUtilPeriod	Year	xs.PERIOD_DIM_V	NULL	Year	STRING
Subscription	DateEnd	xs.SUBSCRIPTION_DIM_V	NULL	DATE_END_LOC	DATE
Subscription	DateStart	xs.SUBSCRIPTION_DIM_V	NULL	DATE_START_LOC	DATE
Subscription	InitialPrice	xs.SUBSCRIPTION_DIM_V	NULL	INITIAL_PRICE	NUMERIC

Entity Name	Field Name	Source Table Name	Alias Table Name	DB Column Name	Field Type
Subscription	Name	xs.SUBSCRIPTION_DIM_V	NULL	NAME	STRING
Subscription	RecurringPeriod	xs.SUBSCRIPTION_DIM_V	NULL	RECURRING_PERIOD	STRING
Subscription	RecurringPrice	xs.SUBSCRIPTION_DIM_V	NULL	RECURRING_PRICE	NUMERIC
Subscription	Status	xs.SUBSCRIPTION_DIM_V	NULL	STATUS	STRING

Amount of Used Storage Metric

Component Type	Metric
Business Questions	
Business Objective	
Description	The number of terabytes (TBs) of storage we are currently using.
Context	CloudOptimization
Data source	CSA, AWS ,VCM, HPV
Formula	SUM(ServiceProviderBilling.UsageQuantity, ServiceProviderBilling.UsageTypeCategory ='Storage' And PERIOD_ENTITY = ServiceProviderBillingPeriod)/1024
KPI Formula Filter	N/A
Unit Type	TB
Time Period	Daily
Direction	N/A
Thresholds	N/A
Release	9.40

Incoming Network Traffic Metric

Component Type	Metric
Business Questions	
Business Objective	
Description	Network download
Context	CloudOptimization
Data source	AWS ,VCM, HPV
Formula	SUM(ServiceProviderBilling.UsageQuantity , ServiceProviderBilling.UsageTypeCategory ='Data Transfer' and (ServiceProviderBilling.UsageType Like '%-In-Bytes%' or ServiceProviderBilling.UsageType = 'Network Received') and PERIOD_ENTITY = ServiceProviderBillingPeriod)
KPI Formula Filter	N/A
Unit Type	GB
Time Period	Daily
Release	9.40

Outgoing Network Traffic Metric

Component Type	Metric
Business Questions	
Business Objective	
Description	Network upload
Context	CloudOptimization
Data source	AWS ,VCM, HPV
Formula	SUM(ServiceProviderBilling.UsageQuantity , ServiceProviderBilling.UsageTypeCategory ='Data Transfer' and (ServiceProviderBilling.UsageType Like '%-Out-Bytes%' or ServiceProviderBilling.UsageType = 'Network Transmitted') and PERIOD_ENTITY = ServiceProviderBillingPeriod)
KPI Formula Filter	N/A
Unit Type	GB
Time Period	Daily
Direction	N/A
Thresholds	N/A
Release	9.40

Network Traffic Metric

Component Type	Metric
Business Questions	
Business Objective	
Description	The total network traffic.
Context	CloudOptimization
Data source	CSA, AWS ,VCM, HPV
Formula	SUM(ServiceProviderBilling.UsageQuantity , ServiceProviderBilling.UsageTypeCategory = 'Data Transfer' and PERIOD_ENTITY = ServiceProviderBillingPeriod)
KPI Formula Filter	N/A
Unit Type	GB
Time Period	Daily
Release	9.40

Number of Used Instances KPI

Component Type	KPI
Business Questions	Increase Service Profitability
Business Objective	

Description	The number of dedicated instances running in our hybrid cloud environment.
Context	CloudOptimization
Data source	CSA, AWS ,VCM, HPV
Formula	COUNT_DISTINCT(ServiceProviderBilling.VirtualInfraStructureId, ServiceProviderBilling.VirtualInfraStructureId <> 'Untagged' and PERIOD_ENTITY = ServiceProviderBillingPeriod)
KPI Formula Filter	N/A
Unit Type	#
Time Period	Daily
Direction	Maximize
Thresholds	
Release	9.41

% of CPU Utilization KPI

Component Type	KPI
Business Questions	Make sure our resources are utilized efficiently.
Business Objective	Improve Server Utilization
Description	The average of percentages of CPU utilization at instance level.
Context	CloudOptimization
Data source	HPV, AWSCW
Formula	AVG(ServiceProviderUtilization.AvgUtilization , ServiceProviderUtilization.UtilizationType ='CPUUtilization' and PERIOD_ENTITY = ServiceProviderBillingPeriod)
KPI Formula Filter	N/A
Unit Type	%
Time Period	Daily
Direction	Centralize
Thresholds	0.00 to 60.00 | 60.00 to 70.00 | 70.00 to 80.00 | 80.00 to 90.00 | 90.00 to 100.00
Release	9.41

Send Documentation Feedback

If you have comments about this document, you can contact the documentation team by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on Content Reference Guide for the Integration with Microsoft Hyper-V (IT Executive Scorecard 9.50)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to SW-Doc@hp.com.

We appreciate your feedback!




Java™
COMPATIBLE