

Server Automation Managed Server Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

OS Vendor	Managed Platform ²	Architecture	Versions Supported	Agent	OS Provisioning ⁹	Patching ^{1,8}	Chef Integration ¹¹	Added in Release (before SA 10.20 if blank)	Notes
Canonical	Ubuntu Server 12.04	x86_64	GA	Y	OSBP	Full	Y		See footnote on YUM ⁷
CentOS	CentOS 7	x86_64	GA	Y	OSBP	Extended	Y	Added in 10.20	See footnote on YUM ⁷
CentOS	CentOS 6	x86_64	GA-6.5	Y	OSBP	Extended	Y		See footnote on YUM ⁷
	CentOS 5	x86_64	5.3-5.10	Y	OSBP	Extended	Y		See footnote on YUM ⁷
Microsoft	Windows Server 2012 R2 (Datacenter, Standard)	x86_64	GA	Y	OSBP	Full	N		See Windows Note 1
	Windows Server 2012 (Datacenter, Standard, Foundation, Server Core,	x86_64	GA	Y	OSBP	Full	Y		See Windows Note 1
	Windows Server 2008 R2 (Standard, Enterprise, Datacenter, Web,	x86_64	GA-SP1	Y	OSBP, OS Seq ¹⁰	Full	Y		See Windows Note 1
	Windows Server 2008 (Standard, Enterprise, Datacenter, Web,	x86_64	GA-SP2	Y	OSBP	Full	Y		See Windows Note 1
Microsoft	Windows 8.1 (Enterprise, Pro)	x86_64	GA	Y	OSBP	Full	N	Added in 10.20	See Windows Note 1
	Windows 7 (Enterprise, Professional, Ultimate)	x86_64	GA	Y	OSBP	Full	N	Added in 10.20	See Windows Note 1

Server Automation Managed Server Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

OS Vendor	Managed Platform ²	Architecture	Versions Supported	Agent	OS Provisioning ⁹	Patching ^{1,8}	Chef Integration ¹¹	Added in Release (before SA 10.20 if blank)	Notes
Novell	SuSE Linux Enterprise Server 11	x86_64	GA-SP3	Y	OSBP	Extended	Y ¹²		See footnote on Zypper ¹³
Oracle	Oracle Linux 7	x86_64	GA	Y	OSBP	Full	Y	Added in 10.20	See footnote on YUM ⁷
Oracle	Oracle Linux 6	x86_64	GA-6.5	Y	OSBP	Full	Y		See footnote on YUM ⁷
	Oracle Enterprise Linux 5	x86_64	5.1-5.10	Y	OSBP	Full	Y		See footnote on YUM ⁷

Server Automation Managed Server Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

OS Vendor	Managed Platform ²	Architecture	Versions Supported	Agent	OS Provisioning ⁹	Patching ^{1,8}	Chef Integration ¹¹	Added in Release (before SA 10.20 if blank)	Notes
Oracle	Solaris 11 ⁴								
		x86_64	GA - 11.2	Y	OSBP	Full	Y	Added in 10.20	See Solaris Note 1
	Solaris 10 ⁴								
		x86_64	U9-U11	Y	OSBP	Full	Y		See Solaris Note 1
		GA-U8	Y	OSBP	Full	Y		See Solaris Note 1	
Red Hat	RHEL 7 Server	x86_64	GA	Y	OSBP	Full	Y	RHEL 7 added in 10.20	See footnote on YUM ⁷

Server Automation Managed Server Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

OS Vendor	Managed Platform ²	Architecture	Versions Supported	Agent	OS Provisioning ⁹	Patching ^{1,8}	Chef Integration ¹¹	Added in Release (before SA 10.20 if blank)	Notes
Red Hat	RHEL 6 Server	x86_64	GA-6.6	Y	OSBP	Full	Y	RHEL 6.6 added in 10.20	See footnote on YUM ⁷
Red Hat	RHEL 6 Desktop - (Client and Workstation)	x86_64	GA	Y	OSBP	Full	Y		See footnote on YUM ⁷
Red Hat	RHEL 5 Server	x86_64	GA-5.11	Y	OSBP	Full	Y	RHEL 5.11 added in 10.20	See footnote on YUM ⁷
Red Hat	RHEL 5 Desktop	x86_64	GA-5.3	Y	OSBP	Full	Y		See footnote on YUM ⁷
VMware	ESXi 5.5	x86_64	GA	N	OSBP	N	N		
VMware	ESXi 5.1	x86_64	GA	N	OSBP	N	N		"VMware ESXi 5.1, Patch ESXi510-201307401-BG: Updates esx-base and misc-drivers (2052144)" is required for use of ESXi Compliance feature

Server Automation Managed Server Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

OS Vendor	Managed Platform ²	Architecture	Versions Supported	Agent	OS Provisioning ⁹	Patching ^{1,8}	Chef Integration ¹¹	Added in Release (before SA 10.20 if blank)	Notes
VMware	ESXi 5.0	x86_64	GA-U1	N	OSBP	N	N		
VMware									
	ESXi 4.1 Installable	x86_64	GA-U3	N	OSBP	N	N		

¹ Indicates server patching support. Options are:

- . Basic = simple patch remediation, but may not have full metadata (dependencies, supersedence, etc).
- . Extended = includes metadata support (dependencies, supersedence, etc.).
- . Full = includes integrated patch import from vendor. "N": no patching support is available

² The supported managed server platforms herein, are also supported in virtual machines when the virtual machine vendor also supports that version or release of the managed platform.

³ Virtualization support is on nPars, vPars 5.x, and Integrity VM 4.x servers only.

⁴ Guest-domain Solaris LDOMs are supported for server management, but without virtualization management and OS provisioning. The solution at this point does not have any support for creating, starting or stopping LDOMs.

⁵ Use OS-native installation managers (such as AIX NIM and HP-UX Ignite) to install the operating system, and use SA to install the SA Agents.

⁶ Citrix supports network boot only for Windows guests; therefore, only Windows OS provisioning is supported for XenServer guest VMs

⁷ On all marked platforms, SA Patching for Linux supports native YUM 3.0.1 or later.

⁸ SA does not support Source RPM packages on any platforms that supports RPM

Server Automation Managed Server Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

OS Vendor	Managed Platform ²	Architecture	Versions Supported	Agent	OS Provisioning ⁹	Patching ^{1,8}	Chef Integration ¹¹	Added in Release (before SA 10.20 if blank)	Notes
-----------	-------------------------------	--------------	--------------------	-------	------------------------------	-------------------------	--------------------------------	---	-------

⁹ Indicates OS Provisioning support. Options are:
· OS Seq = OS Seq support
· OSBP = OS Build Plan support
· No OS Prov = no OS provisioning support on this platform.

¹¹ SA supports the integration with Chef Solo 11.6.2-1 binaries

¹² Chef integration is supported only starting with SLES 11 SP2

¹³ On all marked platforms, SA is leveraging Zypper for patching.

Solaris Note 1: Requires Patches: SUNWadmc, SUNWcsl, SUNWcslr (if available for the version), SUNWcsu, SUNWesu, SUNWlibms, SUNlibmsr (if available for the version), SUNWswmt

Windows Note 1: Patching requires MSXML 3.0 (or later), IE 6.0 (or later), Windows Installer 3.1, Windows Update/Automatic Update should be set to Never Check for Updates/Turn off Automatic Updates.

Platform Support on HPLN: Additional platform support may be added between releases and delivered as content via HP Live Netw <https://hpln.hp.com/group/managed-platform-content-server-automation>

Deprecation Note: For support deprecation and removal announcements, see the SA Release Notes.

Server Automation Virtualization Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform.
 For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Vendor	Hypervisor/ Virtualization Service	Architecture	OS Version	Actions Supported on Virtual Servers	Added in Release (before SA 10.20 if blank)	Notes
Microsoft ^{1,2,3,4}	SCVMM Server 2008 R2		See Microsoft documentation for supported OS	Create, Modify, Migrate, Convert to VM Template, Delete, Power On, Power Off, Pause, Suspend, Shut down guest for VMs Deploy VM from VM Template and Delete VM Templates		SCVMM integration only supports Hyper-V hypervisors. Please refer to Microsoft SCVMM documentation for supported Hyper-V versions.
Oracle	Solaris 11 Global Zone	x86_64	Solaris 11	Create, Modify, Start, Stop, Remove		
	Solaris 10 Global Zone	x86_64	Solaris 10	Create, Modify, Start, Stop, Remove		
VMware ^{1,2,4}	vCenter 5.5 vCenter 5.1 vCenter 5.0 vCenter 4.1 vCenter 4.0		See VMware documentation for supported OS ⁵	Create, Modify, Migrate, Clone, Convert to VM Template, Delete, Power On, Power Off, Suspend, Reset, Shut down guest, Restart guest for VMs Deploy VM from VM Template and Delete VM Templates		Please refer to VMware Vcenter documentation for supported Hypervisors

Please refer to the *Managed Server Platforms* matrix for SA features supported on Hypervisors running as managed servers.

Server Automation Virtualization Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Vendor	Hypervisor/ Virtualization Service	Architecture	OS Version	Actions Supported on Virtual Servers	Added in Release (before SA 10.20 if blank)	Notes
¹ UAPI support for VMware ESX/ESXi and Microsoft HyperV servers are removed. Please refer to the release notes for details.						
² New UAPI support for VMware vCenter and Microsoft SCVMM is available. Please refer to API documentation for more details.						
³ Support for SCVMM requires use of Powershell 2.0. Other Powershell versions are not supported.						
⁴ Support for vCenter and SCVMM is limited to features as documented in the SA User Guide. Please refer to the User Guide for more details.						
⁵ vCenter Server Appliance (VCSA) 5.5 is not supported.						

Deprecation Note: For support deprecation and removal announcements, see the SA Release Notes.

Server Automation Satellite Server Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform.
 For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

OS Vendor	Core Platform	Architecture	Versions Supported	Local File System	Added in Release (before SA 10.20 if blank)	Notes
Novell	SuSE Linux Enterprise Server (SLES) 11	x86_64	SP2-SP3 ⁽⁵⁾	ext4		
	SuSE Linux Enterprise Server (SLES) 10 ⁽⁴⁾	x86_64	SP2-SP4	reiserfs		
Oracle	Oracle Enterprise Linux (OEL) 6 ⁽³⁾	x86_64	U3-U5 ⁽⁵⁾	ext4		
Red Hat	Red Hat Enterprise Linux (RHEL) 6 Server	x86_64	U3-U5 ⁽⁵⁾	ext4,vxfs ⁽²⁾		
Red Hat	Red Hat Enterprise Linux (RHEL) 5 Server ^{(4), (6)}	x86_64	U2-U10	ext3,vxfs ⁽¹⁾		

¹ This requires Veritas Storage Foundation Basic 5.0 MP3 RP2 or later.

² This requires Veritas Storage Foundation Basic 6.01 or later.

³ Supported with the RHEL compatible kernel only. The unbreakable kernel is not supported.

⁴ Supported with IPv4 network configuration only. Does not support managing IPv6 servers.

⁵ Managing IPv6 servers is supported Starting with SLES SP3 and RHEL and OEL update 5

Server Automation Satellite Server Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

OS Vendor	Core Platform	Architecture	Versions Supported	Local File System	Added in Release (before SA 10.20 if blank)	Notes
-----------	---------------	--------------	--------------------	-------------------	---	-------

⁶ **IMPORTANT Note about Red Hat 5.9, 6.3 and 6.4:** If you are running a default RedHat 5.9, 6.3, 6.4 kernel, you must upgrade the kernel to a version that no longer has an issue with the SO_REUSEADDR socket semantics. This can be accomplished by installing the latest kernel from the RedHat errata advisory, or installing the next release of RedHat Linux, as described below:

- For RHEL 5.9, perform one of the following actions:

- use the latest version kernel, 2.6.18-348.16.1 or above.
- or upgrade to RHEL 5.10

See Red Hat errata: <http://rhn.redhat.com/errata/RHSA-2013-1166.html>

- For RHEL 6.3 or 6.4, perform one of the following actions:

- use the latest version kernel, 2.6.32-358.18.1 or above.
- or upgrade to RHEL 6.5.

See Red Hat errata: <http://rhn.redhat.com/errata/RHSA-2013-1173.html>

General Notes

IPMP (IP Multi-Pathing) and NIC bonding are supported on satellite servers.

SAN (MPIO) is supported.

Deprecation Note: For support deprecation and removal announcements, see the SA Release Notes.

Server Automation Web Client Browser Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Browser	Version	SA Compatibility ¹	Notes
Chrome	6 or later	SA 10.0 or later	
Firefox	3.6 or later	SA 9.10 or later	
Internet Explorer	8, 9, or 10	SA 9.10 or later	
	11	SA 10.10 or later	
Opera	11 or later	SA 10.0 or later	
Safari	5 or later	SA 10.0 or later	

¹ See the *User Guide: Application Deployment Manager* and the *User Guide: Database and Middleware Automation* for a list of browsers recommended for those components.

Browser Configuration Requirements: To use the SA Web Client, your browser must be configured in the following manner:

- . The browser must support SSL and should provide 128-bit encryption (recommended).
- . The browser must accept cookies and be able to use Java.
- . Using a pop-up blocker might prevent some functions from working correctly. Either disable the pop-up blocker or use the supported browser's native pop-up blocking function instead of a third-party product.

Deprecation Note: For support deprecation and removal announcements, see the SA Release Notes.

Server Automation Java Client Support

DCAA 1.0

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Operating System	Architecture	Version	SA Compatibility	Notes
Windows Server 2012	x86_64	GA	SA 10.1 or later	
Windows Server 2008	x86_32 and x86_64	GA-SP2	SA 10.0 or later	
Windows Server 2003	x86_32	SP1-SP2	SA 9.10 or later	
Windows Vista	x86_32 and x86_64	SP1-SP2	SA 9.10 or later	
Windows 7	x86_32 and x86_64	SP1	SA 10.0 or later	
Windows 8	x86_32 and x86_64	GA	SA 10.0 or later	

The minimum system requirements to run the SA Client are as follows:

- 1 GB of DRAM.
- 0.5 GB of disk space each for the SA Client and the SA Client Launcher.
- If using the SA Client to connect to a core with a residential DSL connection, a minimum 384 Kbps connection is recommended.
- You must be logged in as a user with sufficient permissions to install software on the computer. (You do not need to be an administrator user to install the launcher).
- Ensure that there are no running instances of the Launcher (if necessary, use the Windows Task Manager and kill all instances of javaw.exe).
- If you are upgrading, you must uninstall the previous SA Client Launcher version (using the Windows uninstall utility), and install the latest version.

Deprecation Note: For support deprecation and removal announcements, see the SA Release Notes.

Server Automation Cross-Product Compatibility

DCAA 1.0

April 2015

© Copyright 2000–2014 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

HP Server Automation	HP Cloud Service Automation ¹	HP Live Network connector	HP Network Automation	HP Operation Orchestration	HP Storage Essentials ⁷	HP Universal CMDB ⁸	Notes
10.2	4.2	3.4 or higher	9.11 ² , 9.22 ² 10.00	9.0 ³ , 10.0 ⁴ , 10.10 ⁵ 10.20 ⁶	9.4.0, 9.4.1, 9.5, 9.5.1	9.05 Content Pack 10 CUP 6 or higher, 10.01 Content Pack 12, 10.10	

¹ HP Cloud Service Automation 4.2 is enabled via the HP CSA-HP DCAA Integration path described in the DCAA documentation.

² HP Network Automation versions 9.11 and 9.22 are supported only when running on Java 7. Contact NA team to apply the Java 7 hotfix.

³ Support for HP Operation Orchestration 9.x is enabled by OO-SA 9.00.10 content

⁴ Support for HP Operation Orchestration 10.0 is enabled by OO-SA 1.2.0 content

⁵ Support for HP Operation Orchestration 10.10 is enabled by OO-SA 1.2.0 content

⁶ Support for HP Operation Orchestration 10.20 is enabled by OO-SA 1.2.0 content

⁷ SA is compatible with Storage Essentials via the SE Connector.

⁸ uCMDB = HP Universal Configuration Management Database; CP = uCMDB Content Pack; CUP = uCMDB Cumulative Update Package

Deprecation Note: For support deprecation and removal announcements, see the SA Release Notes.

Server Automation Provisioning Feature Support

HP Server Automation 10.2x Ultimate Edition

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.

Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform. For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Platform Family	Platform Version	Patch	Architecture	Build Plan Feature Support							
				Network Boot	DHCPless Deployment	Scripted Install	Image Capture	Image Deploy	Network Personalization	Media Protocols	ICsp(*) Content
Linux	CentOS Linux 5	3-10	x86 X86_64	yes	Linux ISO	yes ⁽²⁾	no	no	yes	nfs, http	no
	CentOS Linux 6	0-5	x86 X86_64	yes	Linux ISO	yes ⁽²⁾	no	no	yes	nfs, http	no
	Oracle Enterprise Linux 5	1-10	x86 X86_64	yes	Linux ISO	yes ⁽²⁾	no	no	yes	nfs, http	no
	Oracle Enterprise Linux 6	0-5	x86 X86_64	yes	Linux ISO	yes ⁽²⁾	no	no	yes	nfs, http	no
	Red Hat Enterprise Linux 5	0-11	x86 X86_64	yes	Linux ISO	yes ⁽²⁾	no	no	yes	nfs, http	yes
	Red Hat Enterprise Linux 6	0-6	x86 X86_64	yes	Linux ISO	yes ⁽²⁾	no	no	yes	nfs, http	no
	Red Hat Enterprise Linux 7	0	X86_64	yes	Linux ISO	yes	no	no	yes	nfs, http	no
	SuSE Enterprise Linux 11	SP0-SP3	x86 X86_64	yes	Linux ISO	yes	no	no	yes	nfs, http	no
	Ubuntu 12.04	0-5	X86_64	yes	Linux ISO	yes	no	no	yes	nfs, http	no
Windows	Windows Server 2008	all	x86	yes	Windows ISO	yes	yes	yes	yes	smb	no
			X86_64	yes	Windows ISO	yes	yes	yes	yes	smb	yes
	Windows Server 2008 R2	all	X86_64	yes	Windows ISO	yes	yes	yes	yes	smb	yes
	Windows Server 2012	all	X86_64	yes	Windows ISO	yes	yes	yes	yes	smb	yes
	Windows Server 2012 R2	all	X86_64	yes	Windows ISO	yes	yes	yes	yes	smb	yes
Windows 7	all	X86_64	yes	Windows ISO	yes	yes	yes	yes	smb	no	

Server Automation Provisioning Feature Support

HP Server Automation 10.2x Ultimate Edition

April 2015

© Copyright 2000-2015 Hewlett-Packard Development Company, L.P.

Document Release Date: April 10, 2015

[HP Software Support Online](#)

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation Release Notes for this release from HP Software Support Online.
Note: Service releases are implicitly supported by HPSA releases that support the original OS version. HP Software support for any OS, listed or not, ends when the OS Vendor ends support for that platform.
 For further explanation of the HPSA platform support policy, see the *HPSA Platform Support Statement* enclosed in this document.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Platform Family	Platform Version	Patch	Architecture	Build Plan Feature Support							
				Network Boot	DHCPless Deployment	Scripted Install	Image Capture	Image Deploy	Network Personalization	Media Protocols	ICsp(*) Content
	Windows 8.1	all	X86_64	yes	Windows ISO	yes	yes	yes	yes	smb	no
Oracle Solaris	Solaris 10	GA-u11	X86_64	yes	no	yes ⁽²⁾	no	no	no	nfs	no
	Solaris 11	u0-u2	X86_64	yes	no	yes ⁽²⁾	no	no	no	http	no
Vmware ESXi	ESXi 4.1	U0-U3	X86_64	yes	Linux ISO	yes	no	no	Limited ⁽¹⁾	nfs, http, https	no
	ESXi 5.1	U0-U2	X86_64	yes	Linux ISO	yes	no	no	Limited ⁽¹⁾	nfs, http, https, smb	yes
	ESXi 5.5	U0-U1	X86_64	yes	Linux ISO	yes	no	no	Limited ⁽¹⁾	nfs, http, https, smb	yes

(1) Not post install, since ESXi is agent-less. Network configuration is install time. Supports setting a single interface on a single device.

(2) Supported only over IPv4. IPv6 deployment not supported.

(*) ICsp : HP Insight Control server provisioning

Deprecation Note: For support deprecation and removal announcements, see the SA Release Notes.

HP DCAA 1.x Matrix Document Change Notes

This table lists changes made to the matrix tables after the original document was released.

Date	Description of Change
4/10/2015	Original release of this document with the DCAA 1.00 release.