Astra[®] QuickTest Professional[™]

Installation Guide Version 5.0



© Copyright 2000 by Mercury Interactive Corporation

All rights reserved. All text and figures included in this publication are the exclusive property of Mercury Interactive Corporation, and may not be copied, reproduced, or used in any way without the express permission in writing of Mercury Interactive. Information in this document is subject to change without notice and does not represent a commitment on the part of Mercury Interactive.

Mercury Interactive may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents except as expressly provided in any written license agreement from Mercury Interactive.

WinRunner, XRunner, LoadRunner, TestDirector, TestSuite, WebTest, and Astra are registered trademarks of Mercury Interactive Corporation in the United States and/or other countries. Astra SiteManager, Astra SiteTest, Astra QuickTest, Astra LoadTest, Topaz, RapidTest, QuickTest, Visual Testing, Action Tracker, Link Doctor, Change Viewer, Dynamic Scan, Fast Scan, and Visual Web Display are trademarks of Mercury Interactive Corporation in the United States and/or other countries.

This document also contains registered trademarks, trademarks and service marks that are owned by their respective companies or organizations. Mercury Interactive Corporation disclaims any responsibility for specifying which marks are owned by which companies or organizations.

If you have any comments or suggestions regarding this document, please send them via e-mail to documentation@mercury.co.il.

Mercury Interactive Corporation 1325 Borregas Avenue Sunnyvale, CA 94089 USA

AQTPIG5.0/01

Table of Contents

Before You Install	1
Registering Your Copy of Astra QuickTest Professional	1
System Requirements	2
Installing Astra QuickTest	3
Uninstalling Astra QuickTest	15

Before You Install

Welcome to Astra QuickTest Professional, Mercury Interactive's comprehensive functional testing tool for Web applications using Windows 95, Windows 98, Windows 2000, and Windows NT 4.0. This guide describes everything you need to know about how to install Astra QuickTest on a standalone computer.

Registering Your Copy of Astra QuickTest Professional

Register your copy of Astra QuickTest Professional to become a licensed user with all rights and privileges. Registered users can access technical support and information on all Mercury Interactive products, and are eligible for updates and upgrades.

To register your copy of Astra QuickTest, fill out the Mercury Interactive Software Registration card.

- If you are in the United States, fill out the USA Owners portion of the card. Send the card to the Sunnyvale, California address printed on the card. No postage is necessary.
- If you are outside the United States, fill out the non-USA portion of the registration card and mail it to the appropriate international address using correct postage.

If your address changes, notify Mercury Interactive or your local representative, so that you can continue to receive product information and updates.

Note: You can also register your copy of Astra QuickTest on Mercury Interactive's Customer Support site (*http://support.mercuryinteractive.com*).

System Requirements

In order to successfully run Astra QuickTest Professional, you need the following minimum system requirements:

Computer/Processor	An IBM-PC or compatible with a Pentium® 166 MHz or higher microprocessor
Operating System	Windows® 95, Windows® 98, Windows® 2000, Windows NT® 4.0
Memory	Minimum 32 MB RAM
Free Hard Disk Space	Minimum 90 MB
Browser	Internet Explorer 4.01 SP1 to 5.5 (required), Netscape Navigator 4.06 and higher (optional)

Installing Astra QuickTest

Your Astra QuickTest Professional CD-ROM includes a setup program that guides you through the installation process.

To install Astra QuickTest on your computer:

- Insert the CD-ROM into the CD-ROM drive. If the CD-ROM drive is on your local machine, the Astra QuickTest Setup window opens. If you are installing from a network drive, connect and browse to it and double-click *autorun.exe* in the root directory of the CD-ROM. If you want to view the Readme file, click Release notes.
- If you want to open the Astra Try and Buy site (http://www.astratryandbuy.com), click Product information.
- If you want to open the contact information page on Mercury Interactive's Web site (*http://www.mercuryinteractive.com/contact_us*), click Contact Mercury Interactive.
- If you want to open Mercury Interactive's Customer Support Web site (http://support.mercuryinteractive.com), click Support.
- ➤ If you want to view the contents of the Astra QuickTest CD-ROM, click Browse CD.
- ► If you want to exit the Astra QuickTest Setup window, click Exit.

Click Install Astra QuickTest to install Astra QuickTest.

1 The Astra QuickTest setup program starts, and the License Agreement screen opens. Read the agreement.

Astra QuickTest 5.0 Professional Setup	×
License Agreement Please read the following license agreement carefully.	
Press the PAGE DOWN key to see the rest of the agreement.	
Software Limited Use License and Limited Warranty Agreement This Software License and Limited Warranty Agreement (this "Agreement") grants you a personal, perpetual, non-transferable and nonexclusive license to use for your internal business purposes at a secure site owned or leased by you, the Mercury Interactive Corporation ("Mercury Interactive") software program described below, under the followin terms and conditions: The software program licensed hereunder (the "Licensed Program") means the object code version of all the software supplied to you with this Agreement, all permitted	
Do you accept all the terms of the preceding License Agreement? If you choose No, Setu close. To install Astra QuickTest 5.0 Professional, you must accept this agreement.	p will
InstallShield	0

To install Astra QuickTest Professional, you must accept the terms of the license agreement by clicking Yes. If you click No, the setup program will close.


2 In the Registration Information screen, type your name, the name of your company, and an Astra QuickTest Professional maintenance number. Your maintenance number can be obtained from the e-mail you received from Mercury Interactive Customer Support.

Registration Information	1	×
Edit Data Enter requested data.		1
	, the name of your company and your maintenance number. The vas provided to you with the Astra QuickTest package.	
Name	John Howard	
Company	mercury Interactive	
Maintenance Number	0000-000000000	
InstallShield		
	< <u>B</u> ack <u>N</u> ext > Car	icei

Click Next to proceed.

3 Click Yes to confirm the registration information.

4 In the Setup Type screen, select **Typical**, **Compact**, or **Custom** installation. Note that the Compact installation does not include Java support.




Click Next. If you chose the Custom installation, proceed to step 5. Otherwise, proceed to step 6.

5 In the Select Components screen, select the components you want to install. Click Change if you want to modify the sub-components of one of the components in the list.

Astra QuickTest 5.0 Professional Se	tup	×
Select Components Choose the components Setup will ins	tall.	1
Select the components you want to in:	stall, clear the compo	nents you do not want to install.
▼ Astra QuickTest ▼ Java	61.5 MB 21.5 MB	Description Installs Java support for Astra QuickTest. Change
Space Required on C: Space Available on C: InstallShield	82.9 MB 1001.9 MB < <u>B</u> ack	Next > Cancel

Click Next.

6 In the Choose Destination Location screen, choose the location where you want to install Astra QuickTest.



To select a different location, click **Browse**, choose a folder, and then click OK.

You should install Astra QuickTest to a drive with at least 90 MB of free disk space.

Click Next to proceed.

7 In the Internet Explorer settings, select the settings that you want Setup to enable for you.

Astra QuickTest 5.0 Professional Setup	×
Internet Explorer settings Choose the settings	1
Astra QuickTest 5.0 Professional needs to enable the following Internet Explorer settings in order to work properly.	
Which settings would you like setup to enable?	
Browse in a new process	
Disable script debugger	
You may change these settings manually, in the Internet Explorer browser. For more information, read the Readme file.	
InstallShield	
< <u>B</u> ack <u>Next></u>	Cancel

If you choose not to enable these settings during setup, you should enable the settings manually in your Internet Explorer browser. Click Next to proceed.

Note: In Internet Explorer 5.01 and higher, the **Browse in a new process** setting is automatically enabled and cannot be changed.

8 In the Astra QuickTest 5.0 Professional License screen, type your licence number. Your licence number can be obtained from the e-mail you received from Mercury Interactive Customer Support.

Astra QuickTest 5.0 Professional Setup			×
Astra QuickTest 5.0 Professional Licen	se		
Enter your license number .			
Use 'TEMPORARY' for a temporary license f	or 7 days		
License :			
InstallShield	< <u>B</u> ack	Next >	Cancel

Click Next to proceed.

If you are using a temporary license, an information dialog box instructs you to contact Mercury Interactive Customer Support for a permanent license. Click OK.

9 In the Select Program Folder screen, specify a program folder for the Astra QuickTest icons, or accept the default folder, Astra QuickTest.

Astra QuickTest 5.0 Professional Setup		×
Select Program Folder		-
Select the location where setup is to create ne	w shortcuts.	Ī
Setup will add program shortcuts to the Program name, or select one from the Existing Folders li		new folder
<u>P</u> rogram Folder:		
Astra QuickTest		
Existing Folders:		
3Com NIC Utilities Administrative Tools (Common)		_
Adobe		
Adobe Acrobat 4.0 Astra FastTrack 1.0		
Astra QuickTest		
eXceed eXceed System Administration		
GS Tools		-
InstallShield		
	< <u>B</u> ack <u>N</u> ext >	Cancel

Click Next to proceed.

10 In the Start Copying Files screen, review the settings you selected.

Astra QuickTest 5.0 Professional Setup	×
Start Copying Files Review settings before copying files.	
Setup has enough information to start copying the program files. If you want to review change any settings, click Back. If you are satisfied with the settings, click Next to be copying files.	
Current Settings:	
Installation Type: Standalone	A
Installation Folder: C:\Program Files\Mercury Interactive\Astra QuickTest	
Typical Components: Astra QuickTest Java	
Internet Explorer or Microsoft JView support Netscape support Java Plug-in support	T
InstallShield	
< <u>B</u> ack <u>Next></u>	Cancel

To change your settings, click Back. To confirm the settings, click Next.

11 If the Microsoft Script Debugger is not installed on your machine, the Install Microsoft Script Debugger screen opens. You can specify whether or not to download and install the Microsoft Script Debugger to utilize Astra QuickTest's debugging features.

Install Microsoft Script De	bugger	×
	Astra QuickTest 4.0 has powerful debugging features. To take full advantage of this features, please install the Microsoft Script Debugger. Choose Action © Download and install Microsoft Script Debugger © Dnly download Microsoft Script Debugger © Do not download or install Destination Path E:\TEMP\DebuggerSetup.exe Browse	
	Next > Cancel]

Choose an option. By default, the option to download and install Microsoft Script Debugger is selected.

To select a different location, click Browse, choose a folder, and click OK.

Click Next to proceed.

12 The installation process begins.

Copying files C:\\oroinc\te	xt\regex\Perl5Repetition.class
	24%

13 The Setup Complete screen prompts you to restart your computer. You can choose to restart your computer at a later time, but you must restart your computer before you use Astra QuickTest.

Astra QuickTest 5.0 Professional Setup		
	Setup Complete Before you can use the program, you must restart your computer.	
	Yes, I want to restart my computer now. No, I will restart my computer later. Remove any disks from their drives, and then click Finish to complete setup.	
	< Back. Finish	

Click Finish to complete the setup process.

Note: You should review the Readme file for the latest technical and troubleshooting information. To open your Readme file, click **Programs** > Astra QuickTest > Read Me in the Start menu.

Uninstalling Astra QuickTest

Your Astra QuickTest Professional installation includes an uninstall program that uninstalls Astra QuickTest software and files from your computer and removes Astra QuickTest shortcuts from your Start menu.

To uninstall Astra QuickTest:

- 1 Choose Programs > Astra QuickTest > Uninstall Astra QuickTest 5.0 Professional on the Start menu.
- **2** A message prompts you to confirm your decision to uninstall Astra QuickTest. Click Yes to uninstall Astra QuickTest. Otherwise, click No to keep Astra QuickTest installed on your computer.

The Uninstall Shield window opens.

3 You may be prompted to remove shared files that are not being used by any program. If you are not sure what to do, click No to All.

The Uninstall Shield removes Astra QuickTest from your computer.

4 When the Uninstall program is completed, the OK button is enabled. Click OK.

Note: Uninstalling Astra QuickTest Professional does not uninstall the Microsoft Script Debugger. You can uninstall Microsoft Script Debugger from the Add/Remove Programs dialog box in the Control Panel.



Mercury Interactive Corporation 1325 Borregas Avenue Sunnyvale, CA 94089 USA

Main Telephone: (408) 822-5200 Sales & Information: (800) TEST-911 Customer Support: (877) TEST-HLP Fax: (408) 822-5300

Home Page: www.mercuryinteractive.com Customer Support: support.mercuryinteractive.com

