

HP

Business Process Insight

For the Windows® Operating System

Software Version: 2.20

Integration Training Guide - Customizing the Business Process Dashboard

Document Release Date: October 2007

Software Release Date: October 2007



Legal Notices

Warranty

Hewlett-Packard makes no warranty of any kind with regard to this document, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be held liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

A copy of the specific warranty terms applicable to your Hewlett-Packard product can be obtained from your local Sales and Service Office.

Restricted Rights Legend

Use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause in DFARS 252.227-7013.

Hewlett-Packard Company
United States of America

Rights for non-DOD U.S. Government Departments and Agencies are as set forth in FAR 52.227-19(c)(1,2).

Copyright Notices

© Copyright 2005 - 2007 Hewlett-Packard Development Company, L.P.

No part of this document may be copied, reproduced, or translated into another language without the prior written consent of Hewlett-Packard Company. The information contained in this material is subject to change without notice.

Trademark Notices

Java™ is a US trademark of Sun Microsystems, Inc.

Oracle® is a US registered trademark of Oracle Corporation, Redwood City, California.

Microsoft® is a US registered trademark of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

Windows® and MS Windows® are US registered trademarks of Microsoft Corporation.

Documentation Updates

This manual's title page contains the following identifying information:

- Software version number, which indicates the software version
- Document release date, which changes each time the document is updated
- Software release date, which indicates the release date of this version of the software

To check for recent updates, or to verify that you are using the most recent edition of a document, go to:

http://ovweb.external.hp.com/lpe/doc_serv/

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

You can visit the HP Software Support web site at:

www.hp.com/go/hpsoftwaresupport

HP Software online support provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract.

To find more information about access levels, go to:

www.hp.com/managementsoftware/access_level

To register for an HP Passport ID, go to:

www.managementsoftware.hp.com/passport-registration.html

Contents

1	Using The HPBPI Dashboard	11
	A Generic Dashboard	12
	Starting the Dashboard	13
	Logging On	13
	Basic Operation	14
	Flow Status	15
	Node Rates	16
	My Flows/My Services	17
	My Flows	17
	My Services	18
	Superseded Flows	19
	Default View	19
	My Flows	20
	Do Not Show Superseded Flows	20
	Directory Structure	21
	Configuration	22
	Hidden Settings	23
	Maintaining The Dashboard	24
	Localization	25
	The i18n Tag	25
	The i18n Bundle	25
	Text Within the JSPs	26
	Obvious Labels	28
	Tomcat Specific Settings	29
	Tomcat Startup Options	29
	Stdout/Stderr Log Output	32
	Lab - Using the HPBPI Dashboard	33

My Flows	33
My Services	34
Superseded Flows	34
New Browser	35
2 Customizing The Dashboard	37
Basics	38
Using the HPBPI Database	38
Required Skill Sets	38
Tomcat JSP Compilation Logs	39
Creating a Custom Dashboard	40
Architectural Overview	41
Java Server Pages (JSPs)	42
Taglibs	43
Available Libraries	43
Documentation (Javadocs)	44
Basic Operation	44
Two Types of Tags	46
Java Beans	50
Documentation (Javadocs)	50
The Next Step	51
3 Working With Flows	53
<flow> Tag Hierarchy	54
Accessing Flow Details	56
Listing Flow Definitions	56
Filtering Flows By Name	57
Multiple Flow Names (<util:args>)	58
Filtering By Flow Status	59
Getting the Flow ID	61
Listing Node Instance Details	62
Drawing Flow Diagrams	64
Flow Diagram <flowImage>	64
Flow Instance Diagram <flowInstanceImage>	66
Flow Instance Timeline <flowInstanceTimelineImage>	68
Setting Background Color	69

Activating Node URLs	70
Showing Metric Flags	72
Further Customization	72
Flow Annotations	73
DefaultFlowAnnotationBean	74
Developing Your Own Annotation	76
How to Write an Annotation	79
Setting Left Text	87
Setting Right Text	89
Setting Left Text Color	91
Setting Right Text Color	92
Setting Node Label Text	93
Setting Node Label Text Color	94
Setting Node Tooltip	95
Setting Node Image	97
Example Flow Diagrams	99
The HPBPI Dashboard	101
Custom Flow Drawing	101
Flow Drawing	101
Flow Instance Drawing	102
Example - Flow Diagram	103
Example - Flow Instance Diagram	104
Lab - Drawing Flows	106
Basic Flow Settings	106
Custom Left/Right Node Text	106
Custom Colors	107
HPBPI Business Process Dashboard	107
4 Working With Sliders	109
The Slider Bean	110
Javadocs	110
Setting Up The Slider	110
Producing a Slider Picture	112
Displaying a Slider	113
Resulting HTML Page	114
Setting Range Colors	114

Multiple Sliders on a Page	116
Adding a URL	117
Lab - Drawing Sliders	118
Basic Flow Definition List	118
Adding a Slider	118
Linking the Slider with a URL	118
5 Working With Metrics	119
Definitions	120
Code Examples	122
Statistical Data and Graphs	126
metricStatistics	126
metricStatisticsList	127
buildGraphDataset	127
statisticalGraph	127
Code Examples	128
Instance Values	137
flowInstanceMetricValueList	137
flowInstanceMetricValue	138
Code Example	138
Dials	140
Code Examples	141
Alerts	151
raisedAlertList	151
latestRaisedAlert	151
maximumAlertStatus	152
Code Example	152
The HPBPI Dashboard	155
Custom Metric Threshold Tables	156
Example - Displaying a Specific Metric Threshold	157
Example - Displaying a Metric Threshold of Any Type	160
Example - Displaying Multiple Metric Thresholds	169
6 Direct HPBPI Database Access	171
Connecting	172
Issuing SQL Statements	174

Fixed SQL Statements	174
Prepared SQL Statements	177
Which One to Use?	179
Additional Helper Beans	180
Constants Bean	180
DBSql Bean	181
Associated Data Table	182
Getting the Name of the Data Table	182
Displaying the Associated Data Table Name	184
SQL Issues	185
Deadlocks When Using a Microsoft SQL Server Database	185
Select Columns by Name	186
Example Customizations	187
Listing Specific Flow Instances	187
Joining the Associated Data	193
Lab - Direct SQL	198
Time to a Node	198

1 Using The HPBPI Dashboard

HP Business Process Insight (HPBPI) provides a Business Process Dashboard which allows you to monitor your business.

The HPBPI Business Process Dashboard enables you to:

- View the overall status of your business and IT services - including links to HP Operations Manager (HPOM), OpenView Internet Services (OVIS), Service Oriented Architecture (SOA) Manager and HP Service Desk (HPSD) information
- View all the flows within your HPBPI system
- View individual flow instances and associated data values
- Visualize your business flows as flow diagrams
- View your business metrics
- View the flows that depend on any given IT service
- ...and much more!

This chapter looks at how to use the HPBPI Business Process Dashboard and its basic operation.

A Generic Dashboard

The HPBPI Business Process Dashboard is written to visually display information about any business flow. That is, it is a “generic” business dashboard. This makes it extremely useful when you are first developing your business flows, as you are able to get the flow running and immediately view the HPBPI (and IT) statistics. However, not every customer is going to want to report their business in the same way, or with the same look-and-feel.

Although a great deal of care has been taken to provide a well engineered, fully functional, fully localizable, Business Process Dashboard - with an intuitive user interface - it is not intended to be the only way to view your business information. Indeed, the HPBPI Business Process Dashboard is provided as an example of how you might build a business dashboard; see [Chapter 2, Customizing The Dashboard](#) for details of how to extend and customize the HPBPI Business Process Dashboard.

Starting the Dashboard

The HPBPI Business Process Dashboard runs within a Web browser. Before starting the HPBPI Business Process Dashboard, make sure that you have started the `Servlet Engine` component using the HPBPI Administration Console.

To start the HPBPI Business Process Dashboard you can either select:

start->Programs->HP->HP Business Process Insight->Dashboard

...or...

Start a Web browser and use the following URL:

```
http://hostname:44080/hpbpi-bpd
```

where:

- `hostname` is the host name on which the Servlet Engine component is running.
- `44080` is the default port number for the Servlet Engine.

Indeed, you can also use the URL:

```
http://hostname:44080/hpbpi-bpd
```

This URL redirects you to the latest installed version of the Business Process Dashboard.

Logging On


When HPBPI is first installed there is no logon required to use the HPBPI Business Process Dashboard. You can simply start up the Business Process Dashboard and see all of your flows and their data.

The HPBPI Administration Console allows you to specify whether you require people to give a user name and password when running the HPBPI Business Process Dashboard. You then have a choice of authorization mechanisms. You can even restrict users such that they can only see certain flows, based on their logon details. (See the *HPBPI System Administration* guide for more details.)

Basic Operation

The Business Process Dashboard consists of a set of Java Server Pages (JSPs) and Java beans that use the data in the HPBPI database to represent flow information to the browser.

Figure 1 Basic Dashboard Operation



where:

1. When you browse to the Business Process Dashboard URL, a JSP is invoked.
2. The JSP then calls the appropriate underlying Java beans to load up the dashboard configuration and access the HPBPI SQL database. The Java beans retrieve the requested HPBPI data.
3. The JSP then formats this data to the user's Web browser.

Flow Status

When displaying the status of a flow, the HPBPI Business Process Dashboard uses the following terms:

- Blocked

This means that at least one instance of the flow is active in a node that cannot proceed due to a problem in an underlying IT service.

- At Risk

This means that there are no flow instances in a blocked state, however there are flow instances coming along that may hit the blockage sometime in the future.

- Healthy

This means that all active flow instances are currently passed the blockage and can therefore continue to run to completion.

Node Rates

Within the HPBPI Business Process Dashboard you can display the overall details of a flow and then drill into any node to see overall statistics for that node. Such statistics include the current node `Instance Rate` and current node `Weight Rate`. These rate values give you an idea of the current throughput at a given node. These rates are expressed as a value per hour - in much the same way as the speedometer in your car tells you how far you would travel in a hour if you kept traveling at your current speed.

Be aware that these rate values can give slightly incorrect values when the node activity is low.

The rates eventually reset themselves to zero, if there is a prolonged period of inactivity.

My Flows/My Services

The main screen of the HPBPI Business Process Dashboard - the Business Health Scorecard screen - shows you all your currently deployed flows and associated IT services. The idea is that on one screen you see right across your business.


What if you are only interested in one, or a few, of the listed flows? Maybe you are responsible for monitoring the Orders flow, and therefore do not really wish to have the other flows listed on your view of the HPBPI system?

You can tell the HPBPI Business Process Dashboard which flows, and which IT services, you wish to see when you enter this screen.

My Flows

When you run the HPBPI Business Process Dashboard, you can click on the Edit My Flows button:


Figure 2 Edit My Flows



You are then presented with a list of available flows. You simply select the one(s) that you are interested in, and press the Save button.

Back at the main screen, you can now click on the select list and choose Show My Flows:

Figure 3 Show My Flows



The page now shows only those flows that you selected.

You can also select to only show your flows if they are currently impacted in some way.


My Services

Just as you can specify the flows that you are interested in, you can specify the IT services that you are interested in.

Through the use of the `Edit My Services` button you can select the IT service(s) that you wish to monitor.

You can then specify that you only wish to see these services - by selecting `Show My Services` in the service pull down:

Figure 4 Show My Services



You can also select to only show your IT services if they are currently impacted in some way.


Superseded Flows

When you re-deploy a business flow, the HPBPI Business Impact Engine wants to delete the previously deployed version of the flow. However, if there are still flow instances for this old flow in the system then the Business Impact Engine cannot simply delete them. So, in this situation, the HPBPI Business Impact Engine marks the previously deployed flow as “superseded”.

Default View

By default, the HPBPI Business Process Dashboard lists all your superseded flow definitions. These are shown on the main Business Health Scorecard screen underneath the main flow summary table.

Figure 5 Superseded Flow List



The screenshot shows the 'Business Health Scorecard' interface. At the top, there is a dropdown menu set to 'Show All Flows' and a button labeled 'Edit My Flows'. Below this is a 'Business Flow Summary' table with columns for Flow Name, Business Flow Metric Status, Service Health, and Service Flow Impact. Two flows are listed: 'Call System' and 'Order Flow', both with green checkmarks in all columns. Below this is a 'Superseded Business Flow Summary' table, which is circled in red. This table has the same column structure as the one above but is currently empty.

Business Health Scorecard			
Show All Flows		Edit My Flows	
Business Flow Summary			
Flow Name	Business Flow Metric Status	Service Health	Service Flow Impact
Call System	✓	✓	✓
Order Flow	✓	✓	✓
Superseded Business Flow Summary			
Flow Name	Business Flow Metric Status	Service Health	Service Flow Impact

Listing the superseded flows like this is useful when you are developing your flows as you are able to see when/if your flows have become superseded.

However, what if you are giving a demonstration of the product and you have re-deployed the demo flow a number of times - and therefore have many superseded versions of the demo flow. Do you really want these superseded flow versions displayed across the main screen for the customer to see? Probably not; see [Do Not Show Superseded Flows](#) on page 20 to find out how to turn off display of superseded flows.

My Flows

By default, if you have selected the `Show My Flows` option on the main `Business Health Scorecard` page, the `HPBPI Business Process Dashboard` also list superseded versions of your selected flows.

Do Not Show Superseded Flows

If you do not want the `HPBPI Business Process Dashboard` to list superseded flows then you can disable this feature.

The steps to turn off display of superseded flows are as follows:

- Run the `HPBPI Administration Console`
- Select `Business Process Dashboard/General Settings` in the left-hand navigation pane
- Un-check the option `Show superseded flows?`
- Press the `Apply` button

When the `Confirmation applied` dialog appears, click `OK`

- Refresh your Web browser, or start up a new `HPBPI Business Process Dashboard`, and the superseded flow table is no longer shown

This change affects **all** `HPBPI Business Process Dashboards`.

Directory Structure

The Business Process Dashboard is installed as part of HPBPI in the following directory:

HPBPI-install-dir\nonOV\jakarta-tomcat-5.0.19\webapps\hpbpi-bpi

The Business Process Dashboard uses Tomcat as its Servlet Container.

The following is a brief explanation of the main sub directories that make up the Business Process Dashboard:

- gen

This directory contains the JSPs that make up the Business Process Dashboard.

- style

This directory contains the cascading style sheets (CSS) that determine the look-and-feel for the Business Process Dashboard.

- images

This directory contains some images used by the JSPs.

- images\generated

The Business Process Dashboard saves all run-time pictures (flow diagram, time lines, etc.) into this directory. You should see files created in this directory as users run the Business Process Dashboard; refer to [Maintaining The Dashboard](#) on page 24 for details of how to clean up these files.

- WEB-INF

This directory contains two sub directories:

- classes

This contains the source code for some of the additional Java beans used by the JSPs.

This is also where the Business Process Dashboard's configuration file is located; see section [Configuration](#) on page 22.

- lib

This contains the JAR files (Java code libraries) required by the JSPs.

Configuration

The HPBPI Business Process Dashboard reads its configuration settings from the file: `WEB-INF\classes\DashboardConfig.properties`.

Although you can edit this file directly, it is not recommended. This file is maintained using the HPBPI Administration Console.

So if you need to alter a configuration setting within the Business Process Dashboard it is best to use the HPBPI Administration Console.

The most likely options that you might wish to reconfigure are:

- The Page refresh delay time

For example, you could set this to 0 (zero) to disable automatic page refresh.

- The Show superseded flows? option

When you use the HPBPI Administration Console to apply configuration changes to the Business Process Dashboard, it actually rebuilds the `WEB-INF\classes\DashboardConfig.properties` file, based on a template found in `HPBPI-install-dir\newconfig\DataDir\conf\bia`.

Each time a JSP is run from a browser, it checks the time stamp on this `DashboardConfig.properties` file. If the time stamp has changed, the JSP re-reads this new configuration. Any changes made to the configuration affect all running Business Process Dashboards when they next access a JSP or refresh their current page.



You should always use the HPBPI Administration Console to make configuration changes to the Business Process Dashboard.

Any changes you make directly to the `DashboardConfig.properties` file are overwritten the next time you make **any** configuration changes through the HPBPI Administration Console.

Hidden Settings

The `DashboardConfig.properties` file does contain settings that are not available through the HPBPI Administration Console. These are settings that an administrator might wish to set up at install time and typically never change again. Some examples of these kinds of settings are:

- The images used to show whether a node is active, completed or impacted
- The images used to show underlying IT Service states - of Normal, Warning, Minor, Major and Critical

To alter such configuration options requires you to edit the template files in the following directory:

```
HPBPI-install-dir\newconfig\DataDir\conf\bia
```

The files are named:

```
DashboardConfig.mssql.properties  
DashboardConfig.oracle.properties
```

You need to make the changes to both of these files and then make the changes directly to the active `DashboardConfig.properties` file (in your `WEB-INF\classes` directory). The reason you need to make the changes to the template files is in case you make any future configuration changes using the HPBPI Administration Console - this includes any configuration changes, even those not related to the Business Process Dashboard.

Maintaining The Dashboard

When the HPBPI Business Process Dashboard builds flow diagrams and time lines, these images are created and held on disc, on the Tomcat server, in the directory `images\generated`; see [Directory Structure](#) on page 21.

The number of files in this directory should not grow over time as the Java classes that create these files remove them when the Web session comes to an end. Therefore, this directory contains only images that are being used by active Web sessions. Note that, by default, a Web session expires after 30 minutes of inactivity. If you close a Web browser, any session flow pictures are removed after a further 30 minutes has elapsed.

However, your Web administrator should monitor this directory to ensure that any files left behind are removed.

If the Web administrator wants to remove files from this directory they have two main options:

1. They can shutdown the Servlet Engine (Tomcat) and remove all the files from this `generated` directory
2. They can leave the Servlet Engine running and just remove all files that are over (for example) one day in age. The idea is that you do not want to remove any files that are being served to Web browsers at the moment, so you might decide that if the files have been sitting there for more than a day then it is safe to remove them

Localization

The HPBPI Business Process Dashboard is fully localizable.

All of the text strings used on the Web pages (JSPs) are held in an external Java resource bundle (external file) allowing you to localize them as required to produce a localized version of the Business Process Dashboard.

Let's take a look at how this is achieved.

The `i18n` Tag

Rather than a JSP containing hard-coded text strings, each JSP loads up an external file (called a “Resource Bundle”) that contains all the text strings it needs. Each of these text strings has been assigned a unique label (a key).

A Java bean is provided that allows access to a resource bundle. This bean is called: `com.hp.ov.bia.views.taglibs.i18n`.

So the first thing the JSP must do is to say that it wishes to use this Java bean...and give it a name. The line that declares this is as follows:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.i18n" prefix="i18n" %>
```

Now, any markup that begins with `<i18n:` refers to calls supported by the Java bean `com.hp.ov.bia.views.taglibs.i18n`.

The `i18n` Bundle

The JSP then needs to load up its resource bundle. This is achieved with the following line:

```
<i18n:bundle baseName="dashboard_localization" />
```

This tells the `i18n` Java bean to go looking for a resource bundle called `dashboard_localization`. Resource bundle file names end in `.properties`, so the default resource bundle therefore has the name: `dashboard_localization.properties`.

However, here is the clever bit... Resource bundles belong to families whose members share a common base name, but whose names also have additional components that identify their locales. So, if, for example, you wanted to make

use of a German version of the dashboard text strings, these could be provided in a resource bundle called `dashboard_localization_de.properties`. Each resource bundle in a family contains the same items, but the items have been translated for the locale represented by that resource bundle. If there are different resources for different countries, you can make specializations: for example, `dashboard_localization_de_CH.properties` would contain the text strings for the German language (de) in Switzerland (CH).

The `dashboard_localization` resource bundles are found within the JAR file:

```
WEB-INF\lib\bia-views-resources.jar
```

Text Within the JSPs

With the resource bundle loaded, the JSPs are able to display this localized text wherever it needs, using the `<i18n:message>` tag.

Let's look at some examples:

Simple Text

Consider the JSP: `flowInstance.jsp`

At the point where the JSP lists the nodes that make up the flow definition, it needs to display a title for this table. Rather than just having the text `Node List`, you see the code:

```
<i18n:message key="FlowInstance.nodeList" />
```

This retrieves the text labelled `FlowInstance.nodeList` from the resource bundle. In the English-locale resource bundle there is an entry as follows:

```
FlowInstance.nodeList=Node List
```

Which means that the string `Node List` is returned. So the `<i18n:message...>` tag is replaced in the resulting HTML with the actual text: `Node List`.

Text with Parameters

How does it handle message strings that are not just fixed text?

Within the resource bundle some of the strings are defined to take parameters. In these cases, you see the `args=` option used.

Consider the JSP: `flowInstance.jsp`

At the point where the JSP is listing the associated flow instance data, it wants to display a heading that includes the actual name of the associated data definition.

The code is as follows:

```
<i18n:message key="FlowInstance.assocData"
  args="<%= new Object[] {flowInstanceDataBean.getName()} %>" />
```

For the English-locale resource bundle, the text labelled `FlowInstance.assocData` contains the string: `Associated Data ({0})`

The `{0}` specifies that the first parameter (they number from zero) is to be placed at this point.

The `args=` option needs to pass in a Java Object array (`Object []`) with the zero'th element containing the name of the associated data definition for this flow.

So, if the associated data table name was `Orders/My Data`, the message string would become: `Associated Data (Orders/My Data)`

Obvious Labels

To make it easier for developers to read and understand the JSPs, the labels assigned to each text string have been given meaningful names. The text labels tend to take the form:

```
<area/screen name>.<text name>
```

For example:

- `FlowInstance.nodeList`

This is to do with a page that displays flow instances, and the text says something about a node list.

- `FlowInstance.assocData`

This is to do with a page that displays flow instances, and the text displays something about the associated data.

- `ServiceHealth.priority`

This is to do with a page that displays service health, and the text displays something about the priority.

Tomcat Specific Settings

The Servlet Engine that comes pre-configured with HPBPI is Apache Tomcat.

The version of Tomcat that ships with HPBPI is required for HPBPI components other than the Business Process Dashboard. You can use a different Servlet Engine for your customized dashboard; however the version of Tomcat that is installed with HPBPI is the one that is tested and recommended.

There are some Tomcat configuration settings that are set by the HPBPI installation, and they are as follows:

Tomcat Startup Options

When Tomcat is started, the following environment variables are set:

- CATALINA_HOME

This is set to the version of Tomcat that comes installed with HPBPI.

The setting takes the form:

```
CATALINA_HOME=HPBPI-install-dir\nonOV\jakarta-tomcat-5.0.19
```

- CATALINA_OPTS

This is set to pass in the details of the logging configuration for Tomcat.

The setting takes the form:

```
CATALINA_OPTS=-DOV_INSTALL_DIR="HPBPI-install-dir"  
-DOV_DATA_DIR="HPBPI-install-dir\data"  
-Djava.util.logging.config.file=  
  "HPBPI-install-dir\data\conf\bia  
  \bia_tomcat_loggingconfig.properties"
```

Logging

The logging level for the Business Process Dashboard is configured through the HPBPI Administration Console.

The HPBPI Business Process Dashboard log level is maintained in the file:

```
HPBPI-install-dir\data\conf\bia\  
    bia_tomcat_loggingconfig.properties
```

When Tomcat is started, this logging configuration file is passed in (see section [Tomcat Startup Options](#) on page 29) and the logging output is redirected to the file:

```
HPBPI-install-dir\data\log\bia_tomcat0_0.log
```

If you want to see more detailed log information then use the HPBPI Administration Console to turn the Servlet Engine logging up to `FINE`, and restart the Servlet Engine.

Any JSP output to standard output (`stdout`) or standard error (`stderr`) is **not** redirected to this log file! (see [Stdout/Stderr Log Output](#) on page 32)

Auto Compiling JSPs

When Tomcat runs in development mode, it checks each JSP it displays to see if the page has been modified since the last time it was displayed. If the page has been modified, Tomcat compiles the page and you see this latest version.

The HPBPI installation of Tomcat defaults to a `development` mode.

Running Tomcat in development mode is advantageous when you are developing, but is not recommended for a production environment. The Tomcat documentation recommends that when running in a production environment that you set the development flag to `false`.

To set your Tomcat installation to run in a non-development mode, you need to edit the following file:

```
HPBPI-install-dir\nonOV\jakarta-tomcat-5.0.19\conf\web.xml
```

Set the development flag to `false`, then restart Tomcat (The Servlet Engine component using the HPBPI Administration Console).

The code segment within this `web.xml` file looks something like the following:

```
<servlet>
  <servlet-name>jsp</servlet-name>
  <servlet-class>org.apache.jasper.servlet.JspServlet
                                     </servlet-class>
  ...
</servlet>

<init-param>
  <param-name>development</param-name>
  <param-value>false</param-value>
</init-param>

...
```

To set Tomcat back to development mode, set the development option back to `true`, and restart Tomcat.

Stdout/Stderr Log Output

If your JSPs issue any output to stdout or stderr, this output is sent directly to the HPBPI Servlet Engine's stdout/stderr. This stderr/stdout output is not captured by the HPBPI Servlet Engine log files.

When HPBPI starts up the Servlet Engine (Tomcat), two files are created to capture any stdout/stderr output. These two files are:

```
HPBPI-install-dir\data\log\tomcat_stdout.log  
HPBPI-install-dir\data\log\tomcat_stderr.log
```

The `tomcat_stderr.log` file captures any errors that might occur during the start-up of the Tomcat servlet engine.

The `tomcat_stdout.log` file captures **both** stdout and stderr output from your JSPs.

So if your JSPs issue any output direct to stdout or stderr, look in the `data\log\tomcat_stdout.log` file.

If you restart the HPBPI Servlet Engine, this restarts Tomcat and this overwrites any previous output contained within the `tomcat_stdout.log` and `tomcat_stderr.log` files.

Lab - Using the HPBPI Dashboard

The purpose of this lab is to get you using the HPBPI Business Process Dashboard and explore some basic configuration options.

This lab assumes that you have already worked your way through the *HPBPI Integration Training Guide - Modeling Flows*, and completed that lab work.

My Flows

- Start up the HPBPI Business Process Dashboard

You should see at least the following flows listed:

Insurance Claim
Order Flow

...assuming you have just completed the lab work contained within the *HPBPI Integration Training Guide - Modeling Flows*.

Let's configure your Web browser to focus on Order Flow:

- Click on the Edit My Flows button
- Check Order Flow
- Click the Save button

Now, back on the main screen:

- Select Show My Flows from the pull-down list

Your Web page should now only list the flow: Order Flow.

My Services

Let's do the same now for the IT service list, and narrow that down to just show the services that you are interested in:

- Click on the `Edit My Services` button
- Check the two services: `OrdersDB` and `ShippingDB`
- Click the `Save` button

Now, back on the main screen:

- Select `Show My Services` from the pull-down list

Your Web page should now only list the services: `OrdersDB` and `ShippingDB`.

Superseded Flows

Let's now remove any mention of superseded flows from this main screen. For this, you need to run the HPBPI Administration Console:

- Start up the HPBPI Administration Console
- In the left-hand navigation pane, click on the `General settings` option, within the `Business Process Dashboard` option
- In the right-hand pane, un-check the option `Show superseded flows?`
- Press the `Apply` button
- When the confirmation dialog appears - click `OK`

Now, back in your Web browser:

- Refresh your browser...

Your Business Process Dashboard main-page is now tailored to focus on the `Order Flow` and your screen is not cluttered-up with any mention of superseded flows.

New Browser

- Close your Web browser (File->Close)
- Start a fresh HPBPI Business Process Dashboard

Notice that your Business Process Dashboard starts up with the My Flow/My Service settings that you previously configured. Very useful!

Well done! You have reached the end of the lab.

2 Customizing The Dashboard

The Business Process Dashboard provided with HPBPI is a generic dashboard written to present the flow data in a generic way. Although it is a useful tool for initially monitoring your run time HPBPI system, it is not intended to be the only way for you to access and view HPBPI information. Your business is likely to have its specific needs for business reporting, for example, within an existing portal. Indeed, the HPBPI Business Process Dashboard is provided as an example of how you might build a business dashboard. You can extend and replace the example Business Process Dashboard according to your business requirements.

This chapter looks at the basic components that make up the HPBPI Business Process Dashboard, and the skill sets required to customize your own dashboard.

Basics

Using the HPBPI Database

The Business Process Dashboard derives its statistics and information from the HPBPI database. For example, when the Business Process Dashboard needs to determine the state of a particular flow, it simply accesses the HPBPI database, reads the flow's state and reports this to the screen.

The HPBPI database is essentially divided into two main areas:

1. The Business Impact Engine tables

These tables hold the details for your deployed flows. The tables track things such as: flow instances, node instances, and service impacts.

2. The Metric Engine Tables

These tables hold all the current, and historical, details for any defined business metrics.

When customizing your own reporting dashboard you can simply extend the example HPBPI Business Process Dashboard code, or write your own dashboard.

When writing or extending the Business Process Dashboard it is important that you understand the HPBPI database schema; the schema is fully described in the *HPBPI Reference Guide*.

Required Skill Sets

The Business Process Dashboard accesses the HPBPI database using SQL calls. These results are then displayed to the Web browser through JSPs - with embedded Java.

The basic skill sets required for anyone who wants to customize the Business Process Dashboard are:

- SQL - Structure Query Language
- Java
- JSP - Java Server Pages
- CSS - Cascading Style Sheets

Tomcat JSP Compilation Logs

When you start developing your own JSPs you may get compilation errors.

With earlier versions of Tomcat these compilation errors used to appear in the Web browser that was trying to run the new JSP. However, with the version used by HPBPI, when a compilation error occurs, Tomcat normally displays a **standard error message** in the browser saying that something went wrong and then directs you to the Tomcat log files.

This standard error message contains text similar to the following:

```
No Java compiler was found to compile the generated source for the JSP.
This can usually be solved by copying manually $JAVA_HOME/lib/tools.jar from
the JDK to the common/lib directory of the Tomcat server, followed by a Tomcat
restart. If using an alternate Java compiler, please check its installation
and access path.
```

This message seems to be telling you that your Tomcat is not installed correctly and that you should try copying files around and checking all sorts of things.

...Stop!...

This message simply means:

“There was a compilation error - check the log file.”

You can view these Tomcat (Servlet Engine) log files using the HPBPI Administration Console.

So whenever you see the “No Java compiler...” message, simply run the HPBPI Administration Console and click to view the logs for the Servlet Engine component. Scroll down to the end of the file and you should be able to see your compilation error(s).

Creating a Custom Dashboard

When developing your own custom dashboard you can work under the `webapps\hpbpi-bpd` directory.

The set of JSP pages that make up the Business Process Dashboard are all located in the `webapps\hpbpi-bpd\gen` directory.



You should **not** edit any files within this `gen` directory.

Instead, make a copy of the `gen` directory and then do your work in this copy directory.

For example, if you create a copy of the `gen` directory, called `myDashboard`, then the URL to run your custom dashboard is:

```
http://hostname:44080/hpbpi-bpd/myDashboard
```

By working in a copy of the `gen` directory you achieve the following:

- The `gen` directory is left untouched and provides you with the default Business Process Dashboard behavior.

This can prove particularly helpful if you need to troubleshoot your dashboard as you have the default one available for comparison.

- Any changes made within the HPBPI Administration Console are applied to your custom dashboard because it is using the same configuration file (`DashboardConfig.properties`) as the standard Business Process Dashboard.


For example, if you were to change the HPBPI database connection details within the Administration Console, these changes would be reflected within both the standard Business Process Dashboard and your custom version of the dashboard.

- When you come to upgrade HPBPI to a new version, your JSPs will not be overwritten.

Architectural Overview

The HPBPI Business Process Dashboard consists of a set of JSPs making use of a collection of JSP custom tag libraries (Taglibs) and back-end Java beans.

Figure 6 Architectural Overview



where:

- There is a set of Java beans that provide access to the HPBPI database, localized text strings, dashboard configuration, etc. In other words, a set of Java beans that can provide the data.
- The JSPs call methods on these Java beans to retrieve the data they require, and display this in the Web browser.
- To simplify this, most of the common tasks required by the JSPs have been wrapped-up into JSP Taglibs. This greatly simplifies the JSP code as there is little or no need to actually write Java. The JSP can simply invoke a Taglib (written as an HTML tag) and this generates the necessary Java code to call the appropriate Java bean, retrieving the required data from the database.

Let's look at this in more detail...

Java Server Pages (JSPs)

The JSPs are available in the `gen` directory and are designed to be self explanatory.

For example:

- `flowInstance.jsp` shows the details of a selected flow instance
- `instances.jsp` lists the flow instances for a given flow

If you wish to know what a page does, simply run the Business Process Dashboard and as you display each screen, the URL shows you which JSP page is being invoked.

There are some JSPs that are reused across multiple pages; these are:

- `common.jsp`

This holds all the utility methods that are common and used across all the pages. This page is included at the top of other JSP pages.

- `footer.jsp`

This is called at the end of every page.

- `alertPage.jsp`

This is called whenever there is an error that the page is coded to handle - such as a required parameter not being passed to a page, etc.

- `errorPage.jsp`

This is called whenever an unexpected occurs.

The JSP pages are all commented throughout and are the best way to learn how the Business Process Dashboard is written and operates.

Taglibs

There are JSP custom tag libraries (Taglibs) for doing most of the standard things required within the Business Process Dashboard.

Available Libraries

The following tag libraries are available:

- flow

This tag library provided tags that allow you to retrieve flow information from HPBPI. You can get lists of flows, lists of flow instances, flow statistics, flow diagrams, etc..

- i18n

This tag library is how the Business Process Dashboard is able to use localizable text; see [Localization](#) on page 25 for more details about this taglib.

- metrics

This tag library provided tags that allow you to retrieve metric information from HPBPI. You can list metric and threshold definitions, draw statistical graphs, draw metric dials, etc.

- ovis

This tag library allows you to retrieve information from HP Openview Internet Services (OVIS) and display statistics or diagrams.

- ovsd

This tag library allows you to retrieve information from HP Service Desk (HPSD) and display statistics or diagrams.

- ovsn

This tag library allows you to retrieve IT service information from HP Operations Manager (HPOM) and display statistics or diagrams (such as service hierarchy maps).

The taglib is called “ovsn” as it refers to the part of HPOM known as “HP Service Navigator”.

- `service`

This tag library allows you to retrieve specific HPBPI information about the IT services within a flow.

- `util`

This tag library contains a set of utilities - such as error handling. It also provides some utility mechanisms you can use when calling the other tag libraries.

Documentation (Javadocs)

Full documentation for the Taglibs is provided on the HPBPI product CD - under the `docs` directory.

You can read the documentation by using a Web browser and opening the file:

```
docs\html\HPBPITagLibs\index.html
```

This documentation helps you find out the available list of tags and their syntax. However, the best way to really learn about how these tags are used is by reading the JSP code directly, and by referring to the worked examples later in this training guide.

Basic Operation

The taglibs act as a layer between you and the HPBPI database. You specify the tag, and it makes the necessary calls to the HPBPI database (using back-end Java beans) to retrieve the information.

But how does it give you back this information? Most of the tags return their information by passing back a Java bean which contains the information gathered from the HPBPI database.

The javadoc for each tag shows what type of Java bean it returns, and there is a separate set of javadocs that describes all these return beans; see [Java Beans](#) on page 50 for more details.

Let's consider an example:

The `<flow:flow>` tag returns details of a given flow. You pass in the specific flow ID that you are interested in, and you are returned a Java bean that contains the flow details for that flow.

You call the tag like this:

```
<flow:flow flowId="<%= flowId %>" var="myFlowBean" />
```

where:

- You pass in the Java variable `flowId` which you have pre-set to be the flow ID of the flow you want
- You specify the `var=` attribute to provide the name for a Java bean

This Java bean is created by the `flow` tag and returned to you in the variable: `myFlowBean`. Within your JSP you can then refer to the variable `myFlowBean`, and call methods on it to obtain the flow specific information that is returned by the tag.

The javadoc for the `flow` tag tells you that the bean returned to you is of type `FlowBean`. And the javadoc for the `FlowBean` tells you that you have methods available such as: `getActiveCount()`, `getNodes()`, etc.

Two Types of Tags

Generally speaking, within most of the tag libraries, you find two types of tags:

1. List tags
2. Specific tags

List Tags

Some examples of “list” tags are:

- `<flow:flowOutlineList>`
- `<flow:flowInstanceOutlineListCount>`
- `<ovis:serviceObjectiveList>`

These are tags that return “lists” of items.

When calling a “list” tag, be aware that the tag actually sets up a “loop” within your JSP code.

Let’s explain by an example:

Suppose you want to loop through all the flows currently active in your HPBPI system, displaying each flow name. You could use the following code segment:

```
<table>
  <flow:flowOutlineList var="flowOutlineBean">
    <tr>
      <td><%= flowOutlineBean.getName() %></td>
    </tr>
  </flow:flowOutlineList>
</table>
```

The above code segment produces code that basically loops through your flow definitions, displaying the name of each flow.

So a “list” tag typically spreads over a few lines, and expands into a code-loop that loops through the returned results.

Specific Tags

A specific tag is a “non-list” tag. It returns a single object or value.

For example:

The `<flow:flow>` tag is a “non-list” tag. Suppose you have the flow ID for a particular flow definition. You can use the `<flow:flow>` tag to get the details for the given flow.

The code looks like this (assuming the flow ID is held in a Java variable called `flowId`):

```
<flow:flow flowId="<%= flowId %>" var="flowBean" />
```

where:

- This tag does not produce any loops. It simply retrieves the data for the requested flow ID and returns a bean containing the details for this flow
- The tag is executed, the `flowBean` variable is loaded up with data, and control then moves on to the next line of code in the JSP

Error Handling

There are utility tags for handling errors that may be returned from other tags. For example, `<util:onerror ...>` can be placed after a tag call to catch any error that might get thrown.

For example, consider the following JSP code segment:

```
<jsp:useBean id="errorInfoBean"  
  class="com.hp.ov.bia.views.taglibs.util.ErrorInfoBean" scope="session" />  
  
...  
  
<flow:flowInstance flowInstanceId="<%= flowInstId %>"  
  var="flowInstanceBean" errorInfoBean="<%= errorInfoBean %>  
>  
  
<util:onerror errorInfoBean="<%= errorInfoBean %>">  
  <jsp:forward page=" ../gen/alertPage.jsp">  
    <jsp:param name="alert" value="It all went wrong!"/>  
  </jsp:forward>  
</util:onerror>  
  
<flow:flowInstanceImage flowInstanceBean="<%= flowInstanceBean %>" />
```

where:

- The `<flow:flowInstance>` tag gets the instance details for the given flow instance ID. The result is returned in a `FlowInstanceBean`
- Because the `<flow:flowInstance>` tag has specified an `errorInfoBean=` parameter, any error information is returned to the calling JSP code
- If the `<flow:flowInstance>` tag throws an error then the code between the `<util:onerror>` mark-up is executed. As this example forwards to another JSP, it terminates this page

A possible error might be if the value in the variable `flowInstId` variable does not match any flow instance ID within the HPBPI database.

- If the `<flow:flowInstance>` tag has no errors then the `<util:onerror>` code is skipped and the JSP moves on to the next line (which in this case is the `<flow:flowInstanceImage>` tag)
- The `errorInfoBean` must be declared as a session wide bean, hence the `<jsp:useBean>` tag

The most obvious error that you can expect to see is when you ask for an object (flow, flow instance, node, node instance, etc.) that doesn't exist. For example, you ask for a specific flow but have not supplied the correct flow ID.

Access Error

If your HPBPI installation is configured to require a logon to access the Business Process Dashboard then you may have access errors returned from a tag. For example, you may be using the `<flow:flow>` tag to access a particular flow ID but your logon may not give you access to this flow. If your tag includes an `errorInfoBean`, then this will contain the access error details.

List Tags

Be aware that when using a "list" tag, you may not always get errors thrown. In particular, the "list" tags tend not to throw any error if no objects are found.

For example:

```
<flow:flowOutlineList var="flowOutlineBean" nameFilter="Order Flow" />
```


The `flowOutlineList` tag sets up a loop and finds all flow definitions that match any given criteria. In this case, you have asked to retrieve only flows whose name matches the given flow name: `Order Flow`.

You might expect to be able to place some `<util:onerror>` code after this call to catch the condition where the flow name was not found....wrong!

The `flowOutlineList` tag in the above example, loops through the flow definitions trying to match them against the given filter. If there are no matches then that is a valid outcome!

In other words, a “list” tag does not consider “no return values” to be an error.

Java Beans

The HPBPI Business Process Dashboard provides a number of back-end Java beans for accessing the HPBPI data. Some of these work in conjunction with the taglibs, and others are there as helpers if you need to start writing bespoke SQL and issuing this against the HPBPI database.

Documentation (Javadocs)

Full documentation for all the Business Process Dashboard Java beans is provided on the HPBPI product CD - under the `docs` directory.

You can read the documentation by using a Web browser and opening the file:

```
docs\html\HPBPIJavadoc\index.html
```

You can broadly categorize the beans into two main groups:

- Taglib Beans

```
com.hp.ov.bia.views.taglibs.*
```

These beans are the ones you need to know about when using the taglibs.

- Helper Beans

```
com.hp.ov.bia.views.*  
com.hp.ov.bia.views.util.*
```

These are the additional beans that might be useful as/when you start doing customization that cannot be performed within a taglib. The most obvious example of this would be if you want to issue custom SQL statements directly against the HPBPI database; see [Chapter 6, Direct HPBPI Database Access](#).

The Next Step

With the Business Process Dashboard JSP code as an example, and all the Taglib and Java bean documentation, it is pretty easy to understand how everything works.

To help your understanding, the remaining chapters of this guide lead you through many worked examples.

3 Working With Flows


This chapter looks at the <flow> tag library. It provides an overview of the typical calling sequence, and then takes you through a series of worked examples.

This chapter then look at how to customize the flow diagrams within the HPBPI Business Process Dashboard.

<flow> Tag Hierarchy

The following diagram lists the main <flow> tags, and shows how they relate together:

Figure 7 <flow> Tag Hierarchy



On the diagram:

- Each box lists the tag name, and underneath that is the type of Java bean that the tag returns. For those tags that do not return a Java bean it lists what the tag produces.

- There is a little “loop” symbol to the right of each “list” tag to indicate that this tag typically loops through the return values.

The idea of the diagram is to help you see the typical calling sequence for the tags. For example:

- You typically start with the `flowOutlineList` tag to loop through the available flows and pull out the `flowId`
- Once you have the `flowId`, you might then call the `flow` tag, passing it this `flowId`. The `flow` tag returns to you a `FlowBean`
- You can then pass this `FlowBean` to the `flowImage` tag and have it draw you a flow diagram

Alternatively, if you wanted to drill down into the flow instance details:

- Once you have the `flowId`, you can call the `flowInstanceOutlineList` tag. This allows you to loop through the flow instances for this `flowId`.
For each flow instance you get a `FlowInstanceOutlineBean`, and from this, you can extract the `flowInstanceId`
- You can then pass this `flowInstanceId` to the `flowInstance` tag, and it returns to you a `FlowInstanceBean`
- You can then pass this `FlowInstanceBean` to the `flowInstanceImage` tag and it draws you a flow instance diagram

Accessing Flow Details

Listing Flow Definitions

To simply loop through your flow definitions and list information about each, you use the `flowOutlineList` tag.

In its simplest form, you call the tag and just specify the variable name for the return results. By default the tag returns all non-superseded flow definitions:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Simple Flow Listing</title></head>
  <body>
    <table cellSpacing=0 border=1>
      <th>Flow List</th>
      <flow:flowOutlineList var="flowOutlineBean">
        <tr>
          <td><%= flowOutlineBean.getName() %></td>
        </tr>
      </flow:flowOutlineList>
    </table>
  </body>
</html>
```

where:

- You declare the taglib:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>
```

This tells the JSP that you want to use the Java taglib

`com.hp.ov.bia.views.taglibs.flow`. The `prefix` option says that you will refer to this taglib within the rest of the JSP by the tag name `flow`

You can now start your flow tags with: `<flow:whatever>`, and end the tags with `</flow:whatever>`.

- If your HPBPI installation is configured to require you to log on before accessing the Business Process Dashboard, then the `<flowOutlineList>` tag only returns the flows that you have access to.

The above example code simply loops through, outputting the name of each flow definition. The javadocs for the return bean type (`FlowOutlineBean`) tells you that you can output lots of information about the flow using methods such as:

```
getActiveCount()
getBlockedWeight()
getAverageDuration()
getFlowId()
getItStatus()
getStatus()
```

and many more.

Filtering Flows By Name

You can specify that the `flowOutlineList` tag only retrieve flow definitions where the flow name matches a certain name, or list of names.

To match on a single flow name:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Flow List - simple filter</title></head>
  <body>
    <table cellSpacing=0 border=1>
      <th>Flow Name</th>
      <th>Active</th>
      <th>Business Health</th>
      <flow:flowOutlineList var="flowOutlineBean" nameFilter="Order Flow" >
        <tr>
          <td><%= flowOutlineBean.getName() %></td>
          <td><%= flowOutlineBean.getActiveCount() %></td>
          <td><%= flowOutlineBean.getStatus() %></td>
        </tr>
      </flow:flowOutlineList>
    </table>
  </body>
</html>
```

To specify more than one flow name, you need to make use of the `<util:args>` tag..

Multiple Flow Names (<util:args>)

To specify more than one flow name, you need to build up an `ArgsBean` which can then be passed to the `flowOutlineList` tag. You can do this by using the `<util:args>` tag:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.util" prefix="util" %>

<html>
  <head><title>Flow List - util:args filter</title></head>
  <body>

    <util:args var="flowNameArgsBean">
      <util:arg name="Order Flow"/>
      <util:arg name="Insurance Claim"/>
    </util:args>

    <table cellSpacing=0 border=1>
      <th>Flow Name</th>
      <th>Active</th>
      <th>Business Health</th>
      <flow:flowOutlineList var="flowOutlineBean"
        nameFilter="<%= flowNameArgsBean %>" >
        <tr>
          <td><%= flowOutlineBean.getName() %></td>
          <td><%= flowOutlineBean.getActiveCount() %></td>
          <td><%= flowOutlineBean.getStatus() %></td>
        </tr>
      </flow:flowOutlineList>
    </table>
  </body>
</html>
```

Filtering By Flow Status

The `flowOutlineList` tag also lets you filter the flow list by the current state of the flow definition.

Valid states are listed in the javadoc, and they are as follows:

- ACTIVE
This matches flows that are “healthy”; see [Flow Status](#) on page 15
- IMPEDED
This matches flows that are “at risk”; see [Flow Status](#) on page 15
- BLOCKED
This matches flows that are “blocked”; see [Flow Status](#) on page 15
- DELETED
This matches flows that have been superseded by a newer version. Internally, within HPBPI, the flow is referred to as being marked for deletion (hence the status `DELETED`), but within the Business Process Dashboard the flow is referred to as a “superseded” flow.
- NOT DELETED
This is the default. It matches flows that are in any state other than `DELETED`.
Using this filter is the same as a filter of `ACTIVE|IMPEDED|BLOCKED`.
- ALL
Simply matches all flows in all states.

Here is an example that lists only the superseded flow definitions:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Flow List - by flow status</title></head>
  <body>
    <table cellspacing=0 border=1>
      <th>Flow Name</th>
      <th>Active</th>
      <th>Business Health</th>
      <flow:flowOutlineList var="flowOutlineBean"
        nameFilter="Order Flow"
        statusFilter="DELETED" >
        <tr>
          <td><%= flowOutlineBean.getName() %></td>
          <td><%= flowOutlineBean.getActiveCount() %></td>
          <td><%= flowOutlineBean.getStatus() %></td>
        </tr>
      </flow:flowOutlineList>
    </table>
  </body>
</html>
```

Getting the Flow ID

To convert a flow name into a flow ID, you can use the `flowOutlineList` tag.

Specify the name of the flow (`nameFilter=`) and `flowOutlineList` returns the active version of that flow definition. You can then pull out the flow ID from the returned `FlowOutlineBean`.

For example:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Flows - get the flow ID</title></head>
  <body>
    <%
      String flowId = "";
    %>

    <flow:flowOutlineList var="flowOutlineBean" nameFilter="Order Flow" />

    <%
      if (flowOutlineBean != null)
      {
        flowId = flowOutlineBean.getFlowId();
      }
    %>

    <!-- Display the result -->

    Flow ID = [<%= flowId %>]

  </body>
</html>
```

where:

- After the `flowOutlineList` tag, you check to see if `flowOutlineBean` is null.

You do this because, if the `flowOutlineList` tag cannot find any flows that match the given criteria, it does not allocate a return bean and hence when you go to access `flowOutlineList`, it might be null.

Listing Node Instance Details

Let's look at an example where you have found the flow ID and you now want to loop through all the flow instances for this flow ID. For each flow instance you then want to loop through any node instances.

The basic flow of tags is as follows:

- Pass the flow ID to the `flowInstanceOutlineList` tag and set up a loop to go through all the returned flow instances
- Within this loop, you can display some overall flow instance details, and then call the `flowInstance` tag to get further details about each flow instance
- You can then pass this flow instance information into the `flowInstanceNodeList` tag and set up a loop to go through each of the node instances

The JSP code segment might look something like this:

```
<%-- Loop through the flow instance details --%>
<flow:flowInstanceOutlineList var="flowInstanceOutlineBean"
    idFilter="<%= flowId %>"
    maxInstances="100" >
    <%
        // Pull out the flow instance Id
        String flowInstId = flowInstanceOutlineBean.getFlowInstanceId();
    %>
    <%-- Print some basic flow instance details --%>
    <h1>Flow Instance:</h1>
    Flow InstId: <%= flowInstId %>      <br />
    Identifier : <%= flowInstanceOutlineBean.getIdentifier() %> <br />
    <%-- Now loop through and list the node instance details --%>
    <h2>Node Instances:</h2>
    <%-- Get the flow instance object --%>
    <flow:flowInstance flowInstanceId="<%= flowInstId %>"
        var="flowInstanceBean" />
    <%-- Now get the list of node instances --%>
    <%-- and loop through displaying the node instance ids --%>
    <flow:flowInstanceNodeList flowInstanceBean="<%= flowInstanceBean %>"
        var="flowInstanceNodeBean" >
        Node Name      : <%= flowInstanceNodeBean.getName() %> <br />
        Node InstId   : <%= flowInstanceNodeBean.getNodeInstanceId() %><br />
        Node Duration: <%= flowInstanceNodeBean.getOverallDuration() %><p />
    </flow:flowInstanceNodeList>
</flow:flowInstanceOutlineList>
```

Drawing Flow Diagrams

There are three main types of “flow” diagram available to you, and a corresponding taglib for each of these. They are:

- **Flow Diagram:** `<flowImage>`
This shows the overall flow diagram, showing the number of flow instances active at each node, and any IT service impact that might be impacting the flow.
- **Flow Instance Diagram:** `<flowInstanceImage>`
This shows where a particular flow instance currently is in the flow, showing which nodes have been completed, which are active, and whether any are currently impacted by an IT service impact.
- **Flow Instance Timeline:** `<flowInstanceTimelineImage>`
This shows the flow instance details as a time line, so you can easily see the order in which nodes are being executed, and visually see the length of time spent in each node.

Flow Diagram `<flowImage>`

To draw an overall flow diagram is very simple.

The basic steps are:

- Get the flow ID
- Use the `flow` tag to get a `FlowBean` for your flow
- Pass this `FlowBean` to the `flowImage` tag

For example:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Flow Diagram Page</title></head>
  <body>
<%
  String flowName = "Order Flow";
  String flowId = "";
%>
  <!-- Get the flowId -->

  <flow:flowOutlineList var="flowOutlineBean"
                        nameFilter="<%= flowName %>" />
<%
  // Grab the flowId
  if (flowOutlineBean == null)
  {
    String errorText = "Unable to find flow [" + flowName + "];
    %>
    <jsp:forward page="../gen/alertPage.jsp">
      <jsp:param name="alert" value="<%= errorText %>" />
    </jsp:forward>
    <%
  }
  flowId = flowOutlineBean.getFlowId();
%>

  <!-- Now you have the flowId, you can get the flow -->

  <flow:flow flowId="<%= flowId %>" var="flowBean" />

  <!-- Now draw the flow -->

  <flow:flowImage flowBean="<%= flowBean %>" />

  </body>
</html>
```

Flow Instance Diagram <flowInstanceImage>

To draw a specific flow instance image is very simple.

The basic steps are:

- Get the flow ID
- Use the `flowInstanceOutlineList` tag to return the flow instances
- Find the flow instance that you want
- Use the `flowInstance` tag to get the `FlowInstanceBean` for this instance
- Pass this `FlowInstanceBean` to the `flowInstanceImage` tag

Here is an example that gets the first (up to) 100 flow instances and displays flow instance diagrams for each one:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>
<html>
  <head><title>Flow Instance Diagram Page</title></head>
  <body>
<%
  String flowName = "Order Flow";
  String flowId = "";
%>

  <!-- Get the flowId -->

  <flow:flowOutlineList var="flowOutlineBean"
                        nameFilter="<%= flowName %>" />
<%
  ...test that flowOutlineBean is not null...

  flowId = flowOutlineBean.getFlowId();
%>
  <!-- Now you have the flowId, you can get the list of flow instances -->

  <flow:flowInstanceOutlineList var="flowInstanceOutlineBean"
                                idFilter="<%= flowId %>"
                                maxInstances="100" >
<%
  // Pull out the flow instance Id
  String flowInstId = flowInstanceOutlineBean.getFlowInstanceId();
%>
```

```

<%-- Print some basic flow instance details --%>
<h1>Flow Instance:</h1>

  Identifier: <%= flowInstanceOutlineBean.getIdentifier() %> <p />

  <%-- Get the flow instance object --%>
  <flow:flowInstance flowInstanceId="<%= flowInstId %>"
    var="flowInstanceBean" />

  <%-- Now draw the flow instance diagram --%>
  <flow:flowInstanceImage flowInstanceBean="<%= flowInstanceBean %>" />

</flow:flowInstanceOutlineList>

</body>
</html>

```

Flow Instance Timeline `<flowInstanceTimelineImage>`

To produce a flow instance time line, you follow the same basic code steps as for a flow instance diagram (see [Flow Instance Diagram `<flowInstanceImage>`](#) on page 66), however, once you have the flow instance details you use the `flowInstanceTimelineImage` tag to produce the actual picture.

The basic steps are:

- Get the flow ID
- Use the `flowInstanceOutlineList` tag to return the flow instances
- Find the flow instance that you want
- Use the `flowInstance` tag to get the `FlowInstanceBean` for this instance
- Pass this `FlowInstanceBean` to the `flowInstanceTimelineImage` tag

For example, once you have the flow instance ID, you produce a flow instance timeline with the following code:

```
<%-- Get the flow instance object --%>

<flow:flowInstance flowInstanceId="<%= flowInstId %>"
    var="flowInstanceBean" />

<%-- Now draw the flow instance timeline --%>

<flow:flowInstanceTimelineImage flowInstanceBean="<%= flowInstanceBean %>"
    axisWidth="500" />
```

Setting Background Color

You can alter the background color for your flow diagrams by using the `bgColor` parameter.

If this parameter is not passed into the tag then the background defaults to the value as specified in the `DashboardConfig.properties` file. The property that sets the default background color is `FlowBackgroundColor`.

The `bgColor` parameter accepts either HTML color values (specified as hexadecimal strings preceded by the '#' character) or color names as defined within the `java.awt.Color` class.

Some examples of color names known to `java.awt.Color` are: red, white, black, cyan. Refer to the Java SDK documentation for more details.

Some examples of HTML colors are #ff0000, #E4E9EE, etc., where the hexadecimal numbers represent the shades of red, green and blue (#rrggbb).

Here are some examples setting the background for a flow diagram:

Named Color

```
<flow:flowImage flowBean="<%= flowBean %>" bgColor="purple" />
```

HTML (Hex) Color

```
<flow:flowImage flowBean="<%= flowBean %>" bgColor="#ddeaaa" />
```

Activating Node URLs

If you want the nodes in your flow diagrams to be hyperlinks, then you can use the `nodeBaseUrl` parameter. This is available when drawing overall flow diagrams or instance diagrams/timelines.

The parameter is called `nodeBaseUrl` because it is the “base” for the resultant URL that is built for each node within the diagram. This is because the node ID might be added to the URL. Let’s explain...

Fixed URL

If you supply a simple URL string with no parameters, then that URL string is used for each node.

For example, if your tag is:

```
<flow:flowImage flowBean="<%= flowBean %>" nodeBaseUrl="myPage.html" />
```

the flow diagram is drawn and when you click on any of the nodes within the flow diagram, the Web browser redirects to the page `myPage.html`.

Dynamic URL

If your URL contains at least one HTML parameter, then the flow diagram appends the node ID to the resultant URL. This means that your URL contains the node ID of the node the user clicked on.

All that gets appended to your base URL string is the value of the node ID. So for the resultant URL to be correctly formed you should end your base URL with the name of the node ID parameter and an equals (=) sign.

For example, if you want the resultant URL to contain the node ID, you could specify the following tag:

```
<flow:flowImage flowBean="<%= flowBean %>" nodeBaseUrl="myPage.jsp?nodeid=" />
```

When the user clicks on a node within the flow diagram, the Web browser redirects to `myPage.jsp` passing in the parameter `nodeid` set to the value for the node the user clicked on. This allows `myPage.jsp` to know which node the user clicked on, and behave accordingly.

Multiple Parameters on the Base URL

If you want to pass in other parameters on the base URL, you can, but there is something that is worth knowing about.

You can construct the URL as follows:

```
<flow:flowImage flowBean="<%= flowBean %>"
  nodeBaseUrl="myPage.jsp?flowid=12345&nodeid=" />
```

and this works fine. It passes in the two parameters (flowid and nodeid) to myPage.jsp.

However, it is more typical within a JSP, to want to pass in parameters and set the values to Java variables. For example, you might have the flow ID in a variable called `flowId`, and you want to pass this value into the node base URL. The obvious thing to try is this:

```
<flow:flowImage flowBean="<%= flowBean %>"
  nodeBaseUrl="myPage.jsp?flowid=<%= flowId %>&nodeid=" />
```

For some reason...this does **not** work :(It seems that JSPs are unable to understand this substitution within parameters of tags.

So...if you need to build a compound URL, you need to build the URL first, within Java, and then pass the result as one variable into the tag.

For example:

```
<%
  String theURL = "myPage.jsp?flowid=" + flowId + "&nodeid=";
%>
<flow:flowImage flowBean="<%= flowBean %>" nodeBaseUrl="<%= theURL %>" />
```

Showing Metric Flags

The `flowImage` tag lets you draw a flow diagram and specify whether you want it to display metric flags on any particular nodes.

You do not need to have any actual business metrics defined for your flow. You are able to have the flow drawn with metric flags wherever you decide.

The parameters are `startMetric` and `endMetric`.

You need to specify both parameters for the diagram to show metrics.

For each parameter, you specify the name of the node on which to place the metric flag. If either one of the specified node names does not exist then none of the metric flags are shown.

Here is an example where you draw the metric flags between the `Process Order` and `Ship Order` nodes:

```
<flow:flowImage flowBean="<%= flowBean %>"
                startMetric="Process Order"
                endMetric="Ship Order" />
```

Further Customization

You have seen that it is easy to customize things such as background color, node URLs and metric flags. But what if you wanted to change the color of the text that shows the name of each node? Why can't you set that from within the tag? Where is the "nodeTextColor" parameter?

The reason there is no "nodeTextColor" parameter on the `flowImage` tag is because the tags need to allow people to not just change/set the text color for all nodes, but also allow people to set the text color for each node individually - if they so desired. That is, there are loads of additional customizations that you might want to make, but they are actually qualities of each node within the flow diagram and therefore not simply a "diagram wide" option.

The way that you specify node specific customizations is by using an "annotation". (see [Flow Annotations](#) on page 73)

Flow Annotations

When calling a tag to draw a flow diagram, you can set the `annotationBean` parameter. This parameter allows you to pass in a Java bean that implements the `com.hp.ov.bia.views.taglibs.flow.FlowAnnotation` interface.

So what does that mean?

When a flow diagram is being drawn, the code drawing the flow can make call-outs to find out things like “what color to use for this node name?”, or “what image to use when displaying this node?”. You are able to supply a Java bean which can provide the answers to these questions. This bean that you supply is called “an annotation”.

To write an annotation, your Java bean must implement the `FlowAnnotation` interface. This just means that your bean needs to provide a particular set of methods as defined in the `FlowAnnotation` interface.

So what kind of methods are defined in this `FlowAnnotation` interface? It basically defines methods such as:

```
getNodeText()
getNodeTextColor()
getArcColor()
getMetricArcColor()
getNodeTooltip()
etc...
```

So when the flow is being drawn, as the flow drawer draws each node it calls the method `getNodeText()` to get the actual text to display for this node. The default is the actual name of the node. The drawer then calls the method `getNodeTextColor()` to see what color this node’s text should be. It continues through the various methods as it gathers all the necessary information it needs to draw each node.

This mechanism of calling out to an annotation means that the flow drawer is highly configurable.

DefaultFlowAnnotationBean

What if you are not a Java guru! How are you supposed to write a Java bean that implements the `FlowAnnotation` interface?

Well...you don't. There is one already written for you, and it is called:

```
com.hp.ov.bia.views.taglibs.flow.DefaultFlowAnnotationBean
```

This Java bean allows you to set things such as the color of the node text, and the color of the arcs within the diagram, etc..

Your JSP needs to instantiate this bean - within Java code...and that is not too difficult if you have an example to follow...

Example 1

To use the `DefaultFlowAnnotationBean` bean you need to import its definition at the top of the JSP.

You also need to import `java.awt.Color`. This is because the methods within `DefaultFlowAnnotationBean`, that allow you to set colors, all expect the color to be defined as a Java color.

So at the top of the JSP you have the import line:

```
<%@ page import="com.hp.ov.bia.views.taglibs.flow.DefaultFlowAnnotationBean,  
                java.awt.Color"%>
```

When you are about to display your flow diagram, you need some Java code to instantiate a `DefaultFlowAnnotationBean`, and then set various colors.

You then call the `flowImage` tag, passing it your instantiation of the default annotation bean.

Your code might look something like this:

```
<%-- Assuming you have the flowId set, you can get the flow --%>
<flow:flow flowId="<%= flowId %>" var="flowBean" />

<%-- Set up the default annotation --%>
<%
DefaultFlowAnnotationBean defAnno = new DefaultFlowAnnotationBean();

defAnno.setArcColor(Color.pink);
defAnno.setNodeTextColor(Color.decode("#ddeeaa"));
%>

<flow:flowImage flowBean="<%= flowBean %>"
                annotationBean="<%= defAnno %>" />
```

where this example draws the arcs of the flow in pink, and the color of the node labels is set to “#ddeeaa” - which is a nice yellow’ish-green’ish color.

Example 2

This example code segment uses the default annotation bean to set more colors. The example also sets the additional `flowImage` tag parameters to alter the background color and show metric flags:

```
<%
DefaultFlowAnnotationBean defAnno = new DefaultFlowAnnotationBean();

defAnno.setArcColor(Color.pink);
defAnno.setMetricArcColor(Color.white);
defAnno.setNodeLeftTextColor(Color.orange);
defAnno.setNodeRightTextColor(Color.blue);
defAnno.setNodeTextColor(Color.decode("#ddeeaa"));
%>

<flow:flowImage flowBean="<%= flowBean %>"
                bgColor="#aaaaaa"
                startMetric="Process Order"
                endMetric="Ship Order"
                annotationBean="<%= defAnno %>" />
```

Developing Your Own Annotation

To do further customization, such as:

- Specifying what the left and/or right text should be for a node
- Setting different colors for the text on different nodes
- Setting different images for each node
- etc..

you need to supply your own annotation.

As stated earlier, you could do this by writing a Java bean that implements the `FlowAnnotation` interface. However, an easier way is to write a Java bean that extends the default annotation bean:

`DefaultFlowAnnotationBean`.

By extending `DefaultFlowAnnotationBean`, you only need to provide methods for the ones that you wish to alter. That is, you override the methods within `DefaultFlowAnnotationBean` that you want to change.

So if the easiest way to provide an annotation is to override methods within `DefaultFlowAnnotationBean`, what methods does this bean offer and which ones are typically worth overriding?

The full list of methods is described in the javadocs (see [Documentation \(Javadocs\)](#) on page 50).

Typical Methods To Override

The methods that you might typically want to override are:

- `getNodeLeftText()`
`getNodeRightText()`
`getNodeLeftTextColor()`
`getNodeRightTextColor()`

These allow you to specify what is displayed as left and right text above each node, and the individual colors. For example, you could specify different values and/or colors for each node.

- `getNodeText()`
`getNodeTextColor()`

These allow you to alter the text that is displayed underneath each node as its label, and the color to use. For example, you might specify different colors for each node label.

- `getNodeTooltip()`

This allows you to specify what data/text is put into the tooltip that appears when the user moves the cursor over each node.

- `getNodeTypeImage()`

This allows you to specify the actual image used when displaying a node. For example, you might set an image based on the type of node, or set the image differently for each node.

Method Parameters

All these methods are passed three parameters:

1. The current node (`FlowNode`)

This is passed as a `FlowNode` object.

The method is able to access all the node details from within this object. Details such as the node name, node type, etc.

The method is also able to derive from this `FlowNode` object whether this node is part of an overall flow diagram or part of a flow instance diagram.

2. The current JSP page context (`PageContext`)

This passes the current Web context to the method.

3. The current Web browser locale (`Locale`)

This allows the method to determine things such as whether to use dollar(\$) signs or pound(£) sign...etc..

FlowNode Parameter

As mentioned above, the node that is being drawn, is passed to the method as a `FlowNode` object. You can think of this object definition (class) as being a general definition for any node.

When a method is passed this `FlowNode` object, the method is able to ask whether the node is an instance of a `FlowNodeBean` class or a `FlowInstanceNodeBean` class. This allows the method to know whether it is drawing an overall flow diagram or a flow instance diagram. It also allows the method to know what kind of node information the bean contains.

Hence you can write your methods to behave differently depending on whether they are drawing a flow diagram or a flow instance diagram.

Within the method you can construct your code as follows (assuming that the `FlowNode` object is passed in a variable called `node`):

```
if (node instanceof FlowNodeBean)
{
    // You are drawing a flow diagram

    FlowNodeBean fNode = (FlowNodeBean)node;

    ...your code here...referencing the fNode...
}
else
{
    // You are drawing a flow instance diagram

    FlowInstanceNodeBean fiNode = (FlowInstanceNodeBean)node;

    ...your code here...referencing fiNode...
}
```

If you are writing an annotation that you intend to use only when calling a flow diagram (`<flowImage>`), then you do not need to worry about testing the node type. You could just assume that it is a `FlowNodeBean`. Indeed, typically you write an annotation for a specific flow diagram. But at least you have the ability to write more generic/reusable annotations if you wish.

How to Write an Annotation

There are two main ways that you can write an annotation:

1. As a separate Java bean, compiled by you, and placed underneath `WEB-INF\classes` or within a JAR file in `WEB-INF\lib`
2. As code within a JSP page

As a Separate Java Bean

Let's work through an example where you create an external Java annotation bean:

Create a Subdirectory

Create a subdirectory under `WEB-INF\classes` and give this new directory the name `extra`

Create a Source File

Create your new Java source file in this `WEB-INF\classes\extra` directory and make sure that you specify the package name to be `extra`

The first line of your file should be:

```
package extra;
```

For this example, your Java source file is called:

`AnnotateCountAndValue.java`

Write the Code

The Java class that you write must have the same name as the basename of the source file, so you define your Java class to be called

`AnnotateCountAndValue` and have it extend `DefaultFlowAnnotationBean`

Your source code looks something like this:

```
package extra;

public class AnnotateCountAndValue extends DefaultFlowAnnotationBean
{
}

```

You now write the method(s) that you want to override.

In this example, you might provide the following methods:

- `getNodeLeftText()`
Having it return the active value (weight) in each node.
- `getNodeRightText()`
Having it return the active flow instance count in each node.

The code might look something like this:

```
package extra;

import com.hp.ov.bia.views.taglibs.flow.DefaultFlowAnnotationBean;
import com.hp.ov.bia.views.taglibs.flow.FlowNode;
import com.hp.ov.bia.views.taglibs.flow.FlowNodeBean;
import com.hp.ov.bia.views.util.FlowNodeType;
import javax.servlet.jsp.PageContext;
import java.text.NumberFormat;
import java.util.Locale;

public class AnnotateCountAndValue extends DefaultFlowAnnotationBean
{
    public String getNodeLeftText(FlowNode node,
                                PageContext pageContext, Locale locale)
    {
        String text = "";
        NumberFormat nf = NumberFormat.getCurrencyInstance(locale);

        FlowNodeBean fNode = (FlowNodeBean)node;
        if ( (FlowNodeType.END_NODE).equals(fNode.getType()))
        {
            text = "T = " + nf.format(fNode.getTotalWeight() / 1000000) + "M";
        }
        else
        {
            text = nf.format(fNode.getActiveWeight() / 1000000) + "M";
        }

        return text;
    }

    public String getNodeRightText(FlowNode node,
                                PageContext pageContext, Locale locale)
    {
        String text = "";

        FlowNodeBean fNode = (FlowNodeBean)node;
        if (fNode.getType().equals(FlowNodeType.END_NODE))
        {
            text = "T = " + fNode.getTotalCount();
        }
        else
        {
            text = new Long(fNode.getActiveCount()).toString();
        }
        return text;
    }
}
```

where:

- The `getNodeLeftText()` method returns a different value depending on whether it is an end node or not

For an end node, the method returns the total weight that has passed through this node. For all other nodes it returns the active weight at the node.

- `getNodeRightText()` returns active or total instance counts at each node, depending on whether it is an end node or not
- These methods assume that the node being drawn is part of a flow diagram. That is why you see the lines:

```
FlowNodeBean fNode = (FlowNodeBean)node;
```

The method assumes that it is a flow node and not a flow instance node.

Compile Your Annotation Code

To do this, you need to be in the `WEB-INF\classes\extra` directory.

You need to compile your code with the following JAR files in your classpath:

- HPBPI Jar files from the `WEB-INF\lib` directory:

```
bia-views.jar  
bia-flowviewer.jar
```

- Tomcat libraries from the `jakarta-tomcat-5.0.19\common\lib` directory:

```
jsp-api.jar  
servlet-api.jar
```

Your compilation looks something like this (for MS Windows):

```
set CP=..  
set CP=%CP%;../../lib/bia-views.jar  
set CP=%CP%;../../common/lib/jsp-api.jar  
set CP=%CP%;../../lib/bia-flowviewer.jar  
set CP=%CP%;../../common/lib/servlet-api.jar  
  
javac -classpath %CP% AnnotateCountAndValue.java
```

Use the Annotation from a JSP

You can now call this annotation from a JSP when displaying a flow diagram

```
<h1>Flow Diagram - calling external annotation</h1>
<%
extra.AnnotateCountAndValue myAnno = new extra.AnnotateCountAndValue();
%>
<flow:flowImage flowBean="<%= flowBean %>"
annotationBean="<%= myAnno %>" />
```

Issues With This Technique

This is probably the most “standard Java” way to write an annotation. However, be aware that once you run your JSP, and it successfully loads and uses your annotation, if you make any further modifications to your annotation (and recompile your Java code) the Servlet Engine (Tomcat) does **not** reload the annotation code! It keeps using the currently loaded version of your annotation.

You need to restart the Servlet Engine (Tomcat) to force it to reload the new version of the annotation.

This behavior is OK for a production system, but can be frustrating when you are in development mode and trying to fine-tune your annotation code.

Also, writing your annotation this way means that you have to manually recompile the annotation whenever you make changes.

There is a “slightly easier” alternative that you might wish to consider when developing annotations...

An Annotation Within a JSP

When writing your annotation code within a JSP, you write the same basic code, however, there are two things that make this a good way to work:

- Your annotation code is automatically compiled when the Web browser needs to run it.
- If you make any changes, the annotation is recompiled and the new version is automatically picked up by the Web browser.

Code Structure

You can write the annotation directly in the calling JSP or in a separate JSP of its own. It's a good idea to write the annotation in a separate JSP as this allows you to reuse the annotation amongst many JSPs - you simply need to include the file in the other JSPs and they are then able to reference the annotation.

The typical structure of the annotation JSP is as follows:

```
<%@ page import=" ...import the Java classes needed for your annotation... "
%>

<%!
public class AnnoLeftRightText extends DefaultFlowAnnotationBean
{
    ...your annotation methods in here
}
%>
```

where:

- At the top of the annotation JSP file you have a line to import all the necessary Java classes.
- The actual class definition is then placed between the tags `<%!` and `%>`.
These mark the code as global/reusable, hence you are able to define your class.

So an annotation that provided methods to set the left and right text color looks something like this:

```

<%@ page import="com.hp.ov.bia.views.taglibs.flow.DefaultFlowAnnotationBean,
                com.hp.ov.bia.views.taglibs.flow.FlowNode,
                com.hp.ov.bia.views.taglibs.flow.FlowNodeBean,
                com.hp.ov.bia.views.util.FlowNodeType,
                java.util.Locale,
                java.text.NumberFormat"
%>

<%!

public class AnnoNodeLeftRightText extends DefaultFlowAnnotationBean
{
    public String getNodeLeftText (FlowNode node,
                                   PageContext pageContext, Locale locale)
    {
        String text = "";

        NumberFormat nf = NumberFormat.getCurrencyInstance(locale);

        FlowNodeBean fNode = (FlowNodeBean)node;
        if ( (FlowNodeType.END_NODE).equals(fNode.getType()))
        {
            text = "T=" + nf.format(fNode.getTotalWeight() / 1000000) + "M";
        }
        else
        {
            text = nf.format(fNode.getActiveWeight() / 1000000) + "M";
        }

        return text;
    }

    public String getNodeRightText (FlowNode node,
                                    PageContext pageContext, Locale locale)
    {
        ...your code in here...
    }
}
%>

```

where:

- The `getNodeLeftText()` method returns a different value depending on whether it is an end node or not.

For an end node, the method returns the total weight that has passed through this node. For all other nodes it returns the active weight at each node.

- `getNodeRightText()` does whatever you require it to do.
- These methods assume that the node being drawn is part of a flow diagram. That is why you see the lines:

```
FlowNodeBean fNode = (FlowNodeBean)node;
```

The method assumes that it is a flow node and not a flow instance node.

Use the Annotation from a JSP

You can now include the JSP, that defines the annotation, within a JSP that wants to draw a flow using the annotation, as follows:

```
<%@ include file="ex_anno_nodeLeftRightText_flowOnly.jsp" %>
<h1>Flow Diagram - calling JSP annotation</h1>
<%
  AnnoNodeLeftRightTextFlowOnly myAnno = new AnnoNodeLeftRightTextFlowOnly();
%>
<flow:flowImage flowBean="<%= flowBean %>"
  annotationBean="<%= myAnno %>" />
```

where:

- You use the `<%@ include` markup to include the JSP that contains the code for the annotation.
- You then instantiate one of these annotations.
- You then pass this annotation into the `<flow:flowImage>` tag.

Setting Left Text

Your annotation must extend `DefaultFlowAnnotationBean`.

By overriding the method `getNodeLeftText()` you are able to provide the code that is called as the flow drawer draws each node. If you return a text string, this text is placed above-and-to-the-left of that node within the flow diagram.

In the following example:

- The `weight` field of the flow is assumed to be a currency value.
- The method behaves differently depending on whether it is drawing a flow diagram or a flow instance diagram.

For a flow diagram, it returns:

- The total weight that has been through the node - if the node is an end node.
- The current weight at a node - if the node is a start node or activity node.

For a flow instance diagram it simply returns whatever the default is.

- The weight value is formatted as currency, using the local settings, and the value is shown in millions - hence it is divided by 1000000 and displayed with the letter “M” appended.

Here is the code:

```
public String getNodeLeftText(FlowNode node,
                             PageContext pageContext, Locale locale)
{
    String text = "";

    NumberFormat nf = NumberFormat.getCurrencyInstance(locale);

    if (node instanceof FlowNodeBean)
    {
        // It is a flow diagram

        FlowNodeBean fNode = (FlowNodeBean)node;

        if ( (FlowNodeType.END_NODE).equals(fNode.getType()))
        {
            text = "T=" + nf.format(fNode.getTotalWeight() / 1000000) + "M";
        }
        else if ( (FlowNodeType.START_NODE).equals(fNode.getType())
                || (FlowNodeType.ACTIVITY_NODE).equals(fNode.getType())
                )
        {
            text = nf.format(fNode.getActiveWeight() / 1000000) + "M";
        }
    }
    else
    {
        // It is for a flow instance

        // Just set it to the default
        text = super.getNodeLeftText(node, pageContext, locale);
    }

    return text;
}
```


Setting Right Text

Your annotation must extend `DefaultFlowAnnotationBean`.

By overriding the method `getNodeRightText()` you are able to provide the code that is called as the flow drawer draws each node. If you return a text string, this text is placed above-and-to-the-right of that node within the flow diagram.

In the following example:

- The method behaves differently depending on whether it is drawing a flow diagram or a flow instance diagram.

For a flow diagram, it returns:

- The total flow instance count that has been through the node - if the node is an end node.
- The current flow instance count at a node - if the node is a start node or an activity node.

For a flow instance diagram it simply returns whatever the default is.

Here is the code:

```
public String getNodeRightText(FlowNode node,
                               PageContext pageContext, Locale locale)
{
    String text = "";

    if (node instanceof FlowNodeBean)
    {
        // It is for a flow diagram

        FlowNodeBean fNode = (FlowNodeBean)node;
        if (fNode.getType().equals(FlowNodeType.END_NODE))
        {
            text = "T=" + fNode.getTotalCount();
        }
        else if ( (FlowNodeType.START_NODE).equals(fNode.getType())
                || (FlowNodeType.ACTIVITY_NODE).equals(fNode.getType())
                )
        {
            text = new Long(fNode.getActiveCount()).toString();
        }
    }
    else
    {
        // It is for a flow instance

        // Just set it to the default
        text = super.getNodeRightText(node, pageContext, locale);
    }

    return text;
}
```

Setting Left Text Color

Your annotation must extend `DefaultFlowAnnotationBean`.

By overriding the method `getNodeLeftTextColor()` you are able to provide the code that is called as the flow drawer draws each node. If you return a color, this color is used to display the left node text.

In the following example:

- You return a different color depending on the name of the node
 - If the node being displayed has the name `Process Order`, then you return a color of green.
 - If the node being displayed has the name `End`, then you return a color of white.
 - For all other nodes, you return the default color.
- The color that you return must be of type `java.awt.Color`
`java.awt.Color` lets you chose from a few “known” color names, or you can specify the color by setting the RGB values (in Hex) using the `Color.decode()` method.

Here is the code:

```
public Color getNodeLeftTextColor(FlowNode node,
                                  PageContext pageContext, Locale locale)
{
    // Default the color to what it would normally be
    Color theColor = super.getNodeLeftTextColor(node, pageContext, locale);

    // Here is specific color handling based on the name of the node
    if (node.getName().equals("Process Order"))
    {
        // If it is the process order node - make it green
        theColor = Color.green;
    }
    else if (node.getName().equals("End"))
    {
        // If it is the End node - make it white
        theColor = Color.decode("#ffffff");
    }
    return theColor;
}
```

Setting Right Text Color

Your annotation must extend `DefaultFlowAnnotationBean`.

By overriding the method `getNodeRightTextColor()` you are able to provide the code that is called as the flow drawer draws each node. If you return a color, this color is used to display the right node text.

In the following example:

- The method returns a different color depending on the name of the node.
 - If the node being displayed has the name `New Order`, then it returns a color of pink.
 - If the node being displayed has the name `Process Order`, then it returns a color of yellow.
 - For all other nodes, it return the default color.
- The color that you return must be of type `java.awt.Color`
`java.awt.Color` lets you chose from a few “known” color names, or you can specify the color by setting the RGB values (in Hex) using the `Color.decode()` method.

Here is the code:

```
public Color getNodeRightTextColor(FlowNode node,
                                   PageContext pageContext, Locale locale)
{
    // Default the color to what it would normally be
    Color theColor = super.getNodeRightTextColor(node, pageContext, locale);

    // Here is specific color handling based on the name of the node
    if (node.getName().equals("New Order"))
    {
        // If it is the new order node - make it pink
        theColor = Color.pink;
    }
    else if (node.getName().equals("Process Order"))
    {
        // If it is the process order node - make it yellow
        theColor = Color.yellow;
    }
    return theColor;
}
```

Setting Node Label Text

Your annotation must extend `DefaultFlowAnnotationBean`.

By overriding the method `getNodeText()` you are able to provide the code that is called as the flow drawer draws each node. If you return a text string, this text is placed below the node, as its label (or “node text”) within the flow diagram.

In the following example:

- If the name of the node is `Process Order`, the method returns the text `The Order is Processed!` For all other nodes, it simply returns the default text (which happens to be the name of the node).

Here is the code:

```
public String getNodeText(FlowNode node,
                          PageContext pageContext, Locale locale)
{
    // If the node has a certain name, you provide substitute text...else you
    // return the default text.

    if (node.getName().equals("Process Order"))
    {
        return "The Order is Processed!";
    }
    else
    {
        return super.getNodeText(node, pageContext, locale);
    }
}
```

Setting Node Label Text Color

Your annotation must extend `DefaultFlowAnnotationBean`.

By overriding the method `getNodeTextColor()` you are able to provide the code that is called as the flow drawer draws each node. If you return a color, this color is used to display the label text for the node.

In the following example:

- You return a different color depending on the name of the node.
 - If the node being displayed has the name `Process Order`, then you return a color of orange.
 - For all other nodes, you return the default color.
- The color that you return must be of type `java.awt.Color`
`java.awt.Color` lets you chose from a few “known” color names, or you can specify the color by setting the RGB values (in Hex) using the `Color.decode()` method.

Here is the code:

```
public Color getNodeTextColor(FlowNode node,
                              PageContext pageContext, Locale locale)
{
    // If the node has a certain name, you provide a substitute color...
    // else you return the default color.

    if (node.getName().equals("Process Order"))
    {
        return Color.ORANGE;
    }
    else
    {
        return super.getNodeTextColor(node, pageContext, locale);
    }
}
```

Setting Node Tooltip

Your annotation must extend `DefaultFlowAnnotationBean`.

By overriding the method `getNodeTooltip()` you are able to provide the code that is called as the flow drawer draws each node. If you return a text string, this text becomes the tooltip that appears when the user moves their cursor over that node within the flow diagram.

In the following example:

- If the method is called while drawing a flow instance, it simply returns the default tooltip.
- If the method is called while drawing a flow diagram then it builds a tooltip that contains:
 - The type of the node.
 - The name of the node.
 - The total flow instances that have been through this node.
 - If the node is either a start node or an activity node, it adds the number of active flow instances currently at this node.
- Notice that each line of the tooltip is separated by a “\n” character.

Here is the code:

```
public String getNodeTooltip(FlowNode node,
                             PageContext pageContext, Locale locale)
{
    // Set the tooltip to include the standard Node type and Node name.
    String tooltip = "Type: " +
                     getLocalizedNodeType(node.getType(), pageContext, locale)
                     + "\n" +
                     "Name: " + node.getName();

    if (node instanceof FlowNodeBean)
    {
        FlowNodeBean fNode = (FlowNodeBean)node;
        if ( FlowNodeType.START_NODE.equals(fNode.getType())
            ||
            FlowNodeType.ACTIVITY_NODE.equals(fNode.getType())
        )
        {
            tooltip += "\nActive Count: " +
                       getNumberFormat(locale).format(fNode.getActiveCount());
        }
        else if (FlowNodeType.END_NODE.equals(fNode.getType()))
        {
            tooltip += "\nTotal Count: " +
                       getNumberFormat(locale).format(fNode.getTotalCount());
        }
    }
    else
    {
        // It's a flow instance - just leave it as the default tooltip
        tooltip = super.getNodeTooltip(node, pageContext, locale);
    }
    return tooltip;
}
```


Setting Node Image

Your annotation must extend `DefaultFlowAnnotationBean`.

By overriding the method `getNodeTypeInfoImage()` you are able to provide the code that is called as the flow drawer draws each node. If you return an image, this image is used to draw that node within the flow diagram.

The image is automatically scaled to fit the size of the standard node image.

In the following example:

- If you are drawing a flow instance image, you just return the default image for the node.
- If drawing a flow diagram:
 - If the node is called `New Order`, you return the image `phone_receiver.gif`
 - If the node is called `Process Order`, you return the image `engineer.gif`
 - etc. for the different node names.
- You could obviously decide on your images based on something other than just the node name.
- This method must return an actual `java.awt.Image` object and this is achieved by calling the method: `PictureGenerator.getImage()`, passing in the name of the image to be returned.

The full name for the `PictureGenerator` class is:

```
com.hp.ov.bia.common.picturegenerator.PictureGenerator
```

- The image name that you return must be available to the `PictureGenerator` class.

This means that the image file you return must be on the classpath of your calling JSP. To achieve this, place your image in the `WEB-INF\classes` directory.

Here is the code:

```
protected Image getNodeTypeInfoImage(FlowNode node,
                                     PageContext pageContext, Locale locale)
{
    // Initialise to the default image
    Image theImage = super.getNodeTypeInfoImage(node, pageContext, locale);


    if (node instanceof FlowNodeBean)
    {
        if (node.getName().equals("New Order"))
        {
            ImageIcon image = PictureGenerator.getImage("phone_receiver.gif");
            theImage = image.getImage();
        }
        else if (node.getName().equals("Process Order"))
        {
            ImageIcon image = PictureGenerator.getImage("engineer.gif");
            theImage = image.getImage();
        }
        else if (node.getName().equals("Ship Order"))
        {
            ImageIcon image = PictureGenerator.getImage("ship_order.gif");
            theImage = image.getImage();
        }
        else if (node.getName().equals("End"))
        {
            ImageIcon image = PictureGenerator.getImage("success.gif");
            theImage = image.getImage();
        }
    }

    return theImage;
}
```


Example Flow Diagrams

To give you an idea of the way annotations can be used to alter a flow diagram, here are some examples for a flow called `Order Flow`:

Default Flow Diagram



With Left/Right Text



where:

- The annotation sets:
 - The left text to be the amount of orders currently in each node - except for the end node which shows the total value of orders that have been processed
 - The right text shows the current number of orders active in each node - except for the end node which lists the total number of orders that have been processed. (This is the same as for the default flow diagram.)

With Different Images



where:

- The node label text for the Process Order node has been changed to show the text: The Order is Processed!
- The images for each node have been changed
- The left and right node text are displayed using individual colors

The HPBPI Dashboard

Now that you know how to draw flow diagrams with annotations, let's look at how easy it is to customize the flow diagrams within the HPBPI Business Process Dashboard.

Custom Flow Drawing

The Business Process Dashboard allows you to provide custom JSPs for drawing flow diagrams.

This means that you can write a standalone JSP that draws the flow diagram, using your own custom annotation, and the Business Process Dashboard is able to embed this within the standard Business Process Dashboard Web pages.

The Business Process Dashboard looks in the directory:

```
hpbpi-bpd\customFlowImageDrawer
```

for all custom flow drawing JSPs. If you are adding your own custom flow drawing JSPs then you need to create the `customFlowImageDrawer` directory.

Flow Drawing

To provide a custom flow drawer JSP for a flow diagram, the file must be named:

```
flowname.jsp
```

where *flowname* must match the name of the flow to be drawn. (It is case-sensitive.)

The *flowname.jsp* page is passed the following parameters:

- `flowid`
The flow ID of the flow to be drawn.
- `nodebaseurl` (optional)
The base URL for each node within the flow diagram,
- `metricstartnode` (optional)

The name of the node from which the metric starts.

- `metricendnode` (optional)

The name of the node at which the metric ends.

- `callingpagename` (optional)

The name of the page that invoked this JSP.

You are able to write a standalone JSP that uses some, or all, of these parameters to locate the flow, and then produce the flow diagram.

Flow Instance Drawing

To provide a custom flow drawer JSP for a flow instance diagram, the file must be named:

`flowname-instance.jsp`

where `flowname` must match the name of the flow to be drawn. (It is case-sensitive.)

The `flowname-instance.jsp` page is passed the following parameters:

- `flowinstanceid`

The flow instance ID of the flow instance to be drawn.

- `view`

The view to be drawn. Possible values are: `timeline` or `flowDiagram`.

- `nodebaseurl` (optional)

The base URL for each node within the flow diagram,

- `axiswidth` (optional)

The width (in pixels) of the timeline drawing.

- `callingpagename` (optional)

The name of the page that invoked this JSP.

You are able to write a standalone JSP that uses some, or all, of these parameters to locate the flow instance and then produce the flow instance diagram or timeline.

Example - Flow Diagram

If your flow is called `Order Flow`, then creating the following and saving it in the file:

```
hpbpi-bpd\customFlowImageDrawer\Order Flow.jsp
```

provides a custom flow diagram for the `Order Flow` when displayed within the HPBPI Business Process Dashboard:

```
<%@ page errorPage="/gen/errorPage.jsp" %>

<%
    // Get parameters

    String flowId          = request.getParameter("flowid");
    String nodeBaseUrl     = request.getParameter("nodebaseurl");
    String metricStartNode = request.getParameter("metricstartnode");
    String metricEndNode   = request.getParameter("metricendnode");
%>

<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

    <!-- Get the flow bean for this flow ID -->

    <flow:flow flowId="<%= flowId %>" var="flowBean" />

    <!-- Now draw the customized flow image -->

<%@ include file="ex_anno_theLot.jsp" %>
<%
    AnnotateTheLot myAnno = new AnnotateTheLot();
%>
    <flow:flowImage flowBean="<%= flowBean %>"
                    annotationBean="<%= myAnno %>"
                    nodeBaseUrl="<%= nodeBaseUrl %>"
                    startMetric="<%= metricStartNode %>"
                    endMetric="<%= metricEndNode %>" />
```

Example - Flow Instance Diagram

If your flow is called `Order Flow`, then creating the following and saving it in the file:

`hpbpi-bpd\customFlowImageDrawer\Order Flow-instance.jsp`

provides a custom flow instance diagram for the `Order Flow` when displayed within the `HPBPI Business Process Dashboard`:

```
<%@ page errorPage="/gen/errorPage.jsp" %>
<%
    // Get parameters

    String flowInstId      = request.getParameter("flowinstanceid");

    String view            = request.getParameter("view");
    String nodeBaseUrl     = request.getParameter("nodebaseUrl");
    String axisWidthText  = request.getParameter("axiswidth");
    Integer axisWidth      = (axisWidthText != null && axisWidthText != "" ?
        Integer.valueOf(axisWidthText) :
        new Integer(500)); // Default 500 pixels.
%>

<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<!-- Get the flow instance bean for this flow instance ID -->
<flow:flowInstance flowInstanceId="<%= flowInstId %>"
    var="flowInstanceBean" />

<!-- Now draw the customized flow instance image -->

<%@ include file="ex_anno_theLot.jsp" %>

<%
    AnnotateTheLot myAnno = new AnnotateTheLot();

    if (view != null && view.equalsIgnoreCase("timeline"))
    {
%>
        <!-- Draw the flow instance timeline image -->
        <flow:flowInstanceTimelineImage flowInstanceBean="${flowInstanceBean}"
            nodeBaseUrl="<%= nodeBaseUrl %>"
            axisWidth="<%= axisWidth %>"
            annotationBean="<%= myAnno %>" />

<%
    }
    else
```



```
%> {
  <!-- Draw the flow instance image -->
  <flow:flowInstanceImage flowInstanceBean="${flowInstanceBean}"
    nodeBaseUrl="<%= nodeBaseUrl %>"
    annotationBean="<%= myAnno %>" />
<%
}
%>
```

Lab - Drawing Flows

The purpose of this lab is to give you some practise drawing flow diagram and to help you write annotations.

Basic Flow Settings

- Create a new (empty) JSP file
- Write the code to display a flow diagram for the flow: `Order Flow` (that you developed during the *HPBPI Integration Training Guide - Modeling Flows*)

Display the `Order Flow` using the `flowImage` tag, letting everything default. (Refer to [Figure 7](#) on page 54 for help on the correct sequence of tags to call.)

- Now change your JSP so that the flow displays with a “purple” background
- Now show Metric flags between the nodes `Process Order` and `Ship Order`
- Change the color of the arcs (that join the nodes) to be “red”
- Change the color of the right-node-text to be “blue”

Custom Left/Right Node Text

- In the `labs` directory, locate the file: `myAnnotation.jsp`
- Your mission is to read the comments for the methods inside, and write the code. This should give your flow diagram left and right node text

Good luck :-)

Custom Colors

- Add a new method to your `myAnnotation.jsp`, such that you set different colors for the left-node-text for each of the nodes. Try something like:
 - New Order - yellow
 - Process Order - blue
 - Ship Order - pink
 - End - orange
- Add the necessary methods to your `myAnnotation.jsp`, such that the node label for the `End` node says: `The End at Last!!!` and that this text is shown in red.
- In the `labs` directory, locate the file: `phone_receiver.gif`
Add the necessary method(s) to your `myAnnotation.jsp`, such that the `New Order` node displays this `phone_receiver.gif` image instead of the standard start node image.

HPBPI Business Process Dashboard

Now that you have a standalone JSP that displays the `Order Flow` flow, let's use it within the HPBPI Business Process Dashboard:

- Locate the directory: `webapps\hpbpi-bpd`
- Create a subdirectory called: `customFlowImageDrawer`
- Now copy your standalone JSP page (that draws the `Order Flow`) into this `webapps\hpbpi-bpd\customFlowImageDrawer` directory.
- Rename your JSP page to be: `Order Flow.jsp`
- Edit this `Order Flow.jsp` page as follows:
 - Remove any html heading tags such as: `<html>`, `<head>`, `<body>` and the closing tags at the end of the page.
 - Make sure that any references to any external files (such as the annotation) are now correct, given the new location of this file.
- Run the HPBPI Business Process Dashboard and drill into the `Order Flow` flow. When you display the `Business Flow & Resource Summary` page you should see your custom `Order Flow` flow diagram.

The standalone JSP that you have written to display the `Order Flow` flow is hard coded to display that flow...which is fine. You could alter your page now to use the `flowid`, and other parameters, passed into the page from the Business Process Dashboard. But as you have seen, you don't even need to do that.

- In the Business Process Dashboard, go back to the home page and drill into another flow.


Notice that all other flows are displayed using the default flow drawer built into the Business Process Dashboard. By providing your `Order Flow.jsp` file you have provided a custom flow image drawer just for the `Order Flow` flow.

Well done! You have reached the end of the lab.

4 Working With Sliders

The Business Process Dashboard provided with HPBPI is a generic set of JSP pages that display flow information within a Web browser. The way the various pieces of data are rendered on each screen is completely customizable...assuming you have the JSP and HTML skills to do so.

To assist with customization, there is an additional Java bean that allows you to display a value as a “slider”. For example:



You can configure the colors, the range of each color, and (obviously) set the actual value to be displayed.

The “slider” is a simple Java bean offered to assist with making your dashboards a bit more interesting. It is just an example to help you with your dashboard customization. A full-time Web designer may well have their preferred way of displaying results graphically - that’s fine. But if you don’t have access to any drawing utilities, the simple “slider” might be of use.

Let’s look at some examples.

The Slider Bean

The slider bean is:

```
com.hp.ov.bia.views.SliderPictureGenerator
```

This is a Java bean that can draw sliders.

These sliders are created as pictures (.png files), which you can then display within your HTML as you desire.

Unfortunately, there are no taglibs for using this slider bean, you must do it all yourself in Java code. Actually, this does involve a bit of setup code, but once you have that in place it is pretty easy to use.

Javadocs

The full javadoc for the `SliderPictureGenerator` bean can be found in `HPBPI-CD\docs\html\HPBPIJavadoc\index.html`.

Let's now look at a worked example of using a slider...

Setting Up The Slider

To initialize the slider, you need to:

- Set up variables that point to the directory in which you want the slider to save its .png picture files.
- Set the size of the slider (width/height).
- Set up the range of the slider - Overall maximum, and the two mid points.
- Set up the colors for each sub-range (Default is green/yellow/red).
- Set up some variables that are used to build each picture.

This set-up code is pretty much “generic” code that is the same for all dashboards.

The set-up code looks like this:

```
<%
// Set up a slider

// Locate the directory where the JSP is running
String myServletPath = request.getServletPath();
File myJspDir = new File(application.getRealPath(myServletPath));
myJspDir = new File(myJspDir.getParent());

// Set up the variables for the slider
String sliderUniquePrefix = session.getId();
String sliderRelPath = "../images/generated";

// Open the images directory
File sliderDir = new File(myJspDir, sliderRelPath);

// Set the absolute path
String sliderAbsPath = sliderDir.getAbsolutePath();

// Set up a slider picture generator (Width, Height)
SliderPictureGenerator gSlider = new SliderPictureGenerator(120, 45);
gSlider.setRange(0, 33, 66, 100);

// You now have a slider ready for generating pictures

// These variables are used to build each picture
String sliderFNameBase = sliderUniquePrefix + "-slider-";
File sliderFile; // Points to the picture file
String sliderFName; // Holds the file name for this picture
%>
```

This set-up code gives you the following variables:

- `gSlider` - This is used to generate the slider pictures
- `sliderRelPath` - The relative path to where the pictures is saved
- `sliderAbsPath` - The absolute path to where the pictures is saved
- `sliderFile` and `sliderFName` - Used to build each picture file
- `sliderFNameBase` - The base name to be used when you create each picture file name. This prefixes every picture file with the session ID of the Web Browser so that the pictures do not conflict with other Web users.

Notice that in this example, the slider ranges are 0, 33, 66, 100. This suits showing a percentage value, or values where anything over 100 is simply considered too high. If you display a value greater than the maximum, the slider simply shows it at the very top (right) of the scale - a bit like a speedometer in a car.

Producing a Slider Picture

Now that the slider is set up and ready to go, you can use it to generate pictures. You can display any value you like - an actual number, an average, a percentage - whatever you have calculated and wish to show as a slider.

Here is an example where the `flowOutlineList` tag is used to get the details for a flow. This example shows the active flow instance count within a slider. When the slider was set up earlier, the maximum was set to 100, so if the active instance value is greater than 100 then it simply shows as being at the maximum of your slider.

This code pulls out the active flow instance count from the `flowOutlineBean`, and uses the previously defined slider picture generator (`gSlider`) to generate a picture:

```
<%
// Build a picture for the Active instance Count

long activeCount = flowOutlineBean.getActiveCount();

// Set the slider to this value
gSlider.setValue(activeCount);

// Prepare a picture
gSlider.preparePicture();

// Build a unique file name for your picture
sliderFName = sliderFNameBase + System.currentTimeMillis() + ".png";

// Save the picture to this file
sliderFile = new File(sliderAbsPath + "/" + sliderFName);
sliderFile.mkdirs();
gSlider.savePicture(sliderFile);

// Assign a variable to hold the necessary HTML to display this picture
String sliderImg_activeCount = "<img src=\"\" + sliderRelPath + \"/\" +
                                sliderFName + \"\" width=\"\" +
                                gSlider.getWidth() +
                                \"\" height=\"\" + gSlider.getHeight() +
                                \"\" border=\"1\" >";
%>
```

You now have your picture, and the variable `sliderImg_activeCount` holds the necessary HTML to display it.

Displaying a Slider

With the HTML for displaying the slider picture held in a Java variable (`sliderImg_activeCount`) you simply need to display this variable on the page.

In this code example, the slider is displayed as a column within a table. The actual value used within the slider (the active instance count) is also displayed underneath the slider:

```
<%@ page import="java.io.File,
           com.hp.ov.bia.views.SliderPictureGenerator"%>

<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Slider - basic page</title></head>
  <body>
<%
    ...the code to set up the slider...
%>
<table cellSpacing=0 border=1>
  <th>Flow Name</th>
  <th>Active Instances</th>
  <th>Business Health</th>

  <flow:flowOutlineList var="flowOutlineBean" nameFilter="Order Flow" >

    <tr>
      <td><%= flowOutlineBean.getName() %></td>

      <%
        ...code to generate the picture...
        ...and set up sliderImg with the HTML...
      %>

      <td align=center>
          <%= sliderImg_activeCount %><br />
          <b><%= activeCount %></b>
      </td>
      <td><%= flowOutlineBean.getStatus() %></td>
    </tr>


  </flow:flowOutlineList>

</table>

</body>
</html>
```

Resulting HTML Page

For this example JSP, the result might look as follows:

Flow Name	Active Instances	Business Health
Order Flow	 42	Active

So the slider might be of interest as an alternative way of displaying data within your Business Process Dashboard.

Setting Range Colors

The slider is designed to show three ranges - denoted by colors. The default colors being green, yellow and red. You can set these to be whatever colors you require. Indeed, you may decide that for your needs you want all three colors to be the same.

The method to set the range colors is: `setRangeColor()`

It takes three parameters, specifying the left, middle and right colors. Each color being a `java.awt.Color`.

So, for your slider generator called `gSlider`, you could set colors as follows:

- To set the colors to be yellow/pink/blue:

```
gSlider.setRangeColor(java.awt.Color.yellow,  
                      java.awt.Color.pink,  
                      java.awt.Color.blue);
```




- You can also use the `decode()` method offered by `java.awt.Color`, to choose HTML colors using hexadecimal values. For example:

```
gSlider.setRangeColor(java.awt.Color.yellow,  
                      java.awt.Color.decode("#fdeea"),  
                      java.awt.Color.decode("#f0edff"));
```



- To set the slider to have just the one color (for example: green):

```
gSlider.setRangeColor(java.awt.Color.green,  
                      java.awt.Color.green,  
                      java.awt.Color.green);
```



- To set the slider colors back to the default:

```
gSlider.setRangeColor(java.awt.Color.green,  
                      java.awt.Color.yellow,  
                      java.awt.Color.red);
```



Multiple Sliders on a Page

Once you have a slider generator defined within your JSP you can use it to produce all your slider pictures. You can also alter things such as the slider picture size, colors, ranges, etc..

Java Variables

Any Java variables you declare within a “list” tag (for example, the `flowOutlineList` tag) is only known within that “loop”.

If you want variables to be known within the loop and outside the loop, then declare them before the tag.

Unique File Names

Your Web server may be able to process the Web page fast enough that it can create more than one slider picture within one millisecond. So creating file names and using the time in milliseconds may not be enough to create a unique file name. You may wish to create the file name something like this:

```
int sldCount = 1;
sliderFName = sliderFNameBase + System.currentTimeMillis()
                + "_" + sldCount++ + ".png";
```

where each file name created is unique even if the millisecond time is the same.

Adding a URL

You might want to make the slider “active” such that a user can click on the slider image and be taken to another Web page.

To do this, you simply need to alter the JSP such that the image is displayed within an HTML tag specifying the necessary HTML href.

For example:

```
<td align=center>
  <a href=show_more_details.jsp?count=<%= activeCount %> >
    <%= sliderImg_activeCount %></a><br />
  <b><%= activeCount %></b>
</td>
```

When the user clicks on the slider image they are taken to the JSP `show_more_details.jsp`, passing in the `count` parameter.

Lab - Drawing Sliders

The purpose of this lab is to get you using the slider bean, drawing sliders on your own custom dashboard.

Basic Flow Definition List

- Create yourself a new JSP
- Now write the code to loop through all the HPBPI flows on your system, displaying an HTML table containing the following information for each flow:
 - Flow Name
 - Flow State
 - Active Count
 - Total Count

Adding a Slider

- Alter your JSP to display the `Total Count` as a slider, where:
 - The ranges of the slider are: 0, 50, 100, 400
 - The range colors are: `White`, `Blue`, `Pink`

Linking the Slider with a URL

- Alter your JSP so that if the user clicks on a slider, they are taken to the `/gen/instances.jsp` page where they can see all the flow instances for that particular flow

Well done! You have reached the end of the lab.

5 Working With Metrics

This chapter looks at the <metrics> tag library.

Overall, the tag library can be divided into five main groups:

- Definitions
- Statistical data and graphs
- Instance values
- Dials
- Alerts


This chapter looks at each group, and provides worked examples showing how to call the tags.

This chapter then looks at how to customize the display of thresholds within HPBPI Business Process Dashboard.

Definitions

The following diagram lists the <metrics> tags used for accessing metric and threshold definitions:

Figure 8 <metrics> Tags - Definitions



On the diagram:

- Each box lists the tag name, and underneath that is the type of Java bean that the tag returns.
- There is a little “loop” symbol to the right of each “list” tag to indicate that this tag typically loops through the return values.

The goal of the diagram is to help you see the typical calling sequence for the tags. For example:

- All metric definitions refer to a specific flow, thus you need to start with a flowId. You can use the flowOutlineList tag to loop through the available flows and get the flowId.

- Once you have the `flowId`, you might then call the `metricDefinitionList` tag, passing in this `flowId`. The `metricDefinitionList` loops through all the metrics defined for this `flowId` and, within each loop, returns to you a `MetricDefinitionBean`.

Alternatively, once you have the `flowId`, if you know the name of the particular metric you are interested in, you can pass the `flowId` and the name of the metric to the `metricDefinition` tag. This returns a `MetricDefinitionBean` for your metric.

- Once you have the `MetricDefinitionBean` you are able to get the `metricId`.
- Once you have the `metricId`, you can then use the `thresholdDefinitionList` tag to loop through the thresholds defined for this metric - passing in the `metricId`.

Alternatively, if you know the name of the threshold you are interested in, you can pass the `metricId` and the name of the threshold to the `thresholdDefinition` tag.

Code Examples

Here are some example JSPs that use the `<metrics>` tags to display details of the metric and threshold definitions.

Accessing Definitions By Name

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Metrics - Metric/Threshold definitions by name</title></head>
  <body>
    <!-- 1 -->
    <%
      String flowId = "";
      String flowName = "Call System";
    %>

    <flow:flowOutlineList var="flowOutlineBean" nameFilter="<%= flowName %%" />

    <%
      if (flowOutlineBean != null)
      {
        flowId = flowOutlineBean.getFlowId();
      }
    %>

    <h1>Metric/Threshold Details - using names</h1>

    <!-- 2 -->
    <metrics:metricDefinition var="metricDefBean"
      flowId="<%= flowId %%"
      metricName="Call Assignment Time" />

    <%
      if (metricDefBean == null)
      {
        return;
      }
    %>

    Metric Name: [Call Assignment Time] <br />
    Description: [<%= metricDefBean.getMetricDescription() %>] <br />
    Type:        [<%= metricDefBean.getMetricType() %>] <p />
```

```

<!-- 3 -->
<metrics:thresholdDefinition var="thresholdDefBean"
    metricId="<%= metricDefBean.getMetricId() %>"
    thresholdName = "Call Assignment SLA" />

Threshold:  [<%= thresholdDefBean.getThresholdName() %>]<br />
Description: [<%= thresholdDefBean.getThresholdDescription() %>]<br />
Type:       [<%= thresholdDefBean.getThresholdType() %>]<br />
Alert:      [<%= thresholdDefBean.getCurrentAlertLevel() %>]<br />

</body>
</html>

```

where:

- You declare the taglib:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
```

This tells the JSP that you want to use the Java taglib

`com.hp.ov.bia.views.taglibs.metrics`. The `prefix` option says that you will refer to this taglib within the rest of the JSP by the tag name `metrics`.

- **Step 1** uses the `flowOutlineList` flow tag to determine the `flowId` for the flow `Call System`.
- **Step 2** uses the `metricDefinition` tag, passing in the `flowId` and the name of a specific metric. The JSP then displays some data from the returned `MetricDefinitionBean`.
- **Step 3** uses the `thresholdDefinition` tag, passing in the `metricId` and a specific threshold name. The JSP then displays some of the data available from the returned `ThresholdDefinitionBean`.

Accessing Definitions Using Lists

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Metrics - List Metric/Threshold definitions</title></head>
  <body>
    <!-- 1 -->
    <%
      String flowId = "";
      String flowName = "Call System";
    %>

    <flow:flowOutlineList var="flowOutlineBean" nameFilter="<%= flowName %>" />

    <%
      if (flowOutlineBean != null)
      {
        flowId = flowOutlineBean.getFlowId();
      }
    %>

    <h1>Metric/Threshold Details - using lists</h1>

    <table border=1>

      <tr>
        <th align="left">Name</th>
        <th align="left">Description</th>
        <th align="left">Type</th>
        <th align="left">Status</th>
      </tr>
```

```

<!-- 2 -->
<metrics:metricDefinitionList var="metricDefBean" flowId="<%= flowId %>">
  <tr>
    <td align="left"><%= metricDefBean.getMetricName() %></td>
    <td align="left"><%= metricDefBean.getMetricDescription() %></td>
    <td align="left"><%= metricDefBean.getMetricType() %></td>
    <td>&nbsp;</td>
  </tr>

  <!-- 3 -->
  <metrics:thresholdDefinitionList var="thresholdDefBean"
    metricId="<%= metricDefBean.getMetricId() %>">
    <tr>
      <td align="right"><%= thresholdDefBean.getThresholdName() %></td>
      <td align="left"><%=thresholdDefBean.getThresholdDescription() %></td>
      <td align="left"><%= thresholdDefBean.getThresholdType() %></td>
      <td align="left"><%= thresholdDefBean.getCurrentAlertLevel() %></td>
    </tr>
  </metrics:thresholdDefinitionList>

</metrics:metricDefinitionList>

</table>

</body>
</html>

```

where:

- You declare the taglib:

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
```


This tells the JSP that you want to use the Java taglib `com.hp.ov.bia.views.taglibs.metrics`. The `prefix` option says that you will refer to this taglib within the rest of the JSP by the tag name `metrics`.

- **Step 1** uses the `flowOutlineList` flow tag to determine the `flowId` for the flow `Call System`.
- **Step 2** uses the `metricDefinitionList` tag to loop through all the defined metrics for the given `flowId`.
- **Step 3** uses the `thresholdDefinitionList` tag to loop through all the thresholds that are defined for each metric.

Statistical Data and Graphs

The following diagram lists the `<metrics>` tags used for accessing metric statistics, and for producing historical graphs:

Figure 9 `<metrics>` Tags - Statistical Data and Graphs



On the diagram:

- Each box lists the tag name, and underneath that is the type of Java bean that the tag returns. For the `statisticalGraph` tag, that does not return a Java bean, it produces an actual picture.
- There is a little “loop” symbol to the right of the `metricStatisticsList` tag to indicate that this tag typically loops through the return values.

metricStatistics

The `metricStatistics` tag accesses the `metric_fact_statistics` table within the HPBPI database.

You can request the latest set of statistics and this gives you the statistics calculated over the most recent collection interval. You can also ask for the statistics from a specific collection interval.

You are also able to ask for the statistics over a longer period of time, for example, the statistics over the last hour. If you ask for the statistics over a time period, the `metricStatistics` tag gives you a single bean containing the results of the overall average, overall standard deviation, etc. calculated across the time period specified.

metricStatisticsList

The `metricStatisticsList` tag accesses the `metric_fact_statistics` table within the HPBPI database.

You can request the statistics over a specified period of time, for example, the statistics over the last hour. The `metricStatisticsList` tag enables you to iterate through each set of results across the specified time period.

buildGraphDataset

The `buildGraphDataset` tag accesses the `metric_fact_statistics` table within the HPBPI database.

The `buildGraphDataset` tag provides an easy way to get the statistical metric data over a period of time, and build a Java bean that is ready to be passed in to the `statisticalGraph` tag. Basically, the result of the `buildGraphDataset` tag is a sorted list (a Java `TreeMap`) of statistical values over the time period specified. When you call the `buildGraphDataset` tag you specify the time period and the particular field, or fields, of data that you wish to retrieve.

statisticalGraph

The `statisticalGraph` tag draws a time-series graph based on the data as passed in from the `buildGraphDataset` tag.

If you wish the graph to have a legend showing the threshold settings then you can also pass in a `ThresholdDefinitionBean`.

Code Examples

Here are some example JSPs that use the `<metrics>` tags to display the statistical metric data, and to display statistical graphs.

Listing Metric Statistics

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Metrics - List the statistics</title></head>
  <body>
    <%
      String flowId = "";
      String flowName = "Call System";
    %>
    ...get the flow Id (see Accessing Definitions By Name on page 122)...

    <!-- 1 -->
    <metrics:metricDefinition var="metricDefBean"
                             flowId="<%= flowId %>"
                             metricName = "Calls Resolved ON Contract" />

    <h1>Statistics - over last hour</h1>

    <table border=1>
      <tr>
        <th>Time Recorded</th>
        <th>Average</th>
        <th>Standard Deviation</th>
        <th>Sample Count</th>
      </tr>
      <!-- 2 -->
      <metrics:metricStatisticsList var="metricStatsBean"
                                   metricId="<%= metricDefBean.getMetricId() %>"
                                   infoType="Completed"
                                   timeFrom="-1 H" >

        <tr>
          <td><%= metricStatsBean.getTimeOfLastUpdate() %></td>
          <td><%= metricStatsBean.getAverage() %></td>
          <td><%= metricStatsBean.getStandardDeviation() %></td>
          <td><%= metricStatsBean.getCount() %></td>
        </tr>

      </metrics:metricStatisticsList>
    </table>
```



```
</body>  
</html>
```

where:

- **Step 1** uses the `flowId` to look up the metric definition for the `Calls Resolved ON Contract` metric.
- **Step 2** uses this `metricId` to call the `metricStatisticsList` tag. This tag loops through all the metric statistics returned.

The `metricStatisticsList` tag accesses the `metric_fact_statistics` table (within the HPBPI database). At the end of each collection interval three records are written to this table: `Active`, `Completed` and `Total`. The `infoType` parameter allows you to specify whether you want the `Active`, `Completed` or `Total` statistics record.

There are two parameters that allow you to specify the time period for which you want the statistical data, `timeFrom` and `timeTo`.

- The `timeFrom` parameter allows you to specify the start time. This can be an actual Java date/time object or a relative time from now. The above example shows the use of a relative time, `-1 H`, which means “The previous one hour”.
- If no `timeTo` parameter is supplied then the tag assumes that you want everything up to now.

Graphing Statistical Data - Example 1

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Metrics - Show a bar/line graph</title></head>
  <body>
    <%
      String flowId = "";
      String flowName = "Call System";
    %>
    ...get the flow Id (see Accessing Definitions By Name on page 122)...

    <!-- 1 -->
    <metrics:metricDefinition var="metricDefBean"
      flowId="<%= flowId %>"
      metricName = "Calls Resolved ON Contract" />

    <!-- 2 -->
    <metrics:thresholdDefinition var="thresholdDefBean"
      metricId="<%= metricDefBean.getMetricId() %>"
      thresholdName = "ON Contract Calls Resolved" />

    <h1>Bar Graph</h1>

    <!-- 3 -->
    <metrics:buildGraphDataset var="graphDataset"
      metricId="<%= metricDefBean.getMetricId() %>"
      infoType="Completed"
      timeFrom="-1 H"
      fields="avg" />

    <!-- 4 -->
    <metrics:statisticalGraph imageBackgroundColor="#FFFFFF"
      data="<%= graphDataset %>"
      XAxisTitle="Time"
      YAxisTitle="Percent (%)"
      graphTitle="<%= thresholdDefBean.getThresholdName() %>"
      thresholdDefinitionBean="<%= thresholdDefBean %>"
      graphType="bar"
      timeFrom="-1 H"
      collectionInterval="<%= metricDefBean.getCollectionInterval() %>"
      width="700"
      height="400" />

  </body>
</html>
```

where:

- **Step 1** uses the `flowId` to look up the metric definition for the `Calls Resolved ON Contract` metric.
- **Step 2** gets a `ThresholdDefinitionBean` for the threshold `ON Contract Calls Resolved`. The only reason for getting this threshold bean is so you can pass it into the `statisticalGraph` tag and have it draw the threshold legend on the graph.
- **Step 3** builds the data to be graphed.

The `infoType` parameter allows you to specify which statistics you are retrieving - `Active`, `Completed` or `Total`.

The time period for the data retrieved is specified with the `timeFrom` and `timeTo` parameters. If no `timeTo` parameter is passed in then the tag assumes that you want the statistics up to now. The times can be specified as an actual Java date/time object or, as shown in this example, a relative time. Passing `timeFrom=-1 H` means “the previous one hour”.

The `fields` parameter specifies which statistical data attributes you wish the tag to retrieve from the database. For example, you could ask for `avg|min|max` and this would retrieve those three values for each set of statistics over the time period. The above example retrieves the average value (`fields="avg"`).

- **Step 4** passes the statistical data set to the `statisticalGraph` tag and draws this data as a bar graph.


The `statisticalGraph` tag allows you to specify `timeFrom` and `timeTo` parameters. This allows you to draw only that period from the data set you are passing in. The above example displays the same time period as the graph data set contains (`-1 H`).

The `collectionInterval` parameter is required so that the graph knows the time interval that each bar on the graph represents. In other words, it allows the bar graph to show the correct width of each bar.

When you run the JSP it might produce a graph as shown in [Figure 10](#):

Figure 10 Statistical Bar Graph

Bar Graph



Graphing Statistical Data - Example 2

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Metrics - Show a bar/line graph using groups</title></head>
  <body>
    <%
      String flowId = "";
      String flowName = "Call System";
    %>
    ...get the flow Id (see Accessing Definitions By Name on page 122)...

    <!-- 1 -->
    <metrics:metricDefinition var="metricDefBean"
      flowId="<%= flowId %>"
      metricName = "Call Processing Time" />

    <h1>Bar Graph - showing groups</h1>

    <!-- 2 -->
    <metrics:thresholdDefinition var="thresholdDefBean"
      metricId="<%= metricDefBean.getMetricId() %>"
      thresholdName = "Call Processing Speed" />

    <!-- 3 -->
    <metrics:buildGraphDataset var="graphDataset"
      metricId="<%= metricDefBean.getMetricId() %>"
      infoType="Completed"
      getGroupInfo="true"
      timeFrom="-1 H"
      fields="avg" />

    <!-- 4 -->
    <metrics:metricStatistics var="metricStatsBean"
      metricId="<%= metricDefBean.getMetricId() %>"
      infoType="Total"
      age="LATEST" />

    <%
      String heading = thresholdDefBean.getThresholdName() + " grouped by: "
      + metricDefBean.getGroupName();
    %>
```

```

<!-- 5 -->
<metrics:statisticalGraph imageBackgroundColor="#FFFFFF"
    data="<%= graphDataset %>"
    XAxisTitle="Time of day"
    graphTitle="<%= heading %>"
    autoScaleYAxis = "true"
    thresholdDefinitionBean="<%= thresholdDefBean %>"
    graphType="bar"
    timeFrom="-2 H"
    graphSeriesColors="blue,green,black"
    collectionInterval="<%= metricDefBean.getCollectionInterval() %>"

    average="<%= metricStatsBean.getAverage() %>"
    standardDeviation="<%= metricStatsBean.getStandardDeviation() %>"

    width="700"
    height="400"/>

</body>
</html>

```

where:

- **Step 1** uses the `flowId` to look up the metric definition for the `Call Processing Time` metric.
- **Step 2** gets a `ThresholdDefinitionBean` for the `threshold` `Call Processing Speed`. The only reason for getting this threshold bean is so you can pass it into the `statisticalGraph` tag and have it draw the threshold legend on the graph.

Be aware that this `Call Processing Speed` threshold is a `Relative` threshold, and this means that when you come to pass the statistical data to the `statisticalGraph` tag, you need to pass in the `average` and `standardDeviation` parameters (see step 4).

- **Step 3** builds the data to be graphed.
The `getGroupInfo="true"` parameter tells the `buildGraphDataset` tag to retrieve the statistical data for each individual group.
- **Step 4** is necessary to get the `MetricStatisticsBean`. You need to get the overall average and standard deviation for this metric so that these can be passed into the `statisticalGraph` tag. These are required purely so that the threshold (a `Relative` threshold) can be correctly displayed within the graph.

By calling the `metricStatistics` tag with `infoType="Total"` and `age="LATEST"`, you retrieve a `MetricStatisticsBean` that contains the details for the overall metric statistics - the statistics since the metric was first defined. This included the overall average and standard deviation for the metric.

- **Step 5** is where you call the `statisticalGraph` tag to draw your graph. You pass in the overall average and standard deviation because you are graphing a `Relative` threshold.


Because the values being graphed are duration values, you can choose the `autoScaleYAxis` parameter. This means that the `statisticalGraph` tag automatically scales the Y axis to fit the data being displayed. It also means that you do not need to provide a Y axis title.

This example also shows that the `timeFrom` parameter is `-2 H` whereas the time period retrieved by the `buildGraphDataset` tag is `-1 H`. This means that the graph shows a longer time period than the retrieved data, which means that the graph shows no values for the first hour. This is just shown here to show that the time periods of the `statisticalGraph` tag and the `buildGraphDataset` tag can be different.

When you run the JSP it might produce a graph as shown in [Figure 11](#):

Figure 11 Statistical Bar Graph - showing groups


Bar Graph - showing groups



Instance Values

The following diagram lists the `<metrics>` tags used for accessing metric instance values for individual flow instances:

Figure 12 `<metrics>` Tags - Instance Values



where:

- Each box lists the tag name, and underneath that is the type of Java bean that the tag returns.
- There is a little “loop” symbol to the right of the `flowInstanceMetricValueList` tag to indicate that this tag typically loops through the return values.

flowInstanceMetricValueList

This tag accesses the `metric_fact_values` table within the HPBPI database.

This tag returns all the metric instance values that have been recorded for the given `metricId`. The tag returns an `InstanceMetricValueBean` for each metric instance value.

For each metric instance value returned, you are able to get the `flowInstanceId` of the actual flow instance that generated the metric instance.

flowInstanceMetricValue

This tag accesses the `metric_fact_values` table within the HPBPI database.

This tag is used when you know the `metricId` and the `flowInstanceId` that you are interested in. This allows you to retrieve the metric value produced when this flow instance ran.

Because a flow instance might generate a number of metric instances, you have the ability to specify an index (starting from zero).

Code Example

Here is an example JSP that uses the `<metrics>` tags to display the metric instance data.

Listing Metric Instance Values

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>

<html>
  <head><title>Metric Instance Values</title></head>
  <body>
    <%
      String flowId = "";
      String flowName = "Call System";
    %>

    ...get the flow Id (see Accessing Definitions By Name on page 122)...

    <h1>Metric Values:</h1>
```

```

<!-- 1 -->
<metrics:metricDefinitionList var="metricDefBean" flowId="<%= flowId %>" >

    <h2><%= metricDefBean.getMetricName() %></h2>

    <table border="1">
    <tr>
        <th>FlowInstId</th>
        <th>Start</th>
        <th>End</th>
        <th>Value</th>
        <th>Status</th>
    </tr>
    <!-- 2 -->
    <metrics:flowInstanceMetricValueList var="InstanceMetricValueBean"
        metricId="<%= metricDefBean.getMetricId() %>"
        maxInstances="20">

        <tr>
            <td><%= InstanceMetricValueBean.getFlowInstanceId() %></td>
            <td><%= InstanceMetricValueBean.getStartTime() %></td>
            <td><%= InstanceMetricValueBean.getEndTime() %></td>
            <td><%= InstanceMetricValueBean.getValue() %></td>
            <td><%= InstanceMetricValueBean.getStatus() %></td>
        </tr>

    </metrics:flowInstanceMetricValueList>

    <table>

</metrics:metricDefinitionList>

</body>
</html>

```


where:

- Step 1 uses the `flowId` to loop through all the metric definitions.
- Step 2 loops through all the metric instance values recorded for the given `metricId`. For each metric instance value, the JSP displays some of the details, including the flow instance that produced each metric instance value.

Dials

The following diagram shows the `<metrics>` tag used for producing dials:

Figure 13 <metrics> Tags - Dials



The `valueGraph` tag is a general purpose tag that allows you to draw a dial representing a value. If you pass in a threshold definition bean then the dial is drawn showing the threshold and the value is represented against that threshold.

The `valueGraph` tag is able to draw two types of dials:

1. A regular dial (`graphType="dial"`)

A regular dial is to be used when you are graphing a value against a threshold that is one of the types:

- Absolute Duration/Weight/Value
- Backlog
- Throughput

In the `<metrics>` Java docs, these thresholds are collectively referred to as `overValue` and `underValue` threshold types. This is because they are thresholds that measure whether a metric value is over or under specific values.

If you call the `valueGraph` tag, asking to draw a dial, and you pass in a `ThresholdDefinitionBean` that is not of type `Absolute`, `Backlog` or `Throughput`, the threshold is not shown on the graph.

2. A swing dial (graphType="swingdial")

A swing dial, or “upside down dial”, is used when you are graphing a value against a threshold that is one of the types:

- Relative
- Deadline

In the `<metrics>` Java docs, the `Relative` threshold type is referred to by the terms `overUsual`, `underUsual` and `unusual`. This is because the `Relative` threshold type is measuring where a metric value is relative to the “usual” behavior.

If you call the `valueGraph` tag, asking to draw a `swingdial`, and you pass in a `ThresholdDefinitionBean` that is not of type `Relative` or `Deadline`, the threshold is not shown on the graph.

Code Examples

Here are some example JSPs that use the `<metrics>` tags to display dials.

Dial - Most Recent Average

```
<% taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<% taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Metrics - Show a dial</title></head>
  <body>
    <%
      String flowId = "";
      String flowName = "Call System";
    %>
    ...get the flow Id (see Accessing Definitions By Name on page 122)...

    <!-- 1 -->
    <metrics:metricDefinition var="metricDefBean"
      flowId="<%= flowId %>"
      metricName = "Calls Resolved ON Contract" />

    <!-- 2 -->
    <metrics:thresholdDefinition var="thresholdDefBean"
      metricId="<%= metricDefBean.getMetricId() %>"
      thresholdName = "ON Contract Calls Resolved" />
```

```

<%
  if (thresholdDefBean == null)
    return;
%>
<h1>Most recent average value:</h1>

<!-- 3 -->
<metrics:metricStatistics var="metricStatisticsBean"
                          metricId="<%= metricDefBean.getMetricId() %>"
                          infoType="Completed"
                          age="LATEST" />

<%
  Float value = null;
  String formattedValue = "";

  <!-- 4 -->
  if (metricStatisticsBean != null)
  {
    value = metricStatisticsBean.getAverage();
    if (value == null)
    {
      formattedValue = "No value available!";
    }
    else
    {
      formattedValue = value + " Percent";
    }
  }
%>
<table border="0">
  <tr>
    <td align="center"><%= thresholdDefBean.getThresholdName() %></td>
  </tr>
  <tr>
    <td>
      <!-- 5 -->
      <metrics:valueGraph imageBackgroundColor="white"
                          width="150"
                          height="100"
                          graphType="dial"
                          graphBackgroundColor="#EBEBEB"
                          legend="false"
                          value="<%= value %>"
                          thresholdDefinitionBean="<%= thresholdDefBean %>"
                          graphValueLabel="<%= formattedValue %>" />
    </td>
  </tr>
</table>
<%
  }
%>

```

```
</body>
</html>
```

where:

- **Step 1** uses the `flowId` to look up the metric definition for the `Calls Resolved ON Contract` metric.
- **Step 2** gets a `ThresholdDefinitionBean` for the threshold `ON Contract Calls Resolved`. The code then checks that the threshold actually exists. The code gets the threshold so that the threshold can be passed into the `valueGraph` tag when drawing the dial.
- **Step 3** is where you get the actual value to be graphed.

In this example, the value to be graphed is the most recent average, and to get this data you need to ask for the latest information on all completed metrics - hence the parameters `infoType="Completed"` and `age="LATEST"`.


- **Step 4** checks that there is a valid `MetricStatisticsBean`.
If there is a valid `MetricStatisticsBean`, the code then tries to retrieve the average. The code then builds a formatted display string that is to be used when displaying the dial.
- **Step 5** calls the `valueGraph` tag to produce the dial picture showing the average value against the threshold.

The code just passes in the raw value to the tag. If you wanted the value rounded to (for example) two decimal places then your code needs to do this before passing the value into the `valueGraph` tag.

When you run the JSP it might produce a dial as shown in [Figure 14](#):
Figure 14 Dial - Most Recent Average

Most recent average value:

ON Contract Calls Resolved



Dial - Over Time

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>
<html>
  <head><title>Metrics - Show a dial over time</title></head>
  <body>
    <%
      String flowId = "";
      String flowName = "Call System";
    %>
    ...get the flow Id (see Accessing Definitions By Name on page 122)...

    <!-- 1 -->
    <metrics:metricDefinition var="metricDefBean"
      flowId="<%= flowId %>"
      metricName = "Calls Resolved ON Contract" />

    <!-- 2 -->
    <metrics:thresholdDefinition var="thresholdDefBean"
      metricId="<%= metricDefBean.getMetricId() %>"
      thresholdName = "ON Contract Calls Resolved" />
  <%
    if (thresholdDefBean == null)
      return;
  %>

  <h1>Average value over time:</h1>

  <!-- 3 -->
  <metrics:metricStatistics var="metricStatisticsBean"
    metricId="<%= metricDefBean.getMetricId() %>"
    infoType="Completed"
    age="-1 H"
    untilLatest="true" />

  <%
    Float value = null;
    String formattedValue = "";

    if (metricStatisticsBean != null)
    {
      value = metricStatisticsBean.getAverage();
      if (value == null)
      {
        formattedValue = "No value available!";
      }
      else
      {
        formattedValue = value + " Percent";
      }
    }
  %>
```

```

<table border="0">
  <tr>
    <td align="center"><%= thresholdDefBean.getThresholdName() %></td>
  </tr>
  <tr>
    <td>
      <!-- 4 -->
      <metrics:valueGraph imageBackgroundColor="white"
        width="150"
        height="100"
        graphType="dial"
        graphBackgroundColor="#EBEBEB"
        legend="false"
        value="<%= value %>"
        thresholdDefinitionBean="<%= thresholdDefBean %>"
        graphValueLabel="<%= formattedValue %>"
        />
    </td>
  </tr>
</table>
<%
}
%>

</body>
</html>

```

where:

- **Step 1** uses the `flowId` to look up the metric definition for the `Resolved ON Contract` `metric`.
- **Step 2** gets a `ThresholdDefinitionBean` for the `threshold ON Contract` `Resolved`. The code then checks that the threshold actually exists. The code gets the threshold so that the threshold can be passed into the `valueGraph` tag when drawing the dial.
- **Step 3** is where you get the actual value to be graphed.

The `age="-1 H"` parameter you are asking for the metric statistic from the previous one hour. But by also passing the parameter `untilLatest="true"` you are asking the `metricStatistics` tag to calculate and return the overall statistics for the entire one hour period.

- **Step 4** actually draws the dial.


The code just passes in the raw value to the tag. If you wanted the value rounded to (for example) two decimal places then your code needs to do this before passing the value into the `valueGraph` tag.

When you run the JSP it might produce a dial as follows:

Figure 15 Dial - Average Over Time

Average value over time:

ON Contract Calls Resolved



Swing Dial

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Metrics - Show a swing dial</title></head>
  <body>
    <%
      String flowId = "";
      String flowName = "Call System";
    %>
    ...get the flow Id (see Accessing Definitions By Name on page 122)...

    <!-- 1 -->
    <metrics:metricDefinition var="metricDefBean"
                             flowId="<%= flowId %>"
                             metricName = "Call Processing Time" />

    <!-- 2 -->
    <metrics:thresholdDefinition var="thresholdDefBean"
                                metricId="<%= metricDefBean.getMetricId() %>"
                                thresholdName = "Call Processing Speed" />

    <h1>Swing Dial</h1>

    <!-- 3 -->
    <metrics:metricStatistics var="metricStatisticsBeanTotal"
                              metricId="<%= metricDefBean.getMetricId() %>"
                              infoType="Total"
                              age="LATEST" />

    <%
      Float overallAvg = null;
      Float overallStdDev = null;

      if (metricStatisticsBeanTotal != null)
      {
        overallAvg      = metricStatisticsBeanTotal.getAverage();
        overallStdDev   = metricStatisticsBeanTotal.getStandardDeviation();
      }
      else
      {
        overallAvg      = new Float(0);
        overallStdDev   = new Float(0);
      }
    %>
```

```

<!-- 4 -->
<metrics:metricStatistics var="metricStatisticsBean"
                        metricId="<%= metricDefBean.getMetricId() %>"
                        infoType="Completed"
                        age="LATEST" />
<%
if (metricStatisticsBean != null)
{
Float value = metricStatisticsBean.getAverage();
String formattedValue;
if (value == null)
{
formattedValue = "No value available!";
}
else
{
formattedValue = value.toString() + " Seconds";
}
}
%>

<table border="0">
<tr>
<td align="center">
<%= thresholdDefBean.getThresholdName() %>
</td>
</tr>
<tr>
<td>
<!-- 5 -->
<metrics:valueGraph imageBackgroundColor="white"
                    width="150"
                    height="100"
                    graphType="swingdial"
                    graphBackgroundColor="#EBEBEB"
                    legend="false"
                    value="<%= value %>"
                    thresholdDefinitionBean="<%= thresholdDefBean %>"
                    graphValueLabel="<%= formattedValue %>"
                    standardDeviation="<%= overallStdDev %>"
                    average="<%= overallAvg %>" />
</td>
</tr>
</table>
<%
}
%>

</body>
</html>

```

where:

- **Step 1** uses the `flowId` to look up the metric definition for the `Call Processing Time` metric.
- **Step 2** gets a `ThresholdDefinitionBean` for the threshold `Call Processing Speed`. The code then checks that the threshold actually exists. The code gets the threshold so that the threshold can be passed into the `valueGraph` tag when drawing the dial.
- **Step 3** gets the latest total for the statistics. This is so you can get the overall average and standard deviation. You require the overall average and standard deviation so you can pass them to the `valueGraph` tag.
- **Step 4** is where you get the actual value to be graphed.


In this example, the value to be graphed is the most recent average, and to get this data you need to ask for the latest information on all completed metrics - hence the parameters `infoType="Completed"` and `age="LATEST"`.

- **Step 5** calls the `valueGraph` tag to produce the swingdial picture showing the average value relative to the threshold. Because you are drawing a swingdial, you are required to pass in the overall average and standard deviation.

The code just passes in the raw value to the tag. If you wanted the value rounded to (for example) two decimal places then your code needs to do this before passing the value into the `valueGraph` tag.

When you run the JSP it might produce a swing dial as follows:


Figure 16 Swing Dial



Alerts

The following diagram lists the <metrics> tags used for accessing metric alerts:

Figure 17 <metrics> Tags - Alerts



where:

- Each box lists the tag name, and underneath that is the type of Java bean that the tag returns. For the `maximumAlertStatus` tag, that does not return a Java bean, it returns the string value of the maximum alert.
- There is a little “loop” symbol to the right of the `raisedAlertList` tag to indicate that this tag typically loops through the return values.

raisedAlertList

This tag allows you to get the alerts that have been raised in a specified time period. There are parameters that you can pass in to the tag to specify the particular metric or flow that you are interested in.

You can use this tag to loop through the alerts that have been raised.

latestRaisedAlert

For a particular threshold, you are able to get the latest alert that has been raised.

maximumAlertStatus

This tag allows you to find out the overall highest alert that has occurred against a given metric, or flow, or flow instance. This tag is used on the main page of the HPBPI Business Process Dashboard to show the overall maximum alert against each flow.

Code Example

Here is an example JSP that uses the <metrics> tags to display alerts.

Displaying Alerts

```
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.flow" prefix="flow" %>

<html>
  <head><title>Metrics - List the alerts</title></head>
  <body>
    <%
      String flowId = "";
      String flowName = "Call System";
    %>
    ...get the flow Id (see Accessing Definitions By Name on page 122)...

    <!-- 1 -->
    <metrics:metricDefinition var="metricDefBean"
                             flowId="<%= flowId %>"
                             metricName = "Calls Resolved ON Contract" />

    <h1>Alerts - over last 12 hours</h1>

    <table border=1>
      <tr>
        <th>Metric Name</th>
        <th>Threshold Name</th>
        <th>Status</th>
        <th>Time Raised</th>
      </tr>
```



```

<!-- 2 -->
<metrics:raisedAlertList var="raisedAlertBean"
    metricId="<%= metricDefBean.getMetricId() %>"
    noOfEntries="1000"
    timeFrom="-12 H" >
    <tr>
        <td><%= raisedAlertBean.getMetricName() %></td>
        <td><%= raisedAlertBean.getThresholdName() %></td>
        <td><%= raisedAlertBean.getAlertStatus() %></td>
        <td><%= raisedAlertBean.getRaisedTime() %></td>
    </tr>

</metrics:raisedAlertList>
</table>

<h1>Latest Raised Alert</h1>

<table border=1>
    <tr>
        <th>Threshold Name</th>
        <th>Metric Name</th>
        <th>Status</th>
        <th>Time Raised</th>
    </tr>
<!-- 3 -->
<metrics:thresholdDefinitionList var="thresholdDefBean"
    metricId="<%= metricDefBean.getMetricId() %>" >

    <metrics:latestRaisedAlert var="raisedAlertBean1"
        thresholdId="<%= thresholdDefBean.getThresholdId() %>" />
    <tr>
        <td><%= raisedAlertBean1.getThresholdName() %></td>
        <td><%= raisedAlertBean1.getMetricName() %></td>
        <td><%= raisedAlertBean1.getAlertStatus() %></td>
        <td><%= raisedAlertBean1.getRaisedTime() %></td>
    </tr>

</metrics:thresholdDefinitionList>
</table>

```

```

<h1>Highest Overall Alert for flow (<%= flowName %>)</h1>

<!-- 4 -->
<metrics:maximumAlertStatus var="overallStatus" flowId="<%= flowId %>" />

<table border=1>
  <tr>
    <th>Status</th>
  </tr>
  <tr>
    <td><%= overallStatus %></td>
  </tr>
</table>

</body>
</html>

```

where:

- **Step 1** uses the `flowId` to look up the metric definition for the `Calls Resolved ON Contract` metric.
- **Step 2** calls the `raisedAlertList` tag and loops through the alerts that have occurred during the past 12 hours, for the specified metric.

The `noOfEntries` parameter allows you to limit the number of alerts returned to your code.

- **Step 3** loops through all the thresholds defined for the given metric, showing the latest alert that has been raised for each threshold.
- **Step 4** uses the `maximumAlertStatus` tag to find out the overall maximum alert against the given `flowId`.

The HPBPI Dashboard

Now that you know how to draw metric diagrams, let's look at how easy it is to customize the HPBPI Business Process Dashboard.

When you select a flow on the HPBPI Business Process Dashboard's main page, you are presented with the Business Flow and Resource Summary page for that flow. This page displays the overall flow diagram, and then displays any metric thresholds that are defined for this flow. These metric thresholds are displayed in a table headed Metric Threshold Summary.

The Business Process Dashboard is written to be a generic dashboard. When the Business Flow and Resource Summary page is displaying the details for a flow, the Metric Threshold Summary table is where all metrics with defined thresholds get displayed. The JSP page simply loops through the metric definitions in alphabetical order, and for each metric definition, displays a dial or table to represent the performance of that metric against each defined threshold.

You may wish to have some control over which metrics get displayed, and in which order they get displayed.

You can write a standalone JSP that draws, for a given flow, the metric threshold summary table the way you want it displayed. You can then have the Business Process Dashboard use this JSP whenever it displays the Business Flow and Resource Summary page for the given flow.

The Business Process Dashboard looks in the directory:

```
hpbpi-bpd\CustomMetricThresholdSummaryTable
```

for all custom metric threshold table JSPs. If you are adding your own custom metric threshold table JSP(s) then you need to create the CustomMetricThresholdSummaryTable directory.

Custom Metric Threshold Tables

To provide a custom metric threshold table JSP for a flow, the file must be named:

flowname.jsp

where *flowname* matches the name of the flow being drawn. (It is case-sensitive.)

The *flowname.jsp* page is passed the following parameters:

- `flowid`
The flow ID of the flow being displayed.
- `flowname` (optional)
The name of the flow being displayed.
- `origTimeperiod` (optional)
The time period to be used when displaying the metrics.
Possible values are:
 - 0 - over the most current collection interval.
 - 1, 2, 4, 12, 24, 168 - over the past 1, 2, etc. hours.
 - ALL - over the interval since the metric was defined.
- `callingURL` (optional)
The name of the page that invoked this JSP.
This will be set to `businessFlowAndResourceSummary.jsp`.
- `urlParameters` (optional)
A `HashMap` of parameters passed in to this JSP.

To display the metrics against their thresholds, you only require the `flowid` and the `origTimeperiod` parameters. The `flowid` allows you to locate your metrics, and you then show the results over the time period specified in `origTimeperiod`.

Example - Displaying a Specific Metric Threshold

If your flow is called `Call System`, then creating the following JSP code and saving it in the file:

`hpbpi-bpd\CustomMetricThresholdSummaryTable\Call System.jsp`

provides a custom metric threshold summary table for the `Call System` flow when displayed within the HPBPI Business Process Dashboard.

This code example shows how to draw a dial to display the single metric, `Call Assignment Time`, against the threshold called `Call Assignment Backlog`:

```
<%@ page import="com.hp.ov.bia.views.taglibs.metrics.ValidMetricFieldEnum,
    com.hp.ov.bia.views.taglibs.metrics.ThresholdTypeEnum"
    errorPage="/gen/errorPage.jsp" %>

<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>

<%
    // Step 1
    String flowId = request.getParameter("flowid");
%>
    <table class=container>
        <tbody>
            <tr>
                <td>

                    <!-- Step 2 -->
                    <table class=vertical cellSpacing=0 border=0>
                        <caption>
                            <table class="horizontal"
                                cellpadding="0" cellspacing="0"
                                border="0" style="margin:0px" >
                                <tr>
                                    <td id=captionleft >
                                        My Metric Threshold Summary Table
                                    </td>
                                </tr>
                            </table>
                        </caption>

                        <!-- Step 3 -->
                        <metrics:metricDefinition var="metricVar"
                            flowId="<%= flowId %>"
                            metricName="Call Assignment Time" />
                        <metrics:thresholdDefinition var="thresholdVar"
                            metricId="<%= metricVar.getMetricId() %>"
                            thresholdName="Call Assignment Backlog" />
                    </table>
                </td>
            </tr>
        </tbody>
    </table>

```

```

<%
// Step 4
String graphTitle = thresholdVar.getThresholdName();
String age = "LATEST";
ThresholdTypeEnum thresholdType =
    thresholdVar.getThresholdType();
ValidMetricFieldEnum thresholdField =
    thresholdVar.getThresholdColumnName();

// Step 5
%>
<metrics:metricStatistics var="metricStatsBean"
    metricId="<%= thresholdVar.getMetricId() %>"
    infoType="<%= thresholdType.toString() %>"
    age="<%= age %>"
    untilLatest="true"
/>
<%
Float value =
    metricStatsBean.getValidMetricFieldValue(thresholdField);
String formattedString = value.intValue() + " Calls";
%>

<!-- Step 6 -->
<tr>
    <td align="center"><%= graphTitle %></td>
</tr>
<tr>
    <td align="center">
        <a href="flowMetricThresholds.jsp?thresholdId=
            <%= thresholdVar.getThresholdId() %>">
            <metrics:valueGraph imageBackgroundColor="#FFFFFF"
                width="150" height="100"
                graphType="dial"
                graphBackgroundColor="#EBEBEB"
                legend="false"
                value="<%= value %>"
                field="<%= thresholdField.toString() %>"
                thresholdDefinitionBean="<%= thresholdVar %>"
                graphValueLabel="<%= formattedString %>"
            />
        </a>
    </td>
</tr>
</table>
</td>
</tr>
</tbody>
</table>


```

where:

- **Step 1** gets the flowid for the flow you are working with.
- **Step 2** sets up the table that will contain your metric dial. It then sets the caption for the table.
- **Step 3** uses the flowid to get the metric definition that you are going to display. The metric name is: Call Assignment Time. It then gets the threshold definition, Call Assignment Backlog, which this metric is to be displayed with.
- **Step 4** sets up various details such as the graph title, the time period (LATEST = over the most current collection interval), threshold type and the name of the threshold attribute.
- **Step 5** gets the metric statistics bean. This gives you the value of the metric to be graphed.
- **Step 6** actually draws the metric dial.

If you run this example, the Business Process Dashboard looks as shown in [Figure 18](#). Notice the Call Assignment Backlog threshold is shown within the table My Metric Threshold Summary Table.

Figure 18 A Specified Metric Threshold



Example - Displaying a Metric Threshold of Any Type

The JSP code shown in [Example - Displaying a Specific Metric Threshold](#) on page 157 works well, however, it is hard-coded to only show the metric over the most recent (LATEST) collection interval, and it only works for the specified metric and threshold type.

Let's now look at how to write a more generic JSP page that uses more of the Business Process Dashboard built-in procedures and calls, to be able to display any metric type, and display this over any given time interval.

If your flow is called `Call System`, then creating the following JSP code and saving it in the file:

```
hpbpi-bpd\CustomMetricThresholdSummaryTable\Call System.jsp
```

provides a custom metric threshold summary table for the `Call System` flow when displayed within the HPBPI Business Process Dashboard.

In this code example, the metric name and threshold name are specified in variables at the top of the JSP. The code then shows how to display the given metric depending on the type of threshold specified - either an instance threshold or a statistical threshold.

Here is the code:

```
<%@ page errorPage="/gen/errorPage.jsp" %>
<%@ include file="/gen/common.jsp" %>
<%@ taglib uri="com.hp.ov.bia.views.taglibs.metrics" prefix="metrics" %>

<%
    // Step 1
    // Set the metric and threshold names.

    String myMetricName      = "Call Assignment Time";
    String myThresholdName   = "Call Assignment Backlog";

    // Step 2
    // Get the parameters passed in to this JSP.

    HashMap urlParameters   = (HashMap) request.getAttribute("urlParameters");
    String flowId;
    try
    {
        flowId = getRequestParameter(pageContext, "flowid");
    }
    catch (IllegalArgumentException e)
    {
```



```

        return; // no param - getRequestParameter() redirects to alert page.
    }
    String callingURL = getOptionalRequestParameter(pageContext,
                                                    "callingURL", "DefaultURL");
    String origTimePeriod = getOptionalRequestParameter(pageContext,
                                                         "origTimeperiod", "0");
    String flowName = getOptionalRequestParameter(pageContext,
                                                  "flowname", null);

    // Used to construct the URL behind the graphing period pull-down.
    String thisUrl;
%>
    <table class=container>
        <tbody>
            <tr>
                <td>
                    <table class=vertical cellSpacing=0 border=0>

                        <!-- Step 3 -->
                        <!-- Set the caption (heading) for this table -->

                        <caption>
                            <table class="horizontal" cellpadding="0"
                                    cellspacing="0" border="0" style="margin:0px" >
                                <tr>
                                    <td id=captionleft >
                                        My Metric Threshold Summary Table
                                    </td>

                                    <td id=captionright>
                                        Graphing Period
                                </tr>
                            </table>

                        <!-- Step 4 -->
                        <!-- Build the Graphing Period pull-down, with URLs behind each entry. -->

                        <select name="timeperiod"
                                onchange="window.location=this.options[this.selectedIndex].value;">
                            <%
                                thisUrl = buildURL(callingURL, urlParameters, "timeperiod") +
                                                                    "&timeperiod=0";
                            %>
                            <option value="<%= thisUrl %>"
                                    <%= origTimePeriod.equals("0") ? "selected" : "" %> >Current</option>
                            <%
                                thisUrl = buildURL(callingURL, urlParameters, "timeperiod") +
                                                                    "&timeperiod=1";
                            %>
                            <option value="<%= thisUrl %>"
                                    <%= origTimePeriod.equals("1") ? "selected" : "" %> >1 hour</option>
                            <%

```

```

        thisUrl = buildURL(callingURL, urlParameters, "timeperiod") +
                                "&timeperiod=2";
    %>
    <option value="<%= thisUrl %>"
        <%= origTimePeriod.equals("2") ? "selected" : "" %> >2 hours</option>

        ...etc... for values 4, 12 and 24 ...
    <%
        thisUrl = buildURL(callingURL, urlParameters, "timeperiod") +
                                "&timeperiod=168";
    %>
    <option value="<%= thisUrl %>"
        <%= origTimePeriod.equals("168") ? "selected" : "" %> >1 week</option>
    <%
        thisUrl = buildURL(callingURL, urlParameters, "timeperiod") +
                                "&timeperiod=ALL";
    %>
    <option value="<%= thisUrl %>"
        <%= origTimePeriod.equals("ALL") ? "selected" : "" %> >All</option>

        </select>
    </td>
</tr>
</table>
</caption>

<!-- Now display the threshold dial (or instance alert table) -->

    <%
    String graphTitle = "";
    boolean insufficientData = false;
    %>

    <tr>

```

```

<!-- Step 5 -->
<!-- Get the Metric and Threshold beans -->

<metrics:metricDefinition var="metricVar"
    flowId="<%= flowId %>"
    metricName="<%= myMetricName %>" />
<metrics:thresholdDefinition var="thresholdVar"
    metricId="<%= metricVar.getMetricId() %>"
    thresholdName="<%= myThresholdName %>" />

<!-- Also get the metric statistics bean's total details -->

<metrics:metricStatistics var="totalMetricStatsBean"
    metricId="<%= metricVar.getMetricId() %>"
    infoType="Total" />

<%
graphTitle = thresholdVar.getThresholdName();
insufficientData = false;

// Step 6
// Set the three objects that are to be used by a JSP
// that you will include further down this page.

request.setAttribute("metricObject", metricVar);
request.setAttribute("thresholdObject", thresholdVar);
request.setAttribute("totalMetricStatisticsObject",
                    totalMetricStatsBean);

// Step 7
// Check that there are enough metric details to be graphed.

if (    metricVar.getCreatedDate() == null
    ||
    (origTimePeriod != null &&
     !origTimePeriod.equals("") &&
     !origTimePeriod.equals("0") &&
     !origTimePeriod.equals("ALL") &&
     metricVar.getCreatedDate().getTime() >
     System.currentTimeMillis()
     - Long.parseLong(origTimePeriod)
     * 3600000 )
)
{
    insufficientData = true;
}

```

```

else if (
thresholdVar.getThresholdType().equals(ThresholdTypeEnum.Instance)
    &&
    thresholdVar.getCreateDate() != null &&
    origTimePeriod != null &&
    !origTimePeriod.equals("") &&
    !origTimePeriod.equals("0") &&
    !origTimePeriod.equals("ALL") &&
    thresholdVar.getCreateDate().getTime() >
        System.currentTimeMillis()
        - Long.parseLong(origTimePeriod)
        * 3600000
)
{
    insufficientData = true;
}
else if (thresholdVar.getThresholdType().equals(ThresholdTypeEnum.Instance))
{
    // Step 8
    // Display the instance metric as a table of alerts.

    %>
    <td valign="top">
        <jsp:include page="/gen/drawThresholdAlertsTable.jsp">
            <jsp:param name="graphTitle" value="<%= graphTitle %>"/>
            <jsp:param name="timePeriod" value="<%=origTimePeriod%>"/>
        </jsp:include>
    </td>
    <%
}
else
{
    // Step 9
    // Display the average for the metric as a dial.

    %>
    <td valign="top">
        <jsp:include page="/gen/drawThresholdDialTable.jsp">
            <jsp:param name="graphTitle" value="<%= graphTitle %>"/>
            <jsp:param name="timePeriod" value="<%=origTimePeriod%>"/>
        </jsp:include>
    </td>
    <%
}
}

```

```

// Step 10
if ( insufficientData )
{
%>
  <td valign="top">
    <table id="my_nodata_table" align="center" border="0"
      cellspacing="0" cellpadding="0">
      <tbody>
        <tr><td align="center"><%= graphTitle %></td></tr>
        <tr><td align="center">&nbsp;</td></tr>
        <tr>
          <td align="center">
            <strong>Insufficient Data...sorry!</strong>
          </td>
        </tr>
      </tbody>
    </table>
  </td>
<%
}
%>

</tr>
</table>
</td>
</tr>
</tbody>
</table>

```

where:

- **Step 1** defines the metric name and the threshold name.
- **Step 2** gets all the parameters that are passed into this JSP.

The methods `getRequestParameter()` and `getOptionalRequestParameter()` are provided in `/gen/common.jsp`.

- **Step 3** sets up the table and the table headings.

- **Step 4** builds the graphing time period pull-down.

For each option in the pull-down, the code builds a URL such that when/if the user selects an option, the URL refreshes the page, but using the specified time period from this pull-down option.

Let's look at how the option for 1 hour is set up:

```
<%
  thisUrl = buildURL(callingURL, urlParameters, "timeperiod") +
                                     "&timeperiod=1";
%>
<option value="<%= thisUrl %>"
  <%= origTimePeriod.equals("1") ? "selected" : "" %> >1 hour</option>
```

The `buildURL()` method is supplied in `/gen/common.jsp`. The `buildURL()` method constructs a URL that starts with the first parameter (`callingURL`). It then appends the contents of the second parameter (`urlParameters`)...but...if `urlParameters` contains the variable `timeperiod` (the third parameter) this parameter is stripped out and not used. In other words, this call to `buildURL()` constructs a URL to call the calling page (which will be `businessFlowAndResourceSummary.jsp`) plus the parameters that were passed to this page (`urlParameters`) but without any mention of the `timeperiod` parameter. The code then adds the `timeperiod` parameter and sets it to the value `1` (for one hour).

The code then outputs the HTML to show the option labelled `1 hour`, with the newly constructed URL behind it.

Notice also that there is a test to see whether to make this option the currently selected one or not. That is, if the user selects this option from the pull-down, the page is refreshed and you want this option to appear as the selected option.

- **Step 5** makes calls to set up three objects:
 - `metricVar`

Uses the `flowid` and the metric name to retrieve the `MetricDefinitionBean` object for this metric.
 - `thresholdVar`

Uses the metric id and threshold name to retrieve the `ThresholdDefinitionBean` object for this threshold.
 - `totalMetricStatsBean`

Uses the metric id to retrieve the `MetricStatisticsBean` object containing the total statistics information. This is only needed when displaying a relative threshold. This object provides the code with overall averages and standard deviation details, and these are required to display relative thresholds.

The reason you get these three objects is so you can pass them on to a sub-JSP....see Step 6.

- **Step 6**

The three objects retrieved in Step 5 need to be set into the `request` object. This allows you to pass them on to another JSP that actually handles the displaying of your metric threshold details.

The variables you need to set up in the request object are:

 - `metricObject` - set this to your `MetricDefinitionBean`.
 - `thresholdObject` - set to your `ThresholdDefinitionBean`.
 - `totalMetricStatisticsObject` - set to your `MetricStatisticsBean`.
- **Step 7** calculates whether enough metric data exists for the time period that you have specified. If not enough metric data exists then the page will display some text telling the user that there is insufficient data available (see Step 10)
- **Step 8**

If the threshold is an instance type of threshold, then invoke the code within the JSP `/gen/drawThresholdAlertsTable.jsp`. This JSP builds a table showing how many instance alerts there have been, for each severity, over the specified time period.


- **Step 9**

If the threshold is a statistical type of threshold, then invoke the code within the JSP `/gen/drawThresholdDialTable.jsp`. This JSP displays a dial showing the average of the metric over the specified time period.

- **Step 10** is called if there is not enough metric data to display.

If you run this example, the Business Process Dashboard looks as shown in [Figure 19](#). Notice that My Metric Threshold Summary Table contains the metric dial, and has a pull-down where the user can select the graphing time period.

Figure 19 A Metric Threshold of Any Type



Example - Displaying Multiple Metric Thresholds

The code shown in [Example - Displaying a Metric Threshold of Any Type](#) on page 160 is generic code that works for any given metric and threshold name.

You can hopefully see how easy it would be to extend this generic code example to loop through an array of metric/threshold pairs.

For example:

- Define a metric/threshold array.

Instead of defining the metric and threshold names as:

```
String myMetricName    = "Call Assignment Time";
String myThresholdName = "Call Assignment Backlog";
```

You define an array of metric./threshold pairs, as follows:

```
String newline = "CR";

// -----
// Set the metric and threshold names here.
// -----

String[] myMetricThresholdPairs = {

    "Call Assignment Time", "Call Assignment Backlog",
    "Call Processing Time", "Call Processing Speed",

    newline, newline,

    "Call Assignment Time", "Call Assignment SLA",
    "Call Processing Time", "Call Time SLA",

    newline, newline
};
```

So this is asking to display the metric `Call Assignment Time` against the threshold `Call Assignment Backlog`, then the metric `Call Processing Time` against the threshold `Call Processing Speed`. It then contains an entry that means you want to start a new line within the metric threshold table. It then specifies two more metric threshold pairs, and a new line to finish the table.

- Get the request parameters as before.
- Display the table, caption and graphing period pull-down as before.


- Put a loop around the code where you get the metric bean, statistics bean and totals bean, and then display the metric:

```
for (int i=0; i<myMetricThresholdPairs.length; i=i+2)
{
    ...code to get and display each metric threshold...
}
```

- Add code within the loop to detect the `newline` entries, such that you issue the necessary HTML to finish the current table line and start a new one.

Your custom metric threshold table might look as shown in [Figure 20](#):

Figure 20 A Custom Metric Threshold Summary Table



6 Direct HPBPI Database Access

Using the HPBPI JSP tag libraries, you are able to retrieve most of the details that you would typically need for a business dashboard. However, there may be situations where you require extra details. Maybe some custom calculation that you would like to make across your flow instances, or something that the standard tag libraries just don't provide.

HPBPI maintains all its information in an SQL database. The schema for this database is published in the *HPBPI Reference Guide*.

This chapter looks at accessing the HPBPI database directly from within your custom dashboard.

Connecting

The HPBPI Business Process Dashboard provides a bean that allows you to connect to the HPBPI database. The bean is:

```
com.hp.ov.bia.views.DBConnection
```

This bean uses the standard Business Process Dashboard configuration details (from the `DashboardConfig.properties` file) to connect to the HPBPI database.

The `DBConnection` bean provides a pooled database connection. That is, when you close a connection it is actually pooled and made available for another user. (This pooling mechanism makes use of the Database Connection Pooling library from the Apache organization.)

Before the `DBConnection` bean can be used, it needs to be initialized correctly. To make it easy for you, the HPBPI Business Process Dashboard provides a method that does this for you.

The method is called: `getDatabaseConnection()` and it is found in the JSP: `gen/common.jsp`

This method requires that you pass in the current JSP page context object (which is in the pre-defined JSP variable `pageContext`).

This “pooled” database connection **must be closed** before the end of the JSP page. If your JSP does not close the connection, you may cause the underlying database system to run out of resources and your custom dashboard may eventually hang.

To close the database connection, you simply call the method: `closeConection()` (yes...it is spelt incorrectly :-)

So to access the HPBPI database directly within your JSP, you need to:

- Include `common.jsp`
- Call `getDatabaseConnection()`
- Do whatever SQL you need...
- Close this database connection

The overall outline of your JSP code is as follows:

```
<%@ include file="/gen/common.jsp" %>

<%
    // Get a pooled connection
    DBConnection dbConn = getDatabaseConnection(pageContext);
%>

    ...your database access in here...

<%
    // Close the database connection for this page
    dbConn.closeConnection();
%>
```

Issuing SQL Statements

Once you have a database connection you can issue SQL statements against the HPBPI database.

The `DBConnection` bean provides some methods to assist with issuing SQL statements.

There are two main types of SQL queries you can make:

- Fixed SQL statements
- Prepared SQL statements

Fixed SQL Statements

A fixed SQL statement is where you have a complete SQL statement that you wish to execute.

For example:

```
select flow_id, ActiveFlows, flowname, status
from flows
where status != 'Deleted'
```

This example returns the specified column values from the `flows` data table, for all flows that were not marked for deletion. (That is, all non-superseded flows.)

Within your Java code can build the required SQL statement and include values from your code. For example:

```
sql = "select flow_id, ActiveFlows, flowname, status from " + flowsTable +
      " where status != '" + flowStatus + "'";
```

This example substitutes the current values for the variables `flowsTable` and `flowStatus` to produce a complete SQL statement. The variable `sql` contains this complete SQL statement.

To execute complete/fixed SQL statements like these, you use the `DBConnection` method: `executeQuery()`

For example:

```
<%@ page import="java.sql.ResultSet"%>
<%@ include file="/gen/common.jsp" %>
<%
    ResultSet results;
    String sql;

    String flowName = "";
    String flowId = "";
    long   activeCount = 0;
    String flowStatus = "";

    DBConnection dbConn = getConnection(pageContext);

    sql = "select flow_id, ActiveFlows, flowname, status from flows " +
        " where status != 'Deleted'";

    results = dbConn.executeQuery(sql);
%>
<h1>Flow Definition List</h1>
<table cellspacing="0" border="1">
<tr>
    <th>Flow Name</th>
    <th>Flow ID</th>
    <th>Active Flow Count</th>
    <th>Flow Status</th>
</tr>
<%
    while (results.next())
    {
        flowId = results.getString("flow_id");
        flowName = results.getString("flowname");
        activeCount = results.getLong("ActiveFlows");
        flowStatus = results.getString("status");
%>
        <tr>
            <td><%= flowName %></td>
            <td><%= flowId %></td>
            <td><%= activeCount %></td>
            <td><%= flowStatus %></td>
        </tr>
<%
    }
%>
</table>
<%
    // Close the database connection for this page
    dbConn.closeConnection();
%>
```

where:

- You get the database connection:

```
DBConnection dbConn = getDatabaseConnection(pageContext);
```

- You use this database connection to issue the SQL statement:

```
results = dbConn.executeQuery(sql);
```

This returns the results in a JDBC result set (`java.sql.ResultSet`).

- You then loop through the results, pulling out the values that you want in your JSP:

```
flowId = results.getString("flow_id");  
flowName = results.getString("flowname");  
activeCount = results.getLong("ActiveFlows");  
flowStatus = results.getString("status");
```

- You display these values on the Web page
- You close the database connection when you are finished

Prepared SQL Statements

The underlying databases supported by HPBPI offer the ability to “prepare” SQL statements. This is where you submit the statement to the database management system (DBMS) and it pre-compiles the statement. This pre-compiled version is then stored internally within the DBMS. You are then able to tell the DBMS to run this pre-compiled (prepared) version of the statement whenever you need it. What’s more, you can specify variables in this prepared statement and provide values for them at run time.

Prepared statements are used when you have a statement that you are likely to want to run over and over again. By preparing it once, all subsequent executions are quicker.

Working with a prepared statement is a two step process. First you need to prepare the statement, then you can execute it.

Preparing the Statement

A prepared SQL statement is stored against your database connection. So the method to prepare a statement is provided by the `DBConnection` bean.

The method is:

```
public PreparedStatement prepareStatement(String sql)
```

You provide the SQL statement (as a `String`) and you are returned a `PreparedStatement` object.

Executing a Prepared Statement

Once you have prepared the statement you are able to execute it whenever you need by passing the `PreparedStatement` object to the method:

```
public ResultSet executePreparedQuery(PreparedStatement prepStatement)
```

This runs your prepared statement and returns the results in a Java result set (`java.sql.ResultSet`) object.

Substituting Values

Prepared statements are able to have values passed in to them at execution time. You mark where these substitutions are to occur by using the question mark (?) character within your SQL. You can not substitute SQL keywords or table names, just data values.

For example:

```
<%@ page import="java.sql.PreparedStatement,
                java.sql.ResultSet"%>
<%@ include file="/gen/common.jsp" %>

<%
    flowName = "Order Flow";
    myStatus = "Deleted";

    PreparedStatement prepStatement;

    sql = "select flow_id, ActiveFlows, AvrgTime, status from flows " +
          " where flowname = ? " +
          " and status != ? ";

    // Prepare the statement
    prepStatement = dbConn.prepareStatement(sql);

    // Set the values to be used with this execution of the statement
    prepStatement.setString(1, flowName);
    prepStatement.setString(2, myStatus);

    // Execute the prepared statement
    results = dbConn.executePreparedQuery(preparedStatement);
%>
```

where:

- You construct the SQL statement as normal, however, you specify a question mark (?) wherever you wish to substitute a run-time value
- You use the `DBConnection` method `prepareStatement()` to prepare this statement, and it returns a `PreparedStatement` object

- When you come to execute this prepared statement, you need to set values for all of your substitutions

Here you set the two string values for the flow name that you want to find and the flow status that you require.

If you were substituting a non-string value you have a range of different methods available. For example:

```
setInt()  
setDouble()  
setTimestamp()  
etc.
```

Refer to the Java JDK documentation of `java.sql.PreparedStatement` for all available methods.

- You call the `executePreparedQuery()` method (on the database connection) to execute the prepared statement, and get the results

Which One to Use?

Most of your queries are probably going to be fixed SQL statements.

There are times when it is best to use a prepared statement. Here are some tips:

- If you need to substitute a date/time value into an SQL statement then you may find it easier to use a prepared statement

With a fixed SQL statement it can be difficult to get the date format correct.

- If you need to issue an SQL statement while you are looping through a previous SQL statement's result set, you need to use prepared statements

If you try to do nested SQL using fixed SQL statements you get a "Result set closed" error when you try to issue the second/inner SQL statement.

Additional Helper Beans

There are two additional Java beans that are worth knowing about:

- `com.hp.ov.bia.views.util.Constants`
- `com.hp.ov.bia.views.DBSql`

Constants Bean

This bean contains a set of defined constants that might be helpful when writing your SQL.

The following SQL statement was shown in an earlier code example:

```
sql = "select flow_id, ActiveFlows, flowname, status from flows " +  
      " where status != 'Deleted'";
```

The `status != 'Deleted'` relies on the fact that the string written into the HPBPI flows data table for a superseded flow is 'Deleted'. There is nothing wrong with using this, however you might wish to write your SQL where any HPBPI text strings are listed externally in one place. The `Constants` bean provides a list of known HPBPI strings used within the database.

You can refer to the javadocs for the `Constants` bean for all the available constants. (see `HPBPI-CD\docs\html\HPBPIJavadoc\index.html`)

Some example constants:

```
FLOW_STATE_COMPLETED = 'Completed'  
FLOW_STATE_DELETED   = 'Deleted'  
FLOW_STATE_IMPACTED  = 'Blocked'  
FLOW_STATE_IMPEDED   = 'Impeded'
```

As well as the javadocs, you can also access the Java code for the `Constants` bean. The code is located in:

```
webapps\hpbpi-bpd\WEB-INF\classes\com\hp\ov\bia\views\util\Constants.java
```

This means that, instead of writing your SQL as:

```
sql = "select flow_id, ActiveFlows, flowname, status from flows " +  
      " where status != 'Deleted'";
```

you could write it as:

```
sql = "select flow_id, ActiveFlows, flowname, status from flows " +  
      " where status != '" + Constants.FLOW_STATE_DELETED + "'";
```

The only difference is that, should HPBPI ever change the text values used within the database, then the `Constants` file would also be updated to reflect the new values...and the second code example (that uses the constants from the `Constants` bean) continues to work.

DBSql Bean

This bean contains a set of methods that issue SQL calls against the HPBPI database. These methods were written for the first generation of the HPBPI Business Process Dashboard - called the “Web console”. These methods are all still valid.

Most of the methods within the `DBSql` bean provide information that you can already request using the `flow` tag library, so you probably do not need to use them.

Associated Data Table

One of the reasons you would typically need to write custom SQL against the HPBPI database is if you need to construct a query across both your flow instances and their associated/related data instances. That is, your flow might be tracking orders and, for each order, you are holding information such as:

```
OrderID
ShipAddress
Value
CustID
CustAddress
CustType
```

If you want to construct an SQL query that filters all flow instances for certain customers and orders, you need to be able to join the flow instance data table with this flow's associated data table. (see *HPBPI Reference Guide* for details of the database schema.)...but how can you get the name of this associated data table?

Getting the Name of the Data Table

Each flow definition, within the `Flows` table, contains the ID of its associated/related data table. This data table ID is held in the `Primary_Entity` column. The `Primary_Entity` value corresponds to an entry in the `Data_Objects` table. When you look up the entry in the `Data_Objects` table, the column `InstanceTable` contains the name of the associated/related data table.

Let's look at some example code for returning the data table name, given a connection to the HPBPI database and the flowID. (This example code is written within a JSP so that it can be included easily in calling JSPs. You can obviously choose to write this as a standalone Java bean if you wish.)

Here is a JSP code example that returns the name of the associated data table, given a connection to the HPBPI database and a flow ID:

```
<%!  
public String getDataTableForFlowID(DBConnection dbConn, String flowId)  
    throws Exception  
{  
    String sql;  
    java.sql.ResultSet results = null;  
  
    // Find the ID of the table name  
    // -----  
    sql = "select primary_entity from flows where flow_id = '" + flowId + "'";  
  
    results = dbConn.executeQuery(sql);  
  
    String dataTableId = "";  
    if (results.next())  
    {  
        dataTableId = results.getString("primary_entity");  
    }  
  
    // Now look up the actual table name in the Data_Objects table  
    // -----  
    sql = "select InstanceTable from data_objects where model_id = '" +  
                                                dataTableId + "'";  
    results = dbConn.executeQuery(sql);  
  
    String dataTable = "";  
    if (results.next())  
    {  
        dataTable = results.getString("InstanceTable");  
    }  
  
    return dataTable;  
}  
>%
```

where:

- This example is written within a JSP structure
- The code uses the `Flows` table to locate the ID of the associated data table within the `Data_Objects` table.
- Once you have the data table ID, the code looks this up in the `Data_Objects` table to get the actual name of the data table.

Displaying the Associated Data Table Name

Here's in a example code segment that calls the `getDataTableForFlowID()` method to display the associated data table name for a given flow:

```
<%
// Get the flow ID
// -----

String flowId = "";
String flowName = "Order Flow";
%>

<h1>Flow Name is: <%= flowName %></h1>
<flow:flowOutlineList var="flowOutlineBean" nameFilter="<%= flowName %>" />

<%
if (flowOutlineBean != null)
{
    flowId = flowOutlineBean.getFlowId();
}

// Get the associated data table name
// -----
DBConnection dbConn = getDatabaseConnection(pageContext);
%>

<%@ include file="ex_db_methods.jsp" %>
<%
String dataTable = getDataTableForFlowID(dbConn, flowId);
%>

<h3>Associated Datatable name is: <%= dataTable %></h3>
<%
// Close the database connection for this page
dbConn.closeConection();
%>
```

where:

- The code to return the name of the associated data table is held in the file `ex_db_methods.jsp`.
- The `getDataTableForFlowID()` method then returns the name of the associated data table for this flow

You pass in both the current database connection and the flow ID.

SQL Issues

Deadlocks When Using a Microsoft SQL Server Database

It seems that, when using the MSSQL database system, you can create deadlocks quite easily.

The Deadlock Issue

If you issue SQL select statements that join tables together, it is possible to create a deadlock situation with other applications joining the same table...if they join the tables in a different order to you.

So, if you intend to use SQL select statements that join multiple tables together, you are advised to set the priority for database access to be low. You do this using the following MS SQL statement:

```
set deadlock_priority low;
```

You then need to write your custom dashboard to retry the SQL statement if it fails to access the data.

This prevents deadlock situations occurring in cases where your custom dashboard and the HPBPI Business Impact Engine are accessing database tables at the same time. In this case, your custom dashboard might initially fail to access the data; however, it would subsequently retry.

By setting the access priority to low for applications, the HPBPI Business Impact Engine has priority and its performance is not impacted by an application that requires only read-access to the data; see [The DBConnection Bean](#) on page 185.

This deadlock issue **does not apply** to an HPBPI implementation using an Oracle Server.

The DBConnection Bean

The `DBConnection` bean sets the deadlock priority to low and all SQL statements are performed within a retry loop. So, if you use the `DBConnection` bean to issue all your SQL statements against the HPBPI database, all deadlock and retry issues are handled for you.

Select Columns by Name

When developing your own SQL statements, you are advised against using `select *` statements; you are advised to specify all the required columns by name. The reason for this is one of future maintenance. If you select the columns by name, this continues to work if and when any additional columns are added to that table in a future product release. However, if you use the `select *` command, it may cause your customized dashboard to fail when used with a later version of HPBPI.

Example Customizations

Listing Specific Flow Instances

Let's consider an example where you put together a JSP page that lists all the flow instances that have taken longer than two hours to get to a given node

Assume you are given three things:

- The name of the flow
- The name of the node

This is the node that flow instances must have reached within the specified duration limit.

- The duration limit

The basic steps you need to follow are:

- Given the flow name, use the `flowOutlineList` tag to get the flow ID
- Convert the given node name into a node ID

Use the `flow` tag, followed by the `flowNodeList` tag (with a name filter).

- Get a connection to the HPBPI database
- Issue the SQL

This needs to find all flow instances that are currently active and have not yet reached the given node ID. This means that the node ID is in a state of "Initial".

- Loop through the returned list and display those that have been running for longer than the specified time (two hours)
- Close the database connection

Let's consider this in two parts, looking firstly at the required SQL query, and then how to call this SQL from within your JSP.

The SQL Query

The actual SQL required for this customization can be written as a reusable method. You could then place this method within the calling JSP, in its own JSP or within something like `gen/common.jsp`.

The method you require is as follows:

```
<%!
public java.sql.ResultSet notYetHere(DBConnection dbConn, String nodeId)
throws Exception
{
    String sql;
    java.sql.PreparedStatement prepStatement;
    java.sql.ResultSet results;

    sql = "select flow_instance.flowinstance_id, flow_instance.identifier," +
          " flow_instance.starttimelongmillis " +
          " from node_instance, flow_instance " +
" where node_instance.flowinstance_id = flow_instance.flowinstance_id " +
" and   node_instance.status = '" + Constants.NODE_STATE_NOT_STARTED + "'" +
" and   node_instance.node_id = ?" +
" and flow_instance.status != '" + Constants.FLOW_STATE_COMPLETED + "'";

    prepStatement = dbConn.prepareStatement(sql);
    prepStatement.setString(1, nodeId);

    results = dbConn.executePreparedQuery(prepStatement);

    return results;
}
%>
```

Let's look at the SQL statement in more detail:

- The selected columns

```
select flow_instance.flowinstance_id, flow_instance.identifier,
       flow_instance.starttimelongmillis
```

This selects three columns from the database. All three columns come from the `flow_instance` data table. The reason each column name is prefixed with the actual name of the `flow_instance` table is because some of the selected column names also appear in the `node_instance` table. The prefix makes sure that you fully specify each column to say exactly which data table you are referring to.

- The FROM clause

```
from node_instance, flow_instance
```

The columns are selected from a join of two data tables. This `select` statement joins the `node_instance` table with the `flow_instance` table.

- The WHERE clause

```
where node_instance.flowinstance_id = flow_instance.flowinstance_id
```

Because the `select` is joining two tables together, it must specify the column on which the tables are to be joined. This is specified in the `WHERE` clause of the `select` statement.

This part of the `where` clause is saying that the `select` must join entries where the value in the `flowinstance_id` column of the `node_instance` table, must match the value in the `flowinstance_id` column of the `flow_instance` table. In other words, match up the entries for the same flow instance ID.

```
and node_instance.status = ' ' + Constants.NODE_STATE_NOT_STARTED + ' '
```

This part of the `where` clause says that the `select` statement should match entries only where the `status` of the node instance is equal to the string `Initial`. (`Constants.NODE_SATE_NOT_STARTED = "Initial"`)

```
and node_instance.node_id = ?
```

This part of the `where` clause specifies that the node ID will be passed in to this statement at run time.

```
and flow_instance.status != ' ' + Constants.FLOW_STATE_COMPLETED + ' '
```

This part of the `where` clause says that the `select` statement should select entries only where the `status` column in the `flow_instance` table is not equal to the string `Completed`. (`Constants.FLOW_STATE_COMPLETED = "Completed"`)

In other words, select only flow instances that are still actively running.

The above SQL select statement joins the `node_instance` table with the `flow_instance` table, to return all flow instances that have not yet reached the given node ID. It returns a Java result set containing an entry for each matching flow instance. Each entry within this result set contains the following three columns:

```
    flowinstance_id
    identifier
    starttimelongmillis
```

The caller of this method is then able to loop through and process this result set.

The Calling JSP

Let's look at a code extract from a JSP that uses your `notYetHere()` method to display flow instances (for the flow: `Order Flow`) that have taken longer than two hours to reach the node `Ship Order`.

When displaying the list of slow flow instances, the JSP provides a link to the `gen/flowInstance.jsp` page to enable the user to see further details for any of the instances:

```
<%
String flowId = "";
String flowName = "Order Flow";

String nodeId = "";
String nodeName = "Ship Order";

final long oneHour = 3600000;    // 1 hour = 1*60mins*60secs*1000mSecs
long durationLimit = 2 * oneHour;
%>

<!-- Get the Flow ID for the flow -->

<flow:flowOutlineList var="flowOutlineBean" nameFilter="<%= flowName %>" />
<%
    if (flowOutlineBean != null)
    {
        flowId = flowOutlineBean.getFlowId();
    }
%>
```

```

<!-- Get the node ID for the node -->
<flow:flow flowId="<%= flowId %>" var="flowBean" />
<flow:flowNodeList flowBean="<%= flowBean %>" var="flowNodeBean"
                    nameFilter="<%= nodeName %>" />
<%
    if (flowNodeBean != null)
    {
        nodeId = flowNodeBean.getNodeId();
    }
%>

<!-- Get a database connection -->
<%
    DBConnection dbConn = getDatabaseConnection(pageContext);

    // Call the notYetHere() method

    ResultSet results = notYetHere(dbConn, nodeId);

    // Set up some variable

    long    flowInstanceStartTime = 0;
    long    nowTime = System.currentTimeMillis(); // Sets the time to now!
    double duration;

    String flowInstanceId = "";
    String identifier = "";

    // Some helpers to display the duration in hours
    NumberFormat df = DecimalFormat.getNumberInstance();
    df.setMaximumFractionDigits(2);           // 2-digit precision

%>

<!-- Loop through displaying slow flow instances -->
<table cellpadding="0" border="1">
    <tr>
        <th>Identifier</th>
        <th>Duration</th>
    </tr>
<%

```

```

while(results.next())
{
    flowInstanceStartTime = results.getLong("starttimelongmillis");

    // Check how long this flow instance has been running for...
    duration = nowTime - flowInstanceStartTime;
    if (duration > durationLimit)
    {
        // Display this one to the screen

        flowInstanceId      = results.getString("flowinstance_id");
        identifier           = results.getString("identifier");
        %>
        <tr>
<td>
        <a href=../gen/flowInstance.jsp?flowinstanceid=<%= flowInstanceId %> >
        <%= identifier %></a>
</td>
<td>
        <%= df.format(duration/oneHour) %> Hours
</td>
        </tr>
        <%
    }
}
%>
</table>
<%
// Close the database connection for this page
dbConn.closeConection();
%>

```


Joining the Associated Data

When deriving statistics from the HPBPI database you often do not need to use anything more than the standard tables such as:

```
flows
flow_instance
nodes
node_instance
```

The schemas (layouts) for these tables are all listed in the *HPBPI Reference Guide*.

You might need to produce statistics that require additional “business” data associated with each flow instances.

This “business” data is held in an associated (related) data table that is uniquely named for each deployed flow, and the layout of each of these data tables is unique for that data definition.

To get the name of the associated data table for a given flow, refer to [Associated Data Table](#) on page 182.

Once you have the name of the associated data table, you need to join it to the flow instance table. This is done by joining the following two fields together:

```
flow_instance.primary_entity_inst
datatablename.id
```

Let's consider an example:

You have been asked to produce a customized dashboard that lists the instances of the `Order Flow` showing the individual order data.

That is, produce a list of flow instances for the `Order Flow`, and for each flow instance, list the order details such as: order number, customer ID and order value (showing the actual currency type)

To do this, you need to do the following:

- Get the flow ID for the `Order Flow`
- Get the name of the associated data table for this flow
- Issue an SQL query that returns all the active order details. This query needs to:
 - Join the flow instance table with the associated data table
 - select the fields: `ordernumber`, `customerid`, `value` and `value_code`, for all active flow instances

If it also selects the flow instance ID, then the resultant Web page can set up a link from each order to the `gen/flowInstance.jsp` page.

- Display the list of orders

Let's consider this in two parts, looking firstly at the required SQL query, and then how to call this SQL from within your JSP.

The SQL Query

The SQL is written as a reusable method. You can place this method within the calling JSP, in its own JSP or within something like `gen/common.jsp`.

The method to return the order details is as follows:

```
<%!
public java.sql.ResultSet getOrderDetails(DBConnection dbConn,
                                         String dataTable,
                                         String flowId)
throws Exception
{
    String sql;
    java.sql.PreparedStatement prepStatement;
    java.sql.ResultSet results;

    // This joins the flow_instance and assoc data table together.

    // It returns the flowinstance_id followed by columns specific
    // to the order data definition.
    // It only selects flows that are still active.

    sql = "select flow_instance.flowinstance_id, " +
          dataTable + ".ordernumber, " +
          dataTable + ".customerID, " +
          dataTable + ".value, " +
          dataTable + ".value_code " +
          " from flow_instance, " + dataTable +
" where flow_instance.primary_entity_inst = " + dataTable + ".id" +
" and   flow_instance.flow_id = ?" +
" and   flow_instance.status != '" + Constants.FLOW_STATE_COMPLETED + "'";

    prepStatement = dbConn.prepareStatement(sql);
    prepStatement.setString(1, flowId);

    results = dbConn.executePreparedQuery(prepStatement);

    return results;
}
%>
```

The Calling JSP

Let's look at a code extract from a JSP that uses this `getOrderDetails()` method to display the list of active orders (for the flow: Order Flow)

When it displays each order, it provides a link to the `gen/flowInstance.jsp` page to enable the user to see further details for any of the orders:

```
<%
    String flowId = "";
    String flowName = "Order Flow";
%>
<!-- Get the Flow ID for the flow -->

<flow:flowOutlineList var="flowOutlineBean" nameFilter="<%= flowName %>" />
<%
    if (flowOutlineBean != null)
    {
        flowId = flowOutlineBean.getFlowId();
    }
%>
<!-- Get a database connection -->

<%
    DBConnection dbConn = getDatabaseConnection(pageContext);
%>

<!-- Get the name of the associated data table for this flow -->

<jsp:useBean id="sqlBean" class="com.hp.ov.bia.views.DBSql" scope="page"/>
<%
    String dataTable = sqlBean.dbGetDataTableForFlowID(dbConn, flowId);
%>

<%
    // Call the SQL query

    ResultSet results = getOrderDetails(dbConn, dataTable, flowId);

    String flowInstanceId = "";
    String orderNumber = "";
    String custId = "";
    double value = 0;
    String valueCode = "";

    // These are here to help with the display of the value field
    NumberFormat df = DecimalFormat.getNumberInstance();
    df.setMaximumFractionDigits(2);          // 2-digit precision
%>
```

```

<h1>Current Orders</h1>
<table cellpadding="0" border="1" >
  <tr>
    <th>Order Number</th>
    <th>Customer ID</th>
    <th>Value</th>
  </tr>
  <%
  // Now loop through the returned orders - displaying them as you go.
  while(results.next())
  {
    flowInstanceId = results.getString("flowinstance_id");
    orderNumber    = results.getString("ordernumber");
    custId         = results.getString("customerID");
    value          = results.getDouble("value");
    valueCode      = results.getString("value_code");
    %>
    <tr>
      <td><a href=../gen/flowInstance.jsp?flowinstanceid=<%= flowInstanceId %>>
        <%= orderNumber %></a>
      </td>
      <td><%= custId %></td>
      <td><%= df.format(value) %> <%= valueCode %></td>
    </tr>
    <%
  }
  %>
</table>
<%
// Close the database connection for this page
dbConn.closeConection();
%>

```

Lab - Direct SQL

The purpose of this lab is to get you accessing the HPBPI database directly from within your JSPs.

Time to a Node

- Create a new JSP
- This JSP is to list flow instances for the flow `Order Flow`, but only show flow instances that have taken longer than 30 minutes to get to the node: `Ship Order`

Once this is working, change the JSP to report as follows:

- Report against the flow: `Call System`
- Only list flow instances that have taken longer than 10 minutes to get to the node: `Open`

Well done! You have reached the end of the lab.