

HP Business Service Management

For the Windows and Linux operating systems

Software Version: 9.20

What's New

Document Release Date: October 2012

Software Release Date: August 2012



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2005 - 2012 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® and Acrobat® are trademarks of Adobe Systems Incorporated.

AMD and the AMD Arrow symbol are trademarks of Advanced Micro Devices, Inc.

Google™ and Google Maps™ are trademarks of Google Inc.

Intel®, Itanium®, Pentium®, and Intel® Xeon® are trademarks of Intel Corporation in the U.S. and other countries.

iPod is a trademark of Apple Computer, Inc.

Java is a registered trademark of Oracle and/or its affiliates.

Microsoft®, Windows®, Windows NT®, Windows® XP, and Windows Vista® are U.S. registered trademarks of Microsoft Corporation.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

UNIX® is a registered trademark of The Open Group.

Acknowledgements

This product includes software developed by the Apache Software Foundation (www.apache.org).

This product includes software developed by the JDOM Project (www.jdom.org).

This product includes software developed by the MX4J project (mx4j.sourceforge.net).

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to:

<http://h20230.www2.hp.com/selfsolve/manuals>

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

Or click the **New users - please register** link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

This document was last updated: Sunday, November 11, 2012

Support

Visit the HP Software Support Online web site at:

<http://www.hp.com/go/hpsoftwaresupport>

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

To find more information about access levels, go to:

http://h20230.www2.hp.com/new_access_levels.jsp

What's New in BSM 9.20

This file provides information about new features and enhancements to HP Business Service Management (BSM) 9.20.

BSM Platform and Shared Services

Installation and Upgrade Improvements

- Reassembly is no longer required when downloading the BSM 9.20 files in electronic package format. However, because these files are greater than 2GB, they cannot be downloaded using Internet Explorer 6.
- Upgrade now available from BAC 8.07 and BSM 9.01 to BSM 9.20 with staging (using Staging Data Replicator and Data Transfer Tool)
- Upgrade available from BSM 9.12 via staging or directly to BSM 9.20

Security Enhancements

Significant improvements in the security area.

Middleware Updates

The following middleware components were updated to more recent versions for improved security and supportability: Java, Sonic Bus, Apache web server, Tomcat.

Platform Enhancements

- System Health Improvements
 - Added ability to manage BPM monitors per instance instead of aggregative monitors
 - Added ability to set different alerts on different BPM instances
 - Added JMX encryption to enable connecting System Health in secure BSM environments
- User permissions enhancement
 - You can now customize the default page and available menu items at a group level. This means that you can restrict access to features or set default pages for all users in a group, including all members of sub-groups that are part of a parent group. If you restrict access to a feature or report for a group, all members of that group will not have access to the feature and you will not be able to override the setting for individual users.

Performance Graphing

- Support for Diagnostic Data source
- Performance grapher available on all domains

- Does not require an OMi Event Foundation License
- Performance improvements

MyBSM and Service Health Dashboards

- Added Watch List, which provides a high level health overview of critical CIs from different views (without having to create a view that contains those CIs). This is useful for dashboards or NOCs displaying health overview on big screens
- Updated Top View
 - Provides cleaner overview of CI status
 - Default displays CI status only, but KPIs can be shown as well
 - Double-click or click on center button to center on CI (new behavior)
 - Single-click no longer moves tree
 - On click, show Business Impact and KPIs
 - Find CI from toolbar
 - Path to root
 - Problematic subtree
 - Based on open source component
- Local Impact View (LIV) delete KPI - provides ability to delete KPI/BI in specific LIV with no impact on the standard view or other LIVs

Service Health Analyzer

- New Anomaly highlights page
- New application tab allows viewing all open anomalies
- Lower total cost of ownership, as no longer need Analytics Server (unless required to extract PA/OM data)
- Improve anomaly isolation, for example ability to identify the CI with the most abnormal metric as possible cause
- Increase out-of-the-box (OOTB) content, including OOTB support for virtualization metrics from SiteScope or PA/OM

Application Performance Management

End User Management

- Automated baselines have been added to the EUM Metric Over Time report (metric: Transaction Response Time (with baseline)) and are available for thresholds for generating alerts. The user can select which applications should have calculated baselines. The baseline values are

adjusted according to seasonality (e.g., day of week, time of day) to give alerts based on what is normal for the application based on historical data.

- Enhanced ALM integration provides the ability to export RUM data from product monitoring (e.g., number of user sessions for the peak hour) into ALM to improve pre-production testing. This also provides the ability to export SiteScope measurements, templates, and application topology from CMDB to ALM for pre-production testing.
- Improved EUM Reports:
 - “Group By” in custom reports
 - Show only locations monitoring the application in the locations filter
 - Five minute granularity in BPM Performance over Time and Metrics over Time reports

HP Business Process Monitor 9.13 (new features since BPM 9.02)

- Supports scripts recorded in LoadRunner 11 patch 3
- Ability to automatically update BPM configurations in EUM when the BPM agent IP address changes
- Mobile protocols - new protocols enabling monitoring of mobile applications. Traffic based analysis is used for native applications and Ajax TruClient technology is used for browser-based mobile applications.
- Support for component breakdown in Ajax TruClient scripts
- Tomcat version upgraded to version 7.11 to enhance security
- Enhanced sensitive data encryption for scripts with AES 256 bits key algorithm
- Enhanced reports for synthetic monitoring of mobile applications:
 - Overview application mobile device user experience in comparison to non-mobile device using Application Summary report
 - Overview application performance and availability distribution by device in Application Health report
 - View application performance and availability over time for different devices in BPM Performance Over Time report
 - Analyze transaction behavior according to the end-user device in Performance Analysis reports
 - View distribution of errors reported by BPM according to emulated device in BPM Error Summary
 - Filter all BPM reports according to mobile device
 - Graph different synthetic monitoring metrics per device
- Alerts by mobile device type - alerts can now be generated based on performance and availability problems by device using the existing, advanced BSM alerting mechanism
- Service Health by mobile device type - view real time synthetic performance and availability of

application and its transactions for each of the different devices in BSM Service Health

- BPM monitoring of your mobile applications using real mobile devices - BSM software and Perfecto Mobile services provide technology for you to monitor the end user experience of your mobile applications. The solution allows you to create scripts that are executed on a mobile device (available from Perfecto Mobile) using your existing BPM points of presence. The solution combines BPM with HP QuickTest Professional automated testing software and Perfecto Mobile MobileCloud for QTP, a cloud-based, mobile testing solution that lets you execute scripts on any of Perfecto Mobile's hundreds of REAL devices located and connected to LIVE networks around the world. Devices are available via a subscription model from Perfecto Mobile.

HP Real User Monitor 9.20

- Protocol support and predefined application templates
 - SAP GUI protocol support that enables monitoring application and network performance of SAP GUI clients. RUM supports auto transaction detection based on SAP TCODEs, trace an individual user's session, detect and filter by username.
 - AMF (Flex) protocol support that enables monitoring Flex-based applications.
 - MQ protocol support that enables monitoring traffic used in message based communication layers. Data that can be extracted provides descriptive information, such as channel and queue names, type of the message (PUT/GET) and more.
 - GRE protocol support enables span port also over GRE tunnel (for Cisco Nexus virtual switches) to simplify traffic monitoring in virtualized environments.
 - Application template for monitoring Quality Center application – out of the box template provides instant value in monitoring HP Quality Center by using predefined key session properties.
- Web tier breakdown
 - Simplified multi-tier configuration – redundant web tier configuration for web tiers of the same application was removed.
 - Break front-end web based tiers accurately and more granularly to speed isolation – i.e., tier 1 load-balancer, tier 2 reverse-proxy, tier 3 web-server, tier 4 web-application.
- Automatic threshold baseline for page download time and page server time thresholds.
- Support monitoring of IPv6 based traffic.
- Integration with HP Universal Discovery (UD) – RUM can serve as a credential-less, passive discovery probe that results in just-in-time discovery.
- Enhanced RUM views in Service Health bring the true value of RTSM by automatically connecting underlying application infrastructure to RUM Business Applications/Transactions CIs.
- Search for Session id in Content is now available through EUM Admin.
- Performance and quality improvements.

HP TransactionVision 9.20

- New Simplified OS Instance Licensing Model
- Significant performance and stability improvements, and simplified install in the z/OS Agent
- Processing Server and Agent platform support updates
- Improved Stability: over 70 maintenance updates
- New Transaction Management UI localization support for German, Japanese, Korean, Russian, and Spanish
- Upgrade support for 8.0x, 9.0x, and 9.1x to 9.20

HP Diagnostics 9.20

BSM 9.20 integrates with the recently released Diagnostics 9.20. For details on new features in Diagnostics 9.20, see the Diagnostics 9.20 release notes.

SiteScope 11.20

BSM 9.20 integrates with the recently released SiteScope 11.20. For details on new features in SiteScope 11.20, see the SiteScope 11.20 release notes.

Service and Operations Bridge

BSM Connector

BSM Connector combines the technology used by HP BSM Integration Adapter with that of HP SiteScope Technology Integration Monitors to create a unified solution for integration of third-party managers, applications, and enterprise management systems. BSM Connector 9.20 provides the following capabilities:

- Discover topology from the product BSM Connector connects to (based on log files, database tables, Web services, or custom data sources using topology scripts); discovered topology populates RTSM
- Get events (from log files, database tables, Web services, XML files, SNMP traps, Open Message Interface messages, or scheduled tasks)
- Get metrics (from log files, database tables, or Web services); metrics are stored in the BSM Profile Database
- Define policies using Web-based UI
- Synchronize events
- Manage BSM Connector from BSM
- Backward compatibility with previous integrations based on BSM Integration Adapter (SiteScope Technology Integration Monitors remain available for existing integrations in BSM 9.20 since there is no migration tool from SiteScope Technology Integration Monitors to BSM)

Connector yet; for new integrations, BSM Connector should be used)

- Supports BSM's open integration strategy, providing out-of-the-box connectors to HP and third-party products. This enables expanding connectivity of BSM and related products (Operations Manager *i*, Service Health Analyzer). Customers can access connectors via HP Live Network (HPLN); NNMi Connector, BSM Connector for Nagios, BSM Connector for Microsoft SCOM, and BSM Connector for IBM Tivoli are already available. HP certified partners will also be able to build their own connectors and post them on HPLN. See the HP Live Network site <https://hpln.hp.com/group/bsm-integrations>.

Operations Manager *i*

Simplification

- New event dashboards

Event Dashboards provide an at-a-glance overview of the events from the environment you are monitoring. Event Dashboards enable you to quickly assess the health of the environment and to identify areas that require your attention.

For example, operators might use Event Dashboards in the following ways:

- To get an overview of their monitored environment
- As an Operations Center Dashboard that is displayed on large screens
- As a starting point for daily management operations
- To quickly apply event filters to the event browser
- To keep an eye on the monitored environment while working on an event

Event Dashboards display status information using different types of widgets (for example, stack and pie widgets). Each widget references an event filter, a view, or both, and only displays the status of those events that match the criteria of the filter and that are related to the configuration items included in the referenced view.

In BSM, Event Dashboards are available as MyBSM components and can be added to MyBSM pages as required.

- Shared event filters

In the Event Browser, shared filters are available for all users to apply. Users with permissions to create shared filters can modify or delete a shared filter. This allows administrators to prepare event filters that are used by multiple users.

- View-based authorization in event browser

Administrators can now configure views such that operators can only see events that belong to views for which the operator has permissions. This helps in separating operator groups and assures that operators only see those events they are responsible for.

- Simplified setup/upgrade

The certificate setup on the Gateway and Data Processing servers is now totally automated and no longer requires the manual execution of commands. Granting certificates from BSM

Connector or SiteScope systems can now be done from within the BSM console using the new Certificate Requests Admin UI and also supports automatic granting of certificates.

- Reduced memory footprint
- Color event background in accordance with the event's severity

Applies a colored background that represents the severity of the event to the event in the Event Browser. Event background coloring includes "Color all events" and "Color only events assigned to current user"

Automation

- Stream-based event correlation

Stream-based event correlation (SBEC) uses rules and filters to identify commonly occurring events or combinations of events, and helps simplifying the handling of such events by automatically identifying events that can be withheld, removed, or need a new event to be generated and displayed to the operators.

The following types of SBEC rules can be configured:

- Repetition rules: frequent repetitions of the same event may indicate a problem that requires attention
 - Combination rules: a combination of different events occurring together or in a particular order indicates an issue, and requires special treatment
 - Missing recurrence rules: a regularly recurring event is missing, for example, a backup event does not arrive when expected
- Advanced TBEC rules: correlation rule weighting and potential cause events

Correlation rule weighting can now be used in TBEC rules to override existing cause-symptom relationships. Potential cause events are now shown on the Potential Cause tab inside the Related Events tab.

For example, two events are received:

- an application failure event
- a database problem event for the database used by the impacted application

The database failure is marked as cause for the application failure. Subsequently, an application server down event for the application server that our application is running on is received. The new event is a more appropriate cause with a higher weighting and therefore replaces the database problem event as cause.

The database problem event is now shown as possible cause event in the Potential Causes sub-tab located in the Related Events tab. Additional information, such as the rule weight factor, and the time when the event was received, are also displayed.

Operators can inspect all possible causes for a symptom event, better understand the matching correlation rules, and, if they have the appropriate permissions, manually change the cause of that event to any one of the available alternatives when investigating a problem.

- Automatic event storm detection

Operations Manager *i* can be configured to look for event storms from managed systems and discard all subsequent events until the event storm condition for a particular system is over.

Exception rules can be defined so that important events, for example security-related events, from a system under event storm condition are still displayed.

- Automatic event archiving

Closed events are now automatically archived and deleted from the event database after a configurable time. Archives are automatically zipped and can be stored on disk or on HP Cloud Object Storage.

- Automatic user group assignments based on view filters

Automatic user group assignments can now assign events based on event and view filters. This allows administrators to assign events belonging to view A to another operator group then events belonging to a view B.

Dynamic Environments

Automatic creation of node CIs based on incoming events:

In highly dynamic (virtual/cloud-based service) environments, new nodes are generated and decommissioned repeatedly and often. Discovery processes are sometimes too slow to detect them and create the required related CI. To ensure that it is possible to manage events received from dynamically generated nodes, Operations Manager *i* can create these node CIs automatically when events arrive. Node CIs can be automatically created if the node information inside the event matches a whitelist of IP ranges, node name patterns, or both.

Integrations/Content

- BSM Connector for Tivoli (TEC, ITM, Netcool)
- Content Packs for Microsoft IIS, SAP
- New content pack for SAP
- New TBEC rules for Oracle and Microsoft SQL Server Content Pack
- Updated TBEC rules for Microsoft Exchange Server and Infrastructure Content Packs

RTSM

- BSM 9.20 supports UCMDB Content Pack 10.01, which was released with RTSM 9.05.
- Improvements in Discovery Usability
 - UCMDB now enables you to add a description for an IP address range on a Data Flow Probe to more easily differentiate between ranges.
 - You can now add a new or cloned resource directly into an existing discovery package.
 - You can now choose whether or not to "touch" or update the last access time of CIs after running discovery. By disabling touch, you can ensure that the information is added to the CIs but that their Last Access Time remains unchanged. This prevents the touch from affecting

the aging mechanism for those CIs.

- The global filtering feature, which filters results sent by the probe to the UCMDB, now includes the option for recursive filtering, enabling you to not only filter out a CI so that it is not included in the filter results, but also any of the selected CI's contained CIs or relationships.
- HP Service Manager and Other Integration Enhancements

The following enhancements were developed to significantly improve integration with HP Service Manager version 9.30 using the SM Content Pack UCMDB_Enhancement version 9.31. The UCMDB adapter for this integration is packaged in CP 10 Update 1 which is also bundled with UCMDB 9.05. These enhancements can apply to other integrations if those adapters implement the appropriate code and are configured to use these enhancements.

- The UCMDB push engine capacity was improved from 1 to 6 million CIs and their relationships per TQL. (This improved capacity is dependent on the specific adapter's own capacity limitations.)
- When pushing data to SM, more complex TQLs (TQLs that hold multiple levels) can be used, where previously only TQLs of two levels were supported.
- Improved performance for pushing virtual relationships (compound and virtual-join).
- Better visibility of warnings and error messages related to both population and push flows.
- Added the ability to repush CIs that returned errors and warnings.
- A new Java API was added to more easily identify Global IDs for UCMDB IDs and vice versa. This is particularly useful when integrating with other HP Software products.
- Improved CI Management
 - You can now include CIs from external data sources (federated CIs) in a view, by defining the base query to run over integration points for federated data sources. The federated CIs appear in the view with an arrow icon indicating that they are from a federated source. This option is also available when getting related CIs and running a CI Conditional search.
 - In the CI Type Manager, data model information for selected CI types and relationships can now be exported to Microsoft Excel (previously only the PDF format was available). You can also select which data model information to include in the report.
 - UCMDB now supports more flexible identification rules for CI instances. You can now change or remove the key attributes of an existing CIT and switch the identification method, if the key attribute values for all instances of that CIT are unique.
 - You can now click a Cancel button if an operation involving a request to the server, such as searching for CIs or calculating a TQL, is taking a long time to complete. Canceling the operation restores the user interface, enabling you to continue working.
- Modeling Studio Precision Improvements
 - When CIs are dynamically added to Pattern Based Models, the models are calculated at the time they are saved and the TQL query runs at specific intervals to update the model. You can now set the starting date and time, and repeat intervals for the pattern-based model updates. You can also use a cron expression to set the updates to run. The repeat interval must be evenly divisible in a 24-hour period to ensure that the updates are performed at the same hours each day. The settings you select also apply to all pattern-based models created subsequently.

- You can now export and import Pattern-based models using Package Manager. When you export a pattern-based model, the underlying TQL query of the model, as well as an enrichment used to update the model content, are added to the package (the CIs themselves are not added). When you view the package resource, or deploy or undeploy the package, only those resources are displayed. The model name does not appear.
- When querying the CMDB API, the new Element Layout tab in the Query Node Properties dialog box, enables you to specify the attributes to include in the query results for each query node or relationship in a TQL query. When you make a selection of the attributes to include in the query results for a particular CI type, the selection also applies to all of its descendant CI types. You can manually exclude specific attributes for descendant CI types.
- When building a perspective-based view, you can open the perspectives directly from the View Editor to preview them. The perspectives are opened in a new tab in Modeling Studio.

Documentation and Online Help

- Planning and deployment guides are now available only from the HP SSO Product Manuals Site, to ensure that the most accurate and up-to-date versions of these documents are accessible to customers. The **Get_Documentation.htm** file, which is available from the BSM installation DVD root, from the BSM Online Help system, and from the BSM Help menu, provides deep links into all the documents needed to plan and install or upgrade BSM.
- The BSM Online Help system now uses a new Webhelp engine that improves performance, enables more robust search capabilities (including boolean and string searching), provides quick toggling of the navigation pane, and enhances navigation with options for going to the previous or next topic or for going forward or backward in the browsing history.
- Rearchitecture of the Help assets to provide user/role/need-based access to the key documents used by administrators and users at the different stages of BSM lifecycle (from planning, to installation/upgrade, to platform setup, modeling and monitoring setup, application setup, day-to-day usage, and advanced configuration).
- Cleaner Home page design with links to getting started documents, integration and best practices documents, quick links to main online Help areas, and links to key HP Software support and community sites.