

# HP Operations Orchestration Software

Software Version: 7.60

## Flows and Operations

Document Release Date: November 2009

Software Release Date: November 2009



## Legal Notices

### Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notices

© Copyright 2008 Hewlett-Packard Development Company, L.P.

### Trademark Notices

All marks mentioned in this document are the property of their respective owners.

## Where to find Help, tutorials, and more

The HP Operations Orchestration Software (HP OO) documentation set is made up of:

- Help for Central  
Central Help provides information to the following:
  - Finding and running flows
  - For HP OO administrators, configuring the functioning of HP OO
  - Generating and viewing the information available from the outcomes of flow runsThe Central Help system is also available as a PDF document in the HP OO home directory, in \Central\docs.
- Help for Studio  
Studio Help instructs flow authors at varying levels of programming ability.  
The Studio Help system is also available as a PDF document in the HP OO home directory, in \Studio\docs directory.
- Animated tutorials for Central and Studio  
HP OO tutorials can each be completed in less than half an hour and provide basic instruction on the following:
  - In Central, finding, running, and viewing information from flows
  - In Studio, modifying flowsThe tutorials are available in the
  - Studio Welcome pane
  - HP OO\Studio home directory, in the Tutorials subdirectory
  - The Opaware Network

- Self-documentation for HP OO operations, flows, and Accelerator Packs  
Self-documentation is available in the descriptions of the operations and steps that are included in the flows.

## Finding or updating documentation on the Web

Documentation enhancements are a continual project at Hewlett-Packard Software. You can obtain or update the OO documentation set and tutorials at any time from the HP Support web site.

### To obtain HP OO documentation and tutorials

1. Go to the HP Software Product Manuals web site  
(<http://support.openview.hp.com/selfsolve/manuals>).
2. Log in with your HP Passport user name and password.

OR

If you do not have an HP Passport, click **New users – please register** to create an HP Passport, then return to this page and log in.

If you need help getting an HP Passport, see your HP OO contact.

3. In the **Product** list box, scroll down to and select **Operations Orchestration**.
4. In the **Product Version** list, click the version of the manuals that you're interested in.
5. In the **Operating System** list, click the relevant operating system.
6. Click the **Search** button.
7. In the **Results** list, click the link for the file that you want.

## Support

For support information, including patches, troubleshooting aids, support contract management, product manuals and more, visit one of the two following sites:

- <https://support1.opsware.com/support/index.php>
- [http://www.hp.com/go/hpssoftware/DCA\\_support](http://www.hp.com/go/hpssoftware/DCA_support)

# HP Operations Orchestration 7.60 Flows and Operations

## 📁 Accelerator Packs

### 📁 Active Directory

- Find Inactive Domain Administrators
- Find Inactive Users
- Fix Root Hints

### 📁 Diagnostics

- DNS Event Check
- Is Account Locked

### 📁 Health Check

- Verify SRV Record

### 📁 Utility

- Create New User
- Create New User Group

### 📁 Application Servers

#### 📁 BEA WebLogic

##### 📁 Health Check

- Check Application State
- is Application Up
- is WebLogic Up

##### 📁 Information Gathering

- Query Configuration Manager
- Query Domain Configuration
- Query Domain Runtime
- Query Server Configuration
- Query Server Runtime

##### 📁 Utility

- Configure Application Deployment Attribute
- Configure Server Attribute
- Deploy Application
- Restart Application
- Restart Server
- Start Application
- Stop Application
- Total Server Shutdown
- Undeploy Application
- Wait For State

#### 📁 Citrix Presentation Server

##### 📁 Health Check

- Load Analysis

##### 📁 Information Gathering

- Get List of Applications
- Get Servers
- Get Sessions

- Query Application
- 📁 **Utility**
  - Add User to All Applications
  - Add User to Application
  - Get All Users
  - Get Farm Name
  - Modify Application
  - Remove User from All Applications
  - Remove User from Application
- 📁 **Jboss**
  - 📁 **Health Check**
    - Active Sessions
    - Server Start Date
    - Session Maximum Alive Time
  - 📁 **Information Gathering**
    - Cache Maximum Size
    - Free Memory
    - JBoss Server Version
    - Java Version
    - Server Home Directory
  - 📁 **Sub Flows**
    - JBoss Action
  - 📁 **Utility**
    - Query MBean
    - Run Finalization
    - Run Garbage Collection
- 📁 **Tomcat**
  - 📁 **Health Check**
    - Security Roles
    - Session Statistics
    - Tomcat Application Health
  - 📁 **Information Gathering**
    - JNDI Resources List
    - Server Information
    - Tomcat Application List
  - 📁 **Utility**
    - Deploy Application
    - Reload Application
    - Start Application
    - Stop Application
    - Tomcat Service Restart
    - Undeploy Application
- 📁 **WebSphere**
  - 📁 **Health Check**
    - Check Thread Health
  - 📁 **Information Gathering**
    - Gather JVM Details
    - Gather Server Details
    - Get System Property
    - JMS Port Details

- 📁 **Utility**
  - Dump Threads
  - Generate Heap Dump
  - Get Versions For All EFixes
  - Get Versions For All Extensions
  - Restart Server
  - Stop Server Immediately
  - Stop Server Process
- 📁 **Database**
  - 📁 **Microsoft SQL Server**
    - 📁 **Diagnostics**
      - SQL Event Log Diagnostic
      - SQL Server Diagnostic
    - 📁 **Health Check**
      - Allocation Information for DB
      - Integrity Check for DB
      - Integrity Check for Table
      - SQL Manager Statistics
    - 📁 **Information Gathering**
      - Connectivity Test
      - Database Size
      - List of Databases
      - No of Active Connections
      - No of Processes
      - Table Size
    - 📁 **Utility**
      - Database Read System Tables Test
      - Database Write Diagnostic
      - MS SQL Server Connectivity
      - SQL Server Repair
      - SQL Server Soft Reset
  - 📁 **Oracle**
    - 📁 **Diagnostics**
      - Tablespace Diagnostics
    - 📁 **Health Check**
      - Blocking sessions
      - Database Size
      - No of Active Connections
      - Wait Class
    - 📁 **Information Gathering**
      - All Stream Rules
      - Database Startup Time
      - Dictionary View Columns
      - Dictionary Views
      - Get Database Status
      - Get Space Information in TEMPORARY Tablespace
      - National Language Support Parameters
      - Object Distribution
      - Version Banners
      - View RMAN Output

XML Schemas  
Your Stream Rules

📁 **All Objects**

- All Objects
- Collection Types
- Dependencies
- Invalid Objects
- Object Count by Type
- Public Database Links
- Public Synonyms

📁 **Application Express**

- Applications
- Pages
- Schemas
- Workspace

📁 **Database Administration**

- All Parameters
- Cursor Detail
- Cursors by Sessions
- Locks by User
- Non Default Parameters

📁 **All Tables**

- All Indexes
- All Table Comments
- All Tables
- All Triggers
- Clusters
- Column Comments
- Columns
- Datatype Occurrences
- Disabled Triggers
- Enabled Triggers
- Index Organized Tables
- Indexes by Status
- Indexes by Type
- Largest Average Row Length
- Most Rows
- Partitioned Tables
- Statistics
- Table Count by Tablespace
- Table with Comments
- Table with Unindexed Foreign Keys
- Table without Comments
- Tables Without Indexes
- Tables Without Primary Keys
- Tables by Tablespace
- Trigger Summary
- Unusable Indexes

📁 **Constraints**

- All Constraints
- Check Constraints
- Disabled Constraints

- Enabled Constraints
- Foreign Key Constraints
- Primary Key Constraints
- Unique Constraints

📁 **Sessions**

- Active Sessions
- Background Sessions
- Inactive Sessions
- Session Counts by OS User
- Session Counts by Status
- Sessions
- Sessions by Module
- Sessions by Username
- System Sessions

📁 **Storage**

- Datafiles
- Free space
- Offline Tablespaces
- Tablespace Quotas
- Tablespace Segments
- Tablespaces

📁 **Users**

- All users
- Count by Account Status
- Count by Default Tablespace
- Count by Profile
- Count by Temporary Tablespace
- Expired
- Locked
- Object Count by Type
- Recently Created
- With Objects
- Without Objects

📁 **Jobs**

- All jobs
- DBA jobs
- Your jobs

📁 **PLSQL**

- Program Unit Arguments
- Search Source Code
- Unit Line Counts

📁 **Security**

- All Encrypted Columns
- All Grants
- Audit Policies
- Column Privileges
- Counts by Grantor
- Grant DML
- Grant Execute
- Grant Select
- Grantable



- Object Grants
- Policies
- Role Privileges
- System Privileges
- Your Encrypted Columns
- 📁 **Sub Flows**
  - Set Variable Subflow
- 📁 **Top SQL**
  - Top SQL by Buffer Gets
  - Top SQL by Buffer Gets per Rows Proc
  - Top SQL by CPU
  - Top SQL by Disk Reads
  - Top SQL by Executions
- 📁 **Utility**
  - Buffer Cache Hit Ratio
  - Cache Hit Ratio
  - Identify Index Fragmentation
  - Library Cache Hit Ratio
  - Rollback Segments
- 📁 **Sybase**
  - 📁 **Diagnostics**
    - Threshold Check
  - 📁 **Health Check**
    - Allocation Information for DB
    - Allocation Information for Table
    - Integrity Check for DB
    - Integrity Check for Table
  - 📁 **Information Gathering**
    - Database Size
    - List of Databases
    - No of Active Connections
    - Table Size
  - 📁 **Utility**
    - Backup Database
    - Default Database
    - Restore Database
- 📁 **Exchange**
  - 📁 **Diagnostics**
    - Check for Max Size Limit (16GB or 75GB)
  - 📁 **Health Check**
    - Exchange Server Health
    - Outlook Web Access Health
    - User Mailbox Health
  - 📁 **Utility**
    - Check Read Permission ADConfig
    - Check Rights to Store
    - Check TMP Drive Access
    - Check for Removed Permissions
    - Clean Exchange Files
    - Perform Offline Defragmentation

## TS Information Store Will Not Start

- 📁 **F5**
  - F5 Node Diagnostic
  - Get Pools with Node
  - 📁 **Utility**
    - Temporarily Disable Node
    - Toggle Node from Pool
    - Toggle Node from Pool with Threshold
- 📁 **IIS**
  - 📁 **Health Check**
    - FTP Server Health
    - NNTP Server Health
    - Web Server Health
  - 📁 **Utility**
    - Remove from F5 Cluster
    - Remove from Windows Cluster
    - SMTP Server Health
    - Soft Reset IIS
- 📁 **Network**
  - Simple SMTP Check
  - 📁 **Cisco**
    - Add User to Routers
    - Change Interface IP Address
    - Configure DNS Client
    - Configure SSH
    - Crash Recovery
    - Delete User from Routers
    - Enable All Interfaces
    - Find Mac Address
    - Set Banner for Routers
    - Set Enabled Secret for Routers
    - Set Time to Now for Routers
    - 📁 **CDP**
      - Disable CDP
      - Enable CDP
      - Router Integrity Diagnostic
    - 📁 **Routing**
      - Basic Router Configuration
      - Disable Routing
      - Enable RIP for All Subnets
      - Enable Routing
    - 📁 **VLANs**
      - Modify VLANS
      - Remove Vlan
  - 📁 **Connectivity**
    - Connectivity Test
    - Iterative Connectivity Test
    - Operator Server Connectivity Check
    - 📁 **Diagnostics**
      - Deep Connectivity Diagnostic

- Multihost Connectivity Diagnostic
- TraceRoute Diagnostic

- 📁 **Web Pages**

- Find Pages with Dead Links
- Single-page Link Checker
- URL Test
- Web site Health Check

- 📁 **Operating Systems**

- 📁 **FreeBSD**

- 📁 **Information Gathering**

- CPU Metrics
- Disk Usage
- Display File Systems and How Full
- Display Free Memory
- Display Last Boot Time
- Display Number of Processors
- Display OS Info
- Memory Metrics
- Network Metrics
- Recent Reboot

- 📁 **State Change**

- Server Reboot with Notification
- Start Service
- Start Service with Notification

- 📁 **Utility**

- Check For Vital Processes
- Check Load Average
- Check Process by PID
- Check for Recent Log Messages
- Get PID from Process Name
- Kill Process with Retry

- 📁 **Specialized Flows and Ops**

- Check Time Duration
- Format Disk Space Information
- Minutes Since Last Log Message

- 📁 **HP-UX**

- HP-UX Health Check

- 📁 **Information Gathering**

- CPU Metrics
- Disk Usage
- Display File Systems and How Full
- Display Free Memory
- Display Last Boot Time
- Display Number of Processors
- Display OS Info
- Memory Metrics
- Network Metrics
- Recent Reboot

- 📁 **Specialized Flows and Ops**

- Check Process Output

- 📁 **State Change**
  - Server Reboot with Notification
  - Start Service
  - Start Service with Notification
- 📁 **Utility**
  - Check For Vital Processes
  - Check Load Average
  - Check Process by PID
  - Check for Recent Log Messages
  - Get PID from Process Name
  - Kill Process with Retry
- 📁 **Specialized Flows and Ops**
  - Check Time Duration
  - Format Disk Space Information
  - Minutes Since Last Log Message
- 📁 **Red Hat**
  - Red Hat Health Check
- 📁 **Information Gathering**
  - CPU Metrics
  - Disk Usage
  - Display File Systems and How Full
  - Display Free Memory
  - Display Last Boot Time
  - Display Number of Processors
  - Display OS Info
  - Memory Metrics
  - Network Metrics
  - Recent Reboot
- 📁 **Specialized Flows and Ops**
  - Check Process Output
- 📁 **State change**
  - Server Reboot with Notification
  - Start Service
  - Start Service with Notification
- 📁 **Utility**
  - Check For Vital Processes
  - Check Load Average
  - Check Process by PID
  - Check for Recent Log Messages
  - Get PID from Process Name
  - Kill Process with Retry
- 📁 **Specialized Flows and Ops**
  - Check Time Duration
  - Format Disk Space Information
  - Is PID Running
  - Minutes Since Last Log Message
- 📁 **SUSE Linux**
  - SUSE Linux Health Check
- 📁 **Information Gathering**
  - CPU Metrics

- Disk Usage
- Display File Systems and How Full
- Display Free Memory
- Display Last Boot Time
- Display Number of Processors
- Display OS Info
- Memory Metrics
- Network Metrics
- Recent Reboot
- 📁 **Specialized Flows and Ops**
  - Check Process Output
- 📁 **State Change**
  - Server Reboot with Notification
  - Start Service
  - Start Service with Notification
- 📁 **Utility**
  - Check For Vital Processes
  - Check Load Average
  - Check Process by PID
  - Check for Recent Log Messages
  - Get PID from Process Name
  - Kill Process with Retry
- 📁 **Specialized Flows and Ops**
  - Check Time Duration
  - Format Disk Space Information
  - Minutes Since Last Log Message
- 📁 **Solaris**
  - Solaris Health Check
  - 📁 **Information Gathering**
    - CPU Metrics
    - Check CPU Utilization
    - Check for Recent Log Messages
    - Disk Metrics
    - Disk Usage
    - Display File Systems and How Full
    - Display Free Memory
    - Display Last Boot Time
    - Display Number of Processors
    - Display OS Info
    - Network Metrics
    - Recent Reboot
  - 📁 **Specialized Flows and Ops**
    - Check Process Output
    - Check Retry Count
  - 📁 **State change**
    - Kill Process with Retry
    - Server Reboot with Notification
    - Start Service
  - 📁 **Utility**
    - Check For Vital Processes
    - Check Load Average

- Check Process by PID
- Delete Largest File
- Disk Full
- Get PID from Process Name
- Kill CPU intense process

- 📁 **Specialized Flows and Ops**
  - Check time duration
  - Format Disk Space Information
  - Minutes Since Last Log Message

- 📁 **Windows**
  - Windows Health Check

- 📁 **Diagnostics**
  - Device Diagnostic
  - Filesystem Diagnostic
  - Iterative CPU Diagnostic
  - Load Comparison
  - Memory Diagnostic
  - Network Diagnostic
  - Running Processes Diagnostic
  - Windows Diagnostic

- 📁 **PowerShell**

- 📁 **Events**
  - Get Event Log
  - List Event Types
  - Write Event Log

- 📁 **Networking**
  - Configure Network Adapter
  - Get Adapter Configuration
  - List Network Adapters

- 📁 **Services**
  - Get Dependent Services
  - Get Service Dependencies
  - List Services
  - Number of Services
  - Start Service
  - Stop Service

- 📁 **Shares**
  - Create Share
  - Delete Share
  - List Shares

- 📁 **Utility**
  - Create Local Group
  - Create Local User
  - Disable Local User
  - Enable Local User
  - Get Date and Time
  - Get Disk Drives
  - Get Logical Disks
  - Get Screen Saver
  - Get WMI Log Level
  - Rename Computer

- Report Desktop Settings
- Report Firewall Configuration
- Report Logical Disk Performance
- Restart Computer
- Set WMI Log Level
- Shutdown Computer

📁 **State change**

- Graceful Service Restart
- Restart Service
- Restart Windows Server
- Restart Windows Server with Wait
- Start Automatic Services

📁 **Utility**

- Analyze Process Counters
- Analyze Process Info
- Clean Logs
- Clean User Profiles
- Clean Windows Files
- Get CPU Performance
- Get Hard disk Performance
- Get Memory Performance
- Get Network Performance
- Get Process Info
- Reset Service Account
- Service Status
- Start Service
- Stop Service
- Windows Delete or Zip

📁 **subflows**

- Filesystem Diagnostic After W2K
- Filesystem Diagnostic W2K and Before
- Local Delete
- Local Zip
- Remote Delete
- Remote Zip
- Select Delete or Zip

📁 **Storage Automation**

📁 **Add Or Remove HBA**

- Add or Remove HBA from Volume ACL
- Add or Remove HBA from Volume ACL - Approve Change Ticket and Execute
- Add or Remove HBA from Volume ACL - Create Change Ticket
- Add or Remove HBA from Volume ACL - Execute using Change Ticket
- Manage Volume ACL

📁 **Oracle Data Migration**

- Check if Zone Creation Required
- Create Logical Volume for the given Storage Volume List on Windows Host
- Drop Oracle Disk from Disk Group
- Find Old LUN Details from Host
- Find Old LUN Details from Oracle ASM
- Find Old LUN Details from SE
- Get Oracle ASM Disk Details

- Oracle Data Migration
- Windows Oracle Provisioning - Expand given Oracle Disk Group
- 📁 **Provisioning**
  - End-to-End Host Storage Provisioning
  - End-to-End Oracle Storage Provisioning
    - 📁 **HP-UX**
      - Create Logical Volume on HP-UX Host
      - Create Logical Volume on HP-UX Host for Oracle
      - HPUX Oracle Provisioning - Expand Oracle Disk Group
    - 📁 **Storage Provisioning**
      - Find Suitable Storage and Provision to Host
      - Provision Storage to Host
      - Provision Storage to Host - Create Change Ticket
      - Provision Storage to Host - Execute using Change Ticket
      - Provision Storage to Host - Update and Approve Change Ticket and Execute
      - Provision Storage to the Selected Host
    - 📁 **VMWare**
      - Create VMFS Volume on VMware Host
      - Create Virtual Disk on a VM
      - End-to-End VMware Storage Provisioning
    - 📁 **Windows**
      - Create Extended Logical Drive on Host
      - Create Logical Volume on Windows Host
      - Create Logical Volume on Windows Host for Oracle
      - Windows Oracle Provisioning - Expand Oracle Disk Group
- 📁 **Replace HBA**
  - Replace HBA
  - Replace HBA - Approve Change Ticket and Execute
  - Replace HBA - Create Change Ticket
  - Replace HBA - Execute Using Change Ticket
  - Replace HBA in Host Security Groups
  - Replace HBA in Zones
- 📁 **Utility**
  - Delete Host Security Groups
  - Find Arrays in Zone with Host
  - Find Arrays not in Zone with Host
  - Get All Element Details
  - Refresh Element Details
  - Refresh SE on UCMDB
- 📁 **Zoning**
  - Create Zone Alias with Multiple Inputs
  - Create Zone Set with Multiple Inputs
  - Create Zone with Multiple Inputs
  - Create and Activate Zone(s)
- 📁 **VMWare Server**
  - Get Detailed Info of a Hosts Virtual Machines
  - Get Status of a Hosts Virtual Machines
  - Get Virtual Machine Info
- 📁 **State change**
  - Start A Virtual Machine



- Stop A Virtual Machine
- Suspend A Virtual Machine

- 📁 **Utility**

- Register a Virtual Machine
- Register and Unregister a Virtual Machine
- Unregister a Virtual Machine

- 📁 **Virtualization**

- Get All Snapshots
- Get All Virtual Machines
- Power Off Virtual Machine
- Power On Virtual Machine
- Revert to Snapshot
- Suspend Virtual Machine
- Take Virtual Machine Snapshot

- 📁 **subflows**

- Change XenServer VM to Running
- Get All ESX Virtual Machines
- Get VM Identifier
- What Type VM Host

- 📁 **How Do I flows**

- How do I: Create a parallel flow - Linux
- How do I: Create a parallel flow - Windows
- How do I: Format with HTML
- How do I: Iterate through a list
- How do I: Reference flow variables
- How do I: Use a multi-instance step
- Windows Health Check and Append

- 📁 **ITIL**

- 📁 **Change Management**

- 📁 **Network**

- Block NAS Task
- Compare Device ACLs
- Run Diagnostic
- Unblock NAS Task

- 📁 **subflows**

- Restore Original Date

- 📁 **Servers**

- Attach Software Policy
- Check SAS for Changes
- Detach Software Policy
- Unblock Job

- 📁 **Incident Management**

- 📁 **Network**

- Check Connectivity
- Check NAS For Changes

- 📁 **Servers**

- Check Connectivity
- Check SAS for Changes
- Clean Windows Files

- Remediate Servers
- Server Health Check
- Verify Server Down

- 📁 **subFlows**

- Verify Server Down Cross Run Lookup

- 📁 **Integrations**

- Integration Notify

- 📁 **BMC**

- 📁 **Atrium**

- Install Web Service

- 📁 **Ops**

- 📁 **Classes**

- Get Class
      - List Classes

- 📁 **Instances**

- Create Instance
      - Get Instances

- 📁 **Jobs**

- Get Job Run
      - List Job Runs

- 📁 **Samples**

- Get Class
    - Get Class Instances
    - Instantiate Class
    - List Classes
    - List Job Runs

- 📁 **Patrol**

- Acknowledge Event
    - Close Event

- 📁 **Subflows and Operations**

- Acknowledge Event
    - Close Event
    - Event Query
    - Event Report
    - Get Var
    - List Var
    - Set Var
    - Trigger Event

- 📁 **Remedy**

- 📁 **V6**

- Close Change Ticket
    - Close HelpDesk Ticket
    - Comment Change Ticket
    - Comment HelpDesk Ticket
    - Get Change Ticket Info
    - Get HelpDesk Ticket Info
    - Remedy Notify
    - Set Change Ticket Info
    - Set HelpDesk Ticket Info

- Ops
      - Create Change Ticket
      - Create HelpDesk Ticket
      - Get Change Ticket Info
      - Get HelpDesk Ticket Info
      - Process Form Inputs
      - Search For Change Ticket
      - Set Change Ticket Info
      - Set HelpDesk Ticket Info
    - V7
    - Change Management
      - Add Comment
      - Approve Phase Change
      - Complete Change Ticket
      - Convert To Remedy Date
      - Create From Change
      - Fully Approve Change
      - Ops
        - Create Change Ticket
        - Get Next Approval Status
        - Get int Approval Status
        - Modify Change Ticket
        - Query Change Ticket
        - Query List Change Tickets
      - Samples
        - Create Change Ticket Sample
        - Create From Change Ticket Sample
        - Query List Change Tickets
      - Incident Management
        - Create Incident
        - Modify Incident
        - Query Incident
        - Query List Incidents
        - Samples
          - Create Incident Sample
          - Query List Incidents Sample
  - Citrix XenServer
  - Host
    - Find Hosts
    - Network
    - Physical Network Interfaces
      - Find PIFs
      - Virtual Network Interfaces
        - Create VIF
        - Destroy VIF
        - Find VIF
      - Virtual Networks
        - Create Virtual Network
        - Destroy Virtual Network
        - Find Virtual Networks

- Check for Task Success
    - Create VM from Configured Template
    - Create VM from Unconfigured Template
    - Destroy VM and Disks
    - Find List of VMs
    - Setup Disk or CD for VM
    - Setup Network devices for VM
  - Find SR
      - Create VBD
          - Destroy ViBD
          - Eject VBD
          - Find VBD
          - Hot Plug VBD
          - Hot Unplug VBD
          - Insert VBD
        - Create VDI
            - Destroy VDI
            - Find VDI
    - Cancel Task
      - Find Tasks
    - Clone VM
      - Copy VM
      - Create VM Snapshot
      - Destroy VM
      - Find VMs
      - Install VM
      - Migrate VM
      - Pause VM
          - Resume VM
          - Suspend VM
          - Unpause VM
        - Reboot VM
            - Shutdown VM
            - Start VM
  - Get All Console Nodes
        - Get Console Count
        - Put Console Record
      - Add Comment

- CA Notify
- Close Ticket
- Create Ticket
- Get Object Values
- Get Request Handles

- 📁 **Ops**

- Close Ticket
- Create Activity Log
- Create Ticket
- Do Query
- Free List Handles
- Get List Values
- Get Object Values
- Login Service
- Logout
- ServiceDesk Login
- ServiceDesk Logout

- 📁 **F5**

- Change Node Status
- Change Pool Member
- Check Enabled Threshold
- Generate Statistics Selection List
- Get Interfaces Info
- Get Member Info
- Get Node Address Info
- Get Pool Info
- Get Pools With Node
- Get Self IP Info
- Get Virtual Server Stats
- Is Node Enabled
- Safely Disable Node

- 📁 **Hewlett-Packard**

- 📁 **Client Automation**

- Delete Policy
- Delete Software Package
- Export Software Package
- Import Software Package
- Notify Client Devices
- Resolve Target Devices
- Set Policy

- 📁 **Internal Ops**

- Detect OS (Delete)
- Detect OS (Export)
- Detect OS (Import)

- 📁 **Notify**

- Notify Client Devices

- 📁 **Policy**

- Delete Policy
- Resolve Target Devices
- Set Policy

- 📁 **Software Package**

- Unix Delete
- Unix Export
- Unix Import
- Windows Delete
- Windows Export
- Windows Import

- 📁 **Live Network**

- Download and Import
- Enable Stream
- Get Configuration
- Get Known Platforms
- Get Version
- Is Stream Enabled
- List Streams
- Set Configuration Credentials

- 📁 **Samples**

- Configure HP Live
- Enable Streams
- Stream Summary Report

- 📁 **Load Runner**

- Run VuGen Script

- 📁 **Network Automation**

- 📁 **6.x**

- 📁 **Ops**

- Construct Command Line Parameters
- Filter Inputs
- Run Command
- Send NAS Command

- 📁 **Configuration and Snapshots**

- Deploy Configuration
- Get Config
- Get Device Snapshot IDs
- Take Snapshot

- 📁 **Devices**

- Add Device
- List Devices
- Remove Device

- 📁 **Tasks**

- Approve or Reject Task
- Get Task Info
- List Tasks
- Remove Task
- Stop Task

- 📁 **Samples**

- Bulk Device Update With Rollback
- Check Task Status
- Rollback to Last Snapshot

- 📁 **Remedy**

- Ticket Creation and Change Approval
- Update Task Approval Status

- 📁 **7.x**
  - 📁 **Commands**
    - List Scripts
    - Run Command Script
  - 📁 **Configurations**
    - Deploy Configuration
    - Diff Configurations
    - Get Configurations By IP
    - Show Configuration Details
    - Take Snapshot
  - 📁 **Devices**
    - Add Device By IP
    - Get ACL
    - Get Device ACLs
    - Get Device Diagnostics
    - Get Devices
    - List Diagnostic Runs
    - Remove Device By IP
  - 📁 **Samples**
    - Bulk Device Update With Rollback
    - Check Task Status
    - Config Change with Rollback
    - Diagnose Devices
    - Rollback to Last Snapshot
  - 📁 **Ticketing**
    - Ticket Creation and Change Approval
    - Update Task Approval Status
  - 📁 **Tasks**
    - Approve Task
    - Diagnose Device
    - List Tasks
    - Modify Task
    - Remove Task
    - Stop Task
    - Update Task Ticket
- 📁 **Network Node Manager**
  - 📁 **7.5**
    - Add Event
    - Get All Events
    - Get All Nodes
    - Get All Object Fields
    - Get Objects by Field
  - 📁 **8**
    - 📁 **Incidents**
      - Add Incident
      - Delete Incident
      - Enumerate Incidents by Lifecycle
      - Enumerate Incidents by Severity
      - Get Incident
      - Update Lifecycle Status

- Update Priority
- 📁 **Nodes**
  - Delete Node
  - Get Node Conclusions
  - Get Node by Name
  - Get Node by UUID
  - Update Node Management Mode
- 📁 **Samples**
  - Node Sample
  - Simple Incident Sample
- 📁 **Operations Manager**
  - Add Annotation
  - Close Incident
  - Create Incident
  - Delete Annotation
  - Delete Custom Attribute
  - Disown Incident
  - Enumerate Incidents
  - Get Annotations
  - Get Incident
  - Own Incident
  - Reopen Incident
  - Set Custom Attribute
  - Update Annotation
  - Update Incident
- 📁 **Samples**
  - Annotation Sample
  - Custom Attributes Sample
  - Incident Lifecycle Sample.
  - Retrieve Incidents Sample
- 📁 **Windows Only**
  - HP OVO Windows Notify
  - 📁 **Actions**
    - Add Action to Group
    - Get Actions
    - Get Actions in Group
    - Get All Action Info
    - Remove Action from Group
  - 📁 **Auto Deploy Policy Groups**
    - Add Auto Deploy Policy Group to Group
    - Get All Auto Deploy Policy Group Info
    - Get Auto Deploy Policy Groups
    - Get Auto Deploy Policy Groups in Group
    - Remove Auto Deploy Policy Group from Group
  - 📁 **Managed Nodes**
    - Add Node to Group
    - Change Managed Node Attribute
    - Get All Managed Node Info
    - Get Managed Node IDs
    - Get Nodes in Group
    - Remove Node from Group



- ✎ **Messages**
    - Acknowledge Message
    - Add Annotation
    - Change Severity
    - Create Message
    - Disown Message
    - Own Message
    - Query Message
    - Unacknowledge Message
  - ✎ **Node Groups**
    - Add Group to Group
    - Change Node Group Attribute
    - Create Node Group
    - Delete Node Group
    - Get All Node Group Info
    - Get Groups in Group
    - Get Node Group Names
    - Remove Group from Group
  - ✎ **Samples**
    - Action Sample
    - Messaging Sample
    - Node Sample
  - ✎ **Services**
    - Change Service Attribute
    - Get All Service Info
    - Get Service Names
  - ✎ **Unmanaged Agents**
    - Get All Unmanaged Agent Info
    - Get Unmanaged Agent IDs
- ✎ **Operations Orchestration**
- Acquire Lock
- Dynamically Launch Flow
- Flow Run Counter
- Flow Run Summary Report
- Generate Documentation
- Generate Documentation with Hidden Folders
- Generate Run URL
- Launch Flow
- Release Lock
- Wait For Lock
- ✎ **Cluster**
  - Get Cluster Servers
  - ✎ **Samples**
    - Get Cluster Servers
- ✎ **Cross Run Data Persistence**
  - Get Stored Flow Variable
  - Store Flow Variable
- ✎ **Repository**
  - Check In
  - Delete Path
  - Get All Children Named

- Get Children of Path
- Get Last Modified By
- Get References to Path
- Repository Sync
- Set System Account
- Set System Property
- Store System Account in Flow Variable

- 📁 **Samples**

- Publish Staging to Production Cluster
  - Publish To Central
  - Single Pass Delete Unused Content

- 📁 **Samples**

- Basic Schedule Sample
  - Data Persistence Sample
  - Data Persistence Table Sample
  - Generate and Send Documentation
  - Get New Email Data Persistence Sample
  - Run Flow From E-Mail
  - Run Flows From E-Mails

- 📁 **Scheduling**

- Build Input Lists From Context
  - Delete Flow Schedule
  - Get Flow Schedules
  - Get Schedule Details
  - Schedule Flow

- 📁 **Peregrine Service Center**

- Close Change
  - Close Incident
  - Get Change Info
  - Get Incident Info

- 📁 **Ops**

- Add Change
  - Add Incident
  - Close Change
  - Get Change Details
  - Get Change ids
  - Get Incident Details
  - Get Incident ids
  - Get Problem Details
  - Process Form Inputs
  - Update Change
  - Update Incident
  - Update Problem

- 📁 **Samples**

- Create Change
    - Create Incident

- 📁 **Project and Portfolio Manager**

- Add Note To Request
  - Create Request
  - Delete Requests
  - Execute Workflow Transition

- Get Request
- Update Request Fields
- 📁 **Default Bug Tickets**
  - Create Request
  - Update Request
- 📁 **Default Enhancement Ticket**
  - Create Request
  - Update Request
- 📁 **Server Automation**
  - 📁 **Audits**
    - Get Audit Task VO
    - Get Latest Audit Result VO
  - 📁 **Custom Attributes**
    - Add or Set Custom Attribute
    - Delete Custom Attribute
    - Get Custom Attribute
  - 📁 **Custom Fields**
    - Attach Virtual Column
    - Detach Virtual Column
    - Get Custom Field
    - Get Virtual Columns
    - Set Custom Field
  - 📁 **Virtual Columns**
    - Create Virtual Column
    - Delete Virtual Column
    - Get Virtual Column
    - Update Virtual Column
  - 📁 **Customers**
    - Get Customer VOs
  - 📁 **Device Groups**
    - Create Device Group
    - Delete Device Group
    - Get Device Group Dynamic Rule
    - Get Device Group VO
    - Get Server List
    - Get Server VOs from Device Group
    - Set Device Group Dynamic Rule
    - Update Device Group
  - 📁 **Folders**
    - Create Folder
    - Delete Folder
    - Get Folder VOs
  - 📁 **Jobs**
    - Add Ticket Number
    - Approve Blocked Job
    - Cancel Scheduled Job
    - Get Job Info VO
    - Is Job Completed
    - Wait for Job
  - 📁 **OS Sequences**

- Get OS Sequence VO by Name
- Get OS Sequence VOs
- Start OS Sequence

- 📁 **Patch Policies**

- Add Patches to Patch Policy
- Attach Servers to Patch Policy
- Detach Servers from Patch Policy
- Get Patch Policy Compliance Scan Summary
- Get Patch Policy VOs
- Get Patches in Patch Policy
- Get Servers in Patch Policy
- Remove Patches from Patch Policy
- Start Patch Policy Compliance Scan

- 📁 **Windows**

- Create Windows Patch Policy
- Delete Windows Patch Policy

- 📁 **Patches**

- Get Device Patches
- Get Installed Devices for Patch
- Get Oses with Patches
- Get Patch Types for OS
- Get Patch VOs
- Policy Override Add
- Policy Override Get VOs
- Policy Override Remove
- Schedule Install Patch
- Schedule Uninstall Patch

- 📁 **AIX**

- Get APAR VOs
- Get Update Fileset VOs

- 📁 **HPUX**

- Get Patch Fileset VOs
- Get Patch Product VOs

- 📁 **Solaris**

- Get Solaris Patch Cluster VOs
- Get Solaris Patch VOs

- 📁 **Windows**

- Get Hotfix VOs
- Get Service Pack VOs
- Get Update Rollup VOs
- Get Windows Patch VOs

- 📁 **Platforms**

- Get Platform VOs

- 📁 **Samples**

- Add Patch Policy Override
- Approve Blocked Job
- Attach Software Policy
- Create Software Policy
- Detach Software Policy
- Get Patch information
- Install a patch

- Provision Server
- Remediate Servers
- Scan Patch Policy Compliance
- Scan and Get Software Policy Compliance
- Start Create Virtual Machine
- Start Run Script
- 📁 **Scripts**
  - Get Server Scripts
  - Start Server Script
- 📁 **Servers**
  - Add Server to Device Group
  - Get Change Logs
  - Get Installed Services
  - Get Installed Software
  - Get Server VO
  - Get Software Policies from Server
  - Get Unprovisioned Servers
  - Remediate Server
  - Remove Server from Device Group
- 📁 **Software Policies**
  - Attach Software Policy
  - Create Software Policy
  - Delete Software Policy
  - Detach Software Policy
  - Get Servers in Software Policy
  - Get Software Policy Compliance Scan Summary
  - Get Software Policy VO
  - Start Software Policy Compliance Scan
  - Update Software Policy
- 📁 **Units**
  - Get Unit VOs
- 📁 **Virtualization**
  - Get Data Stores
  - Get Guest OSes
  - Get Port Groups
  - Start Virtual Machine Create
- 📁 **Service Automation Visualizer**
  - SAV URL Generator
- 📁 **Service Desk**
  - Create Object
  - Find Objects
  - Get Object
  - Modify Object
- 📁 **Samples**
  - Close Service Call
  - Create Service Call
  - Find Service Call
  - Get Service Call
  - Update Service Call
- 📁 **Utilities**
  - Convert Date

- Get Object Properties
- List Objects
- 📁 **Service Manager**
  - Close Ticket
  - 📁 **Change Management**
    - Approve Change
    - Create Change
    - Get Change
    - Move Change to Next Phase
    - Update Change
  - 📁 **Incident Management**
    - Create Incident
    - Get Incident
    - Resolve Incident
    - Update Incident
  - 📁 **Problem Management**
    - Create Problem
    - Get Problem
    - Update Problem
  - 📁 **Samples**
    - Create and Approve Change
- 📁 **SiteScope**
  - 📁 **7.0**
    - Acknowledge
    - Refresh
    - Unacknowledge
  - 📁 **9.0**
    - Deploy Template
    - Enable Monitor
    - Redeploy Template
    - Run Monitor
- 📁 **Storage Automation**
  - 📁 **SSH**
    - Create ASM LV
    - Create Logical Volume
    - Create Minor Number
    - IOscan Cmd
  - 📁 **Storage Automation Toolkit**
    - 📁 **Discovery**
      - Add Default User
      - Add Discovery Address Range
      - Add Or Update Discovery Address
      - Create Or Update Database
      - Export Discovery List
      - Get All Element Details
      - Get Discovery Status
      - Get Topology
      - Import Discovery List
      - Is Refresh Element Details In Progress
      - Refresh Element Details

Remove Database  
Remove Discovery Address  
Start Discovery

📁 **Fabric**

Get All FC Ports  
Get All Fabrics  
Get Fabric Name for a specified Port  
Get Fabric Port WWNs Mapping  
Get Zone Aliases For a specified Port  
Get Zones For a specified Port

📁 **Switch**

Get All Switch Ports  
Get All Switches  
Get Switch

📁 **Zone**

Activate Zone  
Create Zone  
Deactivate Zone  
Delete Zone  
Get All Zones  
Get Zone  
Update Zone

📁 **Zone Alias**

Create Zone Alias  
Delete Zone Alias  
Get All Zone Aliases  
Get Zone Alias  
Update Zone Alias

📁 **Zone Set**

Activate Zone Set  
Create Zone Set  
Delete Zone Set  
Get All Zone Sets  
Get Zone Set  
Update Zone Set

📁 **General**

Convert Provisioning Details To XML  
Modify Provisioning Details In XML  
Parse Provisioning Details From XML  
Refresh Materialized View  
Refresh SE On Ucmdb  
SE Connection  
Set Custom Name

📁 **Host**

Get All Hosts  
Get All Paths  
Get Host  
List Of Ports In Same Fabric

📁 **HBA**

Add access to HBA Port for a Storage Volume  
Get Storage Systems connected to HBA port

- Get Zones For HBA port
- Get mapped Storage Volumes for a HBA port
- Remove access to HBA port for a Storage Volume

- 📁 **Risk Analysis**

- Identify Critical Links for Application
- Identify Critical Links for Host
- Identify Critical Switches for Application
- Identify Critical Switches for Host
- Identify Performance Bottle Necks for Application
- Identify Slowest Ports in Application Path
- Identify is Application Clustered
- Identify is Host Clustered
- List Storage Paths for Application
- List Storage Paths for Host
- Show Impact of Device

- 📁 **Storage System**

- Find Storage Systems In Zone With HBA Port
- Find Storage Systems Not In Zone With HBA Port
- Find Suitable Storage From List
- Get All FC Ports
- Get All Storage System
- Get Storage System

- 📁 **Host Security Group**

- Add Access to HBA Port
- Create Host Security Group
- Delete Host Security Group
- Get All Host Security Groups
- Get Host Security Group
- Map Storage Volume
- Remove Access to HBA Port
- Set Name
- Unmap Storage Volume

- 📁 **Storage Pool**

- Delete Storage Pool
- Get All Storage Pools
- Get Storage Pool

- 📁 **Storage Volume**

- Create Storage Volume
- Delete Storage Volume
- Get All Storage Volumes
- Get Mapped HBA Ports For Storage Volume
- Get Storage Volume

- 📁 **Telnet**

- ASM Disk Stamping

- 📁 **Utility Operations**

- Decision Operation
- List Merge
- Validate IP Address
- Validate WWN
- checkNotBlank
- incrementor



sizeConvertor

📁 **Windows Utility**

Create Windows Host Drive Script  
Disk Partition Rescan Cmd  
Disk Partition Run Script  
Disk Partition Run Script Cmd  
Disk Partition Run Script SQL

📁 **Universal CMDB**

Add Object  
Add Relationship  
Delete Object  
Delete Relation  
Get Filtered Object List by Type  
Get Neighboring Objects  
Get Object Attributes by Id  
Get Object List by Type  
Get Query Name of View  
Get Topology Map by Query Name  
Get Topology Map by Query Name with Parameter  
Get Topology Map by View Name  
Modify Object Attribute(s)

📁 **IBM**

📁 **Netcool**

Acknowledge  
Add Journal Entry  
Get Event Info  
Get Events  
Netcool Notify  
Set Severity  
Unacknowledge

📁 **Tivoli**

Acknowledge Event  
Change Event Severity  
Close Event  
Create Event

📁 **Ops**

Acknowledge Event  
Change Event Severity  
Close Event  
Create Event  
List Events

📁 **Samples**

Ticket Manipulation Sample

📁 **Microsoft**

📁 **Hyper-V**

📁 **Jobs**

Get Job State  
Terminate Job

📁 **Server**

Host Enumerate Virtual Machines

- List Long Running Virtual Machines
- List Old Virtual Machines

- 📁 **Snapshots**

- Apply Snapshot
- Create Snapshot
- Delete Snapshot
- Delete Snapshot Tree
- Enumerate Snapshots
- Rename Snapshot

- 📁 **Virtual Harddisk Operations**

- Attach Virtual Harddisk to Virtual Machine
- Compact Virtual Harddisk
- Convert Virtual Harddisk
- Create Virtual Harddisk
- Expand Virtual Harddisk
- Get Virtual Harddisk Information
- Remove Device From IDE Controller
- Validate Virtual Harddisk

- 📁 **Virtual Machine Actions**

- Create Blank Virtual Machine
- Delete Virtual Machine
- Export Virtual Machine
- Get Virtual Machine State
- Import Virtual Machine
- Pause Virtual Machine
- Rename Virtual Machine
- Reset Virtual Machine
- Save Virtual Machine
- Shutdown Virtual Machine
- Start Virtual Machine
- Stop Virtual Machine

- 📁 **Virtual Machine Configuration**

- Change Boot Order
- Get Number Of Processors For Virtual Machine
- Get Virtual Machine Memory
- Get Virtual Machine Operating System Name
- Get Virtual Machine Processor Usage
- Resource Control
- Set Memory Size
- Set Number Of Processors

- 📁 **Virtual Networks**

- Attach Legacy NIC to Virtual Machine
- Attach NIC to Virtual Machine
- Attach VM To Network
- Change MAC for Legacy NIC
- Change MAC for NIC
- Create Internal Network
- Create Private Network
- Delete Network
- Detach Virtual Machine From Network
- Get Legacy NICs for Virtual Machine
- Get NICs for VM

- List Virtual Machines Attached To Network
- Remove Legacy NIC by ID
- Remove Legacy NIC by MAC
- Remove NIC by ID
- Remove NIC by MAC

📁 **Microsoft Operations Manager**

- Change Resolution State
- Get Alert Detail
- Get Resolution State By Alert ID
- Get Resolution States
- Is Computer In Maintenance Mode
- MOM Notify
- Put Computer In Maintenance Mode
- Remove Computer From Maintenance Mode
- Update Ticket ID

📁 **Samples**

- Reboot Windows Server with MOM

📁 **SMS**

- Add Machine To Collection
- Get Collections
- Get Machines In Collection
- Is Machine In Collection
- Remove Machine From Collection
- Request Machine Policy

📁 **System Center Operations Manager 2007**

- Change Resolution State
- Get Alert Detail
- Get Resolution State By Alert Id
- Get Resolution States
- Is Computer In Maintenance Mode
- Put Computer In Maintenance Mode
- Remove Computer From Maintenance Mode
- Update Ticket

📁 **Samples**

- Maintenance Mode
- Resolution State
- Update Ticket

📁 **Symantec Altiris**

- Delete Computer
- Delete Scheduled Job
- Get Computer Details
- Get Computer ID
- Get Computer Schedules
- Get Computers From Group
- Get Group ID
- Get Job IDs
- Move Computer to Group
- Register Application
- Schedule Job

📁 **Samples**

- Group Sample

Register Application  
Scheduling Sample

📁 **VMware**

📁 **VMware Server**

Aggregate Virtual Machine Data  
Get Virtual Machine Display Name  
Get Virtual Machine IP Address  
Get Virtual Machine Memory  
Get Virtual Machine Operating System Name  
Get Virtual Machine State  
Host Enumerate Virtual Machines  
Host Register Virtual Machine  
Host Unregister Virtual Machine  
Reset Virtual Machine  
Start Virtual Machine  
Stop Virtual Machine  
Suspend Virtual Machine  
Vmware Command

📁 **VMware Virtual Infrastructure**

Clone Virtual Machine  
Create Virtual Machine  
Get Virtual Machine  
Mark VM As Template  
Migrate Virtual Machine  
Relocate Virtual Machine  
Set Maintenance Mode

📁 **Configuration**

Add NIC To VM  
Configure NIC on VM  
Remove NIC From VM

📁 **Guest**

Mount Tools  
Reboot Guest  
Shutdown Guest  
Standby Guest  
Upgrade Tools

📁 **Network**

Add Port Group  
Add Virtual NIC  
Add Virtual Switch  
Delete Network Entity

📁 **Power**

Get Power State  
Restart  
Set Power State

📁 **Samples**

Get Freespace On Datastores  
Get List Of Powered On VMs  
Quick Migrate

📁 **Snapshots**

Create Snapshot

- Delete Snapshot
- Get Snapshot
- Revert To Snapshot

- 📁 **Tasks**

- Cancel Task
- Get Task State

- 📁 **Utilities**

- Advanced Search
- Destroy Object
- Get OS Descriptors
- List Custom Fields
- Simple Search

- 📁 **Operations**

- Diagnosed
- Error
- No Action Taken
- Resolved

- 📁 **Active Directory**

- 📁 **.NET**

- AD Time Stamp To Date
- Convert RID to DN
- Copy Root Hints
- Date To AD Time Stamp
- Event 5509
- Get Configuration DN
- Get Domain DN
- Get Servers
- Get Workstations
- Query for PDC Emulator
- Restartable DNS Events

- 📁 **Computers**

- Create Computer Account
- Delete Computer Account
- Disable Computer Account
- Enable Computer Account
- Get Computer Account OU
- Is Computer Account Enabled
- Move Computer Account to OU
- Reset Computer Account

- 📁 **Groups**

- Add User To Group
- Create Group
- Delete Group
- Get Groups
- Get Inactive Users By Group
- Is User Directly in Group
- Is User in Group
- Remove User from Group

- 📁 **Samples**

- Check User Credentials

Reset User Account Password  
User Group Sample

📁 **Users**

Authenticate User  
Create User  
Create User From Template  
Delete User  
Disable User  
Enable User  
Generate Random Password  
Get Inactive Users  
Get Last Login Time  
Get Users  
Is User Enabled  
Reset Password  
Set User Account  
Set User Address  
Set User Dialin  
Set User Environment  
Set User General Information  
Set User Organization  
Set User Profile  
Set User Remote Control  
Set User Sessions  
Set User Telephone Information  
Set User Terminal Services Configuration

📁 **Java**

📁 **Computers**

Create Computer Account  
Delete Computer Account  
Disable Computer Account  
Enable Computer Account  
Get Computer Account OU  
Is Computer Account Enabled  
Move Computer Account To OU  
Reset Computer Account

📁 **Groups**

Add User To Group  
Create Group  
Delete Group  
Remove User From Group

📁 **Samples**

Test Computer Account Sample  
Test Groups Sample  
Test Users Sample

📁 **Users**

Authenticate User  
Create User  
Delete User  
Disable User  
Enable User

- Is User Enabled
- Reset Password

- 📁 **Apache**

- Get Server Stats

- 📁 **Application Servers**

- 📁 **BEA WebLogic**

- Query Configuration Manager

- Query Domain Configuration

- Query Domain Runtime

- 📁 **Applications**

- Check Application State

- Configure Application Deployment Attribute

- Deploy Application

- Query Application Deployment Configuration

- Query Application Deployment Configuration Target

- Query Application Runtime

- Restart Application

- Start Application

- Stop Application

- Undeploy Application

- Wait For State

- 📁 **Samples**

- Restart

- is Application up

- is WebLogic Up

- 📁 **Servers**

- Configure Server Attribute

- Query Server Configuration

- Query Server Runtime

- Resume Server

- Start Server

- Suspend Server

- Total Server Shutdown

- 📁 **Citrix Presentation Server**

- Get Farm Name

- Get Servers

- Query Server

- 📁 **Applications**

- Add Application to Server

- Get Applications

- Modify Application

- Query Application

- Remove Application from Server

- 📁 **Sessions**

- Get Sessions

- Logoff Session

- Query Session

- 📁 **Users**

- Add User To Application

- Query User

Remove User from Application

- 📁 **Jboss**
  - JBoss Action
- 📁 **Tomcat**
  - Manage Tomcat
  - Restart Tomcat Web Application
  - Start Tomcat Web Application
  - Stop Tomcat Web Application
- 📁 **WebSphere**
  - Get Attribute
  - Invoke Operation
    - 📁 **Samples**
      - Sample Get Attribute
      - Sample Invoke Operation
- 📁 **Backup Exec**
  - 📁 **Job Management**
    - Backup
    - Restart
    - Restore
    - Stop
      - 📁 **Samples**
        - Backup
        - Restart
        - Restore
        - Stop
  - 📁 **Log Analyzer**
    - Get Alert Details
    - Get Job History
      - 📁 **Samples**
        - Get Alert Details
        - Get Job History
- 📁 **Databases**
  - DSN Command
  - DSN Query
  - 📁 **JDBC**
    - Get All Rows
    - SQL Command
    - SQL Query
    - SQL Query All Rows
    - SQL Query LOB
    - SQL Query Tabular
    - SQL Script
      - 📁 **Samples**
        - Custom Driver Command
        - Custom Driver Query
        - Test SQL Query LOB Sample
  - 📁 **Microsoft SQL**
    - Get Active Connections
    - Get Next Sql Row
    - Get Server Instances



- Is a SQL Server
- Run SRS Report
- SQL Restart
- SQL Script
- Sql Command
- Sql Query
- 📁 **Samples**
  - Active Connections
  - Is An SQL Sample
  - Server Instances
- 📁 **Oracle**
  - Index Fragmentation Calculations
  - Index Fragmentation Index Query Builder
  - Index Fragmentation Query Builder
  - Index Fragmented Appender
  - TNS Names SQL Command
  - TNS Names SQL Query
  - TNS Names SQL Query LOB
  - TNS Names SQL Query Tabular
  - TNS Names SQL Script
- 📁 **Email**
  - CDO
  - Get Mail Message
  - Get Mail Message Count
  - Send Mail
  - Test and Send Email
- 📁 **SMTP**
  - Check SMTP Server
  - 📁 **samples**
    - Check EHLO
- 📁 **Exchange**
  - Add Custom Attribute
  - Change Exchange Features
  - DC Diagnostic
  - Establish Email Address
  - Exchange Restart
  - Exchange Server Info
  - Fix Clustered Exchange
  - Fix Exchange
  - Fix Non Clustered Exchange
  - Get A Records
  - Get Custom Attribute
  - Get Exchange Server List
  - Get MX Records
  - Get Transport Server Info
  - Is An Exchange
  - Is Exchange Server Alive
  - Net Diagnostic
  - Remove Custom Attribute
  - SMTP Diagnostic
  - SMTP Extensions

- Select an IP address
- Server Health
- Set Basic Information
- Set Delivery Options
- Set Delivery Restrictions
- Set Storage Limits
- Set User ILS Information
- Start Clustered Exchange
- Wait for no SMTP Service Connections

📁 **Emails**

- Add Email Addresses
- Change Email Addresses
- Get Email List
- Get Next Email
- Read Attachment
- Read Email
- Remove Email Addresses
- Reply Mail
- Send Mail

📁 **Mailbox**

- Change Mailbox Rights
- Create Mailbox
- Delete Exchange Object
- Get Folder List
- Get Next Folder
- Get User Mailbox Info
- Move Mailbox
- Move Object
- Remove Mailbox
- Remove Object

📁 **Samples**

- DC Diagnostic
- Exchange Server Information
- Get A-Records
- Get MX-Records
- Is An Exchange Sample
- Move Mailbox
- Net Diagnostic
- Read Attachments
- SMTP Diagnostic
- SMTP Validation
- Validate SMTP Extensions

📁 **FileSystem**

📁 **Cross Platform**

- Append to File
- Create Zip
- FS Copy
- FS Create Directory
- FS Create Temp File
- FS Delete
- FS Exists
- FS Get Children

- FS Hidden
- FS Is Directory
- FS MD5 Sum
- FS Modified
- FS Move
- FS Readable
- FS Rename
- FS Size
- FS Writeable
- Read from File
- Write to File

 **Samples**

- Create Temp File Sample
- Directory Tree Traversal Sample
- Get Children Sample
- Hidden Sample
- Is Directory Sample
- MD5 Sum Sample
- Modified Sample
- Move Sample
- Readable Sample
- Rename Sample
- Size Sample
- Writeable Sample

 **Windows Only**

- Append to File
- Convert to UNC
- Create Zip
- FS Accessed
- FS Convert Path To UNC
- FS Copy
- FS Copy Inter Machines
- FS Create Directory
- FS Create Temp File
- FS Created
- FS Delete
- FS Exists
- FS Get Children
- FS Is Directory
- FS MD5 Sum
- FS Modified
- FS Move
- FS Properties
- FS Rename
- FS Security Properties
- FS Set Attributes
- FS Set Security Properties
- FS Size
- Read File
- Read Ini File
- Set Properties
- Write Ini File

Write to File

📁 **Excel**

Excel  
Select Row Range  
Select Row(s)

📁 **Samples**

Accessed Sample  
Create Temp File Sample  
Created Sample  
Directory Tree Traversal Sample  
Get Children Sample  
Is Directory Sample  
MD5 Sum Sample  
Modified Sample  
Move Sample  
Properties Sample  
Read File Sample  
Rename Sample  
Size Sample

📁 **HTTP Client**

Find URL References  
Form Extractor  
HTML Parser  
Http Client Delete  
Http Client Detailed Return  
Http Client Get  
Http Client Get to File  
Http Client Head  
Http Client Multipart Post  
Http Client Options  
Http Client Post  
Http Client Post Raw  
Http Client Put  
Http Client Trace  
Iterative HTML Parser  
Recursive Link Checker  
Timed Get  
form single input extractor  
html parameter extractor

📁 **Samples**

Check URL via Http Client Get  
Determine Results

📁 **IIS**

Change Application Pool Status  
Change Site Status  
Get Application Pool Status  
Get Site Status  
Is An IIS  
List Application Pools  
List Sites  
Wait for no ASP.NET Connections  
Wait for no Connections with Timeout

Wait for no Web Service Connections

📁 **Samples**

Is An IIs Sample

📁 **JVM**

JVM Low Memory Check

JVM Memory Usage Statistics

📁 **LDAP**

📁 **.NET**

Get All LDAP Properties

Get LDAP Properties

LDAP Add Property Value

LDAP Get Child Objects

LDAP Get Property Value

LDAP Object Exists

LDAP Remove Property Value

LDAP Search

LDAP Search Next Result

LDAP Set Property Value

📁 **Java**

Get All LDAP Properties

LDAP Get Child Objects

LDAP Get Properties

LDAP Get Property Value

LDAP Object Exists

LDAP Search

LDAP Search Next Result

LDAP Set Property Value

📁 **Samples**

Get All LDAP Properties Sample

LDAP Java CN Sample

LDAP Java Get Property Value Sample

LDAP Java OU Sample

📁 **MS Cluster**

Change Clustered Resource Status

Get Clustered Resource Owner

Get Clustered Resource State

Is Clustered Resource

Move Cluster Group

Remove Server From Cluster

📁 **Network**

Connection Tester

Local Ping

Local Traceroute

Ping

Port Ping

Traceroute

📁 **Cisco**

Detect Restarted Cisco Router

Write Memory

📁 **CDP**

- CDP Disable
- CDP Enable
- CDP Interface Enable
- Enumerate Routers
- Get CDP Neighbors

📁 **Interfaces**

- Enable Interface
- Get Interface Details
- Get Interfaces
- Set IP Address
- Show Controller
- Show Interface Stat
- Show Interface Switching
- Show Queueing Interface

📁 **Logging**

- Disable Local Logging
- Enable Local Logging
- Set Syslog Server
- Show Log

📁 **Misc**

- Add DNS Server
- Add Time Server
- Add User
- Cancel Delayed Reload
- Delayed Reload
- Delete User
- Enable DNS Client
- Reload Server
- Set Banner
- Set Time
- Show Buffers
- Show Context
- Show Diag
- Show Proc CPU
- Show Stacks
- Show Technical Support
- Show Version

📁 **Routing**

- Add RIP Network
- Disable Routing
- Enable Routing
- Show IP Route Summary

📁 **Samples**

- Get Aggregate Log Information
- Get Interface Info

📁 **Security**

- Set Enabled Secret

📁 **Telnet Commands**

- Add user through Telnet
- Enable AAA Authentication
- Enable SSH



- 📁 **Process Operations**
  - Check Process By Command Line
  - Check Process Output
  - Check Process by PID
  - Get Process List
  - Kill Process
  - Kill-9 Process
  - Run Service
- 📁 **HP-UX**
  - 📁 **Disk and File Operations**
    - Delete File
    - Disk Metrics
    - Disk Usage
    - Get Extended IO Information
    - Get File System List
    - Get Last Log Message
    - Get Last Log Time and Message
    - Largest File
  - 📁 **Memory and Processor Operations**
    - CPU Metrics
    - Get vmstat Information
    - Memory Metrics
  - 📁 **Network Operations**
    - Check Network Interface for Errors
    - Network Metrics
    - Ping
    - Trace Route
  - 📁 **OS and Server Operations**
    - Current Time
    - Get Active Users
    - Get Last Boot Time
    - Get Load Averages
    - Get OS Name
    - Get Package Version
    - Get Processor Count
    - Reboot Server
    - Uptime
  - 📁 **Process Operations**
    - Check Process By Command Line
    - Check Process by PID
    - Get Process List
    - Kill Process
    - Kill-9 Process
    - Process Metrics
    - Run Service
- 📁 **Logs**
  - Archive Delete Files
  - Delete or Archive
  - Get Archive Name
  - List Files
  - Log Analyzer



- 📁 **Samples**
  - Linux Log File Backup
  - Log Analyze
- 📁 **Red Hat**
  - 📁 **Disk and File Operations**
    - Delete File
    - Disk Metrics
    - Disk Usage
    - Get Extended IO Information
    - Get File System List
    - Get Last Log Messages
    - Get Last Log Time and Message
    - Largest File
  - 📁 **Memory and Processor Operations**
    - CPU Metrics
    - Get vmstat Information
    - Memory Metrics
  - 📁 **Network Operations**
    - Check Network Interface for Errors
    - Network Metrics
    - Ping
    - Trace Route
  - 📁 **OS and Server Operations**
    - Current Time
    - Get Active Users
    - Get Last Boot Time
    - Get Load Average
    - Get OS Name
    - Get OS Version
    - Get Package Version
    - Get Processor Count
    - Reboot server
    - Uptime
  - 📁 **Process Operations**
    - Check Process By Command Line
    - Check Process by PID
    - Get Process List
    - Kill Process
    - Kill-9 Process
    - Process Metrics
    - Run Service
- 📁 **SUSE Linux**
  - 📁 **Disk and File Operations**
    - Delete File
    - Disk Usage
    - Get File System List
    - Get Last Log Messages
    - Get Last Log Time and Message
    - Largest File
  - 📁 **Memory and Processor Operations**
    - CPU Metrics

- Get vmstat Information
  - Memory Metrics
  - 📁 **Network Operations**
    - Check Network Interface for Errors
    - Network Metrics
    - Ping
    - Trace Route
  - 📁 **OS and Server Operations**
    - Current Time
    - Get Active Users
    - Get Last Boot Time
    - Get Load Averages
    - Get OS Name
    - Get Package Version
    - Get Processor Count
    - Reboot server
    - Uptime
  - 📁 **Process Operations**
    - Check Process By Command Line
    - Check Process by PID
    - Get Process List
    - Kill Process
    - Kill-9 Process
    - Process Metrics
    - Run Service
  - 📁 **Scripts**
    - Copy Script From Localhost
    - Copy Script From Remote host
    - Remote Linux File Deleter
    - Remote Linux Script File Runner
    - Remote Or Local
  - 📁 **Samples**
    - Remote Script Runner
- 📁 **Solaris**
  - Format Display Information
  - 📁 **Disk and File Operations**
    - Delete File
    - Disk Metrics
    - Disk Usage
    - Get Device from Mount
    - Get Extended IO Information
    - Get File System List
    - Get Last Log Messages
    - Get Last Log Time and Message
    - Largest File
    - Last Modified
  - 📁 **Memory and Processor Operations**
    - CPU Metrics
    - Check Processor Status
    - Get Processor Count
    - Memory Metrics

- 📁 **Network Operations**
  - Check Network Interface for Errors
  - Network Metrics
  - Ping
  - Trace Route
- 📁 **OS and Server Operations**
  - Get Active Users
  - Get Last Boot Time
  - Get Load Averages
  - Get OS Name
  - Get Patches
  - Has Patch
  - Reboot
  - Uptime
- 📁 **Process Operations**
  - Check Process By Command Line
  - Check Process by PID
  - Check for Blocked Threads
  - Get Active Process Statistics
  - Get Process List
  - Kill Process
  - Kill-9 Process
  - Run Service
  - Threads Metrics
- 📁 **Windows Management**
  - Copy and Run Script
  - Create Windows Health Report
  - Get Active Users
  - Get Average CPU Load
  - Get Average Disk Usage
  - Get Largest File
  - Get Performance Counter Value
  - Get Processor Status
  - Ping
  - Remote Command Execution
  - Restart Windows
  - Run Script
  - Run Script from File
  - Safely Remove File
  - Trace Route
- 📁 **Event Logs**
  - Detect Restarted Windows Server
  - Filter Event Log
  - Iterative Windows Event Log Diagnostic
  - Log Windows Event
  - Search Event Log
  - Windows Event Log Diagnostic
- 📁 **Samples**
  - Log Event Sample
- 📁 **Performance Counters**
  - Get Performance Counters

- 📁 **CPU**
    - Get CPU Usage
    - Get Percent DPC
    - Get Percent Interrupt Time
  - 📁 **Disk**
    - Get Average Seconds per Disk Read
    - Get Average Seconds per Disk Write
  - 📁 **Memory**
    - Get Available Memory in Megabytes
    - Get Memory Pages per Sec
    - Get Percent Memory Committed
- 📁 **Processes**
  - Get Process Counters
  - Get Process PID
  - Get Processes By Name
  - Get Task List
  - Get Windows Processes
  - Terminate Process
- 📁 **Registry**
  - Create Registry Key
  - Delete Registry Key
  - Delete Registry Value
  - Enumerate Registry Key Values
  - Enumerate Registry Subkeys
  - Read Registry Key Value
  - Write Registry Key Value
- 📁 **Samples**
  - Event log searcher
  - Filter and Mailer
  - Get Active Users Sample
  - Get Percentage Of Processor Time
  - Registry Sample
  - Sample CPU Flow
  - Sample Memory Flow
  - Sample Physical Disk Flow
  - Service Start Mode Sample
  - WMI Query
  - Windows Delete or Zip
- 📁 **Services**
  - Change Service Credentials
  - Change Service Start Mode
  - Change Service Status
  - Check Services List
  - Does Service Exist
  - Get Service List By Start Mode
  - Get Service Start Mode
  - Reset Windows Service Credentials
  - Restart Windows Service
  - Service Port Health Check
  - Service Status
  - Start Service If Automatic

- 📁 **PowerShell**
  - PowerShell Script
    - 📁 **Events**
      - Get Event Log
      - List Event Types
      - Write Event Log
    - 📁 **Networking**
      - Configure Network Adapter
      - Get Adapter Configuration
      - List Network Adapters
    - 📁 **Services**
      - Get Dependent Services
      - Get Service Dependencies
      - List Services
      - Number of Services
      - Start Service
      - Stop Service
    - 📁 **Shares**
      - Create Share
      - Delete Share
      - List Shares
    - 📁 **Utility**
      - Create Local Group
      - Create Local User
      - Disable Local User
      - Enable Local User
      - Get Date and Time
      - Get Disk Drives
      - Get Logical Disks
      - Get Screen Saver
      - Get WMI Log Level
      - Rename Computer
      - Report Desktop Settings
      - Report Firewall Configuration
      - Report Logical Disk Performance
      - Restart Computer
      - Set WMI Log Level
      - Shutdown Computer
- 📁 **Printing**
  - Assign Default Printer
  - Delete All Printers
  - Delete Big Print Jobs
  - Delete Named Printer
  - Delete Print Job
  - Delete Specific Printer
  - File Printer
  - List Printer Capabilities
  - List Printer Drivers
  - List Printers
  - Modify Printer Availability
  - Modify Printer Priority

- Monitor Print Queues Times
- Pause All Print Jobs
- Pause Print Job
- Pause Printer
- Pause Printers
- Print Job Information
- Print Jobs
- Print Jobs IDs
- Print Jobs Statistics
- Print Jobs Status
- Print Queues
- Printer Port Properties
- Printer Status
- Purge Print Queue
- Rename Printer
- Resume All Print Jobs
- Resume Print Job
- Resume Printer
- Resume Printers
- Text Printer

📁 **Remote Command Execution**

- Remote Command
- Remote Shell

📁 **RSH**

- rexec
- rsh

📁 **Samples**

- Run RSH Command as Root
- Run rexec

📁 **SSH**

- SSH (NRAS)
- SSH Command
- SSH Shell

📁 **Telnet**

- JRAS Telnet Shell
- Send Password
- Send Username
- Telnet Command

📁 **Remote File Transfer**

- Remote Copy

📁 **FTP**

- Get
- Put

📁 **SCP**

- Remote Secure Copy
- Secure Copy

📁 **Samples**

- Remote Secure Copy Sample
- Secure Copy

📁 **SFTP**



- Set WMI Attribute
- WMI CSV Value Getter
- WMI Query
- WMI Query Results Transformer

- 📁 **Wizards**

- 📁 **Web Service Wizard**
    - Invoke Method 2

- 📁 **Templates**

- Blank Flow
- Check Windows CPU
- Check for Windows Event
- Counter Average Threshold
- Create a Trouble Ticket
- F5 Iterable Action Template
- Network Check
- Restart Service
- Restart Solaris Server

- 📁 **Tutorials**

- Restart Service - Tutorial Flow

- 📁 **subflows**

- Get Stopped Service List
    - Pick a Service
    - Restart Service

- 📁 **Utility Operations**

- Basic Notify
- Chop
- Command Line Builder
- Display
- Generic Diagnostic
- JRAS Command
- Manual
- Notify
- Operating System Detector
- Random Number Generator
- Search and Replace
- Sleep
- String Occurrence Counter
- Temp File Reader
- UUID Generator

- 📁 **Containers**

- List Map

- 📁 **Lists**

- Contains All
      - Generate Report From Lists
      - Get Element Matching
      - List Appender
      - List Item Grabber
      - List Prepend
      - List Remover
      - List Sort



- Trim List
- 📁 **Tables**
  - Get Column from Table
  - Table Sort
- 📁 **Date and Time**
  - Check Time
  - Date Parser
  - Date and Time Comparator
  - File Date Check
  - Get Current Date and Time
  - Offset Time by
  - Offset Time from Now
  - Recently Run
- 📁 **Flow Variable Manipulation**
  - Check Null
  - Clear Flow Variable
  - Clear Global Flow Variable
  - Flow Variable Resolver
  - Set Flow Variable
  - Set Flow Variables
- 📁 **HTML Formatting**
  - HTML Link Formatter
  - HTML String Formatter
  - HTML Table Formatter
- 📁 **Samples**
  - HTML Formatter Sample
- 📁 **Looping**
  - Counter
  - List Iterator
  - Loop
  - Selection List Iterate
- 📁 **Math and Comparison**
  - Alphabetical String Comparator
  - Average Threshold
  - Base Converter
  - Double Comparator
  - Evaluate Expression
  - String Comparator
- 📁 **Simple Evaluators**
  - Addition
  - Divider
  - Equal
  - Greater Than
  - Greater Than or Equal
  - Less Than
  - Less Than or Equal
  - Multiply
  - Not Equal
  - Power
  - Subtraction
- 📁 **Statistics**

- Analyze List
- Analyze Table Columns
- Check Trend

📁 **Samples**

- Generate Random Number
- OSDetector Sample
- Resolve Context Values to String
- Sample Generate Run URL

📁 **XML Processing**

- Validate XML Document
- XML Element Filter
- XML Get Attributes
- XML Get Element Value
- XPath Evaluator