

HP Project and Portfolio Management Center

Software Version: 7.1

Master Index

Document Release Date: December 2007

Software Release Date: December 2007 (SP5)



Legal Notices

This document, and the accompanying software and other documentation, is protected by U.S. and international copyright laws, and may be used only in accordance with the accompanying license agreement. Features of the software, and of other products and services of Mercury Interactive Corporation, may be covered by one or more of the following patents: United States: 5,511,185; 5,657,438; 5,701,139; 5,870,559; 5,958,008; 5,974,572; 6,137,782; 6,138,157; 6,144,962; 6,205,122; 6,237,006; 6,341,310; 6,360,332; 6,449,739; 6,470,383; 6,477,483; 6,549,944; 6,560,564; 6,564,342; 6,587,969; 6,631,408; 6,631,411; 6,633,912; 6,694,288; 6,738,813; 6,738,933; 6,754,701; 6,792,460 and 6,810,494. Australia: 763468 and 762554. Other patents pending. All rights reserved.

U.S. GOVERNMENT RESTRICTED RIGHTS. This Software Documentation is a “commercial item” as defined at 48 C.F.R. 2.101 (October 1995). In accordance with 48 C.F.R. 12.212 (October 1995), 48 C.F.R. 27.401 through 27.404 and 52.227-14 (June 1987, as amended) and 48 C.F.R. 227.7201 through 227.7204 (June 1995), and any similar provisions in the supplements to Title 48 of the C.F.R. (the “Federal Acquisition Regulation”) of other entities of the U.S. Government, as applicable, all U.S. Government users acquire and may use this Documentation only in accordance with the restricted rights set forth in the license agreement applicable to the Computer Software to which this Documentation relates.

Mercury, Mercury Interactive, the Mercury logo, the Mercury Interactive logo, LoadRunner, WinRunner, SiteScope and TestDirector are trademarks of Mercury Interactive Corporation and may be registered in certain jurisdictions. The absence of a trademark from this list does not constitute a waiver of Mercury's intellectual property rights concerning that trademark.

All other company, brand and product names may be trademarks or registered trademarks of their respective holders. Mercury disclaims any responsibility for specifying which marks are owned by which companies or which organizations.

Intel®, Intel® Itanium®, Intel® Xeon™, and Pentium® are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Java™ is a U.S. trademark of Sun Microsystems, Inc.

Microsoft®, Windows®, and Windows® XP are U.S. registered trademarks of Microsoft Corporation.

Oracle® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

UNIX® is a registered trademark of The Open Group.

Mercury provides links to external third-party Web sites to help you find supplemental information. Site content and availability may change without notice. Mercury makes no representations or warranties whatsoever as to site content or availability.

© 1997- 2008 Hewlett-Packard Development Company, L.P.

Documentation Updates

This manual's title page contains the following identifying information:

- Software version number, which indicates the software version
- Document release date, which changes each time the document is updated
- Software release date, which indicates the release date of this version of the software

To check for recent updates, or to verify that you are using the most recent edition of a document, go to: http://ovweb.external.hp.com/lpe/doc_serv/.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

Mercury Product Support

You can obtain support information for products formerly produced by Mercury as follows:

- If you work with an HP Software Services Integrator (SVI) partner (www.hp.com/managementsoftware/svi_partner_list), contact your SVI agent.
- If you have an active HP Software support contract, visit the HP Software Support site and use the Self-Solve Knowledge Search to find answers to technical questions.
- For the latest information about support processes and tools available for products formerly produced by Mercury, we encourage you to visit the HP-Mercury Software Support web site at: support.mercury.com.
- Contact your HP Sales Representative if you have additional questions.

HP Software Support

You can visit the HP Software Support web site at www.hp.com/managementsoftware/services.

HP Software online support provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To find more information about access levels, go to: www.hp.com/managementsoftware/access_level.

To register for an HP Passport ID, go to: www.managementsoftware.hp.com/passport-registration.html.

Master Index

This document provides a combined index for the following HP Project and Portfolio Management Center documents. Index entries use the identifiers provided below.

Document	Identifier	Document	Identifier
<i>What's New and What's Changed</i>	WhatsNew	<i>Getting Started</i>	GetStart
<i>HP Deployment Management User's Guide</i>	DeployUG	<i>HP Deployment Management Configuration Guide</i>	DeployCG
<i>HP Demand Management User's Guide</i>	DemandUG	<i>HP Demand Management Configuration Guide</i>	DemandCG
<i>Tracking and Managing IT Demand User's Guide</i>	TrkMgUG	<i>Tracking and Managing IT Demand Configuration Guide</i>	TrkMgCG
<i>HP Portfolio Management User's Guide</i>	PortfolioUG	<i>HP Portfolio Management Configuration Guide</i>	PortfolioCG
<i>HP Program Management User's Guide</i>	ProgramUG	<i>HP Program Management Configuration Guide</i>	ProgramCG
<i>HP Project Management User's Guide</i>	ProjectUG	<i>HP Project Management Configuration Guide</i>	ProjectCG
<i>HP Time Management User's Guide</i>	TimeUG	<i>HP Time Management Configuration Guide</i>	TimeCG
<i>HP Financial Management User's Guide</i>	FinancialUG	<i>HP Resource Management User's Guide</i>	ResourceUG
<i>Creating Portlets and Modules</i>	CreateP&M	<i>Customizing the Standard Interface</i>	CustomSI
<i>System Administration Guide and Reference</i>	SysAdmin	<i>Upgrade Guide</i>	Upgrade
<i>Document Management Guide and Reference</i>	DocMgmt	<i>Commands, Tokens, and Validations Guide and Reference</i>	CmdTokVal
<i>Reports Guide and Reference</i>	Reports	<i>Security Model Guide and Reference</i>	Security
<i>Reporting Meta Layer Guide and Reference</i>	RML	<i>Open Interface Guide and Reference</i>	OpenAPI
<i>Service-Oriented Architecture: Web Services Guide</i>	SOA		

Symbols

.NET

sample Web services [SOA-87](#)

@node directive

in the server.conf file [SysAdmin-115](#)

_B_TREE_BITMAP_PLANS database parameter [SysAdmin-81](#)

_LIKE_WITH_BIND_AS_EQUALITY database parameter [SysAdmin-81](#)

_SORT_ELIMINATION_COST_RATIO database parameter [SysAdmin-82](#)

A

Accelerators

installing [SysAdmin-64](#)

version 7 features [WhatsNew-31](#)

version 7 functional impacts [WhatsNew-49](#)

access

cost [ProgramUG-47](#)

for programs [ProgramUG-47](#)

program [ProgramUG-47](#)

access grants [DeployCG-21](#), [DeployCG-42](#), [DemandCG-19](#), [DemandCG-40](#),

[TrkMgCG-14](#), [ProgramCG-44](#), [Security-50](#)

assigning to security groups [ProgramCG-45](#)

budgets [PortfolioCG-71](#)

delegates in Time Management [TimeCG-55](#)

described [Security-15](#)

Edit Portlet Definition, used [CreateP&M-40](#)

Edit Requests [DocMgmt-115](#)

financial benefits [PortfolioCG-73](#)

for creating and modifying financial

exchanges rates [Security-118](#)

for creating regions [Security-117](#)

for modifying regions [Security-117](#)

for viewing financial exchange

rates [Security-118](#)

list [Security-137](#)

Override Document Check

Out [DocMgmt-115](#)

Ownership Override [SysAdmin-190](#)

Ownership Override, used [CreateP&M-40](#)

Portfolio Management [PortfolioCG-66](#), [PortfolioCG-70](#)

Project Management [PortfolioCG-69](#)

removing [Security-129](#)

resource pools [ResourceUG-61](#)

scenario comparison [PortfolioUG-94](#), [PortfolioCG-70](#)

staffing profiles [ResourceUG-72](#), [PortfolioCG-72](#)

SysAdmin: Migrate PPM

objects [SysAdmin-186](#)

SysAdmin: Server Tools: Execute Admin Tools [SysAdmin-136](#)

SysAdmin: Server Tools: Execute SQL Runner [SysAdmin-136](#)

SysAdmin: View Server

Tools [SysAdmin-136](#)

version 7 upgrade impacts [WhatsNew-67](#)

viewing regions [Security-117](#)

accessing

documentation [SysAdmin-21](#)

package decision detail in

Workbench [DeployUG-38](#)

package execution history in the PPM

Workbench [DeployUG-37](#)

package graphical view in

Workbench [DeployUG-37](#)

package line execution log in the PPM

Workbench [DeployUG-37](#)

package line permissions in the PPM

Workbench [DeployUG-38](#)

package line transaction history in

Workbench [DeployUG-38](#)

package workflow step information URL in the PPM Workbench [DeployUG-39](#)

accessing documentation [Upgrade-15](#)

from the Download Center [SysAdmin-21](#)

ActiveX

Mozilla Firefox issue [ProjectCG-22](#)

activities [FinancialUG-81](#), [TimeUG-18](#),

[TimeCG-58](#)

See also Activities tab of time sheet policy.

adding to work items [TimeUG-57](#)

- associating with projects [FinancialUG-85](#)
- associating with tasks [FinancialUG-85](#)
- configuring [FinancialUG-82](#)
- configuring for time sheet
 - policy [TimeCG-48](#)
- creating [FinancialUG-83](#), [TimeCG-59](#)
- disabling [FinancialUG-84](#)
- editing [TimeCG-60](#)
- inheritance behavior [FinancialUG-85](#)
- modifying existing [FinancialUG-83](#)
- Activities tab of time sheet policy [TimeCG-29](#)
 - configuring [TimeCG-48](#)
- Actual Time Summary report [Reports-160](#)
- actual values
 - field relationships [ResourceUG-103](#)
 - overriding [ResourceUG-101](#)
- actual work plan costs [FinancialUG-63](#)
 - automatically calculating [FinancialUG-64](#)
 - manually entering [FinancialUG-64](#)
 - time sheet roll-up [FinancialUG-65](#)
- Adapters
 - version 7 features [WhatsNew-31](#)
 - version 7 functional impacts [WhatsNew-49](#)
- ADD [OpenAPI-19](#)
- ADD/DROP [OpenAPI-19](#)
- adding
 - activities to work items [TimeUG-57](#)
 - attachments as references to
 - requests [DemandUG-45](#)
 - attachments to packages [DeployUG-84](#)
 - charge codes to work
 - allocations [TimeUG-107](#)
 - charge codes to work items [TimeUG-57](#)
 - commands to request types [DemandCG-164](#)
 - Dashboard pages [GetStart-50](#)
 - existing packages as references to
 - requests [DemandUG-46](#)
 - existing packages to
 - packages [DeployUG-85](#)
 - existing packages to packages in
 - Workbench [DeployUG-66](#)
 - existing requests as references to
 - requests [DemandUG-51](#)
 - existing requests to packages [DeployUG-91](#)
 - existing requests to packages in
 - Workbench [DeployUG-71](#)
 - help for request types [DemandCG-187](#)
 - help to request types [DemandCG-187](#)
 - HP supplemental guides to
 - library [CustomSI-47](#)
 - lines to time sheets [TimeUG-31](#),
 - [TimeUG-69](#)
 - miscellaneous work items to My Items
 - list [TimeUG-40](#)
 - new packages as references to
 - requests [DemandUG-47](#)
 - new packages to packages [DeployUG-86](#)
 - new packages to packages in the PPM
 - Workbench [DeployUG-67](#)
 - new requests as references to
 - requests [DemandUG-52](#)
 - new requests to packages [DeployUG-92](#)
 - new requests to packages in the PPM
 - Workbench [DeployUG-73](#)
 - notes to packages in the standard
 - interface [DeployUG-83](#)
 - notes to packages in
 - Workbench [DeployUG-63](#),
 - [DeployUG-102](#)
 - notes to time sheet lines [TimeUG-59](#)
 - notes to work allocations [TimeUG-106](#)
 - notification intervals to notification
 - templates [DeployCG-232](#),
 - [DemandCG-212](#)
 - notifications to request
 - types [DemandCG-177](#)
 - ownerships to environment
 - groups [DeployCG-210](#)
 - ownerships to environments [DeployCG-197](#)
 - ownerships to request types [DemandCG-185](#)
 - package line to in-progress package in
 - Workbench [DeployUG-105](#)
 - package lines in Workbench [DeployUG-60](#)

package work items to My Items list [TimeUG-36](#)
 packages to releases using Package window [DeployCG-170](#)
 packages to releases using Release window [DeployCG-168](#)
 participants to environments [DeployCG-198](#)
 participants to request types [DemandCG-173](#)
 portlet categories [CreateP&M-87](#)
 portlets [GetStart-53](#)
 Program Manager page to the Dashboard [ProgramUG-81](#)
 programs as references to requests [DemandUG-49](#)
 programs to packages [DeployUG-88](#)
 programs to packages in Workbench [DeployUG-68](#)
 project work items to My Items list [TimeUG-37](#)
 projects as references to requests [DemandUG-50](#)
 projects to packages [DeployUG-89](#)
 projects to packages in Workbench [DeployUG-69](#)
 references for requests [DemandUG-44](#)
 references to packages [DeployUG-84](#)
 references to packages in Workbench [DeployUG-64](#), [DeployUG-103](#)
 releases as references to requests [DemandUG-51](#)
 releases to packages [DeployUG-90](#)
 releases to packages in the PPM Workbench [DeployUG-70](#)
 request work items to My Items list [TimeUG-34](#)
 requests to releases [DeployCG-173](#)
 requests to releases with Release window [DeployCG-173](#)
 requests to releases with Requests window [DeployCG-174](#)
 resources to work allocations [TimeUG-106](#)
 sections on request types [DemandCG-143](#)
 site-specific guides to library [CustomSI-49](#)
 sub-types to request types [DemandCG-168](#)
 task work items to My Items list [TimeUG-37](#)
 tasks as references to requests [DemandUG-53](#)
 tasks to packages [DeployUG-93](#)
 tasks to packages in the PPM Workbench [DeployUG-74](#)
 transitions back to the same step [DeployCG-84](#), [DemandCG-78](#)
 URLs as references to requests [DemandUG-54](#)
 URLs to packages [DeployUG-94](#)
 URLs to packages in the PPM Workbench [DeployUG-75](#)
 user data to work items [TimeUG-60](#)
 values to validations in Time Management [TimeCG-93](#)
 work item filter fields for time sheets [TimeCG-82](#)
 work item filter fields, prerequisites [TimeCG-83](#)
 work items from My Items list to time sheet [TimeUG-41](#)
 work items from Suggested Items list to My Items list [TimeUG-43](#)
 work items from Suggested Items list to time sheet [TimeUG-42](#)
 work items to My Items list [TimeUG-33](#)
 work items to time sheets [TimeUG-31](#)
 workflows to request types [DemandCG-171](#)
 Additional Information tab of time sheets [TimeUG-56](#)
 addRequestNotes [SOA-19](#), [SOA-44](#)
 addTaskToExistingWorkPlan [SOA-17](#), [SOA-39](#)
 adjusting resource pool participation [ResourceUG-59](#)
 adjusting scoring key in Portfolio Management [PortfolioCG-50](#)
 adding a criterion [PortfolioCG-58](#)
 changing a criterion name [PortfolioCG-57](#)

- changing criterion
 - properties [PortfolioCG-54](#)
 - procedure [PortfolioCG-54](#)
- Admin Tools window [SysAdmin-138](#)
- administering
 - full-text indexing [DocMgmt-89](#)
- administration tools
 - for system maintenance [SysAdmin-134](#)
 - in the standard interface [SysAdmin-135](#)
- administrative reports [Reports-19](#), [Reports-39](#)
- administrator [Security-24](#)
- advanced Workbench queries [GetStart-65](#)
- AIX platform, running PPM Center
 - on [SysAdmin-25](#)
- AJP13 communication protocol [SysAdmin-26](#),
[SysAdmin-29](#), [SysAdmin-32](#), [SysAdmin-33](#),
[SysAdmin-243](#)
- allocations
 - See* work allocations.
- ALLOW_SAVE_REQUEST_DRAFT
 - parameter [SysAdmin-228](#)
- Analyze Demand by Category page
 - overview [TrkMgUG-23](#)
- analyzing
 - issue resolution [ProgramUG-67](#)
 - resource pools [ResourceUG-79](#)
 - risk activity [ProgramUG-70](#)
 - risk resolution time [ProgramUG-71](#)
 - scope change activity [ProgramUG-73](#)
 - scope change resolution
 - time [ProgramUG-75](#)
 - staffing profiles [ResourceUG-82](#)
- analyzing costs
 - earned value analysis [FinancialUG-75](#)
 - project cumulative cost
 - metrics [FinancialUG-70](#)
 - project current cost metrics [FinancialUG-73](#)
 - project plans [FinancialUG-70](#)
 - work plan costs [ProjectUG-148](#)
- analyzing demand [TrkMgUG-36](#), [TrkMgUG-38](#)
- analyzing your portfolio [PortfolioUG-34](#)
- common analyses [PortfolioUG-36](#)
- portfolio scores [PortfolioUG-41](#)
- using portlets [PortfolioUG-42](#)
- AND condition workflow steps [DeployCG-53](#),
[DemandCG-51](#)
- Apache 2.0
 - enabling cookie logging on [SysAdmin-112](#)
- Apache HTTP Server [SysAdmin-26](#),
[SysAdmin-101](#)
- Apache JServ Protocol [SysAdmin-243](#)
- Apache JServ Protocol version
 - 1.3 [SysAdmin-26](#)
- Apache Tomcat
 - port for communicating with [DocMgmt-82](#)
 - port used to stop [DocMgmt-83](#)
- Apache-based Web servers
 - configuring [SysAdmin-111](#)
 - configuring the uriworkermap.properties
file [SysAdmin-105](#)
- app codes [Security-36](#)
- App Codes tab
 - security groups [Security-36](#)
- APPLET_KEY_CLEANUP_INTERVAL
 - parameter [SysAdmin-228](#)
- application administrator-provided
preconfigured Dashboard
pages [CreateP&M-114](#)
- application codes
 - copying from other
environments [DeployCG-195](#)
 - environments [DeployCG-192](#)
- application modules
 - having Web services [SOA-38](#), [SOA-59](#)
- application server
 - See* PPM Server.
 - verifying client access to [SysAdmin-79](#)
 - verifying configuration [SysAdmin-76](#)
- application server properties [CmdTokVal-131](#)
- application server tier [SysAdmin-25](#)
- system architecture [SysAdmin-25](#)
- approval details [DemandUG-27](#)

- approval details for time sheets [TimeUG-62](#)
- Approvals/Transaction Details tab for work item details [TimeUG-58](#)
- Approve Time Sheets portlet [TimeUG-87](#)
- approvers for work items (time sheet lines) [TimeUG-58](#)
 - configuring defaults for resources [TimeCG-53](#)
 - configuring in override rules [TimeCG-68](#)
 - determining [TimeUG-80](#), [TimeCG-52](#)
- approving
 - packages [DeployUG-81](#)
 - security for package lines [Security-81](#)
- approving time on time sheets [TimeUG-17](#), [TimeUG-80](#), [TimeCG-17](#)
 - automatically [TimeCG-33](#)
 - procedure [TimeUG-81](#)
- asset workflow
 - See PFM - Asset workflow.*
- assets in Portfolio Management [PortfolioUG-21](#), [PortfolioCG-26](#)
 - creating [PortfolioUG-21](#)
 - creating from projects [PortfolioUG-21](#), [PortfolioCG-43](#)
 - creating from scratch [PortfolioUG-23](#)
 - customization
 - considerations [PortfolioCG-27](#)
- assigning
 - multiple resources to tasks [ResourceUG-93](#)
 - requests [ResourceUG-90](#)
 - resources to tasks [ResourceUG-92](#)
 - roles to tasks [ResourceUG-91](#)
 - tasks [ResourceUG-91](#)
 - using Resource Finder [ResourceUG-95](#)
- assigning resource for demand [TrkMgUG-37](#)
- assigning resources [ResourceUG-76](#)
 - collecting resource requests [ResourceUG-76](#)
 - making assignments [ResourceUG-77](#)
- Assignment Queue portlet [DemandUG-70](#)
- assignments
 - visualizing [ResourceUG-105](#)
- attaching documents [DocMgmt-21](#)

- ATTACHMENT_DIRNAME
 - parameter [SysAdmin-116](#), [SysAdmin-215](#), [SysAdmin-218](#), [SysAdmin-228](#)
- attachments
 - adding to packages from the standard interface [DeployUG-84](#)
 - adding to requests [DemandUG-45](#)
- attachments as references [ProgramUG-50](#)
- Attributes tab [Reports-182](#)
- audience for this document [SysAdmin-19](#)
- audit trail of a time sheet, viewing [TimeUG-73](#)
- AUTHENTICATE_REPORTS
 - parameter [SysAdmin-228](#)
- authentication
 - HTTP [SOA-33](#)
 - HTTP, basic [SOA-24](#), [SOA-82](#), [SOA-84](#)
 - HTTPS [SOA-35](#), [SOA-36](#)
 - NTLM [SysAdmin-128](#)
 - using single sign-on with third-party authentication servers [SysAdmin-130](#)
 - Web services, for [SOA-24](#)
 - WS-Security [SOA-24](#), [SOA-84](#)
- authentication mode [Security-23](#)
- AUTHENTICATION_MODE
 - parameter [SysAdmin-228](#)
- author information for attached documents [DocMgmt-156](#)
- AUTHOR token [DocMgmt-163](#)
- authorization
 - Web services [SOA-24](#)
- AUTO_COMPLETE_SHORT_TYPE_MAX_ROWS
 - parameter [SysAdmin-228](#)
- auto-complete
 - command with delimited output [CmdTokVal-94](#)
 - command with fixed width output [CmdTokVal-96](#)
 - configuring the values [CmdTokVal-93](#)
 - example [CmdTokVal-100](#)
 - list of users [CmdTokVal-92](#)
 - long lists [CmdTokVal-83](#)

search fields [CmdTokVal-88](#)
short lists [CmdTokVal-82](#)
user-defined multi-select [CmdTokVal-98](#)
AUTOCOMPLETE_STATUS_REFRESH_
RATE parameter [SysAdmin-229](#)

B

backing up
 database schema [Upgrade-21](#)
 file system [Upgrade-19](#)
 instances [SysAdmin-154](#)
bar chart portlet [CreateP&M-95](#)
base paths [DeployCG-189](#), [DeployCG-190](#)
 mass updates [DeployCG-201](#)
BASE_LOG_DIR parameter [SysAdmin-117](#)
BASE_LOG_DIRECTORY
 parameter [SysAdmin-229](#)
BASE_PATH parameter [SysAdmin-116](#),
 [SysAdmin-215](#), [SysAdmin-218](#),
 [SysAdmin-229](#)
BASE_URL parameter [SysAdmin-79](#),
 [SysAdmin-114](#), [SysAdmin-116](#),
 [SysAdmin-215](#), [SysAdmin-217](#),
 [SysAdmin-229](#)
baseline
 comparing [ProjectUG-147](#)
 managing [ProjectUG-147](#)
 taking [ProjectUG-146](#)
Baseline Comparison report [Reports-154](#)
baselines
 managing for projects [Security-91](#)
batch executions in progress, report providing
 information about [SysAdmin-140](#)
batches pending execution, report providing
 information about [SysAdmin-140](#)
Best Practices
 described [SysAdmin-43](#)
 installing separately [SysAdmin-63](#)
 retaining customized request types after
 upgrade [Upgrade-12](#)
 verifying installation [SysAdmin-64](#)

billing approvers, configuring default for
 resources [TimeCG-53](#)
billing third-party applications [TimeUG-18](#),
 [TimeCG-17](#)
bin directory [SysAdmin-279](#)
branding
 overview [CustomSI-17](#)
 your instance [CustomSI-19](#)
Brazilian Portuguese language
 support [WhatsNew-12](#)
Broker Connection report [SysAdmin-139](#)
Broker In Use Sessions report [SysAdmin-139](#)
Broker Performance report [SysAdmin-139](#)
bubble chart of portfolio [PortfolioUG-34](#)
bubble chart portlet [CreateP&M-104](#)
Budget By Asset Class tab in a scenario
 comparison [PortfolioUG-58](#)
Budget By Business Objective tab in a scenario
 comparison [PortfolioUG-59](#)
Budget By Project Class tab in a scenario
 comparison [PortfolioUG-58](#)
budget security [Security-109](#)
Budget Summary tab in a scenario
 comparison [PortfolioUG-56](#)
Budget to Budget Comparison
 portlet [FinancialUG-52](#)
BUDGET_IN_WHOLE_DOLLARS
 parameter [SysAdmin-229](#)
budgets
 access grants [FinancialUG-45](#),
 [PortfolioCG-71](#)
 comparing [FinancialUG-52](#)
 comparing planned to
 actuals [FinancialUG-53](#)
 comparing related [FinancialUG-55](#)
 configure access page [FinancialUG-46](#)
 configuring access [FinancialUG-45](#)
 creating [FinancialUG-42](#), [Security-115](#)
 creating and linking in Portfolio
 Management [PortfolioUG-25](#)
 granting access [FinancialUG-47](#)

- modifying [FinancialUG-51](#), [Security-115](#)
 - organization unit
 - associations [FinancialUG-51](#)
 - program associations [FinancialUG-50](#)
 - program budget roll-up [FinancialUG-69](#)
 - setting associations [FinancialUG-48](#)
 - staffing profile
 - synchronization [FinancialUG-48](#)
 - viewing [Security-114](#)
 - builder portlets [CreateP&M-50](#), [CreateP&M-52](#)
 - building your portfolio
 - See* [Portfolio Management](#).
 - business objectives
 - configuring [ProgramUG-21](#)
 - creating from Program Management [ProgramUG-20](#)
 - deleting [ProgramUG-22](#)
 - managing [ProgramUG-21](#)
 - overview [ProgramUG-20](#)
 - business objectives in [Portfolio Management](#)
 - creating and linking [PortfolioUG-30](#)
 - editing [PortfolioUG-32](#)
- C**
- cache, report providing information
 - about [SysAdmin-139](#), [SysAdmin-140](#)
 - CacheManager Sizes report [SysAdmin-139](#)
 - CacheManager Statistics report [SysAdmin-139](#)
 - calendar
 - regional calendar setup [ResourceUG-28](#)
 - resource setup [ResourceUG-40](#)
 - cancellable reports [Reports-35](#)
 - cancelling
 - packages lines in the PPM Workbench [DeployUG-114](#)
 - reports [Reports-33](#)
 - requests [DemandUG-66](#)
 - cancelling time sheets [TimeUG-17](#), [TimeCG-17](#)
 - procedure [TimeUG-71](#)
 - capacity planning
 - assigning resources [ResourceUG-76](#)
 - collecting resource requests [ResourceUG-76](#)
 - forwarding demand [ResourceUG-78](#)
 - making assignments [ResourceUG-77](#)
 - overview [ResourceUG-54](#)
 - rejecting demand [ResourceUG-78](#)
 - resource pools [ResourceUG-55](#)
 - capital expense data
 - portfolio [FinancialUG-89](#)
 - programs [FinancialUG-87](#)
 - work plans [FinancialUG-86](#)
 - capitalization
 - activity inheritance
 - behavior [FinancialUG-85](#)
 - configuring activities [FinancialUG-82](#)
 - enabling [FinancialUG-78](#)
 - overview [FinancialUG-78](#)
 - tracking with activities [FinancialUG-81](#)
 - using activities [FinancialUG-85](#)
 - viewing in portfolio [FinancialUG-89](#)
 - viewing in programs [FinancialUG-87](#)
 - viewing in work plans [FinancialUG-86](#)
 - Capitalized Project Breakdown
 - portlet [FinancialUG-92](#)
 - Capitalized Project Timelines
 - portlet [FinancialUG-91](#)
 - cascading style sheets [CustomSI-20](#), [CustomSI-24](#), [CustomSI-56](#), [CustomSI-57](#), [CustomSI-59](#)
 - version 7 upgrade impacts [WhatsNew-52](#)
 - CATCH_SYSTEM_ERR
 - parameter [SysAdmin-271](#)
 - CATCH_SYSTEM_OUT
 - parameter [SysAdmin-271](#)
 - categorization preferences, configuring in [Portfolio Management](#) [PortfolioCG-17](#)
 - Change Management
 - See* [Deployment Management](#).
 - changing
 - See also* [cascading style sheets](#).
 - colors [CustomSI-20](#), [CustomSI-24](#)
 - corporate logos [CustomSI-22](#)
 - fonts [CustomSI-20](#), [CustomSI-24](#)

instance identification [CustomSI-34](#)
 logon page [CustomSI-32](#)
 menu text [CustomSI-34](#)
 optimization settings for a
 scenario [PortfolioUG-92](#)
 optimized scenarios [PortfolioUG-94](#)
 password [GetStart-38](#)
 portlet field colors [CustomSI-38](#)
 portlet maximized view [GetStart-40](#)
 portlet name [GetStart-59](#)
 portlet sizes [GetStart-57](#)
 scenario comparison
 content [PortfolioUG-70](#)
 scenario comparison details [PortfolioUG-69](#)
 scenario names in a scenario
 comparison [PortfolioUG-75](#)
 scenarios in a scenario
 comparison [PortfolioUG-75](#)
 sign out button [CustomSI-30](#)
 warning message display [GetStart-39](#)
 work plan pages [GetStart-41](#)
 changing task status [ProjectUG-110](#)
 chapter overview [DemandUG-14](#)
 charge code rules [Security-37](#)
 charge codes [TimeCG-62](#)
 See also Charge Codes tab of time sheet
 policy.
 adding to work allocations [TimeUG-107](#)
 adding to work items [TimeUG-57](#)
 configuring in override rules [TimeCG-66](#),
 [TimeCG-68](#)
 configuring in time sheet
 policies [TimeCG-46](#), [TimeCG-66](#)
 configuring in work allocations [TimeCG-66](#)
 creating [TimeCG-63](#)
 deleting [TimeCG-65](#)
 editing [TimeCG-65](#)
 precedence of setting by work allocations,
 time sheet policies, and override
 rules [TimeCG-66](#)
 Charge Codes tab of time sheet
 policy [TimeCG-29](#)
 configuring [TimeCG-46](#)
 Charge Codes/Activities tab for work item
 details [TimeUG-57](#)
 chart portlets [GetStart-16](#)
 Checked In By information for attached
 documents [DocMgmt-156](#)
 Checked Out By information for attached
 documents [DocMgmt-156](#)
 checking document attachments in or
 out [DocMgmt-159](#)
 checking system requirements [SysAdmin-40](#)
 CLASSPATH environment variable
 and DFC classes [DocMgmt-94](#)
 client environment, report providing
 information about [SysAdmin-139](#)
 Client Font report [SysAdmin-139](#)
 Client Property report [SysAdmin-139](#)
 client tier, system architecture [SysAdmin-25](#)
 Client Timezone report [SysAdmin-139](#)
 client, Web services
 compiling code [SOA-86](#)
 configuring [SOA-25](#), [SOA-29](#), [SOA-31](#),
 [SOA-32](#), [SOA-84](#)
 executing code [SOA-87](#)
 sample code [SOA-80](#)
 CLIENT_TIMEOUT parameter [SysAdmin-170](#),
 [SysAdmin-228](#), [SysAdmin-229](#)
 cloning instances [SysAdmin-212](#)
 CLOSE_BROWSER_ON_APPLET_EXIT
 parameter [SysAdmin-229](#)
 closing
 workflow steps [DeployCG-54](#),
 [DemandCG-52](#)
 closing the Workbench [GetStart-62](#)
 closing time sheets [TimeUG-18](#), [TimeUG-94](#),
 [TimeCG-18](#)
 procedure [TimeUG-95](#)
 closing work allocations [TimeUG-108](#)
 cluster configurations
 using a hardware load balancer
 in [SysAdmin-124](#)
 verifying [SysAdmin-126](#)

- with an external Web server [SysAdmin-121](#)
- clustered bar chart portlet [CreateP&M-97](#)
- clustered servers, upgrading PPM Center on [Upgrade-32](#)
- CML, reducing use of [Upgrade-41](#)
- COLLAPSE_SINGLE_PAGE_MODULE parameter [SysAdmin-230](#)
- collapsing menus [GetStart-26](#)
- color names and hexadecimal values [CreateP&M-125](#)
- colors
 - changing [CustomSI-20](#), [CustomSI-24](#)
 - choices and names [CustomSI-65](#)
 - portlet fields [CustomSI-38](#)
- combination queries [DocMgmt-162](#)
- command conditions [CmdTokVal-25](#), [CmdTokVal-35](#)
- examples [CmdTokVal-25](#)
- command language [CmdTokVal-24](#)
- command tokens [CmdTokVal-162](#)
- command with delimited output [CmdTokVal-94](#)
- command with fixed width output [CmdTokVal-96](#)
- commands
 - adding to request types [DemandCG-164](#)
 - changing field values [DeployCG-154](#)
 - conditions [DeployCG-151](#), [DemandCG-167](#)
 - conditions examples [DeployCG-151](#), [DemandCG-167](#)
 - copying to request types [DemandCG-166](#)
 - create new command [CmdTokVal-29](#)
 - creating [CmdTokVal-39](#)
 - deleting from request types [DemandCG-167](#)
 - editing in request types [DemandCG-165](#)
 - requirements [DeployCG-35](#)
 - special [CmdTokVal-24](#)
 - triggering from workflow [CmdTokVal-22](#)
 - validation [CmdTokVal-81](#)
- Commands tab [Reports-187](#)
- commands, migrating [SysAdmin-177](#)
- COMMANDS_CLEANUP_INTERVAL parameter [SysAdmin-230](#)
- common XSD [SOA-145](#)
- Compare Custom Database Setup report [Reports-80](#)
- Compare Filesystem Environments report [Reports-83](#)
- Compare MS SQL Server 7 Environments report [Reports-86](#)
- Compare Oracle Environments report [Reports-88](#)
- comparing budgets [FinancialUG-52](#)
- planned to actuals [FinancialUG-53](#)
- related [FinancialUG-55](#)
- comparison operators
 - in request queries [DemandUG-59](#)
- Compatibility Meta Layer, reducing use of [Upgrade-41](#)
- compiling a binary of JK [SysAdmin-111](#)
- component types [CmdTokVal-69](#)
 - auto-complete [CmdTokVal-98](#)
 - directory chooser [CmdTokVal-113](#)
 - file chooser [CmdTokVal-114](#)
 - file chooser (static environment override) [CmdTokVal-115](#)
 - file chooser (token-based environment override) [CmdTokVal-115](#)
- CONC_REQUEST_PASSWORD parameter [SysAdmin-153](#), [SysAdmin-230](#)
- CONC_REQUEST_USER parameter [SysAdmin-230](#)
- CONCURRENT_REQUEST_WATCH_DOG_INTERVAL parameter [SysAdmin-230](#)
- condition steps [DemandCG-27](#)
- defining [DeployCG-29](#)
- condition workflow steps [DeployUG-20](#), [DeployCG-53](#), [DemandCG-51](#)
- configuration
 - standard [SysAdmin-69](#)

- verifying on the application
 - server [SysAdmin-76](#)
- configuration entities
 - setting ownership for [Security-126](#)
- configuration file, Web services
 - axis2.xml [SOA-27](#), [SOA-29](#)
 - client_axis2.xml [SOA-28](#), [SOA-29](#)
 - server.conf [SOA-25](#)
 - webservices.conf [SOA-30](#)
- configuration files
 - for the DFC [DocMgmt-94](#)
- configuration parameters [SysAdmin-226](#)
- configuration security [Security-126](#)
- configuration-level restrictions [Security-15](#)
- configure access page
 - for resource pools [ResourceUG-63](#)
 - for staffing profiles [ResourceUG-74](#)
- Configure Access page of scenario
 - comparison [PortfolioCG-70](#)
- Configure Server prompt, installation
 - procedure [SysAdmin-47](#)
- configuring
 - activities [TimeCG-60](#)
 - Activities tab of time sheet
 - policy [TimeCG-48](#)
 - Apache-based Web server [SysAdmin-111](#)
 - approvers (default) for
 - resources [TimeCG-53](#)
 - assets in Portfolio
 - Management [PortfolioCG-26](#)
 - automatically update fields [DemandCG-132](#)
 - business objectives [ProgramUG-21](#)
 - categorization preferences in Portfolio
 - Management [PortfolioCG-17](#)
 - charge codes [TimeCG-65](#)
 - charge codes in override rules [TimeCG-66](#), [TimeCG-68](#)
 - charge codes in time sheet
 - policies [TimeCG-46](#), [TimeCG-66](#)
 - charge codes in work
 - allocations [TimeCG-66](#)
- Charge Codes tab of time sheet
 - policy [TimeCG-46](#)
- columns on request types [DemandCG-147](#)
- commands for request
 - types [DemandCG-163](#)
- commands on request
 - types [DemandCG-164](#), [DemandCG-165](#)
- contacts [DemandCG-200](#)
- Content Server on a Windows
 - system [DocMgmt-45](#)
- Content Server on UNIX
 - systems [DocMgmt-60](#)
- cost rollup service [ProgramCG-28](#)
- custom financial metric in Portfolio
 - Management [PortfolioCG-46](#)
- default security for custom
 - fields [ProgramCG-37](#)
- delegates in Time Management [TimeCG-53](#)
- Demand Management
 - overview [TrkMgCG-12](#)
- demand set fields [TrkMgCG-30](#)
- demand sets overview [TrkMgCG-28](#)
- document management [DocMgmt-100](#)
- dynamic security for workflow
 - steps [DeployCG-62](#), [DemandCG-58](#)
- emails to users on Notifications tab of time
 - sheet policy [TimeCG-34](#)
- entities in Portfolio
 - Management [PortfolioCG-20](#)
- environment groups
 - information [DeployCG-207](#)
- environment variables [SOA-79](#)
- environments information [DeployCG-188](#)
- environments overview [DeployCG-185](#)
- external Web servers [SysAdmin-101](#), [SysAdmin-105](#)
- field dependencies [DeployCG-137](#)
- field groups [TrkMgCG-19](#)
- field widths in object types [DeployCG-143](#)
- filter field layout [CmdTokVal-91](#)
- filters for request header
 - types [DemandCG-195](#)

first workflow step [DeployCG-56](#),
 [DemandCG-53](#)
 follow up notifications [DeployCG-70](#),
 [DemandCG-66](#)
 global settings in Portfolio
 Management [PortfolioCG-16](#)
 global time sheet policy [TimeCG-49](#)
 help for request types [DemandCG-187](#)
 hours on Min/Max Enforcement tab of time
 sheet policy [TimeCG-42](#)
 index agent on UNIX [DocMgmt-81](#)
 index agent on Windows systems for
 full-text indexing [DocMgmt-77](#)
 intervals for notifications [DeployCG-70](#),
 [DemandCG-66](#)
 IT demand effort [TrkMgCG-25](#)
 IT demand request header
 types [TrkMgCG-18](#)
 Java CLASSPATH [SOA-79](#)
 Java plug-in on clients [SysAdmin-91](#)
 layouts for request types [DemandCG-141](#)
 LDAP server [OpenAPI-39](#), [OpenAPI-40](#),
 [OpenAPI-59](#)
 Min/Max Enforcement tab of time sheet
 policy [TimeCG-42](#)
 moving object type fields [DeployCG-144](#)
 moving request type fields [DemandCG-142](#)
 notification intervals on notification
 templates [DeployCG-232](#),
 [DemandCG-212](#)
 notification message for workflow
 steps [DeployCG-73](#), [DemandCG-68](#)
 notification setup for workflow
 steps [DeployCG-65](#), [DemandCG-61](#)
 notification templates [DeployCG-226](#),
 [DemandCG-206](#)
 notification templates creating
 notification templates [DeployCG-226](#),
 [DemandCG-206](#)
 notifications for workflow
 steps [DeployCG-63](#), [DemandCG-60](#)
 notifications on request
 types [DemandCG-177](#)
 Notifications tab of time sheet
 policy [TimeCG-34](#)
 object type field
 dependencies [DeployCG-137](#)
 object type fields [DeployCG-140](#)
 object type names [DeployCG-145](#)
 options for full-text indexing [DocMgmt-71](#)
 Oracle database to improve upgrade
 speed [Upgrade-27](#)
 override rules [TimeCG-74](#)
 ownership for environments [DeployCG-197](#)
 ownership of notification
 templates [DeployCG-230](#),
 [DemandCG-210](#)
 ownership of workflow step
 sources [DeployCG-106](#), [DemandCG-100](#)
 ownerships for request
 types [DemandCG-185](#)
 package groups in
 Workbench [DeployUG-112](#)
 package lines in Workbench [DeployUG-60](#)
 packages general information in
 Workbench [DeployUG-59](#)
 participants and request
 types [DemandCG-173](#)
 Portfolio Management [PortfolioCG-12](#)
 PPM Server [SysAdmin-76](#)
 private key authentication [SysAdmin-74](#)
 processes in Portfolio
 Management [PortfolioCG-34](#)
 program indicators [ProgramUG-38](#)
 Program Management [ProgramCG-16](#)
 Program Management
 workflows [ProgramCG-17](#)
 project control entities [ProjectCG-36](#)
 project details tab [ProjectCG-26](#)
 project issue [ProjectCG-36](#)
 project issue workflow [ProjectCG-41](#)
 project lifecycle [ProjectCG-32](#)
 project workflow [ProjectCG-32](#)
 projects in Portfolio
 Management [PortfolioCG-24](#)

- proposals in Portfolio Management [PortfolioCG-20](#)
- recipients for notifications [DeployCG-71](#), [DemandCG-67](#)
- releases [DeployCG-162](#)
- releases overview [DeployCG-165](#)
- request header types [DemandCG-189](#)
- request statuses for request types [DemandCG-148](#), [DemandCG-150](#)
- request type defaults [DemandCG-127](#)
- request type field width [DemandCG-141](#)
- request type field widths [DemandCG-141](#)
- request type fields [DemandCG-130](#)
- request type notifications [DemandCG-180](#)
- request types [TrkMgCG-21](#), [ProgramCG-22](#)
- request types and workflows [DemandCG-171](#)
- request types general information [DemandCG-129](#)
- request types to use in Program Management [ProgramCG-22](#)
- request types, using field groups in Portfolio Management [PortfolioCG-29](#)
- risk [ProjectCG-38](#)
- risk workflow [ProjectCG-42](#)
- rules for request types [DemandCG-156](#)
- scope change [ProjectCG-38](#)
- scope change workflow [ProjectCG-43](#)
- scoring key in Portfolio Management
See adjusting scoring key in Portfolio Management.
- section names on request types [DemandCG-145](#)
- sections on request types [DemandCG-143](#)
- security [ProgramCG-42](#)
- security for workflow steps [DeployCG-59](#), [DemandCG-56](#)
- sending notifications at specific times [DeployCG-70](#), [DemandCG-66](#)
- sending notifications on specific errors [DeployCG-68](#), [DemandCG-64](#)
- sending notifications on specific results [DeployCG-66](#), [DemandCG-62](#)
- sending notifications when workflow step eligible [DeployCG-65](#), [DemandCG-61](#)
- server clusters [SysAdmin-30](#), [SysAdmin-115](#)
- service requested date [TrkMgCG-46](#)
- service satisfied date [TrkMgCG-47](#)
- SLA violation dates [TrkMgCG-45](#)
- SQL validations for work item filters [TimeCG-87](#)
- status dependencies for request types [DemandCG-152](#)
- sub-types for request types [DemandCG-168](#), [DemandCG-170](#)
- Suggested Items list rules in Time Management [TimeCG-104](#)
- Sun Java System Web Server [SysAdmin-106](#)
- swapping object type fields [DeployCG-144](#)
- task user data [ProjectCG-46](#)
- Time Management [TimeCG-19](#)
- time rejection notification [TimeCG-39](#)
- time sheet policy for a resource [TimeCG-53](#)
- Time Sheet Policy tab of time sheet policy [TimeCG-31](#)
- time sheet reminders [TimeCG-35](#)
- timeouts for workflow steps [DeployCG-76](#), [DemandCG-71](#)
- tracking preferences in Portfolio Management [PortfolioCG-16](#)
- transitions back to step [DeployCG-84](#), [DemandCG-78](#)
- transitions based on all but one specific value [DeployCG-81](#), [DemandCG-76](#)
- transitions based on all results [DeployCG-82](#), [DemandCG-77](#)
- transitions based on data [DeployCG-81](#), [DemandCG-76](#)
- transitions based on errors [DeployCG-82](#), [DemandCG-77](#)
- transitions based on specific results [DeployCG-79](#), [DemandCG-74](#)
- transitions based on workflow results [DeployCG-86](#), [DemandCG-81](#)

- transitions for subworkflows [DeployCG-88](#),
[DemandCG-82](#)
- transitions for workflow
 - steps [DeployCG-78](#), [DemandCG-73](#)
- transitions not based on specific
 - results [DeployCG-81](#), [DemandCG-76](#)
- uriworkermap.properties file [SysAdmin-105](#)
- user access for environment
 - groups [DeployCG-211](#)
- user data column widths [DeployCG-251](#),
[DemandCG-231](#)
- user data field dependencies [DeployCG-247](#),
[DemandCG-227](#)
- user data field widths [DeployCG-251](#),
[DemandCG-231](#)
- user data fields [DeployCG-241](#),
[DeployCG-246](#), [DeployCG-251](#),
[DemandCG-221](#), [DemandCG-226](#),
[DemandCG-231](#)
- user data general
 - information [DeployCG-239](#),
[DemandCG-219](#)
- user data in Time Management [TimeCG-98](#)
- user data layouts [DeployCG-250](#),
[DemandCG-230](#)
- user data overview [DeployCG-238](#),
[DemandCG-218](#)
- validations and execution
 - types [DeployCG-90](#), [DemandCG-84](#)
- validations for workflow
 - steps [DeployCG-89](#), [DemandCG-83](#)
- Web services [SOA-25](#)
- Web services security [SOA-25](#), [SOA-84](#)
- workers.properties file [SysAdmin-102](#)
- workflow general
 - information [DeployCG-50](#),
[DemandCG-48](#)
- workflow step sequences [DeployCG-55](#),
[DemandCG-52](#)
- workflow step source
 - restrictions [DeployCG-103](#),
[DemandCG-97](#)
- workflow steps [DeployCG-57](#),
[DeployCG-58](#), [DemandCG-54](#),
[DemandCG-56](#)
- workflows [ProgramCG-26](#)
- workflows to request types [DemandCG-171](#)
- configuring tasks [ProjectUG-91](#)
- connection broker
 - configuring on UNIX [DocMgmt-135](#)
 - starting and stopping [DocMgmt-64](#)
 - starting and stopping on
UNIX [DocMgmt-65](#)
 - starting and stopping on Windows
systems [DocMgmt-65](#)
- connection protocols for
 - environments [DeployCG-182](#)
- console mode, installing or upgrading
in [SysAdmin-57](#), [Upgrade-36](#)
- Consolidated Demand portlet [DemandUG-82](#),
[TrkMgUG-25](#), [TrkMgUG-28](#)
- contact [CmdTokVal-131](#), [CmdTokVal-133](#)
- Contact Detail report [Reports-118](#)
- Contact Synchronization report [Reports-40](#)
- contacting
 - Support [SysAdmin-60](#)
- contacting support [SysAdmin-62](#)
- contacts [DemandCG-16](#)
 - creating [DemandCG-201](#)
 - defining [DemandCG-38](#)
 - opening Workbench [DemandCG-201](#)
 - overview [DemandCG-200](#)
- content bundles, entity
 - migration [SysAdmin-184](#)
- Content Server
 - about configuration [DocMgmt-35](#)
 - configuring on a Windows
system [DocMgmt-45](#)
 - configuring on UNIX systems [DocMgmt-60](#)
 - considerations for installing on
Linux [DocMgmt-49](#)
 - default operating system permissions for
files and directories [DocMgmt-51](#)
 - installation directories [DocMgmt-50](#)

- installing on UNIX [DocMgmt-49](#),
[DocMgmt-56](#)
- installing on Windows
 - systems [DocMgmt-39](#), [DocMgmt-43](#)
- migrating a repository to [DocMgmt-109](#)
- preparing to install on UNIX [DocMgmt-50](#)
- preparing to install on Windows Systems [DocMgmt-40](#)
- preparing to upgrade [DocMgmt-123](#)
- required accounts for installation on a Linux system [DocMgmt-51](#)
- required accounts on UNIX and Linux [DocMgmt-51](#)
- upgrading on UNIX [DocMgmt-132](#)
- cookie logging
 - enabling on Apache 2.0 [SysAdmin-112](#)
 - enabling on Microsoft IIS [SysAdmin-111](#)
- copying
 - application codes from other environments [DeployCG-195](#)
 - commands on request types [DemandCG-166](#)
 - creating packages in the PPM Workbench [DeployUG-54](#)
 - document management repositories [DocMgmt-110](#)
 - modules [CreateP&M-121](#)
 - notifications on request types [DemandCG-184](#)
 - object type fields [DeployCG-139](#)
 - portlet data sources [CreateP&M-41](#)
 - portlet definitions [CreateP&M-63](#)
 - portlets [GetStart-55](#)
 - request [DemandUG-22](#)
 - request type fields [DemandCG-139](#)
 - requests [DemandUG-43](#)
 - scenario comparisons [PortfolioUG-74](#)
 - scenario optimizations [PortfolioUG-93](#)
 - user data fields [DeployCG-245](#),
[DemandCG-225](#)
 - Workbench entities [GetStart-69](#)
 - workflows for trial versions [DeployCG-124](#),
[DemandCG-117](#)
- copying and revising entities in Portfolio Management [PortfolioCG-28](#)
- copying demand sets [TrkMgCG-34](#)
- copying time sheets [TimeUG-70](#)
- copying validation values in Time Management [TimeCG-95](#)
- corporate logos
 - changing [CustomSI-22](#)
 - files [CustomSI-58](#)
 - version 7 upgrade impacts [WhatsNew-52](#)
- correcting failures
 - See troubleshooting.*
- cost access [ProgramUG-47](#)
- Cost Benefit tab in a scenario comparison [PortfolioUG-57](#)
- cost calculation intervals
 - setup [FinancialUG-94](#)
- cost data
 - calculations and formulae [FinancialUG-58](#)
 - making visible for programs [Security-112](#)
 - modifying [Security-113](#)
 - overview [FinancialUG-58](#)
 - project data visibility [Security-111](#)
 - viewing [Security-110](#)
- cost factors [FinancialUG-25](#)
- cost rollup service
 - configuring [ProgramCG-28](#)
- cost rules
 - cost factor applications [FinancialUG-25](#)
 - creating [FinancialUG-19](#)
 - deleting [FinancialUG-22](#)
 - examples [FinancialUG-24](#)
 - modifying [FinancialUG-19](#)
 - overview [FinancialUG-18](#)
 - precedence [FinancialUG-23](#)
 - rearranging cost factors [FinancialUG-21](#)
 - recalculation after changes [FinancialUG-23](#)
 - security [FinancialUG-23](#)
- cost security [Security-109](#)
- COST_CAPITALIZATION_ENABLED parameter [SysAdmin-230](#)

COST_RATE_RULE_UPDATE_INTERVAL_MINUTES
 parameter [SysAdmin-230](#)

COST_ROLLUP_INTERVAL
 parameter [ProgramCG-28](#), [SysAdmin-231](#)

COST_UPDATE_SERVICE_INTERVAL
 parameter [SysAdmin-231](#)

costs
 analyzing [ProjectUG-148](#)
 Cost Performance Index [ProgramUG-43](#)
 Schedule Performance
 Index [ProgramUG-43](#)

CPI [ProgramUG-43](#)

create [SOA-18](#), [SOA-41](#), [SOA-149](#)

Create New Request page [DemandUG-40](#)

Create Portlet Definition wizard [CreateP&M-55](#)

createBlankWorkPlan [SOA-17](#), [SOA-39](#)

createCostRules [SOA-18](#), [SOA-42](#)

CreateKintanaUser.sql script [SysAdmin-53](#),
 [SysAdmin-220](#), [Upgrade-21](#)

createProject [SOA-17](#), [SOA-39](#)

createRequest [SOA-19](#), [SOA-44](#), [SOA-81](#)

createResourcePools [SOA-18](#), [SOA-40](#)

CreateRMLUser.sql script [SysAdmin-53](#),
 [SysAdmin-220](#)

createWorkPlanFromTemplate [SOA-17](#),
 [SOA-39](#)

creating [CmdTokVal-74](#)
 activities [TimeCG-59](#)
 advanced default rules [DemandCG-159](#)
 assets [PortfolioUG-21](#)
 assets from projects [PortfolioUG-21](#),
 [PortfolioCG-43](#)
 assets from scratch [PortfolioUG-23](#)
 budgets [PortfolioUG-25](#)
 business objectives [PortfolioUG-30](#),
 [ProgramUG-20](#)
 charge codes [TimeCG-63](#)
 contacts [DemandCG-201](#)
 custom data masks [CmdTokVal-112](#)

decision workflow step
 sources [DeployCG-107](#), [DemandCG-101](#)

demand set fields [TrkMgCG-30](#)

demand sets [TrkMgCG-29](#)

distributions [DeployCG-176](#)

entities [GetStart-27](#)

entities in Portfolio
 Management [PortfolioCG-28](#)

environment groups [DeployCG-208](#)

environments [DeployCG-188](#)

execution workflow steps [DeployCG-111](#),
 [DemandCG-105](#)

financial benefits [PortfolioUG-27](#)

jakarta virtual directory [SysAdmin-107](#)

keystore for SSL [SysAdmin-73](#)

modules [CreateP&M-118](#)

notification templates [DeployCG-226](#),
 [DemandCG-206](#)

organization units [ResourceUG-45](#)

override rules [TimeCG-70](#)

package groups in
 Workbench [DeployUG-110](#)

packages as references in the PPM
 Workbench [DeployUG-56](#),
 [DeployUG-58](#)

packages in the PPM
 Workbench [DeployUG-52](#)

packages overview [DeployUG-46](#)

packages using copy in the PPM
 Workbench [DeployUG-54](#)

packages, setting security for [Security-78](#)

portlet data sources [CreateP&M-26](#)

portlet definitions [CreateP&M-55](#)

PPM Center users [SysAdmin-51](#)

program access [ProgramUG-47](#)

program issues [ProgramUG-23](#)

programs [ProgramUG-16](#)

programs, an overview [ProgramUG-16](#)

project issues [ProgramUG-25](#)

project risks [ProgramUG-27](#)

project scope changes [ProgramUG-29](#)

projects [PortfolioUG-18](#)

- projects from proposals [PortfolioUG-18](#),
[PortfolioCG-42](#)
- projects from scratch [PortfolioUG-20](#)
- proposals [PortfolioUG-16](#)
- proposals, projects, and
assets [PortfolioCG-41](#)
- releases [DeployCG-163](#)
- request statuses for request
types [DemandCG-150](#)
- request type fields [DemandCG-133](#)
- request types overview [TrkMgCG-18](#)
- requests [DemandUG-39](#), [DemandUG-41](#)
- requests overview [DemandUG-36](#)
- resource [ResourceUG-36](#)
- resource pools [ResourceUG-57](#)
- resource pools, security for [Security-99](#)
- saved search categories [GetStart-33](#)
- saved searches [GetStart-30](#)
- saved Workbench queries [GetStart-63](#)
- scenario comparisons [PortfolioUG-47](#)
- security groups [Security-29](#)
- simple default rules [DemandCG-156](#)
- skills [ResourceUG-25](#)
- staffing profiles [PortfolioUG-32](#),
[ResourceUG-68](#), [Security-103](#)
- subworkflow workflow step
sources [DeployCG-116](#), [DemandCG-110](#)
- time periods [TimeCG-26](#)
- time sheet policies [TimeCG-29](#)
- time sheets [TimeUG-16](#), [TimeCG-16](#)
- time sheets, procedure [TimeUG-24](#)
- user data fields [DeployCG-241](#),
[DemandCG-221](#)
- users, creating [Security-20](#)
- work allocations [TimeUG-16](#), [TimeUG-100](#),
[TimeCG-16](#)
procedure [TimeUG-101](#)
- Workbench entities [GetStart-70](#)
- workflow parameters [DeployCG-118](#),
[DemandCG-111](#)
- workflow step sources [DeployCG-104](#),
[DemandCG-98](#)
- workflow step sources
overview [DeployCG-102](#),
[DemandCG-96](#)
- workflows [DeployCG-50](#), [DemandCG-48](#)
- creating regions
access grant for [Security-117](#)
- creating requests
security for [Security-54](#)
- critical path
viewing [ProjectUG-128](#), [ProjectUG-164](#)
- CSS
See cascading style sheets.
- currencies
adding [FinancialUG-30](#)
available [FinancialUG-30](#)
display [FinancialUG-36](#)
managing [FinancialUG-30](#)
overview [FinancialUG-30](#)
setting personal display
preference [FinancialUG-39](#)
- Currency Code prompt
installation procedure [SysAdmin-47](#)
upgrade procedure [Upgrade-23](#)
- currency data mask [CmdTokVal-107](#)
- custom data masks
creating [CmdTokVal-112](#)
- custom fields
configuring default security
for [ProgramCG-37](#)
- custom financial metric in Portfolio
Management [PortfolioCG-46](#)
configuring [PortfolioCG-46](#)
examples [PortfolioCG-48](#)
- custom integrations [Upgrade-26](#)
testing [Upgrade-40](#)
- custom object types definition [DeployUG-19](#)
- custom parameters [SysAdmin-71](#)
- custom solutions
cascading style sheets [WhatsNew-52](#)
corporate logos [WhatsNew-52](#)
version 7 upgrade impacts [WhatsNew-52](#)

- custom user fields
 - configuring default values [ProgramCG-35](#)
- customizations
 - backing up before upgrade [Upgrade-18](#)
- customizations, standard
 - interface [CustomSI-31](#), [CustomSI-34](#)
 - colors [CustomSI-24](#)
 - fonts [CustomSI-24](#)
 - logon page [CustomSI-32](#)
 - menu text [CustomSI-34](#)
 - overview [CustomSI-12](#)
 - portlet field colors [CustomSI-38](#)
 - risk factors [CustomSI-16](#)
 - risk mitigation [CustomSI-16](#)
 - typical [CustomSI-17](#), [CustomSI-19](#)
 - unusual [CustomSI-17](#)
- customizing
 - See* configuring.
 - portlets on a Dashboard
 - page [ProgramUG-85](#)
 - portlets on a PPM Dashboard
 - page [DemandUG-85](#)

D

- Dashboard
 - personalizing [GetStart-49](#)
 - project view overview [ProjectUG-140](#)
 - restricting data to participants [Security-123](#)
 - style sheets [CustomSI-21](#), [CustomSI-56](#)
 - version 7 features [WhatsNew-32](#)
 - See also* non-Dashboard.
- Dashboard data sources
 - migrating [SysAdmin-177](#)
- Dashboard modules
 - migrating [SysAdmin-177](#)
- Dashboard pages
 - adding [GetStart-50](#)
 - adding portlets [GetStart-53](#)
 - default [GetStart-15](#)
 - opening [GetStart-41](#)
 - renaming [GetStart-51](#)
 - setting refresh rates [GetStart-52](#)

- Dashboard pages, preconfigured [TrkMgUG-24](#)
- DASHBOARD_DB_CONNECTION_
 - PERCENTAGE parameter [SysAdmin-231](#)
- DASHBOARD_PAGE_AUTO_REFRESH_
 - DISABLED parameter [SysAdmin-231](#)
- data integrity for requests [DemandUG-17](#)
- data models
 - See* open interface tables.
 - version 7 upgrade impacts [WhatsNew-59](#)
- Data Source Detail report [Reports-43](#)
- Data Source migrator [SysAdmin-192](#)
- Data Source tab
 - portlet data sources [CreateP&M-30](#)
- database
 - configuring [SysAdmin-81](#)
 - configuring to improve upgrade
 - performance [Upgrade-27](#)
 - if you upgrade from Oracle 9i to
 - 10g [Upgrade-27](#)
 - maintaining [SysAdmin-152](#)
 - reconfiguring [SysAdmin-81](#)
 - remote installation [DocMgmt-37](#)
 - re-running statistics [ProjectUG-114](#)
- Database Access Information prompt,
 - installation procedure [SysAdmin-46](#)
- database connection pool [SysAdmin-26](#)
- database links, generating [SysAdmin-88](#)
- database parameters [SysAdmin-81](#)
 - _B_TREE_BITMAP_
 - PLANS [SysAdmin-81](#)
 - _LIKE_WITH_BIND_AS_
 - EQUALITY [SysAdmin-81](#)
 - _SORT_ELIMINATION_COST_
 - RATIO [SysAdmin-82](#)
- DB_BLOCK_SIZE [SysAdmin-82](#)
- DB_CACHE_SIZE [SysAdmin-83](#)
- GLOBAL_NAMES [SysAdmin-83](#)
- LOG_BUFFER [SysAdmin-84](#)
- MAX_COMMIT_PROPAGATION_
 - DELAY [SysAdmin-84](#)
- modifying before upgrade [Upgrade-27](#)

NLS_LENGTH_ SEMANTICS [SysAdmin-84](#)
 OPEN_CURSORS [SysAdmin-84](#)
 OPEN_LINKS [SysAdmin-85](#)
 OPTIMIZER_INDEX_COST_ ADJ [SysAdmin-85](#)
 PGA_AGGREGATE_ TARGET [SysAdmin-86](#)
 PROCESSES [SysAdmin-86](#)
 SGA_TARGET [SysAdmin-86](#)
 SHARED_POOL_RESERVED_ SIZE [SysAdmin-87](#)
 SHARED_POOL_SIZE [SysAdmin-87](#)
 WORKAREA_SIZE_ POLICY [SysAdmin-87](#)
 database pool connections, report providing information about [SysAdmin-139](#)
 database schema
 exporting before upgrade [Upgrade-21](#)
 database schemas [SysAdmin-52](#)
 collecting statistics on [SysAdmin-161](#)
 migrating [SysAdmin-219](#)
 database tables, updating for work item filters in Time Management [TimeCG-89](#)
 database tier
 described [SysAdmin-26](#)
 date field
 valid format [CmdTokVal-117](#)
 DATE_NOTIFICATION_INTERVAL
 parameter [SysAdmin-231](#)
 DAYS_TO_KEEP_APPLET_KEYS
 parameter [SysAdmin-231](#)
 DAYS_TO_KEEP_COMMAND_ROWS
 parameter [SysAdmin-231](#)
 DAYS_TO_KEEP_INTERFACE_ROWS
 parameter [SysAdmin-168](#), [SysAdmin-232](#)
 DAYS_TO_KEEP_LOGON_ATTEMPT_ ROWS
 parameter [SysAdmin-168](#), [SysAdmin-232](#)
 DB_BLOCK_SIZE database
 parameter [SysAdmin-82](#)
 DB_CACHE_SIZE database
 parameter [SysAdmin-83](#)
 DB_CONNECTION_STRING
 parameter [SysAdmin-72](#), [SysAdmin-232](#)
 DB_LOGIN_TIMEOUT
 parameter [SysAdmin-170](#), [SysAdmin-232](#)
 DB_PASSWORD parameter [SysAdmin-78](#), [SysAdmin-153](#), [SysAdmin-232](#)
 DB_USERNAME parameter [SysAdmin-78](#), [SysAdmin-232](#)
 DBMS_PROFILER package
 (Oracle) [SysAdmin-146](#)
 DBMS_TRACE package
 (Oracle) [SysAdmin-147](#)
 debug parameters
 low level [SysAdmin-170](#)
 DEBUG_MESSAGE_CLEANUP_ INTERVAL
 parameter [SysAdmin-232](#)
 debugging [SysAdmin-165](#)
 Web services [SOA-26](#)
 Debugging and Tracing Settings dialog
 box [SysAdmin-143](#)
 debugging information
 logging [SysAdmin-148](#)
 debugging parameters
 setting [SysAdmin-143](#)
 decision steps [DemandCG-24](#)
 defining [DeployCG-26](#)
 decision workflow step sources [DeployCG-107](#), [DemandCG-101](#)
 decision workflow steps [DeployUG-20](#), [DeployCG-53](#), [DemandCG-50](#)
 worksheets [DeployCG-259](#)
 Default tab [Reports-183](#)
 default time period views [ResourceUG-21](#)
 DEFAULT_COMMAND_TIMEOUT
 parameter [SysAdmin-170](#), [SysAdmin-232](#)
 DEFAULT_PAGE_SIZE
 parameter [SysAdmin-233](#)
 DEFAULT_PAGE_SIZE_OPTION
 parameter [SysAdmin-233](#)

[DEFAULT_REQUEST_SEARCH_ORDER_BY_ID](#) parameter [SysAdmin-233](#)
[DEFAULT_SERVER_LOGGING_LEVEL](#) parameter [SysAdmin-148](#), [SysAdmin-149](#), [SysAdmin-271](#)
[DEFAULT_USER_DEBUG_LEVEL](#) parameter [SysAdmin-149](#), [SysAdmin-169](#), [SysAdmin-272](#)
 defining
 condition steps [DeployCG-29](#), [DemandCG-27](#)
 contacts [DemandCG-38](#)
 decision steps [DeployCG-26](#), [DemandCG-24](#)
 drilldown page [CreateP&M-73](#)
 environments [DeployCG-38](#)
 execution steps [DeployCG-28](#), [DemandCG-26](#)
 notification templates [DeployCG-40](#), [DemandCG-39](#)
 object types [DeployCG-33](#)
 request types [DemandCG-32](#)
 security [DeployCG-42](#), [DemandCG-40](#)
 subworkflow steps [DeployCG-30](#)
 subworkflows [DemandCG-28](#)
 user data [DeployCG-41](#), [DemandCG-39](#)
 workflows [DeployCG-25](#), [DemandCG-29](#)
 definitions of ROI and NPV [PortfolioUG-101](#)
 delegates in Time Management
 access grants [TimeCG-55](#)
 configuring [TimeCG-53](#)
 delegation in Time Management [TimeUG-81](#)
[deleteCostRules](#) [SOA-18](#), [SOA-42](#)
 deleted special commands
 Financial Management [SOA-43](#)
[deleteRequests](#) [SOA-19](#), [SOA-43](#), [SOA-44](#)
 deleting
 business objectives [ProgramUG-22](#)
 charge codes [TimeCG-65](#)
 commands on request types [DemandCG-167](#)
 demand set fields from demand sets [TrkMgCG-35](#)
 demand sets [TrkMgCG-34](#)
 entities [GetStart-69](#)
 modules [CreateP&M-122](#)
 notification templates [DeployCG-225](#), [DemandCG-205](#)
 notifications on request types [DemandCG-184](#)
 object type fields [DeployCG-141](#)
 override rules [TimeCG-74](#)
 ownerships from environment groups [DeployCG-211](#)
 ownerships from environments [DeployCG-198](#)
 ownerships from notification templates [DeployCG-231](#), [DemandCG-211](#)
 ownerships from request types [DemandCG-187](#)
 package references in Workbench [DeployUG-104](#)
 packages in Workbench [DeployUG-113](#)
 packages, security settings for [Security-82](#)
 participants from environment groups [DeployCG-212](#)
 participants from environments [DeployCG-199](#)
 participants from request types [DemandCG-176](#)
 portlet categories [CreateP&M-88](#)
 portlet data sources [CreateP&M-43](#)
 portlet definitions [CreateP&M-67](#)
 portlets [GetStart-57](#)
 report results [Reports-36](#)
 request type fields [DemandCG-141](#)
 request types from demand sets [TrkMgCG-35](#)
 requests [DemandUG-22](#), [DemandUG-66](#)
 saved queries [GetStart-64](#)
 saved search categories [GetStart-33](#)
 saved searches [GetStart-31](#)
 scenario comparisons [PortfolioUG-74](#)
 sections on request types [DemandCG-146](#)
 sub-types from request types [DemandCG-171](#)

- unnecessary guides from
 - library [CustomSI-42](#)
- user data fields [DeployCG-250](#),
[DemandCG-230](#)
- work allocations [TimeUG-108](#)
- work items from My Items list [TimeUG-40](#)
- work items from time sheets [TimeUG-51](#)
- workflows from request
 - types [DemandCG-173](#)
- Delinquent Time Sheets report [TimeUG-90](#),
[Reports-163](#)
- DEM - Application Bug request
 - type [TrkMgUG-15](#)
- DEM - Application Enhancement request
 - type [TrkMgUG-15](#)
- DEM - Bug Request workflow [TrkMgUG-15](#)
- DEM - Database Refresh request
 - type [TrkMgUG-15](#)
- DEM - Database Refresh
 - workflow [TrkMgUG-15](#)
- DEM - Enhancement Request Process
 - workflow [TrkMgUG-15](#)
- DEM - Initiative request type [TrkMgUG-15](#)
- DEM - Project Initiative Process
 - workflow [TrkMgUG-15](#)
- demand
 - analyzing [TrkMgUG-38](#)
 - analyzing, overview [TrkMgUG-36](#)
 - assigning resource [TrkMgUG-37](#)
 - configuring effort [TrkMgCG-25](#)
 - configuring fields [TrkMgCG-30](#)
 - configuring request header
 - types [TrkMgCG-18](#)
 - configuring request types [TrkMgCG-21](#)
 - creating demand sets [TrkMgCG-29](#)
 - demand disposition [TrkMgUG-13](#)
 - demand fields [TrkMgUG-13](#)
 - demand sets [TrkMgUG-13](#)
 - managing using portlets [TrkMgUG-28](#)
 - mapping demand sets [TrkMgCG-32](#)
 - processing [TrkMgUG-35](#)
 - rejecting [TrkMgUG-40](#)
 - request types [TrkMgUG-14](#)
 - request types list [TrkMgUG-15](#)
 - schedule fields [TrkMgCG-24](#)
 - scheduling [TrkMgUG-22](#), [TrkMgUG-40](#)
 - SLA fields [TrkMgCG-23](#)
 - workflow list [TrkMgUG-15](#)
- Demand by Business Initiative
 - portlet [DemandUG-83](#), [TrkMgUG-25](#),
[TrkMgUG-30](#)
- Demand by Category portlet [DemandUG-70](#),
[TrkMgUG-30](#)
- Demand by Department portlet [DemandUG-82](#),
[TrkMgUG-25](#), [TrkMgUG-30](#)
- Demand Creation History report [Reports-120](#)
- demand disposition [TrkMgUG-13](#)
- demand fields [TrkMgUG-13](#)
- Demand List portlet [DemandUG-70](#),
[TrkMgUG-28](#)
- Demand Management
 - .NET client sample [SOA-88](#)
 - See also* [Extensions](#).
 - Analyze Demand by Category page
 - overview [TrkMgUG-23](#)
 - Dashboard pages,
 - preconfigured [TrkMgUG-24](#)
 - Demand Manager page
 - overview [TrkMgUG-24](#)
 - integrating with Deployment
 - Management [DeployUG-23](#)
 - introduction [DemandUG-13](#)
 - IT demand request type
 - defaults [TrkMgCG-17](#)
 - IT demand request types [TrkMgCG-16](#)
 - Java client sample [SOA-78](#)
 - Manage Consolidated Demand page
 - overview [TrkMgUG-20](#)
 - menus [TrkMgUG-18](#)
 - request overview [DemandUG-20](#)
 - Schedule Demand page
 - overview [TrkMgUG-22](#)
 - scheduling [TrkMgUG-22](#)
 - special commands [SOA-45](#)

- Team Manager page
 - overview [TrkMgUG-26](#)
 - version 7 features [WhatsNew-27](#)
 - version 7 functional impacts [WhatsNew-47](#)
 - Web services [SOA-43](#)
 - Web services support [WhatsNew-31](#)
 - Web services, deprecated [SOA-160](#), [SOA-161](#)
 - WSDL [SOA-127](#)
 - XSD [SOA-131](#)
- Demand Management reports [Reports-19](#), [Reports-117](#)
- Demand Management solution [TrkMgUG-12](#), [TrkMgUG-14](#)
 - requests [TrkMgUG-16](#)
- Demand Manager page
 - overview [DemandUG-80](#)
 - portlets on [DemandUG-82](#)
- Demand Manager page overview [TrkMgUG-24](#)
- demand sets [TrkMgUG-13](#)
 - configuring overview [TrkMgCG-28](#)
 - copying [TrkMgCG-34](#)
 - deleting [TrkMgCG-34](#)
 - deleting demand set fields [TrkMgCG-35](#)
 - deleting request types [TrkMgCG-35](#)
 - mapping [TrkMgCG-32](#)
 - overview [TrkMgCG-28](#)
- DEMAND_FIELDS_CACHE_SIZE
 - parameter [SysAdmin-233](#)
- DEMAND_FIELDS_CACHE_TIMEOUT
 - parameter [SysAdmin-233](#)
- dependencies
 - in override rules [TimeCG-68](#)
 - precedence among multiple override rules [TimeCG-75](#)
- dependencies and run groups [DeployCG-160](#)
- Dependencies tab [Reports-185](#)
- DEPLOY_BASE_PATH
 - parameter [SysAdmin-233](#)
- Deployment Management [DeployUG-23](#)
 - app codes tab [Security-36](#)
 - installing Extensions [SysAdmin-64](#)
 - integrating [DeployUG-23](#)
 - integrating with Version Control [DeployUG-23](#)
 - integration with third-party applications [DeployUG-24](#)
 - overview [DeployUG-15](#)
 - using the PPM Workbench [DeployUG-17](#)
 - using the standard interface [DeployUG-17](#)
 - version 7 features [WhatsNew-26](#)
 - version 7 functional impacts [WhatsNew-47](#)
- Deployment management
 - environment components [DeployUG-22](#)
- Deployment Management Extensions
 - installing [SysAdmin-39](#), [SysAdmin-64](#)
 - upgrading [Upgrade-10](#)
- Deployment Management reports [Reports-19](#), [Reports-79](#)
- deployments
 - command requirements [DeployCG-35](#)
 - environment maintenance [DeployCG-200](#)
 - object revision [DeployCG-146](#)
- deprecated Web services
 - Demand Management [SOA-160](#), [SOA-161](#)
 - Financial Management [SOA-149](#)
- DESCRIPTION token [DocMgmt-163](#)
- descriptions of document attachments, editing [DocMgmt-157](#)
- destination password, entity migration [SysAdmin-186](#)
- DFC
 - about [DocMgmt-92](#)
 - CLASSPATH environment variable [DocMgmt-94](#)
 - configuration files [DocMgmt-94](#)
 - defined [DocMgmt-33](#)
 - file system locations for components [DocMgmt-93](#)
 - installing on a UNIX system [DocMgmt-97](#)
 - installing on Windows systems [DocMgmt-95](#)
 - program root directory [DocMgmt-93](#)

- setting environment variables
 - for [DocMgmt-92](#)
 - shared libraries directory [DocMgmt-93](#)
 - user root directory [DocMgmt-93](#)
- DFC classes
 - locations of [DocMgmt-94](#)
- diagnostic messages
 - RML synchronization [RML-18](#)
- directories
 - bin [SysAdmin-279](#)
 - containing PPM Center
 - documentation [SysAdmin-287](#)
 - DFC program root directory [DocMgmt-93](#)
 - DFC shared libraries [DocMgmt-93](#)
 - DFC user root directory [DocMgmt-93](#)
 - integration [SysAdmin-287](#)
 - logs [SysAdmin-155](#), [SysAdmin-288](#)
 - mitg710/sys [SysAdmin-278](#)
 - mitg710/system [SysAdmin-278](#)
 - pdf [SysAdmin-287](#)
 - PKG_number [SysAdmin-288](#)
 - PPM home [Upgrade-13](#), [Upgrade-19](#)
 - reports [SysAdmin-288](#)
 - REQ_number [SysAdmin-288](#)
 - server [SysAdmin-288](#)
 - specifying path names [SysAdmin-227](#)
 - sql [SysAdmin-289](#)
 - transfer [SysAdmin-289](#)
 - upgrade_710 [Upgrade-33](#)
- directory chooser [CmdTokVal-113](#)
- disabled mode, PPM Server [SysAdmin-66](#), [SysAdmin-286](#)
- disabling
 - document management [DocMgmt-108](#)
- disk space requirements
 - version 7 impacts [WhatsNew-82](#)
- disposition, demand [TrkMgUG-13](#)
- DIST_ENGINE_MONITOR_SLEEP_TIME
 - parameter [SysAdmin-234](#)
- distribution
 - release [DeployCG-18](#)
- Distribution Detail report [Reports-92](#)
- distributions
 - creating [DeployCG-176](#)
 - disabling package lines [DeployCG-177](#)
 - enabling package lines [DeployCG-177](#)
 - processing [DeployCG-178](#)
 - running through a workflow [DeployCG-178](#)
 - workflow [DeployCG-158](#)
- DOC_HISTORY token [DocMgmt-163](#)
- DOC_LINK token [DocMgmt-163](#)
- document management
 - and security [DocMgmt-115](#)
 - capabilities [DocMgmt-15](#)
 - components [DocMgmt-14](#)
 - configuring [DocMgmt-100](#)
 - disabling [DocMgmt-108](#)
 - enabling [DocMgmt-100](#)
 - impact on PPM Center
 - performance [DocMgmt-20](#)
 - installing [SysAdmin-39](#)
 - new features in 5.3 [DocMgmt-118](#)
 - overview [DocMgmt-14](#)
 - RML entities related to [DocMgmt-115](#)
 - tokens associated with [DocMgmt-163](#)
- Document Management module
 - upgrading [Upgrade-10](#)
- document management,
 - migrating [SysAdmin-213](#)
- DOCUMENT_CLEANUP_SERVICE_DELAY
 - parameter [SysAdmin-234](#)
- documentation
 - See also* documents.
 - accessing [SysAdmin-21](#)
 - accessing from the PPM Download Center [DocMgmt-26](#)
 - library [CustomSI-42](#)
 - version 7 features [WhatsNew-34](#)
- documentation, accessing [Upgrade-15](#)
- documents [CustomSI-42](#)
 - adding HP supplemental guides [CustomSI-47](#)
 - adding site-specific guides [CustomSI-49](#)

- attaching to entities [DocMgmt-21](#),
[DocMgmt-154](#)
- attaching to tasks [ProjectUG-109](#)
- DTD files [CustomSI-42](#), [CustomSI-76](#),
[CustomSI-77](#)
- removing unnecessary guides [CustomSI-42](#)
- supported file types [CustomSI-53](#)
- XML files [CustomSI-42](#)
- DOCUMENTUM environment
 - variable [DocMgmt-93](#)
- Documentum Foundation Classes
 - about [DocMgmt-92](#)
 - defined [DocMgmt-33](#)
 - separate installations [DocMgmt-33](#)
- DOS
 - setting the JAVA_HOME parameter
 in [SysAdmin-50](#)
- downloading
 - installation files [SysAdmin-48](#)
 - Java plug-in [SysAdmin-90](#)
 - service packs [Upgrade-10](#)
 - the upgrade files [Upgrade-24](#)
- DQL queries
 - running [DocMgmt-36](#)
- drilldown page
 - defining [CreateP&M-73](#)
- DROP [OpenAPI-19](#)
- DTD files
 - See documents.*
- dynamic list validations [CmdTokVal-78](#)
 - command [CmdTokVal-81](#)
 - SQL [CmdTokVal-79](#)
- dynamic security for workflow
 - steps [DeployCG-62](#), [DemandCG-58](#)

E

- earned value analysis
 - work plans [FinancialUG-75](#)
- Edit Requests access grant [DocMgmt-115](#)
- editable fields in request types [DemandCG-131](#)
- editing
 - business objectives [PortfolioUG-32](#)
 - commands to request types [DemandCG-165](#)
 - notifications on request
 types [DemandCG-183](#)
 - participants on request
 types [DemandCG-175](#)
 - sub-types on request types [DemandCG-170](#)
 - time sheets [TimeUG-68](#)
 - user data fields [DeployCG-246](#),
[DemandCG-226](#)
 - work allocations [TimeUG-108](#)
 - work plan information [Security-91](#)
- editing document attachment
 - descriptions [DocMgmt-157](#)
- Efficient Frontier graph
 - generating [PortfolioUG-62](#)
 - understanding [PortfolioUG-60](#)
- Efficient Frontier tab in a scenario
 - comparison [PortfolioUG-60](#)
- ElGamal algorithm for password
 security [SysAdmin-77](#)
- email
 - opening requests [DemandUG-61](#)
- EMAIL_NOTIFICATION_CHECK_
 INTERVAL parameter [SysAdmin-171](#),
[SysAdmin-234](#)
- EMAIL_NOTIFICATION_SENDER
 parameter [SysAdmin-234](#)
- emails to users, configuring on Notifications
 tab of time sheet policy [TimeCG-34](#)
- EMC Documentum documents [DocMgmt-24](#),
[DocMgmt-26](#)
- Enable Profiler checkbox, Server Settings
 dialog box [SysAdmin-146](#)
- ENABLE_APPLET_KEY_CLEANUP
 parameter [SysAdmin-234](#)
- ENABLE_COMMANDS_CLEANUP
 parameter [SysAdmin-235](#)
- ENABLE_CONCURRENT_REQUEST_
 UPDATES parameter [SysAdmin-235](#)

ENABLE_CONSOLE_LOGGING
 parameter [SysAdmin-272](#)
 ENABLE_COST_RATE_RULE_UPDATE_
 SERVICE parameter [SysAdmin-235](#)
 ENABLE_COST_ROLLUP_SERVICE
 parameter [ProgramCG-28](#), [SysAdmin-235](#)
 ENABLE_COST_UPDATE_SERVICE
 parameter [SysAdmin-235](#)
 ENABLE_DASHBOARD_LOADING_
 MESSAGE parameter [SysAdmin-236](#)
 ENABLE_DB_SESSION_TRACKING
 parameter [SysAdmin-170](#), [SysAdmin-236](#)
 ENABLE_DIRECTORY_CLEANUP
 parameter [SysAdmin-236](#)
 ENABLE_DOCUMENT_CLEANUP_
 SERVICE parameter [SysAdmin-236](#)
 ENABLE_EXCEPTION_ENGINE
 parameter [SysAdmin-236](#)
 ENABLE_FINANCIAL_METRICS_
 UPDATE_SERVICE
 parameter [SysAdmin-237](#)
 ENABLE_FLS_PENDING_DENORM
 parameter [SysAdmin-237](#)
 ENABLE_FX_RATE_UPDATE_SERVICE
 parameter [SysAdmin-237](#)
 ENABLE_INTERFACE_CLEANUP
 parameter [SysAdmin-168](#), [SysAdmin-237](#)
 ENABLE_JDBC_LOGGING
 parameter [SysAdmin-169](#), [SysAdmin-238](#)
 ENABLE_LOGGING
 parameter [SysAdmin-170](#)
 ENABLE_LOGIN_COOKIE
 parameter [SysAdmin-238](#)
 ENABLE_LOGON_ATTEMPTS_CLEANUP
 parameter [SysAdmin-239](#)
 ENABLE_OVERVIEW_PAGE_BUILDER
 parameter [SysAdmin-239](#)
 ENABLE_PENDING_ASSIGNMENTS_
 CLEANUP parameter [SysAdmin-239](#)
 ENABLE_PENDING_EV_UPDATES_
 CLEANUP parameter [SysAdmin-239](#)
 ENABLE_PORTLET_FULL_RESULTS_
 SORTING parameter [SysAdmin-240](#)
 ENABLE_PROGRAM_SUMMARY_
 CONDITION_ENGINE
 parameter [SysAdmin-240](#)
 ENABLE_PROJECT_LAUNCH_FROM_
 ACTION_MENU parameter [SysAdmin-240](#)
 ENABLE_PROJECT_PV_UPDATE_
 SERVICE parameter [SysAdmin-240](#)
 ENABLE_QUALITY_CENTER_METRICS_
 SYNC parameter [SysAdmin-240](#)
 ENABLE_QUERY_BUILDER
 parameter [SysAdmin-240](#)
 ENABLE_QUICKLIST_UPDATE
 parameter [SysAdmin-240](#)
 ENABLE_REFERENCE_UPDATE_
 SERVICE parameter [SysAdmin-241](#)
 ENABLE_RESOURCE_COST_UPDATE_
 SERVICE parameter [SysAdmin-241](#)
 ENABLE_RESOURCE_POOL_ROLLUP_
 SERVICE parameter [SysAdmin-241](#)
 ENABLE_SHARED_LOCK_CLEANUP
 parameter [SysAdmin-241](#)
 ENABLE_SQL_TRACE
 parameter [SysAdmin-169](#), [SysAdmin-241](#)
 ENABLE_STATISTICS_CALCULATION
 parameter [SysAdmin-161](#), [SysAdmin-242](#)
 ENABLE_TASK_ACTUAL_ROLLUP_
 SERVICE parameter [SysAdmin-242](#)
 ENABLE_TIME_SHEET_
 NOTIFICATIONS_SERVICE
 parameter [SysAdmin-242](#)
 ENABLE_TIMESTAMP_LOGGING
 parameter [SysAdmin-170](#), [SysAdmin-242](#)
 ENABLE_UNICODE_FOR_
 TELNETCLIENT
 parameter [SysAdmin-242](#)
 ENABLE_WEB_ACCESS_LOG
 parameter [SysAdmin-150](#)
 ENABLE_WEB_ACCESS_LOGGING
 parameter [SysAdmin-242](#), [SysAdmin-272](#)

- ENABLE_WEB_SERVICES
 - parameter [SysAdmin-242](#)
- enabling
 - document management [DocMgmt-100](#)
 - workflows [DeployCG-56](#), [DemandCG-53](#)
- enabling capitalization [FinancialUG-78](#)
 - system-level [FinancialUG-79](#)
 - work plan level [FinancialUG-79](#)
- enabling cookies
 - Sun Java System Web
 - servers [SysAdmin-107](#)
- enabling HTTP logging [SysAdmin-150](#)
- enabling SOP 98-1 [FinancialUG-78](#)
 - system-level [FinancialUG-79](#)
 - work plan level [FinancialUG-79](#)
- encryption, password [SOA-31](#), [SOA-32](#), [SOA-84](#)
- entities
 - attaching documents to [DocMgmt-154](#)
 - copying Workbench entities [GetStart-69](#)
 - creating [GetStart-27](#)
 - creating in Workbench [GetStart-70](#)
 - deleting [GetStart-69](#)
 - migrating [SysAdmin-178](#)
 - opening [GetStart-69](#)
 - ownership of configuration
 - entities [Security-126](#)
 - Portfolio Management [PortfolioUG-16](#), [PortfolioCG-20](#)
 - assets [PortfolioUG-21](#), [PortfolioCG-26](#)
 - copying and revising [PortfolioCG-28](#)
 - creating [PortfolioCG-28](#)
 - customizing [PortfolioCG-20](#)
 - projects [PortfolioUG-18](#), [PortfolioCG-24](#)
 - proposals [PortfolioUG-16](#), [PortfolioCG-20](#)
 - searching [GetStart-63](#)
 - that you can migrate [SysAdmin-177](#)
- entity migration
 - destination passwords [SysAdmin-186](#)
 - import behavior controls [SysAdmin-185](#)
 - localization settings [SysAdmin-187](#)
 - source password [SysAdmin-186](#)
- entity migrators
 - defining [SysAdmin-182](#)
 - object types [SysAdmin-192](#)
- entity token
 - application server
 - properties [CmdTokVal-131](#)
 - command execution [CmdTokVal-162](#)
 - contacts [CmdTokVal-131](#), [CmdTokVal-133](#)
 - demand management
 - fields [CmdTokVal-204](#)
 - distributions [CmdTokVal-134](#)
 - document management [CmdTokVal-135](#)
 - environment applications [CmdTokVal-139](#)
 - environments [CmdTokVal-136](#), [CmdTokVal-141](#)
 - extension [CmdTokVal-64](#)
 - notifications [CmdTokVal-163](#), [CmdTokVal-164](#), [CmdTokVal-177](#)
 - organization units [CmdTokVal-164](#)
 - package lines [CmdTokVal-168](#), [CmdTokVal-171](#)
 - package pending [CmdTokVal-169](#)
 - program [CmdTokVal-171](#), [CmdTokVal-176](#)
 - project plan [CmdTokVal-172](#)
 - releases [CmdTokVal-176](#)
 - requests [CmdTokVal-178](#)
 - requests pending [CmdTokVal-182](#)
 - resource pools [CmdTokVal-184](#)
 - security groups [CmdTokVal-185](#)
 - skills [CmdTokVal-185](#)
 - staffing profile [CmdTokVal-186](#), [CmdTokVal-187](#), [CmdTokVal-193](#)
 - tasks [CmdTokVal-189](#)
 - tasks pending [CmdTokVal-191](#)
 - users [CmdTokVal-193](#)
 - workflow steps [CmdTokVal-198](#), [CmdTokVal-200](#)
 - workflows [CmdTokVal-197](#)
- entity tokens
 - validation values [CmdTokVal-196](#)
 - validations [CmdTokVal-195](#)
- entity-level restrictions [Security-15](#)

- environment
 - defining [DeployCG-38](#)
- Environment Comparison by Objects Migrated report [Reports-94](#)
- Environment Comparison report [Reports-44](#)
- Environment Detail report [Reports-45](#)
- Environment Group Detail report [Reports-46](#)
- environment groups [DeployCG-17](#)
 - adding ownership [DeployCG-210](#)
 - configuring [DeployCG-207](#)
 - creating [DeployCG-208](#)
 - deleting ownerships [DeployCG-211](#)
 - deleting participants [DeployCG-212](#)
 - overview [DeployCG-204](#)
 - setting ownership [DeployCG-210](#)
 - setting the execution order [DeployCG-209](#)
 - setting user access [DeployCG-211](#)
- Environment Groups
 - Workbench [DeployCG-206](#)
- environment refresh [DeployCG-17](#)
- environment variables
 - setting for the DFC [DocMgmt-92](#)
 - verifying JAVA_HOME and ORACLE_HOME before upgrading [Upgrade-24](#)
- Environment Workbench [DeployUG-49](#)
- environments [DeployCG-17](#)
 - adding ownerships [DeployCG-197](#)
 - adding participants [DeployCG-198](#)
 - checklist [DeployCG-39](#), [DemandCG-38](#)
 - configuring general information [DeployCG-188](#)
 - configuring overview [DeployCG-185](#)
 - connection protocols [DeployCG-182](#)
 - copying application codes [DeployCG-195](#)
 - creating [DeployCG-188](#)
 - defined for packages [DeployUG-46](#)
 - deleting environments [DeployCG-198](#)
 - deleting participants [DeployCG-199](#)
 - for deployment management [DeployUG-22](#)
 - maintenance [DeployCG-200](#)
 - mass update of base paths [DeployCG-201](#)
 - opening the Workbench [DeployCG-187](#)
 - overview [DeployCG-182](#)
 - password management [DeployCG-203](#)
 - refresh [DeployCG-213](#), [DeployCG-214](#)
 - refresh add line [DeployCG-215](#)
 - refresh calculate lines [DeployCG-218](#)
 - refresh cancel [DeployCG-219](#)
 - refresh configuring [DeployCG-217](#)
 - refresh exclude line [DeployCG-215](#)
 - refresh include line [DeployCG-215](#)
 - refresh open package [DeployCG-216](#)
 - refresh opening workbench [DeployCG-216](#)
 - refresh packages [DeployCG-221](#)
 - refresh update lines [DeployCG-218](#)
 - refresh view detail [DeployCG-216](#)
 - refresh workflows [DeployCG-219](#)
 - selecting FTP protocols [DeployCG-183](#)
 - setting ownership [DeployCG-197](#)
 - testing setup [DeployCG-200](#)
 - transfer protocols [DeployCG-183](#)
 - transfer protocols notes [DeployCG-183](#)
 - using application code environments [DeployCG-192](#)
 - verifying in the Environment Workbench [DeployUG-49](#)
- Environments/Objects Detail report [Reports-96](#), [Reports-99](#)
- errors
 - logging [SysAdmin-148](#)
 - RML synchronization [RML-18](#)
- events, report providing information about [SysAdmin-140](#)
- EXCEPTION_ENGINE_INTERVAL parameter [SysAdmin-171](#)
- EXCEPTION_ENGINE_WAKE_UP_CHECK_FREQUENCY parameter [SysAdmin-171](#)
- EXCEPTION_ENGINE_WAKE_UP_TIME parameter [SysAdmin-171](#), [SysAdmin-243](#)
- exceptions [ProjectUG-161](#)
 - viewing [ProjectUG-137](#)
- exe_debug_log.txt file [SysAdmin-151](#)
- executeWorkflowTransition [SOA-17](#), [SOA-39](#)

- Execution Dispatcher Manager
 - report [SysAdmin-140](#)
- Execution Dispatcher Pending Batch
 - report [SysAdmin-140](#)
- Execution Dispatcher Pending Group
 - report [SysAdmin-140](#)
- execution engine [SysAdmin-25](#)
- execution log [DemandUG-29](#)
- execution order [DeployCG-207](#)
 - in environment groups [DeployCG-209](#)
- execution step source
 - creating [DeployCG-111](#), [DemandCG-105](#)
- execution steps [DemandCG-26](#)
 - defining [DeployCG-28](#)
- execution workflow steps [DeployUG-20](#),
 - [DeployCG-53](#), [DemandCG-51](#)
 - set up rules [DeployCG-116](#), [DemandCG-110](#)
 - worksheets [DeployCG-257](#)
- EXECUTION_DEBUGGING
 - parameter [SysAdmin-170](#)
- executions
 - configuring workflow steps with
 - validations [DeployCG-90](#), [DemandCG-84](#)
 - types in workflows [DeployCG-113](#), [DemandCG-107](#)
- exp command [SysAdmin-220](#), [SysAdmin-223](#)
- expanding menus [GetStart-26](#)
- exporting
 - document management
 - repositories [DocMgmt-112](#)
 - to Excel [GetStart-46](#)
 - to PDF [GetStart-48](#)
- extensible search filter examples [OpenAPI-37](#)
- Extension for Oracle E-Business Suite [SysAdmin-219](#)
- Extension reports [Reports-20](#)
- Extensions
 - installing [SysAdmin-39](#), [Upgrade-10](#)
 - version 7 features [WhatsNew-31](#)
 - version 7 functional impacts [WhatsNew-49](#)

- Extensions, Deployment
 - Management [SysAdmin-64](#)
- external Web servers
 - configuration overview [SysAdmin-101](#)
 - configuring [SysAdmin-105](#)
 - in server clusters [SysAdmin-121](#)
 - integrating with the PPM
 - Server [SysAdmin-113](#)
- EXTERNAL_WEB_PORT
 - parameter [SysAdmin-104](#), [SysAdmin-114](#), [SysAdmin-117](#), [SysAdmin-243](#)

F

- FAIL_EXECUTIONS_ON_STARTUP
 - parameter [SysAdmin-243](#)
- field group tokens [CmdTokVal-203](#)
 - asset [CmdTokVal-204](#)
 - demand management [CmdTokVal-204](#)
 - PMO [CmdTokVal-203](#), [CmdTokVal-204](#), [CmdTokVal-208](#), [CmdTokVal-209](#)
 - program reference [CmdTokVal-207](#), [CmdTokVal-208](#)
 - project [CmdTokVal-205](#)
 - proposal [CmdTokVal-206](#)
 - work item [CmdTokVal-209](#)
- field groups [DemandCG-191](#), [TrkMgCG-19](#)
 - adding to a request header
 - type [ProgramCG-22](#)
- field groups, using for request types in Portfolio Management [PortfolioCG-29](#)
- Field window [Reports-179](#)
 - Attributes tab [Reports-182](#)
 - Default tab [Reports-183](#)
 - Dependencies tab [Reports-185](#)
- field-level restrictions [Security-15](#)
- fields
 - changing widths in object
 - types [DeployCG-143](#)
 - configure to automatically
 - update [DemandCG-132](#)
 - configured in object types [DeployCG-140](#)
 - configuring

- dependencies for object
 - types [DeployCG-137](#)
- configuring for request
 - types [DemandCG-130](#)
- configuring user data
 - dependencies [DeployCG-247](#), [DemandCG-227](#)
- configuring user data fields [DeployCG-241](#), [DeployCG-246](#), [DemandCG-221](#), [DemandCG-226](#)
- configuring width in request
 - types [DemandCG-141](#)
- copying in object types [DeployCG-139](#)
- copying in request types [DemandCG-139](#)
- copying user data [DeployCG-245](#), [DemandCG-225](#)
- copying user data fields [DeployCG-245](#), [DemandCG-225](#)
- creating for user data [DeployCG-241](#), [DemandCG-221](#)
- creating request type fields [DemandCG-133](#)
- defaults for request types [DemandCG-132](#)
- deleting from user data [DeployCG-250](#), [DemandCG-230](#)
- deleting in object types [DeployCG-141](#)
- deleting in request types [DemandCG-141](#)
- deleting user data fields [DeployCG-250](#), [DemandCG-230](#)
- modifying width in request
 - types [DemandCG-141](#)
- moving in object types [DeployCG-144](#)
- moving in request types [DemandCG-142](#)
- moving on request types [DemandCG-142](#)
- moving user data fields [DeployCG-251](#), [DemandCG-231](#)
- preview layout [DemandCG-144](#), [CmdTokVal-92](#)
- preview layout in request
 - types [DemandCG-146](#)
- removing from request
 - types [DemandCG-141](#)
- request types [DemandCG-32](#)
- selecting validations for object
 - types [DeployCG-133](#)
- swapping in object types [DeployCG-144](#)
- user data [DeployCG-246](#), [DemandCG-226](#)
- user data dependencies [DeployCG-247](#), [DemandCG-227](#)
- file chooser [CmdTokVal-114](#)
- static environment
 - override [CmdTokVal-115](#)
- token-based environment
 - override [CmdTokVal-115](#)
- file path names, separator characters
 - in [SysAdmin-70](#)
- file stores
 - mapping [DocMgmt-87](#)
- FILE_RECHECK_INTERVAL
 - parameter [SysAdmin-272](#)
- files
 - [install.exe](#) [SysAdmin-56](#)
 - [mitg-710-install.zip](#) [SysAdmin-48](#), [SysAdmin-56](#), [SysAdmin-57](#)
 - [mitg-710-upgrade.zip](#) [Upgrade-19](#), [Upgrade-24](#)
 - [private_key.txt](#) [SysAdmin-78](#)
 - [public_key.txt](#) [SysAdmin-78](#)
 - [serverLog.txt](#) [SysAdmin-222](#)
 - [upgrade.exe](#) [Upgrade-33](#)
- filter field layout
 - configuring [CmdTokVal-91](#)
- Filter Fields tab
 - portlet data sources [CreateP&M-38](#)
- filters for time sheet work items
 - See* work item filters for time sheets.
- filters configured for request header
 - types [DemandCG-195](#)
- filters in Time Management
 - general, for My Items list [TimeUG-35](#), [TimeUG-36](#), [TimeUG-39](#)
 - general, for time sheets [TimeUG-44](#), [TimeUG-45](#), [TimeUG-50](#)
 - general, for work allocations [TimeUG-102](#)
 - package, for My Items list [TimeUG-36](#)

- package, for time sheets [TimeUG-45](#)
- package, for work allocations [TimeUG-103](#)
- project, for My Items list [TimeUG-38](#)
- project, for time sheets [TimeUG-49](#)
- request, for My Items list [TimeUG-34](#)
- request, for time sheets [TimeUG-44](#)
- request, for work allocations [TimeUG-103](#)
- task, for My Items list [TimeUG-38](#)
- task, for time sheets [TimeUG-49](#)
- task, for work allocations [TimeUG-103](#)
- financial benefits
 - access grants [PortfolioCG-73](#)
 - creating and linking in Portfolio Management [PortfolioUG-27](#)
- financial exchange rates
 - access grant for viewing [Security-118](#)
 - adding [FinancialUG-35](#)
 - editing [FinancialUG-36](#)
 - managing [FinancialUG-30](#)
 - overview [FinancialUG-30](#)
- financial exchanges rates
 - access grant for viewing [Security-118](#)
- financial information security [Security-109](#)
- Financial Management
 - server parameters [FinancialUG-94](#)
 - special commands, deleted [SOA-43](#)
 - version 7 features [WhatsNew-25](#)
 - version 7 functional impacts [WhatsNew-46](#)
 - Web services [SOA-41](#)
 - Web services support [WhatsNew-31](#)
 - Web services, deprecated [SOA-149](#)
 - WSDL [SOA-111](#), [SOA-117](#), [SOA-132](#)
 - XSD [SOA-116](#)
- Financial Management reports [Reports-19](#)
- financial metrics in Portfolio Management [PortfolioUG-101](#)
 - See also* custom financial metric in Portfolio Management.
- configuring tracking
 - preferences [PortfolioCG-16](#)
- definitions of ROI and NPV [PortfolioCG-75](#)
- FINANCIAL_METRICS_UPDATE_INTERVAL parameter [SysAdmin-244](#)
- finding
 - See also* identifying.
 - corporate logo files [CustomSI-58](#)
 - CSS files [CustomSI-59](#)
- FLS_PENDING_DENORM_DAY_OF_WEEK parameter [SysAdmin-244](#)
- FLS_PENDING_DENORM_WAKE_UP_TIME parameter [SysAdmin-244](#)
- FLS_PENDING_DENORM_WEEK_INTERVAL parameter [SysAdmin-244](#)
- fonts
 - changing [CustomSI-20](#), [CustomSI-24](#)
- fonts supported in the installation environment, report providing information about [SysAdmin-139](#)
- format masks
 - for text fields [CmdTokVal-104](#)
- formats
 - for tokens [CmdTokVal-51](#)
- forward slashes in directory path names [SysAdmin-227](#)
- freezing time sheets [TimeUG-17](#), [TimeUG-94](#), [TimeCG-17](#)
 - procedure [TimeUG-95](#)
- French language support [WhatsNew-12](#)
- FTP protocols for environments [DeployCG-183](#)
- FTP server
 - configuring during upgrade [Upgrade-39](#)
- FTP server, configuring on Windows [SysAdmin-59](#)
- full-text indexing
 - about the process [DocMgmt-68](#)
 - administering [DocMgmt-89](#)
 - configuration options [DocMgmt-71](#)
 - configuring the index agent on UNIXs [DocMgmt-81](#)
 - configuring the index agent on Windows systems [DocMgmt-77](#)
 - installing on UNIX [DocMgmt-78](#)

- installing on UNIX systems [DocMgmt-78](#)
- overview [DocMgmt-68](#)
- preparing to install [DocMgmt-71](#)
- software [DocMgmt-69](#)

FX_RATE_UPDATE_SERVICE_INTERVAL_MINUTES
parameter [SysAdmin-244](#)

G

- Gantt chart
 - printing [ProjectUG-148](#)
- general filters in Time Management
 - for My Items list [TimeUG-35](#), [TimeUG-36](#), [TimeUG-39](#)
 - for time sheets [TimeUG-44](#), [TimeUG-45](#), [TimeUG-50](#)
 - for work allocations [TimeUG-102](#)
- generating
 - private and public keys [SysAdmin-75](#)
- generic single sign--on
 - implementing with PPM Center [SysAdmin-130](#)
- German language support [WhatsNew-12](#)
- [getActualTime](#) [SOA-20](#), [SOA-50](#)
- [getCostFactors](#) [SOA-18](#), [SOA-42](#)
- [getCostRules](#) [SOA-18](#), [SOA-42](#)
- [getRequests](#) [SOA-19](#), [SOA-44](#)
- [getRequestTypeByFieldGroup](#) [SOA-43](#)
- [getRequestTypeFields](#) [SOA-19](#), [SOA-43](#), [SOA-161](#)
- [getRequestTypesByFieldGroup](#) [SOA-19](#), [SOA-160](#)
- [getResourceParticipation](#) [SOA-18](#), [SOA-40](#)
- [getResourcePools](#) [SOA-18](#), [SOA-40](#)
- GL Migrator [Upgrade-10](#)
 - installing [SysAdmin-39](#)
- global settings in Portfolio Management [PortfolioCG-16](#)
- global time sheet policy,
 - configuring [TimeCG-49](#)

- GLOBAL_NAMES database
 - parameter [SysAdmin-83](#)
- GrantSysPrivs.sql script [SysAdmin-221](#), [Upgrade-21](#)

- graphic mode, installing in [Upgrade-14](#)
- graphical view [DemandUG-26](#)
- GRAPHICAL_WF_ENABLE
 - parameter [SysAdmin-244](#)
- GROUP_PRIVATE_PUBLIC_PAGES
 - parameter [SysAdmin-244](#)
- GZIP_ENCODING_ENABLED
 - parameter [SysAdmin-245](#)

H

- hardware load balancer
 - in a cluster configuration [SysAdmin-124](#)
- hexadecimal color codes [CustomSI-65](#)
- hierarchy
 - viewing and modifying [ProjectUG-116](#)
- HIGH_PAGE_SIZE parameter [SysAdmin-245](#)
- highlights, release
 - version 7.0 [WhatsNew-12](#)
 - version 7.1 [WhatsNew-12](#)
- Historical SLA Violations report [Reports-123](#)
- history
 - tracking work plans [ProjectUG-150](#)
- history in Time Management
 - See* transaction history in Time Management.
- Holiday Schedule prompt
 - installation procedure [SysAdmin-47](#)
 - upgrade procedure [Upgrade-22](#)
- hours on Min/Max Enforcement tab of time sheet policy, configuring [TimeCG-42](#)
- HOURS_TO_KEEP_DEBUG_MESSAGE_ROWS parameter [SysAdmin-168](#), [SysAdmin-245](#)
- HP-provided preconfigured Dashboard pages [CreateP&M-114](#)

HP-UX platform, running PPM Center on [SysAdmin-25](#)

HTTP
See also authentication.
 communication protocol [SysAdmin-28](#), [SysAdmin-29](#), [SysAdmin-32](#)
 enabling logging [SysAdmin-150](#)
 listener [SysAdmin-30](#)

HTTP communication protocol [SysAdmin-25](#), [SysAdmin-28](#), [SysAdmin-35](#)

HTTP_PORT parameter [SysAdmin-117](#), [SysAdmin-124](#), [SysAdmin-246](#)

HTTPS
See also authentication.
 communication protocol [SysAdmin-32](#), [SysAdmin-35](#)

HTTPS communication protocol [SysAdmin-25](#), [SysAdmin-28](#), [SysAdmin-29](#)

I

I18N_CARET_DIRECTION
 parameter [SysAdmin-246](#)

I18N_ENCODING parameter [SysAdmin-246](#)

I18N_LAYOUT_DIRECTION
 parameter [SysAdmin-246](#)

I18N_REPORT_HTML_CHARSET
 parameter [SysAdmin-246](#)

I18N_REPORTS_ENCODING
 parameter [SysAdmin-247](#)

I18N_SECTION_DIRECTION
 parameter [SysAdmin-247](#)

IBM AIX platform, running PPM Center on [SysAdmin-25](#)

identifying
 class definitions [CustomSI-56](#)
 CSS files [CustomSI-56](#)
 your instance [CustomSI-34](#)

IDQL
 closing a session [DocMgmt-36](#)
 starting a session [DocMgmt-36](#)

IIS Web server [SysAdmin-26](#), [SysAdmin-101](#)

imp command [SysAdmin-221](#), [SysAdmin-224](#)

Impairment Risks portlet [FinancialUG-90](#)

import behavior controls, entity migration [SysAdmin-185](#)

Import Portlet Definition
 wizard [CreateP&M-67](#), [CreateP&M-70](#)

Import Requests report [Reports-48](#), [OpenAPI-79](#)

Import Users report [Reports-48](#)
 for LDAP import [OpenAPI-40](#)
 for simple import [OpenAPI-32](#)

importing
 document management
 repositories [DocMgmt-112](#)
 Java portlet definitions [CreateP&M-67](#)
 organization units [OpenAPI-46](#)
 packages and package lines [OpenAPI-86](#)
 requests [OpenAPI-66](#)
 users [Security-28](#), [OpenAPI-18](#)
 workflows [OpenAPI-106](#)
 WSRP portlet definitions [CreateP&M-70](#)

importRequest [SOA-19](#), [SOA-43](#), [SOA-46](#)

importWorkPlanTasks [SOA-17](#), [SOA-39](#)

In Process Demand portlet [TrkMgUG-27](#), [TrkMgUG-28](#)

index agent
 configuring on UNIX [DocMgmt-81](#)
 configuring on Windows
 systems [DocMgmt-77](#)
 described [DocMgmt-69](#)
 installing on UNIX systems [DocMgmt-78](#)
 run modes [DocMgmt-70](#)
 specifying ports for [DocMgmt-82](#)
 starting and stopping [DocMgmt-89](#)

Index Agent Admin Tool [DocMgmt-89](#)
 starting and stopping the index
 agent [DocMgmt-89](#)

index server
 installing on UNIX systems [DocMgmt-78](#)
 sharing drives containing content
 files [DocMgmt-73](#)

indexagent.xml file
 editing to map file stores [DocMgmt-87](#)

- information, related [DeployCG-22](#),
[DemandCG-20](#)
- Initiatives Pending Approval
 - portlet [DemandUG-84](#), [TrkMgUG-25](#),
[TrkMgUG-28](#)
- INSERT_ROW procedure [OpenAPI-113](#)
 - See also* workflow transaction parameters.
 - example [OpenAPI-113](#)
 - parameters [OpenAPI-201](#)
- install.exe file [SysAdmin-56](#)
- install.sh script [SysAdmin-57](#)
- installation directories
 - Content Server [DocMgmt-50](#)
- installation files
 - downloading [SysAdmin-48](#)
 - unzipping [SysAdmin-48](#)
- installation owner account, on
 UNIX [DocMgmt-52](#)
- installation owner group, on UNIX and
 Linux [DocMgmt-51](#)
- INSTALLATION_LOCALE
 parameter [SysAdmin-247](#)
- Installed Extensions report [SysAdmin-140](#)
- installing
 - Accelerators [SysAdmin-64](#)
 - Best Practices after you install PPM
 Center [SysAdmin-63](#)
 - collecting required
 information [SysAdmin-45](#)
 - configuring the FTP server on
 Windows [SysAdmin-59](#)
 - Content Server on UNIX [DocMgmt-49](#)
 - Content Server on Windows
 systems [DocMgmt-39](#), [DocMgmt-43](#)
 - creating a PPM Center user [SysAdmin-51](#)
 - creating the database schemas [SysAdmin-52](#)
 - Deployment Management
 Extensions [SysAdmin-64](#)
 - DFC on Windows systems [DocMgmt-95](#)
 - document management [SysAdmin-39](#)
 - Documentum Foundation Classes without
 Content Server [DocMgmt-33](#)
 - downloading the files [SysAdmin-48](#)
 - Extensions [SysAdmin-39](#), [Upgrade-10](#)
 - GL Migrator [SysAdmin-39](#)
 - index agent on UNIX systems [DocMgmt-78](#)
 - index server [DocMgmt-78](#)
 - Java plug-in on clients [SysAdmin-91](#)
 - key considerations [SysAdmin-38](#),
[Upgrade-14](#)
 - language packs [Upgrade-12](#)
 - Object Migrator [SysAdmin-39](#)
 - on UNIX [SysAdmin-57](#)
 - on Windows [SysAdmin-55](#)
 - optional products [SysAdmin-63](#)
 - overview [SysAdmin-38](#)
 - preparation for [SysAdmin-43](#)
 - preparing for on UNIX [DocMgmt-50](#)
 - preparing for on Windows
 systems [DocMgmt-40](#)
 - SDK [SysAdmin-48](#)
 - service pack after upgrading [Upgrade-10](#)
 - service packs [SysAdmin-61](#)
 - tasks to perform after [DocMgmt-48](#)
 - the Software Development Kit
 (SDK) [SysAdmin-48](#)
 - unzipping the files [SysAdmin-48](#)
 - verifying port availability [SysAdmin-54](#)
 - verifying that the JAVA_HOME parameter
 is set [SysAdmin-49](#)
 - verifying the installation [SysAdmin-60](#)
- installing JVM [SysAdmin-48](#)
- instances
 - backing up [SysAdmin-154](#)
 - migrating [SysAdmin-212](#)
- integrating
 - Deployment Management [DeployUG-23](#)
 - Microsoft Project [WhatsNew-20](#)
 - requests and packages [DeployCG-93](#),
[DemandCG-87](#)
 - Web services [WhatsNew-48](#)
- integrating an external Web server with a PPM
 Server [SysAdmin-113](#)
- integrating with Demand
 Management [DeployUG-23](#)

- integration directory [SysAdmin-287](#)
- integration of Time Management and Project Management [TimeUG-20](#), [TimeUG-77](#), [TimeCG-19](#)
 - procedure for project managers [TimeUG-112](#)
- integrations
 - custom [Upgrade-26](#)
 - testing custom integrations [Upgrade-40](#)
- INTERFACE_CLEANUP_INTERVAL parameter [SysAdmin-247](#)
- introduction
 - to Program Management [ProgramUG-10](#)
- introduction to project management [ProjectCG-12](#)
- Issue List portlet [DemandUG-70](#), [ProgramUG-82](#)
- issue requests
 - programs [ProgramCG-13](#)
 - projects within programs [ProgramCG-13](#)
- issues
 - analyzing activity [ProgramUG-65](#)
 - analyzing issue activity [ProgramUG-65](#)
 - analyzing resolution [ProgramUG-67](#)
 - logging [ProjectUG-140](#)
 - managing [ProgramUG-60](#)
 - managing processes [ProgramUG-76](#)
 - project level [ProgramUG-39](#)
 - searching for project issues [ProgramUG-63](#)
 - searching program issues [ProgramUG-61](#)
- IT demand
 - adding IT demand to request header types [TrkMgCG-18](#)
 - configuring effort [TrkMgCG-25](#)
 - errors [TrkMgCG-40](#)
 - field mapping [TrkMgCG-32](#)
 - request type field attributes [TrkMgCG-17](#)
 - schedule fields [TrkMgCG-24](#)
 - SLA fields [TrkMgCG-18](#), [TrkMgCG-23](#)
 - workflows [TrkMgCG-38](#)
- Italian language support [WhatsNew-12](#)

J

- J2EE application server [SysAdmin-24](#), [SysAdmin-25](#)
- jakarta virtual directory
 - creating [SysAdmin-107](#)
- Java
 - sample Web services [SOA-78](#)
- Java plug-in [SysAdmin-25](#)
 - downloading [SysAdmin-90](#)
 - making available to users [SysAdmin-90](#)
 - setting up on clients [SysAdmin-91](#)
- Java portlet definitions [CreateP&M-51](#), [CreateP&M-67](#)
- Java portlets [CreateP&M-50](#)
- Java Server Pages [CustomSI-59](#), [SysAdmin-25](#)
- JAVA_CLASSES_LOC parameter [SysAdmin-247](#)
- JAVA_COMPILER parameter [SysAdmin-247](#)
- JAVA_HOME Parameter
 - setting in UNIX [SysAdmin-50](#)
- JAVA_HOME parameter [SysAdmin-44](#), [SysAdmin-49](#), [Upgrade-19](#), [Upgrade-24](#)
 - setting in DOS [SysAdmin-50](#)
 - setting in Windows [SysAdmin-50](#)
- JAVA_HOME path
 - in a UNIX shell [SysAdmin-49](#)
 - in DOS [SysAdmin-49](#)
- JAVA_HOME prompt
 - installation procedure [SysAdmin-45](#)
 - upgrade procedure [Upgrade-22](#)
- JAVA_PLUGIN_XPI_PATH parameter [SysAdmin-247](#)
- javadocs
 - Web services [SOA-77](#)
- JBoss
 - accessing the JMX console [SysAdmin-80](#)
- JBoss Application Server [SysAdmin-25](#)
- JDBC communication protocol [SysAdmin-26](#), [SysAdmin-29](#), [SysAdmin-32](#), [SysAdmin-35](#)
- JDBC logging, enabling [SysAdmin-149](#)

JDBC URL format [SysAdmin-46](#)
 JDBC_DEBUGGING
 parameter [SysAdmin-170](#), [SysAdmin-247](#)
 JDBC_URL parameter [SysAdmin-78](#),
 [SysAdmin-248](#)
 JK
 compiling a binary of [SysAdmin-111](#)
 JMX Console
 accessing [SysAdmin-80](#)
 JSP files [CustomSI-59](#)
 PPM Center standard
 interface [SysAdmin-25](#)
 JSP_RECOMPILE_ENABLED
 parameter [SysAdmin-248](#)
 jump step generation [DeployCG-96](#),
 [DemandCG-90](#)
 jump/receive
 workflow steps [DeployCG-98](#),
 [DemandCG-92](#)
 JVM
 installing [SysAdmin-48](#)
 problems, troubleshooting [SysAdmin-92](#)
 running in interpreted mode [SysAdmin-164](#)
 JVM Memory report [SysAdmin-140](#)
 JVM_OPTIONS parameter [SysAdmin-248](#)

K

kBuildStats.sh script [SysAdmin-279](#)
 kCancelStop.sh script [SysAdmin-279](#)
 kConfig.sh script [SysAdmin-67](#), [SysAdmin-120](#),
 [SysAdmin-153](#), [SysAdmin-215](#),
 [SysAdmin-216](#), [SysAdmin-217](#),
 [SysAdmin-222](#), [SysAdmin-280](#)
 kConvertToLog4j.sh script [SysAdmin-279](#)
 KCRT_FG_DEMAND_SCHEDULE_INT
 interface table [OpenAPI-133](#)
 KCRT_FG_MASTER_PROJ_REF_INT
 interface table [OpenAPI-134](#)
 KCRT_FG_PFM_ASSET_INT
 interface table [OpenAPI-135](#)
 KCRT_FG_PFM_PROJECT_INT
 interface table [OpenAPI-138](#)
 KCRT_FG_PFM_PROPOSAL_INT
 interface table [OpenAPI-141](#)
 KCRT_FG_PROG_ISSUE_INT
 interface table [OpenAPI-144](#)
 KCRT_FG_PROG_REFERENCE_INT
 interface table [OpenAPI-145](#)
 KCRT_FG_PROG_RESOURCE_REQ_INT
 interface table [OpenAPI-146](#)
 KCRT_FG_PROJ_ISSUE_INT
 interface table [OpenAPI-147](#)
 KCRT_FG_PROJ_RISK_INT
 interface table [OpenAPI-148](#)
 KCRT_FG_PROJ_SCOPE_CHANGE_INT
 interface table [OpenAPI-149](#)
 KCRT_FG_SLA_INT
 interface table [OpenAPI-150](#)
 KCRT_FG_WORK_ITEMS_INT
 interface table [OpenAPI-151](#)
 KCRT_REQ_HEADER_DETAILS_INT
 input options [OpenAPI-76](#)
 interface table [OpenAPI-163](#)
 KCRT_REQUEST_DETAILS_INT
 input options [OpenAPI-74](#)
 interface table [OpenAPI-161](#)
 KCRT_REQUESTS_INT
 input options [OpenAPI-69](#)
 interface table [OpenAPI-155](#)
 KCRT_TABLE_ENTRIES_INT
 input options [OpenAPI-77](#)
 interface table [OpenAPI-165](#)
 kDeploy.sh script [SysAdmin-280](#)
 KDLV_PACKAGE_LINES_INT
 input options [OpenAPI-93](#)
 interface table [OpenAPI-172](#)
 KDLV_PACKAGE_NOTES_INT
 input options [OpenAPI-96](#)
 interface table [OpenAPI-176](#)
 KDLV_PACKAGES_INT
 input options [OpenAPI-88](#)

interface table [OpenAPI-167](#)
 KDLV_PARTICIPANT_CHECK_V RML
 view [RML-127](#)
 kEncrypt.sh script [SysAdmin-282](#)
 key word search [DocMgmt-160](#)
 key words
 combination searches [DocMgmt-162](#)
 excluding entities from a
 search [DocMgmt-162](#)
 searching by phrase [DocMgmt-162](#)
 KEY_STORE_FILE parameter [SysAdmin-73](#)
 KEY_STORE_PASSWORD
 parameter [SysAdmin-73](#)
 keyboard shortcuts
 work plan page [ProjectUG-74](#)
 keystore
 creating for SSL [SysAdmin-73](#)
 Web services [SOA-36](#), [SOA-84](#)
 keytool application [SysAdmin-73](#), [SOA-36](#)
 kGenPeriods.sh script [SysAdmin-282](#)
 kGenTimeMgmtPeriods.sh
 script [SysAdmin-282](#)
 Kintana RMI report [SysAdmin-140](#)
 KINTANA_LDAP_ID
 parameter [SysAdmin-96](#), [SysAdmin-248](#)
 KINTANA_LDAP_PASSWORD
 parameter [SysAdmin-96](#), [SysAdmin-249](#)
 KINTANA_LOGON_FILENAME
 parameter [SysAdmin-249](#)
 KINTANA_SERVER
 parameter [SysAdmin-179](#)
 KINTANA_SERVER_DIRECTORY
 parameter [SysAdmin-249](#)
 KINTANA_SERVER_LIST
 parameter [SysAdmin-249](#)
 KINTANA_SERVER_NAME
 parameter [SysAdmin-115](#), [SysAdmin-116](#),
 [SysAdmin-120](#), [SysAdmin-249](#)
 KINTANA_SESSION_TIMEOUT
 parameter [SysAdmin-249](#)
 kJSPCompiler.sh script [SysAdmin-282](#)
 kKeygen.sh script [SysAdmin-78](#), [SysAdmin-283](#)
 klsc_local_exec [SOA-69](#)
 kMigratorExtract.sh script [SysAdmin-283](#)
 kMigratorImport.sh script [SysAdmin-283](#)
 KNTA_DEBUG_MESSAGES
 table [SysAdmin-154](#)
 KNTA_LOGON_ATTEMPTS
 table [SysAdmin-154](#)
 KNTA_USER_SECURITY_INT
 input options [OpenAPI-21](#)
 interface table [OpenAPI-185](#)
 KNTA_USERS_INT
 input options [OpenAPI-25](#)
 interface table [OpenAPI-178](#)
 KNTA_USERS_INT parameter [SysAdmin-274](#)
 Korean language support [WhatsNew-12](#)
 KRML_CALENDAR_DAYS RML
 view [RML-129](#)
 KRML_CALENDAR_MONTHS RML
 view [RML-129](#)
 KRSC_ORG_UNIT_MEMBERS_INT
 input options [OpenAPI-51](#)
 interface table [OpenAPI-193](#)
 KRSC_ORG_UNITS_INT
 input options [OpenAPI-48](#)
 interface table [OpenAPI-189](#)
 KRSC_ORG_UNITS_INT table [SysAdmin-274](#)
 kRunCacheManager.sh script
 scripts
 kRunCacheManager.sh [SysAdmin-283](#)
 kRunServerAdminReport.sh
 script [SysAdmin-141](#), [SysAdmin-283](#)
 ksc_export_actual_time [SOA-20](#), [SOA-53](#),
 [SOA-54](#)
 ksc_export_actual_time_as_xml [SOA-20](#),
 [SOA-53](#)
 ksc_export_budget [SOA-18](#), [SOA-43](#)
 ksc_export_budget_as_xml [SOA-18](#), [SOA-43](#)
 ksc_export_fields [SOA-19](#), [SOA-48](#)

[ksc_export_request](#) [SOA-19](#), [SOA-46](#), [SOA-67](#), [SOA-162](#)
[ksc_export_status_change](#) [SOA-19](#), [SOA-49](#), [SOA-68](#)
[ksc_export_XXX](#) [SOA-30](#), [SOA-35](#)
See also special commands.
[ksc_run_jsp_report](#) special command [Reports-35](#)
[kStart.sh](#) script [SysAdmin-125](#), [SysAdmin-165](#), [SysAdmin-283](#)
[kStatus.sh](#) script [SysAdmin-126](#), [SysAdmin-284](#)
[kStop.sh](#) script [SysAdmin-125](#), [SysAdmin-284](#)
[kStop.sh-delay](#) script [SysAdmin-279](#)
[kSupport.sh](#) script [SysAdmin-285](#)
[kUpdateHtml.sh](#) script [SysAdmin-120](#), [SysAdmin-150](#), [SysAdmin-286](#)
[kWall.sh](#) script [SysAdmin-286](#)
[KWFL_TRANSACTIONS_INT](#)
input options [OpenAPI-109](#)
interface table [OpenAPI-196](#)
[KWFL_TXN_INT](#) package
See also workflow transaction parameters.
example [OpenAPI-113](#)
parameters [OpenAPI-201](#)

L

languages
See national language support.
language packs
installing and upgrading [Upgrade-12](#)
[LAST_CHECK_IN_DATE](#)
token [DocMgmt-163](#)
[LAST_CHECKED_IN_BY](#)
token [DocMgmt-163](#)
[LAST_CHECKED_IN_BY_NAME](#)
token [DocMgmt-163](#)
Layout tab [Reports-186](#)
LDAP
configuring the LDAP server [OpenAPI-39](#), [OpenAPI-40](#), [OpenAPI-59](#)

[LdapAttribute.conf](#) usage [OpenAPI-40](#), [OpenAPI-59](#)
Organization Unit Open Interface [OpenAPI-46](#)
[server.conf](#) usage [OpenAPI-34](#), [OpenAPI-37](#), [OpenAPI-39](#), [OpenAPI-40](#), [OpenAPI-43](#), [OpenAPI-55](#), [OpenAPI-58](#), [OpenAPI-59](#), [OpenAPI-62](#), [OpenAPI-82](#), [OpenAPI-102](#), [OpenAPI-128](#)
User Open Interface [OpenAPI-18](#)
LDAP Attribute parameters [SysAdmin-274](#)
LDAP parameters
validating [SysAdmin-100](#)
LDAP server, integrating with [SysAdmin-96](#)
[LDAP_BASE_DN](#) parameter [SysAdmin-250](#)
[LDAP_GROUP_RECURSION_LIMIT](#) parameter [SysAdmin-250](#)
[LDAP_SSL_PORT](#) parameter [SysAdmin-250](#)
[LDAP_TIME_FORMAT](#) parameter [SysAdmin-275](#)
[LDAP_URL](#) parameter [SysAdmin-96](#), [SysAdmin-250](#)
[LDAP_URL_FULL](#) parameter [SysAdmin-251](#)
[LDAP_USER_OBJECTCLASS](#) parameter [SysAdmin-275](#)
library, documentation [CustomSI-42](#)
See also documents.
License Configuration File prompt
installation procedure [SysAdmin-45](#)
upgrade procedure [Upgrade-22](#)
license keys [SysAdmin-40](#), [Upgrade-13](#)
license.conf file [SysAdmin-40](#)
licenses [DeployCG-21](#), [DeployCG-42](#), [DemandCG-19](#), [DemandCG-40](#), [TrkMgCG-14](#), [Security-49](#)
and user roles [Security-157](#)
assigning from the User Workbench [Security-40](#)
assigning in batch [Security-42](#)

- assigning using the open interface [Security-46](#)
- described [Security-14](#)
- managing [Security-39](#)
- Portfolio Management [PortfolioCG-66](#), [PortfolioCG-67](#)
- Portfolio Optimization [PortfolioCG-67](#)
- portfolio optimization [WhatsNew-48](#)
- removing using the wizard [Security-45](#)
- using the wizard [Security-42](#)
- version 7 functional impacts [WhatsNew-48](#)
- version 7 upgrade impacts [WhatsNew-69](#)
- licensing [DocMgmt-15](#)
- line portlet [CreateP&M-102](#)
- lines, adding to time sheets [TimeUG-31](#)
- linking in Portfolio Management
 - budgets to entities [PortfolioUG-25](#)
 - business objectives to entities [PortfolioUG-30](#)
 - financial benefits to entities [PortfolioUG-27](#)
 - staffing profiles to entities [PortfolioUG-32](#)
- Linux
 - considerations for installing Content Server [DocMgmt-49](#)
 - installation owner group [DocMgmt-51](#)
 - required accounts for Content Server [DocMgmt-51](#)
- Linux platform, running PPM Center on [SysAdmin-25](#)
- lists used for time sheets
 - My Items
 - See My Items list for time sheets.*
- list portlet [CreateP&M-89](#)
- list portlets [GetStart-16](#)
- lists used for time sheets
 - Suggested Items [TimeUG-41](#)
 - adding work items to My Items list [TimeUG-42](#)
 - adding work items to time sheet [TimeUG-43](#)
 - configuring rules for [TimeCG-104](#)
- load balancing [SysAdmin-33](#)
- load object
 - destroying [DocMgmt-114](#)
- LOCAL_IP parameter [SysAdmin-252](#)
- localization settings
 - for migrating entities [SysAdmin-187](#)
- locating my tasks [ProjectUG-156](#)
- log files [SysAdmin-149](#)
 - execution debug [SysAdmin-151](#)
 - report [SysAdmin-151](#)
 - server [SysAdmin-149](#)
 - temporary [SysAdmin-152](#)
- LOG_BUFFER database
 - parameter [SysAdmin-84](#)
- LOG_LAYOUT parameter [SysAdmin-272](#)
- logging
 - errors [SysAdmin-148](#)
 - off PPM Center [GetStart-25](#)
 - on PPM Center [GetStart-22](#)
 - Web services [SOA-26](#)
- logging parameters [SysAdmin-271](#)
- logical operators
 - in request queries [DemandUG-60](#)
- logon page, changing [CustomSI-32](#)
- LOGON_ATTEMPTS_CLEANUP_INTERVAL parameter [SysAdmin-253](#)
- LOGON_TRIES_INTERVAL parameter [SysAdmin-253](#)
- logs directory [SysAdmin-155](#), [SysAdmin-288](#)
- Lookup Types report [Reports-49](#)
- loop counter example [DeployCG-119](#), [DemandCG-113](#)
- LOW_PAGE_SIZE parameter [SysAdmin-253](#)
- low-level debug parameters [SysAdmin-170](#)

M

- MAINFRAME_JOB_WATCH_DOG_ENABLED parameter [SysAdmin-253](#)
- MAINFRAME_JOB_WATCH_DOG_INTERVAL parameter [SysAdmin-253](#)
- maintaining the system [SysAdmin-134](#)

Manage Consolidate Demand page
 overview [TrkMgUG-20](#)
 manage program page [FinancialUG-88](#)
 managing
 business objectives [ProgramUG-21](#)
 issue processes [ProgramUG-76](#)
 issues [ProgramUG-60](#)
 packages in the PPM
 Workbench [DeployUG-108](#)
 portlet categories [CreateP&M-87](#)
 program processes [ProgramUG-76](#)
 project baselines [Security-91](#)
 requests [DemandUG-65](#)
 requests overview [DemandUG-58](#)
 requests using portlets [DemandUG-69](#)
 requests using reports [DemandUG-68](#)
 risk processes [ProgramUG-76](#)
 risks [ProgramUG-68](#)
 saved search categories [GetStart-33](#)
 saved searches [GetStart-31](#)
 scope change processes [ProgramUG-77](#)
 scope changes [ProgramUG-72](#)
 managing a project [ProjectUG-111](#)
 managing
 scenario comparisons
 See scenario comparisons.
 manual task costs [FinancialUG-64](#)
 mapping demand sets [TrkMgCG-32](#)
 mapping workflows to processes [DeployCG-47](#),
 [DemandCG-45](#)
 mass updates or base paths [DeployCG-201](#)
 master project
 creating from project
 templates [ProjectUG-178](#)
 MAX_BACKUP_INDEX
 parameter [SysAdmin-273](#)
 MAX_COMMIT_PROPAGATION_DELAY
 database parameter [SysAdmin-84](#)
 MAX_DB_CONNECTION_IDLE_TIME
 parameter [SysAdmin-173](#), [SysAdmin-253](#)
 MAX_DB_CONNECTION_LIFE_TIME
 parameter [SysAdmin-173](#), [SysAdmin-253](#)
 MAX_DB_CONNECTIONS
 parameter [SysAdmin-173](#), [SysAdmin-254](#)
 MAX_EXECUTION_MANAGERS
 parameter [SysAdmin-163](#), [SysAdmin-171](#),
 [SysAdmin-254](#)
 MAX_ITG_DB_CONNECTIONS
 parameter [SysAdmin-254](#)
 MAX_LOGON_TRIES
 parameter [SysAdmin-254](#)
 MAX_PAGE_SIZE parameter [SysAdmin-254](#)
 MAX_RELEASE_EXECUTION_ MANAGERS parameter [SysAdmin-255](#)
 MAX_STATEMENT_CACHE_SIZE
 parameter [SysAdmin-173](#), [SysAdmin-255](#)
 MAX_WORKER_THREADS
 parameter [SysAdmin-163](#), [SysAdmin-171](#),
 [SysAdmin-255](#)
 menu bar
 definition [GetStart-14](#)
 displaying [GetStart-26](#)
 hiding [GetStart-26](#)
 opening requests [DemandUG-61](#)
 Program Management [ProgramUG-11](#)
 menu text
 changing [CustomSI-34](#)
 XML file [CustomSI-72](#)
 menus
 collapsing [GetStart-26](#)
 expanding [GetStart-26](#)
 menus for Demand Management [TrkMgUG-18](#)
 merging packages in
 Workbench [DeployUG-108](#)
 metrics, financial
 See also custom financial metric in
 Portfolio Management.
 configuring tracking
 preferences [PortfolioCG-16](#)
 definitions of ROI and
 NPV [PortfolioUG-101](#), [PortfolioCG-75](#)
 Microsoft Excel
 work plan export [ProjectUG-149](#)

- Microsoft IIS
 - configuring the uriworkermap.properties file [SysAdmin-105](#)
 - enabling cookie logging on [SysAdmin-111](#)
- Microsoft IIS Web server [SysAdmin-26](#), [SysAdmin-101](#)
- Microsoft Project
 - access grants [ProjectUG-186](#)
 - choosing synchronization mode [ProjectUG-190](#)
 - conditional editing in Project Management [ProjectUG-202](#)
 - importing large projects [ProjectUG-114](#)
 - integrated project management strategies [ProjectUG-183](#)
 - integrating with Project Management [ProjectUG-179](#)
 - integration overview [ProjectUG-180](#)
 - Mozilla Firefox issue [ProjectCG-22](#)
 - opening Project Management work plan [ProjectUG-189](#)
 - plug-in for integrating with PPM Center [ProjectUG-185](#), [Upgrade-40](#)
 - Project Management integration installation [ProjectUG-185](#)
 - Project Management integration requirements [ProjectUG-185](#)
 - project policy settings [ProjectUG-196](#)
 - removing association [ProjectUG-196](#)
 - resource mapping [ProjectUG-194](#)
 - rules impact on fields [ProjectUG-200](#)
 - sending file to Project Management [ProjectUG-188](#)
 - synchronization logs [ProjectUG-194](#)
 - synchronization modes [ProjectUG-181](#)
 - synchronization solutions for project managers [ProjectUG-201](#)
 - synchronization troubleshooting [ProjectUG-205](#)
- Microsoft Project integration
 - access requirements [ProjectUG-186](#)
 - automatic backup [ProjectUG-192](#)
 - changing PPM URL [ProjectUG-188](#)
 - errors and warnings [ProjectUG-195](#)
 - installation [ProjectUG-185](#)
- Microsoft Project
 - requirements [ProjectUG-185](#)
 - plug-in [ProjectUG-185](#)
 - project policy settings [ProjectUG-196](#)
 - removing association [ProjectUG-196](#)
 - requirements [ProjectUG-185](#)
 - resource mapping [ProjectUG-194](#)
 - version 7 features [WhatsNew-20](#)
 - version 7 functional impacts [WhatsNew-43](#)
 - version 7 upgrade impacts [WhatsNew-57](#)
- Microsoft Project integration
 - policy [ProjectUG-196](#)
 - integration mode [ProjectUG-198](#)
- Microsoft Project storage [ProjectUG-199](#)
- resource creation [ProjectUG-198](#)
- synchronization mode [ProjectUG-198](#)
- transferring actuals [ProjectUG-198](#)
- Microsoft Project integration
 - strategies [ProjectUG-183](#)
 - maintaining work plan in Microsoft Project [ProjectUG-184](#)
 - publishing Microsoft Project through Project Management [ProjectUG-183](#)
 - publishing Project Management through Microsoft Project [ProjectUG-183](#)
 - tracking actuals in Project Management [ProjectUG-184](#)
- Microsoft Project Plug-In
 - integrating with PPM Center [ProjectUG-185](#)
 - version 7 features [WhatsNew-20](#)
- Microsoft Project synchronization
 - conditional editing in Project Management [ProjectUG-202](#)
 - conditional editing summary table [ProjectUG-204](#)
 - custom Microsoft Project filters [ProjectUG-201](#)
 - custom Microsoft Project tables [ProjectUG-201](#)
 - impact of rules on fields [ProjectUG-200](#)

- Microsoft Project-controlled mode [ProjectUG-202](#)
- Project Management-controlled mode [ProjectUG-202](#)
- shared control mode [ProjectUG-203](#)
- solutions for project managers [ProjectUG-201](#)
- troubleshooting [ProjectUG-205](#)
- Microsoft Project synchronization modes [ProjectUG-181](#)
- choosing [ProjectUG-190](#)
- errors and warnings [ProjectUG-195](#)
- mapping resources [ProjectUG-194](#)
- Microsoft Project controlled [ProjectUG-182](#)
- Project Management controlled [ProjectUG-182](#)
- retrieving actuals from Project Management [ProjectUG-193](#)
- sending work plan from Microsoft Project [ProjectUG-192](#)
- shared control [ProjectUG-182](#)
- Microsoft Project synchronization troubleshooting [ProjectUG-205](#)
- cost rollup calculations [ProjectUG-206](#)
- deleting required tasks [ProjectUG-205](#)
- deleting tasks with actuals [ProjectUG-205](#)
- health rollup calculations [ProjectUG-206](#)
- manual scheduling mode [ProjectUG-207](#)
- resource calendars [ProjectUG-206](#)
- units [ProjectUG-206](#)
- Microsoft Windows platform, running PPM Center on [SysAdmin-25](#)
- migrating
 - document management [SysAdmin-213](#)
 - document management repositories [DocMgmt-109](#)
 - entities [SysAdmin-178](#)
 - instances [SysAdmin-212](#)
 - portlet definitions [CreateP&M-73](#)
 - PPM Server to a Windows machine [SysAdmin-214](#)
 - preparation for [SysAdmin-213](#)
 - the database schemas [SysAdmin-219](#)
 - the PPM server [SysAdmin-214](#)
- migrating entities
 - localization settings [SysAdmin-187](#)
- migrating user data [DeployCG-237](#), [DemandCG-217](#)
- migrators
 - Data Source [SysAdmin-192](#)
 - Module [SysAdmin-193](#)
 - Object Type [SysAdmin-194](#)
 - Portlet Definition [SysAdmin-195](#)
 - Project Type [SysAdmin-196](#)
 - Report Type [SysAdmin-197](#)
 - Request Header Type [SysAdmin-199](#)
 - Request Type [SysAdmin-200](#)
 - Special Command [SysAdmin-202](#)
 - User Data Context [SysAdmin-203](#)
 - Validation [SysAdmin-204](#)
 - Workflow [SysAdmin-205](#)
- migrators, defined [DeployUG-19](#)
- milestones
 - creating [ProjectUG-94](#)
 - viewing [ProjectUG-133](#)
 - viewing on Project Overview page [ProjectUG-164](#)
- Min/Max Enforcement tab of time sheet policy [TimeCG-29](#)
- configuring [TimeCG-42](#)
- miscellaneous work items
 - adding to My Items list [TimeUG-40](#)
 - adding to time sheet [TimeUG-51](#)
- mitg710/sys directory [SysAdmin-278](#)
- mitg710/system directory [SysAdmin-278](#)
- mitg-710-install.zip file [SysAdmin-43](#), [SysAdmin-48](#), [SysAdmin-56](#), [SysAdmin-57](#)
- mitg-710-upgrade.zip file [Upgrade-19](#), [Upgrade-24](#)
- modifying
 - active workflows [DeployCG-122](#), [DemandCG-115](#)
 - general program information [ProgramUG-35](#)
 - JSP files [CustomSI-59](#)

- modules [CreateP&M-122](#)
- portlet definitions [CreateP&M-64](#)
- production workflows [DeployCG-125](#),
[DemandCG-118](#)
- skills [ResourceUG-26](#)
- modifying regions
 - access grant for [Security-117](#)
- Module Migrator [SysAdmin-193](#)
- modules
 - copying [CreateP&M-121](#)
 - creating [CreateP&M-118](#)
 - deleting [CreateP&M-122](#)
 - modifying [CreateP&M-122](#)
 - overview of [CreateP&M-114](#)
 - removing [CreateP&M-122](#)
 - searching [CreateP&M-116](#)
 - sharing [CreateP&M-118](#)
- moving
 - portlets [GetStart-55](#)
 - saved search categories [GetStart-33](#)
- Mozilla Firefox
 - ActiveX issue [ProjectCG-22](#)
 - Microsoft Project integration
issue [ProjectCG-22](#)
- MPKG_NOTES RML view [RML-32](#)
- MPKG_PACKAGES RML view [RML-57](#)
- MPKG_PENDING_PACKAGES RML
view [RML-45](#)
- MPKG_REFERENCES RML view [RML-40](#)
- MPKG_REFERENCES.RML [DocMgmt-116](#)
- MPKG_UD_<Context Value> RML
view [RML-42](#)
- MPKGL_<Object Type Name> RML
view [RML-45](#)
- MPKGL_APP_DEPLOYMENT_D RML
view [RML-48](#)
- MPKGL_APP_DEPLOYMENT_M RML
view [RML-48](#)
- MPKGL_ENV_DEPLOYMENT_D RML
view [RML-51](#)

- MPKGL_OBJ_TYPE_DEPLOYMENT_D
RML view [RML-54](#)
- MPKGL_PACKAGE_LINE_ACTIONS RML
view [RML-60](#)
- MPKGL_PACKAGE_LINES RML
view [RML-57](#)
- MPKGL_PENDING_DEPLOYMNT_BY_
ENV RML view [RML-64](#)
- MPRJ_PROJECT_
REFERENCES.RML [DocMgmt-116](#)
- MPRJ_TASK_
REFERENCES.RML [DocMgmt-116](#)
- MREL_DISTRIBUTION_ACTIONS RML
view [RML-69](#)
- MREL_DISTRIBUTIONS RML view [RML-67](#)
- MREL_REFERENCES RML view [RML-73](#)
- MREL_REFERENCES.RML [DocMgmt-116](#)
- MREL_RELEASES RML view [RML-75](#)
- MREQ_<Request Type Name> RML
view [RML-77](#)
- MREQ_CHANGES RML view [RML-84](#)
- MREQ_CONTACTS RML view [RML-80](#)
- MREQ_NOTES RML view [RML-86](#)
- MREQ_OPENED_CLOSED_BY_DETAIL_
D RML view [RML-88](#)
- MREQ_OPENED_CLOSED_BY_DETAIL_
M RML view [RML-88](#)
- MREQ_OPENED_CLOSED_BY_TYPE_D
RML view [RML-91](#)
- MREQ_OPENED_CLOSED_BY_TYPE_M
RML view [RML-91](#)
- MREQ_PENDING_REQUESTS RML
view [RML-94](#)
- MREQ_REFERENCES RML view [RML-107](#)
- MREQ_REFERENCES.RML [DocMgmt-116](#)
- MREQ_REQUEST_ACTIONS RML
view [RML-102](#)
- MREQ_REQUEST_HEADER_TYPES RML
view [RML-109](#)

MREQ_REQUEST_TYPES RML
 view [RML-111](#)
 MREQ_REQUESTS RML view [RML-97](#)
 MS Project
 plug-in for integrating with PPM
 Center [Upgrade-40](#)
 MSP_PROJECT_CUSTOM_FIELD
 parameter [SysAdmin-256](#)
 multicast settings
 server cluster configurations [SysAdmin-127](#)
 MULTICAST_CLUSTER_NAME
 parameter [SysAdmin-256](#)
 MULTICAST_DEBUG
 parameter [SysAdmin-256](#)
 MULTICAST_IP parameter [SysAdmin-256](#)
 MULTICAST_LEASE_MILLIS
 parameter [SysAdmin-256](#)
 MULTICAST_PORT parameter [SysAdmin-256](#)
 MWFL_STEP_SECURITY_GROUPS RML
 view [RML-115](#)
 MWFL_STEP_SECURITY_USERS RML
 view [RML-115](#)
 MWFL_WORKFLOW_STEPS RML
 view [RML-121](#)
 MWFL_WORKFLOWS RML view [RML-118](#)
 My Items list for time sheets [TimeUG-32](#)
 adding miscellaneous work
 items [TimeUG-40](#)
 adding package work items [TimeUG-36](#)
 adding project work items [TimeUG-37](#)
 adding request work items [TimeUG-34](#)
 adding task work items [TimeUG-37](#)
 adding work items [TimeUG-33](#)
 adding work items from Suggested Items
 list [TimeUG-43](#)
 adding work items to time sheet [TimeUG-41](#)
 deleting work items [TimeUG-40](#)
 My Packages portlet
 opening packages from [DeployUG-80](#)
 My Reports [Reports-28](#)
 My Requests portlet [DemandUG-70](#)

my requests portlet [ResourceUG-104](#)
 My Tasks portlet [TimeUG-20](#), [TimeUG-76](#),
 [TimeCG-19](#)
 finding tasks [ProjectUG-156](#)
 getting to [ProjectUG-167](#)
 Time Management
 integration [ProjectUG-167](#)
 using [TimeUG-76](#)
 using Time Management
 integration [ProjectUG-212](#)
 my tasks portlet [ResourceUG-103](#)

N

names, colors [CreateP&M-125](#), [CustomSI-65](#)
 national language support [WhatsNew-12](#)
 navigation path [GetStart-14](#)
 NCSA Common format, internal HTTP
 logging [SysAdmin-150](#)
 nesting tokens [CmdTokVal-56](#)
 net present value [PortfolioUG-102](#),
 [PortfolioCG-76](#)
 New Command window [CmdTokVal-29](#),
 [CmdTokVal-39](#)
 NLS_LENGTH_SEMANTICS database
 parameter [SysAdmin-84](#)
 NON_DOMAIN_FTP_SERVICES
 parameter [SysAdmin-72](#)
 non-Dashboard style sheets [CustomSI-21](#),
 [CustomSI-57](#)
 normal mode, PPM Server [SysAdmin-66](#),
 [SysAdmin-286](#)
 notes
 adding to packages from the standard
 interface [DeployUG-83](#)
 adding to packages in
 Workbench [DeployUG-63](#),
 [DeployUG-102](#)
 adding to tasks [ProjectUG-102](#)
 adding to time sheet lines [TimeUG-59](#)
 adding to work allocations [TimeUG-106](#)
 Notes tab for work item details [TimeUG-59](#)

- notification engine [SysAdmin-25](#)
- Notification History report [Reports-50](#)
- notification templates [DeployCG-17](#),
[DemandCG-16](#)
- adding notification intervals [DeployCG-232](#),
[DemandCG-212](#)
- checking usage [DeployCG-233](#),
[DemandCG-214](#)
- configuring ownership [DeployCG-230](#),
[DemandCG-210](#)
- creating [DeployCG-226](#), [DemandCG-206](#)
- defining [DeployCG-40](#), [DemandCG-39](#)
- deleting [DeployCG-225](#), [DemandCG-205](#)
- deleting notifications [DeployCG-231](#),
[DemandCG-211](#)
- opening Workbench [DeployCG-225](#),
[DemandCG-205](#)
- overview [DeployCG-224](#), [DemandCG-204](#)
- notifications
 - adding to tasks [ProjectUG-103](#)
 - configuring [DeployCG-63](#), [DemandCG-60](#)
 - configuring for request
types [DemandCG-177](#)
 - configuring message [DeployCG-73](#),
[DemandCG-68](#)
 - configuring messages [DeployCG-65](#),
[DemandCG-61](#)
 - configuring request type
messages [DemandCG-177](#),
[DemandCG-180](#)
 - copying on request types [DemandCG-184](#)
 - defined [ProjectUG-92](#)
 - deleting from request types [DemandCG-184](#)
 - editing on request types [DemandCG-183](#)
 - finding tasks [ProjectUG-160](#)
 - links to packages [DeployUG-80](#)
 - sending at specific times [DeployCG-70](#),
[DemandCG-66](#)
 - sending follow ups [DeployCG-70](#),
[DemandCG-66](#)
 - sending on specific errors [DeployCG-68](#),
[DemandCG-64](#)
 - sending on specific results [DeployCG-66](#),
[DemandCG-62](#)
 - sending to recipients [DeployCG-71](#),
[DemandCG-67](#)
 - sending with step eligible [DeployCG-65](#),
[DemandCG-61](#)
 - smart URL tokens [DeployCG-75](#),
[DemandCG-71](#)
 - smart URL tokens in HTML [DeployCG-76](#),
[DemandCG-71](#)
 - specifying intervals [DeployCG-70](#),
[DemandCG-66](#)
 - using smart URLs [DeployCG-75](#),
[DemandCG-70](#)
 - using tokens [DeployCG-74](#), [DemandCG-70](#)
- Notifications tab of time sheet
 - policy [TimeCG-28](#)
 - configuring emails to users [TimeCG-34](#)
- NOTIFICATIONS_CLEANUP_PERIOD
parameter [SysAdmin-168](#), [SysAdmin-256](#)
- NPV (net present value) [PortfolioUG-102](#),
[PortfolioCG-76](#)
- NTLM authentication [SysAdmin-128](#)
- numeric data mask [CmdTokVal-105](#)

O

- Object History report [Reports-97](#)
- Object Migrator [Upgrade-10](#)
 - installing [SysAdmin-39](#)
 - running on a single database
schema [Upgrade-14](#)
- object revision [DeployCG-146](#)
- Object Type Detail report [Reports-52](#)
- Object Type Migrator [SysAdmin-194](#)
- object types [DeployCG-17](#), [DeployCG-137](#)
 - changing field widths [DeployCG-143](#)
 - checklist [DeployCG-36](#)
 - command requirements [DeployCG-35](#)
 - commands and workflow [CmdTokVal-22](#)
 - configuring fields [DeployCG-140](#)
 - copying fields [DeployCG-139](#)

- custom objects definition [DeployUG-19](#)
- defining [DeployCG-33](#)
- defining in Workbench [DeployUG-50](#)
- definition [DeployUG-18](#)
- deleting fields [DeployCG-141](#)
- entity migrator [SysAdmin-192](#)
- fields changing values with
 - commands [DeployCG-154](#)
- fields selecting validation [DeployCG-133](#)
- fields text area [DeployCG-143](#)
- migrating [SysAdmin-177](#)
- migrator definition [DeployUG-19](#)
- moving fields [DeployCG-144](#)
- naming [DeployCG-145](#)
- previewing [DeployCG-145](#)
- setting revisions [DeployCG-146](#)
- standard objects definition [DeployUG-19](#)
- swapping fields [DeployCG-144](#)
- version 7 upgrade impacts [WhatsNew-62](#)
- where defined [DeployUG-28](#)
- worksheet [DeployCG-262](#), [DeployCG-266](#)
- objective, performance
 - portfolio optimization [PortfolioUG-60](#)
 - scenario optimization [PortfolioUG-83](#)
- Objects/Environments Detail report [Reports-99](#)
- Open As Text button, described [SysAdmin-142](#)
- open interface parameters
 - See* [INSERT_ROW](#) procedure.
- open interface tables
 - See also* specific interface table name.
 - loading data [OpenAPI-25](#), [OpenAPI-47](#),
[OpenAPI-69](#), [OpenAPI-88](#),
[OpenAPI-109](#)
 - loading parameters [OpenAPI-113](#)
- Organization Unit Open
 - Interface [OpenAPI-46](#)
- Package Open Interface [OpenAPI-87](#)
- Request Open Interface [OpenAPI-66](#)
- User Open Interface [OpenAPI-18](#)
- Workflow Transaction Open
 - Interface [OpenAPI-108](#)
- Open Requests by Priority
 - portlet [DemandUG-70](#)
- OPEN_CURSORS database
 - parameter [SysAdmin-84](#)
- OPEN_LINKS database
 - parameter [SysAdmin-85](#)
- opening
 - Contact Workbench [DemandCG-201](#)
 - Create Portlet Definition
 - wizard [CreateP&M-55](#)
 - Dashboard pages [GetStart-41](#)
 - entities [GetStart-69](#)
 - environment groups
 - Workbench [DeployCG-206](#)
 - Environments Workbench [DeployCG-187](#)
 - existing reports [GetStart-37](#)
 - Import Portlet Definition
 - wizard [CreateP&M-67](#)
 - Notification Template
 - Workbench [DeployCG-225](#),
[DemandCG-205](#)
 - packages [DeployUG-79](#)
 - packages from My Packages
 - portlet [DeployUG-80](#)
 - packages from the Search Packages
 - page [DeployUG-79](#)
 - packages in the PPM
 - Workbench [DeployUG-95](#)
 - releases [DeployCG-162](#)
 - Request Header Type
 - Workbench [DemandCG-193](#)
 - request type Workbench [DemandCG-126](#)
 - requests [DemandUG-58](#)
 - requests using email [DemandUG-61](#)
 - requests using menu bar [DemandUG-61](#)
 - requests using portlets [DemandUG-61](#)
 - User Data Workbench [DeployCG-238](#),
[DemandCG-218](#)
 - Workbench [GetStart-62](#)
 - Workflow Workbench [DeployCG-49](#),
[DeployCG-103](#), [DemandCG-47](#),
[DemandCG-97](#)
- operating expense data
 - portfolio [FinancialUG-89](#)
 - programs [FinancialUG-87](#)

- work plans [FinancialUG-86](#)
- operations, Web services
 - Demand Management [SOA-43](#)
 - Financial Management [SOA-41](#)
 - Project Management [SOA-39](#)
 - Resource Management [SOA-40](#)
 - Time Management [SOA-50](#)
- Optimization Details tab of Scenario
 - Details [PortfolioUG-91](#)
- optimization, portfolio [PortfolioUG-60](#)
 - performance objective [PortfolioUG-60](#)
 - results [PortfolioUG-60](#)
 - version 7 features [WhatsNew-21](#)
 - version 7 license impact [WhatsNew-48](#)
- optimization, scenario [PortfolioUG-83](#)
 - changing an optimized
 - scenario [PortfolioUG-94](#)
 - changing optimization
 - settings [PortfolioUG-92](#)
 - copying an existing
 - optimization [PortfolioUG-93](#)
 - performance objective [PortfolioUG-83](#)
 - results [PortfolioUG-89](#)
- OPTIMIZER_INDEX_COST_ADJ database
 - parameter [SysAdmin-85](#)
- optional installations [SysAdmin-63](#)
- OR condition workflow steps [DeployCG-53](#),
[DemandCG-51](#)
- Oracle
 - database tier [SysAdmin-24](#)
 - RAC (Real Application Cluster)
 - configuration [SysAdmin-26](#)
 - stored procedures [SysAdmin-26](#)
 - version 7 impacts [WhatsNew-91](#)
- Oracle Real Application Clusters
 - JDBC URL for [SysAdmin-46](#)
- ORACLE_APPS_ENABLED
 - parameter [SysAdmin-257](#)
- ORACLE_APPS_VERSION
 - parameter [SysAdmin-257](#)
- ORACLE_DB_VERSION
 - parameter [SysAdmin-257](#)
- ORACLE_HOME parameter [SysAdmin-44](#),
[SysAdmin-116](#), [SysAdmin-215](#),
[SysAdmin-218](#), [SysAdmin-257](#), [Upgrade-19](#),
[Upgrade-24](#)
- ORACLE_HOME prompt, installation
 - procedure [SysAdmin-45](#)
- ORG_UNIT_NAME parameter [SysAdmin-274](#)
- organization model [ResourceUG-42](#)
 - building [ResourceUG-47](#)
 - changing [Security-101](#)
 - converting organization
 - units [ResourceUG-51](#)
 - creating [ResourceUG-35](#)
 - security for viewing [Security-101](#)
 - setting security for [Security-101](#)
- Organization Unit Open Interface [OpenAPI-46](#)
 - configuring the LDAP server [OpenAPI-59](#)
 - data model [OpenAPI-46](#)
 - loading data for simple import [OpenAPI-47](#)
- Run PPM Organization Unit Interface
 - report [OpenAPI-54](#), [OpenAPI-60](#)
- running a simple import [OpenAPI-54](#)
- security groups [OpenAPI-54](#)
- troubleshooting [OpenAPI-63](#)
- organization units
 - budget associations [FinancialUG-51](#)
 - converting type [ResourceUG-51](#)
 - creating [ResourceUG-45](#)
 - importing [OpenAPI-46](#)
 - linking to security groups [ResourceUG-49](#)
 - modeling [ResourceUG-42](#)
- overdue time sheets [TimeUG-90](#)
- Override Document Check Out access
 - grant [DocMgmt-115](#)
- override rules [TimeCG-68](#)
 - configuring charge codes in [TimeCG-66](#),
[TimeCG-68](#)
 - creating [TimeCG-70](#)
 - deleting [TimeCG-74](#)
 - dependencies [TimeCG-68](#)
 - editing [TimeCG-74](#)

- precedence of dependencies among multiple [TimeCG-75](#)
- precedence of results [TimeCG-77](#)
- results [TimeCG-68](#)
- overriding
 - scheduled and actual values [ResourceUG-101](#)
- overview
 - Analyze Demand by Category page [TrkMgUG-23](#)
 - analyzing demand [TrkMgUG-36](#)
 - Demand Manager page [TrkMgUG-24](#)
 - Manage Consolidated Demand page [TrkMgUG-20](#)
 - Schedule Demand page [TrkMgUG-22](#)
 - Team Manager page [TrkMgUG-26](#)
- Overview Section Detail report [Reports-54](#)
- Overview tab in a scenario comparison [PortfolioUG-54](#)
- ownership
 - setting for configuration entities [Security-126](#)
- ownership groups, and entity migration [SysAdmin-190](#)
- Ownership Override access grant [SysAdmin-190](#)
- Ownership tab [Reports-191](#)
 - portlet data sources [CreateP&M-40](#)

P

- package
 - acting on workflow step [Security-81](#)
 - security for deleting [Security-82](#)
- Package Change History report [Reports-100](#)
- Package Details report [Reports-102](#)
- package filters in Time Management
 - for My Items list [TimeUG-36](#)
 - for time sheets [TimeUG-45](#)
 - for work allocations [TimeUG-103](#)
- Package History report [Reports-105](#)
- Package Impact Analysis report [Reports-107](#)

- Package Information section
 - Package window [DeployUG-34](#)
- package level subworkflow [DeployCG-159](#)
- package lines [DeployCG-17](#)
 - setting security for approving [Security-81](#)
- Package Open Interface [OpenAPI-86](#)
 - data model [OpenAPI-87](#)
 - loading data [OpenAPI-88](#)
 - Run PPM Package Interface report [OpenAPI-99](#)
 - running an import [OpenAPI-88](#)
 - troubleshooting [OpenAPI-103](#)
- package security [Security-75](#)
 - overriding [Security-82](#)
- Package window
 - Package Information section [DeployUG-34](#)
- package work items
 - adding to My Items list [TimeUG-36](#)
 - adding to time sheet [TimeUG-45](#)
- Package Workbench [DeployUG-52](#)
- PACKAGE_LOG_DIR
 - parameter [SysAdmin-117](#), [SysAdmin-258](#)
- packages [DeployCG-17](#)
 - accessing decision detail in Workbench [DeployUG-38](#)
 - accessing graphical view in Workbench [DeployUG-37](#)
 - accessing line execution log in the PPM Workbench [DeployUG-37](#)
 - accessing line permissions in the PPM Workbench [DeployUG-38](#)
 - accessing line transaction history in Workbench [DeployUG-38](#)
 - accessing package execution history in the PPM Workbench [DeployUG-37](#)
 - accessing workflow step information URL in the PPM Workbench [DeployUG-39](#)
 - adding attachments from the standard interface [DeployUG-84](#)
 - adding existing packages in Workbench [DeployUG-66](#)
 - adding existing requests [DeployUG-91](#)

- adding existing requests in
 - Workbench [DeployUG-71](#)
- adding line to in-progress package in
 - Workbench [DeployUG-105](#)
- adding new packages in the PPM
 - Workbench [DeployUG-67](#)
- adding new requests [DeployUG-92](#)
- adding new requests in the PPM
 - Workbench [DeployUG-73](#)
- adding notes from the standard interface [DeployUG-83](#)
- adding notes in Workbench [DeployUG-63](#), [DeployUG-102](#)
- adding package lines in
 - Workbench [DeployUG-60](#)
- adding packages [DeployUG-86](#)
- adding programs [DeployUG-88](#)
- adding programs in
 - Workbench [DeployUG-68](#)
- adding projects [DeployUG-89](#)
- adding projects in
 - Workbench [DeployUG-69](#)
- adding references [DeployUG-84](#)
- adding references in
 - Workbench [DeployUG-64](#)
- adding references to
 - Workbench [DeployUG-103](#)
- adding releases [DeployUG-90](#)
- adding releases in the PPM
 - Workbench [DeployUG-70](#)
- adding tasks [DeployUG-93](#)
- adding tasks in the PPM
 - Workbench [DeployUG-74](#)
- adding to packages [DeployUG-85](#)
- adding to releases using Package window [DeployCG-170](#)
- adding to releases using Release window [DeployCG-168](#)
- adding to requests [DemandUG-46](#), [DemandUG-47](#)
- adding URLs [DeployUG-94](#)
- adding URLs in the PPM
 - Workbench [DeployUG-75](#)
- approving [DeployUG-81](#)
- attaching to tasks [ProjectUG-107](#)
- cancelling package lines in the PPM
 - Workbench [DeployUG-114](#)
- checking status in the PPM
 - Workbench [DeployUG-96](#)
- configuring general information in
 - Workbench [DeployUG-59](#)
- creating by copying in the PPM
 - Workbench [DeployUG-54](#)
- creating by referencing in the PPM
 - Workbench [DeployUG-56](#), [DeployUG-58](#)
- creating in the PPM
 - Workbench [DeployUG-52](#)
- creating overview [DeployUG-46](#)
- creating package groups in
 - Workbench [DeployUG-110](#)
- definition [DeployUG-18](#)
- deleting in Workbench [DeployUG-113](#)
- deleting references in
 - Workbench [DeployUG-104](#)
- disabling package lines in
 - distribution [DeployCG-177](#)
- editing package groups in
 - Workbench [DeployUG-112](#)
- enabling package lines in
 - distribution [DeployCG-177](#)
- environments refresh [DeployCG-221](#)
- existing packages as
 - references [ProgramUG-51](#)
- in the standard interface [DeployUG-29](#)
- in the Workbench [DeployUG-33](#)
- integrating with requests [DeployCG-93](#), [DemandCG-87](#)
- managing in the PPM
 - Workbench [DeployUG-108](#)
- merging in Workbench [DeployUG-108](#)
- moving out of workflow
 - steps [DeployCG-126](#), [DemandCG-119](#)
- new packages as references [ProgramUG-52](#)
- opening [DeployUG-79](#)

- opening from email notification
 - links [DeployUG-80](#)
- opening in the PPM
 - Workbench [DeployUG-95](#)
- overview [DeployUG-26](#)
- package detail page header
 - section [DeployUG-31](#)
- package detail page Notes
 - section [DeployUG-32](#)
- package detail page Reference
 - section [DeployUG-32](#)
- package detail page Status
 - section [DeployUG-31](#)
- package level subworkflows [DeployCG-159](#)
- participant restriction [Security-78](#)
- processing [DeployUG-79](#)
- processing in the PPM
 - Workbench [DeployUG-95](#)
- processing package lines [DeployCG-179](#)
- processing packages through decisions in the PPM Workbench [DeployUG-99](#)
- processing packages through executions in the PPM Workbench [DeployUG-100](#)
- processing steps in the PPM
 - Workbench [DeployUG-97](#)
- processing through workflow steps in Workbench [DeployUG-97](#)
- ready to release workflow
 - steps [DeployCG-171](#)
- reference relationships [DeployUG-40](#)
- security for creating [Security-78](#)
- security for selecting a specific workflow [Security-80](#)
- security for viewing [Security-77](#)
- security overview [Security-76](#)
- selecting a specific object type, security for [Security-80](#)
- submitting [DeployUG-76](#)
- submitting in the PPM
 - Workbench [DeployUG-76](#)
- updating references in the PPM
 - Workbench [DeployUG-103](#)
- Workbench package window Notes
 - tab [DeployUG-39](#)
- Workbench package window Package Lines tab [DeployUG-35](#)
- Workbench package window References
 - tab [DeployUG-39](#)
- Workbench Package window Status
 - tab [DeployUG-35](#)
- workflow [DeployCG-157](#)
- workflows defining
 - environments [DeployUG-46](#)
- packages and package lines
 - importing [OpenAPI-86](#)
- Packages Pending report [Reports-108](#)
- PAGE_PDF_EXPORT_DISABLED
 - parameter [SysAdmin-258](#)
- parameters
 - cleanup [SysAdmin-168](#)
 - configuration [SysAdmin-226](#)
 - custom [SysAdmin-71](#)
 - debug [SysAdmin-169](#)
 - LdapAttribute.conf [SysAdmin-274](#)
 - logging [SysAdmin-173](#), [SysAdmin-271](#)
 - scheduler [SysAdmin-171](#)
 - server.conf [SysAdmin-227](#)
 - services [SysAdmin-171](#)
 - setting JAVA_HOME [Upgrade-24](#)
 - setting ORACLE_HOME [Upgrade-24](#)
 - special [SysAdmin-71](#)
 - thread [SysAdmin-171](#)
 - timeout [SysAdmin-170](#)
- parameters in effect for active servers, report providing information about [SysAdmin-140](#)
- parameters in workflows [DeployCG-118](#), [DemandCG-111](#)
- PARENT_ORG_UNIT_NAME
 - parameter [SysAdmin-274](#)
- password
 - changing [GetStart-38](#)
 - clear-text [SOA-30](#)
 - digest [SOA-30](#)
 - encryption [SOA-31](#), [SOA-32](#), [SOA-84](#)

password maintenance for
 environments [DeployCG-203](#)

password security, generating [SysAdmin-77](#)

PASSWORD_EXPIRATION_DAYS
 parameter [SysAdmin-258](#)

PASSWORD_REUSE_RESTRICTION_
 DAYS parameter [SysAdmin-258](#)

passwordCallbackHandler [SOA-86](#)

passwords (database schema),
 changing [SysAdmin-152](#)

PATH environment variable
 setting on Windows systems [DocMgmt-40](#)

path names, directories [SysAdmin-227](#)

PDF
 work plan export [ProjectUG-148](#)

pdf directory [SysAdmin-287](#)

PENDING_ASSIGNMENTS_CLEANUP_
 INTERVAL parameter [SysAdmin-258](#)

PENDING_COST_EV_UPDATE_
 SERVICE_DELAY
 parameter [SysAdmin-258](#)

PENDING_COST_EV_UPDATE_
 SERVICE_ENABLED
 parameter [SysAdmin-258](#)

PENDING_EV_UPDATES_CLEANUP_
 INTERVAL parameter [SysAdmin-258](#)

percentage data mask [CmdTokVal-109](#)

performance
 improving [SysAdmin-157](#), [SysAdmin-164](#)
 improving during advanced
 searches [SysAdmin-167](#)
 improving throughput [SysAdmin-166](#)
 JVM tuning [SysAdmin-164](#)
 speeding up the upgrade
 process [Upgrade-27](#)
 testing custom portlets and validations
 for [Upgrade-41](#)
 tuning server cluster [SysAdmin-165](#)

performance impact
 on PPM Center [DocMgmt-20](#)

performance objective
 portfolio optimization [PortfolioUG-60](#)
 scenario optimization [PortfolioUG-83](#)

performance problems
 identifying [SysAdmin-158](#)
 isolating [SysAdmin-158](#)
 troubleshooting [SysAdmin-163](#)

period types for time sheets [TimeCG-24](#)
 enabling or disabling [TimeCG-24](#)

periods in Time Management
 See time periods.

personal visualizations [ResourceUG-104](#)

personalizing
 Dashboard [GetStart-49](#)
 portlets [GetStart-56](#)

PFM - Asset workflow [PortfolioCG-39](#)
 customization
 considerations [PortfolioCG-40](#)

PFM - Project workflow [PortfolioCG-37](#)
 customization
 considerations [PortfolioCG-38](#)

PFM - Proposal workflow [PortfolioCG-34](#)
 customization
 considerations [PortfolioCG-36](#)

PGA_AGGREGATE_TARGET database
 parameter [SysAdmin-86](#)

PGA_AGGREGATE_TARGET
 parameter [SysAdmin-259](#)

phrase, searching by [DocMgmt-162](#)

physical refresh [DeployCG-18](#)

pie chart portlet [CreateP&M-101](#)

Ping DB button, described [SysAdmin-142](#)

Ping Server button, described [SysAdmin-142](#)

pinging
 the database [SysAdmin-142](#)
 the server [SysAdmin-142](#)

PKG_number directory [SysAdmin-288](#)

PL/SQL options [SysAdmin-146](#)

PL/SQL packages [SysAdmin-26](#)

plug-in for Microsoft Project [WhatsNew-20](#),
 [WhatsNew-43](#), [ProjectUG-185](#),
 [SysAdmin-61](#)

- PM server
 - migrating [SysAdmin-214](#)
- PM_CAN_ROLLUP_ACTUALS_ON_SAVE
 - parameter [SysAdmin-259](#)
- PM_NUM_EDIT_ASGMTS
 - parameter [SysAdmin-259](#)
- PM_NUM_EDIT_TASKS
 - parameter [SysAdmin-259](#)
- policies for time sheets [TimeUG-74](#)
- portfolio [PortfolioUG-12](#)
 - analysis [PortfolioUG-36](#)
 - building [PortfolioUG-16](#)
 - capital exposure [FinancialUG-89](#)
 - Capitalized Project Breakdown
 - portlet [FinancialUG-92](#)
 - Capitalized Project Timelines
 - portlet [FinancialUG-91](#)
 - Impairment Risks portlet [FinancialUG-90](#)
 - optimization
 - See optimization, portfolio.*
 - scores [PortfolioUG-41](#)
 - Total Exposure portlet [FinancialUG-89](#)
 - viewing [PortfolioUG-34](#)
 - viewing capital expense
 - data [FinancialUG-89](#)
 - viewing operating expense
 - data [FinancialUG-89](#)
- Portfolio Management [PortfolioUG-12](#), [PortfolioCG-12](#)
 - access grants [PortfolioCG-66](#), [PortfolioCG-70](#)
 - analyzing your portfolio [PortfolioUG-36](#)
 - assets [PortfolioCG-26](#)
 - building your portfolio [PortfolioUG-16](#)
 - configuring [PortfolioCG-12](#)
 - creating and linking budgets [PortfolioUG-25](#)
 - creating and linking business objectives [PortfolioUG-30](#)
 - creating and linking financial benefits [PortfolioUG-27](#)
 - creating and linking staffing profiles [PortfolioUG-32](#)
 - creating assets [PortfolioUG-21](#)
 - creating assets from projects [PortfolioUG-21](#)
 - creating assets from scratch [PortfolioUG-23](#)
 - creating projects [PortfolioUG-18](#)
 - creating projects from
 - proposals [PortfolioUG-18](#)
 - creating projects from scratch [PortfolioUG-20](#)
 - creating proposals [PortfolioUG-16](#)
 - creating scenario
 - comparisons [PortfolioUG-47](#)
 - custom financial metric [PortfolioCG-46](#)
 - entities, creating [PortfolioCG-28](#)
 - entities, customizing [PortfolioCG-20](#)
 - global settings, configuring [PortfolioCG-16](#)
 - license [PortfolioCG-66](#), [PortfolioCG-67](#)
 - portfolio scores [PortfolioUG-41](#)
 - portlets
 - Current Portfolio Map [PortfolioUG-43](#)
 - Portfolio By Category (financial data) [PortfolioUG-43](#)
 - scenario comparisons [PortfolioUG-97](#)
 - processes
 - See processes in Portfolio Management.*
 - projects [PortfolioCG-24](#)
 - proposals [PortfolioCG-20](#)
 - scoring key, adjusting [PortfolioCG-50](#)
 - security groups [PortfolioCG-66](#), [PortfolioCG-68](#)
 - version 7 features [WhatsNew-21](#)
 - version 7 functional impacts [WhatsNew-44](#)
 - viewing portfolio [PortfolioUG-34](#)
 - what-if analysis [PortfolioUG-46](#)
- Portfolio Management reports [Reports-19](#)
- portfolio optimization
 - See optimization, portfolio.*
- Portfolio Optimization license [PortfolioCG-67](#)
- portlet categories
 - adding [CreateP&M-87](#)
 - deleting [CreateP&M-88](#)
 - managing [CreateP&M-87](#)
- portlet data sources
 - column types [CreateP&M-45](#)
 - copying [CreateP&M-41](#)

- creating [CreateP&M-26](#)
- Data Source tab [CreateP&M-30](#)
- deleting [CreateP&M-43](#)
- Filter Fields tab [CreateP&M-38](#)
- general information section [CreateP&M-28](#)
- Group by clause [CreateP&M-36](#)
- Order by clause [CreateP&M-36](#)
- overview of [CreateP&M-22](#)
- Ownership tab [CreateP&M-40](#)
- relationship to portlet
 - definitions [CreateP&M-23](#)
 - searching for [CreateP&M-24](#)
 - Select/From statement [CreateP&M-32](#)
 - viewing [CreateP&M-24](#)
 - Where/Filter clause [CreateP&M-34](#)
- Portlet Definition Detail report [Reports-56](#)
- Portlet Definition Migrator [SysAdmin-195](#)
- portlet definitions [CreateP&M-50](#),
[CreateP&M-73](#)
- builder portlets [CreateP&M-52](#)
- copying [CreateP&M-63](#)
- Create Portlet Definition
 - wizard [CreateP&M-55](#)
- creating [CreateP&M-55](#)
- deleting [CreateP&M-67](#)
- drilldown page, defining [CreateP&M-73](#)
- HP-imported [CreateP&M-51](#)
- HP-supplied [CreateP&M-51](#)
- Import Portlet Definition
 - wizard [CreateP&M-67](#), [CreateP&M-70](#)
- importing Java portlets [CreateP&M-67](#)
- importing WSRP portlets [CreateP&M-70](#)
- Java portlets [CreateP&M-51](#)
- migrating [CreateP&M-73](#)
- modifying [CreateP&M-64](#)
- relationship to portlet data
 - sources [CreateP&M-23](#)
- searching for [CreateP&M-52](#)
- standard [CreateP&M-52](#)
- viewing [CreateP&M-44](#)
- WSRP portlets [CreateP&M-51](#)
- portlet types
 - bar chart portlet [CreateP&M-95](#)
 - bubble chart portlet [CreateP&M-104](#)
 - clustered bar chart portlet [CreateP&M-97](#)
 - line portlet [CreateP&M-102](#)
 - list portlet [CreateP&M-89](#)
 - pie chart portlet [CreateP&M-101](#)
 - stacked bar chart portlet [CreateP&M-99](#)
- PORTLET_EXEC_TIMEOUT
 - parameter [SysAdmin-171](#), [SysAdmin-259](#)
- PORTLET_MAX_ROWS_RETURNED
 - parameter [SysAdmin-259](#)
- portlets
 - See also* portlet categories.
 - See also* portlet data sources.
 - See also* portlet definitions.
 - See also* portlet types.
 - adding to Dashboard pages [GetStart-53](#)
 - Approve Time Sheets [TimeUG-87](#)
 - arranging list portlets [GetStart-44](#)
 - Assignment Queue [DemandUG-70](#)
 - builder [CreateP&M-50](#)
 - changing the title [DemandUG-85](#)
 - changing widths [GetStart-57](#)
 - configuring [GetStart-58](#)
 - Consolidated Demand [DemandUG-82](#),
[TrkMgUG-25](#), [TrkMgUG-28](#)
 - controlling access [Security-120](#)
 - copying [GetStart-55](#)
 - Current Portfolio Map [PortfolioUG-43](#)
 - customizing [DemandUG-85](#), [ProgramUG-85](#)
 - deleting [GetStart-57](#)
 - Demand by Business
 - Initiative [DemandUG-83](#), [TrkMgUG-25](#),
[TrkMgUG-30](#)
 - Demand by Category [DemandUG-70](#),
[TrkMgUG-30](#)
 - Demand by Department [DemandUG-82](#),
[TrkMgUG-25](#), [TrkMgUG-30](#)
 - Demand List [DemandUG-70](#), [TrkMgUG-28](#)
 - demand-related [DemandUG-69](#)
 - disabling [Security-120](#)
 - drilling down [GetStart-45](#)
 - exporting data [GetStart-46](#)
 - field colors, changing [CustomSI-38](#)

field colors, [ColorPalette.css](#)
 file [CustomSI-75](#)
 In Process Demand [TrkMgUG-27](#),
 [TrkMgUG-28](#)
 Initiatives Pending
 Approval [DemandUG-84](#), [TrkMgUG-25](#),
 [TrkMgUG-28](#)
 Issue List [DemandUG-70](#), [ProgramUG-82](#)
 Java [CreateP&M-50](#)
 managing requests [DemandUG-69](#)
 maximized view [GetStart-42](#)
 minimized view [GetStart-42](#)
 moving [GetStart-55](#)
 My Tasks [TimeUG-20](#), [TimeUG-76](#),
 [TimeCG-19](#)
 normal view [GetStart-42](#)
 on the Demand Manager
 page [DemandUG-82](#)
 Open Requests by Priority [DemandUG-70](#)
 opening requests [DemandUG-61](#)
 personalizing [GetStart-56](#)
 Portfolio By Category (financial
 data) [PortfolioUG-43](#)
 Program Cost Summary [ProgramUG-84](#)
 Program List [ProgramUG-81](#)
 program Project List [ProgramUG-82](#)
 Program Risk List [DemandUG-70](#),
 [ProgramUG-84](#)
 Program Scope Change List [DemandUG-71](#),
 [ProgramUG-83](#)
 Request List [DemandUG-71](#), [TrkMgUG-28](#)
 Request References [DemandUG-71](#)
 Request Summary [DemandUG-71](#)
 Request Summary Bar Chart [DemandUG-71](#)
 Request Summary Pie Chart [DemandUG-71](#)
 restricting user access [Security-122](#)
 scenario comparisons [PortfolioUG-97](#)
 setting maximized view [GetStart-40](#)
 setting portlet views [GetStart-42](#)
 SLA Exception Roll Up [DemandUG-71](#),
 [TrkMgUG-32](#)
 SLA Exceptions by
 Department [DemandUG-83](#),
 [TrkMgUG-25](#), [TrkMgUG-32](#)
 Team Assignment Queue [TrkMgUG-27](#),
 [TrkMgUG-30](#)
 Team Demand by Priority [TrkMgUG-27](#),
 [TrkMgUG-30](#)
 Team SLA Exceptions by
 Dept [TrkMgUG-27](#), [TrkMgUG-32](#)
 testing custom portlets for
 performance [Upgrade-41](#)
 using query builder [GetStart-59](#)
 version 7 functional impacts [WhatsNew-41](#)
 version 7 upgrade impacts [WhatsNew-73](#)
 WSRP [CreateP&M-50](#)
 portlets My Requests [DemandUG-70](#)
 portlets, migrating [SysAdmin-177](#)
 ports
 for external Web servers [SysAdmin-102](#)
 specifying for the index agent [DocMgmt-82](#)
 used by PPM Center [SysAdmin-54](#)
 post-installation tasks
 Content Server on UNIX or
 Linux [DocMgmt-64](#)
 post-upgrade activities [WhatsNew-56](#)
 PPM Best Practices
 installing separately [SysAdmin-63](#)
 PPM Center
 logging off [GetStart-25](#)
 logging on [GetStart-22](#)
 URL [SysAdmin-79](#)
 PPM Center Schema prompt
 installation procedure [SysAdmin-46](#)
 upgrade procedure [Upgrade-22](#)
 PPM Dashboard
 See [Dashboard](#).
 customizing portlet [DemandUG-85](#)
 PPM directory [Upgrade-19](#)
 PPM Download Center
 getting documents from [DocMgmt-26](#)
 obtaining documentation
 from [SysAdmin-21](#)

- PPM home directory [Upgrade-13](#)
- PPM Server
 - configuring [SysAdmin-76](#)
 - configuring Web services [SOA-25](#)
 - described [SysAdmin-115](#)
 - disabled mode [SysAdmin-66](#), [SysAdmin-286](#)
 - integrating with an external Web server [SysAdmin-113](#)
 - migrating to a Windows machine [SysAdmin-214](#)
 - normal mode [SysAdmin-66](#), [SysAdmin-286](#)
 - restricted mode [SysAdmin-66](#), [SysAdmin-286](#)
 - starting and stopping [SysAdmin-66](#)
 - stopping and restarting [SysAdmin-152](#)
 - verifying client access [SysAdmin-79](#)
 - verifying configuration on [SysAdmin-76](#)
 - viewing technical status of [SysAdmin-136](#)
- PPM Server URL [ProjectUG-188](#)
- PPM Workbench
 - See* [Workbench](#).
 - processing packages [DeployUG-95](#)
- precedence of dependencies among multiple override rules [TimeCG-75](#)
- precedence of setting charge codes by work allocations, time sheet policies, and override rules [TimeCG-66](#)
- preconfigured Dashboard pages [TrkMgUG-24](#), [CreateP&M-114](#)
- Demand Manager page [DemandUG-82](#)
- predecessor reference
 - relationships [DeployUG-40](#), [DeployUG-43](#)
- predecessors
 - changing [ProjectUG-126](#)
- pre-upgrade activities [WhatsNew-56](#)
- previewing object types [DeployCG-145](#)
- Primary Object Migrator Host [SysAdmin-219](#)
- Primary Object Migrator Host
 - definition [SysAdmin-221](#)
- printing
 - requests [DemandUG-22](#), [DemandUG-67](#)
 - printing time sheets [TimeUG-72](#)
- priorities updating for programs [ProgramUG-32](#)
- private and public keys
 - generating [SysAdmin-75](#)
- private key authentication
 - configuring [SysAdmin-74](#)
- private_key.txt file [SysAdmin-78](#)
- Procedural Language/Structured Query Language options [SysAdmin-146](#)
- procedure INSERT_ROW
 - See* [INSERT_ROW](#).
- process requirements overview [DemandCG-22](#)
- process, Time Management [TimeUG-15](#), [TimeCG-15](#)
- processes and related documents [GetStart-73](#)
- PROCESSES database parameter [SysAdmin-86](#)
- processes in Portfolio Management
 - assets [PortfolioCG-39](#)
 - customization considerations
 - See* [workflow customization considerations in Portfolio Management](#).
 - customizing [PortfolioCG-34](#)
 - projects [PortfolioCG-37](#)
 - proposals [PortfolioCG-34](#)
- processing
 - distribution steps [DeployCG-178](#)
 - package lines [DeployCG-179](#)
 - packages [DeployUG-79](#)
 - packages in the PPM
 - Workbench [DeployUG-95](#), [DeployUG-97](#)
 - packages through decisions in the PPM Workbench [DeployUG-99](#)
 - packages through executions in the PPM Workbench [DeployUG-100](#)
 - packages through workflow steps in Workbench [DeployUG-97](#)
 - releases [DeployCG-162](#), [DeployCG-164](#)
 - requests [Security-59](#)
- program access [ProgramUG-47](#)

Program Cost Summary portlet [FinancialUG-88](#),
[ProgramUG-84](#)
 program issues
 creating [ProgramUG-23](#)
 overview [ProgramUG-22](#)
 Program List portlet [ProgramUG-81](#)
 Program Management
 configuring [ProgramCG-16](#)
 configuring request types [ProgramCG-17](#),
 [ProgramCG-22](#)
 configuring workflows in [ProgramCG-17](#)
 creating security groups for [ProgramCG-45](#)
 introduction to [ProgramUG-10](#)
 menu bar [ProgramUG-11](#)
 overview [ProgramUG-10](#)
 setting security for [ProgramCG-18](#)
 version 7 features [WhatsNew-26](#)
 version 7 functional impacts [WhatsNew-46](#)
 workflows [ProgramCG-26](#)
 Program Management portlets
 Issue List [ProgramUG-82](#)
 Program Management reports [Reports-19](#)
 Program Manager Page [ProgramUG-79](#)
 Program Manager page
 adding to the Dashboard [ProgramUG-81](#)
 overview [ProgramUG-80](#)
 Program Project List portlet [ProgramUG-82](#)
 Program Risk List portlet [DemandUG-70](#),
 [ProgramUG-84](#)
 program root directory
 DFC [DocMgmt-93](#)
 Program Scope Change List
 portlet [DemandUG-71](#), [ProgramUG-83](#)
 PROGRAM_SUMMARY_CONDITION_
 INTERVAL parameter [SysAdmin-259](#)
 programs
 adding to packages [DeployUG-88](#)
 adding to packages in
 Workbench [DeployUG-68](#)
 adding to requests [DemandUG-49](#)
 adding user fields [ProgramCG-31](#)
 analyzing costs [FinancialUG-76](#)
 budget associations [FinancialUG-50](#)
 budget roll-up [FinancialUG-69](#)
 configuring indicators [ProgramUG-38](#)
 creating [ProgramUG-16](#)
 creating access [ProgramUG-47](#)
 creating, an overview [ProgramUG-16](#)
 issues [ProgramCG-13](#)
 manage program page [FinancialUG-88](#)
 managing processes [ProgramUG-76](#)
 modifying general
 information [ProgramUG-35](#)
 overview [ProgramUG-10](#)
 Program Cost Summary
 portlet [FinancialUG-88](#)
 references [ProgramUG-50](#)
 searching [ProgramUG-33](#)
 submitting requests [ProgramUG-22](#)
 updating priorities [ProgramUG-32](#)
 viewing [ProgramUG-33](#)
 viewing capital expense
 data [FinancialUG-87](#)
 viewing operating expense
 data [FinancialUG-87](#)
 work plans and programs [ProjectUG-136](#)
 project control entities [ProjectCG-36](#)
 configuring [ProjectCG-40](#)
 configuring lifecycle [ProjectCG-44](#)
 configuring workflow [ProjectCG-44](#)
 lifecycles [ProjectCG-41](#)
 project issue [ProjectCG-36](#)
 risk [ProjectCG-38](#)
 scope change [ProjectCG-38](#)
 workflows [ProjectCG-41](#)
 project control items [ProjectUG-140](#)
 issues [ProjectUG-140](#)
 risks [ProjectUG-142](#)
 scope changes [ProjectUG-143](#)
 project control processes [ProjectUG-140](#)
 Project Cost Breakdown report [Reports-156](#)
 Project Cost Details report [Reports-157](#)
 project costs
 analyzing [FinancialUG-70](#)

- Project Cumulative Cost Metrics
 - portlet [FinancialUG-70](#)
- Project Current Cost Metrics
 - portlet [FinancialUG-73](#)
- project details tab
 - configuring fields [ProjectCG-25](#), [ProjectCG-29](#)
 - fields [ProjectCG-26](#)
- Project Fields tab of time sheets [TimeUG-55](#)
- project filters in Time Management
 - for My Items list [TimeUG-38](#)
 - for time sheets [TimeUG-49](#)
- project issue
 - request type [ProjectCG-36](#)
 - workflow [ProjectCG-41](#)
- project issues
 - creating [ProgramUG-25](#)
 - overview [ProgramUG-23](#)
- project lifecycle [ProjectCG-32](#)
 - configuring [ProjectCG-33](#)
- Project Management
 - access grants [PortfolioCG-69](#)
 - access grants for Microsoft Project integration [ProjectUG-186](#)
 - choosing Microsoft Project synchronization [ProjectUG-190](#)
 - integrating with Microsoft Project [ProjectUG-179](#)
 - Microsoft Project integration installation [ProjectUG-185](#)
 - Microsoft Project integration requirements [ProjectUG-185](#)
 - Microsoft Project policy settings [ProjectUG-196](#)
 - Microsoft Project rules impact on fields [ProjectUG-200](#)
 - Microsoft Project synchronization troubleshooting [ProjectUG-205](#)
 - opening Microsoft Project file [ProjectUG-188](#)
 - opening work plan in Microsoft Project [ProjectUG-189](#)
 - removing Microsoft Project association [ProjectUG-196](#)
 - version 7 features [WhatsNew-16](#)
 - version 7 functional impacts [WhatsNew-38](#)
 - version 7 upgrade impacts [WhatsNew-53](#)
 - viewing exceptions [ProjectUG-161](#)
 - Web services [SOA-39](#)
 - Web services support [WhatsNew-31](#)
 - WSDL [SOA-91](#)
 - XSD [SOA-96](#)
- Project Management integration with Time Management
 - See* integration of Time Management and Project Management.
- Project Management reports [Reports-153](#)
- project overview page [WhatsNew-17](#)
- project risks
 - creating [ProgramUG-27](#)
 - overview [ProgramUG-23](#)
- project scope changes
 - creating [ProgramUG-29](#)
 - overview [ProgramUG-23](#)
- project security
 - overriding [Security-93](#)
- project templates [ProjectUG-173](#)
 - adding tasks to [ProjectUG-175](#)
 - configuring tasks [ProjectUG-175](#)
 - conversion from work plan details [ProjectUG-177](#)
 - creating from existing work plan [ProjectUG-176](#)
 - creating master projects [ProjectUG-178](#)
 - setting up [ProjectUG-174](#)
- project type [WhatsNew-16](#), [WhatsNew-20](#)
- Project Type Migrator [SysAdmin-196](#)
- project types
 - migrating [SysAdmin-177](#)
- project work items
 - adding to My Items list [TimeUG-37](#)
 - adding to time sheet [TimeUG-46](#)
- project workflow [ProjectCG-32](#)
 - See* PFM - Project workflow.

- configuring [ProjectCG-33](#)
- `PROJECT_PV_UPDATE_INTERVAL_MINUTES` parameter [SysAdmin-259](#)
- projects
 - adding to packages [DeployUG-89](#)
 - adding to packages in
 - Workbench [DeployUG-69](#)
 - adding to requests [DemandUG-50](#)
 - associating with budgets [FinancialUG-48](#)
 - controlling resources [Security-89](#)
 - creating [Security-89](#)
 - date controls [ProjectUG-145](#)
 - integrating requests [DemandUG-74](#)
 - managing baselines [Security-91](#)
 - security for viewing [Security-85](#)
- projects in Portfolio
 - Management [PortfolioUG-18](#), [PortfolioCG-24](#)
 - access grants [PortfolioCG-69](#)
 - creating [PortfolioUG-18](#)
 - creating assets from [PortfolioUG-21](#), [PortfolioCG-43](#)
 - creating from proposals [PortfolioUG-18](#), [PortfolioCG-42](#)
 - creating from scratch [PortfolioUG-20](#)
 - customization
 - considerations [PortfolioCG-25](#)
 - security settings [PortfolioCG-69](#)
- proposal workflow
 - See* PFM - Proposal workflow.
- proposals in Portfolio
 - Management [PortfolioUG-16](#), [PortfolioCG-20](#)
 - creating [PortfolioUG-16](#)
 - creating projects from [PortfolioUG-18](#), [PortfolioCG-42](#)
 - customization
 - considerations [PortfolioCG-22](#)
- protocols
 - used by PPM Center [SysAdmin-54](#)
- `public_key.txt` file [SysAdmin-78](#)
- purging

- requests [DemandUG-68](#)

Q

- queries
 - advanced Workbench queries [GetStart-65](#)
 - boolean operators [GetStart-66](#)
 - case sensitive fields [GetStart-65](#)
 - combination [DocMgmt-162](#)
 - creating saved Workbench queries [GetStart-63](#)
 - deleting saved Workbench queries [GetStart-64](#)
 - saving [GetStart-63](#)
 - using saved Workbench queries [GetStart-63](#)
 - wildcard characters [GetStart-65](#)
- query builder [GetStart-29](#)
 - comparison operators used [DemandUG-59](#)
 - logical operators used [DemandUG-60](#)
 - using [DemandUG-59](#)

R

- RAC (Real Application Cluster)
 - configuration [SysAdmin-26](#)
- RCS Check In report [Reports-57](#)
- RCS Check Out report [Reports-58](#)
- read [SOA-18](#), [SOA-20](#), [SOA-41](#), [SOA-50](#), [SOA-153](#)
- readTasks [SOA-17](#), [SOA-39](#)
- receive steps [DeployCG-97](#), [DemandCG-91](#)
- Red Hat Linux platform, running PPM Center on [SysAdmin-25](#)
- `REFERENCE_UPDATE_INTERVAL` parameter [SysAdmin-260](#)
- references
 - added to packages in
 - Workbench [DeployUG-103](#)
 - adding attachments to packages from the standard interface [DeployUG-84](#)
 - adding existing packages to packages [DeployUG-85](#)

- adding existing packages to packages in Workbench [DeployUG-66](#)
- adding existing references to packages [DeployUG-91](#)
- adding existing requests to packages in Workbench [DeployUG-71](#)
- adding for requests [DemandUG-44](#)
- adding in Project Management [ProjectUG-169](#)
- adding new packages to packages [DeployUG-86](#)
- adding new packages to packages in the PPM Workbench [DeployUG-67](#)
- adding new requests to packages [DeployUG-92](#)
- adding new requests to packages in the PPM Workbench [DeployUG-73](#)
- adding programs to packages [DeployUG-88](#)
- adding programs to packages in Workbench [DeployUG-68](#)
- adding projects to packages [DeployUG-89](#)
- adding projects to packages in Workbench [DeployUG-69](#)
- adding releases to packages [DeployUG-90](#)
- adding releases to packages in the PPM Workbench [DeployUG-70](#)
- adding tasks to packages [DeployUG-93](#)
- adding tasks to packages in the PPM Workbench [DeployUG-74](#)
- adding to packages [DeployUG-84](#)
- adding to packages in Workbench [DeployUG-64](#)
- adding URLs to packages [DeployUG-94](#)
- adding URLs to packages in the PPM Workbench [DeployUG-75](#)
- attaching files in Project Management [ProjectUG-169](#)
- attaching to tasks [ProjectUG-105](#)
- attaching URLs in Project Management [ProjectUG-170](#)
- attachments [ProgramUG-50](#)
- creating packages in the PPM Workbench [DeployUG-56](#), [DeployUG-58](#)
- defined [ProjectUG-92](#)
- deleting in packages in Workbench [DeployUG-104](#)
- deleting in Project Management [ProjectUG-172](#)
- existing packages [ProgramUG-51](#)
- finish-finish predecessor relationships [DemandUG-34](#)
- new packages [ProgramUG-52](#)
- new requests [ProgramUG-54](#), [ProgramUG-55](#)
- package relationships [DeployUG-40](#)
- predecessor relationships [DeployUG-40](#), [DeployUG-43](#), [DemandUG-34](#)
- projects
 - projects as references [ProgramUG-53](#)
- relationships list [DeployUG-41](#)
- request relationships [DemandUG-30](#)
- successor relationships [DeployUG-40](#), [DeployUG-43](#), [DemandUG-34](#)
- tasks [ProgramUG-56](#)
- updated in packages in the PPM Workbench [DeployUG-103](#)
- URLs [ProgramUG-58](#)
- version 7 upgrade impacts [WhatsNew-56](#)
- viewing and adding in Project Management [ProjectUG-169](#)
- viewing and editing in Project Management [ProjectUG-171](#)
- references for programs [ProgramUG-50](#)
- refresh
 - environments [DeployCG-213](#), [DeployCG-214](#)
 - environments add line [DeployCG-215](#)
 - environments calculate lines [DeployCG-218](#)
 - environments cancel [DeployCG-219](#)
 - environments configuring [DeployCG-217](#)
 - environments exclude line [DeployCG-215](#)
 - environments include line [DeployCG-215](#)
 - environments open package [DeployCG-216](#)

- environments opening
 - workbench [DeployCG-216](#)
- environments packages [DeployCG-221](#)
- environments update lines [DeployCG-218](#)
- environments view detail [DeployCG-216](#)
- environments workflows [DeployCG-219](#)
- refresh group [DeployCG-18](#)
- Region Name prompt
 - installation procedure [SysAdmin-47](#)
 - upgrade procedure [Upgrade-23](#)
- regional calendars
 - setup [ResourceUG-28](#)
 - system default [ResourceUG-29](#)
- regions
 - access grant for viewing [Security-117](#)
 - creating [FinancialUG-37](#)
 - managing [FinancialUG-36](#)
 - modifying [FinancialUG-37](#)
 - setting associations [FinancialUG-38](#)
- rejected time for time sheets, configuring user notification of [TimeCG-39](#)
- rejecting demand [TrkMgUG-40](#)
- rejecting time on time sheets [TimeUG-80](#)
 - procedure [TimeUG-81](#)
- related documents [DemandUG-17](#), [ProgramUG-13](#)
 - processes [GetStart-73](#)
 - roles [GetStart-73](#)
- related information [DeployCG-22](#), [DemandCG-20](#)
- release [DeployCG-18](#)
 - distribution [DeployCG-18](#)
- Release Detail report [Reports-111](#)
- Release Notes report [Reports-114](#)
- releases
 - adding packages using Package window [DeployCG-170](#)
 - adding packages using Release window [DeployCG-168](#)
 - adding requests [DeployCG-173](#)
 - adding requests using Release window [DeployCG-173](#)
 - adding requests using Requests window [DeployCG-174](#)
 - adding to packages [DeployUG-90](#)
 - adding to packages in the PPM Workbench [DeployUG-70](#)
 - adding to requests [DemandUG-51](#)
 - attaching to tasks [ProjectUG-108](#)
 - configuring overview [DeployCG-165](#)
 - creating [DeployCG-163](#)
 - dependencies [DeployCG-160](#)
 - distribution workflows [DeployCG-158](#)
 - open releases [DeployCG-162](#)
 - overview [DeployCG-165](#)
 - package workflows [DeployCG-157](#)
 - preconfiguration [DeployCG-162](#)
 - processing [DeployCG-164](#)
 - processing overview [DeployCG-162](#)
 - submitting releases [DeployCG-162](#)
 - verifying [DeployCG-175](#)
- reminders to submit time sheets, configuring [TimeCG-35](#)
- remote database installation [DocMgmt-37](#)
- REMOTE_ADMIN_REQUIRE_AUTH parameter [SysAdmin-260](#), [SysAdmin-284](#)
- removing
 - unnecessary guides from library [CustomSI-42](#)
- removing work items from time sheets [TimeUG-51](#)
- renaming
 - Dashboard pages [GetStart-51](#)
 - portlets [GetStart-59](#)
- reopening requests [DemandUG-65](#)
- Report Type Detail report [Reports-59](#)
- Report Type Migrator [SysAdmin-197](#)
- Report Type window [Reports-178](#)
 - Commands tab [Reports-187](#)
 - Fields tab [Reports-179](#)
 - Layout tab [Reports-186](#)
 - Ownership tab [Reports-191](#)
 - Security tab [Reports-189](#)
- report types [Reports-173](#)

- creating (new) [Reports-175](#)
- creating (new, based on existing) [Reports-176](#)
- modifying [Reports-177](#)
- Report Types Workbench [Reports-174](#)
- report types, migrating [SysAdmin-177](#)
- REPORT_DIR parameter [SysAdmin-117](#)
- REPORT_LOG_DIR parameter [SysAdmin-260](#)
- Reporting Meta Layer
 - See* [RML](#).
- Reporting Meta Layer Schema prompt
 - installation procedure [SysAdmin-46](#)
- reporting time on time sheets [TimeUG-22](#)
 - limitations regarding tasks [TimeUG-47](#)
- REPORTING_STATUS_REFRESH_RATE parameter [SysAdmin-172](#), [SysAdmin-260](#)
- reports
 - See also* report types.
 - See also* specific open interface.
 - Broker Connection [SysAdmin-139](#)
 - Broker In Use Sessions [SysAdmin-139](#)
 - Broker Performance [SysAdmin-139](#)
 - CacheManager Sizes [SysAdmin-139](#)
 - CacheManager Statistics [SysAdmin-139](#)
 - cancellable [Reports-35](#)
 - cancelling (running) [Reports-33](#)
 - Client Font [SysAdmin-139](#)
 - Client Property [SysAdmin-139](#)
 - Client Timezone [SysAdmin-139](#)
 - deleting results [Reports-36](#)
 - Delinquent Time Sheets [TimeUG-90](#)
 - Execution Dispatcher
 - Manager [SysAdmin-140](#)
 - Execution Dispatcher Pending
 - Batch [SysAdmin-140](#)
 - Execution Dispatcher Pending
 - Group [SysAdmin-140](#)
 - Import Requests [OpenAPI-79](#)
 - Import Users for LDAP import [OpenAPI-40](#)
 - Import Users for simple import [OpenAPI-32](#)
 - Installed Extensions [SysAdmin-140](#)
 - JVM memory [SysAdmin-140](#)
 - Kintana RMI [SysAdmin-140](#)
 - managing requests [DemandUG-68](#)
 - opening existing reports [GetStart-37](#)
 - Run PPM Organization Unit Interface for LDAP import [OpenAPI-60](#)
 - Run PPM Organization Unit Interface for simple import [OpenAPI-54](#)
 - Run PPM Package Interface [OpenAPI-99](#)
 - Run Workflow Transaction Interface [OpenAPI-125](#)
 - running new reports [GetStart-36](#)
 - Server Cache Status [SysAdmin-140](#)
 - Server Configuration [SysAdmin-140](#)
 - Server Event Listener [SysAdmin-140](#)
 - Server Logon [SysAdmin-140](#)
 - Server Status [SysAdmin-141](#)
 - Server Thread [SysAdmin-141](#)
 - Service Controller [SysAdmin-141](#), [SysAdmin-168](#)
 - submitting [Reports-23](#)
 - version 7 features [WhatsNew-24](#)
 - version 7 functional impacts [WhatsNew-39](#), [WhatsNew-40](#), [WhatsNew-41](#), [WhatsNew-46](#)
 - version 7 upgrade impacts [WhatsNew-71](#)
 - viewing (running) [Reports-33](#)
 - viewing previously submitted [Reports-28](#)
- reports directory [SysAdmin-288](#)
- repositories
 - backup formats [DocMgmt-124](#)
 - copying [DocMgmt-110](#)
 - described [DocMgmt-31](#)
 - exporting and importing [DocMgmt-112](#)
 - migrating to a new Content Server instance [DocMgmt-109](#)
 - starting and stopping [DocMgmt-64](#)
 - starting and stopping on UNIX [DocMgmt-65](#)
 - starting and stopping on Windows systems [DocMgmt-65](#)
- repository owner account, on UNIX [DocMgmt-52](#)
- REQ_number directory [SysAdmin-288](#)

- request
 - creating [Security-54](#)
 - Web services [SOA-81](#)
- Request Activity portlet
 - portlets
 - Request Activity [DemandUG-71](#)
- request browser [GetStart-34](#)
- request creation security
 - workflow restrictions [Security-57](#)
- Request Detail (Filter by Custom Fields)
 - report [Reports-126](#)
- request detail page
 - approval details [DemandUG-27](#)
 - details section [DemandUG-24](#)
 - graphical view [DemandUG-26](#)
 - header section [DemandUG-23](#)
 - notes section [DemandUG-25](#)
 - references section [DemandUG-29](#)
 - request execution log [DemandUG-29](#)
 - status section [DemandUG-25](#)
 - title section [DemandUG-22](#)
 - transaction history [DemandUG-28](#)
- Request Detail report [Reports-130](#)
- request execution
 - assigning requests [ResourceUG-90](#)
 - configuring requests [ResourceUG-89](#)
 - my requests portlet [ResourceUG-104](#)
 - overview [ResourceUG-88](#)
- request field tokens [CmdTokVal-59](#)
 - prefixes [CmdTokVal-59](#)
 - table components [CmdTokVal-59](#)
- request filters in Time Management
 - for My Items list [TimeUG-34](#)
 - for time sheets [TimeUG-44](#)
 - for work allocations [TimeUG-103](#)
- request header type
 - version 7 upgrade impacts [WhatsNew-61](#)
- Request Header Type Detail report [Reports-60](#)
- Request Header Type Migrator [SysAdmin-199](#)
- request header types
 - configuring [DemandCG-189](#)
 - configuring filters [DemandCG-195](#)
 - field groups [DemandCG-191](#)
 - list [DemandCG-189](#)
 - opening Workbench [DemandCG-193](#)
 - overview [DemandCG-190](#)
- request header types, migrating [SysAdmin-177](#)
- Request History report [Reports-134](#)
- Request List portlet [DemandUG-71](#),
[TrkMgUG-28](#)
- Request Open Interface [OpenAPI-66](#)
 - data model [OpenAPI-66](#)
 - Import Requests report [OpenAPI-79](#)
 - loading data [OpenAPI-69](#)
 - running an import [OpenAPI-69](#)
 - troubleshooting [OpenAPI-82](#)
- Request Quick View report [Reports-138](#)
- Request References portlet [DemandUG-71](#)
- request security [Security-47](#)
- request statuses in process customization in
Portfolio Management [PortfolioCG-41](#)
- Request Summary (Filter by Custom Fields)
 - report [Reports-141](#)
- Request Summary Bar Chart
 - portlet [DemandUG-71](#)
- Request Summary Pie Chart
 - portlet [DemandUG-71](#)
- Request Summary portlet [DemandUG-71](#)
- Request Summary report [Reports-145](#)
- request type
 - version 7 upgrade impacts [WhatsNew-61](#)
- Request Type Detail report [Reports-61](#)
- Request Type Migrator [SysAdmin-200](#)
- request types [DemandCG-168](#)
 - adding commands [DemandCG-164](#)
 - adding help [DemandCG-187](#)
 - adding IT demand to request header
types [TrkMgCG-18](#)
 - adding ownerships [DemandCG-185](#)
 - adding sections [DemandCG-143](#)
 - adding workflows [DemandCG-171](#)
 - changing section names [DemandCG-145](#)
 - configuring columns [DemandCG-147](#)

- configuring commands [DemandCG-163](#)
- configuring defaults [DemandCG-127](#)
- configuring field width [DemandCG-141](#)
- configuring fields [DemandCG-130](#)
- configuring general
 - information [DemandCG-129](#)
- configuring help [DemandCG-187](#)
- configuring in Program
 - Management [ProgramCG-17](#)
- configuring layout [DemandCG-141](#)
- configuring notifications [DemandCG-177](#),
[DemandCG-180](#)
- configuring participants [DemandCG-173](#)
- configuring request
 - statuses [DemandCG-148](#)
- configuring rules [DemandCG-156](#)
- configuring status
 - dependencies [DemandCG-152](#)
- configuring sub-types [DemandCG-168](#)
- configuring to workflows [DemandCG-171](#)
- configuring using field groups in Portfolio
 - Management [PortfolioCG-29](#)
- copying commands [DemandCG-166](#)
- copying fields [DemandCG-139](#)
- copying notifications [DemandCG-184](#)
- creating fields [DemandCG-133](#)
- creating request statuses [DemandCG-150](#)
- criteria for default fields [DemandCG-132](#)
- defaults for IT demand [TrkMgCG-17](#)
- defining [DemandCG-32](#)
- deleting commands [DemandCG-167](#)
- deleting fields [DemandCG-141](#)
- deleting from demand sets [TrkMgCG-35](#)
- deleting notifications [DemandCG-184](#)
- deleting ownerships [DemandCG-187](#)
- deleting participants [DemandCG-176](#)
- deleting sections [DemandCG-146](#)
- deleting sub-types [DemandCG-171](#)
- deleting workflows [DemandCG-173](#)
- DEM - Application Bug [TrkMgUG-15](#)
- DEM - Application
 - Enhancement [TrkMgUG-15](#)
- DEM - Database Refresh [TrkMgUG-15](#)
- DEM - Initiative [TrkMgUG-15](#)
- demand [TrkMgUG-14](#)
- editable fields [DemandCG-131](#)
- editing commands [DemandCG-165](#)
- editing notifications [DemandCG-183](#)
- editing participants [DemandCG-175](#)
- editing sub-types [DemandCG-170](#)
- list for IT demand [TrkMgUG-15](#)
- modifying fields [DemandCG-141](#)
- moving fields [DemandCG-142](#)
- opening Workbench [DemandCG-126](#)
- overview [DemandCG-17](#), [DemandCG-123](#)
- preview layout [DemandCG-144](#),
[DemandCG-146](#)
- removing fields [DemandCG-141](#)
- request statuses overview [DemandCG-148](#)
- requirements for fields [DemandCG-32](#)
- requirements for workflow
 - interaction [DemandCG-31](#),
[DemandCG-34](#)
- resolutions [DemandCG-16](#)
- retaining customizations after
 - upgrading [Upgrade-12](#)
- status dependencies
 - interaction [DemandCG-155](#)
- storage tab [DemandCG-136](#)
- visibility field behavior [DemandCG-130](#)
- request types configuring [ProgramCG-22](#)
- request types, migrating [SysAdmin-177](#)
- request work items
 - adding to My Items list [TimeUG-34](#)
 - adding to time sheet [TimeUG-43](#)
 - assigning [ResourceUG-90](#)
 - configuring [ResourceUG-89](#)
 - field interdependencies [ResourceUG-34](#)
 - re-run database stats [ResourceUG-31](#)
 - setup [ResourceUG-31](#)
- REQUEST_LOG_DIR
 - parameter [SysAdmin-117](#), [SysAdmin-261](#)
- REQUEST_TYPE_CACHE_TIMEOUT
 - parameter [SysAdmin-261](#)
- requests [DemandUG-51](#)
 - adding attachments [DemandUG-45](#)

- adding existing packages [DemandUG-46](#)
- adding new packages [DemandUG-47](#)
- adding programs [DemandUG-49](#)
- adding projects [DemandUG-50](#)
- adding references [DemandUG-44](#)
- adding releases [DemandUG-51](#)
- adding tasks [DemandUG-53](#)
- adding to packages [DeployUG-91](#),
[DeployUG-92](#)
- adding to packages in the PPM
Workbench [DeployUG-73](#)
- adding to packages in
Workbench [DeployUG-71](#)
- adding to releases [DeployCG-173](#)
- adding to releases using Release
window [DeployCG-173](#)
- adding to releases using Requests
window [DeployCG-174](#)
- adding to requests [DemandUG-51](#),
[DemandUG-52](#)
- adding to tasks [ProjectUG-105](#)
- adding URLs [DemandUG-54](#)
- and programs [ProgramUG-22](#)
- approval details [DemandUG-27](#)
- assigning [ResourceUG-90](#)
- cancelling [DemandUG-66](#)
- copying [DemandUG-22](#), [DemandUG-43](#)
- Create New Request page [DemandUG-40](#)
- creating [DemandUG-39](#), [DemandUG-41](#)
- creating overview [DemandUG-36](#)
- definition [DemandUG-16](#), [DemandCG-17](#)
- deleting [DemandUG-22](#), [DemandUG-66](#)
- execution log [DemandUG-29](#)
- field attributes [Security-69](#)
- field level security [Security-67](#), [Security-70](#)
- finish-finish predecessor
relationships [DemandUG-34](#)
- graphical view [DemandUG-26](#)
- importing [OpenAPI-66](#)
- integrating with packages [DeployCG-93](#),
[DemandCG-87](#)
- integration projects [DemandUG-74](#)
- managing [DemandUG-65](#)

- managing overview [DemandUG-58](#)
- managing using portlets [DemandUG-69](#)
- managing using reports [DemandUG-68](#)
- moving out of workflow
steps [DeployCG-126](#), [DemandCG-119](#)
- opening [DemandUG-58](#)
- opening using email [DemandUG-61](#)
- opening using menu bar [DemandUG-61](#)
- opening using portlets [DemandUG-61](#)
- overriding security [Security-74](#)
- predecessor relationships [DemandUG-34](#)
- printing [DemandUG-67](#)
- printing request detail page [DemandUG-22](#)
- processing [Security-59](#)
- processing and data integrity [DemandUG-17](#)
- processing security [Security-64](#)
- purging [DemandUG-68](#)
- reference relationships [DemandUG-30](#)
- referencing from tasks [DemandUG-75](#)
- reopening closed requests [DemandUG-65](#)
- request detail page overview [DemandUG-20](#)
- request type definition [DemandUG-16](#)
- searching [DemandUG-58](#), [DemandUG-59](#)
- security for creating [Security-54](#)
- status dependencies [Security-73](#)
- statuses definition [DemandUG-16](#)
- successor relationships [DemandUG-34](#)
- transaction history [DemandUG-28](#)
- updating [DemandUG-58](#)
- using in Resource
Management [ResourceUG-89](#)
- viewing [Security-51](#)
- viewing and editing fields [Security-67](#)
- viewing tasks [DemandUG-77](#)
- work item fields setup [ResourceUG-31](#)
- workflow interacting [DemandCG-34](#)

requests as references [ProgramUG-54](#),
[ProgramUG-55](#)

required individual accounts, on
UNIX [DocMgmt-51](#)

resource
viewing information about [Security-97](#)

resource demand

- general walkthrough [ResourceUG-67](#)
 - staffing profiles [ResourceUG-64](#)
- Resource Finder
 - adjusting calculations [ResourceUG-100](#)
 - assigning resources [ResourceUG-77](#)
 - comparing skills [ResourceUG-100](#)
 - searching [ResourceUG-98](#)
 - using [ResourceUG-95](#)
 - viewing resource load [ResourceUG-99](#)
- resource information
 - configuring [Security-28](#)
- Resource Management
 - capacity planning [ResourceUG-53](#)
 - configuring requests [ResourceUG-89](#)
 - modeling your org [ResourceUG-35](#)
 - role setup [ResourceUG-22](#)
 - setting up [ResourceUG-17](#)
 - skill setup [ResourceUG-25](#)
 - validations [ResourceUG-18](#)
 - version 7 features [WhatsNew-22](#)
 - version 7 functional impacts [WhatsNew-44](#)
 - Web services [SOA-40](#)
 - Web services support [WhatsNew-32](#)
 - WSDL [SOA-103](#)
 - XSD [SOA-107](#)
- Resource Management reports [Reports-19](#)
- resource pools
 - access grants [ResourceUG-61](#)
 - adjusting participation [ResourceUG-59](#)
 - analyzing [ResourceUG-79](#)
 - assigning resources [ResourceUG-76](#)
 - collecting resource requests [ResourceUG-76](#)
 - comparing to staffing
 - profiles [ResourceUG-79](#)
 - configure access page [ResourceUG-62](#)
 - creating [ResourceUG-57](#)
 - forwarding demand [ResourceUG-78](#)
 - general walkthrough [ResourceUG-56](#)
 - making assignments [ResourceUG-77](#)
 - rejecting demand [ResourceUG-78](#)
 - roll-up [ResourceUG-64](#)
 - security [ResourceUG-61](#)
 - security for creating [Security-99](#)
 - security for modifying [Security-99](#)
 - setting security for working
 - with [Security-98](#)
 - using [ResourceUG-55](#)
 - using configure access page [ResourceUG-63](#)
 - viewing [ResourceUG-59](#), [Security-98](#)
- resource requests
 - collecting [ResourceUG-76](#)
 - sending [ResourceUG-71](#)
- RESOURCE_COST_UPDATE_SERVICE_DELAY parameter [SysAdmin-261](#)
- RESOURCE_FINDER_ROLE_WEIGHT parameter [SysAdmin-261](#)
- RESOURCE_FINDER_SKILL_WEIGHT parameter [SysAdmin-261](#)
- resources [TimeCG-52](#), [Security-97](#)
 - adding to work allocations [TimeUG-106](#)
 - assigning multiple to tasks [ResourceUG-93](#)
 - assigning to tasks [ProjectUG-96](#)
 - calendar setup [ResourceUG-40](#)
 - configuring default time and billing
 - approvers in Time Management [TimeCG-53](#)
 - configuring delegates in Time Management [TimeCG-53](#)
 - configuring time sheet policy [TimeCG-53](#)
 - exporting task schedule [ProjectUG-165](#)
 - personal workload
 - visualizations [ResourceUG-104](#)
 - project security [Security-89](#)
 - security [ResourceUG-42](#)
 - setting attributes [ResourceUG-38](#)
 - setting security for modifying [Security-97](#)
 - setup [ResourceUG-36](#)
 - viewing information [ProjectUG-164](#)
- RESTRICT_BYPASS_EXECUTION_TO MANAGERS parameter [SysAdmin-262](#)
- RESTRICT_BYPASS_REQ_EXEC_TO MANAGERS parameter [SysAdmin-262](#)
- restricted mode, PPM Server [SysAdmin-66](#), [SysAdmin-286](#)
- results

- in override rules [TimeCG-68](#)
- precedence for override rules [TimeCG-77](#)
- return message
 - Web services [SOA-83](#)
- return on investment [PortfolioUG-102](#),
[PortfolioCG-76](#)
- reviewing time on time sheets [TimeUG-80](#)
- revising a work plan [ProjectUG-116](#)
- reworking time sheet lines [TimeUG-69](#)
- risk
 - request type [ProjectCG-38](#)
 - workflow [ProjectCG-42](#)
- Risk Ratings for portfolio scores [PortfolioUG-41](#)
- risk requests [ProgramCG-13](#)
- risks
 - analyzing activity [ProgramUG-70](#)
 - analyzing resolution time [ProgramUG-71](#)
 - configuring program
 - settings [ProgramUG-40](#)
 - logging [ProjectUG-142](#)
 - managing [ProgramUG-68](#)
 - managing processes [ProgramUG-76](#)
 - overview [ProgramUG-23](#)
 - searching [ProgramUG-68](#)
- RM_DEFAULT_EFFORT_TYPE parameter [SysAdmin-262](#)
- RM_DEFAULT_PERIOD_TYPE parameter [SysAdmin-262](#)
- RMI
 - and the SOCKS proxy feature [SysAdmin-89](#)
 - enabling over SSL [SysAdmin-73](#)
- RMI communication protocol [SysAdmin-25](#),
[SysAdmin-28](#), [SysAdmin-29](#), [SysAdmin-32](#),
[SysAdmin-35](#)
- RMI connection threads, report providing information about [SysAdmin-140](#)
- RMI_DEBUGGING parameter [SysAdmin-149](#),
[SysAdmin-150](#)
- RMI_URL parameter [SysAdmin-73](#),
[SysAdmin-117](#), [SysAdmin-215](#),
[SysAdmin-217](#), [SysAdmin-263](#)
- RMI_VALIDATE_SERVER_CERTIFICATE parameter [SysAdmin-263](#)
- RML (Reporting Meta Layer)
 - overview [RML-10](#)
 - schema [RML-10](#)
 - setting up [RML-14](#)
 - synchronizing [RML-14](#), [RML-16](#)
 - views [RML-11](#)
- RML entities [DocMgmt-115](#)
 - MPKG_REFERENCES [DocMgmt-116](#)
 - MPRJ_PROJECT_REFERENCES [DocMgmt-116](#)
 - MPRJ_TASK_REFERENCES [DocMgmt-116](#)
 - MREL_REFERENCES [DocMgmt-116](#)
 - MREQ_REFERENCES [DocMgmt-116](#)
- RML_PASSWORD parameter [SysAdmin-153](#),
[SysAdmin-263](#)
- RML_USERNAME parameter [SysAdmin-263](#)
- ROI (return on investment) [PortfolioUG-102](#),
[PortfolioCG-76](#)
- role [WhatsNew-22](#), [WhatsNew-25](#)
- Role Availability tab of Scenario Details [PortfolioUG-81](#)
- roles
 - setting up [ResourceUG-22](#)
- roles and related documents [GetStart-73](#)
- ROTATE_LOG_SIZE parameter [SysAdmin-149](#), [SysAdmin-273](#)
- rules
 - creating advanced default rules [DemandCG-159](#)
 - creating simple default rules [DemandCG-156](#)
- rules for Suggested Items list in Time Management, configuring [TimeCG-104](#)
- Run Field Security Denormalization report [Reports-63](#)

run groups [DeployCG-160](#)
Run PPM Organization Unit Interface
 report [Reports-64](#)
 for LDAP import [OpenAPI-60](#)
 for simple import [OpenAPI-54](#)
Run PPM Package Interface report [Reports-64](#),
 [OpenAPI-99](#)
Run SQL button, described [SysAdmin-142](#)
Run Workflow Transaction Interface
 report [Reports-64](#), [OpenAPI-125](#)

S

Satisfied Demand History report [Reports-150](#)
Scenario Comparison page [PortfolioUG-52](#)
 Budget By Asset Class tab [PortfolioUG-58](#)
 Budget By Business Objective
 tab [PortfolioUG-59](#)
 Budget By Project Class tab [PortfolioUG-58](#)
 Budget Summary tab [PortfolioUG-56](#)
 Cost Benefit tab [PortfolioUG-57](#)
 Efficient Frontier tab [PortfolioUG-60](#)
 example [PortfolioUG-51](#)
 Overview tab [PortfolioUG-54](#)
scenario comparisons [PortfolioUG-47](#)
 See also Scenario Comparison page.
 access grants [PortfolioUG-94](#),
 [PortfolioCG-70](#)
 changing [PortfolioUG-66](#)
 changing content [PortfolioUG-70](#)
 changing details [PortfolioUG-69](#)
 copying [PortfolioUG-74](#)
 creating [PortfolioUG-47](#)
 deleting [PortfolioUG-74](#)
 listing [PortfolioUG-66](#)
 portlets [PortfolioUG-97](#)
 results [PortfolioUG-54](#)
 security [PortfolioUG-94](#)
 selecting [PortfolioUG-66](#)
 user access [PortfolioUG-94](#)
 viewing [PortfolioUG-66](#)
Scenario Details
 Optimization Details tab [PortfolioUG-91](#)
 Role Availability tab [PortfolioUG-81](#)
 Timeline tab [PortfolioUG-77](#)
scenario names, changing [PortfolioUG-75](#)
scenario optimization
 See optimization, scenario.
scenarios
 adjusting start dates for entities
 automatically using
 optimization [PortfolioUG-87](#)
 adjusting start dates for entities
 manually [PortfolioUG-77](#)
 changing [PortfolioUG-75](#)
 changing an optimized
 scenario [PortfolioUG-94](#)
 creating
 See scenario comparisons.
 viewing details of an entity [PortfolioUG-80](#)
schedule
 errors [ProjectUG-77](#)
 generation [ProjectUG-76](#)
 warnings [ProjectUG-77](#)
Schedule Demand page overview [TrkMgUG-22](#)
scheduled values
 field relationships [ResourceUG-102](#)
 overriding [ResourceUG-101](#)
SCHEDULER_INTERVAL
 parameter [SysAdmin-172](#), [SysAdmin-263](#)
scheduling
 constraints [ProjectUG-99](#)
scheduling demand [TrkMgUG-22](#),
 [TrkMgUG-40](#)
scheduling engine [SysAdmin-25](#)
scope change
 request type [ProjectCG-38](#)
 workflow [ProjectCG-43](#)
scope change requests [ProgramCG-13](#)
scope changes
 adjusting program settings [ProgramUG-42](#)
 analyzing activity [ProgramUG-73](#)
 analyzing resolution time [ProgramUG-75](#)
 logging [ProjectUG-143](#)
 managing [ProgramUG-72](#)

- managing processes [ProgramUG-77](#)
- searching [ProgramUG-72](#)
- scores, portfolio [PortfolioUG-41](#)
- scoring criteria in Portfolio Management
 - [PortfolioCG-50](#)
 - adding [PortfolioCG-58](#)
 - changing a criterion name [PortfolioCG-57](#)
 - changing properties [PortfolioCG-54](#)
- scoring key in Portfolio Management
 - [PortfolioCG-50](#)
 - See also* scoring criteria in Portfolio Management.
 - adjusting [PortfolioCG-50](#)
 - formulas (rules) [PortfolioCG-53](#)
 - procedure to adjust [PortfolioCG-54](#)
 - structure [PortfolioCG-50](#)
 - validations [PortfolioCG-52](#)
- SCPCLIENT_TIMEOUT
 - parameter [SysAdmin-263](#)
- scripts
 - [CreateKintanaUser.sql SysAdmin-53](#),
[SysAdmin-220](#), [Upgrade-21](#)
 - [CreateRMLUser.sql SysAdmin-53](#),
[SysAdmin-220](#)
 - [GrantSysPrivs.sql SysAdmin-221](#),
[Upgrade-21](#)
 - [install.sh SysAdmin-57](#)
 - [kBuildStats.sh SysAdmin-279](#)
 - [kCancelStop.sh SysAdmin-279](#)
 - [kConfig.sh SysAdmin-67](#), [SysAdmin-120](#),
[SysAdmin-153](#), [SysAdmin-215](#),
[SysAdmin-216](#), [SysAdmin-217](#),
[SysAdmin-222](#), [SysAdmin-280](#)
 - [kConvertToLog4j.sh SysAdmin-279](#)
 - [kDeploy.sh SysAdmin-280](#)
 - [kEncrypt.sh SysAdmin-282](#)
 - [kGenPeriods.sh SysAdmin-282](#)
 - [kGenTimeMgmtperiods.sh SysAdmin-282](#)
 - [kJSPCompiler.sh SysAdmin-282](#)
 - [kKeygen.sh SysAdmin-78](#), [SysAdmin-283](#)
 - [kMigratorExtract.sh SysAdmin-283](#)
 - [kMigratorImport.sh SysAdmin-283](#)
 - [kRunServerAdminReport.sh SysAdmin-141](#)
, [SysAdmin-283](#)
 - [kStart.sh SysAdmin-125](#), [SysAdmin-165](#),
[SysAdmin-283](#)
 - [kStatus.sh SysAdmin-126](#), [SysAdmin-284](#)
 - [kStop.sh SysAdmin-125](#), [SysAdmin-284](#)
 - [kSupport.sh SysAdmin-285](#)
 - [kUpdate.Html.sh SysAdmin-120](#)
 - [kUpdateHtml.sh SysAdmin-150](#),
[SysAdmin-286](#)
 - [kWall.sh SysAdmin-286](#)
 - [setServerMode.sh SysAdmin-66](#),
[SysAdmin-286](#)
 - [upgrade.sh Upgrade-36](#)
- SDK
 - installing [SysAdmin-48](#)
 - Web services [SOA-75](#), [SOA-76](#)
- SDK (Software Developer Kit)
 - installing [SysAdmin-48](#)
- search filter examples [OpenAPI-37](#)
- Search Packages page
 - opening packages [DeployUG-79](#)
- search terms
 - grouping in queries [DemandUG-61](#)
- SEARCH_TIMEOUT
 - parameter [SysAdmin-171](#), [SysAdmin-264](#)
- searchCostRules [SOA-18](#), [SOA-42](#)
- searches
 - advanced Workbench queries [GetStart-65](#)
 - creating saved search categories [GetStart-33](#)
 - creating saved searches [GetStart-30](#)
 - creating saved Workbench queries [GetStart-63](#)
 - deleting saved searches [GetStart-31](#)
 - deleting saved Workbench queries [GetStart-64](#)
 - entities [GetStart-63](#)
 - managing saved search categories [GetStart-33](#)
 - managing saved searches [GetStart-31](#)
 - moving saved search categories [GetStart-33](#)
 - running saved searches [GetStart-31](#)

- running searches [GetStart-29](#)
- using query builder [GetStart-29](#)
- using request browser [GetStart-34](#)
- using saved Workbench queries [GetStart-63](#)
- searching
 - comparison operators used in request queries [DemandUG-59](#)
 - for modules [CreateP&M-116](#)
 - for portlet data sources [CreateP&M-24](#)
 - for portlet definitions [CreateP&M-52](#)
 - for requests [DemandUG-58](#)
 - for requests using the query builder [DemandUG-59](#)
 - key words by phrase [DocMgmt-162](#)
 - logical operators used in request queries [DemandUG-60](#)
 - program issues [ProgramUG-61](#)
 - programs [ProgramUG-33](#)
 - project issues [ProgramUG-63](#)
 - risks [ProgramUG-68](#)
 - scope changes [ProgramUG-72](#)
 - time sheets [TimeUG-65](#)
 - time to approve [TimeUG-81](#)
 - work allocations [TimeUG-108](#)
- searching for documents based on key words [DocMgmt-160](#)
- searching for tasks in Project Management [ProjectUG-157](#)
- searching for work plans in Project Management [ProjectUG-158](#)
- searchResourcePools [SOA-18](#), [SOA-41](#)
- searchTasks [SOA-17](#), [SOA-40](#)
- secure RMI
 - using to run the Workbench [SysAdmin-90](#)
- Secure Shell (SSH)
 - using to configure private key authentication [SysAdmin-74](#)
- SECURE_RMI parameter [SysAdmin-264](#)
- security [SysAdmin-190](#)
 - access grants [DeployCG-21](#), [DeployCG-42](#), [DemandCG-19](#), [DemandCG-40](#), [TrkMgCG-14](#), [ProgramCG-44](#)
 - checklists [DeployCG-43](#), [DemandCG-41](#)
 - configure access for resource pools [ResourceUG-62](#)
 - configuring default for custom fields [ProgramCG-37](#)
 - configuring Web services [SOA-84](#)
 - configuring workflow steps [DeployCG-59](#), [DemandCG-56](#)
 - defining [DeployCG-42](#), [DemandCG-40](#)
 - for packages, overview [Security-76](#)
 - licenses [DeployCG-21](#), [DeployCG-42](#), [DemandCG-19](#), [DemandCG-40](#), [TrkMgCG-14](#)
 - resource pool access grants [ResourceUG-61](#)
 - resource pools [ResourceUG-61](#)
 - resources [ResourceUG-42](#)
 - scenario comparisons [PortfolioUG-94](#)
 - security groups [ProgramCG-44](#)
 - security groups and workflows [ProgramCG-48](#)
 - setting for Program Management [ProgramCG-18](#)
 - staffing profile access grants [ResourceUG-72](#)
 - staffing profile configure access page [ResourceUG-73](#)
 - staffing profiles [ResourceUG-72](#)
 - user configuration [ProgramCG-47](#)
 - Web services [SOA-24](#)
- security group
 - version 7 upgrade impacts [WhatsNew-66](#)
- Security Group Detail report [Reports-67](#)
- security groups
 - ADD, ADD/DROP, DROP [OpenAPI-19](#)
 - adding users to [ProgramCG-47](#)
 - app codes tab [Security-36](#)
 - assigning access grants to [ProgramCG-45](#)
 - creating [Security-29](#)
 - creating for Program Management [ProgramCG-45](#)
 - linking to org units [ResourceUG-49](#)
 - linking users to [Security-25](#)

- membership controlled by Resource Management [Security-35](#)
- Organization Unit Open Interface [OpenAPI-54](#)
- Portfolio Management [PortfolioCG-66](#), [PortfolioCG-68](#)
 - process steps [PortfolioCG-68](#)
 - proposals and assets [PortfolioCG-68](#)
- specifying list of users [Security-31](#)
- User Open Interface [OpenAPI-19](#), [OpenAPI-38](#)
- security settings for projects in Portfolio Management [PortfolioCG-69](#)
- Security tab [Reports-189](#)
- security, generating password [SysAdmin-77](#)
- segregation of duties [DeployCG-58](#), [DeployCG-91](#), [DemandCG-55](#), [DemandCG-85](#)
- Segregation of Duties tab [DeployUG-48](#)
- selecting
 - FTP protocol for environments [DeployCG-183](#)
 - skills [ResourceUG-27](#)
 - validations for object types [DeployCG-133](#)
- sending
 - notification follow ups [DeployCG-70](#), [DemandCG-66](#)
 - notification recipients [DeployCG-71](#), [DemandCG-67](#)
 - notifications at specific times [DeployCG-70](#), [DemandCG-66](#)
 - notifications on specific errors [DeployCG-68](#), [DemandCG-64](#)
 - notifications on specific results [DeployCG-66](#), [DemandCG-62](#)
 - notifications when workflow steps become eligible [DeployCG-65](#), [DemandCG-61](#)
- sending resource requests [ResourceUG-71](#)
- separator characters in file paths [SysAdmin-70](#)
- server
 - configuring [SysAdmin-69](#)
 - directory [SysAdmin-288](#)
 - log files [SysAdmin-149](#), [SysAdmin-151](#), [SysAdmin-152](#)
 - modes, setting [SysAdmin-66](#)
 - reconfiguring [SysAdmin-69](#)
 - stopping and restarting for maintenance [SysAdmin-152](#)
- Server Cache Status report [SysAdmin-140](#)
- server cluster configurations
 - multicast settings for [SysAdmin-127](#)
- server cluster/external Web server configuration [SysAdmin-31](#)
- server clusters
 - configuring [SysAdmin-30](#), [SysAdmin-115](#)
 - overview [SysAdmin-115](#)
 - starting and stopping [SysAdmin-125](#)
 - upgrading PPM Center [Upgrade-32](#)
- server configuration
 - parameters affected by clustering [SysAdmin-116](#)
- server configuration parameters
 - setting [SysAdmin-114](#)
- Server Configuration report [SysAdmin-140](#)
- Server Event Listener report [SysAdmin-140](#)
- Server Logon report [SysAdmin-140](#)
- server nodes
 - described [SysAdmin-115](#)
- server parameters
 - overview [FinancialUG-94](#)
 - periodic cost calculations [FinancialUG-94](#)
 - Web services [SOA-25](#), [SOA-35](#)
- Server Settings dialog box
 - Enable Profiler checkbox [SysAdmin-146](#)
- Server Status report [SysAdmin-141](#)
- Server Thread report [SysAdmin-141](#)
- server tools
 - access grants for [SysAdmin-136](#)
 - accessing in the Workbench [SysAdmin-137](#)
 - in the Workbench [SysAdmin-136](#)
 - using [SysAdmin-138](#)
- Server Tools window
 - access grants required to use [SysAdmin-136](#)

- opening from the Workbench [SysAdmin-137](#)
- server.conf file
 - KINTANA_SERVER_NAME parameter in [SysAdmin-115](#)
 - node directive in [SysAdmin-115](#)
 - version 7 impacts [WhatsNew-82](#)
- server.conf parameters [SysAdmin-227](#)
 - setting for an external Web server/PPM Server integration [SysAdmin-114](#)
- SERVER_DEBUG_LEVEL
 - parameter [SysAdmin-151](#), [SysAdmin-169](#), [SysAdmin-273](#)
- SERVER_ENV_NAME
 - parameter [SysAdmin-189](#), [SysAdmin-264](#)
- SERVER_MAX_PERM_SIZE
 - parameter [SysAdmin-264](#)
- SERVER_MODE parameter [SysAdmin-264](#)
- SERVER_NAME parameter [SysAdmin-215](#), [SysAdmin-218](#), [SysAdmin-264](#)
- SERVER_TYPE_CODE
 - parameter [SysAdmin-264](#)
- serverLog [SysAdmin-222](#)
- serverLog.txt file [SysAdmin-149](#), [SysAdmin-222](#)
- serverLog_timestamp.txt file [SysAdmin-149](#)
- service
 - requested dates [TrkMgCG-46](#)
 - satisfied dates [TrkMgCG-47](#)
- Service Controller report [SysAdmin-141](#), [SysAdmin-168](#)
- service level agreements
 - overview [TrkMgCG-42](#)
- Service Level Agreements (SLAs) [TrkMgUG-16](#)
 - portlets [TrkMgUG-32](#)
 - viewing [TrkMgUG-32](#)
- service pack install failure [SysAdmin-62](#)
- service packs
 - backup files related to [SysAdmin-62](#)
 - downloading [Upgrade-10](#)
 - installing after upgrade [Upgrade-10](#)
- service packs, installing [SysAdmin-61](#)
- SERVICE_PROVIDER_SECURITY_GROUP parameter [SysAdmin-264](#)
- services enabled for the server, report providing information about [SysAdmin-141](#)
- services file
 - setting up [DocMgmt-53](#)
- setCostFactors [SOA-18](#), [SOA-42](#)
- setRequestFields [SOA-19](#), [SOA-44](#)
- setRequestRemoteReferenceStatus [SOA-19](#), [SOA-44](#), [SOA-45](#)
- setResourceParticipation [SOA-18](#), [SOA-41](#)
- setServerMode.sh script [SysAdmin-66](#), [SysAdmin-286](#)
- setting
 - server configuration
 - parameters [SysAdmin-114](#)
- setting execution workflow steps
 - rules [DeployCG-116](#), [DemandCG-110](#)
- setting refresh rates [GetStart-52](#)
- setting up [ResourceUG-17](#)
 - default time period views [ResourceUG-21](#)
 - regional calendars [ResourceUG-28](#)
 - request work item fields [ResourceUG-31](#)
 - resources [ResourceUG-36](#)
 - roles [ResourceUG-22](#)
 - skills [ResourceUG-25](#)
 - validations [ResourceUG-18](#)
- setting up project templates [ProjectUG-174](#)
- settings
 - changing password [GetStart-38](#)
 - portlet maximized view [GetStart-40](#)
 - warning message display [GetStart-39](#)
 - work plan pages [GetStart-41](#)
- SGA_TARGET database
 - parameter [SysAdmin-86](#)
- shared Dashboard pages [GetStart-15](#), [CreateP&M-115](#)
- shared libraries directory
 - for DFC [DocMgmt-93](#)

SHARED_POOL_RESERVED_SIZE
 database parameter [SysAdmin-87](#)
 SHARED_POOL_SIZE database
 parameter [SysAdmin-87](#)
 sharing
 modules [CreateP&M-118](#)
 sharing drives
 containing content files [DocMgmt-73](#)
 SHOW_BASE_URL_ON_NOTIFICATION
 parameter [SysAdmin-265](#)
 SHOW_PERSONALIZE_FIRST
 parameter [SysAdmin-265](#)
 sign out button, changing [CustomSI-30](#)
 single sign-on
 implementing for a server cluster with an
 external Web server [SysAdmin-33](#)
 implementing generic single
 sign-on [SysAdmin-130](#)
 implementing Web remote single
 sign-on [SysAdmin-128](#)
 single-server system
 configuration [SysAdmin-27](#)
 single-server/external Web server
 configuration [SysAdmin-29](#)
 single-server/multiple-machine
 configuration [SysAdmin-28](#), [SysAdmin-29](#)
 single-server/single-machine
 configuration [SysAdmin-27](#)
 size information for attached
 documents [DocMgmt-156](#)
 skill [WhatsNew-22](#)
 See also role.
 skills
 access to [Security-100](#)
 creating new [ResourceUG-25](#)
 deleting [ResourceUG-27](#)
 modifying [ResourceUG-26](#)
 security for creating [Security-100](#)
 security for deleting [Security-100](#)
 security for editing [Security-100](#)
 security for viewing [Security-100](#)
 setting up [ResourceUG-25](#)
 SLA
 behavior overview [TrkMgCG-42](#)
 SLA Level field [TrkMgCG-24](#),
 [TrkMgCG-43](#)
 violation dates [TrkMgCG-45](#)
 SLA Exception Roll Up portlet [DemandUG-71](#),
 [TrkMgUG-32](#)
 SLA Exceptions by Department
 portlet [DemandUG-83](#), [TrkMgUG-25](#),
 [TrkMgUG-32](#)
 smart URL tokens [DeployCG-75](#),
 [DemandCG-71](#)
 in HTML [DeployCG-76](#), [DemandCG-71](#)
 SMTP_SERVER parameter [SysAdmin-265](#)
 SOAP message [SOA-60](#)
 SOCKS proxy feature
 enabling [SysAdmin-89](#)
 SOCKS_PROXY_HOST
 parameter [SysAdmin-265](#)
 SOCKS_PROXY_PORT
 parameter [SysAdmin-265](#)
 Software Developer Kit (SDK)
 installing [SysAdmin-48](#)
 software load balancing [SysAdmin-33](#)
 Solaris platform, running PPM Center
 on [SysAdmin-25](#)
 SOP 98-1
 activity inheritance
 behavior [FinancialUG-85](#)
 configuring activities [FinancialUG-82](#)
 enabling [FinancialUG-78](#)
 overview [FinancialUG-78](#)
 using activities [FinancialUG-81](#),
 [FinancialUG-85](#)
 SORT_AREA_SIZE parameter [SysAdmin-86](#)
 source password, entity
 migration [SysAdmin-186](#)
 SOX - Security Change report [Reports-65](#)
 SOX - Security Validation report [Reports-66](#)
 Spanish language support [WhatsNew-12](#)

- special command
 - parameters tab [CmdTokVal-34](#)
- special command builder [CmdTokVal-37](#)
 - using to build steps [CmdTokVal-43](#)
- Special Command Detail report [Reports-69](#)
- Special Command Migrator [SysAdmin-202](#)
- special commands [CmdTokVal-24](#)
 - about [CmdTokVal-34](#)
 - building steps with command builder [CmdTokVal-43](#)
 - Demand Management [SOA-45](#)
 - ksc_local_exec [SOA-69](#)
 - language [CmdTokVal-35](#)
 - nesting [CmdTokVal-44](#)
 - Time Management [SOA-53](#)
 - using [CmdTokVal-42](#)
 - version 7 upgrade impacts [WhatsNew-62](#)
 - viewing [CmdTokVal-36](#)
 - Web services [SOA-15](#), [SOA-30](#), [SOA-35](#)
- special commands, migrating [SysAdmin-177](#)
- special parameters [SysAdmin-71](#)
- specifications
 - Web services [SOA-24](#)
- SPI [ProgramUG-43](#)
- sql directory [SysAdmin-289](#)
- SQL Runner window
 - running SQL statements in [SysAdmin-141](#)
- SQL scripts
 - running on Windows using SQL*Plus utility [SysAdmin-143](#)
- SQL validations [CmdTokVal-79](#)
 - tips [CmdTokVal-80](#)
- SQL validations, configuring for work item filters in Time Management [TimeCG-87](#)
- SQL*PLUS prompt, installation procedure [SysAdmin-45](#)
- SQL*Plus utility [SysAdmin-45](#)
- SQLPLUS parameter [SysAdmin-265](#)
- SQLPLUS_VERSION
 - parameter [SysAdmin-265](#)
- SRMI communication protocol [SysAdmin-25](#), [SysAdmin-28](#), [SysAdmin-29](#), [SysAdmin-35](#)
- SRMI, enabling [SysAdmin-73](#)
- SSH
 - using to configure private key authentication [SysAdmin-74](#)
- SSL
 - enabling on the Web server [SysAdmin-113](#)
- SSL accelerators, using [SysAdmin-33](#)
- SSO
 - See* single sign-on.
- stacked bar chart portlet [CreateP&M-99](#)
- staffing profiles [Security-102](#)
 - access grants [ResourceUG-72](#), [PortfolioCG-72](#)
 - analyzing [ResourceUG-82](#), [ResourceUG-85](#)
 - assigning resources [ResourceUG-76](#)
 - automatic actuals for work plans [ResourceUG-82](#)
 - budget synchronization [FinancialUG-48](#)
 - comparing to resource pools [ResourceUG-79](#)
 - comparing to work plan assignments [ResourceUG-85](#)
 - configure access page [ResourceUG-73](#)
 - creating [ResourceUG-68](#), [Security-103](#)
 - creating and linking in Portfolio Management [PortfolioUG-32](#)
 - forwarding demand [ResourceUG-78](#)
 - general walkthrough [ResourceUG-67](#)
 - making assignments [ResourceUG-77](#)
 - modifying [Security-103](#)
 - rejecting demand [ResourceUG-78](#)
 - security [ResourceUG-72](#)
 - sending resource requests [ResourceUG-71](#)
 - time management work plan roll-up [ResourceUG-83](#)
 - using [ResourceUG-64](#)
 - using configure access page [ResourceUG-74](#)
 - viewing [ResourceUG-70](#), [Security-102](#)
 - work plan actual roll-up [ResourceUG-82](#)

- work plan actuals and time
 - management [ResourceUG-83](#)
- standard interface [CustomSI-12](#)
 - See also* customizations, standard interface.
 - administration tools in [SysAdmin-135](#)
 - packages in [DeployUG-29](#)
 - version 7 features [WhatsNew-32](#)
- standard interface, PPM Center [SysAdmin-25](#)
- standard object types definition [DeployUG-19](#)
- standard portlet definitions [CreateP&M-52](#)
- standard user interface
 - definition [GetStart-13](#)
- start dates for scenario entities, adjusting
 - automatically using
 - optimization [PortfolioUG-87](#)
 - manually [PortfolioUG-77](#)
- starting
 - connection broker [DocMgmt-64](#)
 - index agent [DocMgmt-89](#)
 - repository [DocMgmt-64](#)
 - servers in a cluster [SysAdmin-125](#)
 - the PPM server [SysAdmin-66](#)
- static list validations
 - configuring [CmdTokVal-76](#)
- STATS_CALC_DAY_OF_WEEK
 - parameter [SysAdmin-161](#), [SysAdmin-265](#)
- STATS_CALC_WAKE_UP_TIME
 - parameter [SysAdmin-161](#), [SysAdmin-266](#)
- STATS_CALC_WEEK_INTERVAL
 - parameter [SysAdmin-161](#), [SysAdmin-266](#)
- status dependencies
 - interactions [DemandCG-155](#)
- status of the server, report providing
 - information about [SysAdmin-141](#)
- statuses
 - changing task statuses [ProjectUG-110](#)
 - modifying work plan
 - statuses [ProjectUG-119](#)
 - work plans [ProjectUG-117](#)
- statuses, summary for time sheet lines and time sheets [TimeUG-64](#)
- step sources
 - execution [DeployCG-111](#), [DemandCG-105](#)
 - overview [DeployCG-104](#), [DemandCG-98](#)
- stopping
 - index agent [DocMgmt-89](#)
 - servers in a cluster [SysAdmin-125](#)
 - the PPM server [SysAdmin-66](#)
- storage tab in request types [DemandCG-136](#)
- submitting
 - packages [DeployUG-76](#)
 - packages in the PPM
 - Workbench [DeployUG-76](#)
 - program issues [ProgramUG-23](#)
 - project issues [ProgramUG-25](#)
 - project risks [ProgramUG-27](#)
 - project scope changes [ProgramUG-29](#)
 - reports [Reports-23](#)
 - requests [ProgramUG-22](#)
- submitting releases [DeployCG-162](#)
- submitting time sheets [TimeUG-61](#)
- sub-types for request types [DemandCG-168](#)
- subworkflow steps [DemandCG-28](#)
 - defining [DeployCG-30](#)
- subworkflow workflow steps [DeployUG-20](#)
- subworkflows [DeployCG-159](#)
 - configuring to and from workflow
 - steps [DeployCG-88](#), [DemandCG-82](#)
 - workflow steps [DeployCG-54](#), [DemandCG-51](#)
 - worksheets [DeployCG-260](#)
- successor reference relationships [DeployUG-40](#), [DeployUG-43](#)
- Suggested Items list for time sheets [TimeUG-41](#)
 - adding work items to My Items
 - list [TimeUG-43](#)
 - adding work items to time sheet [TimeUG-42](#)
- Suggested Items list rules in Time Management, configuring [TimeCG-104](#)
- summary condition
 - viewing [ProjectUG-132](#)
- summary tasks [WhatsNew-25](#), [WhatsNew-39](#)

- Sun Java plug-in [SysAdmin-25](#)
- Sun Java System Web Server [SysAdmin-26](#),
[SysAdmin-101](#)
configuring [SysAdmin-106](#)
- Sun Java System Web server
enabling cookie logging on [SysAdmin-107](#)
- Sun Solaris platform, running PPM Center
on [SysAdmin-25](#)
- support
 - contacting [SysAdmin-60](#), [SysAdmin-62](#)
 - support, contacting [Upgrade-41](#)
 - supported upgrades [Upgrade-8](#)
 - swap mode [CmdTokVal-92](#)
 - swing mode, installing in [Upgrade-14](#)
 - swing mode, installing or upgrading
in [SysAdmin-57](#)
 - swing mode, upgrading in
graphical mode
upgrading in [Upgrade-36](#)
- SYNC_EXEC_INIT_WAIT_TIME
parameter [SysAdmin-266](#)
- SYNC_EXEC_MAX_POLL_TRIES
parameter [SysAdmin-266](#)
- SYNC_EXEC_POLL_INTERVAL
parameter [SysAdmin-266](#)
- synchronization
See also synchronizing.
manual scheduling
troubleshooting [ProjectUG-207](#)
units troubleshooting [ProjectUG-206](#)
- Synchronize Meta Layer report [Reports-70](#),
[RML-16](#)
- synchronizing
[RML RML-14](#), [RML-16](#), [RML-18](#)
- Sys Admin
 - Server Tools: Execute Admin Tools access
grant [SysAdmin-136](#)
 - Server Tools: Execute SQL Runner access
grant [SysAdmin-136](#)
- Sys Admin: View Server Tools access
grant [SysAdmin-136](#)

- SysAdmin
 - Migrate PPM objects access
grant [SysAdmin-186](#)
- system architecture
 - application server tier [SysAdmin-25](#)
 - client tier [SysAdmin-25](#)
- System Calendar prompt
 - installation procedure [SysAdmin-47](#)
 - upgrade procedure [Upgrade-23](#)
- system configurations [SysAdmin-27](#)
single-server [SysAdmin-27](#)
- system default regional
calendar [ResourceUG-29](#)
- system maintenance [SysAdmin-134](#)
- System Password prompt
 - installation procedure [SysAdmin-45](#)
 - upgrade procedure [Upgrade-22](#)
- system requirements
 - checking [SysAdmin-40](#)
 - Web services [SOA-24](#)
- system special commands [CmdTokVal-24](#)

T

- table component validations [CmdTokVal-118](#)
column totals [CmdTokVal-126](#)
creating rules [CmdTokVal-121](#)
defining [CmdTokVal-119](#)
rules example [CmdTokVal-122](#)
tokens [CmdTokVal-126](#)
- table components
using tokens in [CmdTokVal-59](#)
- tables
[KRSC_ORG_UNITS_INT SysAdmin-274](#)
- tables (temporary), maintaining [SysAdmin-153](#)
- tablespaces, naming during
installation [SysAdmin-46](#)
- task costs
 - automatic calculation [FinancialUG-64](#)
 - configuring actuals
calculation [FinancialUG-63](#)
 - manual entry [FinancialUG-64](#)

- roll-up [FinancialUG-66](#)
- task detail page [FinancialUG-87](#)
- time sheet roll-up [FinancialUG-65](#),
[FinancialUG-68](#)
- task filters in Time Management
 - for My Items list [TimeUG-38](#)
 - for time sheets [TimeUG-49](#)
 - for work allocations [TimeUG-103](#)
- task predecessors [ProjectUG-99](#)
- task statuses [ProjectUG-93](#)
- task work items
 - adding to My Items list [TimeUG-37](#)
 - adding to time sheet [TimeUG-46](#)
 - limitations for reporting time [TimeUG-47](#)
- TASK_ACTUAL_ROLLUP_INTERVAL
parameter [SysAdmin-266](#)
- tasks
 - adding notes [ProjectUG-102](#)
 - adding references in Project
Management [ProjectUG-169](#)
 - adding to packages [DeployUG-93](#)
 - adding to packages in the PPM
Workbench [DeployUG-74](#)
 - adding to project templates [ProjectUG-175](#)
 - adding to requests [DemandUG-53](#)
 - adding to work plans
 - overview [ProjectUG-94](#)
 - assigning [ResourceUG-91](#)
 - assigning multiple
 - resources [ResourceUG-93](#)
 - assigning resources [ProjectUG-96](#),
[ResourceUG-92](#)
 - assigning roles [ResourceUG-91](#)
 - attaching documents [ProjectUG-109](#)
 - attaching files [ProjectUG-169](#)
 - attaching packages [ProjectUG-107](#)
 - attaching references [ProjectUG-105](#)
 - attaching releases [ProjectUG-108](#)
 - attaching requests [ProjectUG-105](#)
 - attaching tasks [ProjectUG-108](#)
 - attaching to tasks [ProjectUG-108](#)
 - attaching URLs [ProjectUG-110](#),
[ProjectUG-170](#)
 - changing status [ProjectUG-110](#)
 - configuring [ProjectUG-91](#)
 - configuring in project
 - templates [ProjectUG-175](#)
 - configuring predecessors [ProjectUG-99](#)
 - configuring user data [ProjectCG-46](#)
 - deleting references [ProjectUG-172](#)
 - editing [ProjectUG-95](#)
 - exporting your schedule [ProjectUG-165](#)
 - locating my tasks [ProjectUG-156](#)
 - locating with notifications [ProjectUG-160](#)
 - referenced from requests [DemandUG-75](#)
 - searching in Project
 - Management [ProjectUG-157](#)
 - security for viewing [Security-85](#)
 - setting scheduling constraints [ProjectUG-99](#)
 - setting up notifications [ProjectUG-103](#)
 - updating [Security-92](#)
 - updating my tasks [ProjectUG-166](#)
 - using the My Tasks portlet [ProjectUG-156](#)
 - viewing and adding references in Project
Management [ProjectUG-169](#)
 - viewing and editing
 - references [ProjectUG-171](#)
 - viewing requests [DemandUG-77](#)
- tasks as references [ProgramUG-56](#)
- Team Assignment Queue portlet [TrkMgUG-27](#),
[TrkMgUG-30](#)
- Team Demand by Priority portlet [TrkMgUG-27](#),
[TrkMgUG-30](#)
- Team Manager page overview [TrkMgUG-26](#)
- Team SLA Exceptions by Dept
portlet [TrkMgUG-27](#), [TrkMgUG-32](#)
- telephone data mask [CmdTokVal-110](#)
- TEMP_DIR parameter [SysAdmin-72](#)
- temporary log files [SysAdmin-152](#)
- temporary tables, maintaining [SysAdmin-153](#)
- testing
 - custom portlets and validations for
performance [Upgrade-41](#)
- text areas in object types [DeployCG-143](#)
- text fields

- configuring [CmdTokVal-103](#)
- currency [CmdTokVal-104](#)
- custom format [CmdTokVal-105](#)
- format masks [CmdTokVal-104](#)
- numeric [CmdTokVal-104](#)
- percentage [CmdTokVal-105](#)
- telephone [CmdTokVal-105](#)
- third-party applications, billing [TimeUG-18](#),
[TimeCG-17](#)
- THREAD_POOL_MAX_THREADS
 - parameter [SysAdmin-172](#), [SysAdmin-266](#)
- THREAD_POOL_MIN_THREADS
 - parameter [SysAdmin-172](#), [SysAdmin-267](#)
- threads running in the server, report providing
information about [SysAdmin-141](#)
- throughput, improving [SysAdmin-166](#)
- time
 - approving
 - See* approving time on time sheets.
 - rejecting
 - See* rejecting time on time sheets.
 - reporting
 - See* reporting time on time sheets.
 - reviewing on time sheets [TimeUG-80](#)
- time approvers, configuring default for
resources [TimeCG-53](#)
- time, approving
 - See* approving time on time sheets.
- Time Breakdown tab of time sheets [TimeUG-52](#)
- Time Management [TimeUG-14](#), [TimeCG-14](#)
 - configuring [TimeCG-19](#)
 - integration with Project Management
 - See* integration of Time Management
and Project Management.
 - process [TimeUG-15](#), [TimeCG-15](#)
 - special commands [SOA-53](#)
 - version 7 features [WhatsNew-24](#)
 - version 7 functional impacts [WhatsNew-45](#)
 - Web services [SOA-50](#)
 - Web services support [WhatsNew-32](#)
 - Web services, replaced [SOA-50](#)
 - WSDL [SOA-143](#)
 - XSD [SOA-144](#)
- Time Management integration
 - enabling [ProjectUG-211](#)
 - general considerations [ProjectUG-210](#)
 - My Tasks portlet integration [ProjectUG-167](#)
 - overview [ProjectUG-210](#)
 - using My Tasks portlet [ProjectUG-212](#)
- Time Management reports [Reports-19](#),
[Reports-159](#)
- time periods [TimeCG-24](#)
 - creating [TimeCG-26](#)
 - period types, enabling or
disabling [TimeCG-24](#)
 - version 7 features [WhatsNew-23](#),
[WhatsNew-25](#)
- time rejection notification,
configuring [TimeCG-39](#)
- Time Sheet Details report [Reports-165](#)
- time sheet lines [TimeUG-22](#)
 - adding notes [TimeUG-59](#)
 - adding to time sheets [TimeUG-31](#),
[TimeUG-69](#)
 - approvers [TimeUG-58](#), [TimeUG-80](#)
 - deleting from time sheets [TimeUG-51](#)
 - details [TimeUG-57](#)
 - history [TimeUG-58](#)
 - reworking [TimeUG-69](#)
 - statuses summary [TimeUG-64](#)
 - transaction history [TimeUG-58](#)
 - understanding in detail [TimeUG-27](#)
- time sheet lines, how approvers are
determined [TimeCG-52](#)
- time sheet policies [TimeCG-28](#)
 - Activities tab [TimeCG-29](#)
 - Charge Codes tab [TimeCG-29](#)
 - configuring Activities tab [TimeCG-48](#)
 - configuring charge codes in [TimeCG-46](#),
[TimeCG-66](#)
 - configuring Charge Codes tab [TimeCG-46](#)
 - configuring general
information [TimeCG-31](#)
 - configuring global policy [TimeCG-49](#)

- configuring Min/Max Enforcement
 - tab [TimeCG-42](#)
- configuring Notifications tab [TimeCG-34](#)
- configuring resources [TimeCG-53](#)
- configuring Time Sheet Policy
 - tab [TimeCG-31](#)
- creating [TimeCG-29](#)
- Min/Max Enforcement tab [TimeCG-29](#)
- Notifications tab [TimeCG-28](#)
- Time Sheet Policy tab [TimeCG-28](#)
- Time Sheet Policy tab of time sheet
 - policy [TimeCG-28](#)
 - configuring [TimeCG-31](#)
- Time Sheet Summary report [Reports-167](#)
- time sheets [TimeUG-22](#)
 - adding miscellaneous work items [TimeUG-51](#)
 - adding package work items [TimeUG-45](#)
 - adding request work items [TimeUG-43](#)
 - adding task work items [TimeUG-46](#)
 - adding work items (lines) [TimeUG-31](#)
 - adding work items from My Items list [TimeUG-41](#)
 - adding work items from Suggested Items list [TimeUG-42](#)
 - Additional Information tab [TimeUG-56](#)
 - approvals and transaction details [TimeUG-62](#)
 - approving
 - See approving time on time sheets.*
 - audit trail [TimeUG-73](#)
 - cancelling [TimeUG-17](#), [TimeCG-17](#)
 - cancelling, procedure [TimeUG-71](#)
 - closing [TimeUG-18](#), [TimeUG-94](#), [TimeCG-18](#)
 - closing, procedure [TimeUG-95](#)
 - configuring reminders to submit [TimeCG-35](#)
 - copying [TimeUG-70](#)
 - creating [TimeUG-16](#), [TimeCG-16](#)
 - creating, procedure [TimeUG-24](#)
 - deleting work items (lines) [TimeUG-51](#)
 - delinquent [TimeUG-90](#)
 - editing [TimeUG-68](#)
 - freezing [TimeUG-17](#), [TimeUG-94](#), [TimeCG-17](#)
 - freezing, procedure [TimeUG-95](#)
 - history [TimeUG-62](#)
 - policies [TimeUG-74](#)
 - printing [TimeUG-72](#)
 - Project Fields tab [TimeUG-55](#)
 - searching [TimeUG-65](#)
 - statuses summary [TimeUG-64](#)
 - submitting [TimeUG-61](#)
 - Time Breakdown tab [TimeUG-52](#)
 - transaction history [TimeUG-62](#)
 - understanding in detail [TimeUG-27](#)
 - version 7 license impacts [WhatsNew-48](#)
- time zones recognized by the client, report
 - providing information about [SysAdmin-139](#)
- TIME_ZONE parameter [SysAdmin-267](#)
- TimeExportService [SOA-53](#)
- Timeline tab of Scenario Details [PortfolioUG-77](#)
- timeouts in workflow steps [DeployCG-76](#), [DemandCG-71](#)
- Timestamp
 - Web services [SOA-29](#)
- TMG_DATE_NOTIFICATION_INTERVAL
 - parameter [SysAdmin-267](#)
- TMG_FUTURE_PERIODS_TO_ALLOW
 - parameter [SysAdmin-267](#)
- TMG_PAST_PERIODS_TO_ALLOW
 - parameter [SysAdmin-267](#)
- token
 - evaluation example [CmdTokVal-100](#)
- Token Builder
 - using [CmdTokVal-65](#)
- token builder
 - about [CmdTokVal-50](#)
- token evaluation [CmdTokVal-49](#)
- tokens [DocMgmt-163](#)
 - AUTHOR [DocMgmt-163](#)
 - building [CmdTokVal-56](#), [CmdTokVal-65](#)
 - default format [CmdTokVal-54](#)

DESCRIPTION [DocMgmt-163](#)
 DOC_HISTORY [DocMgmt-163](#)
 DOC_LINK [DocMgmt-163](#)
 environment tokens [CmdTokVal-63](#)
 explicit entity format [CmdTokVal-55](#)
 field groups [CmdTokVal-203](#)
 for use with commands [CmdTokVal-162](#)
 formats [CmdTokVal-51](#)
 LAST_CHECK_IN_DATE [DocMgmt-163](#)
 LAST_CHECKED_IN_BY [DocMgmt-163](#)
 LAST_CHECKED_IN_BY_
 NAME [DocMgmt-163](#)
 nesting within tokens [CmdTokVal-56](#)
 overview [CmdTokVal-48](#)
 parameter format [CmdTokVal-58](#)
 request fields [CmdTokVal-59](#)
 sub-entity format [CmdTokVal-62](#)
 user data format [CmdTokVal-57](#)
 using in notifications [DeployCG-74](#),
 [DemandCG-70](#)
 version 7 upgrade impacts [WhatsNew-76](#)
 where to use [CmdTokVal-48](#)
 toolkit, Web services [SOA-75](#)
 Total Exposure portlet [FinancialUG-89](#)
 Trace Call Stack setting, Server Setting
 window [SysAdmin-147](#)
 Trace Exception setting, Server Setting
 window [SysAdmin-147](#)
 Trace SQL setting, Server Setting
 window [SysAdmin-147](#)
 tracing parameters
 setting [SysAdmin-143](#)
 tracking preferences in Portfolio Management,
 configuring [PortfolioCG-16](#)
 transaction details in Time Management
 See transaction history in Time
 Management.
 transaction history [DemandUG-28](#)
 transaction history in Time Management
 time sheet lines [TimeUG-58](#)
 time sheets [TimeUG-62](#)
 transfer directory [SysAdmin-289](#)
 transfer protocols
 configuration notes for
 environments [DeployCG-183](#)
 for environments [DeployCG-183](#)
 TRANSFER_PATH parameter [SysAdmin-117](#),
 [SysAdmin-268](#)
 transitions
 back to same step [DeployCG-84](#),
 [DemandCG-78](#)
 based on workflow results [DeployCG-86](#),
 [DemandCG-81](#)
 configuring for specific
 results [DeployCG-79](#), [DemandCG-74](#)
 configuring for workflow
 steps [DeployCG-78](#), [DemandCG-73](#)
 configuring for workflow steps based on all
 but one specific value [DeployCG-81](#),
 [DemandCG-76](#)
 configuring for workflow steps based on all
 results [DeployCG-82](#), [DemandCG-77](#)
 configuring for workflow steps based on
 data [DeployCG-81](#), [DemandCG-76](#)
 configuring for workflow steps based on
 errors [DeployCG-82](#), [DemandCG-77](#)
 configuring not based on specific
 results [DeployCG-81](#), [DemandCG-76](#)
 to and from subworkflows [DeployCG-88](#),
 [DemandCG-82](#)
 troubleshooting
 instance migrations [SysAdmin-222](#)
 Organization Unit Open
 Interface [OpenAPI-63](#)
 Package Open Interface [OpenAPI-103](#)
 Request Open Interface [OpenAPI-82](#)
 User Open Interface [OpenAPI-43](#)
 Workflow Transaction Open
 Interface [OpenAPI-128](#)
 TURN_ON_NOTIFICATIONS
 parameter [SysAdmin-172](#), [SysAdmin-268](#)
 TURN_ON_SCHEDULER
 parameter [SysAdmin-172](#), [SysAdmin-268](#)
 TURN_ON_WF_TIMEOUT_REAPER
 parameter [SysAdmin-172](#), [SysAdmin-268](#)

U

UNIX

- backing up the file system [Upgrade-20](#)
- configuring Content Server on [DocMgmt-60](#)
- configuring the connection broker
 - on [DocMgmt-135](#)
- configuring the index agent on [DocMgmt-81](#)
- creating PPM Center users in [SysAdmin-51](#)
- installation owner group [DocMgmt-51](#)
- installing Content Server on [DocMgmt-49](#),
[DocMgmt-56](#)
- installing full-text indexing on [DocMgmt-78](#)
- installing on [SysAdmin-57](#)
- installing the DFC [DocMgmt-97](#)
- preparing to install Content Server [DocMgmt-50](#)
- required accounts for Content Server [DocMgmt-51](#)
- required individual accounts [DocMgmt-51](#)
- required installation owner account [DocMgmt-52](#)
- required repository owner account [DocMgmt-52](#)
- setting environment variables for the DFC [DocMgmt-92](#)
- setting the JAVA_HOME Parameter in [SysAdmin-50](#)
- stopping the connection broker
 - on [DocMgmt-65](#)
- upgrading Content Server on [DocMgmt-132](#)
- upgrading on [Upgrade-36](#)
- update [SOA-18](#), [SOA-41](#), [SOA-155](#)
- updateActualTime [SOA-53](#)
- updateCostRules [SOA-18](#), [SOA-43](#)
- updateProject [SOA-17](#), [SOA-40](#)
- updateRemoteReference [SOA-19](#), [SOA-43](#),
[SOA-48](#), [SOA-49](#)
- updateResourcePools [SOA-18](#), [SOA-41](#)
- updateTaskActuals [SOA-17](#), [SOA-40](#)
- updating
 - package references in the PPM Workbench [DeployUG-103](#)
 - requests [DemandUG-58](#)
- updating database tables for work item filters in Time Management [TimeCG-89](#)
- updating my tasks [ProjectUG-166](#)
- updating tasks [ProjectUG-155](#)
- upgrade
 - follow-up activities [WhatsNew-56](#)
 - improving performance during [Upgrade-27](#)
 - preparing [WhatsNew-56](#)
- upgrade.exe file [Upgrade-33](#)
- upgrade.sh script [Upgrade-36](#)
- upgrade_710 directory [Upgrade-33](#)
- upgrading
 - accessing the upgrade files [Upgrade-24](#)
 - backing up customizations [Upgrade-18](#)
 - backing up the file system [Upgrade-19](#)
 - configuring the FTP server [Upgrade-39](#)
 - Deployment Management
 - Extensions [Upgrade-10](#)
 - Document Management
 - module [Upgrade-10](#)
 - exporting the database schema [Upgrade-21](#)
 - high-level tasks [Upgrade-9](#)
 - installing the latest service pack [Upgrade-10](#)
 - language packs [Upgrade-12](#)
 - modifying database parameters before upgrading [Upgrade-27](#)
 - on UNIX [Upgrade-36](#)
 - on Windows [Upgrade-33](#)
 - preparing for [Upgrade-18](#)
 - retaining customized request types [Upgrade-12](#)
 - server clusters [Upgrade-32](#)
 - verifying [Upgrade-39](#)
- uriworkermap.properties file
 - configuring [SysAdmin-105](#)
- URL for PPM Center [SysAdmin-79](#)
- URLS
 - attaching to tasks [ProjectUG-110](#)
- URLs
 - adding to packages [DeployUG-94](#)

- adding to packages in the PPM Workbench [DeployUG-75](#)
- adding to requests [DemandUG-54](#)
- URLs as references [ProgramUG-58](#)
- use-case scenario [DocMgmt-15](#)
- user access to scenario
 - comparisons [PortfolioUG-94](#)
- user data [DeployCG-18](#), [DemandCG-17](#)
 - adding to work items [TimeUG-60](#)
 - changing column widths [DeployCG-251](#), [DemandCG-231](#)
 - configuring [ProjectCG-46](#)
 - configuring default values for a custom user field [ProgramCG-35](#)
 - configuring field
 - dependencies [DeployCG-247](#), [DemandCG-227](#)
 - configuring fields [DeployCG-246](#), [DemandCG-226](#)
 - configuring general information [DeployCG-239](#), [DemandCG-219](#)
 - configuring in Time Management [TimeCG-98](#)
 - configuring layouts [DeployCG-250](#), [DemandCG-230](#)
 - copying fields [DeployCG-245](#), [DemandCG-225](#)
 - creating fields [DeployCG-241](#), [DemandCG-221](#)
 - defining [DeployCG-41](#), [DemandCG-39](#)
 - deleting fields [DeployCG-250](#), [DemandCG-230](#)
 - editing fields [DeployCG-246](#), [DemandCG-226](#)
 - field dependencies [DeployCG-247](#), [DemandCG-227](#)
 - migrating [DeployCG-237](#), [DemandCG-217](#)
 - moving fields [DeployCG-251](#), [DemandCG-231](#)
 - opening Workbench [DeployCG-238](#), [DemandCG-218](#)
 - overview [DeployCG-236](#), [DeployCG-238](#), [DemandCG-216](#), [DemandCG-218](#), [ProgramCG-30](#)
 - previewing the layout [DeployCG-252](#), [DemandCG-232](#)
 - referring to [DeployCG-237](#), [DemandCG-217](#), [ProgramCG-31](#)
 - removing fields [DeployCG-250](#), [DemandCG-230](#)
 - swapping field positions [DeployCG-252](#), [DemandCG-232](#)
 - workbench [ProjectCG-46](#)
- User Data Context Migrator [SysAdmin-203](#)
- user data contexts, migrating [SysAdmin-177](#)
- User Data Detail report [Reports-71](#)
- User Data tab for work item details [TimeUG-60](#)
- User Detail report [Reports-72](#)
- User Open Interface [OpenAPI-18](#)
 - configuring the LDAP server [OpenAPI-40](#)
 - data model [OpenAPI-18](#)
 - Import Users report [OpenAPI-32](#), [OpenAPI-40](#)
- LDAP
 - configuring the LDAP server [OpenAPI-39](#)
 - loading data for simple import [OpenAPI-25](#)
 - running a simple import [OpenAPI-19](#)
 - running an LDAP import [OpenAPI-38](#)
 - security groups [OpenAPI-19](#), [OpenAPI-38](#)
 - troubleshooting [OpenAPI-43](#)
- user roles [Security-157](#)
- USER_DEBUG_LEVEL
 - parameter [SysAdmin-151](#)
- USER_PASSWORD_MAX_LENGTH
 - parameter [SysAdmin-269](#)
- USER_PASSWORD_MIN_DIGITS
 - parameter [SysAdmin-269](#)
- USER_PASSWORD_MIN_LENGTH
 - parameter [SysAdmin-269](#)
- USER_PASSWORD_MIN_SPECIAL
 - parameter [SysAdmin-269](#)
- user-defined special commands [CmdTokVal-24](#)

- UsernameToken profile [SOA-24](#), [SOA-30](#)
- users
 - creating [Security-20](#)
 - importing [OpenAPI-18](#)
 - importing from a database or LDAP [Security-28](#)
 - linking to security groups [Security-25](#)
 - resource information [Security-28](#)
 - restricting [Security-57](#)
- users logged on to the server, report providing information about [SysAdmin-140](#)
- using
 - application codes
 - environments [DeployCG-192](#)
 - commands to change object type fields [DeployCG-154](#)
 - Program Project List portlet [ProgramUG-82](#)
 - smart URLs in notifications [DeployCG-75](#), [DemandCG-70](#)
 - tokens in notifications [DeployCG-74](#), [DemandCG-70](#)
 - workflow step source restrictions [DeployCG-103](#), [DemandCG-97](#)
- using project templates [ProjectUG-173](#)

V

- v_\$session, granting select privileges to [SysAdmin-88](#), [Upgrade-32](#)
- validating
 - Organization Unit Open Interface LDAP import [OpenAPI-62](#)
 - Organization Unit Open Interface simple import [OpenAPI-58](#)
 - Package Open Interface import [OpenAPI-102](#)
 - Request Open Interface import [OpenAPI-82](#)
 - User Open Interface LDAP import [OpenAPI-40](#)
 - User Open Interface simple import [OpenAPI-37](#)

- Workflow Transaction Open Interface import [OpenAPI-128](#)
- Validation Migrator [SysAdmin-204](#)
- VALIDATION_LOG_DIR
 - parameter [SysAdmin-269](#)
- validations [ResourceUG-18](#), [CmdTokVal-74](#)
 - accessing through packages and requests [CmdTokVal-71](#)
 - command [CmdTokVal-81](#)
 - command with delimited output [CmdTokVal-94](#)
 - command with fixed width output [CmdTokVal-96](#)
 - configuring for static lists [CmdTokVal-76](#)
 - configuring for workflow steps [DeployCG-89](#), [DemandCG-83](#)
 - configuring workflow steps with execution types [DeployCG-90](#), [DemandCG-84](#)
 - creating [CmdTokVal-74](#)
 - date format [CmdTokVal-117](#)
 - defined [CmdTokVal-68](#)
 - directory chooser [CmdTokVal-113](#)
 - dynamic list [CmdTokVal-78](#)
 - file chooser [CmdTokVal-114](#)
 - file chooser (static environment override) [CmdTokVal-115](#)
 - file chooser (token-based environment override) [CmdTokVal-115](#)
 - list of all [CmdTokVal-73](#)
 - overview [CmdTokVal-69](#)
 - seeded [CmdTokVal-73](#)
 - special characters and [CmdTokVal-72](#)
 - SQL [CmdTokVal-79](#)
 - SQL tips [CmdTokVal-80](#)
 - system [CmdTokVal-73](#)
 - table component [CmdTokVal-118](#)
 - testing custom validations for performance [Upgrade-41](#)
 - text area 1800 [CmdTokVal-117](#)
 - version 7 upgrade impacts [WhatsNew-77](#)
- validations in jump/receive workflow steps [DeployCG-95](#), [DemandCG-89](#)
- validations in Time Management [TimeCG-92](#)

- adding values [TimeCG-93](#)
- configuring SQL validations for work item filters [TimeCG-87](#)
- copying values [TimeCG-95](#)
- Validations report [Reports-74](#)
- validations, migrating [SysAdmin-177](#)
- Value Ratings for portfolio scores [PortfolioUG-41](#)
- values
 - adding to validations in Time Management [TimeCG-93](#)
 - copying from validations in Time Management [TimeCG-95](#)
- verifying
 - integration of external Web server and the PPM Server [SysAdmin-114](#)
 - releases [DeployCG-175](#)
- verifying workflows [DeployCG-56](#), [DemandCG-53](#)
- version 6.0
 - WSDL [SOA-63](#)
- Version Control
 - integrating with Deployment Management [DeployUG-23](#)
- version information for attached documents [DocMgmt-156](#)
- View Reports [Reports-30](#)
- viewing
 - documentation [GetStart-18](#)
 - package status in the PPM Workbench [DeployUG-96](#)
 - portfolio [PortfolioUG-34](#)
 - portlet data sources [CreateP&M-24](#)
 - portlet definitions [CreateP&M-44](#)
 - previously submitted reports [Reports-28](#)
 - product information [GetStart-18](#)
 - running reports [Reports-33](#)
 - scenario comparisons [PortfolioUG-66](#)
 - technical status of the PPM Server [SysAdmin-136](#)
 - user access information [GetStart-19](#)
 - version [GetStart-19](#)

- viewing audit trail of a time sheet [TimeUG-73](#)
- viewing programs [ProgramUG-33](#)
- viewing resource information [ProjectUG-164](#)
- viewing resource pools [ResourceUG-59](#)
- viewing staffing profiles [ResourceUG-70](#)
- viewing work items [ResourceUG-103](#)
- views
 - RML (Reporting Meta Layer) [RML-11](#)
- visibility field behavior in request types [DemandCG-130](#)
- VISUALIZATION_EXEC_TIMEOUT parameter [SysAdmin-269](#)
- visualizing assignments [ResourceUG-105](#)

W

- Web browser
 - setting [SysAdmin-91](#)
- Web port (external), choosing [SysAdmin-102](#)
- Web remote single sign-on implementing with PPM Center [SysAdmin-128](#)
- Web servers
 - Apache HTTP Server [SysAdmin-26](#), [SysAdmin-101](#)
 - enabling SSL on [SysAdmin-113](#)
 - Microsoft IIS [SysAdmin-26](#), [SysAdmin-101](#)
 - Sun Java System Web Server [SysAdmin-26](#), [SysAdmin-101](#)
- Web servers (external)
 - configuring [SysAdmin-101](#)
- Web services
 - See also* operations.
 - application modules, for [SOA-38](#)
 - configuring PPM Server [SOA-25](#)
 - configuring security [SOA-84](#)
 - integration [WhatsNew-48](#), [SOA-58](#)
 - invoking [SOA-82](#)
 - Java stubs [SOA-78](#)
 - sample, .NET [SOA-87](#)
 - sample, Java [SOA-78](#)
 - specification [SOA-61](#), [SOA-63](#)

- version 7 features [WhatsNew-31](#)
- version 7 functional impacts [WhatsNew-48](#)
- WSDL [SOA-61](#), [SOA-63](#)
- XSD [SOA-62](#)
- Web Services Definition Language
 - See* [WSDL](#).
- WEB_SESSION_TRACKING
 - parameter [SysAdmin-170](#)
- WF_SCHEDULED_TASK_INTERVAL
 - parameter [SysAdmin-172](#), [SysAdmin-269](#)
- WF_SCHEDULED_TASK_PRIORITY
 - parameter [SysAdmin-172](#), [SysAdmin-269](#)
- WF_TIMEOUT_REAPER_INTERVAL
 - parameter [SysAdmin-172](#), [SysAdmin-270](#)
- what-if analysis [PortfolioUG-46](#)
 - creating a scenario
 - comparison [PortfolioUG-47](#)
 - using scenario comparison
 - results [PortfolioUG-54](#)
- Windows
 - creating PPM Center users in [SysAdmin-51](#)
 - installing DFC on [DocMgmt-95](#)
 - installing on [SysAdmin-55](#)
 - running PPM Center on [SysAdmin-25](#)
 - setting the PATH environment
 - variable [DocMgmt-40](#)
 - upgrading on [Upgrade-33](#)
- Windows Service Name prompt, installation
 - procedure [SysAdmin-47](#)
- wizards
 - Create Portlet Definition [CreateP&M-55](#)
 - Import Portlet Definition [CreateP&M-67](#),
[CreateP&M-70](#)
- Work Allocation Details report [Reports-170](#)
- work allocations [TimeUG-100](#)
 - adding charge codes to [TimeUG-107](#)
 - adding notes to [TimeUG-106](#)
 - adding resources to [TimeUG-106](#)
 - closing [TimeUG-108](#)
 - configuring charge codes in [TimeCG-66](#)
 - creating [TimeUG-16](#), [TimeUG-100](#),
[TimeCG-16](#)
 - procedure [TimeUG-101](#)
 - deleting [TimeUG-108](#)
 - editing [TimeUG-108](#)
 - filters [TimeUG-102](#)
 - searching [TimeUG-108](#)
- work item details [TimeUG-57](#)
 - Approvals/Transaction Details
 - tab [TimeUG-58](#)
 - Charge Codes/Activities tab [TimeUG-57](#)
 - Notes tab [TimeUG-59](#)
 - User Data tab [TimeUG-60](#)
- work item filters for time sheets [TimeCG-80](#)
 - adding fields [TimeCG-82](#)
 - prerequisites to adding fields [TimeCG-83](#)
- work items [TimeUG-19](#)
 - See also* time sheet lines.
 - adding to My Items list [TimeUG-33](#)
 - adding to time sheets [TimeUG-31](#)
 - deleting from time sheets [TimeUG-51](#)
 - my requests portlet [ResourceUG-104](#)
 - my tasks portlet [ResourceUG-103](#)
 - personal visualizations [ResourceUG-104](#)
 - request fields setup [ResourceUG-31](#)
 - viewing [ResourceUG-103](#)
 - visualizing assignments [ResourceUG-105](#)
- work items for time sheets [TimeCG-18](#)
- work plan
 - editing information [Security-91](#)
- work plan costs
 - automatic task cost actuals [FinancialUG-64](#)
 - configuring [FinancialUG-60](#)
 - configuring actuals
 - calculations [FinancialUG-63](#)
 - cumulative cost metrics [FinancialUG-70](#)
 - earned value analysis [FinancialUG-75](#)
 - manual actuals [FinancialUG-64](#)
 - project cost summary [FinancialUG-86](#)
 - project current cost metrics [FinancialUG-73](#)
 - task detail page [FinancialUG-87](#)
 - task roll-up [FinancialUG-66](#)
 - time sheet roll-up [FinancialUG-65](#),
[FinancialUG-68](#)

- work plan execution
 - analyzing project staffing [ResourceUG-94](#)
 - assigning multiple resources to tasks [ResourceUG-93](#)
 - assigning resources to tasks [ResourceUG-92](#)
 - assigning roles to tasks [ResourceUG-91](#)
 - assigning tasks [ResourceUG-91](#)
 - comparing capacity to load [ResourceUG-94](#)
 - my tasks portlet [ResourceUG-103](#)
 - overview [ResourceUG-88](#)
 - resource usage view [ResourceUG-95](#)
- work plan page
 - keyboard shortcuts [ProjectUG-74](#)
- work plan templates
 - version 7 features [WhatsNew-16](#)
 - version 7 functional impacts [WhatsNew-43](#)
- work plan to template conversion
 - details [ProjectUG-177](#)
- work plans
 - activity inheritance
 - behavior [FinancialUG-85](#)
 - associating with project
 - budgets [FinancialUG-48](#)
 - cancelling [ProjectUG-152](#)
 - changing % complete [ProjectUG-125](#)
 - changing predecessors [ProjectUG-126](#)
 - changing scheduled duration [ProjectUG-125](#)
 - changing scheduled finish [ProjectUG-125](#)
 - changing scheduled start [ProjectUG-125](#)
 - comparing to staffing
 - profiles [ResourceUG-85](#)
 - completing [ProjectUG-152](#)
 - concurrent editing [ProjectUG-127](#)
 - conversion to template
 - details [ProjectUG-177](#)
 - creating template from [ProjectUG-176](#)
 - cumulative cost metrics [FinancialUG-70](#)
 - current cost metrics [FinancialUG-73](#)
 - date controls [ProjectUG-145](#)
 - earned value analysis [FinancialUG-75](#)
 - exporting to Microsoft Excel
 - files [ProjectUG-149](#)
 - exporting to PDF files [ProjectUG-148](#)
 - managing [ProjectUG-111](#)
 - Microsoft Project integration [WhatsNew-43](#)
 - overview on viewing [ProjectUG-160](#)
 - participant activities [ProjectUG-155](#)
 - printing Gantt chart [ProjectUG-148](#)
 - revising [ProjectUG-116](#)
 - searching for [ProjectUG-131](#)
 - searching in Project
 - Management [ProjectUG-158](#)
 - setup overview [ProjectUG-114](#)
 - statuses [ProjectUG-117](#)
 - tracking history [ProjectUG-150](#)
 - updating dependencies [ProjectUG-125](#)
 - updating scheduling [ProjectUG-125](#)
 - updating statuses [ProjectUG-125](#)
 - using activities [FinancialUG-85](#)
 - version 7 features [WhatsNew-16](#)
 - version 7 functional impacts [WhatsNew-38](#), [WhatsNew-44](#)
 - version 7 upgrade impacts [WhatsNew-54](#), [WhatsNew-58](#)
 - viewing and modifying
 - hierarchy [ProjectUG-116](#)
 - viewing capital expense
 - data [FinancialUG-86](#)
 - viewing operating expense
 - data [FinancialUG-86](#)
 - work plans and programs [ProjectUG-136](#)
- WORKAREA_SIZE_POLICY database
 - parameter [SysAdmin-87](#)
- WORKAREA_SIZE_POLICY
 - parameter [SysAdmin-270](#)
- Workbench
 - closing [GetStart-62](#)
 - configuring to run as an applet
 - running as a Java applet [SysAdmin-89](#)
 - information for users [SysAdmin-91](#)
 - navigating [GetStart-70](#)
 - opening [GetStart-62](#)
 - running with secure RMI [SysAdmin-90](#)
 - server tools available in [SysAdmin-136](#)
 - starting [SysAdmin-92](#)
 - version 7 features [WhatsNew-34](#)

Workbench, Report Types [Reports-174](#)
 WORKBENCH_PLUGIN_VERSION
 parameter [SysAdmin-270](#)
 worker.list parameter [SysAdmin-104](#)
 workers.properties file
 configuring [SysAdmin-102](#)
 workflow
 step security [Security-64](#)
 workflow customization considerations in
 Portfolio Management [PortfolioCG-40](#)
 creating assets from projects [PortfolioCG-43](#)
 creating projects from
 proposals [PortfolioCG-42](#)
 request statuses [PortfolioCG-41](#)
 workflow steps [PortfolioCG-41](#)
 Workflow Detail report [Reports-75](#)
 workflow engine [SysAdmin-25](#)
 Workflow Migrator [SysAdmin-205](#)
 Workflow Statistics report [Reports-77](#)
 workflow step security [Security-64](#)
 workflow steps
 AND condition [DeployCG-53](#),
 [DemandCG-51](#)
 choosing [DeployCG-51](#), [DemandCG-49](#)
 closing [DeployCG-54](#), [DemandCG-52](#)
 condition [DeployUG-20](#), [DeployCG-53](#),
 [DemandCG-51](#)
 configuring [DeployCG-57](#), [DemandCG-54](#)
 configuring first step [DeployCG-56](#),
 [DemandCG-53](#)
 configuring general
 information [DeployCG-58](#),
 [DemandCG-56](#)
 configuring notification
 messages [DeployCG-73](#), [DemandCG-68](#)
 configuring notification
 setup [DeployCG-65](#), [DemandCG-61](#)
 configuring notifications [DeployCG-63](#),
 [DemandCG-60](#)
 configuring security [DeployCG-59](#),
 [DeployCG-62](#), [DemandCG-56](#),
 [DemandCG-58](#)
 configuring sequences [DeployCG-55](#),
 [DemandCG-52](#)
 configuring step source
 ownership [DeployCG-106](#),
 [DemandCG-100](#)
 configuring subworkflows [DeployCG-116](#),
 [DemandCG-110](#)
 configuring timeouts [DeployCG-76](#),
 [DemandCG-71](#)
 configuring to and from
 subworkflows [DeployCG-88](#),
 [DemandCG-82](#)
 configuring transitions [DeployCG-78](#),
 [DemandCG-73](#)
 configuring transitions based on all but one
 specific value [DeployCG-81](#),
 [DemandCG-76](#)
 configuring transitions based on all
 results [DeployCG-82](#), [DemandCG-77](#)
 configuring transitions based on
 data [DeployCG-81](#), [DemandCG-76](#)
 configuring transitions based on
 errors [DeployCG-82](#), [DemandCG-77](#)
 configuring transitions based on
 results [DeployCG-86](#), [DemandCG-81](#)
 configuring transitions based on specific
 results [DeployCG-79](#), [DemandCG-74](#)
 configuring transitions not based on
 specific results [DeployCG-81](#),
 [DemandCG-76](#)
 configuring validations [DeployCG-89](#),
 [DemandCG-83](#)
 configuring validations and execution
 types [DeployCG-90](#), [DemandCG-84](#)
 creating decision sources [DeployCG-107](#),
 [DemandCG-101](#)
 decision [DeployUG-20](#), [DeployCG-53](#),
 [DemandCG-50](#)
 disabling [DeployCG-125](#), [DemandCG-118](#)
 execution [DeployUG-20](#), [DeployCG-53](#),
 [DemandCG-51](#)
 execution set up rules [DeployCG-116](#),
 [DemandCG-110](#)

- moving packages out of
 - steps [DeployCG-126](#), [DemandCG-119](#)
- moving requests out of
 - steps [DeployCG-126](#), [DemandCG-119](#)
- OR condition [DeployCG-53](#), [DemandCG-51](#)
- ready to release [DeployCG-171](#)
- restrictions [DeployCG-103](#), [DemandCG-97](#)
- security [Security-64](#)
- segregation of duties [DeployUG-48](#)
- sources overview [DeployCG-102](#),
[DemandCG-96](#)
- subworkflow [DeployUG-20](#), [DeployCG-54](#),
[DemandCG-51](#)
- using smart URLs in
 - notifications [DeployCG-75](#),
[DemandCG-70](#)
- using tokens in notifications [DeployCG-74](#),
[DemandCG-70](#)
- workflow steps in process customization in
Portfolio Management [PortfolioCG-41](#)
- Workflow Transaction Open
 - Interface [OpenAPI-106](#)
 - data model [OpenAPI-108](#)
 - INSERT_ROW procedure [OpenAPI-113](#)
 - KWFL_TXN_INT package [OpenAPI-113](#)
 - loading data [OpenAPI-109](#)
 - loading parameters [OpenAPI-113](#)
 - Run Workflow Transaction Interface
report [OpenAPI-125](#)
 - running an import [OpenAPI-109](#)
 - troubleshooting [OpenAPI-128](#)
- workflow transaction parameters
 - for changing step result [OpenAPI-122](#)
 - for decision step delegation [OpenAPI-118](#)
 - for decision step results [OpenAPI-117](#)
 - for execution step [OpenAPI-119](#)
 - for execution step bypass [OpenAPI-121](#)
 - for execution step schedule [OpenAPI-120](#)
 - for forced workflow step
transition [OpenAPI-123](#)
 - for package line or request
cancellation [OpenAPI-124](#)
 - for package or request
submission [OpenAPI-116](#)
 - used for all events [OpenAPI-115](#)
- workflows [DeployCG-18](#), [DemandCG-17](#)
 - added to request types [DemandCG-171](#)
 - adjusting step sequence [DeployCG-55](#),
[DemandCG-52](#)
 - AND condition workflow
 - steps [DeployCG-53](#), [DemandCG-51](#)
 - associating security groups
with [ProgramCG-48](#)
 - checklist [DeployCG-31](#), [DemandCG-29](#)
 - choosing steps [DeployCG-51](#),
[DemandCG-49](#)
 - closing [DeployCG-54](#), [DemandCG-52](#)
 - condition steps [DemandCG-27](#)
 - condition workflow steps [DeployCG-53](#),
[DemandCG-51](#)
 - configuration [ProgramCG-26](#)
 - configured to request types [DemandCG-171](#)
 - configuring for Program
Management [ProgramCG-17](#)
 - configuring notification messages for
workflow steps [DeployCG-73](#),
[DemandCG-68](#)
 - configuring notification setup for workflow
steps [DeployCG-65](#), [DemandCG-61](#)
 - configuring notifications for workflow
steps [DeployCG-63](#), [DemandCG-60](#)
 - configuring security for workflow
steps [DeployCG-59](#), [DemandCG-56](#)
 - configuring workflow steps [DeployCG-57](#),
[DeployCG-58](#), [DemandCG-54](#),
[DemandCG-56](#)
 - creating [DeployCG-50](#), [DemandCG-48](#)
 - creating parameters [DeployCG-118](#),
[DemandCG-111](#)
 - creating step source [DeployCG-104](#),
[DemandCG-98](#)
 - creating subworkflows [DeployCG-116](#),
[DemandCG-110](#)
 - decision steps [DemandCG-24](#)

decision workflow steps [DeployCG-53](#),
 [DemandCG-50](#)
 defining [DeployCG-25](#)
 definition [DeployUG-20](#), [DemandUG-16](#)
 deleted from request types [DemandCG-173](#)
 DEM - Bug Request [TrkMgUG-15](#)
 DEM - Database Refresh [TrkMgUG-15](#)
 DEM - Enhancement Request
 Process [TrkMgUG-15](#)
 DEM - Project Initiative
 Process [TrkMgUG-15](#)
 deprecating [SysAdmin-209](#)
 design guidelines [DemandCG-29](#)
 disabling workflow steps [DeployCG-125](#),
 [DemandCG-118](#)
 distribution [DeployCG-158](#)
 dragging and dropping [DeployCG-51](#),
 [DemandCG-49](#)
 enabling [DeployCG-56](#), [DemandCG-53](#)
 environments refresh [DeployCG-219](#)
 events [DeployCG-114](#), [DemandCG-108](#)
 execution step source [DeployCG-111](#),
 [DemandCG-105](#)
 execution steps [DemandCG-26](#)
 execution types [DeployCG-113](#),
 [DemandCG-107](#)
 execution workflow steps [DeployCG-53](#),
 [DemandCG-51](#)
 importing [OpenAPI-106](#)
 integrating jump step source [DeployCG-96](#),
 [DemandCG-90](#)
 integrating receive step
 source [DeployCG-97](#), [DemandCG-91](#)
 interacting with requests [DemandCG-31](#)
 IT demand overview [TrkMgCG-38](#)
 jump/receive validations [DeployCG-95](#),
 [DemandCG-89](#)
 jump/receive workflow steps [DeployCG-98](#),
 [DemandCG-92](#)
 list for IT demand [TrkMgUG-15](#)
 logical rules [DeployCG-31](#), [DemandCG-29](#)
 loop counter example [DeployCG-119](#),
 [DemandCG-113](#)
 mapping to process [DeployCG-47](#),
 [DemandCG-45](#)
 migrating [SysAdmin-177](#)
 modifying in production [DeployCG-125](#),
 [DemandCG-118](#)
 modifying while in use [DeployCG-122](#),
 [DemandCG-115](#)
 open the Workbench [DeployCG-103](#),
 [DemandCG-97](#)
 opening Workbench [DeployCG-49](#),
 [DemandCG-47](#)
 OR condition workflow steps [DeployCG-53](#),
 [DemandCG-51](#)
 overview [DeployCG-46](#), [DemandCG-44](#)
 package [DeployCG-157](#)
 packages and environments [DeployUG-46](#)
 packages ready to release [DeployCG-171](#)
 PFM - Asset [PortfolioCG-39](#)
 PFM - Project [PortfolioCG-37](#)
 PFM - Proposal [PortfolioCG-34](#)
 processing packages in the PPM
 Workbench [DeployUG-97](#)
 processing packages in
 Workbench [DeployUG-97](#)
 processing packages through decisions in
 the PPM Workbench [DeployUG-99](#)
 processing packages through executions in
 the PPM Workbench [DeployUG-100](#)
 Program Management [ProgramCG-26](#)
 redirecting workflows [DeployCG-125](#),
 [DemandCG-118](#)
 requirements for request
 interaction [DemandCG-31](#),
 [DemandCG-34](#)
 running distributions [DeployCG-178](#)
 scope [DeployCG-156](#)
 specifying first step [DeployCG-56](#),
 [DemandCG-53](#)
 subworkflow steps [DemandCG-28](#)
 subworkflow workflow steps [DeployCG-54](#),
 [DemandCG-51](#)
 trail versions [DeployCG-124](#),
 [DemandCG-117](#)

- using parameters [DeployCG-118](#),
[DemandCG-111](#)
- verifying [DeployCG-56](#), [DemandCG-53](#)
- version 7 upgrade impacts [WhatsNew-70](#)
- workflow step definition [DeployUG-20](#),
[DemandUG-16](#)
- workflow step types [DeployUG-20](#)
- worksheet [DemandCG-236](#)
- worksheets [DeployCG-256](#)
- workload visualizations [ResourceUG-104](#)
- workplan templates
 - migrating [SysAdmin-177](#)
- worksheets
 - decision workflow step [DemandCG-239](#),
[DemandCG-240](#)
 - execution workflow step [DemandCG-237](#),
[DemandCG-238](#)
 - existing request header type
fields [DemandCG-247](#)
 - request header type [DemandCG-246](#)
 - request type [DemandCG-242](#)
 - request type statuses [DemandCG-244](#)
 - subworkflow step [DemandCG-240](#),
[DemandCG-241](#)
 - workflow [DemandCG-236](#)
- WS_UPDATE_CLOSED_AND_CANCELED_REQUESTS
parameter [SysAdmin-270](#)
- WSDL [SOA-61](#), [SOA-63](#)
See also XSD.
 - Demand Management [SOA-127](#)
 - Financial Management [SOA-111](#),
[SOA-117](#), [SOA-132](#)
 - Project Management [SOA-91](#)
 - Resource Management [SOA-103](#)
 - Time Management [SOA-143](#)
 - version 6.0 [SOA-63](#)
- WSRP portlet definitions [CreateP&M-51](#),
[CreateP&M-70](#)
- WSRP portlets [CreateP&M-50](#)
- WS-Security [SOA-24](#)

X

- XML files
See documents.
- XSD [SOA-62](#)
See also WSDL.
 - Demand Management [SOA-131](#)
 - Financial Management [SOA-116](#)
 - Project Management [SOA-96](#)
 - Resource Management [SOA-107](#)
 - shared, in selected application
modules [SOA-145](#)
 - Time Management [SOA-144](#)