

Storage Visibility and Automation 7.82 Managed Server Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| OS Vendor | Managed Platform | Architecture | Versions Supported | Notes |
|-----------|--|---------------------------|--------------------|-------|
| HP | HP-UX 11i v3 | PA-RISC | All | |
| HP | HP-UX 11i v3 | IA-64 | All | |
| HP | HP-UX 11i v2 | PA-RISC | All | |
| HP | HP-UX 11i v2 | IA-64 | All | |
| HP | HP-UX 11i v1 | IA-64 | All | |
| IBM | AIX 6.1 | Power | All | |
| IBM | AIX 5.3 | Power | All | |
| IBM | AIX 5.2 | Power | All | |
| Microsoft | Windows Server 2008 (Standard, Enterprise, Datacenter) | x86_32 | GA-SP1 | |
| Microsoft | Windows Server 2008 (Standard, Enterprise, Datacenter) | x86_64 | GA-SP1 | |
| Microsoft | Windows Server 2003 (Standard, R2, Enterprise, Datacenter) | x86_32 | SP1-SP2 | |
| Microsoft | Windows Server 2003 (Standard, R2, Enterprise, Datacenter) | x86_64 | SP1-SP2 | |
| Microsoft | Windows 2008 SP2 | x86_32 | SP1-SP2 | |
| Microsoft | Windows 2008 SP2 | x86_64 | SP1-SP2 | |
| Novell | SuSE Linux Enterprise Server 11 | x86_32 x86_64 | GA | |
| Novell | SuSE Linux Enterprise Server 10 | x86_32 x86_64 | GA-SP2 | |
| Novell | SuSE Linux Enterprise Server 9 | x86_32 x86_64 | GA-SP4 | |
| Novell | SuSE Linux Enterprise Server 10 | x86_32 | SP3 | |
| Novell | SuSE Linux Enterprise Server 10 | x86_64 | SP3 | |
| Oracle | Oracle Enterprise Linux 5 | x86_32 x86_64 | 5.3 | |
| Red Hat | RHEL 5 (Advanced Platform, Base) | x86_32 x86_64 IA-64 | GA-5.3 | |

Storage Visibility and Automation 7.82 Managed Server Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| OS Vendor | Managed Platform | Architecture | Versions Supported | Notes |
|-----------|------------------------------|---------------------------|--------------------|-------|
| Red Hat | RHEL 5 Desktop | x86_32 x86_64 | GA-5.3 | |
| Red Hat | RHEL 4 (AS, ES, WS editions) | x86_32 | GA-U8 | |
| Red Hat | RHEL 4 (AS, ES, WS editions) | x86_64 | GA-U8 | |
| Red Hat | RHEL 4 (AS, ES, WS editions) | IA-64 | GA-U8 | |
| Red Hat | RHEL 3 (AS, ES, WS editions) | x86_32 | GA-U8 | |
| Red Hat | RHEL 3 (AS, ES, WS editions) | x86_64 | GA-U8 | |
| Red Hat | RHEL 3 (AS, ES, WS editions) | IA-64 | GA-U8 | |
| Red Hat | RHEL 4 update 8 | x86_32 | GA-U8 | |
| Red Hat | RHEL 4 update 8 | x86_64 | GA-U8 | |
| Red Hat | RHEL 4 update 8 | IA-64 | GA-U8 | |
| Red Hat | RHEL 5(Advanced Platform) | x86_32 | GA-U4 | |
| Red Hat | RHEL 5(Advanced Platform) | x86_64 | GA-U4 | |
| Red Hat | RHEL 5(Advanced Platform) | IA-64 | GA-U4 | |
| Red Hat | Cent OS 5 | x86_32 | GA-U2 | |
| Red Hat | Cent OS 5 | x86_64 | GA-U2 | |
| Sun | Solaris 10 | SPARC - Sun4u | GA-U7 | |
| Sun | Solaris 10 | x86_64 | GA-U7 | |
| Sun | Solaris 10 | x86_32 | GA-U7 | |
| Sun | Solaris 10 | SPARC- Sun4v (Niagara) | GA-U7 | |
| Sun | Solaris 9 | SPARC - Sun4u | GA-U8 | |
| Sun | Solaris 9 | Fujitsu SPARC | GA-U8 | |
| Sun | Solaris 8 | SPARC - Sun4u | GA-U7 | |
| Sun | Solaris 8 | Fujitsu SPARC | GA-U7 | |
| Sun | Solaris 10 | SPARC - Sun4u | GA-U8 | |
| Sun | Solaris 10 | x86_64 | GA-U8 | |
| VMware | VMware ESX 3.0.3 | x86_32 | All | |

Storage Visibility and Automation 7.82 Managed Server Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| OS Vendor | Managed Platform | Architecture | Versions Supported | Notes |
|-----------|------------------|--------------|--------------------|-------|
| VMware | VMware ESX 3.0.3 | x86_64 | All | |
| VMware | VMware ESX 3.5 | x86_32 | All | |
| VMware | VMware ESX 3.5 | x86_64 | All | |
| VMware | VMware ESXi 3.5 | x86_32 | All | |
| VMware | VMware ESXi 3.5 | x86_64 | All | |

Storage Visibility and Automation 7.82 SE Connector Runtime Environment Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| OS Vendor | Managed Platform | Architecture | Versions supported | Notes |
|-----------|--|------------------------|-----------------------------|-------|
| Microsoft | Windows Server 2003 (Standard, R2, Enterprise, Datacenter) | x86_32 | SP1-SP2 | |
| Red Hat | RHEL 5 (Advanced Platform, Base) | x86_32 x86_64 | GA-5.3 | |
| Red Hat | RHEL 4 (AS, ES, WS editions) | x86_32 | GA-U8 | |
| Red Hat | RHEL 4 (AS, ES, WS editions) | x86_64 | GA-U8 | |
| Sun | Solaris 10 | SPARC - Sun4u | GA-U6 | |
| Sun | Solaris 10 | SPARC- Sun4v (Niagara) | GA-U6 | |
| Sun | Solaris 10 | SPARC- Sun4u | GA-U8 | |
| VMware | VMware ESX 3.0.3 | x86_32 | VM Running RHEL 4, 5 | |
| VMware | VMware ESX 3.0.3 | x86_64 | VM Running RHEL 4, 5 | |
| VMware | VMware ESX 3.5 | x86_32 | VM Running RHEL 4, 5 | |
| VMware | VMware ESX 3.5 | x86_64 | VM Running RHEL 4, 5 | |
| VMware | VMware ESXi 3.5 | x86_32 | VM Running Windows 2003 SP2 | |
| VMware | VMware ESXi 3.5 | x86_32 | VM Running RHEL 4, 5 | |
| VMware | VMware ESXi 3.5 | x86_64 | VM Running RHEL 4, 5 | |

Storage Visibility and Automation 7.82 SAN Arrays Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| Vendor | Model and Versions Supported | Notes |
|---------|------------------------------|--------------------|
| EMC | Clariion, Symmetrix, DMX | |
| Hitachi | ALL* | No AMS and WMS NAS |
| HP | XP, EVA, MSA | |
| NETAPP | V3020 | |

* See the Storage Essentials SRM Enterprise Edition Support Matrix for detailed information about supported subsystems and models for these vendors.

Storage Visibility and Automation 7.82 SAN Switches Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| Vendor | Versions Supported | Notes |
|---------|--------------------|-------|
| Brocade | ALL* | |
| McData | ALL* | |

* See the Storage Essentials SRM Enterprise Edition Support Matrix for detailed information about supported subsystems and models for these vendors.

Storage Visibility and Automation 7.82 Fibre Channel Adapter Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| Vendor | HBA Models | OS Supported | Notes |
|--------|---|---|-------|
| Emulex | LP10000ExDC, LP1050Ex, LP10000DC, LP10000,LP1050DC, LP1050, LP9802DC, LP9802, LP982,LP9402DC, LP9002L, LP9002DC, LP9000, LP952L,LP8000, LP8000DC, LP850, LPe11000 | RHEL 4.0, 5.0 (AS/ES/WS/Ent), SuSE Linux 9, 10 | |
| | LP10000DC, LP10000, LP9802DC, LP9802, LP9402DC,LP9002L, LP9002C, LP9002S, LP9002DC, LP9000,LP8000, LP8000DC, LP8000S, LP7000E, LPe1102-S-0 , LP11002-S | Solaris 9, Solaris 10 Solaris 10 U8 Sparc | |
| | LP10000ExDC, LP1050Ex, LP10000DC, LP10000,LP1050DC, LP1050, LP9802DC, LP9802, LP982,LP9402DC, LP9002L, LP9002DC, LP9000, LP952L,LP8000, LP8000DC, LP850, LP7000E, LP NC7782 | Windows 2003 Server, R2, Advanced Server, Windows 2008 Server, Advanced Server | |
| | FC6227-Emulex-7000, FC6228-Emulex-9002,FC6239-Emulex-9802, FC5716-Emulex-10000,FC5759/5758-Emulex 11002/11000 | AIX 5.2 AIX 5.3 AIX 6.1 | |
| HP | Tachyon Fibre Channel, A6684A, A6685A, A5158A,A6795A | HP-UX | |
| | PCI-X Single-Port 4GB Fibre Channel HBA for HP-UX AB378B | HP-UX | |
| | PCI-X Dual-Port 4GB Fibre Channel HBA for HP-UX AB379B | HP-UX | |
| | Dual port 4 GB Fibre Channel, PCI-e AD300A | HP-UX | |
| | Single port 4 GB Fibre Channel, PCI-e AD299A | HP-UX | |
| | Dual Port 4 GB Fibre Channel, PCI-e AD355A | HP-UX | |
| | PCI-X Dual Channel 2GB Fibre Channel HBA A6826A | HP-UX | |
| | PCI-X Single-Port 4GB Fibre Channel HBA for HP-UX AB378B, A6684A | HP-UX | |
| | HP PCI-X Dual-Port 4GB Fibre Channel HBA for HP-UX AB378B, AB378-60101, AB379-60101 | HP-UX | |
| IBM | DF1080F9, DF1000FA | AIX 5.2 AIX 5.3 AIX 6.1 | |
| Qlogic | QLA2200 Series, QLA2202F, QLA2204F, QLA2300 (F), QLA2302F, QLA2310 (F), (FL),QLA231x/2340, QLA 2342 ,QCP2340 ,QMH2462 | RHEL 4.0, 5.0 (AS/ES/WS/Ent), SuSE Linux 9, 10 RHEL4 update 8 IA64 update 8 x64 RHEL4 | |
| | QLA2200 Series, QLA2202F, QLA2204F, QLA2300 (F), QLA2302F, QLA2310 (F), (FL), QLA2340 (L), QLA2342 (L), QLA2344, 375-3108-xx | Solaris 9, Solaris 10 | |

Storage Visibility and Automation 7.82 Fibre Channel Adapter Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| Vendor | HBA Models | OS Supported | Notes |
|--------|--|---|-------|
| | QLA2200 Series, QLA2202F, QLA2204F, QLA2302F, QLA2310 (F), (FL), QLA2340 (L), QLA2342 (L), QLA2344, QLA2350, QLA2352, HPAE312A | Windows 2003 Server, R2, Advanced Server, Windows 2008 Server, Advanced Server | |
| Sun | SG-XPCI1FC-JN2 SG-CPCI2FC-JN2 (OEM by AMCC) SG-XPCI2FC-EM4-Z SG-XPCI2FC-QF2-Z SG-XPCIE2FC-QF4 | Solaris 9, Solaris 10 Solaris 10 U8 Sparc Solaris 10 U8 x64 Solaris 10 U5 Sparc | |

NOTE: The following list describes the minimum requirements for supporting FCAs (HBAs).

- The FCA vendor provides both FCA drivers and API libraries that comply with the SNIA FCA API standard.
- The driver and API libraries that came together from a specific vendor are installed and maintained as a matched set. Do not upgrade or install drivers without also upgrading or installing the corresponding API libraries that were shipped with the driver from the vendor.
- HBA drivers used must be SNIA HBA API compliant.
- Emulex HBAnyware is required with all Emulex Drivers to provide the SNIA API. The following list provides additional information about support for FCAs:
 - IBM FCAs on AIX do not require API libraries.
 - HBAs were tested with recent firmware and drivers, as of this writing. Contact your management server software representative for additional firmware and driver details.
 - Storage Visibility and Automation does not support multiple OEMs of HBAs in the same server.
 - Dual-ported HBAs differ in how they appear to the management server software and is dependent on how the vendor implements their API. Some dual-ported HBAs appear as two separate adapters.
 - Depending on the HBA Firmware and the API versions that are used to retrieve the information, Storage Visibility and Automation might report the HBA type differently from what it actually is on the HBA

Storage Visibility and Automation 7.82 File System Software Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| Vendor | Volume Manager | Versions Supported | OS Supported | Notes |
|-----------|---|------------------------------------|---|--|
| EMC | PowerPath | v3.0.0, v4.0.x through 4.4.x , 5.3 | Solaris 9, 10 Solaris 10 U8 x64 | |
| | PowerPath | 5.3 | RHEL 4, RHEL 5 , RHEL 5.4(Advanced Platform) , RHEL 4 update 8 | |
| | PowerPath | v3.0.0, v4.0.x through 4.4.x | AIX 5.2, 5.3, 6.1 | |
| | PowerPath | v3.0.0, v4.0.x through 4.4.x , 5.3 | Windows 2003, 2008 (x86_32, x86_64) | |
| | PowerPath | v3.0.0, v4.0.x through 4.4.x | HP-UX 11i v1 HP-UX 11i v2 HP-UX 11i v3 | |
| HP | HP-UX LVM | Same as OS | HP-UX 11i v1 HP-UX 11i v2 HP-UX 11i v3 | |
| | HP MPIO | Same as OS | HP-UX 11i v3 | |
| | HP MPIO DSM for Windows for EVA Disk Arrays | 3.00.00 - 4.01.00 | Windows 2003 Windows 2008 (x86_32, x86_64*) | EVA 4x00/6x00/8x00 Arrays only. * Windows 2008 x86_64: DSM and Veritas cannot co exist. |
| | HP MPIO DSM for Windows for XP Disk Arrays | 3.00.00 - 4.00.00 | Windows 2003 Windows 2008 (x86_32, x86_64*) | * Windows 2008 x86_64: DSM and Veritas cannot co exist. |
| IBM | Native MPIO | Same as OS | AIX 5.2 AIX 5.3 AIX 6.1 | |
| Microsoft | Native LDM | Same as OS | Windows 2003 Server, R2, Advanced Server, Windows 2008 Server, Advanced Server Windows 2008 SP2 | |
| Novell | LVM | 2.02 | SuSE 9, 10 , SuSE Linux Enterprise Server 10 SP3 | |
| Red Hat | LVM2 | 2.6 Kernels | RHEL 4.0, 5.0 (AS/ES/WS/Ent) , RHEL 4 update 8 , RHEL 5.4(Advanced Platform) | |
| | Solaris Volume Manager | Same as OS | Solaris 9, Solaris 10 , Solaris 10 U8 Sparc , Solaris 10 U8 x64 | |

Storage Visibility and Automation 7.82 File System Software Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| Vendor | Volume Manager | Versions Supported | OS Supported | Notes |
|---------|--------------------------|--------------------|--|-------|
| SUN | ZFS | Same as OS | Solaris 10 (x86_32, X86_64, SPARC), Solaris 10 U8 Sparc, Solaris 10 U8 x64 | |
| Veritas | Storage Foundation & DMP | v4.0 v4.1 | RHEL 4, 5, SuSE Linux 9, 10 (x86_64) Solaris 9, 10 (SPARC & x86_64) HP-UX 11i v1 HP-UX 11i v2 HP-UX 11i v3 | |
| | Storage Foundation & DMP | v5.0 | AIX 5.2, 5.3, 6.1 HP-UX 11i v1 HP-UX 11i v2 HP-UX 11i v3 RHEL 4, RHEL 5 (x86_64) SuSE Linux 9, 10 (x86_64) Solaris 9, 10 RHEL4 update 8 x64 , SuSE Linux Enterprise Server 10 SP3 x64, Solaris 10 U8 x64, Solaris 10 U8 Sparc, Cent OS 5.2 x64 | |
| | Storage Foundation | v5.1 | Windows 2003, 2008 (x86_32, x86_64), | |

Storage Visibility and Automation 7.82 Database Support

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| Vendor | Versions Supported | OS Supported | Notes |
|--------|--------------------|---|-------|
| Oracle | Oracle 10g | AIX 6.1 HP-UX 11i v3 RHEL v4.0, (AS/ES/WS/Desktop) Solaris 10 Windows 2003 Windows 2008 Solaris 10 U8 | |
| | Oracle ASM 10g | AIX 6.1 HP-UX 11i v3 RHEL v4.0, (AS/ES/WS/Desktop) Solaris 10 Windows 2003 Windows 2008 Solaris 10 U8 | |
| | Oracle 11g | AIX 6.1 HP-UX 11i v3 RHEL v4.0, (AS/ES/WS/Desktop) Solaris 10 Windows 2003 Windows 2008 | |
| | Oracle ASM 11g | AIX 6.1 HP-UX 11i v3 RHEL v4.0, (AS/ES/WS/Desktop) Solaris 10 Windows 2003 Windows 2008 | |

Storage Visibility and Automation 7.82 Cross Product Compatibility

February 2010

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Doc Version: v1.0

This matrix does not contain all configuration and resource requirements. See SA Storage 7.82 documentation for more information.

| HP Storage Essentials | Notes |
|-----------------------|---|
| 6.1.1 | Storage Visibility and Automation 7.82 is compatible with versions of the HP Products listed in this row. |
| 6.2 | Storage Visibility and Automation 7.82 is compatible with versions of the HP Products listed in this row. |