

HP Storage Operations Manager

Software Version: 10.00
Linux® operating system

Content Pack for Storage Systems Universe Reference

Document Release Date: March 2015
Software Release Date: March 2015



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2015 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

AMD is a trademark of Advanced Micro Devices, Inc.

Intel®, Intel® Itanium®, and Intel® Xeon® are trademarks of Intel Corporation in the U.S. and other countries.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Microsoft®, Windows®, and Windows Server® are U.S. registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Red Hat® is a registered trademark of Red Hat, Inc. in the United States and other countries.

UNIX® is a registered trademark of The Open Group.

Oracle Technology — Notice of Restricted Rights

Programs delivered subject to the DOD FAR Supplement are 'commercial computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, programs delivered subject to the Federal Acquisition Regulations are 'restricted computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the restrictions in FAR 52.227-19, Commercial Computer Software-Restricted Rights (June 1987). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

For the full Oracle license text, see the `license-agreements` directory in the SOM product download bundle.

Acknowledgements

This product includes software developed by the Apache Software Foundation.
(<http://www.apache.org>)

This product includes software developed by the Indiana University Extreme! Lab.
(<http://www.extreme.indiana.edu>)

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to:

<https://softwaresupport.hp.com>

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to:

<https://hpp12.passport.hp.com/hppcf/createuser.do>

Or click the **the Register** link at the top of the HP Software Support page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

Visit the HP Software Support Online web site at: **<https://softwaresupport.hp.com>**

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

<https://hpp12.passport.hp.com/hppcf/createuser.do>

To find more information about access levels, go to:

<https://softwaresupport.hp.com/web/softwaresupport/access-levels>

HP Software Solutions Now accesses the HPSW Solution and Integration Portal Web site. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of integrations between HP Products, as well as a listing of ITIL Processes. The URL for this Web site is **<http://h20230.www2.hp.com/sc/solutions/index.jsp>**

Universe Parameters

Definition

Name: SOM_StorageSystemReporting Universe
Description:

Connection: MA0.015234868198070628

General information

Created: 2/4/2015 by Administrator
Modified: 2/25/2015 by Administrator
Comments:

Statistics: 88 Classes
4754 Objects
52 Tables
0 Aliases
74 Joins
36 Contexts
14 Hierarchies
60 Conditions

Strategies

Join strategy: Edit Manually (none)
Table strategy: (Built-in) Standard
Object strategy: (Built-in) Standard Renaming

Controls

Limit size of result set to: unchecked
Limit size of long text objects to: 1000 characters
Limit execution time to: 10 minutes
Warn if cost estimate exceeds: unchecked

SQL parameters

Query
Allow use of subqueries: yes
Allow use of union, intersect and minus operators: yes
Allow complex conditions in Query Panel: yes
Cartesian products: warn
Multiple paths
Generate several SQL statements for each context: yes
Generate several SQL statements for each measure: yes
Allow selection of multiple contexts: no

Links

No links for this universe

Object Properties

| | |
|--------------|---------------------------------|
| Class: | SOM_StorageSystemReporting_Core |
| Description: | |

No objects

| | |
|--------------|----------------------|
| Class: | Storage System Disks |
| Description: | |

| | |
|------------------------|---|
| Object: | SOM Source Name |
| Type: | Character |
| Description: | Name of the source SOM server |
| Select equivalent: | K_SE_StorageSystem.SEiSourceName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 001, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 002, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Node Group Name |
| Type: | Character |
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5e7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5e9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5eb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 3 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED3 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5ed, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 4 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED4 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5ef, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 5 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED5 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5eh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Ngroup Snapshot Time |
| Type: | Date |
| Description: | Ngroup Snapshot Time |
| Select equivalent: | K_SE_NODEGROUPS.SNAPSHOTTIME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5ej, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Group Path |
| Type: | Character |
| Description: | Group Path of the group Hierarchy |
| Select equivalent: | K_SE_NGROUP_PATH.GROUPPATH |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5el, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Node Group Level |
| Type: | Character |
| Description: | Level of the Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.NODEGROUPLEVEL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5en, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Parent Group Name |
| Type: | Character |
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5ep, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5er, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5et, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 003, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 004, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 005, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 006, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 007, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 008, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 009, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values: 00e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Over Subscribed Capacity |
| Type: | Character |
| Description: | Over Subscribed Capacity |
| Select equivalent: | K_SE_StorageSystem.OverSubscribedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00i, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Requested Capacity |
| Type: | Character |
| Description: | Requested Capacity |
| Select equivalent: | K_SE_StorageSystem.RequestedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00j, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00k, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------------|
| Object: | Maximum Volume Name Length |
| Type: | Character |

Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00o, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Storage On Access |
| Type: | Character |
| Description: | Storage On Access (flag) |
| Select equivalent: | K_SE_StorageSystem.StorageOnAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Business Cost |
| Type: | Number |
| Description: | Business Cost of the Storage System |
| Select equivalent: | K_SE_StorageSystem.BusinessCost |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00q, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | DKC Microcode Version |
| Type: | Character |
| Description: | DKC Microcode Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DKCMicrocodeVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00r, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Family |
| Type: | Character |
| Description: | Family of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Family |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00s, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Hardware Version |
| Type: | Character |
| Description: | Hardware Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.HardwareVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Identifying Descriptions |
| Type: | Character |
| Description: | Identifying Descriptions for the Storage System |
| Select equivalent: | K_SE_StorageSystem.IdentifyingDescriptions |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00u, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Other Identifying Info |
| Type: | Character |
| Description: | Other Identifying Info for the Storage System |
| Select equivalent: | K_SE_StorageSystem.OtherIdentifyingInfo |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00v, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 00w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 22x, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 230, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Power Management**
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Roles**
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Primary Owner Name**
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 26r, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 26t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 26v, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 010, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Custom Name |
| Type: | Character |
| Description: | Custom Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.CustomName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 011, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 012, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Disk Drive Name |
| Type: | Character |
| Description: | Name of the disk drive |
| Select equivalent: | K_SE_Storage_DiskDrive.DiskDriveName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 013, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------|
| Object: | Disk Drive Vendor |
|---------|-------------------|

Type: Character
Description: Vendor name of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 014, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Description
Type: Character
Description: Description of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.Description
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 015, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Model
Type: Character
Description: Model name of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.Model
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 016, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Serial Number
Type: Character
Description: Serial Number of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 017, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Hardware Version
Type: Character
Description: Hardware Version of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SDDHardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 018, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI BUS
Type: Character
Description: SCSI bus of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSIBUS
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 019, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI LUN
Type: Character
Description: SCSI LUN of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSILUN
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01a, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | SCSI Port |
| Type: | Character |
| Description: | SCSI port of the disk drive |
| Select equivalent: | K_SE_Storage_DiskDrive.SCSIPort |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 01b, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Max Media Size in GiB |
| Type: | Number |
| Description: | Maximum Media Size in GiB uses 1024 i.e. base 2 when converting values from bytes to gigabytes |
| Select equivalent: | K_SE_Storage_DiskDrive.MaxMediaSizeinGiB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 01c, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Max Media Size in GB |
| Type: | Number |
| Description: | Maximum Media Size in GB uses 1000 i.e. base 10 when converting values from bytes to gigabytes |
| Select equivalent: | K_SE_Storage_DiskDrive.MaxMediaSizeinGB |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: Disk Drive Name
List of values: 01d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Block Size
Type: Number
Description: Maximum Block Size in Bytes
Select equivalent: K_SE_Storage_DiskDrive.MaxBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Block Size
Type: Number
Description: Minimum Block Size in Bytes
Select equivalent: K_SE_Storage_DiskDrive.MinBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Enable Status
Type: Character
Description: Enable Status
Select equivalent: K_SE_Storage_DiskDrive.EnableStatus
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Drive Type
Type: Character
Description: Type of Drive
Select equivalent: K_SE_Storage_DiskDrive.DriveType
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Type
Type: Character
Description: Type of Disk
Select equivalent: K_SE_Storage_DiskDrive.DiskType
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Availability
Type: Character
Description: Availability
Select equivalent: K_SE_Storage_DiskDrive.Availability
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: RPM

Type: Character
Description: Revolutions per minute
Select equivalent: K_SE_Storage_DiskDrive.RPM
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Architecture
Type: Character
Description: Architecture
Select equivalent: K_SE_Storage_DiskDrive.Architecture
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 01m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive UUID
Type: Character
Description: UUID of the Disk Drive
Select equivalent: K_SE_Storage_DiskDrive.DiskDriveUUID
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 01n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Element UUID |
| Type: | Character |
| Description: | UUID of the Element |
| Select equivalent: | K_SE_NODEELEMENTS.ELEMENTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5n4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|--|
| Class: | Block System Extents Associated with Disks |
| Description: | |

| | |
|--------------------|----------------------------------|
| Object: | SOM Source Name |
| Type: | Character |
| Description: | Name of the source SOM server |
| Select equivalent: | K_SE_StorageSystem.SEiSourceName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2pn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2po, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5ev, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ex, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 2
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5f0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 3
Type: Character

Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5f2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5f4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5f6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5f8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Group Path |
| Type: | Character |
| Description: | Group Path of the group Hierarchy |
| Select equivalent: | K_SE_NGROUP_PATH.GROUPPATH |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5fa, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Node Group Level |
| Type: | Character |
| Description: | Level of the Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.NODEGROUPELEVEL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5fc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Parent Group Name |
| Type: | Character |
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5fe, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Element Name
Type: Character
Description: Name of the Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:

Qualification: dimension
List of values: 5fg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element Type
Type: Character
Description: Type of Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Element Name
List of values: 5fi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 2pp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character
Description: Storage System Model Number

| | |
|------------------------|---|
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 2pq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 2pr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|---|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ps, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2pt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System IP Address |
| Type: | Character |
| Description: | IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.IPAddress |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2pu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Storage System DNS |
| Type: | Character |
| Description: | DNS name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DNSName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2pv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage System WWN |
| Type: | Character |
| Description: | World Wide Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2pw, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2px, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2py, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2q0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2q1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2q2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2q3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2q4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2q5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2q6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 2q7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2q8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2q9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2qa, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2qb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Storage On Access |
| Type: | Character |
| Description: | Storage On Access (flag) |
| Select equivalent: | K_SE_StorageSystem.StorageOnAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2qc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Business Cost |
| Type: | Number |
| Description: | Business Cost of the Storage System |
| Select equivalent: | K_SE_StorageSystem.BusinessCost |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2qd, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------------|
| Object: | DKC Microcode Version |
| Type: | Character |

Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qe, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2qh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Other Identifying Info |
| Type: | Character |
| Description: | Other Identifying Info for the Storage System |
| Select equivalent: | K_SE_StorageSystem.OtherIdentifyingInfo |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2qi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2qj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2qk, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ql, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character

Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Extent Name
Type: Character
Description: Name of the Block extent
Select equivalent: K_SE_Storage_Extent.SANExtentName
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2qu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Block Extent Vendor |
| Type: | Character |
| Description: | Vendor name of the Block Extent |
| Select equivalent: | K_SE_Storage_Extent.Vendor |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 2qv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Is External? |
| Type: | Character |
| Description: | Indicates whether the Disk Extent is external or not |
| Select equivalent: | K_SE_Storage_Extent.IsExternal |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 2qw, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Block Extent Description |
| Type: | Character |
| Description: | Disk Extent description |
| Select equivalent: | K_SE_Storage_Extent.SANExtentDescription |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 2qx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Access Type
Type: Character
Description: Disk Extent access type
Select equivalent: K_SE_Storage_Extent.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2qy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Size in Bytes
Type: Number
Description: Block size in bytes
Select equivalent: K_SE_Storage_Extent.BlkSizeinBytes
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2r0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: # of Blocks
Type: Number
Description: Number of blocks
Select equivalent: K_SE_Storage_Extent.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2r1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Consumable Blocks

Type: Number
Description: Number of consumable blocks
Select equivalent: K_SE_Storage_Extent.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2r2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Controller Name
Type: Character
Description: Shows the name of the controller
Select equivalent: K_SE_Storage_Extent.ControllerName
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2r3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 2r4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Extent UUID
Type: Character
Description: UUID of the Block Extent
Select equivalent: K_SE_Storage_Extent.SANExtentUUID
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2r5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Disk Drive Name |
| Type: | Character |
| Description: | Name of the disk drive |
| Select equivalent: | K_SE_Storage_DiskDrive.DiskDriveName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2r6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Disk Drive Vendor |
| Type: | Character |
| Description: | Vendor name of the disk drive |
| Select equivalent: | K_SE_Storage_DiskDrive.Vendor |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2r7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Disk Drive Description |
| Type: | Character |
| Description: | Description of the disk drive |
| Select equivalent: | K_SE_Storage_DiskDrive.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2r8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Disk Drive Model
Type: Character
Description: Model name of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.Model
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2r9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Serial Number
Type: Character
Description: Serial Number of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2ra, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Hardware Version
Type: Character
Description: Hardware Version of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SDDHardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI BUS
Type: Character

Description: SCSI bus of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSIBUS
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI LUN
Type: Character
Description: SCSI LUN of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSILUN
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Port
Type: Character
Description: SCSI port of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSIPort
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2re, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Media Size in GiB
Type: Number
Description: Maximum Media Size in GiB
uses 1024 i.e. base 2 when
converting values from bytes
to gigabytes

Select equivalent: K_SE_Storage_DiskDrive.MaxMediaSizeinGiB
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Media Size in GB
Type: Number
Description: Maximum Media Size in GB
uses 1000 i.e. base 10 when
converting values from
bytes to gigabytes
Select equivalent: K_SE_Storage_DiskDrive.MaxMediaSizeinGB
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Block Size
Type: Number
Description: Maximum Block Size in Bytes
Select equivalent: K_SE_Storage_DiskDrive.MaxBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Block Size
Type: Number
Description: Minimum Block Size in Bytes
Select equivalent: K_SE_Storage_DiskDrive.MinBlockSize

Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2ri, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Enable Status**
Type: Character
Description: Enable Status
Select equivalent: K_SE_Storage_DiskDrive.EnableStatus
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Drive Type**
Type: Character
Description: Type of Drive
Select equivalent: K_SE_Storage_DiskDrive.DriveType
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Disk Type**
Type: Character
Description: Type of Disk
Select equivalent: K_SE_Storage_DiskDrive.DiskType
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name

| | |
|------------------------|---|
| List of values: | 2rl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Availability |
| Type: | Character |
| Description: | Availability |
| Select equivalent: | K_SE_Storage_DiskDrive.Availability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2rm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | RPM |
| Type: | Character |
| Description: | Revolutions per minute |
| Select equivalent: | K_SE_Storage_DiskDrive.RPM |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2rn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Architecture |
| Type: | Character |
| Description: | Architecture |
| Select equivalent: | K_SE_Storage_DiskDrive.Architecture |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2ro, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Disk Drive UUID |
| Type: | Character |
| Description: | UUID of the Disk Drive |
| Select equivalent: | K_SE_Storage_DiskDrive.DiskDriveUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2rp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Snapshot Time |
| Type: | Date |
| Description: | Snapshot Time for mapping data between Disk drives and extents |
| Select equivalent: | K_SE_DD_Map_SE.SnapshotTime |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2rq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Element UUID |
| Type: | Character |
| Description: | UUID of the Element |
| Select equivalent: | K_SE_NODEELEMENTS.ELEMENTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5n6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|----------------------|
| Class: | Block System Extents |
| Description: | |

| | |
|---------|-----------------|
| Object: | SOM Source Name |
| Type: | Character |

| | |
|------------------------|---|
| Description: | Name of the source SOM server |
| Select equivalent: | K_SE_StorageSystem.SEiSourceName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 01o, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 01p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Node Group Name |
| Type: | Character |
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5fk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5fm, editable, manual refresh, not exportable |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5fo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 3 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED3 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5fq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 4 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED4 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5fs, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 5 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED5 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5fu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Ngroup Snapshot Time |
| Type: | Date |
| Description: | Ngroup Snapshot Time |
| Select equivalent: | K_SE_NODEGROUPS.SNAPSHOTTIME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5fw, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Group Path |
| Type: | Character |
| Description: | Group Path of the group Hierarchy |
| Select equivalent: | K_SE_NGROUP_PATH.GROUPPATH |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5fy, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Node Group Level |
| Type: | Character |
| Description: | Level of the Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.NODEGROUPELEVEL |

Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5g1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5g3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element Name
Type: Character
Description: Name of the Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:

Qualification: dimension
List of values: 5g5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element Type
Type: Character
Description: Type of Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Element Name
List of values: 5g7, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 01q, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 01r, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 01s, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------------|
| Object: | Storage System Description |
| Type: | Character |

Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 01t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 01u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 01v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System

Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 01w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 01x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 01y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 020, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 021, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 022, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 023, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 024, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 025, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 026, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity

Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 027, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 028, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 029, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Replication Pools**
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Replication Status**
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02d, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **DKC Microcode Version**
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Family**
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Hardware Version |
| Type: | Character |
| Description: | Hardware Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.HardwareVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 02h, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Identifying Descriptions |
| Type: | Character |
| Description: | Identifying Descriptions for the Storage System |
| Select equivalent: | K_SE_StorageSystem.IdentifyingDescriptions |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 02i, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Other Identifying Info |
| Type: | Character |
| Description: | Other Identifying Info for the Storage System |
| Select equivalent: | K_SE_StorageSystem.OtherIdentifyingInfo |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 02j, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |

Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 232, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 234, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 02l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 26x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 270, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 272, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 02o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|-------------------------------|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 02p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Block Extent Name |
| Type: | Character |
| Description: | Name of the Block extent |
| Select equivalent: | K_SE_Storage_Extent.SANExtentName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 03f, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Block Extent Vendor |
| Type: | Character |
| Description: | Vendor name of the Block Extent |
| Select equivalent: | K_SE_Storage_Extent.Vendor |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 03g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Is External? |
| Type: | Character |
| Description: | Indicates whether the Disk Extent is external or not |
| Select equivalent: | K_SE_Storage_Extent.IsExternal |

Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 03h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Block Extent Description**
Type: Character
Description: Disk Extent description
Select equivalent: K_SE_Storage_Extent.SANExtentDescription
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 03i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Access Type**
Type: Character
Description: Disk Extent access type
Select equivalent: K_SE_Storage_Extent.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 03j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Block Size in Bytes**
Type: Number
Description: Block size in bytes
Select equivalent: K_SE_Storage_Extent.BlkSizeinBytes
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name

| | |
|------------------------|---|
| List of values: | 03k, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | # of Blocks |
| Type: | Number |
| Description: | Number of blocks |
| Select equivalent: | K_SE_Storage_Extent.NumberOfBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 03l, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Consumable Blocks |
| Type: | Number |
| Description: | Number of consumable blocks |
| Select equivalent: | K_SE_Storage_Extent.ConsumableBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 03m, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Controller Name |
| Type: | Character |
| Description: | Shows the name of the controller |
| Select equivalent: | K_SE_Storage_Extent.ControllerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 03n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 03o, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Block Extent UUID |
| Type: | Character |
| Description: | UUID of the Block Extent |
| Select equivalent: | K_SE_Storage_Extent.SANExtentUUID |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 03q, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Element UUID |
| Type: | Character |
| Description: | UUID of the Element |
| Select equivalent: | K_SE_NODEELEMENTS.ELEMENTUUID |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 5n8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|------------------------------|
| Class: | Block Backend Storage System |
| Description: | |

| | |
|---------|-----------------|
| Object: | SOM Source Name |
| Type: | Character |

Description: SOM Source Name
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.SourceName
Where equivalent:

Qualification: dimension
List of values: 2cw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Name of the Tenant
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.TenantName
Where equivalent:

Qualification: dimension
List of values: 2cx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 5o6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character
Description: Storage System Model Number
Select equivalent: K_SE_StorageSystem.Model
Where equivalent:

Qualification: dimension
List of values: 5o8, editable, manual refresh, not exportable
Security access level: 0

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2hi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2hk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2hm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System IP Address |
| Type: | Character |
| Description: | IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.IPAddress |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ho, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Storage System DNS |
| Type: | Character |
| Description: | DNS name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DNSName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2hq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage System WWN |
| Type: | Character |
| Description: | World Wide Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2hs, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------------|
| Object: | Storage System SerialNumber |
| Type: | Character |

Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2hu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2hw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2hy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2i1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Cache Block Size |
| Type: | Number |
| Description: | Cache Block Size |
| Select equivalent: | K_SE_StorageSystem.CacheBlockSize |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2i3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Has Compliance Mode? |
| Type: | Character |
| Description: | Has Compliance Mode (flag) |
| Select equivalent: | K_SE_StorageSystem.HasComplianceMode |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2i5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Domain |
| Type: | Character |
| Description: | Domain of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Domain |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2i7, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2i9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ib, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2id, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Maximum Volume Name Length**
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2if, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Replication IP**
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ih, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Replication Pools**
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ij, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Replication Status**
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2il, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2in, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ip, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **DKC Microcode Version**
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 2ir, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Family |
| Type: | Character |
| Description: | Family of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Family |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2it, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Hardware Version |
| Type: | Character |
| Description: | Hardware Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.HardwareVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2iv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Identifying Descriptions |
| Type: | Character |
| Description: | Identifying Descriptions for the Storage System |
| Select equivalent: | K_SE_StorageSystem.IdentifyingDescriptions |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ix, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Other Identifying Info |
| Type: | Character |
| Description: | Other Identifying Info for the Storage System |
| Select equivalent: | K_SE_StorageSystem.OtherIdentifyingInfo |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2j0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2j2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2j4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------|
| Object: | Parent UUID |
| Type: | Character |

Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2j6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2j8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ja, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2jc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2je, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2jg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |

| | |
|----------------------------|---------------------|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |

| | |
|------------------------|---|
| List of values: | 2ji, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Custom Name |
| Type: | Character |
| Description: | Custom Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.CustomName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2jk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2jm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Block Extent Name |
| Type: | Character |
| Description: | Name of the Block extent |
| Select equivalent: | K_SE_Storage_Extent.SANExtentName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2d0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Block Extent Vendor |
| Type: | Character |
| Description: | Vendor name of the Block Extent |
| Select equivalent: | K_SE_Storage_Extent.Vendor |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 2d1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Is External? |
| Type: | Character |
| Description: | Indicates whether the Disk Extent is external or not |
| Select equivalent: | K_SE_Storage_Extent.IsExternal |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 2d2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Block Extent Description |
| Type: | Character |
| Description: | Disk Extent description |
| Select equivalent: | K_SE_Storage_Extent.SANExtentDescription |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Extent Name |
| List of values: | 2d3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------|
| Object: | Access Type |
| Type: | Character |
| Description: | Disk Extent access type |

Select equivalent: K_SE_Storage_Extent.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2d4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Size in Bytes
Type: Number
Description: Block size in bytes
Select equivalent: K_SE_Storage_Extent.BlkSizeinBytes
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2d5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: # of Blocks
Type: Number
Description: Number of blocks
Select equivalent: K_SE_Storage_Extent.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2d6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Consumable Blocks
Type: Number
Description: Number of consumable blocks
Select equivalent: K_SE_Storage_Extent.ConsumableBlocks
Where equivalent:

Qualification: detail

Associated dimension name: Block Extent Name
List of values: 2d7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Controller Name
Type: Character
Description: Shows the name of the controller
Select equivalent: K_SE_Storage_Extent.ControllerName
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2d8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Front-end Storage Port Name
Type: Character
Description: Name of the Front-end Storage Port
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.FRONTEND_STORAGEPORTNAME
Where equivalent:

Qualification: dimension
List of values: 2d9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Front-end Switch Port Name
Type: Character
Description: Name of the Front-end Switch Port
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.FRONTEND_SWITCHPORTNAME
Where equivalent:

Qualification: dimension
List of values: 2da, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Front-end Switch Name
Type: Character
Description: Name of the Front-end Switch
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.FRONTEND_SWITCHNAME
Where equivalent:

Qualification: dimension
List of values: 2db, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Back-end Storage System Name
Type: Character
Description: Name of the Back-end Storage System
Select equivalent: K_SE_BACKEND_STORAGEESYS
TEM.BACKEND_STORAGEESYST
EMNAME

Where equivalent:

Qualification: dimension
List of values: 2dc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Back-end Storage Volume Name
Type: Character
Description: Name of the Back-end Storage Volume
Select equivalent: K_SE_BACKEND_STORAGEESYS
TEM.BACKEND_STORAGEEVOLU
MENAME

Where equivalent:

Qualification: dimension
List of values: 2dd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Back-end Storage Port Name |
| Type: | Character |
| Description: | Name of the Back-end Storage Port |
| Select equivalent: | K_SE_BACKEND_STORAGESYSTEM.BACKEND_STORAGEPORTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2de, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Back-end Switch Port Name |
| Type: | Character |
| Description: | Name of the Back-end Switch Port |
| Select equivalent: | K_SE_BACKEND_STORAGESYSTEM.BACKEND_SWITCHPORTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2df, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Back-end Switch Name |
| Type: | Character |
| Description: | Name of the Back-end Switch |
| Select equivalent: | K_SE_BACKEND_STORAGESYSTEM.BACKEND_SWITCHNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2dg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|----------------|-----------|
| Qualification: | dimension |
|----------------|-----------|

| | |
|------------------------|---|
| List of values: | 2jo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Block Extent UUID |
| Type: | Character |
| Description: | UUID of the Block Extent |
| Select equivalent: | K_SE_Storage_Extent.SANExtentUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2di, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Front-end Storage Port UUID |
| Type: | Character |
| Description: | UUID of the Front-end Storage Port |
| Select equivalent: | K_SE_BACKEND_STORAGESYSTEM.FRONTEND_STORAGEPORTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2dj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Front-end Switch Port UUID |
| Type: | Character |
| Description: | UUID of the Front-end Switch Port |
| Select equivalent: | K_SE_BACKEND_STORAGESYSTEM.FRONTEND_SWITCHPORTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2dk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------|
| Object: | Front-end Switch UUID |
|---------|-----------------------|

| | |
|--------------------|--|
| Type: | Character |
| Description: | Name of the Front-end Switch |
| Select equivalent: | K_SE_BACKEND_STORAGESYSTEM.FRONTEND_SWITCHUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2dl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Back-end Storage System UUID |
| Type: | Character |
| Description: | UUID of the Back-end Storage System |
| Select equivalent: | K_SE_BACKEND_STORAGESE TEM.BACKEND_STORAGESE EMUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2dm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Back-end Storage Volume UUID |
| Type: | Character |
| Description: | UUID of the Back-end Storage Volume |
| Select equivalent: | K_SE_BACKEND_STORAGESE TEM.BACKEND_STORAGEE MEUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2dn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Back-end Storage Port UUID |
| Type: | Character |
| Description: | UUID of the Back-end Storage Port |
| Select equivalent: | K_SE_BACKEND_STORAGESYSTEM.BACKEND_STORAGEPORTUUID |

Where equivalent:

Qualification: dimension
List of values: 2do, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Back-end Switch Port UUID
Type: Character
Description: UUID of the Back-end Switch Port
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.BACKEND_SWITCHPORTUUID
Where equivalent:

Qualification: dimension
List of values: 2dp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Back-end Switch UUID
Type: Character
Description: UUID of the Back-end Switch
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.BACKEND_SWITCHUUID
Where equivalent:

Qualification: dimension
List of values: 2dq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Front-end Storage System UUID
Type: Character
Description: UUID of the Front-end Storage System
Select equivalent: K_SE_BACKEND_STORAGESESYS
TEM.FRONTEND_STORAGESESYS
TEMUUID

Where equivalent:

Qualification: dimension
List of values: 2dh, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|----------------------|
| Class: | Block System Volumes |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 03r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 03s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5g9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5gb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 2
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5gd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5gf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4

Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5gh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5gj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5gl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5gn, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Node Group Level |
| Type: | Character |
| Description: | Level of the Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.NODEGROUPLEVEL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5gp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Parent Group Name |
| Type: | Character |
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5gr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5gt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|----------------------------|---|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5gv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|------------------------|---|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 03t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 03u, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 03v, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 03w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 03x, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System IP Address |
| Type: | Character |
| Description: | IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.IPAddress |
| Where equivalent: | |

| | |
|----------------------------|---------------------|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |

List of values: 03y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 040, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 041, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 042, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 043, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Has Reset Capability? |
| Type: | Character |
| Description: | Has Reset Capability (flag) |
| Select equivalent: | K_SE_StorageSystem.HasResetCapability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 044, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Has Advanced Retention Management? |
| Type: | Character |
| Description: | Has Advanced Retention Management (flag) |
| Select equivalent: | K_SE_StorageSystem.HasAdvRetentionMgmt |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 045, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------|
| Object: | Cache Block Size |
| Type: | Number |

Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 046, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 047, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 048, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 049, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Requested Capacity |
| Type: | Character |
| Description: | Requested Capacity |
| Select equivalent: | K_SE_StorageSystem.RequestedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 04a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 04b, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 04c, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **DKC Microcode Version**
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Family**
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Hardware Version**
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Identifying Descriptions**
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Other Identifying Info**
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 04m, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 04n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 236, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 238, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: **Power Management**
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Roles**
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Primary Owner Name**
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 274, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Primary Owner Contact**
Type: Character

Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 276, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 278, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Name
Type: Character
Description: Block Pool Name
Select equivalent: K_SE_Storage_Pool.SANPoolName
Where equivalent:

Qualification: dimension
List of values: 04t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Description
Type: Character
Description: Description about Block Pool
Select equivalent: K_SE_Storage_Pool.SANPoolDescription
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 04u, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Parent Pool Name |
| Type: | Character |
| Description: | Parent Pool Name |
| Select equivalent: | K_SE_Storage_Pool.ParentPoolName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 04v, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Available Space (GB) |
| Type: | Number |
| Description: | Total Available Space in GB |
| Select equivalent: | K_SE_Storage_Pool.TotalAvailableSpaceGB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 04w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Space (GiB) |
| Type: | Number |
| Description: | Total Available Space in GiB |
| Select equivalent: | K_SE_Storage_Pool.TotalAvailableSpaceGiB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 04x, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage Capability Name |
| Type: | Character |
| Description: | Storage Capability Name |
| Select equivalent: | K_SE_Storage_Pool.StorageCapabilityName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 04y, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage Capability Common Name |
| Type: | Character |
| Description: | Storage Capability Common Name |
| Select equivalent: | K_SE_Storage_Pool.StorageCapabilityCommonName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 050, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage Capability Description |
| Type: | Character |
| Description: | Storage Capability Description |
| Select equivalent: | K_SE_Storage_Pool.StorageCapabilityDescription |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 051, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|----------------------------|
| Object: | No Single Point Of Failure |
| Type: | Character |
| Description: | No Single Point Of Failure |

Select equivalent: K_SE_Storage_Pool.NoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 052, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default No Single Point Of Failure
Type: Character
Description: Default No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.DefaultNoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 053, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Data Redundancy
Type: Number
Description: Minimum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MinDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 054, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Data Redundancy
Type: Number
Description: Maximum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MaxDataRedundancy
Where equivalent:

Qualification: detail

Associated dimension name: Block Pool Name
List of values: 055, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Data Redundancy
Type: Number
Description: Default Data Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 056, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Spindle Redundancy
Type: Number
Description: Minimum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 057, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Spindle Redundancy
Type: Number
Description: Maximum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MaxSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 058, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Default Spindle Redundancy
Type: Number
Description: Default Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 059, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Delta Reservation
Type: Number
Description: Minimum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 05a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Delta Reservation
Type: Number
Description: Maximum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 05b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Delta Reservation

Type: Number
Description: Default Delta Reservation
Select equivalent: K_SE_Storage_Pool.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 05c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit (GB)
Type: Number
Description: Space Limit in GB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGB
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 05d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit (GiB)
Type: Number
Description: Space Limit in GiB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGiB
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 05e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit Determination
Type: Number
Description: Space Limit Determination
Select equivalent: K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 05f, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Composition |
| Type: | Character |
| Description: | Shows type of pool like Internal, External, Hybrid |
| Select equivalent: | K_SE_Storage_Pool.Composition |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 05g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Block Pool Type |
| Type: | Character |
| Description: | Block Pool type - Primordial, Concrete, Open, Mainframe, Snapshot, Reserved, Parent concrete ... |
| Select equivalent: | K_SE_Storage_Pool.SANPoolType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 05h, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Block Volume Name |
| Type: | Character |
| Description: | Name of the Block Volume |
| Select equivalent: | K_SE_Storage_Volume.SANVolumeName |
| Where equivalent: | |

Qualification: dimension
List of values: 05i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OID
Type: Character
Description: Unique Identifier for Block Volume
Select equivalent: K_SE_Storage_Volume.OID
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Device ID
Type: Character
Description: Block Volume Device ID
Select equivalent: K_SE_Storage_Volume.VolumeDeviceId
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Access Type
Type: Character
Description: Block Volume Access Type
Select equivalent: K_SE_Storage_Volume.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Block Volume Block Size in Bytes
Type: Number
Description: Block Volume Block Size in Bytes
Select equivalent: K_SE_Storage_Volume.BlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Number of Blocks
Type: Number
Description: Number of blocks in Block Volume
Select equivalent: K_SE_Storage_Volume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Size Bytes
Type: Number
Description: Source Block Volume Size in Bytes
Select equivalent: K_SE_Storage_Volume.VolumeSizeBytes
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Consumable Blocks

Type: Number
Description: Number of consumable blocks in Block Volume
Select equivalent: K_SE_Storage_Volume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Consumed Blocks
Type: Number
Description: Actual consumed physical space of the volume. Note
: This object only applicable for Block systems that support Thin Provisioning
Select equivalent: K_SE_Storage_Volume.ConsumedBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates Whether Block Volume is Thinly Provisioned or not
Select equivalent: K_SE_Storage_Volume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 05r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Raw Space (Bytes)

| | |
|----------------------------|---|
| Type: | Number |
| Description: | Raw Space in Bytes that is consumed by the Block volume from the underlying Block extents |
| Select equivalent: | K_SE_Storage_Volume.RawSpace |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 05s, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|--|
| Object: | Raw Space (GB) |
| Type: | Number |
| Description: | Raw Space in GB that is consumed by the Block volume from the underlying Block extents |
| Select equivalent: | K_SE_Storage_Volume.RawSpaceGB |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 05t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|---|
| Object: | Raw Space (GiB) |
| Type: | Number |
| Description: | Raw Space in GiB that is consumed by the Block volume from the underlying Block extents |
| Select equivalent: | K_SE_Storage_Volume.RawSpaceGiB |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 05u, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | RAID Type |
| Type: | Character |
| Description: | RAID Type - A String representation of the RAID level and configuration of the underlying Block extent(s) that the volume is based on. E.g. 'RAID5(7D+1P)'. |
| Select equivalent: | K_SE_Storage_Volume.RaidType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 05v, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Sequential Access? |
| Type: | Character |
| Description: | Indicates whether sequential access or not |
| Select equivalent: | K_SE_Storage_Volume.SeqAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 05w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Block Volume Availability |
| Type: | Character |
| Description: | Whether Block Volume is Available |
| Select equivalent: | K_SE_Storage_Volume.Availability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 05x, editable, manual refresh, not exportable |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Status Information |
| Type: | Character |
| Description: | Block Volume Status Information |
| Select equivalent: | K_SE_Storage_Volume.StatusInfo |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 05y, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Volume Type |
| Type: | Character |
| Description: | Volume Type - {'Open','Mainframe Mapped from FINCON or ESCO N port. EFile - Volume known to be mapped through a File port} |
| Select equivalent: | K_SE_Storage_Volume.VolumeType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 060, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Volume Purpose |
| Type: | Character |
| Description: | Volume Purpose represents the Block Volume Emulation type for supported Block Arrays |
| Select equivalent: | K_SE_Storage_Volume.VolumePurpose |

Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 061, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Default Single Point of Failure
Type: Number
Description: Default Single Point of Failure for Block Volume
Select equivalent: K_SE_Storage_Volume.VolDfltSnglPtofFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 062, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume No Single Point of Failure
Type: Character
Description: No Single Point of Failure for Block Volume
Select equivalent: K_SE_Storage_Volume.VolNoSinglePointofFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 063, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Minimum Data Redundancy
Type: Number
Description: Minimum Data Redundancy for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMinDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name

| | |
|------------------------|---|
| List of values: | 064, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Volume Maximum Data Redundancy |
| Type: | Number |
| Description: | Maximum Data Redundancy for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolMaxDataRedundancy |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 065, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Volume Default Data Redundancy |
| Type: | Number |
| Description: | Default Data Redundancy for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolDefaultDataRedundancy |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 066, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Volume Minimum Spindle Redundancy |
| Type: | Number |
| Description: | Minimum Spindle Redundancy for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolMinSpindleRedundancy |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 067, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Volume Maximum Spindle Redundancy |
| Type: | Number |
| Description: | Maximum Spindle Redundancy for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolMaxSpindleRedundancy |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 068, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Volume Default Spindle Redundancy |
| Type: | Number |
| Description: | Default Spindle Redundancy for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolDefaultSpindleRedundancy |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 069, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Volume Minimum Delta Reservation |
| Type: | Number |
| Description: | Minimum Delta Reservation for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolMinDeltaReservation |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 06a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------------------|
| Object: | Volume Maximum Delta Reservation |
| Type: | Number |

Description: Maximum Delta Reservation for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 06b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Default Delta Reservation
Type: Number
Description: Default Delta Reservation for Block Volume
Select equivalent: K_SE_Storage_Volume.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 06c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Blocks
Type: Number
Description: Actual Number of Blocks
Select equivalent: K_SE_Storage_Volume.ActualBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 06d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Used Blocks
Type: Number
Description: Number of Used Blocks
Select equivalent: K_SE_Storage_Volume.UsedBlocks
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 06e, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Block Volume Controller Name |
| Type: | Character |
| Description: | Controller Name |
| Select equivalent: | K_SE_Storage_Volume.ControllerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 06f, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Block Volume Composition |
| Type: | Character |
| Description: | Shows type of volume like Internal, External, Hybrid... |
| Select equivalent: | K_SE_Storage_Volume.Composition |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 06g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Block Volume Description |
| Type: | Character |
| Description: | Block Volume Description |
| Select equivalent: | K_SE_Storage_Volume.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 06h, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Storage Capabilities
Type: Character
Description: Storage Capabilities
Select equivalent: K_SE_Storage_Volume.StorageCapabilities
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 06i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 06j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool UUID
Type: Character
Description: UUID of the Block Pool
Select equivalent: K_SE_Storage_Pool.SANPoolUUID
Where equivalent:

Qualification: dimension
List of values: 06k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume UUID
Type: Character

Description: UUID of the Block Volume
Select equivalent: K_SE_Storage_Volume.SANVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 06l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5na, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|-------------------------------|
| Class: | Block System SCSI Controllers |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 06m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 06n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Node Group Name |
| Type: | Character |
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5gx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5h0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5h2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 3 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED3 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5h4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 4 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED4 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5h6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 5 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED5 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5h8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------|
| Object: | Ngroup Snapshot Time |
| Type: | Date |

Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ha, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5hc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPELEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5he, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail

| | |
|----------------------------|---|
| Associated dimension name: | Group Path |
| List of values: | 5hg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5hi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5hk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 06o, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 06p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 06q, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|---|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 06r, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISS |

| | |
|----------------------------|---|
| | ING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 06s, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System IP Address |
| Type: | Character |
| Description: | IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.IPAddress |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 06t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Storage System DNS |
| Type: | Character |
| Description: | DNS name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DNSName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 06u, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage System WWN |
| Type: | Character |
| Description: | World Wide Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 06v, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Storage System SerialNumber |
| Type: | Character |
| Description: | Serial Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.SerialNumber |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 06w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 06x, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Has Reset Capability? |
| Type: | Character |
| Description: | Has Reset Capability (flag) |
| Select equivalent: | K_SE_StorageSystem.HasResetCapability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 06y, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 070, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 071, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 072, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 073, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 074, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 075, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 076, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 077, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 078, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 079, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 07a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Storage On Access |
| Type: | Character |
| Description: | Storage On Access (flag) |
| Select equivalent: | K_SE_StorageSystem.StorageOnAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 07b, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Business Cost |
| Type: | Number |
| Description: | Business Cost of the Storage System |
| Select equivalent: | K_SE_StorageSystem.BusinessCost |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 07c, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 07d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 07e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 07f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character

Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 07g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 07h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 07i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 23a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 23c, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 07j, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 07k, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 27a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 27c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 27e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--------------------------------------|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 07l, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Custom Name |
| Type: | Character |
| Description: | Custom Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.CustomName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 07m, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 07n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------|
| Object: | SCSI Controller Name |
| Type: | Character |

Description: Name of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.SCSIControllerName
Where equivalent:

Qualification: dimension
List of values: 07o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Controller Vendor
Type: Character
Description: Vendor name of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: SCSI Controller Name
List of values: 07p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Description
Type: Character
Description: Description of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.Description
Where equivalent:

Qualification: detail
Associated dimension name: SCSI Controller Name
List of values: 07q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: WWN
Type: Character
Description: World Wide Name of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.WWN
Where equivalent:

Qualification: detail

Associated dimension name: SCSI Controller Name
List of values: 07r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Controller Model
Type: Character
Description: Model Name of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.Model
Where equivalent:

Qualification: detail
Associated dimension name: SCSI Controller Name
List of values: 07s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Serial Number
Type: Character
Description: Serial Number of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: SCSI Controller Name
List of values: 07t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Version
Type: Character
Description: Version of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.Version
Where equivalent:

Qualification: detail
Associated dimension name: SCSI Controller Name
List of values: 07u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Firmware Version
Type: Character
Description: Firmware Version of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.FirmwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: SCSI Controller Name
List of values: 07v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: IP Address
Type: Character
Description: IP Address of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: SCSI Controller Name
List of values: 07w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Driver Version
Type: Character
Description: Driver Version of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.DriverVersion
Where equivalent:

Qualification: detail
Associated dimension name: SCSI Controller Name
List of values: 07x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID

Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 07y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Controller UUID
Type: Character
Description: UUID of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.SCSIControllerUUID
Where equivalent:

Qualification: dimension
List of values: 080, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5nc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|-------------------------|
| Class: | Block System Processors |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 081, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 082, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Node Group Name |
| Type: | Character |
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5hm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5ho, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Custom Field 2
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5hq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5hs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5hu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character

Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5hw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5hy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5i1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPELEVEL
Where equivalent:

Qualification: detail

| | |
|----------------------------|---|
| Associated dimension name: | Group Path |
| List of values: | 5i3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Parent Group Name |
| Type: | Character |
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5i5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5i7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5i9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|------------------------|---|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 083, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 084, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 085, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 086, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 087, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System IP Address |
| Type: | Character |
| Description: | IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.IPAddress |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 088, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Storage System DNS |
| Type: | Character |
| Description: | DNS name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DNSName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 089, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage System WWN |
| Type: | Character |
| Description: | World Wide Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Storage System SerialNumber |
| Type: | Character |
| Description: | Serial Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.SerialNumber |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08b, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08c, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: **Has Reset Capability?**
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Advanced Retention Management?**
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cache Block Size**
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Is Manageable?**
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Maximum Volume Name Length**
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Replication IP**
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 08m, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08o, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Storage On Access |
| Type: | Character |
| Description: | Storage On Access (flag) |
| Select equivalent: | K_SE_StorageSystem.StorageOnAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Business Cost |
| Type: | Number |
| Description: | Business Cost of the Storage System |
| Select equivalent: | K_SE_StorageSystem.BusinessCost |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08q, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | DKC Microcode Version |
| Type: | Character |
| Description: | DKC Microcode Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DKCMicrocodeVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08r, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Family |
| Type: | Character |
| Description: | Family of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Family |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08s, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------|
| Object: | Hardware Version |
| Type: | Character |

Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 23e, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 23g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08x, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 08y, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 27g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 27i, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 27k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 090, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 091, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character

Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 092, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Processor Name
Type: Character
Description: Name of the Block System Processor
Select equivalent: K_SE_Storage_Processor.SANProcessorName
Where equivalent:

Qualification: dimension
List of values: 093, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Processor Vendor
Type: Character
Description: Vendor Name of Block System Processor
Select equivalent: K_SE_Storage_Processor.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 094, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Description
Type: Character
Description: Description of the Block System Processor
Select equivalent: K_SE_Storage_Processor.Description
Where equivalent:

Qualification: detail

Associated dimension name: Block Processor Name
List of values: 095, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: IP Address
Type: Character
Description: IP Address of the Block System Processor
Select equivalent: K_SE_Storage_Processor.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 096, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DNS
Type: Character
Description: DNS name of the Block System Processor
Select equivalent: K_SE_Storage_Processor.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 097, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: WWN
Type: Character
Description: World Wide Name of the Block System Processor
Select equivalent: K_SE_Storage_Processor.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 098, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Block Processor Model
Type: Character
Description: Model name of the Block System Processor
Select equivalent: K_SE_Storage_Processor.Model
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 099, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Processor Power Management
Type: Character
Description: Indicates whether Power management is supported or not on the Block System Processor
Select equivalent: K_SE_Storage_Processor.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 27m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Processor Power Management
Type: Character
Description: Indicates whether Power management is supported or not on the Storage System Processor
Select equivalent: K_SE_Storage_Processor.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 09a, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Version |
| Type: | Character |
| Description: | Version of the Block System Processor |
| Select equivalent: | K_SE_Storage_Processor.Version |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Processor Name |
| List of values: | 09c, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Serial Number |
| Type: | Character |
| Description: | Serial Number of the Storage System Processor |
| Select equivalent: | K_SE_Storage_Processor.SerialNumber |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Processor Name |
| List of values: | 09b, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Reset Capability |
| Type: | Character |
| Description: | Reset Capability of the Block System Processor |
| Select equivalent: | K_SE_Storage_Processor.ResetCapability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Processor Name |
| List of values: | 09e, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Processor Status |
| Type: | Character |
| Description: | Status of the Storage System Processor |
| Select equivalent: | K_SE_Storage_Processor.ProcessorStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Processor Name |
| List of values: | 09d, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Block Processor Roles |
| Type: | Character |
| Description: | Roles of the Storage System Processor |
| Select equivalent: | K_SE_Storage_Processor.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Processor Name |
| List of values: | 09f, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 09g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Element UUID |
| Type: | Character |
| Description: | UUID of the Element |
| Select equivalent: | K_SE_NODEELEMENTS.ELEMENTUUID |

Where equivalent:

Qualification: dimension
List of values: 5ne, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Block Processor UUID
Type: Character
Description: UUID of the Storage Processor
Select equivalent: K_SE_Storage_Processor.SANProcessorUUID
Where equivalent:

Qualification: dimension
List of values: 09h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|----------------------------------|
| Class: | Block System Fiber Channel Ports |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SESourceName
Where equivalent:

Qualification: dimension
List of values: 09i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 09j, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Node Group Name |
| Type: | Character |
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5ib, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5id, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5if, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ih, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ij, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5il, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME

Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5in, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5ip, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPELEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5ir, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5it, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5iv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5ix, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 09k, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------|
| Object: | Model |
|---------|--------------|

| | |
|------------------------|---|
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 09l, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 09m, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 09n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values: 09r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character

Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 09y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0a0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0a1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0a2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0a3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0a4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0a5, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: **Replication Status**
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0a6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0a7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0a8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0a9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0aa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ab, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ac, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ad, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ae, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 23i, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 23k, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0af, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0ag, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2bn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2bp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2br, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|---|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0ah, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Custom Name |
| Type: | Character |
| Description: | Custom Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.CustomName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0ai, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0aj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Block Processor Name |
| Type: | Character |
| Description: | Name of the Block System Processor |
| Select equivalent: | K_SE_Storage_Processor.SANProcessorName |

Where equivalent:

Qualification: dimension
List of values: 0ak, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Processor Vendor
Type: Character
Description: Vendor Name of Block System Processor
Select equivalent: K_SE_Storage_Processor.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0al, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Description
Type: Character
Description: Description of the Block System Processor
Select equivalent: K_SE_Storage_Processor.Description
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0am, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: IP Address
Type: Character
Description: IP Address of the Block System Processor
Select equivalent: K_SE_Storage_Processor.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0an, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DNS
Type: Character
Description: DNS name of the Block System Processor
Select equivalent: K_SE_Storage_Processor.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0ao, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: WWN
Type: Character
Description: World Wide Name of the Block System Processor
Select equivalent: K_SE_Storage_Processor.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0ap, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Processor Model
Type: Character
Description: Model name of the Block System Processor
Select equivalent: K_SE_Storage_Processor.Model
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0aq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|----------------------------|--|
| Object: | Storage Processor Power Management |
| Type: | Character |
| Description: | Indicates whether Power management is supported or not on the Block System Processor |
| Select equivalent: | K_SE_Storage_Processor.PowerManagement |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Block Processor Name |
| List of values: | 2bt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|--|
| Object: | Block Processor Power Management |
| Type: | Character |
| Description: | Indicates whether Power management is supported or not on the Storage System Processor |
| Select equivalent: | K_SE_Storage_Processor.PowerManagement |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Block Processor Name |
| List of values: | 0ar, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|---|
| Object: | Version |
| Type: | Character |
| Description: | Version of the Block System Processor |
| Select equivalent: | K_SE_Storage_Processor.Version |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Block Processor Name |
| List of values: | 0at, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: **Serial Number**
Type: Character
Description: Serial Number of the Storage System Processor
Select equivalent: K_SE_Storage_Processor.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0as, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Reset Capability**
Type: Character
Description: Reset Capability of the Block System Processor
Select equivalent: K_SE_Storage_Processor.ResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0av, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Processor Status**
Type: Character
Description: Status of the Storage System Processor
Select equivalent: K_SE_Storage_Processor.ProcessorStatus
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0au, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Block Processor Roles**

Type: Character
Description: Roles of the Storage System Processor
Select equivalent: K_SE_Storage_Processor.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Block Processor Name
List of values: 0aw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Name
Type: Character
Description: Block system port name
Select equivalent: K_SE_Storage_Port.PortName
Where equivalent:

Qualification: dimension
List of values: 0ax, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Port WWN
Type: Character
Description: World Wide Name of the Block system port
Select equivalent: K_SE_Storage_Port.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0b0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Port Description
Type: Character
Description: Storage system port description
Select equivalent: K_SE_Storage_Port.Description
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Port Name |
| List of values: | 0ay, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Port State |
| Type: | Character |
| Description: | Port State |
| Select equivalent: | K_SE_Storage_Port.PortState |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Port Name |
| List of values: | 0b2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Connected To WWN |
| Type: | Character |
| Description: | Which WWN is this port connected to? |
| Select equivalent: | K_SE_Storage_Port.ConnectedToWWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Port Name |
| List of values: | 0b1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Physical State |
| Type: | Character |
| Description: | Physical State |
| Select equivalent: | K_SE_Storage_Port.PhysicalState |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Port Name |
| List of values: | 0b4, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Port Status |
| Type: | Character |
| Description: | Port Status |
| Select equivalent: | K_SE_Storage_Port.PortStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Port Name |
| List of values: | 0b3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Max Speed in Gb/s |
| Type: | Number |
| Description: | Max Speed in Gb/s |
| Select equivalent: | K_SE_Storage_Port.MaxSpeed |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Port Name |
| List of values: | 0b6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Port Speed in Gb/s |
| Type: | Number |
| Description: | Port Speed in Gb/s |
| Select equivalent: | K_SE_Storage_Port.PortSpeed |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Port Name |
| List of values: | 0b5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: **SCSI Port**
Type: Number
Description: SCSI Port
Select equivalent: K_SE_Storage_Port.SCSI Port
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0b8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Port Number**
Type: Number
Description: Port Number
Select equivalent: K_SE_Storage_Port.PortNumber
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0b7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Port Type**
Type: Character
Description: Port Type
Select equivalent: K_SE_Storage_Port.PortType
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0ba, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Connected to Node WWN**
Type: Character
Description: Which node WWN is the port connected to?
Select equivalent: K_SE_Storage_Port.ConnectedToNodeWWN

Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0b9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Link Technology
Type: Character
Description: Link Technology
Select equivalent: K_SE_Storage_Port.LinkTechnology
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0bb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 0bc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port UUID
Type: Character
Description: UUID of the Block System Port
Select equivalent: K_SE_Storage_Port.PortUUID
Where equivalent:

Qualification: dimension
List of values: 0be, editable, manual refresh, not exportable
Security access level: 0

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Block Processor UUID |
| Type: | Character |
| Description: | UUID of the Storage Processor |
| Select equivalent: | K_SE_Storage_Processor.SANProcessorUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0bd, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Element UUID |
| Type: | Character |
| Description: | UUID of the Element |
| Select equivalent: | K_SE_NODEELEMENTS.ELEMENTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5ng, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|--------------------------|
| Class: | Block System Replication |
| Description: | |

| | |
|--------------------|----------------------------------|
| Object: | SOM Source Name |
| Type: | Character |
| Description: | Name of the source SOM server |
| Select equivalent: | K_SE_StorageSystem.SEiSourceName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0bf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0bg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0bh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 50a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|----------------|-----------|
| Qualification: | dimension |
|----------------|-----------|

| | |
|------------------------|---|
| List of values: | Obi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | Obk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | Obj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Storage System DNS |
| Type: | Character |
| Description: | DNS name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DNSName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | Obm, editable, manual refresh, not exportable |

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---------------------------------------|
| Object: | Has Reset Capability? |
| Type: | Character |
| Description: | Has Reset Capability (flag) |
| Select equivalent: | K_SE_StorageSystem.HasResetCapability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0bq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0bp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Cache Block Size |
| Type: | Number |
| Description: | Cache Block Size |
| Select equivalent: | K_SE_StorageSystem.CacheBlockSize |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0bs, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Has Advanced Retention Management? |
| Type: | Character |
| Description: | Has Advanced Retention Management (flag) |

Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0br, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 0bw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0by, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status

Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0c8, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 23m, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0ca, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0cb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 23o, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2cg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0cc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of w |

hen the storage system wa
s last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ci, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ch, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Link Technology
Type: Character
Description: Link Technology
Select equivalent: K_SE_Storage_Port.LinkTechnology
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2cj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0cd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ce, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0cf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Source Volume Name
Type: Character
Description: Name of the Source Volume
Select equivalent: K_SE_Storage_Replication.SourceVolName
Where equivalent:

Qualification: dimension
List of values: 0cg, editable, manual refresh, not exportable
Security access level: 0

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Remote Block System Name |
| Type: | Character |
| Description: | Name of the Remote Storage System |
| Select equivalent: | K_SE_Storage_Replication.RemoteSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0ch, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Target Volume Name |
| Type: | Character |
| Description: | Name of the Target Volume |
| Select equivalent: | K_SE_Storage_Replication.TargetVolName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0ci, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Synchronization State |
| Type: | Character |
| Description: | Indicates Synchronization state such as Broken/Frozen/Synchronized/Idle/... |
| Select equivalent: | K_SE_Storage_Replication.SyncState |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0cj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------|
| Object: | Synchronization Time |
|---------|----------------------|

| | |
|--------------------|--|
| Type: | Date |
| Description: | Shows time when Synchronization was happened |
| Select equivalent: | K_SE_Storage_Replication.SyncedTimeStamp |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0ck, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Copy Type |
| Type: | Character |
| Description: | Indicates the Type of Copy such as UnSyncAssoc/Sync/Async/... |
| Select equivalent: | K_SE_Storage_Replication.CopyType |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0cl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replica Type |
| Type: | Character |
| Description: | Indicates the replica type such as After Delta/Full Copy/... |
| Select equivalent: | K_SE_Storage_Replication.ReplicaType |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0cm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Is Synchronization Maintained? |
| Type: | Character |
| Description: | Indicates whether synchronization is maintained or not |
| Select equivalent: | K_SE_Storage_Replication.IsSyncMaintained |
| Where equivalent: | |

| | |
|-----------------|---|
| Qualification: | dimension |
| List of values: | 0cn, editable, manual refresh, not exportable |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Synchronization Collection Time |
| Type: | Date |
| Description: | Shows time when Storage Operations Manager collected the replication information for the pair |
| Select equivalent: | K_SE_Storage_Replication.SyncTime |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0co, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Locality |
| Type: | Character |
| Description: | Shows type of replication such as local/remote |
| Select equivalent: | K_SE_Storage_Replication.Locality |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0cp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0cq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Element UUID |
| Type: | Character |
| Description: | UUID of the Element |
| Select equivalent: | K_SE_NODEELEMENTS.ELEMENTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5ni, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Remote Element ID |
| Type: | Character |
| Description: | Remote Element Identifier |
| Select equivalent: | K_SE_Storage_Replication.RemoteElementID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5ny, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Remote System ID |
| Type: | Character |
| Description: | Remote System Identifier |
| Select equivalent: | K_SE_Storage_Replication.RemoteSystemID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5nx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Class: | File System Extents Associated with Disks |
| Description: | |

| | |
|--------------|-------------------------------|
| Object: | SOM Source Name |
| Type: | Character |
| Description: | Name of the source SOM server |

Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 2rr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 2rs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5j0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5j2, editable, manual refresh, not exportable
Security access level: 0

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5j4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 3 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED3 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5j6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 4 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED4 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5j8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ja, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5jc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5je, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPELEVEL
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5jg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Parent Group Name |
| Type: | Character |
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5ji, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5jk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5jm, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2rt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2ru, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2rv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |

Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2rw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2rx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ry, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values: 2s3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Reset Capability?**
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Advanced Retention Management?**
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cache Block Size**
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--------------------------------------|
| Object: | Has Compliance Mode? |
| Type: | Character |
| Description: | Has Compliance Mode (flag) |
| Select equivalent: | K_SE_StorageSystem.HasComplianceMode |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2s7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Domain |
| Type: | Character |
| Description: | Domain of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Domain |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2s8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Over Subscribed Capacity |
| Type: | Character |
| Description: | Over Subscribed Capacity |
| Select equivalent: | K_SE_StorageSystem.OverSubscribedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2s9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------|
| Object: | Requested Capacity |
| Type: | Character |

Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2sd, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2se, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2sf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Storage On Access |
| Type: | Character |
| Description: | Storage On Access (flag) |
| Select equivalent: | K_SE_StorageSystem.StorageOnAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2sg, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **DKC Microcode Version**
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2si, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Family**
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2so, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 2sq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2sr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ss, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2st, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2su, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2sv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Custom Name |
| Type: | Character |
| Description: | Custom Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.CustomName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2sw, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2sx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | File Extent Name |
| Type: | Character |
| Description: | Name of the File extent |
| Select equivalent: | K_SE_NAS_Extent.NASExtentName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2sy, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | File Extent Vendor |
| Type: | Character |
| Description: | Vendor name of the File Extent |
| Select equivalent: | K_SE_NAS_Extent.Vendor |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Extent Name |
| List of values: | 2t0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | File Extent Description |
| Type: | Character |
| Description: | File Extent description |
| Select equivalent: | K_SE_NAS_Extent.NASExtentDescription |
| Where equivalent: | |

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2t1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Access Type
Type: Character
Description: File Extent access type
Select equivalent: K_SE_NAS_Extent.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2t2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Size in Bytes
Type: Number
Description: Block size in bytes
Select equivalent: K_SE_NAS_Extent.BlkSizeinBytes
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2t3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: # of Blocks
Type: Number
Description: Number of blocks
Select equivalent: K_SE_NAS_Extent.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2t4, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Consumable Blocks
Type: Number
Description: Number of consumable blocks
Select equivalent: K_SE_NAS_Extent.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2t5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Name
Type: Character
Description: Name of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.DiskDriveName
Where equivalent:

Qualification: dimension
List of values: 2t6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Vendor
Type: Character
Description: Vendor name of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2t7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Description
Type: Character
Description: Description of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.Description
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2t8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Model
Type: Character
Description: Model name of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.Model
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2t9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Serial Number
Type: Character
Description: Serial Number of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2ta, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Hardware Version
Type: Character
Description: Hardware Version of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SDDHardwareVersion

Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2tb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI BUS
Type: Character
Description: SCSI bus of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSIBUS
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2tc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI LUN
Type: Character
Description: SCSI LUN of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSILUN
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2td, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Port
Type: Character
Description: SCSI port of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSIPort
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name

| | |
|------------------------|---|
| List of values: | 2te, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Max Media Size in GiB |
| Type: | Number |
| Description: | Maximum Media Size in GiB uses 1024 i.e. base 2 when converting values from bytes to gigabytes |
| Select equivalent: | K_SE_Storage_DiskDrive.MaxMediaSizeinGiB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2tf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Max Media Size in GB |
| Type: | Number |
| Description: | Maximum Media Size in GB uses 1000 i.e. base 10 when converting values from bytes to gigabytes |
| Select equivalent: | K_SE_Storage_DiskDrive.MaxMediaSizeinGB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2tg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Max Block Size |
| Type: | Number |
| Description: | Maximum Block Size in Bytes |
| Select equivalent: | K_SE_Storage_DiskDrive.MaxBlockSize |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2th, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Min Block Size |
| Type: | Number |
| Description: | Minimum Block Size in Bytes |
| Select equivalent: | K_SE_Storage_DiskDrive.MinBlockSize |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2ti, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Enable Status |
| Type: | Character |
| Description: | Enable Status |
| Select equivalent: | K_SE_Storage_DiskDrive.EnableStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2tj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Drive Type |
| Type: | Character |
| Description: | Type of Drive |
| Select equivalent: | K_SE_Storage_DiskDrive.DriveType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Disk Drive Name |
| List of values: | 2tk, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: **Disk Type**
Type: Character
Description: Type of Disk
Select equivalent: K_SE_Storage_DiskDrive.DiskType
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2tl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Availability**
Type: Character
Description: Availability
Select equivalent: K_SE_Storage_DiskDrive.Availability
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2tm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **RPM**
Type: Character
Description: Revolutions per minute
Select equivalent: K_SE_Storage_DiskDrive.RPM
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2tn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Architecture
Type: Character
Description: Architecture
Select equivalent: K_SE_Storage_DiskDrive.Architecture
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2to, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive UUID
Type: Character
Description: UUID of the Disk Drive
Select equivalent: K_SE_Storage_DiskDrive.DiskDriveUUID
Where equivalent:

Qualification: dimension
List of values: 2tp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 2tq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent UUID
Type: Character
Description: UUID of the File Extent
Select equivalent: K_SE_NAS_Extent.NASExtentUUID
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2tr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Snapshot Time |
| Type: | Date |
| Description: | Snapshot Time for mapping data between Disk drives and extents |
| Select equivalent: | K_SE_DD_Map_NE.SnapshotTime |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2ts, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Element UUID |
| Type: | Character |
| Description: | UUID of the Element |
| Select equivalent: | K_SE_NODEELEMENTS.ELEMENTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5nk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|---------------------|
| Class: | File System Extents |
| Description: | |

| | |
|--------------------|----------------------------------|
| Object: | SOM Source Name |
| Type: | Character |
| Description: | Name of the source SOM server |
| Select equivalent: | K_SE_StorageSystem.SEiSourceName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2tt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 2tu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 2tv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character
Description: Storage System Model Number
Select equivalent: K_SE_StorageSystem.Model
Where equivalent:

Qualification: dimension
List of values: 2tw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName

Where equivalent:

Qualification: dimension
List of values: 2tx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Description
Type: Character
Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ty, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2u0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2u1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Storage System DNS |
| Type: | Character |
| Description: | DNS name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DNSName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2u2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage System WWN |
| Type: | Character |
| Description: | World Wide Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2u3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Storage System SerialNumber |
| Type: | Character |
| Description: | Serial Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.SerialNumber |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2u4, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: **Storage System Status**
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2u5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Reset Capability?**
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2u6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Advanced Retention Management?**
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2u7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2u8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2u9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ua, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ub, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2uc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ud, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 2ue, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2uf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ug, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2uh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Storage On Access |
| Type: | Character |
| Description: | Storage On Access (flag) |
| Select equivalent: | K_SE_StorageSystem.StorageOnAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ui, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Business Cost |
| Type: | Number |
| Description: | Business Cost of the Storage System |
| Select equivalent: | K_SE_StorageSystem.BusinessCost |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2uj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | DKC Microcode Version |
| Type: | Character |
| Description: | DKC Microcode Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DKCMicrocodeVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2uk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------|
| Object: | Family |
| Type: | Character |

Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ul, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2um, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2un, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2uo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2up, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2uq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ur, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2us, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ut, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2uu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2uv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2uw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ux, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character

Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2uy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2v0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent Name
Type: Character
Description: Name of the File extent
Select equivalent: K_SE_NAS_Extent.NASExtentName
Where equivalent:

Qualification: dimension
List of values: 2v1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent Vendor
Type: Character
Description: Vendor name of the File Extent
Select equivalent: K_SE_NAS_Extent.Vendor
Where equivalent:

Qualification: detail

Associated dimension name: File Extent Name
List of values: 2v2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent Description
Type: Character
Description: File Extent description
Select equivalent: K_SE_NAS_Extent.NASExtentDescription
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2v3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Access Type
Type: Character
Description: File Extent access type
Select equivalent: K_SE_NAS_Extent.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2v4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Size in Bytes
Type: Number
Description: Block size in bytes
Select equivalent: K_SE_NAS_Extent.BlkSizeinBytes
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2v5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: # of Blocks
Type: Number
Description: Number of blocks
Select equivalent: K_SE_NAS_Extent.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2v6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Consumable Blocks
Type: Number
Description: Number of consumable blocks
Select equivalent: K_SE_NAS_Extent.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 2v7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 2v8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent UUID
Type: Character

Description: UUID of the File Extent
Select equivalent: K_SE_NAS_Extent.NASExtentUUID
Where equivalent:

Qualification: dimension
List of values: 2v9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|------------------------|
| Class: | File Network Interface |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SESourceName
Where equivalent:

Qualification: dimension
List of values: 0du, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 0dv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5jo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5jq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5js, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 3 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED3 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5ju, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5jw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5jy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5k1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path

Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5k3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPELEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5k5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5k7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element Name
Type: Character
Description: Name of the Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5k9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5kb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5oc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5oe, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0dw, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0dx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0dy, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------|
| Object: | Storage System IP Address |
|---------|---------------------------|

Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e6, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0e9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Over Subscribed Capacity |
| Type: | Character |
| Description: | Over Subscribed Capacity |
| Select equivalent: | K_SE_StorageSystem.OverSubscribedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0ea, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Requested Capacity |
| Type: | Character |
| Description: | Requested Capacity |
| Select equivalent: | K_SE_StorageSystem.RequestedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0eb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0ec, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |

Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ed, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ee, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ef, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 0eg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0eh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ei, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ej, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ek, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0el, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0em, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info

Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0en, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0eo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 23u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 23w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Power Management**
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ep, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Roles**
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0eq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Primary Owner Name**
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2co, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2cp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2cq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0er, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0es, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0et, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ethernet Port Name
Type: Character
Description: NetApp IP Port Name
Select equivalent: K_SE_NAS_Network_Interface.PORTNAME
Where equivalent:

Qualification: dimension
List of values: 0eu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Link Technology2
Type: Character

Description: Link Technology
Select equivalent: K_SE_Storage_Port.LinkTechnology
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 2cr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Port Description
Type: Character
Description: Description about NetApp IP Port
Select equivalent: K_SE_NAS_Network_Interface.DESRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0ev, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port WWN
Type: Character
Description: WWN of NetApp IP Port
Select equivalent: K_SE_NAS_Network_Interface.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0ex, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Target Port
Type: Number
Description: Target Port
Select equivalent: K_SE_NAS_Network_Interface.TARGET_PORT
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Ethernet Port Name |
| List of values: | 0ey, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Connected to WWN |
| Type: | Character |
| Description: | Connected to WWN |
| Select equivalent: | K_SE_NAS_Network_Interface.CONNECTED_TO_WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Ethernet Port Name |
| List of values: | 0f0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Card Name |
| Type: | Character |
| Description: | Card Name |
| Select equivalent: | K_SE_NAS_Network_Interface.CARDNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Ethernet Port Name |
| List of values: | 5o3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | IP Address |
| Type: | Character |
| Description: | IP Address |
| Select equivalent: | K_SE_NAS_Network_Interface.CARDIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Ethernet Port Name |
| List of values: | 5og, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Port State
Type: Character
Description: NetApp IP Port State
Select equivalent: K_SE_NAS_Network_Interface.PORTSTATE
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Status
Type: Character
Description: NetApp IP Port Status
Select equivalent: K_SE_NAS_Network_Interface.PORTSTATUS
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Physical State
Type: Character
Description: Physical State
Select equivalent: K_SE_NAS_Network_Interface.PHYSICAL_STATE
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Speed in Mb/s
Type: Number
Description: NetApp IP Port Speed
Select equivalent: K_SE_NAS_Network_Interface.PORT_SPEED
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Speed in Mb/s
Type: Number
Description: NetApp IP Port Maximum Speed
Select equivalent: K_SE_NAS_Network_Interface.MAX_SPEED
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Number
Type: Number
Description: Port Number
Select equivalent: K_SE_NAS_Network_Interface.PORTNUMBER
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Port
Type: Number
Description: SCSI Port
Select equivalent: K_SE_NAS_Network_Interface.SCSIPORT

Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Connected to node WWN
Type: Character
Description: Connected to node WWN
Select equivalent: K_SE_NAS_Network_Interface.CONNECTEDTONODEWWN
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: MAC Address
Type: Character
Description: Port Symbolic Name
Select equivalent: K_SE_NAS_Network_Interface.PORT_SYMBOLIC_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Type
Type: Character
Description: Port Type
Select equivalent: K_SE_NAS_Network_Interface.PORTTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name

| | |
|------------------------|---|
| List of values: | 0fa, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Link Technology |
| Type: | Character |
| Description: | Link Technology |
| Select equivalent: | K_SE_NAS_Network_Interface.LINK_TECHNOLOGY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Ethernet Port Name |
| List of values: | 0fb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0fc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Ethernet Port UUID |
| Type: | Character |
| Description: | UUID of the File Ethernet Port |
| Select equivalent: | K_SE_NAS_Network_Interface.PORTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0fd, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5nm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|---------------------|
| Class: | File System Volumes |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 2va, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 2vb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor

Where equivalent:

Qualification: dimension
List of values: 2vc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character
Description: Storage System Model Number
Select equivalent: K_SE_StorageSystem.Model
Where equivalent:

Qualification: dimension
List of values: 2vd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName
Where equivalent:

Qualification: dimension
List of values: 2ve, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Description
Type: Character
Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Storage System WWN |
| Type: | Character |
| Description: | World Wide Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2vj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Storage System SerialNumber |
| Type: | Character |
| Description: | Serial Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.SerialNumber |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2vk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2vl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------|
| Object: | Has Reset Capability? |
| Type: | Character |

Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2vp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Domain |
| Type: | Character |
| Description: | Domain of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Domain |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2vq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Over Subscribed Capacity |
| Type: | Character |
| Description: | Over Subscribed Capacity |
| Select equivalent: | K_SE_StorageSystem.OverSubscribedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2vr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Requested Capacity |
| Type: | Character |
| Description: | Requested Capacity |
| Select equivalent: | K_SE_StorageSystem.RequestedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2vs, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2vy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2w0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2w1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2w2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values: 2w3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2w4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2w5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2w6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2w7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2w8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2w9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------|
| Object: | Roles |
| Type: | Character |

Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2wa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2wb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2wc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2wd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Management URL**
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2we, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Custom Name**
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2wf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Object Type**
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 2wg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | File Volume Name |
| Type: | Character |
| Description: | Name of the File Volume |
| Select equivalent: | K_SE_NAS_Volume.NASVolumeName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2wh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | OID |
| Type: | Character |
| Description: | Unique Identifier for File Volume |
| Select equivalent: | K_SE_NAS_Volume.OID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2wi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Volume Device ID |
| Type: | Character |
| Description: | File Volume Device ID |
| Select equivalent: | K_SE_NAS_Volume.VolumeDeviceId |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2wj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | File Volume Access Type |
| Type: | Character |
| Description: | File Volume Access Type |
| Select equivalent: | K_SE_NAS_Volume.AccessType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2wk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | File Volume Block Size in Bytes |
| Type: | Number |
| Description: | File Volume Block Size in Bytes |
| Select equivalent: | K_SE_NAS_Volume.BlockSize |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2wl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Number of Blocks |
| Type: | Number |
| Description: | Number of blocks in File Volume |
| Select equivalent: | K_SE_NAS_Volume.NumberOfBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2wm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|----------------------------------|
| Object: | Volume Size Bytes |
| Type: | Number |
| Description: | Source File Volume Size in Bytes |

Select equivalent: K_SE_NAS_Volume.VolumeSizeBytes
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Volume Consumable Blocks
Type: Number
Description: Number of consumable blocks in File Volume
Select equivalent: K_SE_NAS_Volume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Volume Consumed Blocks
Type: Number
Description: Actual consumed physical
space of the volume. Note
: This object only applica
ble for File systems that
support Thin Provisioning
Select equivalent: K_SE_NAS_Volume.ConsumedBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates Whether File Volume is Thinly Provisioned or not

Select equivalent: K_SE_NAS_Volume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Raw Space (Bytes)
Type: Number
Description: Raw Space in Bytes that is consumed by the File volume from the underlying File extents
Select equivalent: K_SE_NAS_Volume.RawSpace
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Raw Space (GB)
Type: Number
Description: Raw Space in GB that is consumed by the File volume from the underlying File extents
Select equivalent: K_SE_NAS_Volume.RawSpaceGB
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2ws, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Raw Space (GiB)

| | |
|----------------------------|---|
| Type: | Number |
| Description: | Raw Space in GiB that is consumed by the File volume from the underlying File extents |
| Select equivalent: | K_SE_NAS_Volume.RawSpaceGiB |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2wt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | RAID Type |
| Type: | Character |
| Description: | RAID Type - A String representation of the RAID level and configuration of the underlying File extent(s) that the volume is based on. E.g. 'RAID5(7D+1P)'. |
| Select equivalent: | K_SE_NAS_Volume.RaidType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2wu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Sequential Access? |
| Type: | Character |
| Description: | Indicates whether sequential access or not |
| Select equivalent: | K_SE_NAS_Volume.SeqAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2wv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: File Volume Availability
Type: Character
Description: Whether File Volume is Available
Select equivalent: K_SE_NAS_Volume.Availability
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2ww, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Status Information
Type: Character
Description: File Volume Status Information
Select equivalent: K_SE_NAS_Volume.StatusInfo
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Type
Type: Character
Description: Volume Type - {'Open','Mainframe Mappe
d' - Volume known to be m
apped from FINCON or ESCO
N port. EFile - Volume kno
wn to be mapped through a
File port}
Select equivalent: K_SE_NAS_Volume.VolumeType
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wy, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Volume Purpose |
| Type: | Character |
| Description: | Volume Purpose represents the File Volume Emulation type for supported File Arrays |
| Select equivalent: | K_SE_NAS_Volume.VolumePurpose |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2x0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Volume Default Single Point of Failure |
| Type: | Number |
| Description: | Default Single Point of Failure for File Volume |
| Select equivalent: | K_SE_NAS_Volume.VolDfltSnglPtOfFailure |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2x1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Volume No Single Point of Failure |
| Type: | Character |
| Description: | No Single Point of Failure for File Volume |
| Select equivalent: | K_SE_NAS_Volume.VolNoSinglePointOfFailure |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2x2, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Volume Minimum Data Redundancy
Type: Number
Description: Minimum Data Redundancy for File Volume
Select equivalent: K_SE_NAS_Volume.VolMinDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2x3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Maximum Data Redundancy
Type: Number
Description: Maximum Data Redundancy for File Volume
Select equivalent: K_SE_NAS_Volume.VolMaxDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2x4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Default Data Redundancy
Type: Number
Description: Default Data Redundancy for File Volume
Select equivalent: K_SE_NAS_Volume.VolDefaultDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2x5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Minimum Spindle Redundancy
Type: Number
Description: Minimum Spindle Redundancy for File Volume
Select equivalent: K_SE_NAS_Volume.VolMinSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2x6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Maximum Spindle Redundancy
Type: Number
Description: Maximum Spindle Redundancy for File Volume
Select equivalent: K_SE_NAS_Volume.VolMaxSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2x7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Default Spindle Redundancy
Type: Number
Description: Default Spindle Redundancy for File Volume
Select equivalent: K_SE_NAS_Volume.VolDefaultSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2x8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Minimum Delta Reservation
Type: Number
Description: Minimum Delta Reservation for File Volume
Select equivalent: K_SE_NAS_Volume.VolMinDeltaReservation

Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2x9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Maximum Delta Reservation
Type: Number
Description: Maximum Delta Reservation for File Volume
Select equivalent: K_SE_NAS_Volume.VolMaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2xa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Volume Default Delta Reservation
Type: Number
Description: Default Delta Reservation for File Volume
Select equivalent: K_SE_NAS_Volume.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2xb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Blocks
Type: Number
Description: Actual Number of Blocks
Select equivalent: K_SE_NAS_Volume.ActualBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name

| | |
|------------------------|---|
| List of values: | 2xc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Used Blocks |
| Type: | Number |
| Description: | Number of Used Blocks |
| Select equivalent: | K_SE_NAS_Volume.UsedBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2xd, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | File Volume Controller Name |
| Type: | Character |
| Description: | Controller Name |
| Select equivalent: | K_SE_NAS_Volume.ControllerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2xe, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | File Volume Composition |
| Type: | Character |
| Description: | Shows type of volume like Internal, External, Hybrid... |
| Select equivalent: | K_SE_NAS_Volume.Composition |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2xf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | File Volume Description |
| Type: | Character |
| Description: | File Volume Description |
| Select equivalent: | K_SE_NAS_Volume.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2xg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Storage Capabilities |
| Type: | Character |
| Description: | Storage Capabilities |
| Select equivalent: | K_SE_NAS_Volume.StorageCapabilities |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Volume Name |
| List of values: | 2xh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2xi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------|
| Object: | File Volume UUID |
| Type: | Character |
| Description: | UUID of the File Volume |

Select equivalent: K_SE_NAS_Volume.NASVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 2xj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|------------|
| Class: | File QTree |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 0h0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 0h1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension

| | |
|------------------------|---|
| List of values: | 5oi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5ok, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0h2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0h3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0h4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0h5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0h6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN

Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0h7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0h8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0h9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ha, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hd, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0he, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0hh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0hi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0hj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |

Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: Ohk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: Ohl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: Ohm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 0hn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ho, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ht, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name

Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 243, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 245, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 0hv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2bv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2bx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: Storage System Name
List of values: 2c0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: QTree Name
Type: Character
Description: File File System Directory Name
Select equivalent: K_SE_NAS_QTrees.QTREENAME
Where equivalent:

Qualification: dimension
List of values: 0i0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File System Name
Type: Character
Description: File System Name
Select equivalent: K_SE_NAS_QTrees.FILESYSTEMNAME
Where equivalent:

Qualification: detail
Associated dimension name: QTree Name
List of values: 0i1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: QDescription
Type: Character
Description: Description about File File System Directory
Select equivalent: K_SE_NAS_QTrees.DESRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: QTree Name
List of values: 0i2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character

Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 0i3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Qtree UUID
Type: Character
Description: UUID of the File Qtree
Select equivalent: K_SE_NAS_QTrees.QTREEUUID
Where equivalent:

Qualification: dimension
List of values: 0i4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5no, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|-------------------------|
| Class: | File System Replication |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2xk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Name of the Tenant |
| Select equivalent: | K_SE_NAS_Replication.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2yo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5r2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5r3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2xl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2xm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2xn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------|
| Object: | Storage System IP Address |
| Type: | Character |

Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2xr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2xs, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Has Reset Capability? |
| Type: | Character |
| Description: | Has Reset Capability (flag) |
| Select equivalent: | K_SE_StorageSystem.HasResetCapability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2xt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Has Advanced Retention Management? |
| Type: | Character |
| Description: | Has Advanced Retention Management (flag) |
| Select equivalent: | K_SE_StorageSystem.HasAdvRetentionMgmt |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2xu, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: **Cache Block Size**
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Compliance Mode?**
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Domain**
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values: 2y5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **DKC Microcode Version**
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|------------------------------|
| Object: | Family |
| Type: | Character |
| Description: | Family of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Family |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2y9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Hardware Version |
| Type: | Character |
| Description: | Hardware Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.HardwareVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ya, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Identifying Descriptions |
| Type: | Character |
| Description: | Identifying Descriptions for the Storage System |
| Select equivalent: | K_SE_StorageSystem.IdentifyingDescriptions |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2yb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------|
| Object: | Other Identifying Info |
| Type: | Character |

Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ye, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2yf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2yg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2yh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2yi, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the timestamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ym, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Source Name
Type: Character
Description: Name of the Source
Select equivalent: K_SE_NAS_Replication.SrcName
Where equivalent:

Qualification: dimension
List of values: 2yp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Remote Storage System Name
Type: Character
Description: Name of the Remote File System
Select equivalent: K_SE_NAS_Replication.RemoteNASSystemName
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2yq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Target Name |
| Type: | Character |
| Description: | Name of the Target |
| Select equivalent: | K_SE_NAS_Replication.TargetName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2yr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Remote System ID |
| Type: | Character |
| Description: | Remote System Identifier |
| Select equivalent: | K_SE_NAS_Replication.RemoteSystemID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5o0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Remote Element ID |
| Type: | Character |
| Description: | Remote Element Identifier |
| Select equivalent: | K_SE_NAS_Replication.RemoteElementID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5o1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Synchronization State |
| Type: | Character |
| Description: | Indicates Synchronization state such as Broken/Frozen/Synchronized/Idle/... |
| Select equivalent: | K_SE_NAS_Replication.SyncState |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2ys, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Synchronization Time |
| Type: | Date |
| Description: | Shows time when Synchronization was happened |
| Select equivalent: | K_SE_NAS_Replication.SyncedTimeStamp |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2yt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Copy Type |
| Type: | Character |
| Description: | Indicates the Type of Copy such as UnSyncAssoc/Sync/Async/... |
| Select equivalent: | K_SE_NAS_Replication.CopyType |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2yu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replica Type |
| Type: | Character |
| Description: | Indicates the replica type such as After Delta/Full Copy/... |
| Select equivalent: | K_SE_NAS_Replication.ReplicaType |

Where equivalent:

Qualification: dimension
List of values: 2yv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Synchronization Maintained?
Type: Character
Description: Indicates whether synchronization is maintained or not
Select equivalent: K_SE_NAS_Replication.IsSyncMaintained
Where equivalent:

Qualification: dimension
List of values: 2yw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Synchronization Collection Time
Type: Character
Description: Shows time when Storage Operations Manager collected the replication information for the pair
Select equivalent: K_SE_NAS_Replication.SyncTime
Where equivalent:

Qualification: dimension
List of values: 2yx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Locality
Type: Character
Description: Shows type of replication such as local/remote
Select equivalent: K_SE_NAS_Replication.Locality
Where equivalent:

Qualification: dimension
List of values: 2yy, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Remote File System UUID
Type: Character
Description: Remote File System Unique id
Select equivalent: K_SE_NAS_Replication.RemoteNASSystemUUID
Where equivalent:

Qualification: dimension
List of values: 300, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Source UUID
Type: Character
Description: Source Unique id
Select equivalent: K_SE_NAS_Replication.SrcUUID
Where equivalent:

Qualification: dimension
List of values: 301, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Target UUID
Type: Character
Description: Target Unique id
Select equivalent: K_SE_NAS_Replication.TargetUUID
Where equivalent:

Qualification: dimension
List of values: 302, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|---------------|
| Class: | Storage Tiers |
| Description: | |

| | |
|--------------------|------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_Storage_Tier.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2dr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Storage Tier Name |
| Type: | Character |
| Description: | Name of the Storage Tier |
| Select equivalent: | K_SE_Storage_Tier.STORAGETIERNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2ds, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Active |
| Type: | Character |
| Description: | Description about Tier active inactive state |
| Select equivalent: | K_SE_Storage_Tier.ACTIVE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2dt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Cost Per GB |
| Type: | Number |
| Description: | Cost Per GB assigned to the Tier |
| Select equivalent: | K_SE_Storage_Tier.COSTPERGB |
| Where equivalent: | |

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2du, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Offering
Type: Character
Description: Offering
Select equivalent: K_SE_Storage_Tier.OFFERING
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2dv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Priority
Type: Character
Description: Priority
Select equivalent: K_SE_Storage_Tier.PRIORITY
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2dw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Run Status
Type: Character
Description: Run Status
Select equivalent: K_SE_Storage_Tier.RUNSTATUS
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2dx, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Type
Type: Character
Description: Storage System Type
Select equivalent: K_SE_Storage_Tier.STORAGESYSTEMTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2dy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tier Description
Type: Character
Description: Tier Description
Select equivalent: K_SE_Storage_Tier.TIERDESC
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2e0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Created time
Type: Date
Description: Created time
Select equivalent: K_SE_Storage_Tier.CREATED_TIME
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2e1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--------------------------------------|
| Object: | Last modified time |
| Type: | Date |
| Description: | Last modified time |
| Select equivalent: | K_SE_Storage_Tier.LAST_MODIFIED_TIME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2e2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Last Run Time |
| Type: | Date |
| Description: | Last Run Time |
| Select equivalent: | K_SE_Storage_Tier.LAST_RUN_TIME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2e3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Storage Tier UUID |
| Type: | Character |
| Description: | UUID of the Storage Tier |
| Select equivalent: | K_SE_Storage_Tier.STORAGETIERUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2e4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------|
| Class: | File Shares |
| Description: | |

| | |
|---------|-----------------|
| Object: | SOM Source Name |
|---------|-----------------|

| | |
|------------------------|---|
| Type: | Character |
| Description: | Name of the source SOM server |
| Select equivalent: | K_SE_StorageSystem.SEiSourceName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 49e, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 49f, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 5r4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 5r5, editable, manual refresh, not exportable |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 49g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 49h, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 49i, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber

Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49s, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Over Subscribed Capacity |
| Type: | Character |
| Description: | Over Subscribed Capacity |
| Select equivalent: | K_SE_StorageSystem.OverSubscribedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 49t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Requested Capacity |
| Type: | Character |
| Description: | Requested Capacity |
| Select equivalent: | K_SE_StorageSystem.RequestedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 49u, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 49v, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 49w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 49x, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 49y, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |

Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 4a3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID

Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4aa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ab, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ac, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4ad, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4ae, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4af, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: Storage System Name
List of values: 4ag, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ah, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ai, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Logical Volume
Type: Character
Description: File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:

Qualification: dimension
List of values: 4aj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---------------------------------------|
| Object: | LVDescription |
| Type: | Character |
| Description: | Description about File Logical Volume |
| Select equivalent: | K_SE_NAS_LogicalVolume.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4ak, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Is Thinly Provisioned? |
| Type: | Character |
| Description: | Indicates whether a logical volume is thinly provisioned or not |
| Select equivalent: | K_SE_NAS_LogicalVolume.IsThinlyProvisioned |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4am, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Model Type |
| Type: | Character |
| Description: | Represents whether the volume is 'Logical Disk' or 'File System' or 'LUN' |
| Select equivalent: | K_SE_NAS_LogicalVolume.ModelType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4an, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Block Size (Bytes)
Type: Number
Description: Block Size in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.Blocksizes
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4ao, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Number Of Blocks
Type: Number
Description: Number Of Blocks
Select equivalent: K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4ap, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Consumable Blocks (Bytes)
Type: Number
Description: Consumable Blocks in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4aq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Cluster Shared?
Type: Character
Description: Indicates whether a logical volume is cluster shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared

Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4ar, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Device ID
Type: Character
Description: Device ID
Select equivalent: K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4as, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share ID
Type: Character
Description: Share ID
Select equivalent: K_SE_NAS_LogicalVolume.ShareID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4at, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Shared?
Type: Character
Description: Indicates whether a logical volume is shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume

List of values: 4au, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File System Type
Type: Character
Description: File System Type
Select equivalent: K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4av, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Name of the Share
Type: Character
Description: Name of the share
Select equivalent: K_SE_NAS_LogicalVolume.ShareName
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4aw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share System Name
Type: Character
Description: Share System Name
Select equivalent: K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4ax, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|------------------------------|
| Object: | Share Name |
| Type: | Character |
| Description: | Shows name of the File share |
| Select equivalent: | K_SE_NAS_Shares.SHARENAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4ay, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Share Vendor |
| Type: | Character |
| Description: | File Share vendor name |
| Select equivalent: | K_SE_NAS_Shares.VENDOR |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Share Name |
| List of values: | 4b0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Mount Point |
| Type: | Character |
| Description: | Shows share mount point |
| Select equivalent: | K_SE_NAS_Shares.MOUNTPOINT |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Share Name |
| List of values: | 4b1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------|
| Object: | Share Description |
| Type: | Character |
| Description: | Shows description of File Share |

Select equivalent: K_SE_NAS_Shares.DESRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share Model Type
Type: Character
Description: Model type of File shares
Select equivalent: K_SE_NAS_Shares.MODELTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share Business Cost
Type: Character
Description: business Cost
Select equivalent: K_SE_NAS_Shares.BUSINESSCOST
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share OID
Type: Character
Description: OID of the share
Select equivalent: K_SE_NAS_Shares.OID
Where equivalent:

Qualification: detail

Associated dimension name: Share Name
List of values: 4b5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share Status
Type: Character
Description: File Share Status
Select equivalent: K_SE_NAS_Shares.Status
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 4b7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Logical Volume UUID
Type: Character
Description: UUID of the File logical volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 4b8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---------------------------|
| Object: | Share UUID |
| Type: | Character |
| Description: | UUID of the File Share |
| Select equivalent: | K_SE_NAS_Shares.SHAREUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4b9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------------|
| Class: | Storage System Capacity Statistics |
| Description: | Storage System Capacity Statistics |

No objects

| | |
|--------------|--|
| Class: | DATETIME(Storage System Capacity Statistics) |
| Description: | |

| | |
|--------------------|---------------------------|
| Object: | Year |
| Type: | Number |
| Description: | Year |
| Select equivalent: | DATETIME.TIME_YEAR_NUMBER |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0lr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Month |
| Type: | Character |
| Description: | Month Name first Three Characters |
| Select equivalent: | (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3)) |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0ls, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Month Name |
| Type: | Character |
| Description: | Month Name |
| Select equivalent: | DATETIME.TIME_MONTH_NAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Month |
| List of values: | 0lt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Day |
| Type: | Number |
| Description: | Day |
| Select equivalent: | DATETIME.TIME_DAY_MONTH_NUMBER |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0lu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Day Name |
| Type: | Character |
| Description: | Day Name |
| Select equivalent: | DATETIME.TIME_DAY_NAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Day |
| List of values: | 0lv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--------|
| Object: | Hour |
| Type: | Number |
| Description: | Hour |

Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: dimension
List of values: 0lw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Id
Type: Number
Description: Hour Id
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 0lx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Hour Description
Type: Character
Description: Time Hour Description
Select equivalent: DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 0ly, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Full Date
Type: Date
Description: Full Date
Select equivalent: DATETIME.TIME_FULL_DATE
Where equivalent:

Qualification: dimension
List of values: 0m0, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Holiday |
| Type: | Character |
| Description: | Time Is Holiday |
| Select equivalent: | DATETIME.TIME_IS_HOLIDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 0m1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Weekday |
| Type: | Character |
| Description: | Time Is Weekday |
| Select equivalent: | DATETIME.TIME_IS_WEEKDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 0m2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Hour Boundary |
| Type: | Number |
| Description: | Hour Boundary |
| Select equivalent: | DATETIME.HOUR_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 0m3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

Object: Day Boundary
Type: Number
Description: Day Boundary
Select equivalent: DATETIME.DAY_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 0m4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Week Boundary
Type: Number
Description: Week Boundary
Select equivalent: DATETIME.WEEK_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 0m5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Month Boundary
Type: Number
Description: Month Boundary
Select equivalent: DATETIME.MONTH_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 0m6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Year Boundary
Type: Number
Description: Year Boundary
Select equivalent: DATETIME.YEAR_BOUNDARY
Where equivalent:

Qualification: dimension

List of values: 0m7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|---|
| Class: | StorageSystem(Storage System Capacity Statistics) |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 303, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 304, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5kd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5kf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 2
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5kh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5kj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character

Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5kl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5kn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5kp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5kr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Node Group Level |
| Type: | Character |
| Description: | Level of the Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.NODEGROUPELEVEL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5kt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Parent Group Name |
| Type: | Character |
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5kv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5kx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 510, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 305, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 306, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |

Where equivalent:

Qualification: dimension
List of values: 307, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Description
Type: Character
Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 308, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 309, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Storage System DNS |
| Type: | Character |
| Description: | DNS name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DNSName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30b, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage System WWN |
| Type: | Character |
| Description: | World Wide Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30c, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Storage System SerialNumber |
| Type: | Character |
| Description: | Serial Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.SerialNumber |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30d, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: **Storage System Status**
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Reset Capability?**
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Advanced Retention Management?**
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 30n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30o, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30q, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Storage On Access |
| Type: | Character |
| Description: | Storage On Access (flag) |
| Select equivalent: | K_SE_StorageSystem.StorageOnAccess |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30r, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Business Cost |
| Type: | Number |
| Description: | Business Cost of the Storage System |
| Select equivalent: | K_SE_StorageSystem.BusinessCost |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30s, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | DKC Microcode Version |
| Type: | Character |
| Description: | DKC Microcode Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DKCMicrocodeVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------|
| Object: | Family |
| Type: | Character |

Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30x, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 30y, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 310, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 311, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 312, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 313, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 314, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 315, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 316, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 317, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character

Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 318, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 319, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 31a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension

List of values: 5nq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|--|
| Class: | Raw Storage System Capacity Statistics |
| Description: | |

Object: Total Size GB
Type: Number
Description: The total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.TotalSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Raw Size GB
Type: Number
Description: The total raw capacity of the Storage System in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.TotalRawSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Used Raw Size GB
Type: Number
Description: The total used raw capacity of the Storage System in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.UsedRawSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Unused Raw Size GB |
| Type: | Number |
| Description: | The total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.UnusedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Unallocated Size GB |
| Type: | Number |
| Description: | The total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.UnallocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Over Allocation Size in GB |
| Type: | Number |
| Description: | The over allocated capacity in Gigabytes. The amount of over or under subscription. |
| Select equivalent: | SR_SE_StorageSystemCapacity.OverAllocSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Size GB |
| Type: | Number |
| Description: | The total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalExtSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | External Allocated Size GB |
| Type: | Number |
| Description: | The total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------------|
| Object: | External Unallocated Size GB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | The total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | External Mapped Size GB |
| Type: | Number |
| Description: | The total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | External Unmapped Size GB |
| Type: | Number |
| Description: | The total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | External Actual Allocated Size GB |
| Type: | Number |
| Description: | The total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | External Actual Mapped Size GB |
| Type: | Number |
| Description: | The total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | External Actual Unmapped Size GB |
| Type: | Number |
| Description: | The total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUnmappedSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | External Actual Used Size GB |
| Type: | Number |
| Description: | The total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | External Actual Unused Size GB |
| Type: | Number |
| Description: | The total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | The total external physical capacity that is actually used and visible to hosts in Gigabytes. |

| | |
|--------------------|--|
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | The total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUsedUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Size GB |
| Type: | Number |
| Description: | The total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalIntSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------------|
| Object: | Internal Unallocated Size GB |
|---------|------------------------------|

| | |
|------------------------|--|
| Type: | Number |
| Description: | The total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Internal Allocated Size GB |
| Type: | Number |
| Description: | The total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Internal Mapped Size GB |
| Type: | Number |
| Description: | The total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Internal Unmapped Size GB
Type: Number
Description: The total internal capacity of the volumes not visible to hosts in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Allocated Size GB
Type: Number
Description: The total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total internal allocated capacity in case of Thin Provisioning.
Select equivalent: SR_SE_StorageSystemCapacity.IntActAllocSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Mapped Size GB
Type: Number
Description: The total internal physical capacity that is actually visible to hosts in Gigabytes.

Select equivalent: SR_SE_StorageSystemCapacity.IntActMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Unmapped Size GB
Type: Number
Description: The total internal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntActUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Used Size GB
Type: Number
Description: The total internal physical capacity that is actually used in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntActUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Unused Size GB
Type: Number
Description: The total internal physical capacity that is actually

unused in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntActUnusedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Used Mapped Size GB
Type: Number
Description: The total internal physical capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntActUsedMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Used Unmapped Size GB
Type: Number
Description: The total internal physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntActUsedUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|------------------------|--|
| Object: | Unmapped Size GB |
| Type: | Number |
| Description: | The total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.UnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Actual Unmapped Size GB |
| Type: | Number |
| Description: | The total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | The total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Mapped Size GB
Type: Number
Description: The total logical capacity of volumes visible to hosts in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.MappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Mapped Size GB
Type: Number
Description: The total physical capacity that is actually visible to hosts in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.ActMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Used Mapped Size GB
Type: Number
Description: The total physical capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent: SR_SE_StorageSystemCapacity.ActUsedMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Allocated Size GB |
| Type: | Number |
| Description: | The total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.AllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual Allocated Size GB |
| Type: | Number |
| Description: | The total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Reserved Allocated Size GB |
| Type: | Number |
| Description: | The total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalReservedAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Used Size GB |
| Type: | Number |
| Description: | The total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Unused Size GB |
| Type: | Number |
| Description: | The total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Reserved Size GB |
| Type: | Number |
| Description: | The total reserved capacity in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalReservedSizeGB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Reserved Used Size GB |
| Type: | Number |
| Description: | The total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalReservedUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Reserved Remaining Size GB |
| Type: | Number |
| Description: | The total reserved capacity remaining in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalReservedRemainingSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Size GiB |
| Type: | Number |
| Description: | The total (internal and external) Logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Raw Size GiB
Type: Number
Description: The total raw capacity of the Storage System in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.TotalRawSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Used Raw Size GiB
Type: Number
Description: The total used raw capacity of the Storage System in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.UsedRawsizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Unused Raw Size GiB
Type: Number
Description: The total unused raw capacity of the Storage System in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.UnusedRawsizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Unallocated Size GiB

| | |
|------------------------|---|
| Type: | Number |
| Description: | The total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.UnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Over Allocation Size in GiB |
| Type: | Number |
| Description: | The over allocated capacity in Gibibytes. The amount of over or under subscription. |
| Select equivalent: | SR_SE_StorageSystemCapacity.OverAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Size GiB |
| Type: | Number |
| Description: | The total external capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalExtSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | External Unallocated Size GiB |
| Type: | Number |
| Description: | The total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | External Allocated Size GiB |
| Type: | Number |
| Description: | The total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | External Mapped Size GiB |
| Type: | Number |
| Description: | The total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | External Unmapped Size GiB |
| Type: | Number |
| Description: | The total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | External Actual Allocated Size GiB |
| Type: | Number |
| Description: | The total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------|
| Object: | External Actual Mapped Size GiB |
|---------|---------------------------------|

| | |
|------------------------|--|
| Type: | Number |
| Description: | The total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | The total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | External Actual Used Size GiB |
| Type: | Number |
| Description: | The total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | External Actual Unused Size GiB |
| Type: | Number |
| Description: | The total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | The total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | The total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ExtActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Size GiB |
| Type: | Number |
| Description: | The total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalIntSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Internal Unallocated Size GiB |
| Type: | Number |
| Description: | The total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Internal Allocated Size GiB |
| Type: | Number |
| Description: | The total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Internal Mapped Size GiB |
| Type: | Number |
| Description: | The total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Internal Unmapped Size GiB |
| Type: | Number |
| Description: | The total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | The total internal physical capacity that is actually allocated by the volumes |

| | |
|------------------------|---|
| | in Gibibytes. This would b e different from the total internal allocated capaci ty in case of Thin Provisi oning. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | The total internal physica l capacity that is actually visible to hosts in Gibib ytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | The total internal physica l capacity that is actually not visible to hosts in Gi bibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Used Size GiB
Type: Number
Description: The total internal physical capacity that is actually used in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntActUsedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Unused Size GiB
Type: Number
Description: The total internal physical capacity that is actually not used in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntActUnusedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Internal Actual Used Mapped Size GiB
Type: Number
Description: The total internal physical capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.IntActUsedMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | The total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.IntActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Unmapped Size GiB |
| Type: | Number |
| Description: | The total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.UnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Unmapped Size GiB |
| Type: | Number |
| Description: | The total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | The total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Mapped Size GiB |
| Type: | Number |
| Description: | The total logical capacity of volumes visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.MappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Mapped Size GiB |
| Type: | Number |
| Description: | The total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActMappedSizeGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | The total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Allocated Size GiB |
| Type: | Number |
| Description: | The total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.AllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Actual Allocated Size GiB |
| Type: | Number |
| Description: | The total physical capacity that is allocated by the volumes in Gibibytes. This |

| | |
|--------------------|---|
| | s would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | The total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.TotalReservedAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Used Size GiB |
| Type: | Number |
| Description: | The total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SR_SE_StorageSystemCapacity.ActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Actual Unused Size GiB |
| Type: | Number |
| Description: | The total physical capacity that is actually unused in Gibibytes. |

Select equivalent: SR_SE_StorageSystemCapacity.ActUnusedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Reserved Size GiB
Type: Number
Description: The total reserved capacity in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.TotalReservedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Reserved Used Size GiB
Type: Number
Description: The total reserved capacity that is being used in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.TotalReservedUsedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Reserved Remaining Size GiB
Type: Number
Description: The total reserved capacity remaining in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.TotalReservedRemainingSizeGiB
Where equivalent:

Qualification: measure

Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|---|
| Class: | Hourly Storage System Capacity Statistics |
| Description: | |

Object: Average of the total Size GB
Type: Number
Description: Average of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.AvgTotalSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Size GB
Type: Number
Description: Maximum of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MaxTotalSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of the total Size GB
Type: Number

| | |
|------------------------|---|
| Description: | Minimum of the total (internal and external) logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total of the total Size GB |
| Type: | Number |
| Description: | Total of the total (internal and external) logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total Raw Size GB |
| Type: | Number |
| Description: | Average of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalRawSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalRawSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalRawSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Raw Size GB |
| Type: | Number |
| Description: | Total of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalRawSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Used Raw Size GB |
| Type: | Number |
| Description: | Average of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgUsedRawsizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Used Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxUsedRawsizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Used Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinUsedRawsizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Raw Size GB |
| Type: | Number |
| Description: | Total of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotUsedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Unused Raw Size GB |
| Type: | Number |
| Description: | Average of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgUnusedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Unused Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxUnusedRawsizeGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Unused Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinUnusedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Unused Raw Size GB |
| Type: | Number |
| Description: | Total of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotUnusedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Unallocated Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgUnallocSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxUnallocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinUnallocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Average of the over allocated capacity in Gigabytes. The amount of over or under subscription. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgOverAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Maximum of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Maximum of the over allocated capacity in Gigabytes. . The amount of over or under subscription. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxOverAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Minimum of the over allocated capacity in Gigabytes . The amount of over or under subscription. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinOverAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Total of the over allocated capacity in Gigabytes. The amount of over or under subscription. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotOverAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average of the total External Size GB |
| Type: | Number |
| Description: | Average of the total external capacity that is part of the logical capacity of the Storage System in Gig |

| | |
|------------------------|--|
| Select equivalent: | abytes. SH_SE_StorageSystemCapacity.AvgTotalExtSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum of the total External Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalExtSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum of the total External Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalExtSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total of the total External Size GB |
| Type: | Number |
| Description: | Total of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalExtSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Allocated Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Allocated Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average External Unallocated Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volume |

| | |
|------------------------|--|
| | s available for provisioni ng in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total exte rnal capacity of the volum es available for provision ing in the Storage pools i n Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtUnallocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtMappedSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Mapped Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------------------|
| Object: | Average External Unmapped Size GB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Average of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total External Unmapped Size GB
Type: Number
Description: Total of the total external capacity of the volumes not visible to hosts in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotExtUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Actual Allocated Size GB
Type: Number
Description: Average of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning.
Select equivalent: SH_SE_StorageSystemCapacity.AvgExtActAllocSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum External Actual Allocated Size GB
Type: Number
Description: Maximum of the total external physical capacity that is actually allocated by

| | |
|------------------------|---|
| | the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum External Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total External Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of T |

| | |
|------------------------|--|
| Select equivalent: | hin Provisioning. |
| Where equivalent: | SH_SE_StorageSystemCapacity.TotExtActAllocSizeGB |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average External Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum External Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Average External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActUnmappedSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------------|
| Object: | Minimum External Actual Used Size GB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Minimum of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average External Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUnusedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum External Actual Unused Size GB
Type: Number
Description: Maximum of the total external physical capacity that is actually unused in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MaxExtActUnusedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum External Actual Unused Size GB
Type: Number
Description: Minimum of the total external physical capacity that is actually unused in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinExtActUnusedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total External Actual Unused Size GB
Type: Number
Description: Total of the total external physical capacity that is actually unused in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotExtActUnusedSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used and visible to hosts in Gigabytes |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and visible to hosts in Gigabytes |

| | |
|--------------------|---|
| | nal physical capacity that is actually used and visi ble to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total externa l physical capacity that i s actually used and visibl e to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total exter nal physical capacity that is actually used and not visible to hosts in Gigaby tes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum External Actual Used Unmapped Size GB
Type: Number
Description: Maximum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum External Actual Used Unmapped Size GB
Type: Number
Description: Minimum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total External Actual Used Unmapped Size GB
Type: Number
Description: Total of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.

| | |
|------------------------|---|
| | sible to hosts in Gigabyte s. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total Internal Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalIntSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum of the total Internal Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalIntSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum of the total Internal Size GB
Type: Number
Description: Minimum of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinTotalIntSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total Internal Size GB
Type: Number
Description: Total of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotTotalIntSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Internal Unallocated Size GB
Type: Number
Description: Average of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes.

| | |
|------------------------|---|
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntUnallocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Allocated Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntAllocSizeGB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Allocated Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Mapped Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes visible to hosts in Giga |

| | |
|------------------------|--|
| Select equivalent: | bytes. SH_SE_StorageSystemCapacity.AvgIntMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Maximum Internal Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different fr |

| | |
|------------------------|---|
| | om the total internal allo cated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActAllocSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total interna |

l physical capacity that i
s actually allocated by th
e volumes in Gigabytes. T
his would be different fro
m the total internal alloc
ated capacity in case of T
hin Provisioning.

| | |
|--------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActAllocSizeGB |
|--------------------|--|

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total inter |

nal physical capacity that
is actually visible to hos
ts in Gigabytes.

| | |
|--------------------|---|
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActMappedSizeGB |
|--------------------|---|

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually not visible to |

| | |
|--------------------|---|
| Select equivalent: | hosts in Gigabytes. |
| Where equivalent: | SH_SE_StorageSystemCapacity.MinIntActUnmappedSizeGB |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total interna |

l physical capacity that i
s actually not visible to
hosts in Gigabytes.

| | |
|--------------------|---|
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--------------------------------------|
| Object: | Average Internal Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total inter |

nal physical capacity that
is actually used in Gigab
ytes.

| | |
|--------------------|---|
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Total Internal Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActUnusedSizeGB |

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Internal Actual Unused Size GB
Type: Number
Description: Total of the total interna
l physical capacity that i
s actually unused in Gigab
ytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotIntActUnusedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Internal Actual Used Mapped Size GB
Type: Number
Description: Average of the total inter
nal physical capacity that
is actually used and visi
ble to hosts in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Internal Actual Used Mapped Size GB
Type: Number

| | |
|------------------------|--|
| Description: | Maximum of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Internal Actual Used Unmapped Size GB
Type: Number
Description: Average of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGB
Where equivalent:
Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Internal Actual Used Unmapped Size GB
Type: Number
Description: Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGB
Where equivalent:
Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Internal Actual Used Unmapped Size GB
Type: Number
Description: Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes.

Select equivalent: SH_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Internal Actual Used Unmapped Size GB
Type: Number
Description: Total of the total interna

l physical capacity that i
s actually used and not vi
sible to hosts in Gigabyte
s.

Select equivalent: SH_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Unmapped Size GB
Type: Number
Description: Average of the total logic

al capacity of volumes not
visible to hosts in Gigab
ytes.

Select equivalent: SH_SE_StorageSystemCapacity.AvgUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|------------------------|---|
| Object: | Maximum Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Total Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUnmappedSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------------|
| Object: | Maximum Actual Used Unmapped Size GB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Maximum of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Mapped Size GB

Type: Number

Description: Average of the total logical capacity of volumes visible to hosts in Gigabytes

Select equivalent: SH_SE_StorageSystemCapacity.AvgMappedSizeGB

Where equivalent:

Qualification: measure

Aggregate function: Average

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Maximum Mapped Size GB

Type: Number

Description: Maximum of the total logical capacity of volumes visible to hosts in Gigabytes

Select equivalent: SH_SE_StorageSystemCapacity.MaxMappedSizeGB

Where equivalent:

Qualification: measure

Aggregate function: Max

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Minimum Mapped Size GB

Type: Number

Description: Minimum of the total logical capacity of volumes visible to hosts in Gigabytes

Select equivalent: SH_SE_StorageSystemCapacity.MinMappedSizeGB

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Mapped Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually visible to hosts in Gi |

| | |
|--------------------|--|
| Select equivalent: | gabytes. SH_SE_StorageSystemCapacity.MaxActMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually visible to hosts in Gigabytes. |

| | |
|--------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually visible to hosts in Gigabytes. |

| | |
|--------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Minimum Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Allocated Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxAllocSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Allocated Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------------------|
| Object: | Average Actual Allocated Size GB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Average of the total physical capacity that is actually allocated in Gigabytes .This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually allocated in Gigabytes .This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually allocated in Gigabytes .This would be different from the total allocated capacity in case of Thin Provisioning. |

| | |
|------------------------|---|
| Select equivalent: | visioning. SH_SE_StorageSystemCapacity.MinActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually allocated in Gigabytes. This is would be different from the total allocated capacity in case of Thin Provisioning. |

| | |
|--------------------|---|
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity that has been provisioned in Gigabytes. |

| | |
|--------------------|---|
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that has been provisioned in Gigabytes |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGB |
| Where equivalent: | . |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Total of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUsedSizeGB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUnusedSizeGB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalReservedSizeGB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalReservedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalReservedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalReservedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average of the total Reserved Used Size GB
Type: Number
Description: Average of the total reserved capacity that is being used in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Reserved Used Size GB
Type: Number
Description: Maximum of the total reserved capacity that is being used in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of the total Reserved Used Size GB
Type: Number
Description: Minimum of the total reserved capacity that is being used in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum of the total Reserved Remaining Size GB
Type: Number
Description: Minimum of the total reserved capacity remaining in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total Reserved Remaining Size GB
Type: Number
Description: Total of the total reserved capacity remaining in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the total Size GiB
Type: Number
Description: Average of the total (internal and external) Logical capacity of the Storage System in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.AvgTotalSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|------------------------|---|
| Object: | Maximum of the total Size GiB |
| Type: | Number |
| Description: | Maximum of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum of the total Size GiB |
| Type: | Number |
| Description: | Minimum of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Size GiB |
| Type: | Number |
| Description: | Total of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalSizeGiB |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Raw Size GiB |
| Type: | Number |
| Description: | Average of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalRawSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalRawSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalRawSizeGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Raw Size GiB |
| Type: | Number |
| Description: | Total of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalRawSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Used Raw Size GiB |
| Type: | Number |
| Description: | Average of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgUsedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Used Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxUsedRawsizeGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinUsedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Raw Size GiB |
| Type: | Number |
| Description: | Total of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotUsedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Unused Raw Size GiB |
| Type: | Number |
| Description: | Average of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgUnusedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Unused Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxUnusedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Unused Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinUnusedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Unused Raw Size GiB |
| Type: | Number |
| Description: | Total of the total unused raw capacity of the Storage System in Gibibytes. |

Select equivalent: SH_SE_StorageSystemCapacity.TotUnusedRawsizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Unallocated Size GiB
Type: Number
Description: Average of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes.

Select equivalent: SH_SE_StorageSystemCapacity.AvgUnallocSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Unallocated Size GiB
Type: Number
Description: Maximum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes.

Select equivalent: SH_SE_StorageSystemCapacity.MaxUnallocSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Minimum Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Average of the over allocated capacity in Gibibytes. The amount of over or under subscription. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgOverAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Maximum of the over allocated capacity in Gibibytes . The amount of over or under subscription. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxOverAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Minimum of the over allocated capacity in Gibibytes . The amount of over or under subscription. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinOverAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Total of the over allocated capacity in Gibibytes. T |

| | |
|------------------------|---|
| | he amount of over or unde r subscription. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotOverAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total External Size GiB |
| Type: | Number |
| Description: | Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalExtSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum of the total External Size GiB |
| Type: | Number |
| Description: | Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi bibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalExtSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum of the total External Size GiB
Type: Number
Description: Minimum of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinTotalExtSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total External Size GiB
Type: Number
Description: Total of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotTotalExtSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Unallocated Size GiB
Type: Number
Description: Average of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes.

Select equivalent: SH_SE_StorageSystemCapacity.AvgExtUnallocSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum External Unallocated Size GiB
Type: Number
Description: Maximum of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes.

Select equivalent: SH_SE_StorageSystemCapacity.MaxExtUnallocSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum External Unallocated Size GiB
Type: Number
Description: Minimum of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes.

Select equivalent: SH_SE_StorageSystemCapacity.MinExtUnallocSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|------------------------|---|
| Object: | Total External Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average External Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes visible to hosts in Gibi |

| | |
|--------------------|---|
| Select equivalent: | bytes. SH_SE_StorageSystemCapacity.AvgExtMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes visible to hosts in Gibi bytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes visible to hosts in Gibi bytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Maximum External Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from |

| | |
|------------------------|---|
| | m the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActAllocSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total externa |

l physical capacity that i
s actually allocated by th
e volumes in Gibibytes. Th
is would be different from
the total external alloca
ted capacity in case of Th
in Provisioning.

| | |
|--------------------|---|
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActAllocSizeGiB |
|--------------------|---|

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total exter |

nal physical capacity that
is actually visible to hos
ts in Gibibytes.

| | |
|--------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActMappedSizeGiB |
|--------------------|--|

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActMappedSizeGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is not visible to hosts in |

| | |
|--------------------|--|
| Select equivalent: | Gibibytes. SH_SE_StorageSystemCapacity.MinExtActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total externa l physical capacity that i s not visible to hosts in Gibibytes. |

| | |
|--------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average External Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total exter nal physical capacity that is actually used in Gibib ytes. |

| | |
|--------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Maximum External Actual Used Size GiB
Type: Number
Description: Maximum of the total external physical capacity that is actually used in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.MaxExtActUsedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum External Actual Used Size GiB
Type: Number
Description: Minimum of the total external physical capacity that is actually used in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinExtActUsedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total External Actual Used Size GiB
Type: Number
Description: Total of the total external physical capacity that is actually used in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotExtActUsedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActUnusedSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Maximum External Actual Used Mapped Size GiB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Maximum of the total external physical capacity that is actually used and visible to hosts in Gibibytes |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGiB |
| Where equivalent: | . |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Minimum External Actual Used Unmapped Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Minimum of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Average of the total Internal Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalIntSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Internal Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalIntSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Internal Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalIntSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total of the total Internal Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity that is part of |

| | |
|------------------------|--|
| | the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalIntSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |

| | |
|------------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------------------|
| Object: | Total Internal Allocated Size GiB |
|---------|-----------------------------------|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|----------------------------------|
| Object: | Total Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total interna |

| | |
|------------------------|---|
| | I capacity of the volumes not visible to hosts in Gi bibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActAllocSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActAllocSizeGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually visible to hosts in Gibibytes. |

| | |
|------------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Maximum Internal Actual Unmapped Size GiB |
|---------|---|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually used in Gibibyt es. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total inter nal physical capacity that is actually not used in G ibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total inter |

| | |
|------------------------|--|
| | nal physical capacity that is actually not used in G ibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total inter nal physical capacity that is actually not used in G ibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually not used in Gib ibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gibiby tes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Maximum Internal Ac tual Used Unmapped Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Total Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes not visible to hosts in Gibibytes. |

| | |
|--------------------|--|
| Select equivalent: | SH_SE_StorageSystemCapacity.MinUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------------------|
| Object: | Maximum Actual Unmapped Size GiB |
|---------|----------------------------------|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------|
| Object: | Maximum Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical |

| | |
|------------------------|---|
| | al capacity of volumes vis ible to hosts in Gibibytes . |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total logic al capacity of volumes vis ible to hosts in Gibibytes . |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes visibl e to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Minimum Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used and visible to hosts in Gibibytes. |

Select equivalent: SH_SE_StorageSystemCapacity.MaxActUsedMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Mapped Size GiB
Type: Number
Description: Minimum of the total physical capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinActUsedMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Mapped Size GiB
Type: Number
Description: Total of the total physical capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotActUsedMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Allocated Size GiB

| | |
|------------------------|---|
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is allocated by the volumes in Gib |

| | |
|------------------------|---|
| | ibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that has been |

| | |
|--------------------|--|
| Select equivalent: | provisioned in Gibibytes. |
| Where equivalent: | SH_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGiB |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------------|
| Object: | Maximum Actual Used Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Maximum of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Actual Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------|
| Object: | Average Actual Unused Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Average of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average of the total Reserved Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotalReservedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum of the total Reserved Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalReservedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Minimum of the total Reserved Size GiB |
| Type: | Number |

Description: Minimum of the total reserved capacity in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinTotalReservedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total Reserved Size GiB
Type: Number
Description: Total of the total reserved capacity in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotTotalReservedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the total Reserved Used Size GiB
Type: Number
Description: Average of the total reserved capacity that is being used in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Reserved Used Size GiB
Type: Number
Description: Maximum of the total reserved capacity that is being

| | |
|------------------------|---|
| | g used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | SH_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGiB |

Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--|
| Class: | Daily Storage System Capacity Statistics |
| Description: | |

Object: Average of the total Size GB
Type: Number
Description: Average of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.AvgTotalSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Size GB
Type: Number
Description: Maximum of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MaxTotalSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Minimum of the total Size GB |
| Type: | Number |
| Description: | Minimum of the total (internal and external) logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Size GB |
| Type: | Number |
| Description: | Total of the total (internal and external) logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Raw Size GB |
| Type: | Number |
| Description: | Average of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalRawSizeGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalRawSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalRawSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Raw Size GB |
| Type: | Number |
| Description: | Total of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalRawSizeGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Raw Size GB |
| Type: | Number |
| Description: | Average of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgUsedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxUsedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinUsedRawsizeGB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Raw Size GB |
| Type: | Number |
| Description: | Total of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotUsedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Unused Raw Size GB |
| Type: | Number |
| Description: | Average of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgUnusedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Unused Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxUnusedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Unused Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinUnusedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Unused Raw Size GB |
| Type: | Number |
| Description: | Total of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotUnusedRawsizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Unallocated Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes available for provisionin |

| | |
|------------------------|--|
| | g in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Unallocated Size GB
Type: Number
Description: Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.TotUnallocSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the Over Allocation Size in GB
Type: Number
Description: Average of the over allocated capacity in Gigabytes.
The amount of over or under subscription.
Select equivalent: SD_SE_StorageSystemCapacity.AvgOverAllocSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the Over Allocation Size in GB
Type: Number
Description: Maximum of the over allocated capacity in Gigabytes.
The amount of over or under subscription.
Select equivalent: SD_SE_StorageSystemCapacity.MaxOverAllocSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Minimum of the over allocated capacity in Gigabytes . The amount of over or under subscription. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinOverAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Total of the over allocated capacity in Gigabytes. The amount of over or under subscription. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotOverAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------------|
| Object: | Average of the total External Size GB |
| Type: | Number |
| Description: | Average of the total exter |

| | |
|------------------------|---|
| | nal capacity that is part of the logical capacity of the Storage System in Gig abytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalExtSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum of the total External Size GB |
| Type: | Number |
| Description: | Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi gabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalExtSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Minimum of the total External Size GB |
| Type: | Number |
| Description: | Minimum of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalExtSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total External Size GB |
| Type: | Number |
| Description: | Total of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalExtSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Allocated Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum External Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |

| | |
|--------------------|---|
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Allocated Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------------|
| Object: | Average External Unallocated Size GB |
|---------|--------------------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Average of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtUnallocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum External Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes |

| | |
|------------------------|--|
| | es visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Mapped Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Minimum External Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Maximum External Actual Allocated Size GB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Maximum of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total External Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually allocated by the volumes in Gigabytes. T |

his would be different from the total external allocated capacity in case of Thin Provisioning.

Select equivalent: SD_SE_StorageSystemCapacity.TotExtActAllocSizeGB

Where equivalent:

Qualification: measure

Aggregate function: None

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Average External Actual Mapped Size GB

Type: Number

Description: Average of the total external physical capacity that is actually visible to hosts in Gigabytes.

Select equivalent: SD_SE_StorageSystemCapacity.AvgExtActMappedSizeGB

Where equivalent:

Qualification: measure

Aggregate function: Average

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Maximum External Actual Mapped Size GB

Type: Number

Description: Maximum of the total external physical capacity that is actually visible to hosts in Gigabytes.

Select equivalent: SD_SE_StorageSystemCapacity.MaxExtActMappedSizeGB

Where equivalent:

Qualification: measure

Aggregate function: Max

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Minimum External Actual Mapped Size GB
Type: Number
Description: Minimum of the total external physical capacity that is actually visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MinExtActMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total External Actual Mapped Size GB
Type: Number
Description: Total of the total external physical capacity that is actually visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.TotExtActMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Actual Unmapped Size GB
Type: Number
Description: Average of the total external physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that i |

| | |
|------------------------|---|
| | s actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average External Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum External Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Average External Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUnusedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total External Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually unused in Gigabytes. |

| | |
|--------------------|---|
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used and visible to hosts in Gigabytes |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Average External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Total External Actual Used Unmapped Size GB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Total of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total Internal Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalIntSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Maximum of the total Internal Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalIntSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Internal Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalIntSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Internal Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalIntSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Unallocated Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volume |

| | |
|------------------------|--|
| | s available for provisioni ng in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntUnallocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Allocated Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntAllocSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Allocated Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------|
| Object: | Average Internal Mapped Size GB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Average of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Internal Mapped Size GB
Type: Number
Description: Total of the total internal capacity of the volumes visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.TotIntMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Internal Unmapped Size GB
Type: Number
Description: Average of the total internal capacity of the volumes not visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.AvgIntUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Internal Unmapped Size GB
Type: Number
Description: Maximum of the total internal capacity of the volumes not visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MaxIntUnmappedSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that |

| | |
|------------------------|---|
| | is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo |

| | |
|------------------------|--|
| | cated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Average Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActMappedSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Minimum Internal Actual Unmapped Size GB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Minimum of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUsedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Internal Actual Used Size GB
Type: Number
Description: Maximum of the total internal physical capacity that is actually used in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MaxIntActUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Internal Actual Used Size GB
Type: Number
Description: Minimum of the total internal physical capacity that is actually used in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MinIntActUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Internal Actual Used Size GB
Type: Number
Description: Total of the total internal physical capacity that is actually used in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.TotIntActUsedSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that |

| | |
|------------------------|---|
| | is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActUnusedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Total Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Average Internal Actual Used Unmapped Size GB
 Type: Number
 Description: Average of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes.
 Select equivalent: SD_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGB
 Where equivalent:

Qualification: measure
 Aggregate function: Average
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Maximum Internal Actual Used Unmapped Size GB
 Type: Number
 Description: Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes.
 Select equivalent: SD_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGB
 Where equivalent:

Qualification: measure
 Aggregate function: Max
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Minimum Internal Actual Used Unmapped Size GB
 Type: Number
 Description: Minimum of the total internal physical capacity that

| | |
|------------------------|---|
| | is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Unmapped Size GB
Type: Number
Description: Maximum of the total logical capacity of volumes not visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MaxUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Unmapped Size GB
Type: Number
Description: Minimum of the total logical capacity of volumes not visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MinUnmappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Unmapped Size GB
Type: Number
Description: Total of the total logical capacity of volumes not visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.TotUnmappedSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actual |

| | |
|--------------------|--|
| | lly not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Total Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Mapped Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes visible to hosts in Gigabytes |
| | . |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes visible to hosts in Gigabytes |
| | . |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes visible to hosts in Gigabytes |
| | . |

| | |
|--------------------|---|
| Select equivalent: | SD_SE_StorageSystemCapacity.MinMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Mapped Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------------|
| Object: | Maximum Actual Mapped Size GB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Maximum of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActMappedSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Actual Used Mapped Size GB
Type: Number
Description: Average of the total physical capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.AvgActUsedMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Mapped Size GB
Type: Number
Description: Maximum of the total physical capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MaxActUsedMappedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Mapped Size GB
Type: Number
Description: Minimum of the total physical capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent: SD_SE_StorageSystemCapacity.MinActUsedMappedSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUsedMappedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Allocated Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes |

| | |
|------------------------|--|
| | provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Allocated Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually allocated in Gigabytes |

| | |
|--------------------|--|
| | .This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning. |

| | |
|--------------------|---|
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity that has been provisioned in Gigabytes. |

| | |
|--------------------|---|
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that has been provisioned in Gigabytes |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActUsedSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUnusedSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUnusedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalReservedSizeGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalReservedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalReservedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalReservedSizeGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Size GiB |
| Type: | Number |
| Description: | Average of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalSizeGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Size GiB |
| Type: | Number |
| Description: | Maximum of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Size GiB |
| Type: | Number |
| Description: | Minimum of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Size GiB |
| Type: | Number |
| Description: | Total of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Raw Size GiB |
| Type: | Number |
| Description: | Average of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalRawSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalRawSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalRawSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Raw Size GiB |
| Type: | Number |
| Description: | Total of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalRawSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Raw Size GiB |
| Type: | Number |
| Description: | Average of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgUsedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxUsedRawsizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Used Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinUsedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Raw Size GiB |
| Type: | Number |
| Description: | Total of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotUsedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Unused Raw Size GiB |
| Type: | Number |
| Description: | Average of the total unused raw capacity of the Storage System in Gibibytes. |

| | |
|--------------------|---|
| Select equivalent: | age System in Gibibytes. |
| Where equivalent: | SD_SE_StorageSystemCapacity.AvgUnusedRawsizeGiB |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Unused Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxUnusedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Unused Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinUnusedRawsizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------|
| Object: | Total Unused Raw Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Total of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotUnusedRawsizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Unallocated Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Average of the over allocated capacity in Gibibytes. The amount of over or under subscription. |

| | |
|------------------------|---|
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgOverAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Maximum of the over allocated capacity in Gibibytes . The amount of over or under subscription. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxOverAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Minimum of the over allocated capacity in Gibibytes . The amount of over or under subscription. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinOverAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Total of the Over Allocation Size in GiB |
|---------|--|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Total of the over allocate d capacity in Gibibytes. T he amount of over or unde r subscription. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotOverAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total External Size GiB |
| Type: | Number |
| Description: | Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalExtSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Maximum of the total External Size GiB |
| Type: | Number |
| Description: | Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi bibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalExtSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total External Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalExtSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total External Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalExtSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average External Unallocated Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volume |

| | |
|------------------------|--|
| | s available for provisioni ng in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total exte rnal capacity of the volum es available for provision ing in the Storage pools i n Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtAllocSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------------------|
| Object: | Average External Mapped Size GiB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Average of the total external capacity of the volumes visible to hosts in Gibi bytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes visible to hosts in Gibi bytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum External Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes visible to hosts in Gibi bytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total External Mapped Size GiB
Type: Number
Description: Total of the total external capacity of the volumes visible to hosts in Gibibytes.
Select equivalent: SD_SE_StorageSystemCapacity.TotExtMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Unmapped Size GiB
Type: Number
Description: Average of the total external capacity of the volumes not visible to hosts in Gibibytes.
Select equivalent: SD_SE_StorageSystemCapacity.AvgExtUnmappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum External Unmapped Size GiB
Type: Number
Description: Maximum of the total external capacity of the volumes not visible to hosts in Gibibytes.
Select equivalent: SD_SE_StorageSystemCapacity.MaxExtUnmappedSizeGiB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that |

| | |
|------------------------|---|
| | is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gibibytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc |

| | |
|------------------------|--|
| Select equivalent: | ated capacity in case of T |
| Where equivalent: | hin Provisioning. SD_SE_StorageSystemCapacity.MinExtActAllocSizeGiB |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total external alloca ted capacity in case of Th in Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Average External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total exter nal physical capacity that is actually visible to hos ts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActMappedSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Minimum External Actual Unmapped Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Minimum of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average External Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum External Actual Used Size GiB

Type: Number

Description: Maximum of the total external physical capacity that is actually used in Gibibytes.

Select equivalent: SD_SE_StorageSystemCapacity.MaxExtActUsedSizeGiB

Where equivalent:

Qualification: measure

Aggregate function: Max

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Minimum External Actual Used Size GiB

Type: Number

Description: Minimum of the total external physical capacity that is actually used in Gibibytes.

Select equivalent: SD_SE_StorageSystemCapacity.MinExtActUsedSizeGiB

Where equivalent:

Qualification: measure

Aggregate function: Min

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Total External Actual Used Size GiB

Type: Number

Description: Total of the total external physical capacity that is actually used in Gibibytes.

Select equivalent: SD_SE_StorageSystemCapacity.TotExtActUsedSizeGiB

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum External Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that |

| | |
|------------------------|--|
| | is actually unused in Gib ibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total externa l physical capacity that i s actually unused in Gibib ytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------|
| Object: | Minimum External Act |
|---------|----------------------|

| | |
|------------------------|--|
| | ual Used Unmapped S ize GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Internal Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalIntSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Internal Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalIntSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Internal Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalIntSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------------|
| Object: | Total of the total Internal Size GiB |
|---------|--------------------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Total of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalIntSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntUnallocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntUnallocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------------------|
| Object: | Average Internal Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total inter |

| | |
|------------------------|--|
| | nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntMappedSizeGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes not visible to hosts in |

| | |
|------------------------|---|
| Select equivalent: | Gibibytes. SD_SE_StorageSystemCapacity.AvgIntUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal alloc |

| | |
|------------------------|---|
| Select equivalent: | ated capacity in case of T hin Provisioning. |
| Where equivalent: | SD_SE_StorageSystemCapacity.MaxIntActAllocSizeGiB |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total inter |

| | |
|------------------------|--|
| | nal physical capacity that is actually visible to hos ts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually visible to host s in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used in Gibibytes. |

| | |
|--------------------|---|
| Select equivalent: | ytes. SD_SE_StorageSystemCapacity.MinIntActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------------------|
| Object: | Total Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total interna |

l physical capacity that i
s actually used in Gibibyt
es.

| | |
|--------------------|--|
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total inter |

nal physical capacity that
is actually not used in G
ibibytes.

| | |
|--------------------|--|
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually not used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Total Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually not used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUnusedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gibiby tes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------|
| Object: | Maximum Internal Ac |
|---------|---------------------|

| | |
|------------------------|--|
| | Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------|
| Object: | Minimum Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical |

| | |
|------------------------|---|
| | al capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUnmappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUnmappedSizeGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used but not visible to |

| | |
|--------------------|--|
| Select equivalent: | o hosts in Gibibytes. SD_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes visible to hosts in Gibibytes |
| | . |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes visible to hosts in Gibibytes |
| | . |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUsedMappedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------------------|
| Object: | Maximum Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical |

| | |
|------------------------|--|
| | ical capacity that is actu ally used and visible to h osts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total physica l capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUsedMappedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActAllocSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------------------|
| Object: | Maximum Actual Allocated Size GiB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Maximum of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin |

| | |
|------------------------|---|
| Select equivalent: | Provisioning. SD_SE_StorageSystemCapacity.TotActAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Minimum of the total Reserved Allocated Size GiB |
|---------|--|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Minimum of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUsedSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotActUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinActUnusedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Actual Unused Size GiB
Type: Number
Description: Total of the total physical capacity that is actually unused in Gibibytes.
Select equivalent: SD_SE_StorageSystemCapacity.TotActUnusedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the total Reserved Size GiB
Type: Number
Description: Average of the total reserved capacity in Gibibytes.
Select equivalent: SD_SE_StorageSystemCapacity.AvgTotalReservedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Reserved Size GiB
Type: Number
Description: Maximum of the total reserved capacity in Gibibytes.
Select equivalent: SD_SE_StorageSystemCapacity.MaxTotalReservedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalReservedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Reserved Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalReservedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Maximum of the total Reserved Used Size GiB |
|---------|---|

| | |
|--------------------|---|
| Type: | Number |
| Description: | Maximum of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Average of the total Reserved Remaining Size GiB |
|---------|--|

| | |
|--------------------|--|
| Type: | Number |
| Description: | Average of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | SD_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Total of the total Reserved Remaining Size GiB |
|---------|--|

Type: Number
Description: Total of the total reserved capacity remaining in Gibibytes.
Select equivalent: SD_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|---|
| Class: | HourlyOLAP-Storage System Capacity Statistics |
| Description: | |

Object: Average of the total Size GB
Type: Number
Description: Average of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgTotalSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Size GB
Type: Number
Description: Maximum of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxTotalSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Size GB |
| Type: | Number |
| Description: | Minimum of the total (internal and external) logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Size GB |
| Type: | Number |
| Description: | Total of the total (internal and external) logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Raw Size GB |
| Type: | Number |
| Description: | Average of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalRawSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalRawSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalRawSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Raw Size GB |
| Type: | Number |
| Description: | Total of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalRawSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Raw Size GB |
| Type: | Number |
| Description: | Average of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgUsedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxUsedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinUsedRawsizeGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Raw Size GB |
| Type: | Number |
| Description: | Total of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotUsedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Unused Raw Size GB |
| Type: | Number |
| Description: | Average of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgUnusedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Unused Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total unused raw capacity of the Storage System in Gigabytes. |

| | |
|--------------------|--|
| Select equivalent: | rage System in Gigabytes. max(SH_SE_StorageSystemCapacity.MaxUnusedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Unused Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinUnusedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Unused Raw Size GB |
| Type: | Number |
| Description: | Total of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotUnusedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------------|
| Object: | Average Unallocated Size GB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Average of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgUnallocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxUnallocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Minimum Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinUnallocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Average of the over allocated capacity in Gigabytes. The amount of over or under subscription. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgOverAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Maximum of the over allocated capacity in Gigabytes. . The amount of over or u |

| | |
|------------------------|---|
| Select equivalent: | nder subscription. max(SH_SE_StorageSystemCapacity.MaxOverAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Minimum of the over allocated capacity in Gigabytes . The amount of over or nder subscription. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinOverAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Total of the over allocated capacity in Gigabytes. T he amount of over or unde r subscription. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotOverAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total External Size GB |
| Type: | Number |
| Description: | Average of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalExtSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum of the total External Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalExtSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total External Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalExtSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total External Size GB |
| Type: | Number |
| Description: | Total of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalExtSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Allocated Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------------|
| Object: | Maximum External Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total external |

| | |
|------------------------|---|
| | rnal capacity of the volum es provisioned from the St orage pools in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Allocated Size GB |
| Type: | Number |
| Description: | Total of the total externa l capacity of the volumes provisioned from the Stora ge pools in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average External Unallocated Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtUnallocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtUnallocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtUnallocSizeGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------|
| Object: | Maximum External Mapped Size GB |
|---------|---------------------------------|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Mapped Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total External Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total external |

| | |
|--------------------|--|
| | I physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total exter nal physical capacity that is actually visible to hos ts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total exte rnal physical capacity tha t is actually visible to ho sts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActMappedSizeGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually not visible to hosts in Gigabytes. |

| | |
|--------------------|--|
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Total External Actual Unmapped Size GB |
|---------|--|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average External Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUsedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUsedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total External Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually unused in Gigabytes. |

| | |
|------------------------|---|
| | I physical capacity that i s actually unused in Gigab ytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActUnusedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total exte rnal physical capacity tha t is actually used and vis ible to hosts in Gigabytes |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum External Actual Used Mapped Size GB
Type: Number
Description: Minimum of the total external physical capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total External Actual Used Mapped Size GB
Type: Number
Description: Total of the total external physical capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent: sum(SH_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Actual Used Unmapped Size GB
Type: Number
Description: Average of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgExtActUsedUnma

| | |
|------------------------|----------------------------------|
| Where equivalent: | ppedSizeGB) |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGB) |

| | |
|------------------------|----------------------------------|
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGB) |

| | |
|-------------------|--|
| Where equivalent: | |
|-------------------|--|

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Internal Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalIntSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Maximum of the total Internal Size GB |
|---------|---------------------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Maximum of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalIntSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum of the total Internal Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalIntSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Internal Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalIntSizeGB) |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Unallocated Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--------------------------------------|
| Object: | Minimum Internal Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total inter |

| | |
|--------------------|--|
| | nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total interna l capacity of the volumes available for provisioning in the Storage pools in G igabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Allocated Size GB |
| Type: | Number |
| Description: | Average of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Allocated Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Mapped Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------|
| Object: | Minimum Internal Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total inter |

| | |
|--------------------|--|
| | nal capacity of the volume s visible to hosts in Giga bytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Mapped Size GB |
| Type: | Number |
| Description: | Total of the total interna l capacity of the volumes visible to hosts in Gigaby tes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total inter nal capacity of the volume s not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntUnmappedSizeGB) |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum Internal Actual Allocated Size GB
Type: Number
Description: Minimum of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total internal allocated capacity in case of Thin Provisioning.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinIntActAllocSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Internal Actual Allocated Size GB
Type: Number
Description: Total of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total internal allocated capacity in case of Thin Provisioning.
Select equivalent: sum(SH_SE_StorageSystemCapacity.TotIntActAllocSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Internal Actual Mapped Size GB

| | |
|------------------------|---|
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Internal Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |

| | |
|------------------------|--|
| | nal physical capacity that is actually used in Gigab ytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUsedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total inter nal physical capacity that is actually used in Gigab ytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUsedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total inter nal physical capacity that is actually used in Gigab ytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUsedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUnusedSizeGB) |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and visible. |

| | |
|--------------------|--|
| Select equivalent: | ble to hosts in Gigabytes. avg(SH_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Minimum Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually not visible to hosts in Gigabytes. |

| | |
|--------------------|---|
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------------|
| Object: | Average Actual Used Unmapped Size GB |
|---------|--------------------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Mapped Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes visible to hosts in Gigabytes |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes visible to hosts in Gigabytes |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes visible to hosts in Gigabytes |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Mapped Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actual |

| | |
|--------------------|---|
| | lly visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Maximum Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Allocated Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |

| | |
|------------------------|---|
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------|
| Object: | Total Allocated Size GB |
|---------|-------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActAllocSizeGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that has been provisioned in Gigabytes |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGB) |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually unused in Gigabytes. |

| | |
|--------------------|---|
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Reserved Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalReservedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Reserved Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalReservedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Reserved Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalReservedSizeGB) |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Reserved Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalReservedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGB) |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average of the total Size GiB
Type: Number
Description: Average of the total (internal and external) Logical capacity of the Storage System in Gibibytes.
Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgTotalSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Size GiB
Type: Number
Description: Maximum of the total (internal and external) Logical capacity of the Storage System in Gibibytes.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxTotalSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of the total Size GiB
Type: Number
Description: Minimum of the total (internal and external) Logical capacity of the Storage System in Gibibytes.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinTotalSizeGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Size GiB |
| Type: | Number |
| Description: | Total of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Raw Size GiB |
| Type: | Number |
| Description: | Average of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalRawSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalRawSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalRawSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Raw Size GiB |
| Type: | Number |
| Description: | Total of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalRawSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Raw Size GiB |
| Type: | Number |
| Description: | Average of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgUsedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxUsedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinUsedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Used Raw Size GiB |
| Type: | Number |
| Description: | Total of the total used raw capacity of the Storage System in Gibibytes. |

| | |
|--------------------|--|
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotUsedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Unused Raw Size GiB |
| Type: | Number |
| Description: | Average of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgUnusedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Unused Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxUnusedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Unused Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total unused raw capacity of the Storage System in Gibibytes. |

| | |
|--------------------|---|
| | ed raw capacity of the Sto rage System in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinUnusedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Unused Raw Size GiB |
| Type: | Number |
| Description: | Total of the total unused raw capacity of the Storag e System in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotUnusedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Unallocated Size GiB |
| Type: | Number |
| Description: | Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgUnallocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotUnallocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Average of the over allocated capacity in Gibibytes. The amount of over or under subscription. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgOverAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Maximum of the over allocated capacity in Gibibytes . The amount of over or under subscription. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxOverAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Minimum of the over alloc |

| | |
|------------------------|---|
| | ated capacity in Gibibytes . The amount of over or u nder subscription. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinOverAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Total of the over allocate d capacity in Gibibytes. T he amount of over or unde r subscription. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotOverAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total External Size GiB |
| Type: | Number |
| Description: | Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalExtSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum of the total External Size GiB
Type: Number
Description: Maximum of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxTotalExtSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of the total External Size GiB
Type: Number
Description: Minimum of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinTotalExtSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total External Size GiB
Type: Number
Description: Total of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes.

| | |
|--------------------|---|
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalExtSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average External Unallocated Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |

| | |
|--------------------|---|
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtUnallocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum External Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |

| | |
|--------------------|---|
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtUnallocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum External Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total External Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes |

| | |
|------------------------|---|
| | provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Average External Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total External Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes not visible to hosts in Gibibytes. |

Select equivalent: sum(SH_SE_StorageSystemCapacity.TotExtUnmappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Actual Allocated Size GiB
Type: Number
Description:

Average of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning.

Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgExtActAllocSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum External Actual Allocated Size GiB
Type: Number
Description:

Maximum of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning.

Select equivalent: max(SH_SE_StorageSystemCapacity.MaxExtActAllocSizeGiB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average External Actual Mapped Size GiB
Type: Number
Description: Average of the total external physical capacity that is actually visible to hosts in Gibibytes.
Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgExtActMappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum External Actual Mapped Size GiB
Type: Number
Description: Maximum of the total external physical capacity that is actually visible to hosts in Gibibytes.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxExtActMappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum External Actual Mapped Size GiB
Type: Number
Description: Minimum of the total external physical capacity that is actually visible to hosts in Gibibytes.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinExtActMappedSizeGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that |

| | |
|------------------------|---|
| | t is not visible to hosts i n Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average External Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Actual Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Minimum External Actual Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActUsedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum External Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually unused in Gibibytes. |

| | |
|--------------------|---|
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Average External Actual Used Mapped Size GiB |
|---------|--|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Minimum External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Maximum External Actual Used Unmapped Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Maximum of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used but yet to be visible to hosts in Gi |

Select equivalent: babytes.
sum(SH_SE_StorageSystemC
apacity.TotExtActUsedUnma
ppedSizeGiB)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the total Internal Size GiB

Type: Number

Description: Average of the total inter
nal capacity that is part
of the logical capacity of
the Storage System in Gib
ibytes.

Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgTotalIntSizeGiB)

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Internal Size GiB

Type: Number

Description: Maximum of the total inter
nal capacity that is part
of the logical capacity of
the Storage System in Gib
ibytes.

Select equivalent: max(SH_SE_StorageSystemCapacity.MaxTotalIntSizeGiB)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show

Object: Minimum of the total Internal Size GiB
 Type: Number
 Description: Minimum of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes.

Select equivalent: min(SH_SE_StorageSystemCapacity.MinTotalIntSizeGiB)
 Where equivalent:

Qualification: measure
 Aggregate function: Min
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Total of the total Internal Size GiB
 Type: Number
 Description: Total of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes.

Select equivalent: sum(SH_SE_StorageSystemCapacity.TotTotalIntSizeGiB)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Average Internal Unallocated Size GiB
 Type: Number
 Description: Average of the total internal capacity of the volumes available for provisioning in the Storage pools in

| | |
|------------------------|---|
| Select equivalent: | Gibibytes. avg(SH_SE_StorageSystemCapacity.AvgIntUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volume |

| | |
|------------------------|--|
| | s visible to hosts in Gibi bytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes visible to hosts in Gibi bytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes visible to hosts in Gibi bytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. T |

| | |
|--------------------|---|
| | his would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |

| | |
|--------------------|--|
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total interna |

l physical capacity that i
s actually allocated by th
e volumes in Gibibytes. Th
is would be different from
the total internal allocat
ed capacity in case of Thi
n Provisioning.

| | |
|--------------------|--|
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total inter |

nal physical capacity that
is actually visible to hos
ts in Gibibytes.

| | |
|--------------------|---|
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Internal Actual Mapped Size GiB
Type: Number
Description: Maximum of the total internal physical capacity that is actually visible to hosts in Gibibytes.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxIntActMappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Internal Actual Mapped Size GiB
Type: Number
Description: Minimum of the total internal physical capacity that is actually visible to hosts in Gibibytes.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinIntActMappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Internal Actual Mapped Size GiB
Type: Number
Description: Total of the total internal physical capacity that is actually visible to hosts in Gibibytes.
Select equivalent: sum(SH_SE_StorageSystemCapacity.TotIntActMappedSizeGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that |

| | |
|------------------------|---|
| | is actually not visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total inter nal physical capacity that is actually used in Gibib ytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Total Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not used in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not used in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually not used in Gibibytes. |

| | |
|--------------------|---|
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Total Internal Actual Unused Size GiB |
|---------|---------------------------------------|

| | |
|-------|--------|
| Type: | Number |
|-------|--------|

| | |
|--------------|---|
| Description: | Total of the total internal physical capacity that is actually not used in Gibibytes. |
|--------------|---|

| | |
|--------------------|---|
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Average Internal Actual Used Mapped Size GiB |
|---------|--|

| | |
|-------|--------|
| Type: | Number |
|-------|--------|

| | |
|--------------|--|
| Description: | Average of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
|--------------|--|

| | |
|--------------------|---|
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Maximum Internal Actual Used Mapped Size GiB |
|---------|--|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes not visible to hosts in Gibibytes. |

| | |
|--------------------|---|
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------|
| Object: | Total Unmapped Size GiB |
|---------|-------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Total of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------------------|
| Object: | Total Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical |

| | |
|------------------------|---|
| | I capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes visible to hosts in Gibibytes |
| | . |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes visible to hosts in Gibibytes |
| | . |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes visible to hosts in Gibibytes |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinMappedSizeGiB) |
| Where equivalent: | . |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Average Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually visible to hosts in Gibibytes. |

| | |
|--------------------|--|
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUsedMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUsedMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------------------|
| Object: | Minimum Actual Used Mapped Size GiB |
|---------|-------------------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum Actual Allocated Size GiB
Type: Number
Description: Minimum of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinActAllocSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Allocated Size GiB
Type: Number
Description: Total of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning.
Select equivalent: sum(SH_SE_StorageSystemCapacity.TotActAllocSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the total Reserved Allocated Size GiB
Type: Number
Description: Average of the total reser

| | |
|--------------------|---|
| | ved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that has been provisioned in Gibibytes |

| | |
|--------------------|---|
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that has been provisioned in Gibibytes. |

| | |
|--------------------|---|
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Actual Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUsedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUsedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalReservedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalReservedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalReservedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalReservedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | avg(SH_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Maximum of the total Reserved Remaining |
|---------|--|

| | |
|------------------------|--|
| Type: | Size GiB Number |
| Description: | Maximum of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | max(SH_SE_StorageSystemCapacity.MaxTotRsrvdRemainingSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | min(SH_SE_StorageSystemCapacity.MinTotRsrvdRemainingSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total of the total Reserved Remaining Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity remaining in Gibibytes. |
| Select equivalent: | sum(SH_SE_StorageSystemCapacity.TotTotRsrvdRemainingSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------|--|
| Class: | DailyOLAP-Storage System Capacity Statistics |
|--------|--|

Description:

Object: Average of the total Size GB
Type: Number
Description: Average of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgTotalSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Size GB
Type: Number
Description: Maximum of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxTotalSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of the total Size GB
Type: Number
Description: Minimum of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinTotalSizeGB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Size GB |
| Type: | Number |
| Description: | Total of the total (internal and external) logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Raw Size GB |
| Type: | Number |
| Description: | Average of the total raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalRawSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum of the total Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total raw capacity of the Storage System in Gigabytes. |

Select equivalent: max(SD_SE_StorageSystemCapacity.MaxTotalRawSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of the total Raw Size GB
Type: Number
Description: Minimum of the total raw capacity of the Storage System in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinTotalRawSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total Raw Size GB
Type: Number
Description: Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotTotalRawSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Used Raw Size GB
Type: Number
Description: Average of the total used raw capacity of the Storage System in Gigabytes.

| | |
|--------------------|---|
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgUsedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxUsedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Raw Size GB |
| Type: | Number |
| Description: | Minimum of the total used raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinUsedRawsizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Used Raw Size GB |
| Type: | Number |
| Description: | Total of the total used raw capacity of the Storage System in Gigabytes. |

| | |
|------------------------|---|
| | w capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotUsedRawsizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Unused Raw Size GB |
| Type: | Number |
| Description: | Average of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgUnusedRawsizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Unused Raw Size GB |
| Type: | Number |
| Description: | Maximum of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxUnusedRawsizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------------|
| Object: | Minimum Unused Raw Size GB |
|---------|----------------------------|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Minimum of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinUnusedRawsizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Unused Raw Size GB |
| Type: | Number |
| Description: | Total of the total unused raw capacity of the Storage System in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotUnusedRawsizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Unallocated Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgUnallocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Unallocated Size GB
Type: Number
Description: Maximum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxUnallocSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Unallocated Size GB
Type: Number
Description: Minimum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinUnallocSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Unallocated Size GB
Type: Number
Description: Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes.

| | |
|--------------------|---|
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Average of the over allocated capacity in Gigabytes. The amount of over or under subscription. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgOverAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Maximum of the over allocated capacity in Gigabytes. . The amount of over or under subscription. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxOverAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Minimum of the Over Allocation Size in GB |
|---------|---|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Minimum of the over allocated capacity in Gigabytes . The amount of over or under subscription. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinOverAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total of the Over Allocation Size in GB |
| Type: | Number |
| Description: | Total of the over allocated capacity in Gigabytes. The amount of over or under subscription. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotOverAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Average of the total External Size GB |
| Type: | Number |
| Description: | Average of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalExtSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total External Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalExtSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total External Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity that is part of the logical capacity of the Storage System in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalExtSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total of the total External Size GB |
| Type: | Number |
| Description: | Total of the total external capacity that is part of the logical capacity of the |

| | |
|------------------------|--|
| | e Storage System in Gigab ytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalExtSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Allocated Size GB |
| Type: | Number |
| Description: | Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Allocated Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Unallocated Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtUnallocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------------|
| Object: | Total External Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total external |

| | |
|--------------------|---|
| | l capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum External Mapped Size GB
Type: Number
Description: Minimum of the total external capacity of the volumes visible to hosts in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinExtMappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total External Mapped Size GB
Type: Number
Description: Total of the total external capacity of the volumes visible to hosts in Gigabytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotExtMappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Unmapped Size GB
Type: Number
Description: Average of the total external capacity of the volumes not visible to hosts in Gigabytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgExtUnmappedSizeGB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total External Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes |

| | |
|------------------------|---|
| | not visible to hosts in Gi gabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActAllocSizeGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActMappedSizeGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Maximum External Actual Unmapped Size GB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Maximum of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average External Actual Used Size GB
Type: Number
Description: Average of the total external physical capacity that is actually used in Gigabytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgExtActUsedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum External Actual Used Size GB
Type: Number
Description: Maximum of the total external physical capacity that is actually used in Gigabytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxExtActUsedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum External Actual Used Size GB
Type: Number
Description: Minimum of the total external physical capacity that is actually used in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinExtActUsedSizeGB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum External Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that |

| | |
|------------------------|--|
| | t is actually unused in Gi gabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActUnusedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total exter nal physical capacity that is actually unused in Gig abytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActUnusedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total externa l physical capacity that i s actually unused in Gigab ytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActUnusedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Maximum External Actual Used Unmapped |
|---------|---------------------------------------|

| | |
|------------------------|--|
| Type: | Size GB Number |
| Description: | Maximum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total External Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used and not visible to hosts in Gigabyte |

| | |
|--------------------|--|
| Select equivalent: | s. sum(SD_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGB) |
|--------------------|--|

| | |
|-------------------|--|
| Where equivalent: | |
|-------------------|--|

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Average of the total Internal Size GB |
| Type: | Number |

| | |
|--------------|---|
| Description: | Average of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
|--------------|---|

| | |
|--------------------|--|
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalIntSizeGB) |
|--------------------|--|

| | |
|-------------------|--|
| Where equivalent: | |
|-------------------|--|

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Maximum of the total Internal Size GB |
| Type: | Number |

| | |
|--------------|---|
| Description: | Maximum of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes. |
|--------------|---|

| | |
|--------------------|--|
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalIntSizeGB) |
|--------------------|--|

| | |
|-------------------|--|
| Where equivalent: | |
|-------------------|--|

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of the total Internal Size GB
Type: Number
Description: Minimum of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinTotalIntSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total Internal Size GB
Type: Number
Description: Total of the total internal capacity that is part of the logical capacity of the Storage System in Gigabytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotTotalIntSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Internal Unallocated Size GB
Type: Number
Description: Average of the total internal capacity of the volumes available for provisioning in the Storage pools in

| | |
|--------------------|--|
| Select equivalent: | Gigabytes. avg(SD_SE_StorageSystemCapacity.AvgIntUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Unallocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Unallocated Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntUnallocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Unallocated Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes available for provisioning in the Storage pools in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntUnallocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Allocated Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Allocated Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Internal Mapped Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volume |

| | |
|------------------------|---|
| | s visible to hosts in Giga bytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total inter nal capacity of the volume s visible to hosts in Giga bytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total inter nal capacity of the volume s visible to hosts in Giga bytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Maximum Internal Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. |

| | |
|------------------------|--|
| | This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |

| | |
|------------------------|---|
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually allocated by the volumes in Gigabytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Internal Actual Mapped Size GB
Type: Number
Description: Maximum of the total internal physical capacity that is actually visible to hosts in Gigabytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxIntActMappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Internal Actual Mapped Size GB
Type: Number
Description: Minimum of the total internal physical capacity that is actually visible to hosts in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinIntActMappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Internal Actual Mapped Size GB
Type: Number
Description: Total of the total internal physical capacity that is actually visible to hosts in Gigabytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotIntActMappedSizeGB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that |

| | |
|--------------------|--|
| | is actually not visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total inter nal physical capacity that is actually used in Gigab ytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Internal Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUsedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActUsedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Total Internal Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActUsedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually unused in Gigabytes. |

| | |
|------------------------|--|
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActUnusedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActUnusedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Maximum Internal Actual Used Mapped Size GB |
|---------|---|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that |

| | |
|------------------------|--|
| | is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Internal Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Average Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Unmapped Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotUnmappedSizeGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unmapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActUnmappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------|
| Object: | Minimum Actual Unmapped Size GB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Minimum of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual Unmapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually not visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Actual Used Unmapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and not visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Actual Used Unmapped Size GB
Type: Number
Description: Maximum of the total physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Unmapped Size GB
Type: Number
Description: Minimum of the total physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Unmapped Size GB
Type: Number
Description: Total of the total physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Mapped Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes visible to hosts in Gigabytes |

| | |
|--------------------|---|
| Select equivalent: | . avg(SD_SE_StorageSystemCapacity.AvgMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes visible to hosts in Gigabytes |

| | |
|--------------------|---|
| Select equivalent: | . max(SD_SE_StorageSystemCapacity.MaxMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes visible to hosts in Gigabytes |

| | |
|------------------------|--|
| | ible to hosts in Gigabytes |
| Select equivalent: | . |
| Where equivalent: | min(SD_SE_StorageSystemCapacity.MinMappedSizeGB) |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Mapped Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual Mapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Actual Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Actual Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Total Actual Mapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActMappedSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActUsedMappedSizeGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Mapped Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used and visible to hosts in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActUsedMappedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Allocated Size GB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------|
| Object: | Maximum Allocated Size GB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Maximum of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Allocated Size GB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Actual Allocated Size GB
Type: Number
Description: Average of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgActAllocSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Allocated Size GB
Type: Number
Description: Maximum of the total physical capacity that is actually allocated in Gigabytes. This would be different from the total allocated capacity in case of Thin Provisioning.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxActAllocSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Allocated Size GB
Type: Number
Description: Minimum of the total physical

| | |
|------------------------|--|
| | cal capacity that is actua lly allocated in Gigabytes .This would be different f rom the total allocated ca pacity in case of Thin Pro visioning. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual Allocated Size GB |
| Type: | Number |
| Description: | Total of the total physica l capacity that is actually allocated in Gigabytes.Th is would be different from the total allocated capac ity in case of Thin Provis ioning. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Average of the total reser ved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGB) |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that has been provisioned in Gigabytes |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Allocated Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity that has been provisioned in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Actual Used Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actual |

| | |
|--------------------|---|
| Select equivalent: | lly used in Gigabytes. |
| Where equivalent: | min(SD_SE_StorageSystemCapacity.MinActUsedSizeGB) |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unused Size GB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Actual Unused Size GB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually |

| | |
|--------------------|--|
| Select equivalent: | ally unused in Gigabytes. max(SD_SE_StorageSystemCapacity.MaxActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size GB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unused Size GB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually unused in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActUnusedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Average of the total Reserved Size GB |
| Type: | Number |

Description: Average of the total reserved capacity in Gigabytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgTotalReservedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Reserved Size GB
Type: Number
Description: Maximum of the total reserved capacity in Gigabytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxTotalReservedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of the total Reserved Size GB
Type: Number
Description: Minimum of the total reserved capacity in Gigabytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinTotalReservedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total Reserved Size GB
Type: Number
Description: Total of the total reserved capacity in Gigabytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotTotalReservedSizeGB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Reserved Used Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity that is being used in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Average of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotRsrvdRemainingSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Remaining Size GB |
| Type: | Number |
| Description: | Total of the total reserved capacity remaining in Gigabytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotRsrvdRemainingSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of the total Size GiB |
| Type: | Number |
| Description: | Average of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalSizeGiB) |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total Size GiB |
| Type: | Number |
| Description: | Maximum of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Size GiB |
| Type: | Number |
| Description: | Minimum of the total (internal and external) Logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total of the total Size GiB |
| Type: | Number |
| Description: | Total of the total (internal and external) Logical capacity of the Storage Sys |

| | |
|------------------------|---|
| Select equivalent: | tem in Gibibytes. sum(SD_SE_StorageSystemCapacity.TotTotalSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total Raw Size GiB |
| Type: | Number |
| Description: | Average of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalRawSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum of the total Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalRawSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum of the total Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total raw capacity of the Storage Sy |

| | |
|--------------------|---|
| Select equivalent: | stem in Gibibytes. |
| Where equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalRawSizeGiB) |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Raw Size GiB |
| Type: | Number |
| Description: | Total of the total raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalRawSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Raw Size GiB |
| Type: | Number |
| Description: | Average of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgUsedRawsizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Used Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total used raw capacity of the Storage System in Gibibytes. |

| | |
|------------------------|---|
| Select equivalent: | ge System in Gibibytes. max(SD_SE_StorageSystemCapacity.MaxUsedRawsizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Used Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinUsedRawsizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Used Raw Size GiB |
| Type: | Number |
| Description: | Total of the total used raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotUsedRawsizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------------|
| Object: | Average Unused Raw Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Average of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgUnusedRawsizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Unused Raw Size GiB |
| Type: | Number |
| Description: | Maximum of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxUnusedRawsizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Unused Raw Size GiB |
| Type: | Number |
| Description: | Minimum of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinUnusedRawsizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Unused Raw Size GiB |
| Type: | Number |
| Description: | Total of the total unused raw capacity of the Storage System in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotUnusedRawsizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Unallocated Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Maximum Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinUnallocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotUnallocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Average of the over allocated capacity in Gibibytes. |

| | |
|------------------------|--|
| | The amount of over or under subscription. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgOverAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Maximum of the over allocated capacity in Gibibytes . The amount of over or under subscription. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxOverAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Minimum of the over allocated capacity in Gibibytes . The amount of over or under subscription. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinOverAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total of the Over Allocation Size in GiB |
| Type: | Number |
| Description: | Total of the over allocated capacity in Gibibytes. The amount of over or under subscription. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotOverAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total External Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalExtSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of the total External Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalExtSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total External Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalExtSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total External Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalExtSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Average External Unallocated Size GiB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Average of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum External Unallocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Minimum External Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtUnallocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum External Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes provisioned from the St |

| | |
|--------------------|--|
| Select equivalent: | orage pools in Gibibytes. max(SD_SE_StorageSystemCapacity.MaxExtAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Minimum External Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtUnmappedSizeGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum External Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total External Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Average External Actual Allocated Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Average of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually allocated by the volumes in Gibibytes. T |

| | |
|------------------------|---|
| | his would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Actual Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually allocated by the volumes in Gibibytes. This is would be different from the total external allocated capacity in case of Thin Provisioning. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total External Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually visible to host |

| | |
|--------------------|--|
| Select equivalent: | s in Gibibytes. sum(SD_SE_StorageSystemCapacity.TotExtActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Average External Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActUsedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum External Actual Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActUsedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total External Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActUsedSizeGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average External Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum External Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---|
| Object: | Minimum External Actual Unused Size GiB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Minimum of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActUnusedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total External Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActUnusedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average External Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum External Actual Used Mapped Size GiB

Type: Number

Description: Maximum of the total external physical capacity that is actually used and visible to hosts in Gibibytes

Select equivalent: max(SD_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGiB)

Where equivalent:

Qualification: measure

Aggregate function: Max

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Minimum External Actual Used Mapped Size GiB

Type: Number

Description: Minimum of the total external physical capacity that is actually used and visible to hosts in Gibibytes.

Select equivalent: min(SD_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGiB)

Where equivalent:

Qualification: measure

Aggregate function: Min

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Total External Actual Used Mapped Size GiB

Type: Number

Description: Total of the total external physical capacity that is actually used and visible to hosts in Gibibytes.

Select equivalent: sum(SD_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGiB)

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total External Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total Internal Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalIntSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum of the total Internal Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalIntSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of the total Internal Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalIntSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of the total Internal Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalIntSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntUnallocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Maximum Internal Unallocated Size GiB |
|---------|---------------------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Unallocated Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes available for provisioning in the Storage pools in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntUnallocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Internal Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes provisioned from the Storage pools in Gibibytes. |

| | |
|------------------------|---|
| Select equivalent: | rage pools in Gibibytes. min(SD_SE_StorageSystemCapacity.MinIntAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total interna l capacity of the volumes provisioned from the Stora ge pools in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total inter nal capacity of the volume s visible to hosts in Gibi bytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Total Internal Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntUnmappedSizeGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal capacity of the volumes not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Internal Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Total Internal Actual Allocated Size GiB |
| Type: | Number |

| | |
|------------------------|--|
| Description: | Total of the total internal physical capacity that is actually allocated by the volumes in Gibibytes. This would be different from the total internal allocated capacity in case of Thin Provisioning. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Internal Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually not visible to |

| | |
|--------------------|--|
| Select equivalent: | hosts in Gibibytes. avg(SD_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Internal Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total internal physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotIntActUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Maximum Internal Actual Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Minimum Internal Actual Used Size GiB
 Type: Number
 Description: Minimum of the total internal physical capacity that is actually used in Gibibytes.
 Select equivalent: min(SD_SE_StorageSystemCapacity.MinIntActUsedSizeGiB)
 Where equivalent:

Qualification: measure
 Aggregate function: Min
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Total Internal Actual Used Size GiB
 Type: Number
 Description: Total of the total internal physical capacity that is actually used in Gibibytes.
 Select equivalent: sum(SD_SE_StorageSystemCapacity.TotIntActUsedSizeGiB)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Average Internal Actual Unused Size GiB
 Type: Number
 Description: Average of the total internal physical capacity that is actually not used in Gibibytes.
 Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgIntActUnusedSizeGiB)

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually not used in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Internal Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually not used in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Total Internal Actual Unused Size GiB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Total of the total internal physical capacity that is actually not used in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotlIntActUnusedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Internal Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum Internal Actual Used Mapped Size GiB

Type: Number

Description: Minimum of the total internal physical capacity that is actually used and visible to hosts in Gibibytes.

Select equivalent: min(SD_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGiB)

Where equivalent:

Qualification: measure

Aggregate function: Min

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Total Internal Actual Used Mapped Size GiB

Type: Number

Description: Total of the total internal physical capacity that is actually used and visible to hosts in Gibibytes.

Select equivalent: sum(SD_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGiB)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Average Internal Actual Used Unmapped Size GiB

Type: Number

Description: Average of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes.

Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgIntActUsedUnma

| | |
|------------------------|----------------------------------|
| Where equivalent: | ppedSizeGiB) |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGiB) |

| | |
|------------------------|----------------------------------|
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGiB) |

| | |
|-------------------|--|
| Where equivalent: | |
|-------------------|--|

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Internal Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total interna l physical capacity that i s actually used and not vi sible to hosts in Gibibyte s. |
| Select equivalent: | sum(SD_SE_StorageSystemC apacity.TotIntActUsedUnma ppedSizeGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total logic al capacity of volumes not visible to hosts in Gibib ytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgUnmappedSizeGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------|
| Object: | Maximum Unmapped Size GiB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Maximum of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotUnmappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Actual Unmapped Size GiB
Type: Number
Description: Average of the total physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgActUnmappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Unmapped Size GiB
Type: Number
Description: Maximum of the total physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxActUnmappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Unmapped Size GiB
Type: Number
Description: Minimum of the total physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinActUnmappedSizeGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually |

| | |
|--------------------|--|
| | ally used but not visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Unmapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used but not visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total logical capacity of volumes visible to hosts in Gibibytes |
| | . |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total logical capacity of volumes visible to hosts in Gibibytes |
| | . |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|--|
| Object: | Minimum Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of volumes visible to hosts in Gibibytes |
| | . |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of volumes visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Mapped Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActMappedSizeGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Mapped Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually visible to hosts in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActMappedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------------------|
| Object: | Average Actual Used Mapped Size GiB |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Average of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual Used Mapped Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually used and visible to hosts in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActUsedMappedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Actual Used Mapped Size GiB
Type: Number
Description: Total of the total physical capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotActUsedMappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Allocated Size GiB
Type: Number
Description: Average of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgAllocSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Allocated Size GiB
Type: Number
Description: Maximum of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxAllocSizeGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotAllocSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Actual Allocated Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is allocated |

| | |
|------------------------|---|
| | ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Actual Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total phys ical capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total physi cal capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActAllocSizeGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Total Actual Allocated Size GiB

Type: Number

Description: Total of the total physical capacity that is allocated by the volumes in Gibibytes. This would be different from the total allocated capacity in case of Thin Provisioning.

Select equivalent: sum(SD_SE_StorageSystemCapacity.TotActAllocSizeGiB)

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Average of the total Reserved Allocated Size GiB

Type: Number

Description: Average of the total reserved capacity that has been provisioned in Gibibytes.

Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGiB)

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total of the total Reserved Allocated Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity that has been provisioned in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Actual Used Size GiB
Type: Number
Description: Average of the total physical capacity that is actually used in Gibibytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgActUsedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Size GiB
Type: Number
Description: Maximum of the total physical capacity that is actually used in Gibibytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxActUsedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Size GiB
Type: Number
Description: Minimum of the total physical capacity that is actually used in Gibibytes.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinActUsedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually used in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActUsedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Unused Size GiB |
| Type: | Number |
| Description: | Average of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size GiB |
| Type: | Number |
| Description: | Maximum of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size GiB |
| Type: | Number |
| Description: | Minimum of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unused Size GiB |
| Type: | Number |
| Description: | Total of the total physical capacity that is actually unused in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotActUnusedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of the total Reserved Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalReservedSizeGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of the total Reserved Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalReservedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of the total Reserved Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalReservedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of the total Reserved Size GiB |
| Type: | Number |
| Description: | Total of the total reserved capacity in Gibibytes. |
| Select equivalent: | sum(SD_SE_StorageSystemCapacity.TotTotalReservedSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Average of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | avg(SD_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Maximum of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | max(SD_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum of the total Reserved Used Size GiB |
| Type: | Number |
| Description: | Minimum of the total reserved capacity that is being used in Gibibytes. |
| Select equivalent: | min(SD_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total of the total Reserved Used Size GiB
Type: Number
Description: Total of the total reserved capacity that is being used in Gibibytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the total Reserved Remaining Size GiB
Type: Number
Description: Average of the total reserved capacity remaining in Gibibytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total
Reserved Remaining
Size GiB
Type: Number
Description: Maximum of the total reserved capacity remaining in Gibibytes.
Select equivalent: max(SD_SE_StorageSystemC
apacity.MaxTotRsrvedRemai
ningSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Minimum of the total
Reserved Remaining
Size GiB

Type: Number

Description: Minimum of the total reserved capacity remaining in Gibibytes.

Select equivalent: min(SD_SE_StorageSystemCapacity.MinTotRsrvdRemainingSizeGiB)

Where equivalent:

Qualification: measure

Aggregate function: Min

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Total of the total Reserved Remaining Size GiB

Type: Number

Description: Total of the total reserved capacity remaining in Gibibytes.

Select equivalent: sum(SD_SE_StorageSystemCapacity.TotTotRsrvdRemainingSizeGiB)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Storage System Capacity - Forecast

Description:

Object: f30 Forecast Total Raw Size (GB)

Type: Number

Description: Total of the total raw capacity of the Storage System in Gigabytes.

Select equivalent: F_SD42_SE_StorageSys_Capacity.f30TotalRawSizeGB

Where equivalent:

Qualification: measure

Aggregate function: None

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: f60 Forecast Total Raw Size (GB)
Type: Number
Description: Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f60TotalRawSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f90 Forecast Total Raw Size (GB)
Type: Number
Description: Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f90TotalRawSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f30 Forecast Total Raw Size (GiB)
Type: Number
Description: Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f30TotalRawSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f60 Forecast Total Raw Size (GiB)
Type: Number
Description: Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f60TotalRawSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f90 Forecast Total Raw Size (GiB)
Type: Number
Description: Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f90TotalRawSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f30 Forecast Total Allocated Size (GB)
Type: Number
Description: Total of the total logical
capacity of the volumes pr
ovisioned from the Storage
pools in Gigabytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f30TotAllocSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f60 Forecast Total Allocated Size (GB)

| | |
|------------------------|---|
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | F_SD42_SE_StorageSys_Capacity.f60TotAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | f90 Forecast Total Allocated Size (GB) |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gigabytes. |
| Select equivalent: | F_SD42_SE_StorageSys_Capacity.f90TotAllocSizeGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | f30 Forecast Total Allocated Size (GiB) |
| Type: | Number |
| Description: | Total of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes. |
| Select equivalent: | F_SD42_SE_StorageSys_Capacity.f30TotAllocSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: f60 Forecast Total Allocated Size (GiB)
Type: Number
Description: Total of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f60TotAllocSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f90 Forecast Total Allocated Size (GiB)
Type: Number
Description: Total of the total logical capacity of the volumes provisioned from the Storage pools in Gibibytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f90TotAllocSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|------------------|
| Class: | Tier Element Map |
| Description: | |

Object: SOM Source Name
Type: Character
Description: SOM Source Name
Select equivalent: K_SE_Tier_Element_Map.SourceName
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2e5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Name of the Tenant |
| Select equivalent: | K_SE_Tier_Element_Map.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2e6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5r6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5r7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2e7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2e8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2e9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------|
| Object: | Storage System IP Address |
|---------|---------------------------|

Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ea, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2eb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ec, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ed, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage System Status**
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ee, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Reset Capability?**
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ef, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Advanced Retention Management?**
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2eg, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2eh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ei, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ej, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Over Subscribed Capacity |
| Type: | Character |
| Description: | Over Subscribed Capacity |
| Select equivalent: | K_SE_StorageSystem.OverSubscribedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2ek, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Requested Capacity |
| Type: | Character |
| Description: | Requested Capacity |
| Select equivalent: | K_SE_StorageSystem.RequestedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2el, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2em, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |

Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2en, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2eo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ep, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 2eq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2er, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2es, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2et, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2eu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ev, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ew, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info

Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ex, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ey, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2f0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2f1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2f2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2f3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2f4, editable, manual refresh, not exportable |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2f5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2f6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2f7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2f8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2f9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Name
Type: Character
Description: Block Pool Name
Select equivalent: K_SE_Storage_Pool.SANPoolName
Where equivalent:

Qualification: dimension
List of values: 2fa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Description
Type: Character

Description: Description about Block Pool
Select equivalent: K_SE_Storage_Pool.SANPoolDescription
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Pool Name
Type: Character
Description: Parent Pool Name
Select equivalent: K_SE_Storage_Pool.ParentPoolName
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Available Space (GB)
Type: Number
Description: Total Available Space in GB
Select equivalent: K_SE_Storage_Pool.TotalAvailableSpaceGB
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Available Space (GiB)
Type: Number
Description: Total Available Space in GiB
Select equivalent: K_SE_Storage_Pool.TotalAvailableSpaceGiB
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 2fe, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage Capability Name |
| Type: | Character |
| Description: | Storage Capability Name |
| Select equivalent: | K_SE_Storage_Pool.StorageCapabilityName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 2ff, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Storage Capability Common Name |
| Type: | Character |
| Description: | Storage Capability Common Name |
| Select equivalent: | K_SE_Storage_Pool.StorageCapabilityCommonName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 2fg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage Capability Description |
| Type: | Character |
| Description: | Storage Capability Description |
| Select equivalent: | K_SE_Storage_Pool.StorageCapabilityDescription |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 2fh, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: No Single Point Of Failure
Type: Character
Description: No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.NoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default No Single Point Of Failure
Type: Character
Description: Default No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.DefaultNoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Data Redundancy
Type: Number
Description: Minimum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MinDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Data Redundancy
Type: Number
Description: Maximum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MaxDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Data Redundancy
Type: Number
Description: Default Data Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Spindle Redundancy
Type: Number
Description: Minimum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Spindle Redundancy
Type: Number
Description: Maximum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MaxSpindleRedundancy

Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Default Spindle Redundancy**
Type: Number
Description: Default Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Min Delta Reservation**
Type: Number
Description: Minimum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Max Delta Reservation**
Type: Number
Description: Maximum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name

| | |
|------------------------|---|
| List of values: | 2fr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Default Delta Reservation |
| Type: | Number |
| Description: | Default Delta Reservation |
| Select equivalent: | K_SE_Storage_Pool.DefaultDeltaReservation |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 2fs, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Space Limit (GB) |
| Type: | Number |
| Description: | Space Limit in GB |
| Select equivalent: | K_SE_Storage_Pool.SpaceLimitGB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 2ft, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Space Limit (GiB) |
| Type: | Number |
| Description: | Space Limit in GiB |
| Select equivalent: | K_SE_Storage_Pool.SpaceLimitGiB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 2fu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Space Limit Determination
Type: Number
Description: Space Limit Determination
Select equivalent: K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Composition
Type: Character
Description: Shows type of pool like Internal, External, Hybrid
Select equivalent: K_SE_Storage_Pool.Composition
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Type
Type: Character
Description: Block Pool type - Primordial, Concrete, Open, Mainframe, Snapshot, Reserved, Parent concrete ...
Select equivalent: K_SE_Storage_Pool.SANPoolType
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|-----------------------------------|
| Object: | Block Volume Name |
| Type: | Character |
| Description: | Name of the Block Volume |
| Select equivalent: | K_SE_Storage_Volume.SANVolumeName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2fy, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | OID |
| Type: | Character |
| Description: | Unique Identifier for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.OID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2g0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Volume Device ID |
| Type: | Character |
| Description: | Block Volume Device ID |
| Select equivalent: | K_SE_Storage_Volume.VolumeDeviceId |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2g1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------|
| Object: | Block Volume Access Type |
| Type: | Character |
| Description: | Block Volume Access Type |
| Select equivalent: | K_SE_Storage_Volume.AccessType |

Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Block Size in Bytes
Type: Number
Description: Block Volume Block Size in Bytes
Select equivalent: K_SE_Storage_Volume.BlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Number of Blocks
Type: Number
Description: Number of blocks in Block Volume
Select equivalent: K_SE_Storage_Volume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Size Bytes
Type: Number
Description: Source Block Volume Size in Bytes
Select equivalent: K_SE_Storage_Volume.VolumeSizeBytes
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name

List of values: 2g5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Consumable Blocks
Type: Number
Description: Number of consumable blocks in Block Volume
Select equivalent: K_SE_Storage_Volume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Consumed Blocks
Type: Number
Description: Actual consumed physical space of the volume. Note : This object only applicable for Block systems that support Thin Provisioning
Select equivalent: K_SE_Storage_Volume.ConsumedBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates Whether Block Volume is Thinly Provisioned or not
Select equivalent: K_SE_Storage_Volume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name

| | |
|------------------------|---|
| List of values: | 2g8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Raw Space (Bytes) |
| Type: | Number |
| Description: | Raw Space in Bytes that is consumed by the Block volume from the underlying Block extents |
| Select equivalent: | K_SE_Storage_Volume.RawSpace |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2g9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Raw Space (GB) |
| Type: | Number |
| Description: | Raw Space in GB that is consumed by the Block volume from the underlying Block extents |
| Select equivalent: | K_SE_Storage_Volume.RawSpaceGB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2ga, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Raw Space (GiB) |
| Type: | Number |
| Description: | Raw Space in GiB that is consumed by the Block volume from the underlying Block extents |

Select equivalent: K_SE_Storage_Volume.RawSpaceGiB
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: RAID Type
Type: Character
Description: RAID Type - A String representation of the RAID level and configuration of the underlying Block extent(s) that the volume is based on. E.g. 'RAID5(7D+1P)'.
Select equivalent: K_SE_Storage_Volume.RaidType
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sequential Access?
Type: Character
Description: Indicates whether sequential access or not
Select equivalent: K_SE_Storage_Volume.SeqAccess
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Availability
Type: Character

Description: Whether Block Volume is Available
Select equivalent: K_SE_Storage_Volume.Availability
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2ge, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Status Information
Type: Character
Description: Block Volume Status Information
Select equivalent: K_SE_Storage_Volume.StatusInfo
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Type
Type: Character
Description: Volume Type - {'Open','Mainframe Mapped' - Volume known to be mapped from FINCON or ESCO N port. EFile - Volume known to be mapped through a File port}
Select equivalent: K_SE_Storage_Volume.VolumeType
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Purpose
Type: Character
Description: Volume Purpose represents
the Block Volume Emulati
on type for supported Bloc
k Arrays
Select equivalent: K_SE_Storage_Volume.VolumePurpose
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Default Single Point of Failure
Type: Number
Description: Default Single Point of Failure for Block Volume
Select equivalent: K_SE_Storage_Volume.VolDfltSnglPtofFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume No Single Point of Failure
Type: Character
Description: No Single Point of Failure for Block Volume
Select equivalent: K_SE_Storage_Volume.VolNoSinglePointofFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Minimum Data Redundancy

Type: Number
Description: Minimum Data Redundancy for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMinDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Maximum Data Redundancy
Type: Number
Description: Maximum Data Redundancy for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMaxDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Default Data Redundancy
Type: Number
Description: Default Data Redundancy for Block Volume
Select equivalent: K_SE_Storage_Volume.VolDefaultDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Minimum Spindle Redundancy
Type: Number
Description: Minimum Spindle Redundancy for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMinSpindleRedundancy
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2gn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Volume Maximum Spindle Redundancy |
| Type: | Number |
| Description: | Maximum Spindle Redundancy for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolMaxSpindleRedundancy |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2go, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Volume Default Spindle Redundancy |
| Type: | Number |
| Description: | Default Spindle Redundancy for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolDefaultSpindleRedundancy |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2gp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Volume Minimum Delta Reservation |
| Type: | Number |
| Description: | Minimum Delta Reservation for Block Volume |
| Select equivalent: | K_SE_Storage_Volume.VolMinDeltaReservation |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2gq, editable, manual refresh, not exportable |

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Maximum Delta Reservation
Type: Number
Description: Maximum Delta Reservation for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Default Delta Reservation
Type: Number
Description: Default Delta Reservation for Block Volume
Select equivalent: K_SE_Storage_Volume.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Blocks
Type: Number
Description: Actual Number of Blocks
Select equivalent: K_SE_Storage_Volume.ActualBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--------------------------------|
| Object: | Used Blocks |
| Type: | Number |
| Description: | Number of Used Blocks |
| Select equivalent: | K_SE_Storage_Volume.UsedBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2gu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Block Volume Controller Name |
| Type: | Character |
| Description: | Controller Name |
| Select equivalent: | K_SE_Storage_Volume.ControllerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2gv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Block Volume Composition |
| Type: | Character |
| Description: | Shows type of volume like Internal, External, Hybrid... |
| Select equivalent: | K_SE_Storage_Volume.Composition |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Volume Name |
| List of values: | 2gw, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--------------------------|
| Object: | Block Volume Description |
| Type: | Character |
| Description: | Block Volume Description |

Select equivalent: K_SE_Storage_Volume.Description
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Capabilities
Type: Character
Description: Storage Capabilities
Select equivalent: K_SE_Storage_Volume.StorageCapabilities
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Tier Name
Type: Character
Description: Name of the Storage Tier
Select equivalent: K_SE_Storage_Tier.STORAGETIERNAME
Where equivalent:

Qualification: dimension
List of values: 2h0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Active
Type: Character
Description: Description about Tier active inactive state
Select equivalent: K_SE_Storage_Tier.ACTIVE
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name

| | |
|------------------------|---|
| List of values: | 2h1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Cost Per GB |
| Type: | Number |
| Description: | Cost Per GB assigned to the Tier |
| Select equivalent: | K_SE_Storage_Tier.COSTPERGB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2h2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Offering |
| Type: | Character |
| Description: | Offering |
| Select equivalent: | K_SE_Storage_Tier.OFFERING |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2h3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Priority |
| Type: | Character |
| Description: | Priority |
| Select equivalent: | K_SE_Storage_Tier.PRIORITY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2h4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Run Status |
| Type: | Character |
| Description: | Run Status |
| Select equivalent: | K_SE_Storage_Tier.RUNSTATUS |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2h5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Storage System Type |
| Type: | Character |
| Description: | Storage System Type |
| Select equivalent: | K_SE_Storage_Tier.STORAGESYSTEMTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2h6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Tier Description |
| Type: | Character |
| Description: | Tier Description |
| Select equivalent: | K_SE_Storage_Tier.TIERDESC |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage Tier Name |
| List of values: | 2h7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------|
| Object: | Created time |
| Type: | Date |

Description: Created time
Select equivalent: K_SE_Storage_Tier.CREATED_TIME
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2h8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last modified time
Type: Date
Description: Last modified time
Select equivalent: K_SE_Storage_Tier.LAST_MODIFIED_TIME
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2h9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Run Time
Type: Date
Description: Last Run Time
Select equivalent: K_SE_Storage_Tier.LAST_RUN_TIME
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2ha, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element Last Updated Time
Type: Date
Description: Element Last Updated Time
Select equivalent: K_SE_Tier_Element_Map.ELEMENTLASTUPDATEDTIME
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2hb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | is Manually Updated |
| Type: | Character |
| Description: | Defines if the tier is manually u |
| Select equivalent: | K_SE_Tier_Element_Map.ISMANUALLYADDED |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2hc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Storage Tier UUID |
| Type: | Character |
| Description: | UUID of the Storage Tier |
| Select equivalent: | K_SE_Storage_Tier.STORAGETIERUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2hd, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 2he, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Block Pool UUID |
| Type: | Character |
| Description: | UUID of the Block Pool |
| Select equivalent: | K_SE_Storage_Pool.SANPoolUUID |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 2hf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Block Volume UUID |
| Type: | Character |
| Description: | UUID of the Block Volume |
| Select equivalent: | K_SE_Storage_Volume.SANVolumeUUID |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 2hg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Class: | File Logical Volume Capacity Statistics |
| Description: | File Logical Volume Capacity Statistics |

No objects

| | |
|--------------|---|
| Class: | NAS Logical Volume(File Logical Volume Capacity Statistics) |
| Description: | |

| | |
|------------------------|---|
| Object: | SOM Source Name |
| Type: | Character |
| Description: | Name of the source SOM server |
| Select equivalent: | K_SE_StorageSystem.SEiSourceName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 58r, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: hidden

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 58s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 50m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 50o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 2
Type: Character
Description: Custom Filed is free container of storing metadata

Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5oq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5os, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ou, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail

| | |
|----------------------------|---|
| Associated dimension name: | Node Group Name |
| List of values: | 5ow, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Ngroup Snapshot Time |
| Type: | Date |
| Description: | Ngroup Snapshot Time |
| Select equivalent: | K_SE_NODEGROUPS.SNAPSHOTTIME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5oy, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------------------|
| Object: | Group Path |
| Type: | Character |
| Description: | Group Path of the group Hierarchy |
| Select equivalent: | K_SE_NGROUP_PATH.GROUPPATH |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5p1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Node Group Level |
| Type: | Character |
| Description: | Level of the Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.NODEGROUPELEVEL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5p3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Parent Group Name |
| Type: | Character |
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5p5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5p7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5p9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |

Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 5pb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Model**
Type: Character
Description: Storage System Model Number
Select equivalent: K_SE_StorageSystem.Model
Where equivalent:

Qualification: dimension
List of values: 5pd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Storage System Name**
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName
Where equivalent:

Qualification: dimension
List of values: 58t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Storage System Description**
Type: Character
Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 58u, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 58v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 58w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 58x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 58y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 590, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 591, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Reset Capability?

Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 592, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 593, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 594, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 595, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 596, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 597, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 598, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Is Manageable?**
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 599, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Maximum Volume Name Length**
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Replication IP**
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|----------------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 59c, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|----------------------------|---|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationStatus |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 59d, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|----------------------------|---|
| Object: | Storage On Access |
| Type: | Character |
| Description: | Storage On Access (flag) |
| Select equivalent: | K_SE_StorageSystem.StorageOnAccess |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 59e, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|-------------------------------------|
| Object: | Business Cost |
| Type: | Number |
| Description: | Business Cost of the Storage System |

Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 59i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Roles

Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted

Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 59v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: File Logical Volume
Type: Character
Description: File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:

Qualification: dimension
List of values: 59w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: LVDescription
Type: Character
Description: Description about File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.Description
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 59x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates whether a logical volume is thinly provisioned or not
Select equivalent: K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 59y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------------|---|
| Object: | Model Type |
| Type: | Character |
| Description: | Represents whether the volume is 'Logical Disk' or 'File System' or 'LUN' |
| Select equivalent: | K_SE_NAS_LogicalVolume.ModelType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5a0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Block Size (Bytes) |
| Type: | Number |
| Description: | Block Size in Bytes |
| Select equivalent: | K_SE_NAS_LogicalVolume.Blocksize |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5a1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---------------------------------------|
| Object: | Number Of Blocks |
| Type: | Number |
| Description: | Number Of Blocks |
| Select equivalent: | K_SE_NAS_LogicalVolume.NumberOfBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5a2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

Object: Consumable Blocks (Bytes)
Type: Number
Description: Consumable Blocks in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Cluster Shared?
Type: Character
Description: Indicates whether a logical volume is cluster shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Device ID
Type: Character
Description: Device ID
Select equivalent: K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Share ID
Type: Character
Description: Share ID
Select equivalent: K_SE_NAS_LogicalVolume.ShareID

Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Is Shared?**
Type: Character
Description: Indicates whether a logical volume is shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **File System Type**
Type: Character
Description: File System Type
Select equivalent: K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Name of the Share**
Type: Character
Description: Name of the share
Select equivalent: K_SE_NAS_LogicalVolume.ShareName
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume

List of values: 5a9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Share System Name
Type: Character
Description: Share System Name
Select equivalent: K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5aa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 5ab, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Logical Volume UUID
Type: Character
Description: UUID of the File logical volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 5ac, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5pf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: File Logical Volume(F
ile Logical Volume Ca
pacity Statistics)

Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 4da, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 4db, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character

| | |
|--------------------|-------------------------------|
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5l2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5l4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5l6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 3 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED3 |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: Node Group Name
List of values: 5l8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5la, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5lc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5le, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5lg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPELEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5li, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5lk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element Name
Type: Character

| | |
|------------------------|---|
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 5lm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5lo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5r8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|-----------------|---|
| Qualification: | dimension |
| List of values: | 5r9, editable, manual refresh, not exportable |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4dc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4dd, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4de, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4df, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber

Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4di, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4dl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Cache Block Size |
| Type: | Number |
| Description: | Cache Block Size |
| Select equivalent: | K_SE_StorageSystem.CacheBlockSize |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4dm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Has Compliance Mode? |
| Type: | Character |
| Description: | Has Compliance Mode (flag) |
| Select equivalent: | K_SE_StorageSystem.HasComplianceMode |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4dn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Domain |
| Type: | Character |
| Description: | Domain of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Domain |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4do, editable, manual refresh, not exportable |

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4ds, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4dt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4du, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Replication Status |
| Type: | Character |
| Description: | Replication Status of the Storage System |

Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 4dy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID

Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4e9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4ea, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4eb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: Storage System Name
List of values: 4ec, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ed, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ee, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Logical Volume
Type: Character
Description: File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:

Qualification: dimension
List of values: 4ef, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---------------------------------------|
| Object: | LVDescription |
| Type: | Character |
| Description: | Description about File Logical Volume |
| Select equivalent: | K_SE_NAS_LogicalVolume.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4eg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Is Thinly Provisioned? |
| Type: | Character |
| Description: | Indicates whether a logical volume is thinly provisioned or not |
| Select equivalent: | K_SE_NAS_LogicalVolume.IsThinlyProvisioned |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4ei, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Model Type |
| Type: | Character |
| Description: | Represents whether the volume is 'Logical Disk' or 'File System' or 'LUN' |
| Select equivalent: | K_SE_NAS_LogicalVolume.ModelType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4ej, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Block Size (Bytes)
Type: Number
Description: Block Size in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.Blocksizes
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4ek, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Number Of Blocks
Type: Number
Description: Number Of Blocks
Select equivalent: K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4el, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Consumable Blocks (Bytes)
Type: Number
Description: Consumable Blocks in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4em, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Cluster Shared?
Type: Character
Description: Indicates whether a logical volume is cluster shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared

Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4en, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Device ID
Type: Character
Description: Device ID
Select equivalent: K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4eo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share ID
Type: Character
Description: Share ID
Select equivalent: K_SE_NAS_LogicalVolume.ShareID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4ep, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Shared?
Type: Character
Description: Indicates whether a logical volume is shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume

| | |
|------------------------|---|
| List of values: | 4eq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | File System Type |
| Type: | Character |
| Description: | File System Type |
| Select equivalent: | K_SE_NAS_LogicalVolume.FileSystemType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4er, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Name of the Share |
| Type: | Character |
| Description: | Name of the share |
| Select equivalent: | K_SE_NAS_LogicalVolume.ShareName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4es, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Share System Name |
| Type: | Character |
| Description: | Share System Name |
| Select equivalent: | K_SE_NAS_LogicalVolume.ShareSystemName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4et, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Storage System UUID

Type: Character

Description: UUID of the Storage System

Select equivalent: K_SE_StorageSystem.UUID

Where equivalent:

Qualification: dimension

List of values: 4eu, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Logical Volume UUID

Type: Character

Description: UUID of the File logical volume

Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeUUID

Where equivalent:

Qualification: dimension

List of values: 4ev, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Element UUID

Type: Character

Description: UUID of the Element

Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID

Where equivalent:

Qualification: dimension

List of values: 5ns, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

| | |
|--------------|---|
| Class: | Raw File Logical Volume Capacity Statistics |
| Description: | |

Object: Total Size (GiB)

Type: Number

Description: Logical Volume Total Capacity in GiB
Select equivalent: SR_SE_NAS_LogiVolume_Capacity.TotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Used Size (GiB)
Type: Number
Description: Logical Volume Used Capacity in GiB
Select equivalent: SR_SE_NAS_LogiVolume_Capacity.UsedGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Free Size (GiB)
Type: Number
Description: Logical Volume Free Capacity in GiB
Select equivalent: SR_SE_NAS_LogiVolume_Capacity.FreeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Size (GB)
Type: Number
Description: Logical Volume Total Capacity in GB
Select equivalent: SR_SE_NAS_LogiVolume_Capacity.TotalGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Used Capacity in GB |
| Select equivalent: | SR_SE_NAS_LogiVolume_Capacity.UsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Free Capacity in GB |
| Select equivalent: | SR_SE_NAS_LogiVolume_Capacity.FreeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Class: | DATETIME(File Logical Volume Capacity Statistics) |
| Description: | |

| | |
|--------------------|---------------------------|
| Object: | Year |
| Type: | Number |
| Description: | Year |
| Select equivalent: | DATETIME.TIME_YEAR_NUMBER |
| Where equivalent: | |

| | |
|----------------|-----------|
| Qualification: | dimension |
|----------------|-----------|

| | |
|------------------------|---|
| List of values: | 4ew, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Month |
| Type: | Character |
| Description: | Month Name first Three Characters |
| Select equivalent: | (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3)) |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4ex, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Month Name |
| Type: | Character |
| Description: | Month Name |
| Select equivalent: | DATETIME.TIME_MONTH_NAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Month |
| List of values: | 4ey, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Day |
| Type: | Number |
| Description: | Day |
| Select equivalent: | DATETIME.TIME_DAY_MONTH_NUMBER |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4f0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Day Name
Type: Character
Description: Day Name
Select equivalent: DATETIME.TIME_DAY_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Day
List of values: 4f1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour
Type: Number
Description: Hour
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: dimension
List of values: 4f2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Id
Type: Number
Description: Hour Id
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 4f3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Hour Description
Type: Character
Description: Time Hour Description
Select equivalent: DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Hour |
| List of values: | 4f4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------|
| Object: | Full Date |
| Type: | Date |
| Description: | Full Date |
| Select equivalent: | DATETIME.TIME_FULL_DATE |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4f5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Holiday |
| Type: | Character |
| Description: | Time Is Holiday |
| Select equivalent: | DATETIME.TIME_IS_HOLIDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 4f6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Weekday |
| Type: | Character |
| Description: | Time Is Weekday |
| Select equivalent: | DATETIME.TIME_IS_WEEKDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 4f7, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Hour Boundary |
| Type: | Number |
| Description: | Hour Boundary |
| Select equivalent: | DATETIME.HOUR_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4f8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------|
| Object: | Day Boundary |
| Type: | Number |
| Description: | Day Boundary |
| Select equivalent: | DATETIME.DAY_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4f9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------|
| Object: | Week Boundary |
| Type: | Number |
| Description: | Week Boundary |
| Select equivalent: | DATETIME.WEEK_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4fa, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|----------------|
| Object: | Month Boundary |
| Type: | Number |
| Description: | Month Boundary |

Select equivalent: DATETIME.MONTH_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4fb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Year Boundary
Type: Number
Description: Year Boundary
Select equivalent: DATETIME.YEAR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4fc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|---|
| Class: | Daily File Logical Volume Capacity Statistics |
| Description: | |

Object: Total Size (GiB)
Type: Number
Description: Logical Volume Total Capacity in GiB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.TotSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Logical Volume Average Capacity in GiB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.AvgSizeGiB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Maximum Capacity in GiB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.MaxSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Minimum Capacity in GiB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.MinSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Total Used Capacity in GiB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.TotUsedGiB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Average Used Size (GiB)
Type: Number
Description: Logical Volume Average Used Capacity in GiB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.AvgUsedGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Used Size (GiB)
Type: Number
Description: Logical Volume Maximum Used Capacity in GiB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.MaxUsedGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Used Size (GiB)
Type: Number
Description: Logical Volume Minimum Used Capacity in GiB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.MinUsedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Total Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Total Free Capacity in GiB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.TotFreeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Average Free Capacity in GiB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.AvgFreeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Maximum Free Capacity in GiB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.MaxFreeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Minimum Free Capacity in GiB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.MinFreeGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.TotSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Size (GB) |
| Type: | Number |
| Description: | Logical Volume Average Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.AvgSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.MaxSizeGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Size (GB) |
| Type: | Number |
| Description: | Logical Volume Minimum Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.MinSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Used Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.TotUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Average Used Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.AvgUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Used Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.MaxUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Minimum Used Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.MinUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Free Capacity in GB |
| Select equivalent: | SD_SE_NAS_LogiVolume_Capacity.TotFreeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------|
| Object: | Average Free Size (GB) |
| Type: | Number |

Description: Logical Volume Average Free Capacity in GB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.AvgFreeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Free Size (GB)
Type: Number
Description: Logical Volume Maximum Free Capacity in GB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.MaxFreeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Free Size (GB)
Type: Number
Description: Logical Volume Minimum Free Capacity in GB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.MinFreeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--|
| Class: | Hourly File Logical Volume Capacity Statistics |
| Description: | |

Object: Total Size (GiB)
Type: Number
Description: Logical Volume Total Capacity in GiB

Select equivalent: SH_SE_NAS_LogiVolume_Capacity.TotSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Logical Volume Average Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.AvgSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GiB)
Type: Number
Description: Logical Volume Maximum Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.MaxSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Size (GiB)
Type: Number
Description: Logical Volume Minimum Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.MinSizeGiB
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Total Used Capacity in GiB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.TotUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Average Used Capacity in GiB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.AvgUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Maximum Used Capacity in GiB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.MaxUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum Used Size (GiB)
Type: Number
Description: Logical Volume Minimum Used Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.MinUsedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Free Size (GiB)
Type: Number
Description: Logical Volume Total Free Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.TotFreeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Free Size (GiB)
Type: Number
Description: Logical Volume Average Free Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.AvgFreeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Free Size (GiB)

Type: Number
Description: Logical Volume Maximum Free Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.MaxFreeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Free Size (GiB)
Type: Number
Description: Logical Volume Minimum Free Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.MinFreeGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Size (GB)
Type: Number
Description: Logical Volume Total Capacity in GB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.TotSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GB)
Type: Number
Description: Logical Volume Average Capacity in GB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.AvgSizeGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.MaxSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Size (GB) |
| Type: | Number |
| Description: | Logical Volume Minimum Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.MinSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Used Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.TotUsedGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Average Used Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.AvgUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Used Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.MaxUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Minimum Used Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.MinUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Free Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.TotFreeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Average Free Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.AvgFreeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Free Capacity in GB |
| Select equivalent: | SH_SE_NAS_LogiVolume_Capacity.MaxFreeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Minimum Free Capacity in GB |

Select equivalent: SH_SE_NAS_LogiVolume_Capacity.MinFreeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|-------------------------------------|
| Class: | DailyOLAP-FileLogicalVolumeCapacity |
| Description: | |

Object: Total Size (GiB)
Type: Number
Description: Logical Volume Total Capacity in GiB
Select equivalent: sum(SD_SE_NAS_LogiVolume_Capacity.TotSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Logical Volume Average Capacity in GiB
Select equivalent: avg(SD_SE_NAS_LogiVolume_Capacity.AvgSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GiB)
Type: Number
Description: Logical Volume Maximum Capacity in GiB
Select equivalent: max(SD_SE_NAS_LogiVolume_Capacity.MaxSizeGiB)

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Minimum Capacity in GiB |
| Select equivalent: | min(SD_SE_NAS_LogiVolume_Capacity.MinSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Total Used Capacity in GiB |
| Select equivalent: | sum(SD_SE_NAS_LogiVolume_Capacity.TotUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Average Used Capacity in GiB |
| Select equivalent: | avg(SD_SE_NAS_LogiVolume_Capacity.AvgUsedGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Maximum Used Capacity in GiB |
| Select equivalent: | max(SD_SE_NAS_LogiVolume_Capacity.MaxUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Minimum Used Capacity in GiB |
| Select equivalent: | min(SD_SE_NAS_LogiVolume_Capacity.MinUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Total Free Capacity in GiB |
| Select equivalent: | sum(SD_SE_NAS_LogiVolume_Capacity.TotFreeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Average Free Capacity in GiB |
| Select equivalent: | avg(SD_SE_NAS_LogiVolume_Capacity.AvgFreeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Maximum Free Capacity in GiB |
| Select equivalent: | max(SD_SE_NAS_LogiVolume_Capacity.MaxFreeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Minimum Free Capacity in GiB |
| Select equivalent: | min(SD_SE_NAS_LogiVolume_Capacity.MinFreeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------|
| Object: | Total Size (GB) |
| Type: | Number |

Description: Logical Volume Total Capacity in GB
Select equivalent: sum(SD_SE_NAS_LogiVolume_Capacity.TotSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GB)
Type: Number
Description: Logical Volume Average Capacity in GB
Select equivalent: avg(SD_SE_NAS_LogiVolume_Capacity.AvgSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GB)
Type: Number
Description: Logical Volume Maximum Capacity in GB
Select equivalent: max(SD_SE_NAS_LogiVolume_Capacity.MaxSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Size (GB)
Type: Number
Description: Logical Volume Minimum Capacity in GB
Select equivalent: min(SD_SE_NAS_LogiVolume_Capacity.MinSizeGB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Used Capacity in GB |
| Select equivalent: | sum(SD_SE_NAS_LogiVolume_Capacity.TotUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Average Used Capacity in GB |
| Select equivalent: | avg(SD_SE_NAS_LogiVolume_Capacity.AvgUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Used Capacity in GB |
| Select equivalent: | max(SD_SE_NAS_LogiVolume_Capacity.MaxUsedGB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Minimum Used Capacity in GB |
| Select equivalent: | min(SD_SE_NAS_LogiVolume_Capacity.MinUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Free Capacity in GB |
| Select equivalent: | sum(SD_SE_NAS_LogiVolume_Capacity.TotFreeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Average Free Capacity in GB |
| Select equivalent: | avg(SD_SE_NAS_LogiVolume_Capacity.AvgFreeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Free Capacity in GB |
| Select equivalent: | max(SD_SE_NAS_LogiVolume_Capacity.MaxFreeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Minimum Free Capacity in GB |
| Select equivalent: | min(SD_SE_NAS_LogiVolume_Capacity.MinFreeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--------------------------------------|
| Class: | HourlyOLAP-FileLogicalVolumeCapacity |
| Description: | |

| | |
|--------------------|---|
| Object: | Total Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Total Capacity in GiB |
| Select equivalent: | sum(SH_SE_NAS_LogiVolume_Capacity.TotSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------|
| Object: | Average Size (GiB) |
|---------|--------------------|

Type: Number
Description: Logical Volume Average Capacity in GiB
Select equivalent: avg(SH_SE_NAS_LogiVolume_Capacity.AvgSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GiB)
Type: Number
Description: Logical Volume Maximum Capacity in GiB
Select equivalent: max(SH_SE_NAS_LogiVolume_Capacity.MaxSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Size (GiB)
Type: Number
Description: Logical Volume Minimum Capacity in GiB
Select equivalent: min(SH_SE_NAS_LogiVolume_Capacity.MinSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Used Size (GiB)
Type: Number
Description: Logical Volume Total Used Capacity in GiB
Select equivalent: sum(SH_SE_NAS_LogiVolume_Capacity.TotUsedGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Average Used Capacity in GiB |
| Select equivalent: | avg(SH_SE_NAS_LogiVolume_Capacity.AvgUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Maximum Used Capacity in GiB |
| Select equivalent: | max(SH_SE_NAS_LogiVolume_Capacity.MaxUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Used Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Minimum Used Capacity in GiB |
| Select equivalent: | min(SH_SE_NAS_LogiVolume_Capacity.MinUsedGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Total Free Capacity in GiB |
| Select equivalent: | sum(SH_SE_NAS_LogiVolume_Capacity.TotFreeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Average Free Capacity in GiB |
| Select equivalent: | avg(SH_SE_NAS_LogiVolume_Capacity.AvgFreeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Maximum Free Capacity in GiB |
| Select equivalent: | max(SH_SE_NAS_LogiVolume_Capacity.MaxFreeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Free Size (GiB) |
| Type: | Number |
| Description: | Logical Volume Minimum Free Capacity in GiB |
| Select equivalent: | min(SH_SE_NAS_LogiVolume_Capacity.MinFreeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Capacity in GB |
| Select equivalent: | sum(SH_SE_NAS_LogiVolume_Capacity.TotSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Size (GB) |
| Type: | Number |
| Description: | Logical Volume Average Capacity in GB |
| Select equivalent: | avg(SH_SE_NAS_LogiVolume_Capacity.AvgSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------------|
| Object: | Maximum Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Capacity in GB |

Select equivalent: max(SH_SE_NAS_LogiVolume_Capacity.MaxSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Size (GB)
Type: Number
Description: Logical Volume Minimum Capacity in GB
Select equivalent: min(SH_SE_NAS_LogiVolume_Capacity.MinSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Used Size (GB)
Type: Number
Description: Logical Volume Total Used Capacity in GB
Select equivalent: sum(SH_SE_NAS_LogiVolume_Capacity.TotUsedGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Used Size (GB)
Type: Number
Description: Logical Volume Average Used Capacity in GB
Select equivalent: avg(SH_SE_NAS_LogiVolume_Capacity.AvgUsedGB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Maximum Used Capacity in GB |
| Select equivalent: | max(SH_SE_NAS_LogiVolume_Capacity.MaxUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Size (GB) |
| Type: | Number |
| Description: | Logical Volume Minimum Used Capacity in GB |
| Select equivalent: | min(SH_SE_NAS_LogiVolume_Capacity.MinUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Free Size (GB) |
| Type: | Number |
| Description: | Logical Volume Total Free Capacity in GB |
| Select equivalent: | sum(SH_SE_NAS_LogiVolume_Capacity.TotFreeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Free Size (GB)
Type: Number
Description: Logical Volume Average Free Capacity in GB
Select equivalent: avg(SH_SE_NAS_LogiVolume_Capacity.AvgFreeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Free Size (GB)
Type: Number
Description: Logical Volume Maximum Free Capacity in GB
Select equivalent: max(SH_SE_NAS_LogiVolume_Capacity.MaxFreeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Free Size (GB)
Type: Number
Description: Logical Volume Minimum Free Capacity in GB
Select equivalent: min(SH_SE_NAS_LogiVolume_Capacity.MinFreeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--------------------------------|
| Class: | Block Pool Capacity Statistics |
| Description: | Block Pool Capacity Statistics |

No objects

| | |
|--------------|--|
| Class: | DATETIME(Block Pool Capacity Statistics) |
| Description: | |

Object: Year
Type: Number
Description: Year
Select equivalent: DATETIME.TIME_YEAR_NUMBER
Where equivalent:

Qualification: dimension
List of values: 1lp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month
Type: Character
Description: Month Name first Three Characters
Select equivalent: (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:

Qualification: dimension
List of values: 1lq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month Name
Type: Character
Description: Month Name
Select equivalent: DATETIME.TIME_MONTH_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Month
List of values: 1lr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--------------------------------|
| Object: | Day |
| Type: | Number |
| Description: | Day |
| Select equivalent: | DATETIME.TIME_DAY_MONTH_NUMBER |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 1ls, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Day Name |
| Type: | Character |
| Description: | Day Name |
| Select equivalent: | DATETIME.TIME_DAY_NAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Day |
| List of values: | 1lt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------|
| Object: | Hour |
| Type: | Number |
| Description: | Hour |
| Select equivalent: | DATETIME.TIME_HOUR_ID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 1lu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------|
| Object: | Hour Id |
| Type: | Number |
| Description: | Hour Id |
| Select equivalent: | DATETIME.TIME_HOUR_ID |
| Where equivalent: | |

Qualification: detail
Associated dimension name: Hour
List of values: 1lv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Hour Description
Type: Character
Description: Time Hour Description
Select equivalent: DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 1lw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Full Date
Type: Date
Description: Full Date
Select equivalent: DATETIME.TIME_FULL_DATE
Where equivalent:

Qualification: dimension
List of values: 1lx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Is Holiday
Type: Character
Description: Time Is Holiday
Select equivalent: DATETIME.TIME_IS_HOLIDAY
Where equivalent:

Qualification: detail
Associated dimension name: Full Date
List of values: 1ly, editable, manual refresh, not exportable
Security access level: 0

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Weekday |
| Type: | Character |
| Description: | Time Is Weekday |
| Select equivalent: | DATETIME.TIME_IS_WEEKDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 1m0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Hour Boundary |
| Type: | Number |
| Description: | Hour Boundary |
| Select equivalent: | DATETIME.HOUR_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 1m1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------|
| Object: | Day Boundary |
| Type: | Number |
| Description: | Day Boundary |
| Select equivalent: | DATETIME.DAY_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 1m2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|---------|---------------|
| Object: | Week Boundary |
| Type: | Number |

Description: Week Boundary
Select equivalent: DATETIME.WEEK_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 1m3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Month Boundary
Type: Number
Description: Month Boundary
Select equivalent: DATETIME.MONTH_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 1m4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Year Boundary
Type: Number
Description: Year Boundary
Select equivalent: DATETIME.YEAR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 1m5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|---|
| Class: | BlockPool(Block Pool Capacity Statistics) |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 1m6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 1m7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 1m8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 1m9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 24p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 24r, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 24t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------|
| Object: | Storage System IP Address |
| Type: | Character |

Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 24v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 24x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 250, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 252, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 254, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Has Reset Capability? |
| Type: | Character |
| Description: | Has Reset Capability (flag) |
| Select equivalent: | K_SE_StorageSystem.HasResetCapability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 256, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Has Advanced Retention Management? |
| Type: | Character |
| Description: | Has Advanced Retention Management (flag) |
| Select equivalent: | K_SE_StorageSystem.HasAdvRetentionMgmt |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 258, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: **Cache Block Size**
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Has Compliance Mode?**
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Domain**
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values: 25s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **DKC Microcode Version**
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 25y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|------------------------------|
| Object: | Family |
| Type: | Character |
| Description: | Family of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Family |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 261, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Hardware Version |
| Type: | Character |
| Description: | Hardware Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.HardwareVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 263, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Identifying Descriptions |
| Type: | Character |
| Description: | Identifying Descriptions for the Storage System |
| Select equivalent: | K_SE_StorageSystem.IdentifyingDescriptions |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 265, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------|
| Object: | Other Identifying Info |
| Type: | Character |

Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 267, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 269, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 26b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 26d, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 26f, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 26h, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 2c8, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ca, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the timestamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2cc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 26j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 26l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 26n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Name
Type: Character
Description: Block Pool Name
Select equivalent: K_SE_Storage_Pool.SANPoolName
Where equivalent:

Qualification: dimension
List of values: 1ma, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Description
Type: Character
Description: Description about Block Pool
Select equivalent: K_SE_Storage_Pool.SANPoolDescription
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 1mb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Parent Pool Name |
| Type: | Character |
| Description: | Parent Pool Name |
| Select equivalent: | K_SE_Storage_Pool.ParentPoolName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 1mc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Available Space (GB) |
| Type: | Number |
| Description: | Total Available Space in GB |
| Select equivalent: | K_SE_Storage_Pool.TotalAvailableSpaceGB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 1md, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Space (GiB) |
| Type: | Number |
| Description: | Total Available Space in GiB |
| Select equivalent: | K_SE_Storage_Pool.TotalAvailableSpaceGiB |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 1me, editable, manual refresh, not exportable |

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Capability Name
Type: Character
Description: Storage Capability Name
Select equivalent: K_SE_Storage_Pool.StorageCapabilityName
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Capability Common Name
Type: Character
Description: Storage Capability Common Name
Select equivalent: K_SE_Storage_Pool.StorageCapabilityCommonName
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Capability Description
Type: Character
Description: Storage Capability Description
Select equivalent: K_SE_Storage_Pool.StorageCapabilityDescription
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---------------------------------------|
| Object: | No Single Point Of Failure |
| Type: | Character |
| Description: | No Single Point Of Failure |
| Select equivalent: | K_SE_Storage_Pool.NoSinglePtOfFailure |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 1mi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Default No Single Point Of Failure |
| Type: | Character |
| Description: | Default No Single Point Of Failure |
| Select equivalent: | K_SE_Storage_Pool.DefaultNoSinglePtOfFailure |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 1mj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Min Data Redundancy |
| Type: | Number |
| Description: | Minimum Data Redundancy |
| Select equivalent: | K_SE_Storage_Pool.MinDataRedundancy |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Block Pool Name |
| List of values: | 1mk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------|
| Object: | Max Data Redundancy |
| Type: | Number |
| Description: | Maximum Data Redundancy |

Select equivalent: K_SE_Storage_Pool.MaxDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1ml, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Data Redundancy
Type: Number
Description: Default Data Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Spindle Redundancy
Type: Number
Description: Minimum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Spindle Redundancy
Type: Number
Description: Maximum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MaxSpindleRedundancy
Where equivalent:

Qualification: detail

Associated dimension name: Block Pool Name
List of values: 1mo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Spindle Redundancy
Type: Number
Description: Default Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Delta Reservation
Type: Number
Description: Minimum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Delta Reservation
Type: Number
Description: Maximum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Default Delta Reservation
Type: Number
Description: Default Delta Reservation
Select equivalent: K_SE_Storage_Pool.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1ms, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit (GB)
Type: Number
Description: Space Limit in GB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGB
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit (GiB)
Type: Number
Description: Space Limit in GiB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGiB
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit Determination

Type: Number
Description: Space Limit Determination
Select equivalent: K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Composition
Type: Character
Description: Shows type of pool like Internal, External, Hybrid
Select equivalent: K_SE_Storage_Pool.Composition
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Type
Type: Character
Description: Block Pool type - Primordial, Concrete, Open, Mainframe, Snapshot, Reserved, Parent concrete ...
Select equivalent: K_SE_Storage_Pool.SANPoolType
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character

Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 26p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool UUID
Type: Character
Description: UUID of the Block Pool
Select equivalent: K_SE_Storage_Pool.SANPoolUUID
Where equivalent:

Qualification: dimension
List of values: 1my, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|------------------------------------|
| Class: | Raw Block Pool Capacity Statistics |
| Description: | |

Object: Total Size (GiB)
Type: Number
Description: The total physical capacity of the Block pool in GiB
Select equivalent: SR_SE_Storage_Pool_Capacity.TotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Mapped Size (GiB)
Type: Number
Description: The total logical capacity of volumes exported to hosts in GiB
Select equivalent: SR_SE_Storage_Pool_Capacity.ExportedGiB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | UnMapped Size (GiB) |
| Type: | Number |
| Description: | The total logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.UnexportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Available Size (GiB) |
| Type: | Number |
| Description: | The space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.AvailableGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Allocated Size (GiB) |
| Type: | Number |
| Description: | The total logical capacity of volumes provisioned fr om Block pool in GiB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ProvisionedGiB |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual Unused Size (GiB) |
| Type: | Number |
| Description: | The total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.RemainingGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | The total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualUnMappedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Actual Allocated Size in GiB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualProvisionedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Storage pool Over allocate d space in GiB. i.e, total virtual allocated - (Actua l Allocated + Unallocated) size. |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.OverAllocationGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Used Size (GiB) |
| Type: | Number |
| Description: | Actual Used Size in GiB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Actual Exported Size in GiB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Actual Used UnMapped Size in GiB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualUsedUnExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Actual Used Mapped Size in GiB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualUsedExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------|
| Object: | Mapped Size (GB) |
| Type: | Number |

Description: The total logical capacity of volumes exported to hosts in GB
Select equivalent: SR_SE_Storage_Pool_Capacity.ExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Size (GB)
Type: Number
Description: The total physical capacity of the storage pool in GB
Select equivalent: SR_SE_Storage_Pool_Capacity.TotalGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Available Size (GB)
Type: Number
Description: The space remaining in the Block pool for provisioning in GB
Select equivalent: SR_SE_Storage_Pool_Capacity.AvailableGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: UnMapped Size (GB)
Type: Number
Description: The total logical capacity of volumes not exported to hosts in GB
Select equivalent: SR_SE_Storage_Pool_Capacity.UnexportedGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Allocated Size (GB) |
| Type: | Number |
| Description: | The total logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | The total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualUnMappedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------|
| Object: | Actual Unused Size (GB) |
| Type: | Number |

| | |
|------------------------|---|
| Description: | The total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size. |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.RemainingGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Over Allocation Size (GB) |
| Type: | Number |
| Description: | Storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.OverAllocationGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------------------|---|
| Object: | Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Actual Allocated Size in GB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualProvisionedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Actual Exported Size in GB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual Used Size (GB) |
| Type: | Number |
| Description: | Actual Used Size in GB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Actual Used Mapped Size in GB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualUsedExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Actual Used UnMapped Size in GB |
| Select equivalent: | SR_SE_Storage_Pool_Capacity.ActualUsedUnExportedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------------|
| Class: | Hourly Block Pool Capacity Statistics |
| Description: | |

| | |
|------------------------|--|
| Object: | Total Size (GiB) |
| Type: | Number |
| Description: | Total physical capacity of the Block pool in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Size (GiB) |
| Type: | Number |
| Description: | Average physical capacity of the Block pool in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgSizeGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Size (GiB) |
| Type: | Number |
| Description: | Maximum physical capacity of the Block pool in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Size (GiB) |
| Type: | Number |
| Description: | Minimum physical capacity of the Block pool in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Mapped Size (GiB) |
| Type: | Number |
| Description: | Total logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Mapped Size (GiB) |
| Type: | Number |
| Description: | Average logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgExportedGiB |

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Mapped Size (GiB)
Type: Number
Description: Maximum logical capacity of volumes exported to hosts in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.MaxExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Mapped Size (GiB)
Type: Number
Description: Minimum logical capacity of volumes exported to hosts in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.MinExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UnMapped Size (GiB)
Type: Number
Description: Total logical capacity of volumes not exported to hosts in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.TotUnexportedGiB
Where equivalent:

Qualification: measure
Aggregate function: None

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average UnMapped Size (GiB) |
| Type: | Number |
| Description: | Average logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgUnexportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum UnMapped Size (GiB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxUnexportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum UnMapped Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinUnexportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Available Size (GiB) |
| Type: | Number |
| Description: | Total space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotAvailableGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Available Size (GiB) |
| Type: | Number |
| Description: | Average space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgAvailableGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Available Size (GiB) |
| Type: | Number |
| Description: | Maximum space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxAvailableGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------------|
| Object: | Minimum Available Size (GiB) |
| Type: | Number |

Description: Minimum space remaining in the Block pool for provisioning in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.MinAvailableGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Allocated Size (GiB)
Type: Number
Description: Total logical capacity of volumes provisioned from Block pool in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.TotProvisionedGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Allocated Size (GiB)
Type: Number
Description: Average logical capacity of
volumes provisioned from
Block pool in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.AvgProvisionedGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Allocated Size (GiB)
Type: Number
Description: Maximum logical capacity
of volumes provisioned from

| | |
|--------------------|---|
| Select equivalent: | m Block pool in GiB |
| Where equivalent: | SH_SE_Storage_Pool_Capacity.MaxProvisionedGiB |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Allocated Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes provisioned from m Block pool in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinProvisionedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualUnMappedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Average Actual UnMapped Size (GiB)

Type: Number

Description: Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB.

Select equivalent: SH_SE_Storage_Pool_Capacity.AvgActualUnMappedGiB

Where equivalent:

Qualification: measure

Aggregate function: Average

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Maximum Actual UnMapped Size (GiB)

Type: Number

Description: Maximum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB.

Select equivalent: SH_SE_Storage_Pool_Capacity.MaxActualUnMappedGiB

Where equivalent:

Qualification: measure

Aggregate function: Max

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Minimum Actual UnMapped Size (GiB)

Type: Number

Description: Minimum amount of physical space that is consumed by

| | |
|------------------------|---|
| | y thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinActualUnMappedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotRemainingGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size |

| | |
|------------------------|---|
| Select equivalent: | - Consumed size. SH_SE_Storage_Pool_Capacity.AvgRemainingGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxRemainingGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinRemainingGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Total storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotOverAllocationGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Average storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgOverAllocationGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------------------|
| Object: | Maximum Over Allocation Size (GiB) |
|---------|------------------------------------|

| | |
|------------------------|---|
| Type: | Number |
| Description: | Maximum storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxOverAllocationGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Minimum Block pool Over allocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinOverAllocationGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Total Actual Allocated Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualProvisionedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Actual Allocated Size (GiB)
Type: Number
Description: Average Actual Allocated Size in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.AvgActualProvisionedGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Allocated Size (GiB)
Type: Number
Description: Maximum Actual Allocated Size in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.MaxActualProvisionedGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Allocated Size (GiB)
Type: Number
Description: Minimum Actual Allocated Size in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.MinActualProvisionedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Mapped Size (GiB)

| | |
|--------------------|--|
| Type: | Number |
| Description: | Total Actual Mapped Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Average Actual Exported Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgActualExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Exported Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxActualExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Exported Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinActualExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgActualUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxActualUsedGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinActualUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used Mapped Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualUsedExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used Mapped Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgActualUsedExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used Mapped Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxActualUsedExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used Mapped Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinActualUsedExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used UnMapped Size in GiB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used UnMapped Size in GiB |

Select equivalent: SH_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used UnMapped Size (GiB)
Type: Number
Description: Maximum Actual Used UnMapped Size in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used UnMapped Size (GiB)
Type: Number
Description: Minimum Actual Used UnMapped Size in GiB
Select equivalent: SH_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Size (GB)
Type: Number
Description: Total physical capacity of the storage pool in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.TotSizeGB
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Size (GB) |
| Type: | Number |
| Description: | Average physical capacity of the storage pool in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Size (GB) |
| Type: | Number |
| Description: | Maximum physical capacity of the storage pool in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Size (GB) |
| Type: | Number |
| Description: | Minimum physical capacity of the Block pool in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Mapped Size (GB)
Type: Number
Description: Total logical capacity of volumes exported to hosts in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.TotExportedGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Mapped Size (GB)
Type: Number
Description: Average logical capacity of volumes exported to hosts in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.AvgExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Mapped Size (GB)
Type: Number
Description: Maximum logical capacity of volumes exported to hosts in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.MaxExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Mapped Size (GB)

| | |
|--------------------|---|
| Type: | Number |
| Description: | Minimum logical capacity of volumes exported to hosts in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total UnMapped Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotUnexportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UnMapped Size (GB) |
| Type: | Number |
| Description: | Average logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgUnexportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxUnexportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinUnexportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Size (GB) |
| Type: | Number |
| Description: | Total space remaining in the storage pool for provisioning in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotAvailableGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Available Size (GB) |
| Type: | Number |
| Description: | Average space remaining in the storage pool for provisioning in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgAvailableGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Available Size (GB) |
| Type: | Number |
| Description: | Maximum space remaining in the storage pool for provisioning in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxAvailableGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Available Size (GB) |
| Type: | Number |
| Description: | Minimum space remaining in the Block pool for provisioning in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinAvailableGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Allocated Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Allocated Size (GB) |
| Type: | Number |
| Description: | Average logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgProvisionedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Allocated Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxProvisionedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Allocated Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes provisioned from Block pool in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinProvisionedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Actual UnMapped Size (GB)
Type: Number
Description: Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB.
Select equivalent: SH_SE_Storage_Pool_Capacity.TotActualUnMappedGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual UnMapped Size (GB)
Type: Number
Description: Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB.
Select equivalent: SH_SE_Storage_Pool_Capacity.AvgActualUnMappedGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual UnMapped Size (GB)
Type: Number
Description: Maximum amount of physical

| | |
|------------------------|--|
| | l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxActualUnMappedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinActualUnMappedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Total Actual Unused Size (GB) |
| Type: | Number |
| Description: | Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size |

| | |
|------------------------|--|
| Select equivalent: | - Consumed size. |
| Where equivalent: | SH_SE_Storage_Pool_Capacity.TotRemainingGB |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual Unused Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size |
| | - Consumed size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgRemainingGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size |
| | - Consumed size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxRemainingGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size (GB) |
| Type: | Number |
| Description: | Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinRemainingGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Over Allocation Size (GB) |
| Type: | Number |
| Description: | Total storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotOverAllocationGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Over Allocation Size (GB) |
| Type: | Number |
| Description: | Average storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgOverAllocationGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Over Allocation Size (GB) |
| Type: | Number |
| Description: | Maximim storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxOverAllocationGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Over Allocation Size (GB) |
| Type: | Number |
| Description: | Minimum Block pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinOverAllocationGB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Total Actual Allocated Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Average Actual Allocated Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgActualProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Allocated Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxActualProvisionedGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Allocated Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinActualProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Total Actual Mapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Mapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Mapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Mapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Size (GB) |
| Type: | Number |
| Description: | Total Actual Used Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------------|
| Object: | Average Actual Used Size (GB) |
| Type: | Number |

Description: Average Actual Used Size in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.AvgActualUsedGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Size (GB)
Type: Number
Description: Maximum Actual Used Size in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.MaxActualUsedGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Size (GB)
Type: Number
Description: Minimum Actual Used Size in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.MinActualUsedGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Mapped Size (GB)
Type: Number
Description: Total Actual Used Mapped Size in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.TotActualUsedExportedGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Used Mapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgActualUsedExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used Mapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxActualUsedExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Used Mapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MinActualUsedExportedGB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Total Actual Used UnMapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Used UnMapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used UnMapped Size in GB |
| Select equivalent: | SH_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Minimum Actual Used UnMapped Size (GB)
Type: Number
Description: Minimum Actual Used UnMapped Size in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--------------------------------------|
| Class: | Daily Block Pool Capacity Statistics |
| Description: | |

Object: Total Size (GiB)
Type: Number
Description: Total physical capacity of the Block pool in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Average physical capacity of the Block pool in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.AvgSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GiB)

| | |
|--------------------|--|
| Type: | Number |
| Description: | Maximum physical capacity of the Block pool in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Size (GiB) |
| Type: | Number |
| Description: | Minimum physical capacity of the Block pool in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinSizeGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Mapped Size (GiB) |
| Type: | Number |
| Description: | Total logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Mapped Size (GiB) |
| Type: | Number |
| Description: | Average logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Mapped Size (GiB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotUnexportedGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average UnMapped Size (GiB) |
| Type: | Number |
| Description: | Average logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgUnexportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum UnMapped Size (GiB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxUnexportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum UnMapped Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinUnexportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Available Size (GiB) |
| Type: | Number |
| Description: | Total space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotAvailableGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Available Size (GiB) |
| Type: | Number |
| Description: | Average space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgAvailableGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Available Size (GiB) |
| Type: | Number |
| Description: | Maximum space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxAvailableGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Available Size (GiB) |
| Type: | Number |
| Description: | Minimum space remaining in the Block pool for provisioning in GiB |

Select equivalent: SD_SE_Storage_Pool_Capacity.MinAvailableGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Allocated Size (GiB)
Type: Number
Description: Total logical capacity of volumes provisioned from Block pool in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotProvisionedGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Allocated Size (GiB)
Type: Number
Description: Average logical capacity of volumes provisioned from Block pool in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.AvgProvisionedGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Allocated Size (GiB)
Type: Number
Description: Maximum logical capacity of volumes provisioned from Block pool in GiB

| | |
|------------------------|---|
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxProvisionedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Allocated Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinProvisionedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Total Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotActualUnMappedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgActualUnMappedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Maximum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualUnMappedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Minimum amount of physical space that is consumed by thinly provisioned or sp |

| | |
|------------------------|---|
| | ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinActualUnMappedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotRemainingGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Average Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size. |

Select equivalent: SD_SE_Storage_Pool_Capacity.AvgRemainingGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Unused Size (GiB)
Type: Number
Description:

Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size.

Select equivalent: SD_SE_Storage_Pool_Capacity.MaxRemainingGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Unused Size (GiB)
Type: Number
Description:

Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size.

Select equivalent: SD_SE_Storage_Pool_Capacity.MinRemainingGiB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Total storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotOverAllocationGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Average storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgOverAllocationGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------------------|
| Object: | Maximum Over Allocation Size (GiB) |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Maximim storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxOverAllocationGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Minimum Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Minimum Block pool Over allocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinOverAllocationGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Total Actual Allocated Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotActualProvisionedGiB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Average Actual Allocated Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgActualProvisionedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Allocated Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualProvisionedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Allocated Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinActualProvisionedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------|
| Object: | Total Actual Mapped Size (GiB) |
| Type: | Number |

Description: Total Actual Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotActualExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Mapped Size (GiB)
Type: Number
Description: Average Actual Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.AvgActualExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Mapped Size (GiB)
Type: Number
Description: Maximum Actual Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MaxActualExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Mapped Size (GiB)
Type: Number
Description: Minimum Actual Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MinActualExportedGiB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotActualUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgActualUsedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualUsedGiB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Size (GiB)
Type: Number
Description: Minimum Actual Used Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MinActualUsedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Mapped Size (GiB)
Type: Number
Description: Total Actual Used Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotActualUsedExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Used Mapped Size (GiB)
Type: Number
Description: Average Actual Used Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.AvgActualUsedExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Maximum Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used Mapped Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualUsedExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used Mapped Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinActualUsedExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used UnMapped Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used UnMapped Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGiB |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used UnMapped Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used UnMapped Size in GiB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Size (GB) |
| Type: | Number |
| Description: | Total physical capacity of the storage pool in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotSizeGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Size (GB) |
| Type: | Number |
| Description: | Average physical capacity of the storage pool in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Size (GB) |
| Type: | Number |
| Description: | Maximum physical capacity of the storage pool in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Size (GB) |
| Type: | Number |
| Description: | Minimum physical capacity of the Block pool in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinSizeGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Mapped Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes exported to hosts in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Mapped Size (GB) |
| Type: | Number |
| Description: | Average logical capacity of volumes exported to hosts in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes exported to hosts in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------|
| Object: | Minimum Mapped Size (GB) |
| Type: | Number |

| | |
|--------------------|---|
| Description: | Minimum logical capacity of volumes exported to hosts in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total UnMapped Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotUnexportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UnMapped Size (GB) |
| Type: | Number |
| Description: | Average logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgUnexportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxUnexportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinUnexportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Size (GB) |
| Type: | Number |
| Description: | Total space remaining in the storage pool for provisioning in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotAvailableGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Available Size (GB) |
| Type: | Number |
| Description: | Average space remaining in the storage pool for provisioning in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgAvailableGB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Available Size (GB) |
| Type: | Number |
| Description: | Maximum space remaining in the storage pool for provisioning in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxAvailableGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Available Size (GB) |
| Type: | Number |
| Description: | Minimum space remaining in the Block pool for provisioning in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinAvailableGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Allocated Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Allocated Size (GB) |
| Type: | Number |
| Description: | Average logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgProvisionedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Allocated Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxProvisionedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Allocated Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes provisioned from Block pool in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinProvisionedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotActualUnMappedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgActualUnMappedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum amount of physical space that is consumed by |

| | |
|------------------------|--|
| | y thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualUnMappedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinActualUnMappedGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Total Actual Unused Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size. |

Select equivalent: SD_SE_Storage_Pool_Capacity.TotRemainingGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Unused Size (GB)
Type: Number
Description:

Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size.

Select equivalent: SD_SE_Storage_Pool_Capacity.AvgRemainingGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Unused Size (GB)
Type: Number
Description:

Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size.

Select equivalent: SD_SE_Storage_Pool_Capacity.MaxRemainingGB
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Unused Size (GB) |
| Type: | Number |
| Description: | Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinRemainingGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Over Allocation Size (GB) |
| Type: | Number |
| Description: | Total storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotOverAllocationGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Over Allocation Size (GB) |
| Type: | Number |
| Description: | Average storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgOverAllocationGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Over Allocation Size (GB) |
| Type: | Number |
| Description: | Maximum storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxOverAllocationGB |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Over Allocation Size (GB) |
| Type: | Number |
| Description: | Minimum Block pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinOverAllocationGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Total Actual Allocated Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotActualProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Average Actual Allocated Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgActualProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Allocated Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualProvisionedGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Allocated Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinActualProvisionedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Total Actual Mapped Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Mapped Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Mapped Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Mapped Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinActualExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Size (GB) |
| Type: | Number |
| Description: | Total Actual Used Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.TotActualUsedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--------------------------------|
| Object: | Average Actual Used Size (GB) |
| Type: | Number |
| Description: | Average Actual Used Size in GB |

Select equivalent: SD_SE_Storage_Pool_Capacity.AvgActualUsedGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Size (GB)
Type: Number
Description: Maximum Actual Used Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.MaxActualUsedGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Size (GB)
Type: Number
Description: Minimum Actual Used Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.MinActualUsedGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Mapped Size (GB)
Type: Number
Description: Total Actual Used Mapped Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotActualUsedExportedGB
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Used Mapped Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.AvgActualUsedExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used Mapped Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MaxActualUsedExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Used Mapped Size in GB |
| Select equivalent: | SD_SE_Storage_Pool_Capacity.MinActualUsedExportedGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Actual Used UnMapped Size (GB)
Type: Number
Description: Total Actual Used UnMapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Used UnMapped Size (GB)
Type: Number
Description: Average Actual Used UnMapped Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used UnMapped Size (GB)
Type: Number
Description: Maximum Actual Used UnMapped Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used UnMapped Size (GB)

Type: Number
Description: Minimum Actual Used UnMapped Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|---|
| Class: | HourlyOLAP-Block Pool Capacity Statistics |
| Description: | |

Object: Total Size (GiB)
Type: Number
Description: Total physical capacity of the Block pool in GiB
Select equivalent: sum(SH_SE_Storage_Pool_Capacity.TotSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Average physical capacity of the Block pool in GiB
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GiB)
Type: Number

| | |
|--------------------|--|
| Description: | Maximum physical capacity of the Block pool in GiB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Size (GiB) |
| Type: | Number |
| Description: | Minimum physical capacity of the Block pool in GiB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinSizeGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Mapped Size (GiB) |
| Type: | Number |
| Description: | Total logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Mapped Size (GiB) |
| Type: | Number |
| Description: | Average logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Mapped Size (GiB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotUnexportedGiB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Average UnMapped Size (GiB)
Type: Number
Description: Average logical capacity of volumes not exported to hosts in GiB
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgUnexportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UnMapped Size (GiB)
Type: Number
Description: Maximum logical capacity of volumes not exported to hosts in GiB
Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxUnexportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UnMapped Size (GiB)
Type: Number
Description: Minimum logical capacity of volumes not exported to hosts in GiB
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinUnexportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Total Available Size (GiB) |
| Type: | Number |
| Description: | Total space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotAvailableGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Available Size (GiB) |
| Type: | Number |
| Description: | Average space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgAvailableGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Available Size (GiB) |
| Type: | Number |
| Description: | Maximum space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxAvailableGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Available Size (GiB) |
| Type: | Number |
| Description: | Minimum space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinAvailableGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Allocated Size (GiB) |
| Type: | Number |
| Description: | Total logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Allocated Size (GiB) |
| Type: | Number |
| Description: | Average logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Allocated Size (GiB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxProvisionedGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Allocated Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualUnMappedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Average Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualUnMappedGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Maximum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualUnMappedGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Minimum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |

| | |
|--------------------|---|
| | mes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualUnMappedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotRemainingGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgRemainingGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxRemainingGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinRemainingGiB) |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Total storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotOverAllocationGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Average storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgOverAllocationGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------------|
| Object: | Maximum Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Maximum storage pool Over |

| | |
|--------------------|---|
| | allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxOverAllocationGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Minimum Block pool Over a llocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinOverAllocationGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Total Actual Allocated Size in GiB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Average Actual Allocated Size in GiB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Allocated Size in GiB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Allocated Size in GiB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------|
| Object: | Total Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Total Actual Mapped Size in GiB |

Select equivalent: sum(SH_SE_Storage_Pool_Capacity.TotActualExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Mapped Size (GiB)
Type: Number
Description: Average Actual Mapped Size in GiB
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgActualExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Mapped Size (GiB)
Type: Number
Description: Maximum Actual Mapped Size in GiB
Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxActualExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Mapped Size (GiB)
Type: Number
Description: Minimum Actual Mapped Size in GiB
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinActualExportedGiB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used Size in GiB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used Size in GiB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used Size in GiB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum Actual Used Size (GiB)
Type: Number
Description: Minimum Actual Used Size in GiB
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinActualUsedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Mapped Size (GiB)
Type: Number
Description: Total Actual Used Mapped Size in GiB
Select equivalent: sum(SH_SE_Storage_Pool_Capacity.TotActualUsedExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Used Mapped Size (GiB)
Type: Number
Description: Average Actual Used Mapped Size in GiB
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Mapped Size (GiB)

| | |
|--------------------|---|
| Type: | Number |
| Description: | Maximum Actual Used Mapped Size in GiB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualUsedExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used Mapped Size in GiB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualUsedExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used UnMapped Size in GiB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used UnMapped Size in GiB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used UnMapped Size in GiB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used UnMapped Size in GiB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Size (GB) |
| Type: | Number |
| Description: | Total physical capacity of the storage pool in GB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotSizeGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Size (GB) |
| Type: | Number |
| Description: | Average physical capacity of the storage pool in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Size (GB) |
| Type: | Number |
| Description: | Maximum physical capacity of the storage pool in GB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Size (GB) |
| Type: | Number |
| Description: | Minimum physical capacity of the Block pool in GB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Mapped Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes exported to hosts in GB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Mapped Size (GB) |
| Type: | Number |
| Description: | Average logical capacity of volumes exported to hosts in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes exported to hosts in GB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes exported to hosts in GB |

Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinExportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UnMapped Size (GB)
Type: Number
Description: Total logical capacity of volumes not exported to hosts in GB
Select equivalent: sum(SH_SE_Storage_Pool_Capacity.TotUnexportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UnMapped Size (GB)
Type: Number
Description: Average logical capacity of volumes not exported to hosts in GB
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgUnexportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UnMapped Size (GB)
Type: Number
Description: Maximum logical capacity of volumes not exported to hosts in GB
Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxUnexportedGB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinUnexportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Size (GB) |
| Type: | Number |
| Description: | Total space remaining in the storage pool for provisioning in GB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotAvailableGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Available Size (GB) |
| Type: | Number |
| Description: | Average space remaining in the storage pool for provisioning in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgAvailableGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Available Size (GB)
Type: Number
Description: Maximum space remaining in the storage pool for provisioning in GB
Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxAvailableGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Available Size (GB)
Type: Number
Description: Minimum space remaining in the Block pool for provisioning in GB
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinAvailableGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Allocated Size (GB)
Type: Number
Description: Total logical capacity of volumes provisioned from storage pool in GB
Select equivalent: sum(SH_SE_Storage_Pool_Capacity.TotProvisionedGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Allocated Size (GB)

| | |
|------------------------|---|
| Type: | Number |
| Description: | Average logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgProvisionedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Allocated Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxProvisionedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Allocated Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes provisioned from Block pool in GB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinProvisionedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualUnMappedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualUnMappedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum amount of physical space that is consumed by thinly provisioned or sp |

| | |
|------------------------|--|
| | ace efficient virtual volu mes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualUnMappedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualUnMappedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Unused Size (GB) |
| Type: | Number |
| Description: | Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size. |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotRemainingGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Average Actual Unused Size (GB)

Type: Number

Description: Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size.

Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgRemainingGB)

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Maximum Actual Unused Size (GB)

Type: Number

Description: Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size.

Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxRemainingGB)

Where equivalent:

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Minimum Actual Unused Size (GB)
 Type: Number
 Description: Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size.
 Select equivalent: $\text{min}(\text{SH_SE_Storage_Pool_Capacity.MinRemainingGB})$
 Where equivalent:

Qualification: measure
 Aggregate function: Min
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Total Over Allocation Size (GB)
 Type: Number
 Description: Total storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
 Select equivalent: $\text{sum}(\text{SH_SE_Storage_Pool_Capacity.TotOverAllocationGB})$
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

| | |
|------------------------|--|
| Object: | Average Over Allocation Size (GB) |
| Type: | Number |
| Description: | Average storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgOverAllocationGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Over Allocation Size (GB) |
| Type: | Number |
| Description: | Maximum storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxOverAllocationGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Over Allocation Size (GB) |
| Type: | Number |
| Description: | Minimum Block pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinOverAllocationGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Total Actual Allocated Size in GB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualProvisionedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Average Actual Allocated Size in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualProvisionedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Allocated Size in GB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualProvisionedGB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Allocated Size in GB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualProvisionedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Total Actual Mapped Size in GB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Mapped Size in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Mapped Size in GB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Mapped Size in GB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size (GB) |
| Type: | Number |
| Description: | Total Actual Used Size in GB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size (GB) |
| Type: | Number |
| Description: | Average Actual Used Size in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used Size in GB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Used Size in GB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Total Actual Used Mapped Size in GB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualUsedExportedGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Used Mapped Size in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used Mapped Size in GB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualUsedExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Used Mapped Size in GB |
| Select equivalent: | min(SH_SE_Storage_Pool_Capacity.MinActualUsedExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Total Actual Used UnMapped Size in GB |
| Select equivalent: | sum(SH_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Used UnMapped Size in GB |
| Select equivalent: | avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used UnMapped Size in GB |
| Select equivalent: | max(SH_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--|
| Object: | Minimum Actual Used UnMapped Size (GB) |
| Type: | Number |

Description: Minimum Actual Used UnMapped Size in GB
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--|
| Class: | DailyOLAP-Block Pool Capacity Statistics |
| Description: | |

Object: Total Size (GiB)
Type: Number
Description: Total physical capacity of the Block pool in GiB
Select equivalent: sum(SD_SE_Storage_Pool_Capacity.TotSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Average physical capacity of the Block pool in GiB
Select equivalent: avg(SD_SE_Storage_Pool_Capacity.AvgSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GiB)
Type: Number
Description: Maximum physical capacity of the Block pool in GiB

Select equivalent: max(SD_SE_Storage_Pool_Capacity.MaxSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Size (GiB)
Type: Number
Description: Minimum physical capacity of the Block pool in GiB
Select equivalent: min(SD_SE_Storage_Pool_Capacity.MinSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Mapped Size (GiB)
Type: Number
Description: Total logical capacity of volumes exported to hosts in GiB
Select equivalent: sum(SD_SE_Storage_Pool_Capacity.TotExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Mapped Size (GiB)
Type: Number
Description: Average logical capacity of volumes exported to hosts in GiB
Select equivalent: avg(SD_SE_Storage_Pool_Capacity.AvgExportedGiB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Mapped Size (GiB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes exported to hosts in GiB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total logical capacity of volumes not exported to hosts in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotUnexportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average UnMapped Size (GiB)
Type: Number
Description: Average logical capacity of volumes not exported to hosts in GiB
Select equivalent: avg(SD_SE_Storage_Pool_Capacity.AvgUnexportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UnMapped Size (GiB)
Type: Number
Description: Maximum logical capacity of volumes not exported to hosts in GiB
Select equivalent: max(SD_SE_Storage_Pool_Capacity.MaxUnexportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UnMapped Size (GiB)
Type: Number
Description: Minimum logical capacity of volumes not exported to hosts in GiB
Select equivalent: min(SD_SE_Storage_Pool_Capacity.MinUnexportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Available Size (GiB)

| | |
|--------------------|---|
| Type: | Number |
| Description: | Total space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotAvailableGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Available Size (GiB) |
| Type: | Number |
| Description: | Average space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgAvailableGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Available Size (GiB) |
| Type: | Number |
| Description: | Maximum space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxAvailableGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Available Size (GiB) |
| Type: | Number |
| Description: | Minimum space remaining in the Block pool for provisioning in GiB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinAvailableGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Allocated Size (GiB) |
| Type: | Number |
| Description: | Total logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Allocated Size (GiB) |
| Type: | Number |
| Description: | Average logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Allocated Size (GiB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Allocated Size (GiB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes provisioned from Block pool in GiB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualUnMappedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------------------|
| Object: | Average Actual UnMapped Size (GiB) |
|---------|------------------------------------|

| | |
|------------------------|--|
| Type: | Number |
| Description: | Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualUnMappedGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Maximum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB. |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualUnMappedGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Actual UnMapped Size (GiB) |
| Type: | Number |
| Description: | Minimum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool |

| | |
|------------------------|---|
| | and not exported to hosts in GiB. |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualUnMappedGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotRemainingGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgRemainingGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxRemainingGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Unused Size (GiB) |
| Type: | Number |
| Description: | Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size. |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinRemainingGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Total Over Allocation Size (GiB)
 Type: Number
 Description: Total storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
 Select equivalent: sum(SD_SE_Storage_Pool_Capacity.TotOverAllocationGiB)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Average Over Allocation Size (GiB)
 Type: Number
 Description: Average storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
 Select equivalent: avg(SD_SE_Storage_Pool_Capacity.AvgOverAllocationGiB)
 Where equivalent:

Qualification: measure
 Aggregate function: Average
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Maximum Over Allocation Size (GiB)
 Type: Number
 Description: Maximim storage pool Over allocated space in GiB. i

| | |
|--------------------|---|
| | .e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxOverAllocationGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Over Allocation Size (GiB) |
| Type: | Number |
| Description: | Minimum Block pool Over allocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinOverAllocationGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Total Actual Allocated Size in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Average Actual Allocated Size in GiB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Allocated Size in GiB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Allocated Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Allocated Size in GiB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualProvisionedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Total Actual Mapped Size in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualExportedGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Average Actual Mapped Size in GiB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Mapped Size in GiB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Mapped Size in GiB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualExportedGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used Size in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used Size in GiB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used Size in GiB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used Size in GiB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualUsedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used Mapped Size in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualUsedExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used Mapped Size in GiB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------------|
| Object: | Maximum Actual Used Mapped Size (GiB) |
| Type: | Number |

| | |
|--------------------|---|
| Description: | Maximum Actual Used Mapped Size in GiB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualUsedExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used Mapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used Mapped Size in GiB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualUsedExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Total Actual Used UnMapped Size in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Average Actual Used UnMapped Size in GiB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Maximum Actual Used UnMapped Size in GiB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Actual Used UnMapped Size (GiB) |
| Type: | Number |
| Description: | Minimum Actual Used UnMapped Size in GiB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Size (GB) |
| Type: | Number |
| Description: | Total physical capacity of the storage pool in GB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotSizeGB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Size (GB) |
| Type: | Number |
| Description: | Average physical capacity of the storage pool in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Size (GB) |
| Type: | Number |
| Description: | Maximum physical capacity of the storage pool in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Size (GB) |
| Type: | Number |
| Description: | Minimum physical capacity of the Block pool in GB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinSizeGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Mapped Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes exported to hosts in GB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Mapped Size (GB) |
| Type: | Number |
| Description: | Average logical capacity of volumes exported to hosts in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes exported to hosts in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes exported to hosts in GB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinExportedGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total UnMapped Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotUnexportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UnMapped Size (GB) |
| Type: | Number |
| Description: | Average logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgUnexportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxUnexportedGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes not exported to hosts in GB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinUnexportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Size (GB) |
| Type: | Number |
| Description: | Total space remaining in the storage pool for provisioning in GB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotAvailableGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Available Size (GB) |
| Type: | Number |
| Description: | Average space remaining in the storage pool for provisioning in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgAvailableGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Available Size (GB) |
| Type: | Number |
| Description: | Maximum space remaining in the storage pool for provisioning in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxAvailableGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Available Size (GB) |
| Type: | Number |
| Description: | Minimum space remaining in the Block pool for provisioning in GB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinAvailableGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Allocated Size (GB) |
| Type: | Number |
| Description: | Total logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotProvisionedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------------|
| Object: | Average Allocated Size (GB) |
| Type: | Number |

| | |
|------------------------|---|
| Description: | Average logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgProvisionedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Allocated Size (GB) |
| Type: | Number |
| Description: | Maximum logical capacity of volumes provisioned from storage pool in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxProvisionedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Allocated Size (GB) |
| Type: | Number |
| Description: | Minimum logical capacity of volumes provisioned from Block pool in GB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinProvisionedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Total Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualUnMappedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualUnMappedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |

| | |
|------------------------|--|
| | mes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualUnMappedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Minimum Actual UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB. |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualUnMappedGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Unused Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size. |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotRemainingGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Unused Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size. |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgRemainingGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Unused Size (GB) |
| Type: | Number |
| Description: | Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size. |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxRemainingGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Minimum Actual Unused Size (GB)
 Type: Number
 Description: Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GB. i.e, Consumable size - Consumed size.
 Select equivalent: min(SD_SE_Storage_Pool_Capacity.MinRemainingGB)
 Where equivalent:

Qualification: measure
 Aggregate function: Min
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Total Over Allocation Size (GB)
 Type: Number
 Description: Total storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
 Select equivalent: sum(SD_SE_Storage_Pool_Capacity.TotOverAllocationGB)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Average Over Allocation Size (GB)

| | |
|------------------------|--|
| Type: | Number |
| Description: | Average storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgOverAllocationGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|--|
| Object: | Maximum Over Allocation Size (GB) |
| Type: | Number |
| Description: | Maximim storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxOverAllocationGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Over Allocation Size (GB) |
| Type: | Number |
| Description: | Minimum Block pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size. |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinOverAllocationGB) |
| Where equivalent: | |
| Qualification: | measure |

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Total Actual Allocated Size in GB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualProvisionedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Average Actual Allocated Size in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualProvisionedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Actual Allocated Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Allocated Size in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualProvisionedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum Actual Allocated Size (GB)
Type: Number
Description: Minimum Actual Allocated Size in GB
Select equivalent: min(SD_SE_Storage_Pool_Capacity.MinActualProvisionedGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Mapped Size (GB)
Type: Number
Description: Total Actual Mapped Size in GB
Select equivalent: sum(SD_SE_Storage_Pool_Capacity.TotActualExportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Mapped Size (GB)
Type: Number
Description: Average Actual Mapped Size in GB
Select equivalent: avg(SD_SE_Storage_Pool_Capacity.AvgActualExportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Mapped Size (GB)

| | |
|--------------------|--|
| Type: | Number |
| Description: | Maximum Actual Mapped Size in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Mapped Size in GB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Size (GB) |
| Type: | Number |
| Description: | Total Actual Used Size in GB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Size (GB) |
| Type: | Number |
| Description: | Average Actual Used Size in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used Size in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Used Size in GB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualUsedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Total Actual Used Mapped Size in GB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualUsedExportedGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Used Mapped Size in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used Mapped Size in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualUsedExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Actual Used Mapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Used Mapped Size in GB |
| Select equivalent: | min(SD_SE_Storage_Pool_Capacity.MinActualUsedExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Total Actual Used UnMapped Size in GiB |
| Select equivalent: | sum(SD_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Average Actual Used UnMapped Size in GB |
| Select equivalent: | avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Maximum Actual Used UnMapped Size in GB |
| Select equivalent: | max(SD_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum Actual Used UnMapped Size (GB) |
| Type: | Number |
| Description: | Minimum Actual Used UnMapped Size in GB |

Select equivalent: min(SD_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--------------------------------|
| Class: | File Quota Capacity Statistics |
| Description: | File Quota Capacity Statistics |

No objects

| | |
|--------------|---|
| Class: | NASQuotas(File Quota Capacity Statistics) |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 5ad, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 5ae, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Node Group Name

Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5ph, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5pj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 2
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5pl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5pn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Custom Field 4 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED4 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5pp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Custom Field 5 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED5 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5pr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Ngroup Snapshot Time |
| Type: | Date |
| Description: | Ngroup Snapshot Time |
| Select equivalent: | K_SE_NODEGROUPS.SNAPSHOTTIME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5pt, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------------------|
| Object: | Group Path |
| Type: | Character |
| Description: | Group Path of the group Hierarchy |
| Select equivalent: | K_SE_NGROUP_PATH.GROUPPATH |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5pv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Node Group Level |
| Type: | Character |
| Description: | Level of the Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.NODEGROUPELEVEL |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5px, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Parent Group Name |
| Type: | Character |
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5q0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|---------|--------------|
| Object: | Element Name |
|---------|--------------|

| | |
|--------------------|------------------------------|
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5q2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5q4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5q6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|----------------|-----------|
| Qualification: | dimension |
|----------------|-----------|

| | |
|------------------------|---|
| List of values: | 5q8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5af, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5ag, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5ah, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ai, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5aj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ak, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5al, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5am, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5an, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ao, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ap, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5aq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

| | |
|------------------------|---|
| List of values: | 5ar, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Over Subscribed Capacity |
| Type: | Character |
| Description: | Over Subscribed Capacity |
| Select equivalent: | K_SE_StorageSystem.OverSubscribedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5as, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--------------------------------------|
| Object: | Requested Capacity |
| Type: | Character |
| Description: | Requested Capacity |
| Select equivalent: | K_SE_StorageSystem.RequestedCapacity |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5at, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5au, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5av, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5aw, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationPools |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5ax, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|---------|--------------------|
| Object: | Replication Status |
| Type: | Character |

Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ay, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5b0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5b1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5b2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Family |
| Type: | Character |
| Description: | Family of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Family |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5b3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Hardware Version |
| Type: | Character |
| Description: | Hardware Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.HardwareVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5b4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Identifying Descriptions |
| Type: | Character |
| Description: | Identifying Descriptions for the Storage System |
| Select equivalent: | K_SE_StorageSystem.IdentifyingDescriptions |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5b5, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Other Identifying Info |
| Type: | Character |
| Description: | Other Identifying Info for the Storage System |
| Select equivalent: | K_SE_StorageSystem.OtherIdentifyingInfo |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5b6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5b7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5b8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5b9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ba, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5bb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5bc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5bd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5be, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5bf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------------------|
| Object: | Custom Name |
| Type: | Character |
| Description: | Custom Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.CustomName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5bg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-------------------------------|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5bh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | File Logical Volume |
| Type: | Character |
| Description: | File Logical Volume |
| Select equivalent: | K_SE_NAS_LogicalVolume.LogicalVolumeName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5bi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: hidden

Object: LVDescription
Type: Character
Description: Description about File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.Description
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates whether a logical volume is thinly provisioned or not
Select equivalent: K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Model Type
Type: Character
Description: Represents whether the volume is 'Logical Disk' or 'File System' or 'LUN'
Select equivalent: K_SE_NAS_LogicalVolume.ModelType
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------------|-----------------------------------|
| Object: | Block Size (Bytes) |
| Type: | Number |
| Description: | Block Size in Bytes |
| Select equivalent: | K_SE_NAS_LogicalVolume.Blocksizes |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5bm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---------------------------------------|
| Object: | Number Of Blocks |
| Type: | Number |
| Description: | Number Of Blocks |
| Select equivalent: | K_SE_NAS_LogicalVolume.NumberOfBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5bn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Consumable Blocks (Bytes) |
| Type: | Number |
| Description: | Consumable Blocks in Bytes |
| Select equivalent: | K_SE_NAS_LogicalVolume.ConsumableBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5bo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|---|
| Object: | Is Cluster Shared? |
| Type: | Character |
| Description: | Indicates whether a logical volume is cluster shared or not |

Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Device ID
Type: Character
Description: Device ID
Select equivalent: K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Share ID
Type: Character
Description: Share ID
Select equivalent: K_SE_NAS_LogicalVolume.ShareID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5br, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Shared?
Type: Character
Description: Indicates whether a logical volume is shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsShared
Where equivalent:

Qualification: detail

Associated dimension name: File Logical Volume
List of values: 5bs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: File System Type
Type: Character
Description: File System Type
Select equivalent: K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Name of the Share
Type: Character
Description: Name of the share
Select equivalent: K_SE_NAS_LogicalVolume.ShareName
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Share System Name
Type: Character
Description: Share System Name
Select equivalent: K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Quota Name
Type: Character
Description: Name of File Quota
Select equivalent: K_SE_NAS_Quota.QUOTANAME
Where equivalent:

Qualification: dimension
List of values: 5bw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Resource Type
Type: Character
Description: File Resource type
Select equivalent: K_SE_NAS_Quota.RESOURCE TYPE
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5bx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Units
Type: Character
Description: This indicates the units f
or Soft/Hard Limit, Amoun
t Used, Threshold. If Reso
urce Type is Disk then Uni
t is in Kilo Bytes, else No
units
Select equivalent: K_SE_NAS_Quota.UNITS
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5by, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Quota Type
Type: Character
Description: Quota Type
Select equivalent: K_SE_NAS_Quota.QUOTATYPE
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Quota Target
Type: Character
Description: Quota Target
Select equivalent: K_SE_NAS_Quota.QUOTATARGET
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Soft Limit
Type: Number
Description: Soft Limit
Select equivalent: K_SE_NAS_Quota.SOFTLIMIT
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Hard Limit

Type: Number
Description: Hard Limit
Select equivalent: K_SE_NAS_Quota.HARDLIMIT
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Threshold
Type: Number
Description: Threshold
Select equivalent: K_SE_NAS_Quota.THRESHOLD
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Amount Used
Type: Number
Description: Amount Used
Select equivalent: K_SE_NAS_Quota.AMOUNTUSED
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: File System Name
Type: Character
Description: Name of File System
Select equivalent: K_SE_NAS_Quota.FILESYSTEMNAME
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Quota Name |
| List of values: | 5c6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Directory Name |
| Type: | Character |
| Description: | Directory name |
| Select equivalent: | K_SE_NAS_Quota.DIRECTORYNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Quota Name |
| List of values: | 5c7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5c8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Logical Volume UUID |
| Type: | Character |
| Description: | UUID of the File logical volume |
| Select equivalent: | K_SE_NAS_LogicalVolume.LogicalVolumeUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5c9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: hidden

Object: Quota UUID
Type: Character
Description: UUID of the File Quota
Select equivalent: K_SE_NAS_Quota.QUOTAUUID
Where equivalent:

Qualification: dimension
List of values: 5ca, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5qa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|--|
| Class: | FileQuotas(File Quota Capacity Statistics) |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 4ps, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name

| | |
|--------------------|-------------------------------|
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4pt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Node Group Name |
| Type: | Character |
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5lq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5ls, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: Node Group Name
List of values: 5lu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5lw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ly, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5m1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5m3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5m5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPELEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5m7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character

| | |
|--------------------|----------------------------------|
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5m9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5mb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5md, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|----------------|-----------|
| Qualification: | dimension |
|----------------|-----------|

| | |
|------------------------|---|
| List of values: | 5ra, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5rb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4pu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4pv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4pw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4px, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4py, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN

Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q6, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4q9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4qa, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4qb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4qc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |

Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qe, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 4qg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ql, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name

Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4qq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4qr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4qs, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: Storage System Name
List of values: 4qt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4qw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: File Logical Volume
Type: Character
Description: File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:

Qualification: dimension
List of values: 4qx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: LVDescription
Type: Character
Description: Description about File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.Description
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4qy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates whether a logical volume is thinly provisioned or not
Select equivalent: K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4r0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model Type
Type: Character

| | |
|----------------------------|---|
| Description: | Represents whether the volume is 'Logical Disk' or 'File System' or 'LUN' |
| Select equivalent: | K_SE_NAS_LogicalVolume.ModelType |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4r1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Block Size (Bytes) |
| Type: | Number |
| Description: | Block Size in Bytes |
| Select equivalent: | K_SE_NAS_LogicalVolume.Blocksizes |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4r2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Number Of Blocks |
| Type: | Number |
| Description: | Number Of Blocks |
| Select equivalent: | K_SE_NAS_LogicalVolume.NumberOfBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4r3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Consumable Blocks (Bytes) |
| Type: | Number |
| Description: | Consumable Blocks in Bytes |
| Select equivalent: | K_SE_NAS_LogicalVolume.ConsumableBlocks |

Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4r4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Cluster Shared?
Type: Character
Description: Indicates whether a logical volume is cluster shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4r5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Device ID
Type: Character
Description: Device ID
Select equivalent: K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4r6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share ID
Type: Character
Description: Share ID
Select equivalent: K_SE_NAS_LogicalVolume.ShareID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume

| | |
|------------------------|---|
| List of values: | 4r7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Is Shared? |
| Type: | Character |
| Description: | Indicates whether a logical volume is shared or not |
| Select equivalent: | K_SE_NAS_LogicalVolume.IsShared |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4r8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | File System Type |
| Type: | Character |
| Description: | File System Type |
| Select equivalent: | K_SE_NAS_LogicalVolume.FileSystemType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4r9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Name of the Share |
| Type: | Character |
| Description: | Name of the share |
| Select equivalent: | K_SE_NAS_LogicalVolume.ShareName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 4ra, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Share System Name
Type: Character
Description: Share System Name
Select equivalent: K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4rb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Quota Name
Type: Character
Description: Name of File Quota
Select equivalent: K_SE_NAS_Quota.QUOTANAME
Where equivalent:

Qualification: dimension
List of values: 4rc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Resource Type
Type: Character
Description: File Resource type
Select equivalent: K_SE_NAS_Quota.RESOURCE TYPE
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 4rd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Units
Type: Character
Description: This indicates the units f

| | |
|----------------------------|--|
| | or Soft/Hard Limit, Amount Used, Threshold. If Resource Type is Disk then Unit is in Kilo Bytes, else No units |
| Select equivalent: | K_SE_NAS_Quota.UNITS |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Quota Name |
| List of values: | 4re, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Quota Type |
| Type: | Character |
| Description: | Quota Type |
| Select equivalent: | K_SE_NAS_Quota.QUOTATYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Quota Name |
| List of values: | 4rf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Quota Target |
| Type: | Character |
| Description: | Quota Target |
| Select equivalent: | K_SE_NAS_Quota.QUOTATARGET |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Quota Name |
| List of values: | 4rg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------|
| Object: | Soft Limit |
| Type: | Number |

Description: Soft Limit
Select equivalent: K_SE_NAS_Quota.SOFTLIMIT
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 4rh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hard Limit
Type: Number
Description: Hard Limit
Select equivalent: K_SE_NAS_Quota.HARDLIMIT
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 4ri, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Threshold
Type: Number
Description: Threshold
Select equivalent: K_SE_NAS_Quota.THRESHOLD
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 4rj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Amount Used
Type: Number
Description: Amount Used
Select equivalent: K_SE_NAS_Quota.AMOUNTUSED
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Quota Name |
| List of values: | 4rk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | File System Name |
| Type: | Character |
| Description: | Name of File System |
| Select equivalent: | K_SE_NAS_Quota.FILESYSTEMNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Quota Name |
| List of values: | 4rl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Directory Name |
| Type: | Character |
| Description: | Directory name |
| Select equivalent: | K_SE_NAS_Quota.DIRECTORYNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Quota Name |
| List of values: | 4rm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4rn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Logical Volume UUID
Type: Character
Description: UUID of the File logical volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 4ro, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Quota UUID
Type: Character
Description: UUID of the File Quota
Select equivalent: K_SE_NAS_Quota.QUOTAUUID
Where equivalent:

Qualification: dimension
List of values: 4rp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5nu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|------------------------------------|
| Class: | Raw File Quota Capacity Statistics |
| Description: | |

Object: File Hard Limit

Type: Number
Description: File hard limit of File Quota
Select equivalent: SR_SE_NAS_Quota_Capacity.FileHardLimit
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Soft Limit
Type: Number
Description: File soft limit of File Quota
Select equivalent: SR_SE_NAS_Quota_Capacity.FileSoftLimit
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Usage
Type: Number
Description: File usage of File Quota
Select equivalent: SR_SE_NAS_Quota_Capacity.FileUsage
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Hard Limit in GiB
Type: Number
Description: Space hard limit of File Quota in GiB
Select equivalent: SR_SE_NAS_Quota_Capacity.SpaceHardLimitGiB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Space Hard Limit in GB |
| Type: | Number |
| Description: | Space hard limit of File Quota in GB |
| Select equivalent: | SR_SE_NAS_Quota_Capacity.SpaceHardLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Space Soft Limit in GiB |
| Type: | Number |
| Description: | Space soft limit of File Quota in GiB |
| Select equivalent: | SR_SE_NAS_Quota_Capacity.SpaceSoftLimitGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Space Soft Limit in GB |
| Type: | Number |
| Description: | Space soft limit of File Quota in GB |
| Select equivalent: | SR_SE_NAS_Quota_Capacity.SpaceSoftLimitGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Space Usage in GiB |
| Type: | Number |
| Description: | Space usage of File Quota in GiB |
| Select equivalent: | SR_SE_NAS_Quota_Capacity.SpaceUsageGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Space Usage in GB |
| Type: | Number |
| Description: | Space usage of File Quota in GB |
| Select equivalent: | SR_SE_NAS_Quota_Capacity.SpaceUsageGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Threshold in GiB |
| Type: | Number |
| Description: | Threshold of File Quota in GiB |
| Select equivalent: | SR_SE_NAS_Quota_Capacity.ThresholdGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Threshold in GB |
| Type: | Number |
| Description: | Threshold of File Quota in GB |
| Select equivalent: | SR_SE_NAS_Quota_Capacity.ThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Class: | DATETIME(File Quota Capacity Statistics) |
| Description: | |

| | |
|--------------------|---------------------------|
| Object: | Year |
| Type: | Number |
| Description: | Year |
| Select equivalent: | DATETIME.TIME_YEAR_NUMBER |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4rq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Month |
| Type: | Character |
| Description: | Month Name first Three Characters |
| Select equivalent: | (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3)) |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4rr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------|
| Object: | Month Name |
| Type: | Character |

Description: Month Name
Select equivalent: DATETIME.TIME_MONTH_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Month
List of values: 4rs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day
Type: Number
Description: Day
Select equivalent: DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:

Qualification: dimension
List of values: 4rt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day Name
Type: Character
Description: Day Name
Select equivalent: DATETIME.TIME_DAY_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Day
List of values: 4ru, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour
Type: Number
Description: Hour
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: dimension

List of values: 4rv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Id
Type: Number
Description: Hour Id
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 4rw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Hour Description
Type: Character
Description: Time Hour Description
Select equivalent: DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 4rx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Full Date
Type: Date
Description: Full Date
Select equivalent: DATETIME.TIME_FULL_DATE
Where equivalent:

Qualification: dimension
List of values: 4ry, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--------------------------|
| Object: | Time Is Holiday |
| Type: | Character |
| Description: | Time Is Holiday |
| Select equivalent: | DATETIME.TIME_IS_HOLIDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 4s0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Weekday |
| Type: | Character |
| Description: | Time Is Weekday |
| Select equivalent: | DATETIME.TIME_IS_WEEKDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 4s1, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Hour Boundary |
| Type: | Number |
| Description: | Hour Boundary |
| Select equivalent: | DATETIME.HOUR_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4s2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------|
| Object: | Day Boundary |
| Type: | Number |
| Description: | Day Boundary |
| Select equivalent: | DATETIME.DAY_BOUNDARY |

Where equivalent:

Qualification: dimension
List of values: 4s3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Week Boundary
Type: Number
Description: Week Boundary
Select equivalent: DATETIME.WEEK_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4s4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Month Boundary
Type: Number
Description: Month Boundary
Select equivalent: DATETIME.MONTH_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4s5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Year Boundary
Type: Number
Description: Year Boundary
Select equivalent: DATETIME.YEAR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4s6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|--------------------------------------|
| Class: | Daily File Quota Capacity Statistics |
| Description: | |

Object: Total File Hard Limit
Type: Number
Description: Total File hard limit of File Quota
Select equivalent: SD_SE_NAS_Quota_Capacity.TOTFileHardLimit
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum File Hard Limit
Type: Number
Description: Maximum File hard limit of File Quota
Select equivalent: SD_SE_NAS_Quota_Capacity.MAXFileHardLimit
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum File Hard Limit
Type: Number
Description: Minimum File hard limit of File Quota
Select equivalent: SD_SE_NAS_Quota_Capacity.MINFileHardLimit
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Average File Hard Limit |
| Type: | Number |
| Description: | Average File hard limit of File Quota |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.AVGFileHardLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total File Soft Limit |
| Type: | Number |
| Description: | Total File soft limit of File Quota |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.TOTFileSoftLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum File Soft Limit |
| Type: | Number |
| Description: | Maximum File soft limit of File Quota |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MAXFileSoftLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------------|
| Object: | Minimum File Soft Limit |
| Type: | Number |
| Description: | Minimum File soft limit of File Quota |

Select equivalent: SD_SE_NAS_Quota_Capacity.MINFileSoftLimit
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average File Soft Limit
Type: Number
Description: Average File soft limit of File Quota
Select equivalent: SD_SE_NAS_Quota_Capacity.AVGFileSoftLimit
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total File Usage
Type: Number
Description: Total File usage of File Quota
Select equivalent: SD_SE_NAS_Quota_Capacity.TOTFileUsage
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum File Usage
Type: Number
Description: Maximum File usage of File Quota
Select equivalent: SD_SE_NAS_Quota_Capacity.MAXFileUsage
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Minimum File Usage |
| Type: | Number |
| Description: | Minimum File usage of File Quota |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MINFileUsage |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Average File Usage |
| Type: | Number |
| Description: | Average File usage of File Quota |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.AVGFileUsage |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Hard Limit in GiB |
| Type: | Number |
| Description: | Total Space hard limit of File Quota in GiB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Space Hard Limit in GiB
Type: Number
Description: Maximum Space hard limit of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Hard Limit in GiB
Type: Number
Description: Minimum Space hard limit of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.MINSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Hard Limit in GiB
Type: Number
Description: Average Space hard limit of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Hard Limit in GB

| | |
|--------------------|--|
| Type: | Number |
| Description: | Total Space hard limit of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Space Hard Limit in GB |
| Type: | Number |
| Description: | Maximum Space hard limit of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Hard Limit in GB |
| Type: | Number |
| Description: | Minimum Space hard limit of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MINSpaceHardLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Hard Limit in GB |
| Type: | Number |
| Description: | Average Space hard limit of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Soft Limit in GiB |
| Type: | Number |
| Description: | Total Space soft limit of File Quota in GiB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Space Soft Limit in GiB |
| Type: | Number |
| Description: | Maximum Space soft limit of File Quota in GiB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Space Soft Limit in GiB |
| Type: | Number |
| Description: | Minimum Space soft limit of File Quota in GiB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Space Soft Limit in GiB |
| Type: | Number |
| Description: | Average Space soft limit of File Quota in GiB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Space Soft Limit in GB |
| Type: | Number |
| Description: | Total Space soft limit of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Space Soft Limit in GB |
| Type: | Number |
| Description: | Maximum Space soft limit of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Soft Limit in GB |
| Type: | Number |
| Description: | Minimum Space soft limit of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Soft Limit in GB |
| Type: | Number |
| Description: | Average Space soft limit of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Usage in GiB |
| Type: | Number |
| Description: | Total Space usage of File Quota in GiB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.TOTSpaceUsageGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Space Usage in GiB |
| Type: | Number |
| Description: | Maximum Space usage of File Quota in GiB |

Select equivalent: SD_SE_NAS_Quota_Capacity.MAXSpaceUsageGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Usage in GiB
Type: Number
Description: Minimum Space usage of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.MINSpaceUsageGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Usage in GiB
Type: Number
Description: Average Space usage of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.AVGSpaceUsageGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Usage in GB
Type: Number
Description: Total Space usage of File Quota in GB
Select equivalent: SD_SE_NAS_Quota_Capacity.TOTSpaceUsageGB
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Space Usage in GB |
| Type: | Number |
| Description: | Maximum Space usage of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MAXSpaceUsageGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Usage in GB |
| Type: | Number |
| Description: | Minimum Space usage of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MINSpaceUsageGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Usage in GB |
| Type: | Number |
| Description: | Average Space usage of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.AVGSpaceUsageGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total Threshold in GiB
Type: Number
Description: Total Threshold of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.TOTThresholdGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Threshold in GiB
Type: Number
Description: Maximum Threshold of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.MAXThresholdGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Threshold in GiB
Type: Number
Description: Minimum Threshold of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.MINThresholdGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Threshold in GiB

| | |
|--------------------|--|
| Type: | Number |
| Description: | Average Threshold of File Quota in GiB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.AVGThresholdGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Threshold in GB |
| Type: | Number |
| Description: | Total Threshold of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.TOTThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Threshold in GB |
| Type: | Number |
| Description: | Maximum Threshold of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MAXThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Threshold in GB |
| Type: | Number |
| Description: | Minimum Threshold of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.MINThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Threshold in GB |
| Type: | Number |
| Description: | Average Threshold of File Quota in GB |
| Select equivalent: | SD_SE_NAS_Quota_Capacity.AVGThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------------|
| Class: | Hourly File Quota Capacity Statistics |
| Description: | |

| | |
|--------------------|---|
| Object: | Total File Hard Limit |
| Type: | Number |
| Description: | Total File hard limit of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.TOTFileHardLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum File Hard Limit |
| Type: | Number |
| Description: | Maximum File hard limit of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MAXFileHardLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum File Hard Limit |
| Type: | Number |
| Description: | Minimum File hard limit of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MINFileHardLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average File Hard Limit |
| Type: | Number |
| Description: | Average File hard limit of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.AVGFileHardLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total File Soft Limit |
| Type: | Number |
| Description: | Total File soft limit of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.TOTFileSoftLimit |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum File Soft Limit |
| Type: | Number |
| Description: | Maximum File soft limit of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MAXFileSoftLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum File Soft Limit |
| Type: | Number |
| Description: | Minimum File soft limit of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MINFileSoftLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average File Soft Limit |
| Type: | Number |
| Description: | Average File soft limit of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.AVGFileSoftLimit |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Total File Usage |
| Type: | Number |
| Description: | Total File usage of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.TOTFileUsage |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Maximum File Usage |
| Type: | Number |
| Description: | Maximum File usage of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MAXFileUsage |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Minimum File Usage |
| Type: | Number |
| Description: | Minimum File usage of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MINFileUsage |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Average File Usage |
| Type: | Number |
| Description: | Average File usage of File Quota |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.AVGFileUsage |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Hard Limit in GiB |
| Type: | Number |
| Description: | Total Space hard limit of File Quota in GiB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Space Hard Limit in GiB |
| Type: | Number |
| Description: | Maximum Space hard limit of File Quota in GiB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Space Hard Limit in GiB |
| Type: | Number |
| Description: | Minimum Space hard limit of File Quota in GiB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MINSpaceHardLimitGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |

List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Hard Limit in GiB
Type: Number
Description: Average Space hard limit of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Hard Limit in GB
Type: Number
Description: Total Space hard limit of File Quota in GB
Select equivalent: SH_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Space Hard Limit in GB
Type: Number
Description: Maximum Space hard limit of File Quota in GB
Select equivalent: SH_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Minimum Space Hard Limit in GB |
| Type: | Number |
| Description: | Minimum Space hard limit of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MINSpaceHardLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Hard Limit in GB |
| Type: | Number |
| Description: | Average Space hard limit of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Soft Limit in GiB |
| Type: | Number |
| Description: | Total Space soft limit of File Quota in GiB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------------|
| Object: | Maximum Space Soft Limit in GiB |
| Type: | Number |

Description: Maximum Space soft limit of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Soft Limit in GiB
Type: Number
Description: Minimum Space soft limit of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Soft Limit in GiB
Type: Number
Description: Average Space soft limit of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Soft Limit in GB
Type: Number
Description: Total Space soft limit of File Quota in GB
Select equivalent: SH_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Space Soft Limit in GB |
| Type: | Number |
| Description: | Maximum Space soft limit of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Soft Limit in GB |
| Type: | Number |
| Description: | Minimum Space soft limit of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Soft Limit in GB |
| Type: | Number |
| Description: | Average Space soft limit of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Usage in GiB
Type: Number
Description: Total Space usage of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.TOTSpaceUsageGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Space Usage in GiB
Type: Number
Description: Maximum Space usage of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.MAXSpaceUsageGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Usage in GiB
Type: Number
Description: Minimum Space usage of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.MINSpaceUsageGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Usage in GiB
Type: Number
Description: Average Space usage of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.AVGSpaceUsageGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Usage in GB
Type: Number
Description: Total Space usage of File Quota in GB
Select equivalent: SH_SE_NAS_Quota_Capacity.TOTSpaceUsageGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Space Usage in GB
Type: Number
Description: Maximum Space usage of File Quota in GB
Select equivalent: SH_SE_NAS_Quota_Capacity.MAXSpaceUsageGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Usage in GB
Type: Number
Description: Minimum Space usage of File Quota in GB
Select equivalent: SH_SE_NAS_Quota_Capacity.MINSpaceUsageGB

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Usage in GB |
| Type: | Number |
| Description: | Average Space usage of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.AVGSpaceUsageGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Threshold in GiB |
| Type: | Number |
| Description: | Total Threshold of File Quota in GiB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.TOTThresholdGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Threshold in GiB |
| Type: | Number |
| Description: | Maximum Threshold of File Quota in GiB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MAXThresholdGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Threshold in GiB |
| Type: | Number |
| Description: | Minimum Threshold of File Quota in GiB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MINThresholdGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Threshold in GiB |
| Type: | Number |
| Description: | Average Threshold of File Quota in GiB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.AVGThresholdGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Threshold in GB |
| Type: | Number |
| Description: | Total Threshold of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.TOTThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Threshold in GB |
| Type: | Number |
| Description: | Maximum Threshold of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MAXThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Threshold in GB |
| Type: | Number |
| Description: | Minimum Threshold of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.MINThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Threshold in GB |
| Type: | Number |
| Description: | Average Threshold of File Quota in GB |
| Select equivalent: | SH_SE_NAS_Quota_Capacity.AVGThresholdGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-----------------------------|
| Class: | DailyOLAP-FileQuotaCapacity |
| Description: | |

| | |
|--------------------|--|
| Object: | Total File Hard Limit |
| Type: | Number |
| Description: | Total File hard limit of File Quota |
| Select equivalent: | sum(SD_SE_NAS_Quota_Capacity.TOTFileHardLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum File Hard Limit |
| Type: | Number |
| Description: | Maximum File hard limit of File Quota |
| Select equivalent: | max(SD_SE_NAS_Quota_Capacity.MAXFileHardLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum File Hard Limit |
| Type: | Number |
| Description: | Minimum File hard limit of File Quota |
| Select equivalent: | min(SD_SE_NAS_Quota_Capacity.MINFileHardLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------------|
| Object: | Average File Hard Limit |
| Type: | Number |
| Description: | Average File hard limit of File Quota |

Select equivalent: avg(SD_SE_NAS_Quota_Capacity.AVGFileHardLimit)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total File Soft Limit
Type: Number
Description: Total File soft limit of File Quota
Select equivalent: sum(SD_SE_NAS_Quota_Capacity.TOTFileSoftLimit)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum File Soft Limit
Type: Number
Description: Maximum File soft limit of File Quota
Select equivalent: max(SD_SE_NAS_Quota_Capacity.MAXFileSoftLimit)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum File Soft Limit
Type: Number
Description: Minimum File soft limit of File Quota
Select equivalent: min(SD_SE_NAS_Quota_Capacity.MINFileSoftLimit)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average File Soft Limit |
| Type: | Number |
| Description: | Average File soft limit of File Quota |
| Select equivalent: | avg(SD_SE_NAS_Quota_Capacity.AVGFileSoftLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total File Usage |
| Type: | Number |
| Description: | Total File usage of File Quota |
| Select equivalent: | sum(SD_SE_NAS_Quota_Capacity.TOTFileUsage) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum File Usage |
| Type: | Number |
| Description: | Maximum File usage of File Quota |
| Select equivalent: | max(SD_SE_NAS_Quota_Capacity.MAXFileUsage) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum File Usage
Type: Number
Description: Minimum File usage of File Quota
Select equivalent: min(SD_SE_NAS_Quota_Capacity.MINFileUsage)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average File Usage
Type: Number
Description: Average File usage of File Quota
Select equivalent: avg(SD_SE_NAS_Quota_Capacity.AVGFileUsage)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Hard Limit in GiB
Type: Number
Description: Total Space hard limit of File Quota in GiB
Select equivalent: sum(SD_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Space Hard Limit in GiB

| | |
|--------------------|--|
| Type: | Number |
| Description: | Maximum Space hard limit of File Quota in GiB |
| Select equivalent: | max(SD_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Hard Limit in GiB |
| Type: | Number |
| Description: | Minimum Space hard limit of File Quota in GiB |
| Select equivalent: | min(SD_SE_NAS_Quota_Capacity.MINSpaceHardLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Hard Limit in GiB |
| Type: | Number |
| Description: | Average Space hard limit of File Quota in GiB |
| Select equivalent: | avg(SD_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Hard Limit in GB |
| Type: | Number |
| Description: | Total Space hard limit of File Quota in GB |
| Select equivalent: | sum(SD_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Space Hard Limit in GB |
| Type: | Number |
| Description: | Maximum Space hard limit of File Quota in GB |
| Select equivalent: | max(SD_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Space Hard Limit in GB |
| Type: | Number |
| Description: | Minimum Space hard limit of File Quota in GB |
| Select equivalent: | min(SD_SE_NAS_Quota_Capacity.MINSpaceHardLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Space Hard Limit in GB |
| Type: | Number |
| Description: | Average Space hard limit of File Quota in GB |
| Select equivalent: | avg(SD_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Space Soft Limit in GiB |
| Type: | Number |
| Description: | Total Space soft limit of File Quota in GiB |
| Select equivalent: | sum(SD_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Space Soft Limit in GiB |
| Type: | Number |
| Description: | Maximum Space soft limit of File Quota in GiB |
| Select equivalent: | max(SD_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Soft Limit in GiB |
| Type: | Number |
| Description: | Minimum Space soft limit of File Quota in GiB |
| Select equivalent: | min(SD_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Soft Limit in GiB |
| Type: | Number |
| Description: | Average Space soft limit of File Quota in GiB |
| Select equivalent: | avg(SD_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Soft Limit in GB |
| Type: | Number |
| Description: | Total Space soft limit of File Quota in GB |
| Select equivalent: | sum(SD_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Space Soft Limit in GB |
| Type: | Number |
| Description: | Maximum Space soft limit of File Quota in GB |
| Select equivalent: | max(SD_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum Space Soft Limit in GB |
| Type: | Number |
| Description: | Minimum Space soft limit of File Quota in GB |

Select equivalent: min(SD_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Soft Limit in GB
Type: Number
Description: Average Space soft limit of File Quota in GB
Select equivalent: avg(SD_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Usage in GiB
Type: Number
Description: Total Space usage of File Quota in GiB
Select equivalent: sum(SD_SE_NAS_Quota_Capacity.TOTSpaceUsageGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Space Usage in GiB
Type: Number
Description: Maximum Space usage of File Quota in GiB
Select equivalent: max(SD_SE_NAS_Quota_Capacity.MAXSpaceUsageGiB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Usage in GiB |
| Type: | Number |
| Description: | Minimum Space usage of File Quota in GiB |
| Select equivalent: | min(SD_SE_NAS_Quota_Capacity.MINSpaceUsageGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Usage in GiB |
| Type: | Number |
| Description: | Average Space usage of File Quota in GiB |
| Select equivalent: | avg(SD_SE_NAS_Quota_Capacity.AVGSpaceUsageGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Usage in GB |
| Type: | Number |
| Description: | Total Space usage of File Quota in GB |
| Select equivalent: | sum(SD_SE_NAS_Quota_Capacity.TOTSpaceUsageGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Space Usage in GB
Type: Number
Description: Maximum Space usage of File Quota in GB
Select equivalent: max(SD_SE_NAS_Quota_Capacity.MAXSpaceUsageGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Usage in GB
Type: Number
Description: Minimum Space usage of File Quota in GB
Select equivalent: min(SD_SE_NAS_Quota_Capacity.MINSpaceUsageGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Usage in GB
Type: Number
Description: Average Space usage of File Quota in GB
Select equivalent: avg(SD_SE_NAS_Quota_Capacity.AVGSpaceUsageGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Threshold in GiB

Type: Number
Description: Total Threshold of File Quota in GiB
Select equivalent: sum(SD_SE_NAS_Quota_Capacity.TOTThresholdGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Threshold in GiB
Type: Number
Description: Maximum Threshold of File Quota in GiB
Select equivalent: max(SD_SE_NAS_Quota_Capacity.MAXThresholdGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Threshold in GiB
Type: Number
Description: Minimum Threshold of File Quota in GiB
Select equivalent: min(SD_SE_NAS_Quota_Capacity.MINThresholdGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Threshold in GiB
Type: Number
Description: Average Threshold of File Quota in GiB
Select equivalent: avg(SD_SE_NAS_Quota_Capacity.AVGThresholdGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Threshold in GB |
| Type: | Number |
| Description: | Total Threshold of File Quota in GB |
| Select equivalent: | sum(SD_SE_NAS_Quota_Capacity.TOTThresholdGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Threshold in GB |
| Type: | Number |
| Description: | Maximum Threshold of File Quota in GB |
| Select equivalent: | max(SD_SE_NAS_Quota_Capacity.MAXThresholdGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Threshold in GB |
| Type: | Number |
| Description: | Minimum Threshold of File Quota in GB |
| Select equivalent: | min(SD_SE_NAS_Quota_Capacity.MINThresholdGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Threshold in GB |
| Type: | Number |
| Description: | Average Threshold of File Quota in GB |
| Select equivalent: | avg(SD_SE_NAS_Quota_Capacity.AVGThresholdGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------|
| Class: | HourlyOLAP-FileQuotaCapacity |
| Description: | |

| | |
|--------------------|--|
| Object: | Total File Hard Limit |
| Type: | Number |
| Description: | Total File hard limit of File Quota |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTFileHardLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum File Hard Limit |
| Type: | Number |
| Description: | Maximum File hard limit of File Quota |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXFileHardLimit) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum File Hard Limit |
| Type: | Number |
| Description: | Minimum File hard limit of File Quota |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINFileHardLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average File Hard Limit |
| Type: | Number |
| Description: | Average File hard limit of File Quota |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGFileHardLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total File Soft Limit |
| Type: | Number |
| Description: | Total File soft limit of File Quota |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTFileSoftLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum File Soft Limit |
| Type: | Number |
| Description: | Maximum File soft limit of File Quota |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXFileSoftLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum File Soft Limit |
| Type: | Number |
| Description: | Minimum File soft limit of File Quota |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINFileSoftLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average File Soft Limit |
| Type: | Number |
| Description: | Average File soft limit of File Quota |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGFileSoftLimit) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total File Usage |
| Type: | Number |
| Description: | Total File usage of File Quota |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTFileUsage) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum File Usage |
| Type: | Number |
| Description: | Maximum File usage of File Quota |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXFileUsage) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum File Usage |
| Type: | Number |
| Description: | Minimum File usage of File Quota |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINFileUsage) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average File Usage |
| Type: | Number |
| Description: | Average File usage of File Quota |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGFileUsage) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Space Hard Limit in GiB |
| Type: | Number |
| Description: | Total Space hard limit of File Quota in GiB |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Space Hard Limit in GiB |
| Type: | Number |
| Description: | Maximum Space hard limit of File Quota in GiB |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Hard Limit in GiB |
| Type: | Number |
| Description: | Minimum Space hard limit of File Quota in GiB |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINSpaceHardLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Hard Limit in GiB |
| Type: | Number |
| Description: | Average Space hard limit of File Quota in GiB |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Hard Limit in GB |
| Type: | Number |
| Description: | Total Space hard limit of File Quota in GB |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Space Hard Limit in GB |
| Type: | Number |
| Description: | Maximum Space hard limit of File Quota in GB |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------|
| Object: | Minimum Space Hard Limit in GB |
| Type: | Number |

Description: Minimum Space hard limit of File Quota in GB
Select equivalent: min(SH_SE_NAS_Quota_Capacity.MINSpaceHardLimitGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Hard Limit in GB
Type: Number
Description: Average Space hard limit of File Quota in GB
Select equivalent: avg(SH_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Soft Limit in GiB
Type: Number
Description: Total Space soft limit of File Quota in GiB
Select equivalent: sum(SH_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Space Soft Limit in GiB
Type: Number
Description: Maximum Space soft limit of File Quota in GiB
Select equivalent: max(SH_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Soft Limit in GiB |
| Type: | Number |
| Description: | Minimum Space soft limit of File Quota in GiB |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Soft Limit in GiB |
| Type: | Number |
| Description: | Average Space soft limit of File Quota in GiB |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Soft Limit in GB |
| Type: | Number |
| Description: | Total Space soft limit of File Quota in GB |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Space Soft Limit in GB |
| Type: | Number |
| Description: | Maximum Space soft limit of File Quota in GB |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Space Soft Limit in GB |
| Type: | Number |
| Description: | Minimum Space soft limit of File Quota in GB |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Space Soft Limit in GB |
| Type: | Number |
| Description: | Average Space soft limit of File Quota in GB |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Space Usage in GiB |
| Type: | Number |
| Description: | Total Space usage of File Quota in GiB |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTSpaceUsageGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Space Usage in GiB |
| Type: | Number |
| Description: | Maximum Space usage of File Quota in GiB |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXSpaceUsageGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Space Usage in GiB |
| Type: | Number |
| Description: | Minimum Space usage of File Quota in GiB |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINSpaceUsageGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Space Usage in GiB |
| Type: | Number |
| Description: | Average Space usage of File Quota in GiB |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGSpaceUsageGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Space Usage in GB |
| Type: | Number |
| Description: | Total Space usage of File Quota in GB |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTSpaceUsageGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Space Usage in GB |
| Type: | Number |
| Description: | Maximum Space usage of File Quota in GB |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXSpaceUsageGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Space Usage in GB |
| Type: | Number |
| Description: | Minimum Space usage of File Quota in GB |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINSpaceUsageGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Space Usage in GB |
| Type: | Number |
| Description: | Average Space usage of File Quota in GB |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGSpaceUsageGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Threshold in GiB |
| Type: | Number |
| Description: | Total Threshold of File Quota in GiB |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTThresholdGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Threshold in GiB |
| Type: | Number |
| Description: | Maximum Threshold of File Quota in GiB |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXThresholdGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Threshold in GiB |
| Type: | Number |
| Description: | Minimum Threshold of File Quota in GiB |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINThresholdGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Threshold in GiB |
| Type: | Number |
| Description: | Average Threshold of File Quota in GiB |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGThresholdGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Threshold in GB |
| Type: | Number |
| Description: | Total Threshold of File Quota in GB |
| Select equivalent: | sum(SH_SE_NAS_Quota_Capacity.TOTThresholdGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-------------------------|
| Object: | Maximum Threshold in GB |
| Type: | Number |

| | |
|--------------------|--|
| Description: | Maximum Threshold of File Quota in GB |
| Select equivalent: | max(SH_SE_NAS_Quota_Capacity.MAXThresholdGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Threshold in GB |
| Type: | Number |
| Description: | Minimum Threshold of File Quota in GB |
| Select equivalent: | min(SH_SE_NAS_Quota_Capacity.MINThresholdGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Threshold in GB |
| Type: | Number |
| Description: | Average Threshold of File Quota in GB |
| Select equivalent: | avg(SH_SE_NAS_Quota_Capacity.AVGThresholdGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--------------------------------------|
| Class: | File System Node Capacity Statistics |
| Description: | |

No objects

| | |
|--------|-----------------------|
| Class: | FileSystemNode(File S |
|--------|-----------------------|

ystem Node Capacity S
tatistics)

Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 4ia, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 4ib, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 5rc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character

Description: Storage System Model Number
Select equivalent: K_SE_StorageSystem.Model
Where equivalent:

Qualification: dimension
List of values: 5rd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName
Where equivalent:

Qualification: dimension
List of values: 4ic, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Description
Type: Character
Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4id, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ie, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4if, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ig, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ih, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ii, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ij, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ik, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Has Advanced Retention Management? |
| Type: | Character |
| Description: | Has Advanced Retention Management (flag) |
| Select equivalent: | K_SE_StorageSystem.HasAdvRetentionMgmt |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4il, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Cache Block Size |
| Type: | Number |
| Description: | Cache Block Size |
| Select equivalent: | K_SE_StorageSystem.CacheBlockSize |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4im, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Has Compliance Mode? |
| Type: | Character |
| Description: | Has Compliance Mode (flag) |
| Select equivalent: | K_SE_StorageSystem.HasComplianceMode |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4in, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------|
| Object: | Domain |
| Type: | Character |
| Description: | Domain of the Storage System |

Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4io, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ip, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4iq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 4ir, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4is, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4it, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4iu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Replication Status**
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4iv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4iw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ix, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **DKC Microcode Version**

Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4iy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4j0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4j1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4j2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Other Identifying Info |
| Type: | Character |
| Description: | Other Identifying Info for the Storage System |
| Select equivalent: | K_SE_StorageSystem.OtherIdentifyingInfo |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4j3, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4j4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4j5, editable, manual refresh, not exportable |

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4j6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4j7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4j8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--------------------------------------|
| Object: | Primary Owner Name |
| Type: | Character |
| Description: | Primary Owner Name of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4j9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Primary Owner Contact |
| Type: | Character |
| Description: | Primary Owner Contact of Storage System |
| Select equivalent: | K_SE_StorageSystem.PrimaryOwnerContact |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4ja, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Last Contacted Timestamp |
| Type: | Date |
| Description: | Shows the time stamp of when the storage system was last contacted |
| Select equivalent: | K_SE_StorageSystem.LastContactedTimestamp |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4jb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------|
| Object: | Management URL |
|---------|----------------|

Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4jc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4jd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4je, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Processor Name
Type: Character
Description: Name of the processor
Select equivalent: K_SE_NAS_Processor.ProcessorName
Where equivalent:

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Processor UUID |
| Type: | Character |
| Description: | UUID of the processor |
| Select equivalent: | K_SE_NAS_Processor.ProcessorUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Class: | DATETIME(File System Node Capacity Statistics) |
| Description: | |

| | |
|--------------------|---------------------------|
| Object: | Year |
| Type: | Number |
| Description: | Year |
| Select equivalent: | DATETIME.TIME_YEAR_NUMBER |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4ji, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Month |
| Type: | Character |
| Description: | Month Name first Three Characters |
| Select equivalent: | (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3)) |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Month Name |
| Type: | Character |
| Description: | Month Name |
| Select equivalent: | DATETIME.TIME_MONTH_NAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Month |
| List of values: | 4jk, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Day |
| Type: | Number |
| Description: | Day |
| Select equivalent: | DATETIME.TIME_DAY_MONTH_NUMBER |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------|
| Object: | Day Name |
| Type: | Character |

Description: Day Name
Select equivalent: DATETIME.TIME_DAY_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Day
List of values: 4jm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour
Type: Number
Description: Hour
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: dimension
List of values: 4jn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Id
Type: Number
Description: Hour Id
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 4jo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Hour Description
Type: Character
Description: Time Hour Description
Select equivalent: DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:

Qualification: detail

Associated dimension name: Hour
List of values: 4jp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Full Date
Type: Date
Description: Full Date
Select equivalent: DATETIME.TIME_FULL_DATE
Where equivalent:

Qualification: dimension
List of values: 4jq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Is Holiday
Type: Character
Description: Time Is Holiday
Select equivalent: DATETIME.TIME_IS_HOLIDAY
Where equivalent:

Qualification: detail
Associated dimension name: Full Date
List of values: 4jr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Is Weekday
Type: Character
Description: Time Is Weekday
Select equivalent: DATETIME.TIME_IS_WEEKDAY
Where equivalent:

Qualification: detail
Associated dimension name: Full Date
List of values: 4js, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|------------------------|
| Object: | Hour Boundary |
| Type: | Number |
| Description: | Hour Boundary |
| Select equivalent: | DATETIME.HOUR_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------|
| Object: | Day Boundary |
| Type: | Number |
| Description: | Day Boundary |
| Select equivalent: | DATETIME.DAY_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4ju, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------|
| Object: | Week Boundary |
| Type: | Number |
| Description: | Week Boundary |
| Select equivalent: | DATETIME.WEEK_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-------------------------|
| Object: | Month Boundary |
| Type: | Number |
| Description: | Month Boundary |
| Select equivalent: | DATETIME.MONTH_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jw, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------|
| Object: | Year Boundary |
| Type: | Number |
| Description: | Year Boundary |
| Select equivalent: | DATETIME.YEAR_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4jx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|--|
| Class: | Raw File System Node Capacity Statistics |
| Description: | |

| | |
|--------------------|--|
| Object: | FreeHDD in GiB |
| Type: | Number |
| Description: | FreeHDD of File system node in GiB |
| Select equivalent: | SR_SE_NAS_SystemNode_Capacity.FreeHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | FreeHDD in GB |
| Type: | Number |
| Description: | FreeHDD of File system node in GB |
| Select equivalent: | SR_SE_NAS_SystemNode_Capacity.FreeHDDGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | FreeSSD in GiB |
| Type: | Number |
| Description: | FreeSSD of File system node in GiB |
| Select equivalent: | SR_SE_NAS_SystemNode_Capacity.FreeSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | FreeSSD in GB |
| Type: | Number |
| Description: | FreeSSD of File system node in GB |
| Select equivalent: | SR_SE_NAS_SystemNode_Capacity.FreeSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | TotalHDD in GiB |
| Type: | Number |
| Description: | TotalHDD of File system node in GiB |
| Select equivalent: | SR_SE_NAS_SystemNode_Capacity.TotalHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | TotalHDD in GB |
| Type: | Number |
| Description: | TotalHDD of File system node in GB |
| Select equivalent: | SR_SE_NAS_SystemNode_Capacity.TotalHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | TotalSSD in GiB |
| Type: | Number |
| Description: | TotalSSD of File system node in GiB |
| Select equivalent: | SR_SE_NAS_SystemNode_Capacity.TotalSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | TotalSSD in GB |
| Type: | Number |
| Description: | TotalSSD of File system node in GB |
| Select equivalent: | SR_SE_NAS_SystemNode_Capacity.TotalSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------|
| Object: | UsedHDD in GiB |
| Type: | Number |

Description: UsedHDD of File system node in GiB
Select equivalent: SR_SE_NAS_SystemNode_Capacity.UsedHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: UsedHDD in GB
Type: Number
Description: UsedHDD of File system node in GB
Select equivalent: SR_SE_NAS_SystemNode_Capacity.UsedHDDGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: UsedSSD in GiB
Type: Number
Description: UsedSSD of File system node in GiB
Select equivalent: SR_SE_NAS_SystemNode_Capacity.UsedSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: UsedSSD in GB
Type: Number
Description: UsedSSD of File system node in GB
Select equivalent: SR_SE_NAS_SystemNode_Capacity.UsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--|
| Class: | Hourly File SystemNode Capacity Statistics |
| Description: | |

Object: Total FreeHDD in GiB
Type: Number
Description: Total FreeHDD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.TOTFreeHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum FreeHDD in GiB
Type: Number
Description: Maximum FreeHDD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MAXFreeHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum FreeHDD in GiB
Type: Number
Description: Minimum FreeHDD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MINFreeHDDGiB
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average FreeHDD in GiB |
| Type: | Number |
| Description: | Average FreeHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.AVGFreeHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total FreeHDD in GB |
| Type: | Number |
| Description: | Total FreeHDD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.TOTFreeHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum FreeHDD in GB |
| Type: | Number |
| Description: | Maximum FreeHDD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MAXFreeHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum FreeHDD in GB
Type: Number
Description: Minimum FreeHDD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MINFreeHDDGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average FreeHDD in GB
Type: Number
Description: Average FreeHDD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.AVGFreeHDDGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total FreeSSD in GiB
Type: Number
Description: Total FreeSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.TOTFreeSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum FreeSSD in GiB

Type: Number
Description: Maximum FreeSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MAXFreeSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum FreeSSD in GiB
Type: Number
Description: Minimum FreeSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MINFreeSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average FreeSSD in GiB
Type: Number
Description: Average FreeSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.AVGFreeSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total FreeSSD in GB
Type: Number
Description: Total FreeSSD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.TOTFreeSSDGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum FreeSSD in GB |
| Type: | Number |
| Description: | Maximum FreeSSD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MAXFreeSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum FreeSSD in GB |
| Type: | Number |
| Description: | Minimum FreeSSD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MINFreeSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average FreeSSD in GB |
| Type: | Number |
| Description: | Average FreeSSD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.AVGFreeSSDGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total TotalHDD in GiB |
| Type: | Number |
| Description: | Total TotalHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.TOTTotalHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum TotalHDD in GiB |
| Type: | Number |
| Description: | Maximum TotalHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MAXTotalHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum TotalHDD in GiB |
| Type: | Number |
| Description: | Minimum TotalHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MINTotalHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average TotalHDD in GiB |
| Type: | Number |
| Description: | Average TotalHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.AVGTotalHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total TotalHDD in GB |
| Type: | Number |
| Description: | Total TotalHDD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.TOTTotalHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum TotalHDD in GB |
| Type: | Number |
| Description: | Maximum TotalHDD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MAXTotalHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum TotalHDD in GB |
| Type: | Number |
| Description: | Minimum TotalHDD of File system node in GB |

Select equivalent: SH_SE_NAS_SystemNode_Capacity.MINTotalHDDGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average TotalHDD in GB
Type: Number
Description: Average TotalHDD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.AVGTotalHDDGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total TotalSSD in GiB
Type: Number
Description: Total TotalSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.TOTTTotalSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalSSD in GiB
Type: Number
Description: Maximum TotalSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MAXTotalSSDGiB
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum TotalSSD in GiB |
| Type: | Number |
| Description: | Minimum TotalSSD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MINTotalSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average TotalSSD in GiB |
| Type: | Number |
| Description: | Average TotalSSD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.AVGTotalSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total TotalSSD in GB |
| Type: | Number |
| Description: | Total TotalSSD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.TOTTotalSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum TotalSSD in GB
Type: Number
Description: Maximum TotalSSD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MAXTotalSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum TotalSSD in GB
Type: Number
Description: Minimum TotalSSD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MINTotalSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average TotalSSD in GB
Type: Number
Description: Average TotalSSD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.AVGTotalSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UsedHDD in GiB

| | |
|--------------------|---|
| Type: | Number |
| Description: | Total UsedHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.TOTUsedHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum UsedHDD in GiB |
| Type: | Number |
| Description: | Maximum UsedHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MAXUsedHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UsedHDD in GiB |
| Type: | Number |
| Description: | Minimum UsedHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MINUsedHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UsedHDD in GiB |
| Type: | Number |
| Description: | Average UsedHDD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.AVGUsedHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total UsedHDD in GB |
| Type: | Number |
| Description: | Total UsedHDD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.TOTUsedHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum UsedHDD in GB |
| Type: | Number |
| Description: | Maximum UsedHDD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MAXUsedHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum UsedHDD in GB |
| Type: | Number |
| Description: | Minimum UsedHDD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MINUsedHDDGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average UsedHDD in GB |
| Type: | Number |
| Description: | Average UsedHDD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.AVGUsedHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total UsedSSD in GiB |
| Type: | Number |
| Description: | Total UsedSSD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.TOTUsedSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum UsedSSD in GiB |
| Type: | Number |
| Description: | Maximum UsedSSD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MAXUsedSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UsedSSD in GiB |
| Type: | Number |
| Description: | Minimum UsedSSD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.MINUsedSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UsedSSD in GiB |
| Type: | Number |
| Description: | Average UsedSSD of File system node in GiB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.AVGUsedSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total UsedSSD in GB |
| Type: | Number |
| Description: | Total UsedSSD of File system node in GB |
| Select equivalent: | SH_SE_NAS_SystemNode_Capacity.TOTUsedSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Maximum UsedSSD in GB |
| Type: | Number |
| Description: | Maximum UsedSSD of File system node in GB |

Select equivalent: SH_SE_NAS_SystemNode_Capacity.MAXUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UsedSSD in GB
Type: Number
Description: Minimum UsedSSD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MINUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedSSD in GB
Type: Number
Description: Average UsedSSD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.AVGUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|---|
| Class: | Daily File SystemNode Capacity Statistics |
| Description: | |

Object: Total FreeHDD in GiB
Type: Number
Description: Total FreeHDD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.TOTFreeHDDGiB

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum FreeHDD in GiB |
| Type: | Number |
| Description: | Maximum FreeHDD of File system node in GiB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MAXFreeHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum FreeHDD in GiB |
| Type: | Number |
| Description: | Minimum FreeHDD of File system node in GiB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MINFreeHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average FreeHDD in GiB |
| Type: | Number |
| Description: | Average FreeHDD of File system node in GiB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.AVGFreeHDDGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total FreeHDD in GB |
| Type: | Number |
| Description: | Total FreeHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.TOTFreeHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum FreeHDD in GB |
| Type: | Number |
| Description: | Maximum FreeHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MAXFreeHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum FreeHDD in GB |
| Type: | Number |
| Description: | Minimum FreeHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MINFreeHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average FreeHDD in GB |
| Type: | Number |
| Description: | Average FreeHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.AVGFreeHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total FreeSSD in GiB |
| Type: | Number |
| Description: | Total FreeSSD of File system node in GiB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.TOTFreeSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum FreeSSD in GiB |
| Type: | Number |
| Description: | Maximum FreeSSD of File system node in GiB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MAXFreeSSDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------|
| Object: | Minimum FreeSSD in GiB |
| Type: | Number |

Description: Minimum FreeSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MINFreeSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average FreeSSD in GiB
Type: Number
Description: Average FreeSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.AVGFreeSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total FreeSSD in GB
Type: Number
Description: Total FreeSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.TOTFreeSSDGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum FreeSSD in GB
Type: Number
Description: Maximum FreeSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MAXFreeSSDGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum FreeSSD in GB |
| Type: | Number |
| Description: | Minimum FreeSSD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MINFreeSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average FreeSSD in GB |
| Type: | Number |
| Description: | Average FreeSSD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.AVGFreeSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total TotalHDD in GiB |
| Type: | Number |
| Description: | Total TotalHDD of File system node in GiB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.TOTTTotalHDDGiB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalHDD in GiB
Type: Number
Description: Maximum TotalHDD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MAXTotalHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum TotalHDD in GiB
Type: Number
Description: Minimum TotalHDD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MINTotalHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average TotalHDD in GiB
Type: Number
Description: Average TotalHDD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.AVGTotalHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Total TotalHDD in GB |
| Type: | Number |
| Description: | Total TotalHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.TOTTotalHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum TotalHDD in GB |
| Type: | Number |
| Description: | Maximum TotalHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MAXTotalHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum TotalHDD in GB |
| Type: | Number |
| Description: | Minimum TotalHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MINTotalHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average TotalHDD in GB |
| Type: | Number |
| Description: | Average TotalHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.AVGTotalHDDGB |

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total TotalSSD in GiB
Type: Number
Description: Total TotalSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.TOTTotalSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalSSD in GiB
Type: Number
Description: Maximum TotalSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MAXTotalSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum TotalSSD in GiB
Type: Number
Description: Minimum TotalSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MINTotalSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Min

List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average TotalSSD in GiB
Type: Number
Description: Average TotalSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.AVGTotalSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total TotalSSD in GB
Type: Number
Description: Total TotalSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.TOTTTotalSSDGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalSSD in GB
Type: Number
Description: Maximum TotalSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MAXTotalSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Minimum TotalSSD in GB |
| Type: | Number |
| Description: | Minimum TotalSSD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MINTotalSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average TotalSSD in GB |
| Type: | Number |
| Description: | Average TotalSSD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.AVGTotalSSDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total UsedHDD in GiB |
| Type: | Number |
| Description: | Total UsedHDD of File system node in GiB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.TOTUsedHDDGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------|
| Object: | Maximum UsedHDD in GiB |
| Type: | Number |

Description: Maximum UsedHDD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MAXUsedHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UsedHDD in GiB
Type: Number
Description: Minimum UsedHDD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MINUsedHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedHDD in GiB
Type: Number
Description: Average UsedHDD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.AVGUsedHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UsedHDD in GB
Type: Number
Description: Total UsedHDD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.TOTUsedHDDGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum UsedHDD in GB |
| Type: | Number |
| Description: | Maximum UsedHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MAXUsedHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum UsedHDD in GB |
| Type: | Number |
| Description: | Minimum UsedHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.MINUsedHDDGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average UsedHDD in GB |
| Type: | Number |
| Description: | Average UsedHDD of File system node in GB |
| Select equivalent: | SD_SE_NAS_SystemNode_Capacity.AVGUsedHDDGB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Total UsedSSD in GiB
Type: Number
Description: Total UsedSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.TOTUsedSSDGIB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UsedSSD in GiB
Type: Number
Description: Maximum UsedSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MAXUsedSSDGIB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UsedSSD in GiB
Type: Number
Description: Minimum UsedSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MINUsedSSDGIB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedSSD in GiB
Type: Number
Description: Average UsedSSD of File system node in GiB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.AVGUsedSSDGIB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UsedSSD in GB
Type: Number
Description: Total UsedSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.TOTUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UsedSSD in GB
Type: Number
Description: Maximum UsedSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MAXUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UsedSSD in GB
Type: Number
Description: Minimum UsedSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MINUsedSSDGB

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedSSD in GB
Type: Number
Description: Average UsedSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.AVGUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|-----------------------------------|
| Class: | HourlyOLAP-FileSystemNodeCapacity |
| Description: | |

Object: Total FreeHDD in GiB
Type: Number
Description: Total FreeHDD of File system node in GiB
Select equivalent: sum(SH_SE_NAS_SystemNode_Capacity.TOTFreeHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum FreeHDD in GiB
Type: Number
Description: Maximum FreeHDD of File system node in GiB
Select equivalent: max(SH_SE_NAS_SystemNode_Capacity.MAXFreeHDDGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum FreeHDD in GiB |
| Type: | Number |
| Description: | Minimum FreeHDD of File system node in GiB |
| Select equivalent: | min(SH_SE_NAS_SystemNode_Capacity.MINFreeHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average FreeHDD in GiB |
| Type: | Number |
| Description: | Average FreeHDD of File system node in GiB |
| Select equivalent: | avg(SH_SE_NAS_SystemNode_Capacity.AVGFreeHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total FreeHDD in GB |
| Type: | Number |
| Description: | Total FreeHDD of File system node in GB |
| Select equivalent: | sum(SH_SE_NAS_SystemNode_Capacity.TOTFreeHDDGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum FreeHDD in GB |
| Type: | Number |
| Description: | Maximum FreeHDD of File system node in GB |
| Select equivalent: | max(SH_SE_NAS_SystemNode_Capacity.MAXFreeHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum FreeHDD in GB |
| Type: | Number |
| Description: | Minimum FreeHDD of File system node in GB |
| Select equivalent: | min(SH_SE_NAS_SystemNode_Capacity.MINFreeHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average FreeHDD in GB |
| Type: | Number |
| Description: | Average FreeHDD of File system node in GB |
| Select equivalent: | avg(SH_SE_NAS_SystemNode_Capacity.AVGFreeHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total FreeSSD in GiB |
| Type: | Number |
| Description: | Total FreeSSD of File system node in GiB |
| Select equivalent: | sum(SH_SE_NAS_SystemNode_Capacity.TOTFreeSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum FreeSSD in GiB |
| Type: | Number |
| Description: | Maximum FreeSSD of File system node in GiB |
| Select equivalent: | max(SH_SE_NAS_SystemNode_Capacity.MAXFreeSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum FreeSSD in GiB |
| Type: | Number |
| Description: | Minimum FreeSSD of File system node in GiB |
| Select equivalent: | min(SH_SE_NAS_SystemNode_Capacity.MINFreeSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Average FreeSSD in GiB |
| Type: | Number |
| Description: | Average FreeSSD of File system node in GiB |

Select equivalent: avg(SH_SE_NAS_SystemNode_Capacity.AVGFreeSSDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total FreeSSD in GB
Type: Number
Description: Total FreeSSD of File system node in GB
Select equivalent: sum(SH_SE_NAS_SystemNode_Capacity.TOTFreeSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum FreeSSD in GB
Type: Number
Description: Maximum FreeSSD of File system node in GB
Select equivalent: max(SH_SE_NAS_SystemNode_Capacity.MAXFreeSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum FreeSSD in GB
Type: Number
Description: Minimum FreeSSD of File system node in GB
Select equivalent: min(SH_SE_NAS_SystemNode_Capacity.MINFreeSSDGB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average FreeSSD in GB |
| Type: | Number |
| Description: | Average FreeSSD of File system node in GB |
| Select equivalent: | avg(SH_SE_NAS_SystemNode_Capacity.AVGFreeSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total TotalHDD in GiB |
| Type: | Number |
| Description: | Total TotalHDD of File system node in GiB |
| Select equivalent: | sum(SH_SE_NAS_SystemNode_Capacity.TOTTTotalHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum TotalHDD in GiB |
| Type: | Number |
| Description: | Maximum TotalHDD of File system node in GiB |
| Select equivalent: | max(SH_SE_NAS_SystemNode_Capacity.MAXTotalHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Minimum TotalHDD in GiB
Type: Number
Description: Minimum TotalHDD of File system node in GiB
Select equivalent: min(SH_SE_NAS_SystemNode_Capacity.MINTotalHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average TotalHDD in GiB
Type: Number
Description: Average TotalHDD of File system node in GiB
Select equivalent: avg(SH_SE_NAS_SystemNode_Capacity.AVGTotalHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total TotalHDD in GB
Type: Number
Description: Total TotalHDD of File system node in GB
Select equivalent: sum(SH_SE_NAS_SystemNode_Capacity.TOTTTotalHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalHDD in GB

| | |
|--------------------|--|
| Type: | Number |
| Description: | Maximum TotalHDD of File system node in GB |
| Select equivalent: | max(SH_SE_NAS_SystemNode_Capacity.MAXTotalHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum TotalHDD in GB |
| Type: | Number |
| Description: | Minimum TotalHDD of File system node in GB |
| Select equivalent: | min(SH_SE_NAS_SystemNode_Capacity.MINTotalHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average TotalHDD in GB |
| Type: | Number |
| Description: | Average TotalHDD of File system node in GB |
| Select equivalent: | avg(SH_SE_NAS_SystemNode_Capacity.AVGTotalHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total TotalSSD in GiB |
| Type: | Number |
| Description: | Total TotalSSD of File system node in GiB |
| Select equivalent: | sum(SH_SE_NAS_SystemNode_Capacity.TOTTTotalSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum TotalSSD in GiB |
| Type: | Number |
| Description: | Maximum TotalSSD of File system node in GiB |
| Select equivalent: | max(SH_SE_NAS_SystemNode_Capacity.MAXTotalSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum TotalSSD in GiB |
| Type: | Number |
| Description: | Minimum TotalSSD of File system node in GiB |
| Select equivalent: | min(SH_SE_NAS_SystemNode_Capacity.MINTotalSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average TotalSSD in GiB |
| Type: | Number |
| Description: | Average TotalSSD of File system node in GiB |
| Select equivalent: | avg(SH_SE_NAS_SystemNode_Capacity.AVGTotalSSDGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total TotalSSD in GB |
| Type: | Number |
| Description: | Total TotalSSD of File system node in GB |
| Select equivalent: | sum(SH_SE_NAS_SystemNode_Capacity.TOTTotalSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum TotalSSD in GB |
| Type: | Number |
| Description: | Maximum TotalSSD of File system node in GB |
| Select equivalent: | max(SH_SE_NAS_SystemNode_Capacity.MAXTotalSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum TotalSSD in GB |
| Type: | Number |
| Description: | Minimum TotalSSD of File system node in GB |
| Select equivalent: | min(SH_SE_NAS_SystemNode_Capacity.MINTotalSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average TotalSSD in GB |
| Type: | Number |
| Description: | Average TotalSSD of File system node in GB |
| Select equivalent: | avg(SH_SE_NAS_SystemNode_Capacity.AVGTotalSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total UsedHDD in GiB |
| Type: | Number |
| Description: | Total UsedHDD of File system node in GiB |
| Select equivalent: | sum(SH_SE_NAS_SystemNode_Capacity.TOTUsedHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum UsedHDD in GiB |
| Type: | Number |
| Description: | Maximum UsedHDD of File system node in GiB |
| Select equivalent: | max(SH_SE_NAS_SystemNode_Capacity.MAXUsedHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Minimum UsedHDD in GiB |
| Type: | Number |
| Description: | Minimum UsedHDD of File system node in GiB |

Select equivalent: min(SH_SE_NAS_SystemNode_Capacity.MINUsedHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedHDD in GiB
Type: Number
Description: Average UsedHDD of File system node in GiB
Select equivalent: avg(SH_SE_NAS_SystemNode_Capacity.AVGUsedHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UsedHDD in GB
Type: Number
Description: Total UsedHDD of File system node in GB
Select equivalent: sum(SH_SE_NAS_SystemNode_Capacity.TOTUsedHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UsedHDD in GB
Type: Number
Description: Maximum UsedHDD of File system node in GB
Select equivalent: max(SH_SE_NAS_SystemNode_Capacity.MAXUsedHDDGB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UsedHDD in GB |
| Type: | Number |
| Description: | Minimum UsedHDD of File system node in GB |
| Select equivalent: | min(SH_SE_NAS_SystemNode_Capacity.MINUsedHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UsedHDD in GB |
| Type: | Number |
| Description: | Average UsedHDD of File system node in GB |
| Select equivalent: | avg(SH_SE_NAS_SystemNode_Capacity.AVGUsedHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total UsedSSD in GiB |
| Type: | Number |
| Description: | Total UsedSSD of File system node in GiB |
| Select equivalent: | sum(SH_SE_NAS_SystemNode_Capacity.TOTUsedSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum UsedSSD in GiB
Type: Number
Description: Maximum UsedSSD of File system node in GiB
Select equivalent: max(SH_SE_NAS_SystemNode_Capacity.MAXUsedSSDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UsedSSD in GiB
Type: Number
Description: Minimum UsedSSD of File system node in GiB
Select equivalent: min(SH_SE_NAS_SystemNode_Capacity.MINUsedSSDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedSSD in GiB
Type: Number
Description: Average UsedSSD of File system node in GiB
Select equivalent: avg(SH_SE_NAS_SystemNode_Capacity.AVGUsedSSDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UsedSSD in GB

| | |
|--------------------|---|
| Type: | Number |
| Description: | Total UsedSSD of File system node in GB |
| Select equivalent: | sum(SH_SE_NAS_SystemNode_Capacity.TOTUsedSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum UsedSSD in GB |
| Type: | Number |
| Description: | Maximum UsedSSD of File system node in GB |
| Select equivalent: | max(SH_SE_NAS_SystemNode_Capacity.MAXUsedSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UsedSSD in GB |
| Type: | Number |
| Description: | Minimum UsedSSD of File system node in GB |
| Select equivalent: | min(SH_SE_NAS_SystemNode_Capacity.MINUsedSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UsedSSD in GB |
| Type: | Number |
| Description: | Average UsedSSD of File system node in GB |
| Select equivalent: | avg(SH_SE_NAS_SystemNode_Capacity.AVGUsedSSDGB) |
| Where equivalent: | |

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|----------------------------------|
| Class: | DailyOLAP-FileSystemNodeCapacity |
| Description: | |

Object: Total FreeHDD in GiB
Type: Number
Description: Total FreeHDD of File system node in GiB
Select equivalent: sum(SD_SE_NAS_SystemNode_Capacity.TOTFreeHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum FreeHDD in GiB
Type: Number
Description: Maximum FreeHDD of File system node in GiB
Select equivalent: max(SD_SE_NAS_SystemNode_Capacity.MAXFreeHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum FreeHDD in GiB
Type: Number
Description: Minimum FreeHDD of File system node in GiB
Select equivalent: min(SD_SE_NAS_SystemNode_Capacity.MINFreeHDDGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average FreeHDD in GiB |
| Type: | Number |
| Description: | Average FreeHDD of File system node in GiB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGFreeHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total FreeHDD in GB |
| Type: | Number |
| Description: | Total FreeHDD of File system node in GB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTFreeHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum FreeHDD in GB |
| Type: | Number |
| Description: | Maximum FreeHDD of File system node in GB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXFreeHDDGB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Minimum FreeHDD in GB
Type: Number
Description: Minimum FreeHDD of File system node in GB
Select equivalent: min(SD_SE_NAS_SystemNode_Capacity.MINFreeHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average FreeHDD in GB
Type: Number
Description: Average FreeHDD of File system node in GB
Select equivalent: avg(SD_SE_NAS_SystemNode_Capacity.AVGFreeHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total FreeSSD in GiB
Type: Number
Description: Total FreeSSD of File system node in GiB
Select equivalent: sum(SD_SE_NAS_SystemNode_Capacity.TOTFreeSSDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Maximum FreeSSD in GiB |
| Type: | Number |
| Description: | Maximum FreeSSD of File system node in GiB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXFreeSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum FreeSSD in GiB |
| Type: | Number |
| Description: | Minimum FreeSSD of File system node in GiB |
| Select equivalent: | min(SD_SE_NAS_SystemNode_Capacity.MINFreeSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average FreeSSD in GiB |
| Type: | Number |
| Description: | Average FreeSSD of File system node in GiB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGFreeSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total FreeSSD in GB |
| Type: | Number |
| Description: | Total FreeSSD of File system node in GB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTFreeSSDGB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum FreeSSD in GB |
| Type: | Number |
| Description: | Maximum FreeSSD of File system node in GB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXFreeSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum FreeSSD in GB |
| Type: | Number |
| Description: | Minimum FreeSSD of File system node in GB |
| Select equivalent: | min(SD_SE_NAS_SystemNode_Capacity.MINFreeSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average FreeSSD in GB |
| Type: | Number |
| Description: | Average FreeSSD of File system node in GB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGFreeSSDGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total TotalHDD in GiB |
| Type: | Number |
| Description: | Total TotalHDD of File system node in GiB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTTTotalHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum TotalHDD in GiB |
| Type: | Number |
| Description: | Maximum TotalHDD of File system node in GiB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXTotalHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum TotalHDD in GiB |
| Type: | Number |
| Description: | Minimum TotalHDD of File system node in GiB |
| Select equivalent: | min(SD_SE_NAS_SystemNode_Capacity.MINTotalHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average TotalHDD in GiB |
| Type: | Number |
| Description: | Average TotalHDD of File system node in GiB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGTotalHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total TotalHDD in GB |
| Type: | Number |
| Description: | Total TotalHDD of File system node in GB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTTTotalHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum TotalHDD in GB |
| Type: | Number |
| Description: | Maximum TotalHDD of File system node in GB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXTotalHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------|
| Object: | Minimum TotalHDD in GB |
| Type: | Number |

Description: Minimum TotalHDD of File system node in GB
Select equivalent: min(SD_SE_NAS_SystemNode_Capacity.MINTotalHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average TotalHDD in GB
Type: Number
Description: Average TotalHDD of File system node in GB
Select equivalent: avg(SD_SE_NAS_SystemNode_Capacity.AVGTotalHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total TotalSSD in GiB
Type: Number
Description: Total TotalSSD of File system node in GiB
Select equivalent: sum(SD_SE_NAS_SystemNode_Capacity.TOTTTotalSSDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalSSD in GiB
Type: Number
Description: Maximum TotalSSD of File system node in GiB
Select equivalent: max(SD_SE_NAS_SystemNode_Capacity.MAXTotalSSDGiB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum TotalSSD in GiB |
| Type: | Number |
| Description: | Minimum TotalSSD of File system node in GiB |
| Select equivalent: | min(SD_SE_NAS_SystemNode_Capacity.MINTotalSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average TotalSSD in GiB |
| Type: | Number |
| Description: | Average TotalSSD of File system node in GiB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGTotalSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total TotalSSD in GB |
| Type: | Number |
| Description: | Total TotalSSD of File system node in GB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTTTotalSSDGB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalSSD in GB
Type: Number
Description: Maximum TotalSSD of File system node in GB
Select equivalent: max(SD_SE_NAS_SystemNode_Capacity.MAXTotalSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum TotalSSD in GB
Type: Number
Description: Minimum TotalSSD of File system node in GB
Select equivalent: min(SD_SE_NAS_SystemNode_Capacity.MINTotalSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average TotalSSD in GB
Type: Number
Description: Average TotalSSD of File system node in GB
Select equivalent: avg(SD_SE_NAS_SystemNode_Capacity.AVGTotalSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|--|
| Object: | Total UsedHDD in GiB |
| Type: | Number |
| Description: | Total UsedHDD of File system node in GiB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTUsedHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum UsedHDD in GiB |
| Type: | Number |
| Description: | Maximum UsedHDD of File system node in GiB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXUsedHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum UsedHDD in GiB |
| Type: | Number |
| Description: | Minimum UsedHDD of File system node in GiB |
| Select equivalent: | min(SD_SE_NAS_SystemNode_Capacity.MINUsedHDDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average UsedHDD in GiB |
| Type: | Number |
| Description: | Average UsedHDD of File system node in GiB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGUsedHDDGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total UsedHDD in GB |
| Type: | Number |
| Description: | Total UsedHDD of File system node in GB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTUsedHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum UsedHDD in GB |
| Type: | Number |
| Description: | Maximum UsedHDD of File system node in GB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXUsedHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UsedHDD in GB |
| Type: | Number |
| Description: | Minimum UsedHDD of File system node in GB |
| Select equivalent: | min(SD_SE_NAS_SystemNode_Capacity.MINUsedHDDGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UsedHDD in GB |
| Type: | Number |
| Description: | Average UsedHDD of File system node in GB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGUsedHDDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total UsedSSD in GiB |
| Type: | Number |
| Description: | Total UsedSSD of File system node in GiB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTUsedSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum UsedSSD in GiB |
| Type: | Number |
| Description: | Maximum UsedSSD of File system node in GiB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXUsedSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum UsedSSD in GiB |
| Type: | Number |
| Description: | Minimum UsedSSD of File system node in GiB |
| Select equivalent: | min(SD_SE_NAS_SystemNode_Capacity.MINUsedSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average UsedSSD in GiB |
| Type: | Number |
| Description: | Average UsedSSD of File system node in GiB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGUsedSSDGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total UsedSSD in GB |
| Type: | Number |
| Description: | Total UsedSSD of File system node in GB |
| Select equivalent: | sum(SD_SE_NAS_SystemNode_Capacity.TOTUsedSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|-----------------------|
| Object: | Maximum UsedSSD in GB |
| Type: | Number |

| | |
|--------------------|---|
| Description: | Maximum UsedSSD of File system node in GB |
| Select equivalent: | max(SD_SE_NAS_SystemNode_Capacity.MAXUsedSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum UsedSSD in GB |
| Type: | Number |
| Description: | Minimum UsedSSD of File system node in GB |
| Select equivalent: | min(SD_SE_NAS_SystemNode_Capacity.MINUsedSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average UsedSSD in GB |
| Type: | Number |
| Description: | Average UsedSSD of File system node in GB |
| Select equivalent: | avg(SD_SE_NAS_SystemNode_Capacity.AVGUsedSSDGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-----------------------------------|
| Class: | File Snapshot Capacity Statistics |
| Description: | File Snapshot Capacity Statistics |

No objects

| | |
|--------------|--|
| Class: | NASSnapshot(File Snapshot Capacity Statistics) |
| Description: | |

| | |
|------------------------|---|
| Object: | SOM Source Name |
| Type: | Character |
| Description: | Name of the source SOM server |
| Select equivalent: | K_SE_StorageSystem.SEiSourceName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 5cb, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|------------------------|---|
| Object: | Tenant Name |
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 5cc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|------------------------|---|
| Object: | Node Group Name |
| Type: | Character |
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 5qc, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5qe, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5qg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Custom Field 3 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED3 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5qi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Custom Field 4 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED4 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5qk, editable, manual refresh, not exportable |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Custom Field 5 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED5 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5qm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Ngroup Snapshot Time |
| Type: | Date |
| Description: | Ngroup Snapshot Time |
| Select equivalent: | K_SE_NODEGROUPS.SNAPSHOTTIME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5qo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------------------|
| Object: | Group Path |
| Type: | Character |
| Description: | Group Path of the group Hierarchy |
| Select equivalent: | K_SE_NGROUP_PATH.GROUPPATH |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5qq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5qs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5qu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element Name
Type: Character
Description: Name of the Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:

Qualification: dimension
List of values: 5qw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element Type
Type: Character
Description: Type of Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5qy, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5cd, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5ce, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5cf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5cg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC |
| Select equivalent: | K_SE_StorageSystem.DiscoveryStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5ch, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Storage System IP Address |
| Type: | Character |
| Description: | IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.IPAddress |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5ci, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--------------------------------|
| Object: | Storage System DNS |
| Type: | Character |
| Description: | DNS name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.DNSName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5cj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Storage System WWN |
| Type: | Character |
| Description: | World Wide Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.WWN |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5ck, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-------------------------------------|
| Object: | Storage System SerialNumber |
| Type: | Character |
| Description: | Serial Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.SerialNumber |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5cl, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |

Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5co, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 5cp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ct, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Replication IP

Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5d0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5d1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **DKC Microcode Version**
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5d2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Family**
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5d3, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Hardware Version |
| Type: | Character |
| Description: | Hardware Version of the Storage System |
| Select equivalent: | K_SE_StorageSystem.HardwareVersion |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5d4, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Identifying Descriptions |
| Type: | Character |
| Description: | Identifying Descriptions for the Storage System |
| Select equivalent: | K_SE_StorageSystem.IdentifyingDescriptions |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5d5, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Other Identifying Info |
| Type: | Character |
| Description: | Other Identifying Info for the Storage System |
| Select equivalent: | K_SE_StorageSystem.OtherIdentifyingInfo |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5d6, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------------|
| Object: | Provider Tag |
| Type: | Character |
| Description: | Provider Tag of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ProviderTag |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5d7, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Parent Name |
| Type: | Character |
| Description: | Parent Name for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5d8, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5d9, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|-------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |

Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5da, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5db, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5dc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 5dd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5de, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5df, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5dg, editable, manual refresh, not exportable

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-------------------------------|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 5dh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | File Logical Volume |
| Type: | Character |
| Description: | File Logical Volume |
| Select equivalent: | K_SE_NAS_LogicalVolume.LogicalVolumeName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5di, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---------------------------------------|
| Object: | LVDDescription |
| Type: | Character |
| Description: | Description about File Logical Volume |
| Select equivalent: | K_SE_NAS_LogicalVolume.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5dj, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates whether a logical volume is thinly provisioned or not
Select equivalent: K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5dk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Model Type
Type: Character
Description: Represents whether the volume is 'Logical Disk' or 'File System' or 'LUN'
Select equivalent: K_SE_NAS_LogicalVolume.ModelType
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5dl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Block Size (Bytes)
Type: Number
Description: Block Size in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.Blocksize
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5dm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Number Of Blocks
Type: Number

Description: Number Of Blocks
Select equivalent: K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5dn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Consumable Blocks (Bytes)
Type: Number
Description: Consumable Blocks in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5do, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Cluster Shared?
Type: Character
Description: Indicates whether a logical volume is cluster shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5dp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Device ID
Type: Character
Description: Device ID
Select equivalent: K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5dq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--------------------------------|
| Object: | Share ID |
| Type: | Character |
| Description: | Share ID |
| Select equivalent: | K_SE_NAS_LogicalVolume.ShareID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5dr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---|
| Object: | Is Shared? |
| Type: | Character |
| Description: | Indicates whether a logical volume is shared or not |
| Select equivalent: | K_SE_NAS_LogicalVolume.IsShared |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5ds, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|---------------------------------------|
| Object: | File System Type |
| Type: | Character |
| Description: | File System Type |
| Select equivalent: | K_SE_NAS_LogicalVolume.FileSystemType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5dt, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------------|
| Object: | Name of the Share |
| Type: | Character |
| Description: | Name of the share |
| Select equivalent: | K_SE_NAS_LogicalVolume.ShareName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5du, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--|
| Object: | Share System Name |
| Type: | Character |
| Description: | Share System Name |
| Select equivalent: | K_SE_NAS_LogicalVolume.ShareSystemName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 5dv, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|--------------------------------|
| Object: | Snapshot Name |
| Type: | Character |
| Description: | Name of the File Snapshot |
| Select equivalent: | K_SE_NAS_Snapshot.SNAPSHOTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5dw, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|---------|------------------------|
| Object: | Snapshot Status |
|---------|------------------------|

Type: Character
Description: Status of File Snapshot
Select equivalent: K_SE_NAS_Snapshot.STATUS
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 5dx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Snapshot File System Type
Type: Character
Description: Type of the file system of Snapshot
Select equivalent: K_SE_NAS_Snapshot.FILESYSTEMTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 5dy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: SnapshotID
Type: Character
Description: SnapshotID
Select equivalent: K_SE_NAS_Snapshot.SNAPSHOTID
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 5e0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Parent File Volume Name
Type: Character
Description: Name of the parent File Volume
Select equivalent: K_SE_NAS_Snapshot.PARENTNASVOLUMENAME
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 5e1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Snapshot Description**
Type: Character
Description: Description of the File Snapshot
Select equivalent: K_SE_NAS_Snapshot.DESRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 5e2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Storage System UUID**
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 5e3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Logical Volume UUID**
Type: Character
Description: UUID of the File logical volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 5e4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Snapshot UUID
Type: Character
Description: UUID of the File Snapshot
Select equivalent: K_SE_NAS_Snapshot.SNAPSHOTUUID
Where equivalent:

Qualification: dimension
List of values: 5e5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5r1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|---|
| Class: | FileSnapshot(File Snapshot Capacity Statistics) |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 53d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name

| | |
|--------------------|-------------------------------|
| Type: | Character |
| Description: | Tenant Name |
| Select equivalent: | K_SE_StorageSystem.TenantName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 53e, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------|
| Object: | Node Group Name |
| Type: | Character |
| Description: | Name of the Node Group |
| Select equivalent: | K_SE_NODEGROUPS.NODEGROUPNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5mf, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 1 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED1 |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Node Group Name |
| List of values: | 5mh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Custom Field 2 |
| Type: | Character |
| Description: | Custom Filed is free container of storing metadata |
| Select equivalent: | K_SE_NODEGROUPS.CUSTOMFILED2 |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: Node Group Name
List of values: 5mj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ml, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5mn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5mp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5mr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5mt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPELEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5mv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character

| | |
|--------------------|----------------------------------|
| Description: | Name of the Parent Node Group |
| Select equivalent: | K_SE_NGROUP_PATH.PARENTGROUPNAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Group Path |
| List of values: | 5mx, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Element Name |
| Type: | Character |
| Description: | Name of the Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 5n0, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------------|
| Object: | Element Type |
| Type: | Character |
| Description: | Type of Element |
| Select equivalent: | K_SE_NGROUPNODES.ELEMENTTYPE |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Element Name |
| List of values: | 5n2, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|----------------------------|
| Object: | Vendor |
| Type: | Character |
| Description: | Storage system vendor name |
| Select equivalent: | K_SE_StorageSystem.Vendor |
| Where equivalent: | |

| | |
|----------------|-----------|
| Qualification: | dimension |
|----------------|-----------|

| | |
|------------------------|---|
| List of values: | 53f, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 53g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 53h, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 53i, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN

Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53s, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 53v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---------------------------------|
| Object: | Is Manageable? |
| Type: | Character |
| Description: | Is Manageable |
| Select equivalent: | K_SE_StorageSystem.IsManageable |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 53w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Volume Name Length |
| Type: | Character |
| Description: | Maximum allowed length for Volume Names |
| Select equivalent: | K_SE_StorageSystem.MaxVolumeNameLength |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 53x, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Replication IP |
| Type: | Character |
| Description: | Replication IP Address of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ReplicationIP |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 53y, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Replication Pools |
| Type: | Character |
| Description: | Replication Pools of the Storage System |

Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 540, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 541, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage On Access
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 542, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 543, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 544, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 545, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 546, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 547, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 548, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 549, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name

Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 54g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: File Logical Volume
Type: Character
Description: File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:

Qualification: dimension
List of values: 54k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: LVDescription
Type: Character
Description: Description about File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.Description
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 54l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates whether a logical volume is thinly provisioned or not
Select equivalent: K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 54m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model Type
Type: Character

| | |
|----------------------------|---|
| Description: | Represents whether the volume is 'Logical Disk' or 'File System' or 'LUN' |
| Select equivalent: | K_SE_NAS_LogicalVolume.ModelType |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 54n, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------------|
| Object: | Block Size (Bytes) |
| Type: | Number |
| Description: | Block Size in Bytes |
| Select equivalent: | K_SE_NAS_LogicalVolume.Blocksizes |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 54o, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Number Of Blocks |
| Type: | Number |
| Description: | Number Of Blocks |
| Select equivalent: | K_SE_NAS_LogicalVolume.NumberOfBlocks |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 54p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Consumable Blocks (Bytes) |
| Type: | Number |
| Description: | Consumable Blocks in Bytes |
| Select equivalent: | K_SE_NAS_LogicalVolume.ConsumableBlocks |

Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 54q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Cluster Shared?
Type: Character
Description: Indicates whether a logical volume is cluster shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 54r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Device ID
Type: Character
Description: Device ID
Select equivalent: K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 54s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share ID
Type: Character
Description: Share ID
Select equivalent: K_SE_NAS_LogicalVolume.ShareID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume

| | |
|------------------------|---|
| List of values: | 54t, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Is Shared? |
| Type: | Character |
| Description: | Indicates whether a logical volume is shared or not |
| Select equivalent: | K_SE_NAS_LogicalVolume.IsShared |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 54u, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | File System Type |
| Type: | Character |
| Description: | File System Type |
| Select equivalent: | K_SE_NAS_LogicalVolume.FileSystemType |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 54v, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------------|
| Object: | Name of the Share |
| Type: | Character |
| Description: | Name of the share |
| Select equivalent: | K_SE_NAS_LogicalVolume.ShareName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 54w, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Share System Name |
| Type: | Character |
| Description: | Share System Name |
| Select equivalent: | K_SE_NAS_LogicalVolume.ShareSystemName |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Logical Volume |
| List of values: | 54x, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Snapshot Name |
| Type: | Character |
| Description: | Name of the File Snapshot |
| Select equivalent: | K_SE_NAS_Snapshot.SNAPSHOTNAME |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 54y, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Snapshot Status |
| Type: | Character |
| Description: | Status of File Snapshot |
| Select equivalent: | K_SE_NAS_Snapshot.STATUS |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Snapshot Name |
| List of values: | 550, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------------------|
| Object: | Snapshot File System Type |
| Type: | Character |
| Description: | Type of the file system of Snapshot |

Select equivalent: K_SE_NAS_Snapshot.FILESYSTEMTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 551, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SnapshotID
Type: Character
Description: SnapshotID
Select equivalent: K_SE_NAS_Snapshot.SNAPSHOTID
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 552, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent File Volume Name
Type: Character
Description: Name of the parent File Volume
Select equivalent: K_SE_NAS_Snapshot.PARENTNASVOLUMENAME
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 553, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Snapshot Description
Type: Character
Description: Description of the File Snapshot
Select equivalent: K_SE_NAS_Snapshot.DESCRPTION
Where equivalent:

Qualification: detail

| | |
|----------------------------|---|
| Associated dimension name: | Snapshot Name |
| List of values: | 554, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Storage System UUID |
| Type: | Character |
| Description: | UUID of the Storage System |
| Select equivalent: | K_SE_StorageSystem.UUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 555, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Logical Volume UUID |
| Type: | Character |
| Description: | UUID of the File logical volume |
| Select equivalent: | K_SE_NAS_LogicalVolume.LogicalVolumeUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 556, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Snapshot UUID |
| Type: | Character |
| Description: | UUID of the File Snapshot |
| Select equivalent: | K_SE_NAS_Snapshot.SNAPSHOTUUID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 557, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5nw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|---------------------------------------|
| Class: | Raw File Snapshot Capacity Statistics |
| Description: | |

Object: Cumulative % of Total Blocks
Type: Number
Description: Cumulative percentage of total blocks
Select equivalent: SR_SE_NAS_Snapshot_Capacity.CumPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cumulative % of Used Blocks
Type: Number
Description: Cumulative percentage of used blocks
Select equivalent: SR_SE_NAS_Snapshot_Capacity.CumPercentOfUsedBlocks
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cumulative Total in GiB
Type: Number

| | |
|--------------------|---|
| Description: | Cumulative total in GiB |
| Select equivalent: | SR_SE_NAS_Snapshot_Capacity.CumTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Cumulative Total in GB |
| Type: | Number |
| Description: | Cumulative total in GB |
| Select equivalent: | SR_SE_NAS_Snapshot_Capacity.CumTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | % of Total Blocks |
| Type: | Number |
| Description: | Percentage of total blocks |
| Select equivalent: | SR_SE_NAS_Snapshot_Capacity.PercentOfTotalBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | % of Used Blocks |
| Type: | Number |
| Description: | Percentage of used blocks |
| Select equivalent: | SR_SE_NAS_Snapshot_Capacity.PercentOfUsedBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | Total in GiB |
| Type: | Number |
| Description: | Total in GiB |
| Select equivalent: | SR_SE_NAS_Snapshot_Capacity.TotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Total in GB |
| Type: | Number |
| Description: | Total in GB |
| Select equivalent: | SR_SE_NAS_Snapshot_Capacity.TotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Class: | DATETIME(File Snapshot Capacity Statistics) |
| Description: | |

| | |
|--------------------|---------------------------|
| Object: | Year |
| Type: | Number |
| Description: | Year |
| Select equivalent: | DATETIME.TIME_YEAR_NUMBER |
| Where equivalent: | |

| | |
|----------------|-----------|
| Qualification: | dimension |
|----------------|-----------|

| | |
|------------------------|---|
| List of values: | 558, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Month |
| Type: | Character |
| Description: | Month Name first Three Characters |
| Select equivalent: | (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3)) |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 559, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Month Name |
| Type: | Character |
| Description: | Month Name |
| Select equivalent: | DATETIME.TIME_MONTH_NAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Month |
| List of values: | 55a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Day |
| Type: | Number |
| Description: | Day |
| Select equivalent: | DATETIME.TIME_DAY_MONTH_NUMBER |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 55b, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Day Name |
| Type: | Character |
| Description: | Day Name |
| Select equivalent: | DATETIME.TIME_DAY_NAME |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Day |
| List of values: | 55c, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------|
| Object: | Hour |
| Type: | Number |
| Description: | Hour |
| Select equivalent: | DATETIME.TIME_HOUR_ID |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 55d, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------|
| Object: | Hour Id |
| Type: | Number |
| Description: | Hour Id |
| Select equivalent: | DATETIME.TIME_HOUR_ID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Hour |
| List of values: | 55e, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | Time Hour Description |
| Type: | Character |
| Description: | Time Hour Description |
| Select equivalent: | DATETIME.TIME_HOUR_DESCRIPTION |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Hour |
| List of values: | 55f, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------|
| Object: | Full Date |
| Type: | Date |
| Description: | Full Date |
| Select equivalent: | DATETIME.TIME_FULL_DATE |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 55g, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Holiday |
| Type: | Character |
| Description: | Time Is Holiday |
| Select equivalent: | DATETIME.TIME_IS_HOLIDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 55h, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Weekday |
| Type: | Character |
| Description: | Time Is Weekday |
| Select equivalent: | DATETIME.TIME_IS_WEEKDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 55i, editable, manual refresh, not exportable |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------|
| Object: | Hour Boundary |
| Type: | Number |
| Description: | Hour Boundary |
| Select equivalent: | DATETIME.HOUR_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 55j, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|-----------------------|
| Object: | Day Boundary |
| Type: | Number |
| Description: | Day Boundary |
| Select equivalent: | DATETIME.DAY_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 55k, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------------|------------------------|
| Object: | Week Boundary |
| Type: | Number |
| Description: | Week Boundary |
| Select equivalent: | DATETIME.WEEK_BOUNDARY |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 55l, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | hidden |

| | |
|--------------|----------------|
| Object: | Month Boundary |
| Type: | Number |
| Description: | Month Boundary |

Select equivalent: DATETIME.MONTH_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 55m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Year Boundary
Type: Number
Description: Year Boundary
Select equivalent: DATETIME.YEAR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 55n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|---|
| Class: | Daily File Snapshot Capacity Statistics |
| Description: | |

Object: Maximum Cumulative % of Total Blocks
Type: Number
Description: Maximum Cumulative percentage of total blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MAXCumPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative % of Total Blocks
Type: Number
Description: Minimum Cumulative percentage of total blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MINCumPercentOfTotalBlocks
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Cumulative % of Used Blocks |
| Type: | Number |
| Description: | Maximum Cumulative percentage of used blocks |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.MAXCumPercentOfUsedBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Cumulative % of Used Blocks |
| Type: | Number |
| Description: | Minimum Cumulative percentage of used blocks |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.MINCumPercentOfUsedBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Cumulative Total in GiB |
| Type: | Number |
| Description: | Total Cumulative total in GiB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.TOTCumTotalGiB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Cumulative Total in GiB
Type: Number
Description: Maximum Cumulative total in GiB
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MAXCumTotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative Total in GiB
Type: Number
Description: Minimum Cumulative total in GiB
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MINCumTotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Cumulative Total in GiB
Type: Number
Description: Average Cumulative total in GiB
Select equivalent: SD_SE_NAS_Snapshot_Capacity.AVGCumTotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Total Cumulative Total in GB |
| Type: | Number |
| Description: | Total Cumulative total in GB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.TOTCumTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Cumulative Total in GB |
| Type: | Number |
| Description: | Maximum Cumulative total in GB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.MAXCumTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Cumulative Total in GB |
| Type: | Number |
| Description: | Minimum Cumulative total in GB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.MINCumTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Cumulative Total in GB |
| Type: | Number |
| Description: | Average Cumulative total in GB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.AVGCumTotalGB |

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Maximum % of Total Blocks**
Type: Number
Description: Maximum Percentage of total blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MAXPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Minimum % of Total Blocks**
Type: Number
Description: Minimum Percentage of total blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MINPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Maximum % of Used Blocks**
Type: Number
Description: Maximum Percentage of used blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MAXPercentOfUsedBlocks
Where equivalent:

Qualification: measure
Aggregate function: Max

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum % of Used Blocks |
| Type: | Number |
| Description: | Minimum Percentage of used blocks |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.MINPercentOfUsedBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total in GiB |
| Type: | Number |
| Description: | Total of Total in GiB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.TOTTTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of Total in GiB |
| Type: | Number |
| Description: | Maximum of Total in GiB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.MAXTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of Total in GiB |
| Type: | Number |
| Description: | Minimum of Total in GiB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.MINTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of Total in GiB |
| Type: | Number |
| Description: | Average Total in GiB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.AVGTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of Total in GB |
| Type: | Number |
| Description: | Total of Total in GB |
| Select equivalent: | SD_SE_NAS_Snapshot_Capacity.TOTTTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------------|
| Object: | Maximum of Total in GB |
| Type: | Number |

Description: Maximum of Total in GB
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MAXTotalGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of Total in GB
Type: Number
Description: Minimum of Total in GB
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MINTotalGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of Total in GB
Type: Number
Description: Average of Total in GB
Select equivalent: SD_SE_NAS_Snapshot_Capacity.AVGTotalGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--|
| Class: | Hourly File Snapshot Capacity Statistics |
| Description: | |

Object: Maximum Cumulative % of Total Blocks
Type: Number
Description: Maximum Cumulative percentage of total blocks

Select equivalent: SH_SE_NAS_Snapshot_Capacity.MAXCumPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative % of Total Blocks
Type: Number
Description: Minimum Cumulative percentage of total blocks
Select equivalent: SH_SE_NAS_Snapshot_Capacity.MINCumPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Cumulative % of Used Blocks
Type: Number
Description: Maximum Cumulative percentage of used blocks
Select equivalent: SH_SE_NAS_Snapshot_Capacity.MAXCumPercentOfUsedBlocks
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative % of Used Blocks
Type: Number
Description: Minimum Cumulative percentage of used blocks
Select equivalent: SH_SE_NAS_Snapshot_Capacity.MINCumPercentOfUsedBlocks
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Cumulative Total in GiB |
| Type: | Number |
| Description: | Total Cumulative total in GiB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.TOTCumTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Cumulative Total in GiB |
| Type: | Number |
| Description: | Maximum Cumulative total in GiB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MAXCumTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Cumulative Total in GiB |
| Type: | Number |
| Description: | Minimum Cumulative total in GiB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MINCumTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Average Cumulative Total in GiB
Type: Number
Description: Average Cumulative total in GiB
Select equivalent: SH_SE_NAS_Snapshot_Capacity.AVGCumTotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Cumulative Total in GB
Type: Number
Description: Total Cumulative total in GB
Select equivalent: SH_SE_NAS_Snapshot_Capacity.TOTCumTotalGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Cumulative Total in GB
Type: Number
Description: Maximum Cumulative total in GB
Select equivalent: SH_SE_NAS_Snapshot_Capacity.MAXCumTotalGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative Total in GB

| | |
|--------------------|---|
| Type: | Number |
| Description: | Minimum Cumulative total in GB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MINCumTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Cumulative Total in GB |
| Type: | Number |
| Description: | Average Cumulative total in GB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.AVGCumTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum % of Total Blocks |
| Type: | Number |
| Description: | Maximum Percentage of total blocks |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MAXPercentOfTotalBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum % of Total Blocks |
| Type: | Number |
| Description: | Minimum Percentage of total blocks |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MINPercentOfTotalBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum % of Used Blocks |
| Type: | Number |
| Description: | Maximum Percentage of used blocks |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MAXPercentOfUsedBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum % of Used Blocks |
| Type: | Number |
| Description: | Minimum Percentage of used blocks |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MINPercentOfUsedBlocks |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total in GiB |
| Type: | Number |
| Description: | Total of Total in GiB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.TOTTTotalGiB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of Total in GiB |
| Type: | Number |
| Description: | Maximum of Total in GiB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MAXTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of Total in GiB |
| Type: | Number |
| Description: | Minimum of Total in GiB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MINTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of Total in GiB |
| Type: | Number |
| Description: | Average Total in GiB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.AVGTotalGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of Total in GB |
| Type: | Number |
| Description: | Total of Total in GB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.TOTTTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of Total in GB |
| Type: | Number |
| Description: | Maximum of Total in GB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MAXTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of Total in GB |
| Type: | Number |
| Description: | Minimum of Total in GB |
| Select equivalent: | SH_SE_NAS_Snapshot_Capacity.MINTotalGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------|
| Object: | Average of Total in GB |
| Type: | Number |
| Description: | Average of Total in GB |

Select equivalent: SH_SE_NAS_Snapshot_Capacity.AVGTotalGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--------------------------------|
| Class: | DailyOLAP-FileSnapshotCapacity |
| Description: | |

Object: Maximum Cumulative % of Total Blocks
Type: Number
Description: Maximum Cumulative percentage of total blocks
Select equivalent: max(SD_SE_NAS_Snapshot_Capacity.MAXCumPercentOfTotalBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative % of Total Blocks
Type: Number
Description: Minimum Cumulative percentage of total blocks
Select equivalent: min(SD_SE_NAS_Snapshot_Capacity.MINCumPercentOfTotalBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Cumulative % of Used Blocks
Type: Number
Description: Maximum Cumulative percentage of used blocks
Select equivalent: max(SD_SE_NAS_Snapshot_Capacity.MAXCumPercentOfUsedBlocks)

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Cumulative % of Used Blocks |
| Type: | Number |
| Description: | Minimum Cumulative percentage of used blocks |
| Select equivalent: | min(SD_SE_NAS_Snapshot_Capacity.MINCumPercentOfUsedBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Cumulative Total in GiB |
| Type: | Number |
| Description: | Total Cumulative total in GiB |
| Select equivalent: | sum(SD_SE_NAS_Snapshot_Capacity.TOTCumTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Cumulative Total in GiB |
| Type: | Number |
| Description: | Maximum Cumulative total in GiB |
| Select equivalent: | max(SD_SE_NAS_Snapshot_Capacity.MAXCumTotalGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Cumulative Total in GiB |
| Type: | Number |
| Description: | Minimum Cumulative total in GiB |
| Select equivalent: | min(SD_SE_NAS_Snapshot_Capacity.MINCumTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Cumulative Total in GiB |
| Type: | Number |
| Description: | Average Cumulative total in GiB |
| Select equivalent: | avg(SD_SE_NAS_Snapshot_Capacity.AVGCumTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Cumulative Total in GB |
| Type: | Number |
| Description: | Total Cumulative total in GB |
| Select equivalent: | sum(SD_SE_NAS_Snapshot_Capacity.TOTCumTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Cumulative Total in GB |
| Type: | Number |
| Description: | Maximum Cumulative total in GB |
| Select equivalent: | max(SD_SE_NAS_Snapshot_Capacity.MAXCumTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Cumulative Total in GB |
| Type: | Number |
| Description: | Minimum Cumulative total in GB |
| Select equivalent: | min(SD_SE_NAS_Snapshot_Capacity.MINCumTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Cumulative Total in GB |
| Type: | Number |
| Description: | Average Cumulative total in GB |
| Select equivalent: | avg(SD_SE_NAS_Snapshot_Capacity.AVGCumTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|---------------------------|
| Object: | Maximum % of Total Blocks |
| Type: | Number |

| | |
|--------------------|--|
| Description: | Maximum Percentage of total blocks |
| Select equivalent: | max(SD_SE_NAS_Snapshot_Capacity.MAXPercentOfTotalBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum % of Total Blocks |
| Type: | Number |
| Description: | Minimum Percentage of total blocks |
| Select equivalent: | min(SD_SE_NAS_Snapshot_Capacity.MINPercentOfTotalBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum % of Used Blocks |
| Type: | Number |
| Description: | Maximum Percentage of used blocks |
| Select equivalent: | max(SD_SE_NAS_Snapshot_Capacity.MAXPercentOfUsedBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum % of Used Blocks |
| Type: | Number |
| Description: | Minimum Percentage of used blocks |
| Select equivalent: | min(SD_SE_NAS_Snapshot_Capacity.MINPercentOfUsedBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total in GiB |
| Type: | Number |
| Description: | Total of Total in GiB |
| Select equivalent: | sum(SD_SE_NAS_Snapshot_Capacity.TOTTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of Total in GiB |
| Type: | Number |
| Description: | Maximum of Total in GiB |
| Select equivalent: | max(SD_SE_NAS_Snapshot_Capacity.MAXTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of Total in GiB |
| Type: | Number |
| Description: | Minimum of Total in GiB |
| Select equivalent: | min(SD_SE_NAS_Snapshot_Capacity.MINTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of Total in GiB |
| Type: | Number |
| Description: | Average Total in GiB |
| Select equivalent: | avg(SD_SE_NAS_Snapshot_Capacity.AVGTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total in GB |
| Type: | Number |
| Description: | Total of Total in GB |
| Select equivalent: | sum(SD_SE_NAS_Snapshot_Capacity.TOTTTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of Total in GB |
| Type: | Number |
| Description: | Maximum of Total in GB |
| Select equivalent: | max(SD_SE_NAS_Snapshot_Capacity.MAXTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of Total in GB |
| Type: | Number |
| Description: | Minimum of Total in GB |
| Select equivalent: | min(SD_SE_NAS_Snapshot_Capacity.MINTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of Total in GB |
| Type: | Number |
| Description: | Average of Total in GB |
| Select equivalent: | avg(SD_SE_NAS_Snapshot_Capacity.AVGTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------------------------|
| Class: | HourlyOLAP-FileSnapshotCapacity |
| Description: | |

| | |
|--------------------|---|
| Object: | Maximum Cumulative % of Total Blocks |
| Type: | Number |
| Description: | Maximum Cumulative percentage of total blocks |
| Select equivalent: | max(SH_SE_NAS_Snapshot_Capacity.MAXCumPercentOfTotalBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------------|
| Object: | Minimum Cumulative % of Total Blocks |
|---------|--------------------------------------|

| | |
|--------------------|---|
| Type: | Number |
| Description: | Minimum Cumulative percentage of total blocks |
| Select equivalent: | min(SH_SE_NAS_Snapshot_Capacity.MINCumPercentOfTotalBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Cumulative % of Used Blocks |
| Type: | Number |
| Description: | Maximum Cumulative percentage of used blocks |
| Select equivalent: | max(SH_SE_NAS_Snapshot_Capacity.MAXCumPercentOfUsedBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Cumulative % of Used Blocks |
| Type: | Number |
| Description: | Minimum Cumulative percentage of used blocks |
| Select equivalent: | min(SH_SE_NAS_Snapshot_Capacity.MINCumPercentOfUsedBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Cumulative Total in GiB |
| Type: | Number |
| Description: | Total Cumulative total in GiB |
| Select equivalent: | sum(SH_SE_NAS_Snapshot_Capacity.TOTCumTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Cumulative Total in GiB |
| Type: | Number |
| Description: | Maximum Cumulative total in GiB |
| Select equivalent: | max(SH_SE_NAS_Snapshot_Capacity.MAXCumTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Cumulative Total in GiB |
| Type: | Number |
| Description: | Minimum Cumulative total in GiB |
| Select equivalent: | min(SH_SE_NAS_Snapshot_Capacity.MINCumTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Cumulative Total in GiB |
| Type: | Number |
| Description: | Average Cumulative total in GiB |
| Select equivalent: | avg(SH_SE_NAS_Snapshot_Capacity.AVGCumTotalGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Cumulative Total in GB |
| Type: | Number |
| Description: | Total Cumulative total in GB |
| Select equivalent: | sum(SH_SE_NAS_Snapshot_Capacity.TOTCumTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Cumulative Total in GB |
| Type: | Number |
| Description: | Maximum Cumulative total in GB |
| Select equivalent: | max(SH_SE_NAS_Snapshot_Capacity.MAXCumTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Cumulative Total in GB |
| Type: | Number |
| Description: | Minimum Cumulative total in GB |
| Select equivalent: | min(SH_SE_NAS_Snapshot_Capacity.MINCumTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Cumulative Total in GB |
| Type: | Number |
| Description: | Average Cumulative total in GB |
| Select equivalent: | avg(SH_SE_NAS_Snapshot_Capacity.AVGCumTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum % of Total Blocks |
| Type: | Number |
| Description: | Maximum Percentage of total blocks |
| Select equivalent: | max(SH_SE_NAS_Snapshot_Capacity.MAXPercentOfTotalBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum % of Total Blocks |
| Type: | Number |
| Description: | Minimum Percentage of total blocks |
| Select equivalent: | min(SH_SE_NAS_Snapshot_Capacity.MINPercentOfTotalBlocks) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-----------------------------------|
| Object: | Maximum % of Used Blocks |
| Type: | Number |
| Description: | Maximum Percentage of used blocks |

Select equivalent: max(SH_SE_NAS_Snapshot_Capacity.MAXPercentOfUsedBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum % of Used Blocks
Type: Number
Description: Minimum Percentage of used blocks
Select equivalent: min(SH_SE_NAS_Snapshot_Capacity.MINPercentOfUsedBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of Total in GiB
Type: Number
Description: Total of Total in GiB
Select equivalent: sum(SH_SE_NAS_Snapshot_Capacity.TOTTTotalGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of Total in GiB
Type: Number
Description: Maximum of Total in GiB
Select equivalent: max(SH_SE_NAS_Snapshot_Capacity.MAXTotalGiB)
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of Total in GiB |
| Type: | Number |
| Description: | Minimum of Total in GiB |
| Select equivalent: | min(SH_SE_NAS_Snapshot_Capacity.MINTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of Total in GiB |
| Type: | Number |
| Description: | Average Total in GiB |
| Select equivalent: | avg(SH_SE_NAS_Snapshot_Capacity.AVGTotalGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total in GB |
| Type: | Number |
| Description: | Total of Total in GB |
| Select equivalent: | sum(SH_SE_NAS_Snapshot_Capacity.TOTTTotalGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum of Total in GB
Type: Number
Description: Maximum of Total in GB
Select equivalent: max(SH_SE_NAS_Snapshot_Capacity.MAXTotalGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of Total in GB
Type: Number
Description: Minimum of Total in GB
Select equivalent: min(SH_SE_NAS_Snapshot_Capacity.MINTotalGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of Total in GB
Type: Number
Description: Average of Total in GB
Select equivalent: avg(SH_SE_NAS_Snapshot_Capacity.AVGTotalGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|---------------------------------|
| Class: | File Extent Capacity Statistics |
| Description: | |

No objects

| | |
|--------------|---|
| Class: | FileExtent(File Extent Capacity Statistics) |
| Description: | |

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 4xj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 4xk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 4xl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|------------------------|---|
| Object: | Model |
| Type: | Character |
| Description: | Storage System Model Number |
| Select equivalent: | K_SE_StorageSystem.Model |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 4xm, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Storage System Name |
| Type: | Character |
| Description: | Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemName |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 4xn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|---|
| Object: | Storage System Description |
| Type: | Character |
| Description: | Description about Storage System |
| Select equivalent: | K_SE_StorageSystem.Description |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4xo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Storage System Discovery Status |
| Type: | Character |
| Description: | The discovery status of the storage system such as CREATED, CONTACTED, MISS |

Select equivalent: ING, GENERIC
K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4xs, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-------------------------------------|
| Object: | Storage System SerialNumber |
| Type: | Character |
| Description: | Serial Number of the Storage System |
| Select equivalent: | K_SE_StorageSystem.SerialNumber |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4xt, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Storage System Status |
| Type: | Character |
| Description: | Operational status of the Storage System |
| Select equivalent: | K_SE_StorageSystem.StorageSystemStatus |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4xu, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---------------------------------------|
| Object: | Has Reset Capability? |
| Type: | Character |
| Description: | Has Reset Capability (flag) |
| Select equivalent: | K_SE_StorageSystem.HasResetCapability |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4xv, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values: 4y6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Replication Status**
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4y9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ya, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4yb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4yc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character

Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4yd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ye, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4yf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4yg, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Parent UUID |
| Type: | Character |
| Description: | Parent UUID for a File System Node/Virtual Server |
| Select equivalent: | K_SE_StorageSystem.ParentUUID |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4yh, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------------|
| Object: | Power Management |
| Type: | Character |
| Description: | Power Management |
| Select equivalent: | K_SE_StorageSystem.PowerManagement |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4yi, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|-----------------------------|
| Object: | Roles |
| Type: | Character |
| Description: | Roles of the Storage System |
| Select equivalent: | K_SE_StorageSystem.Roles |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4yj, editable, manual refresh, not exportable |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4yk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4yl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ym, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|----------------------------|---|
| Object: | Management URL |
| Type: | Character |
| Description: | Management URL of the Storage System |
| Select equivalent: | K_SE_StorageSystem.ManagementURL |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4yn, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|---|
| Object: | Custom Name |
| Type: | Character |
| Description: | Custom Name of the Storage System |
| Select equivalent: | K_SE_StorageSystem.CustomName |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4yo, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|----------------------------|---|
| Object: | Object Type |
| Type: | Character |
| Description: | Object Type |
| Select equivalent: | K_SE_StorageSystem.ObjectType |
| Where equivalent: | |
| Qualification: | detail |
| Associated dimension name: | Storage System Name |
| List of values: | 4yp, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|------------------|
| Object: | File Extent Name |
| Type: | Character |

| | |
|--------------------|-------------------------------|
| Description: | Name of the File extent |
| Select equivalent: | K_SE_NAS_Extent.NASExtentName |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 4yq, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------|
| Object: | File Extent Vendor |
| Type: | Character |
| Description: | Vendor name of the File Extent |
| Select equivalent: | K_SE_NAS_Extent.Vendor |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Extent Name |
| List of values: | 4yr, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------------------|
| Object: | File Extent Description |
| Type: | Character |
| Description: | File Extent description |
| Select equivalent: | K_SE_NAS_Extent.NASExtentDescription |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | File Extent Name |
| List of values: | 4ys, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|----------------------------|
| Object: | Access Type |
| Type: | Character |
| Description: | File Extent access type |
| Select equivalent: | K_SE_NAS_Extent.AccessType |
| Where equivalent: | |

| | |
|----------------|--------|
| Qualification: | detail |
|----------------|--------|

Associated dimension name: File Extent Name
List of values: 4yt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Size in Bytes
Type: Number
Description: Block size in bytes
Select equivalent: K_SE_NAS_Extent.BlkSizeinBytes
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 4yu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: # of Blocks
Type: Number
Description: Number of blocks
Select equivalent: K_SE_NAS_Extent.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 4yv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Consumable Blocks
Type: Number
Description: Number of consumable blocks
Select equivalent: K_SE_NAS_Extent.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 4yw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 4yx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent UUID
Type: Character
Description: UUID of the File Extent
Select equivalent: K_SE_NAS_Extent.NASExtentUUID
Where equivalent:

Qualification: dimension
List of values: 4yy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|---|
| Class: | DATETIME(File Extent Capacity Statistics) |
| Description: | |

Object: Year
Type: Number
Description: Year
Select equivalent: DATETIME.TIME_YEAR_NUMBER
Where equivalent:

Qualification: dimension
List of values: 500, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month

Type: Character
Description: Month Name first Three Characters
Select equivalent: (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:

Qualification: dimension
List of values: 501, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month Name
Type: Character
Description: Month Name
Select equivalent: DATETIME.TIME_MONTH_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Month
List of values: 502, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day
Type: Number
Description: Day
Select equivalent: DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:

Qualification: dimension
List of values: 503, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day Name
Type: Character
Description: Day Name
Select equivalent: DATETIME.TIME_DAY_NAME
Where equivalent:

Qualification: detail

Associated dimension name: Day
List of values: 504, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour
Type: Number
Description: Hour
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: dimension
List of values: 505, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Id
Type: Number
Description: Hour Id
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 506, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Hour Description
Type: Character
Description: Time Hour Description
Select equivalent: DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 507, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|-------------------------|
| Object: | Full Date |
| Type: | Date |
| Description: | Full Date |
| Select equivalent: | DATETIME.TIME_FULL_DATE |
| Where equivalent: | |

| | |
|------------------------|---|
| Qualification: | dimension |
| List of values: | 508, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Holiday |
| Type: | Character |
| Description: | Time Is Holiday |
| Select equivalent: | DATETIME.TIME_IS_HOLIDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 509, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--------------------------|
| Object: | Time Is Weekday |
| Type: | Character |
| Description: | Time Is Weekday |
| Select equivalent: | DATETIME.TIME_IS_WEEKDAY |
| Where equivalent: | |

| | |
|----------------------------|---|
| Qualification: | detail |
| Associated dimension name: | Full Date |
| List of values: | 50a, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---------------|
| Object: | Hour Boundary |
| Type: | Number |
| Description: | Hour Boundary |

Select equivalent: DATETIME.HOUR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 50b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Day Boundary
Type: Number
Description: Day Boundary
Select equivalent: DATETIME.DAY_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 50c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Week Boundary
Type: Number
Description: Week Boundary
Select equivalent: DATETIME.WEEK_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 50d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Month Boundary
Type: Number
Description: Month Boundary
Select equivalent: DATETIME.MONTH_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 50e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Year Boundary
Type: Number
Description: Year Boundary
Select equivalent: DATETIME.YEAR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 50f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

| | |
|--------------|-------------------------------------|
| Class: | Raw File Extent Capacity Statistics |
| Description: | |

Object: Available Space in GiB
Type: Number
Description: Available space of the File Extent in GiB
Select equivalent: SR_SE_NAS_Extent_Capacity.AvailableSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Available Space in GB
Type: Number
Description: Available space of the File Extent in GB
Select equivalent: SR_SE_NAS_Extent_Capacity.AvailableSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Total Space in GiB |
| Type: | Number |
| Description: | Total space of the File Extent in GiB |
| Select equivalent: | SR_SE_NAS_Extent_Capacity.TotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Space in GB |
| Type: | Number |
| Description: | Total space of the File Extent in GB |
| Select equivalent: | SR_SE_NAS_Extent_Capacity.TotalSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Used Space in GiB |
| Type: | Number |
| Description: | Used space of the File Extent in GiB |
| Select equivalent: | SR_SE_NAS_Extent_Capacity.UsedSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|-------------------------------------|
| Object: | Used Space in GB |
| Type: | Number |
| Description: | Used space of the File Extent in GB |

Select equivalent: SR_SE_NAS_Extent_Capacity.UsedSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|--|
| Class: | Hourly File Extent Capacity Statistics |
| Description: | |

Object: Total Available Space in GiB
Type: Number
Description: Total Available space of the File Extent in GiB
Select equivalent: SH_SE_NAS_Extent_Capacity.TOTAvailableSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Available Space in GiB
Type: Number
Description: Maximum Available space of the File Extent in GiB
Select equivalent: SH_SE_NAS_Extent_Capacity.MAXAvailableSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Available Space in GiB
Type: Number
Description: Minimum Available space of the File Extent in GiB
Select equivalent: SH_SE_NAS_Extent_Capacity.MINAvailableSpaceGiB

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Available Space in GiB |
| Type: | Number |
| Description: | Average Available space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.AVGAvailableSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Space in GB |
| Type: | Number |
| Description: | Total Available space of the File Extent in GB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.TOTAvailableSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Available Space in GB |
| Type: | Number |
| Description: | Maximum Available space of the File Extent in GB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.MAXAvailableSpaceGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Available Space in GB |
| Type: | Number |
| Description: | Minimum Available space of the File Extent in GB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.MINAvailableSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Available Space in GB |
| Type: | Number |
| Description: | Average Available space of the File Extent in GB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.AVGAvailableSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total Space in GiB |
| Type: | Number |
| Description: | Total of Total space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.TOTTTotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of Total Space in GiB |
| Type: | Number |
| Description: | Maximum of Total space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.MAXTotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of Total Space in GiB |
| Type: | Number |
| Description: | Minimum of Total space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.MINTotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of Total Space in GiB |
| Type: | Number |
| Description: | Average of Total space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.AVGTotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|----------------------------|
| Object: | Total of Total Space in GB |
| Type: | Number |

Description: Total of Total space of the File Extent in GB
Select equivalent: SH_SE_NAS_Extent_Capacity.TOTTotalSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of Total Space in GB
Type: Number
Description: Maximum of Total space of the File Extent in GB
Select equivalent: SH_SE_NAS_Extent_Capacity.MAXTotalSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of Total Space in GB
Type: Number
Description: Minimum of Total space of the File Extent in GB
Select equivalent: SH_SE_NAS_Extent_Capacity.MINTotalSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of Total Space in GB
Type: Number
Description: Average of Total space of the File Extent in GB
Select equivalent: SH_SE_NAS_Extent_Capacity.AVGTotalSpaceGB
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Space in GiB |
| Type: | Number |
| Description: | Total Used space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.TOTUsedSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Space in GiB |
| Type: | Number |
| Description: | Maximum Used space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.MAXUsedSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Space in GiB |
| Type: | Number |
| Description: | Minimum Used space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.MINUsedSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |

| | |
|----------------|----------------------------------|
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Space in GiB |
| Type: | Number |
| Description: | Average Used space of the File Extent in GiB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.AVGUsedSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Used Space in GB |
| Type: | Number |
| Description: | Total Used space of the File Extent in GB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.TOTUsedSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Used Space in GB |
| Type: | Number |
| Description: | Maximum Used space of the File Extent in GB |
| Select equivalent: | SH_SE_NAS_Extent_Capacity.MAXUsedSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

Object: Minimum Used Space in GB
Type: Number
Description: Minimum Used space of the File Extent in GB
Select equivalent: SH_SE_NAS_Extent_Capacity.MINUsedSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Used Space in GB
Type: Number
Description: Average Used space of the File Extent in GB
Select equivalent: SH_SE_NAS_Extent_Capacity.AVGUsedSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|---------------------------------------|
| Class: | Daily File Extent Capacity Statistics |
| Description: | |

Object: Total Available Space in GiB
Type: Number
Description: Total Available space of the File Extent in GiB
Select equivalent: SD_SE_NAS_Extent_Capacity.TOTAvailableSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Available Space in GiB

| | |
|--------------------|---|
| Type: | Number |
| Description: | Maximum Available space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.MAXAvailableSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Available Space in GiB |
| Type: | Number |
| Description: | Minimum Available space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.MINAvailableSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Available Space in GiB |
| Type: | Number |
| Description: | Average Available space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.AVGAvailableSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Space in GB |
| Type: | Number |
| Description: | Total Available space of the File Extent in GB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.TOTAvailableSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Available Space in GB |
| Type: | Number |
| Description: | Maximum Available space of the File Extent in GB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.MAXAvailableSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Available Space in GB |
| Type: | Number |
| Description: | Minimum Available space of the File Extent in GB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.MINAvailableSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Available Space in GB |
| Type: | Number |
| Description: | Average Available space of the File Extent in GB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.AVGAvailableSpaceGB |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total Space in GiB |
| Type: | Number |
| Description: | Total of Total space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.TOTTotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of Total Space in GiB |
| Type: | Number |
| Description: | Maximum of Total space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.MAXTotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of Total Space in GiB |
| Type: | Number |
| Description: | Minimum of Total space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.MINTotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of Total Space in GiB |
| Type: | Number |
| Description: | Average of Total space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.AVGTotalSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total of Total Space in GB |
| Type: | Number |
| Description: | Total of Total space of the File Extent in GB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.TOTTotalSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum of Total Space in GB |
| Type: | Number |
| Description: | Maximum of Total space of the File Extent in GB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.MAXTotalSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|---|
| Object: | Minimum of Total Space in GB |
| Type: | Number |
| Description: | Minimum of Total space of the File Extent in GB |

Select equivalent: SD_SE_NAS_Extent_Capacity.MINTotalSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of Total Space in GB
Type: Number
Description: Average of Total space of the File Extent in GB
Select equivalent: SD_SE_NAS_Extent_Capacity.AVGTotalSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Used Space in GiB
Type: Number
Description: Total Used space of the File Extent in GiB
Select equivalent: SD_SE_NAS_Extent_Capacity.TOTUsedSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Used Space in GiB
Type: Number
Description: Maximum Used space of the File Extent in GiB
Select equivalent: SD_SE_NAS_Extent_Capacity.MAXUsedSpaceGiB
Where equivalent:

Qualification: measure

| | |
|------------------------|----------------------------------|
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Space in GiB |
| Type: | Number |
| Description: | Minimum Used space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.MINUsedSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Space in GiB |
| Type: | Number |
| Description: | Average Used space of the File Extent in GiB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.AVGUsedSpaceGiB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Average |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Used Space in GB |
| Type: | Number |
| Description: | Total Used space of the File Extent in GB |
| Select equivalent: | SD_SE_NAS_Extent_Capacity.TOTUsedSpaceGB |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | None |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Maximum Used Space in GB
Type: Number
Description: Maximum Used space of the File Extent in GB
Select equivalent: SD_SE_NAS_Extent_Capacity.MAXUsedSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Used Space in GB
Type: Number
Description: Minimum Used space of the File Extent in GB
Select equivalent: SD_SE_NAS_Extent_Capacity.MINUsedSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Used Space in GB
Type: Number
Description: Average Used space of the File Extent in GB
Select equivalent: SD_SE_NAS_Extent_Capacity.AVGUsedSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------|-------------------------------|
| Class: | HourlyOLAP-FileExtentCapacity |
| Description: | |

| | |
|--------------------|---|
| Object: | Total Available Space in GiB |
| Type: | Number |
| Description: | Total Available space of the File Extent in GiB |
| Select equivalent: | sum(SH_SE_NAS_Extent_Capacity.TOTAvailableSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Available Space in GiB |
| Type: | Number |
| Description: | Maximum Available space of the File Extent in GiB |
| Select equivalent: | max(SH_SE_NAS_Extent_Capacity.MAXAvailableSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Available Space in GiB |
| Type: | Number |
| Description: | Minimum Available space of the File Extent in GiB |
| Select equivalent: | min(SH_SE_NAS_Extent_Capacity.MINAvailableSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|---------|--------------------------------|
| Object: | Average Available Space in GiB |
| Type: | Number |

Description: Average Available space of the File Extent in GiB
Select equivalent: avg(SH_SE_NAS_Extent_Capacity.AVGAvailableSpaceGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Available Space in GB
Type: Number
Description: Total Available space of the File Extent in GB
Select equivalent: sum(SH_SE_NAS_Extent_Capacity.TOTAvailableSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Available Space in GB
Type: Number
Description: Maximum Available space of the File Extent in GB
Select equivalent: max(SH_SE_NAS_Extent_Capacity.MAXAvailableSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Available Space in GB
Type: Number
Description: Minimum Available space of the File Extent in GB
Select equivalent: min(SH_SE_NAS_Extent_Capacity.MINAvailableSpaceGB)
Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Available Space in GB |
| Type: | Number |
| Description: | Average Available space of the File Extent in GB |
| Select equivalent: | avg(SH_SE_NAS_Extent_Capacity.AVGAvailableSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total Space in GiB |
| Type: | Number |
| Description: | Total of Total space of the File Extent in GiB |
| Select equivalent: | sum(SH_SE_NAS_Extent_Capacity.TOTTTotalSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of Total Space in GiB |
| Type: | Number |
| Description: | Maximum of Total space of the File Extent in GiB |
| Select equivalent: | max(SH_SE_NAS_Extent_Capacity.MAXTotalSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |

Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of Total Space in GiB
Type: Number
Description: Minimum of Total space of the File Extent in GiB
Select equivalent: min(SH_SE_NAS_Extent_Capacity.MINTotalSpaceGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of Total Space in GiB
Type: Number
Description: Average of Total space of the File Extent in GiB
Select equivalent: avg(SH_SE_NAS_Extent_Capacity.AVGTotalSpaceGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of Total Space in GB
Type: Number
Description: Total of Total space of the File Extent in GB
Select equivalent: sum(SH_SE_NAS_Extent_Capacity.TOTTTotalSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|--------------------|---|
| Object: | Maximum of Total Space in GB |
| Type: | Number |
| Description: | Maximum of Total space of the File Extent in GB |
| Select equivalent: | max(SH_SE_NAS_Extent_Capacity.MAXTotalSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum of Total Space in GB |
| Type: | Number |
| Description: | Minimum of Total space of the File Extent in GB |
| Select equivalent: | min(SH_SE_NAS_Extent_Capacity.MINTotalSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average of Total Space in GB |
| Type: | Number |
| Description: | Average of Total space of the File Extent in GB |
| Select equivalent: | avg(SH_SE_NAS_Extent_Capacity.AVGTotalSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Space in GiB |
| Type: | Number |
| Description: | Total Used space of the File Extent in GiB |
| Select equivalent: | sum(SH_SE_NAS_Extent_Capacity.TOTUsedSpaceGiB) |

Where equivalent:

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Space in GiB |
| Type: | Number |
| Description: | Maximum Used space of the File Extent in GiB |
| Select equivalent: | max(SH_SE_NAS_Extent_Capacity.MAXUsedSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Space in GiB |
| Type: | Number |
| Description: | Minimum Used space of the File Extent in GiB |
| Select equivalent: | min(SH_SE_NAS_Extent_Capacity.MINUsedSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Space in GiB |
| Type: | Number |
| Description: | Average Used space of the File Extent in GiB |
| Select equivalent: | avg(SH_SE_NAS_Extent_Capacity.AVGUsedSpaceGiB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Sum |

| | |
|------------------------|----------------------------------|
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Used Space in GB |
| Type: | Number |
| Description: | Total Used space of the File Extent in GB |
| Select equivalent: | sum(SH_SE_NAS_Extent_Capacity.TOTUsedSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Used Space in GB |
| Type: | Number |
| Description: | Maximum Used space of the File Extent in GB |
| Select equivalent: | max(SH_SE_NAS_Extent_Capacity.MAXUsedSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Used Space in GB |
| Type: | Number |
| Description: | Minimum Used space of the File Extent in GB |
| Select equivalent: | min(SH_SE_NAS_Extent_Capacity.MINUsedSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Average Used Space in GB |
| Type: | Number |
| Description: | Average Used space of the File Extent in GB |
| Select equivalent: | avg(SH_SE_NAS_Extent_Capacity.AVGUsedSpaceGB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|------------------------------|
| Class: | DailyOLAP-FileExtentCapacity |
| Description: | |

| | |
|------------------------|---|
| Object: | Total Available Space in GiB |
| Type: | Number |
| Description: | Total Available space of the File Extent in GiB |
| Select equivalent: | sum(SD_SE_NAS_Extent_Capacity.TOTAvailableSpaceGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Maximum Available Space in GiB |
| Type: | Number |
| Description: | Maximum Available space of the File Extent in GiB |
| Select equivalent: | max(SD_SE_NAS_Extent_Capacity.MAXAvailableSpaceGiB) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Available Space in GiB |
| Type: | Number |
| Description: | Minimum Available space of the File Extent in GiB |
| Select equivalent: | min(SD_SE_NAS_Extent_Capacity.MINAvailableSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Available Space in GiB |
| Type: | Number |
| Description: | Average Available space of the File Extent in GiB |
| Select equivalent: | avg(SD_SE_NAS_Extent_Capacity.AVGAvailableSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Available Space in GB |
| Type: | Number |
| Description: | Total Available space of the File Extent in GB |
| Select equivalent: | sum(SD_SE_NAS_Extent_Capacity.TOTAvailableSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--|
| Object: | Maximum Available Space in GB |
| Type: | Number |
| Description: | Maximum Available space of the File Extent in GB |

| | |
|--------------------|--|
| Select equivalent: | max(SD_SE_NAS_Extent_Capacity.MAXAvailableSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Available Space in GB |
| Type: | Number |
| Description: | Minimum Available space of the File Extent in GB |
| Select equivalent: | min(SD_SE_NAS_Extent_Capacity.MINAvailableSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Available Space in GB |
| Type: | Number |
| Description: | Average Available space of the File Extent in GB |
| Select equivalent: | avg(SD_SE_NAS_Extent_Capacity.AVGAvailableSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total of Total Space in GiB |
| Type: | Number |
| Description: | Total of Total space of the File Extent in GiB |
| Select equivalent: | sum(SD_SE_NAS_Extent_Capacity.TOTTTotalSpaceGiB) |
| Where equivalent: | |

| | |
|----------------|---------|
| Qualification: | measure |
|----------------|---------|

| | |
|------------------------|----------------------------------|
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum of Total Space in GiB |
| Type: | Number |
| Description: | Maximum of Total space of the File Extent in GiB |
| Select equivalent: | max(SD_SE_NAS_Extent_Capacity.MAXTotalSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum of Total Space in GiB |
| Type: | Number |
| Description: | Minimum of Total space of the File Extent in GiB |
| Select equivalent: | min(SD_SE_NAS_Extent_Capacity.MINTotalSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average of Total Space in GiB |
| Type: | Number |
| Description: | Average of Total space of the File Extent in GiB |
| Select equivalent: | avg(SD_SE_NAS_Extent_Capacity.AVGTotalSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |

Object status: show

Object: Total of Total Space in GB
Type: Number
Description: Total of Total space of the File Extent in GB
Select equivalent: sum(SD_SE_NAS_Extent_Capacity.TOTTTotalSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of Total Space in GB
Type: Number
Description: Maximum of Total space of the File Extent in GB
Select equivalent: max(SD_SE_NAS_Extent_Capacity.MAXTotalSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of Total Space in GB
Type: Number
Description: Minimum of Total space of the File Extent in GB
Select equivalent: min(SD_SE_NAS_Extent_Capacity.MINTotalSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of Total Space in GB

| | |
|--------------------|---|
| Type: | Number |
| Description: | Average of Total space of the File Extent in GB |
| Select equivalent: | avg(SD_SE_NAS_Extent_Capacity.AVGTotalSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Total Used Space in GiB |
| Type: | Number |
| Description: | Total Used space of the File Extent in GiB |
| Select equivalent: | sum(SD_SE_NAS_Extent_Capacity.TOTUsedSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Maximum Used Space in GiB |
| Type: | Number |
| Description: | Maximum Used space of the File Extent in GiB |
| Select equivalent: | max(SD_SE_NAS_Extent_Capacity.MAXUsedSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Minimum Used Space in GiB |
| Type: | Number |
| Description: | Minimum Used space of the File Extent in GiB |
| Select equivalent: | min(SD_SE_NAS_Extent_Capacity.MINUsedSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|--|
| Object: | Average Used Space in GiB |
| Type: | Number |
| Description: | Average Used space of the File Extent in GiB |
| Select equivalent: | avg(SD_SE_NAS_Extent_Capacity.AVGUsedSpaceGiB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Total Used Space in GB |
| Type: | Number |
| Description: | Total Used space of the File Extent in GB |
| Select equivalent: | sum(SD_SE_NAS_Extent_Capacity.TOTUsedSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Maximum Used Space in GB |
| Type: | Number |
| Description: | Maximum Used space of the File Extent in GB |
| Select equivalent: | max(SD_SE_NAS_Extent_Capacity.MAXUsedSpaceGB) |
| Where equivalent: | |

| | |
|---------------------|---------|
| Qualification: | measure |
| Aggregate function: | Max |
| List of values: | no |

| | |
|------------------------|----------------------------------|
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Minimum Used Space in GB |
| Type: | Number |
| Description: | Minimum Used space of the File Extent in GB |
| Select equivalent: | min(SD_SE_NAS_Extent_Capacity.MINUsedSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|---|
| Object: | Average Used Space in GB |
| Type: | Number |
| Description: | Average Used space of the File Extent in GB |
| Select equivalent: | avg(SD_SE_NAS_Extent_Capacity.AVGUsedSpaceGB) |
| Where equivalent: | |

| | |
|------------------------|----------------------------------|
| Qualification: | measure |
| Aggregate function: | Sum |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------|--------------|
| Class: | Supplemental |
| Description: | |

No objects

| | |
|--------------|------------------|
| Class: | Date Time Period |
| Description: | |

| | |
|--------------------|-----------------------|
| Object: | SHRDate |
| Type: | Date |
| Description: | SHR Date |
| Select equivalent: | Date(SHRDate.SHRDate) |

Where equivalent:

Qualification: dimension
List of values: 22l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Full Date-Hourly
Type: Date
Description: Full Date
Select equivalent: DATETIME.TIME_FULL_DATE
Where equivalent: DATETIME.HOUR_BOUNDARY=1
Qualification: dimension
List of values: 22m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Date Range
Type: Character
Description: Date Range
Select equivalent: DATETIMERANGE.DATE_RANGE
Where equivalent:

Qualification: dimension
List of values: 22n, editable, automatic refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Start Date
Type: Date
Description: Date Min Range
Select equivalent: DATETIMERANGE.DATE_RANGE_MIN
Where equivalent:

Qualification: dimension
List of values: 22o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

| | |
|------------------------|---|
| Object: | End Date |
| Type: | Date |
| Description: | Date Max Range |
| Select equivalent: | DATETIMERANGE.DATE_RANGE_MAX |
| Where equivalent: | |
| Qualification: | dimension |
| List of values: | 22p, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|---|
| Object: | Full Date-Daily |
| Type: | Date |
| Description: | Full Date |
| Select equivalent: | DATETIME.TIME_FULL_DATE |
| Where equivalent: | DATETIME.DAY_BOUNDARY=1 |
| Qualification: | dimension |
| List of values: | 22q, editable, manual refresh, not exportable |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|------------------------|----------------------------------|
| Object: | Full Date-Min |
| Type: | Date |
| Description: | Full Date |
| Select equivalent: | Min(DATETIME.TIME_FULL_DATE) |
| Where equivalent: | |
| Qualification: | measure |
| Aggregate function: | Min |
| List of values: | no |
| Security access level: | 0 |
| Can be used: | in result, in condition, in sort |
| Object status: | show |

| | |
|--------------------|------------------------------|
| Object: | Full Date-Max |
| Type: | Date |
| Description: | Full Date |
| Select equivalent: | Max(DATETIME.TIME_FULL_DATE) |
| Where equivalent: | |

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: StorageSystem
Description:

Object: StorageSystem Key
Type: Number
Description:

Select equivalent: K_SE_StorageSystem.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: StoragePool
Description:

Object: StoragePool Key
Type: Number
Description:

Select equivalent: K_SE_Storage_Pool.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileLogicalVolume
Description:

Object: FileLogicalVolume Key

Type: Number
Description:

Select equivalent: K_SE_NAS_LogicalVolume.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileQuota
Description:

Object: FileQuota Key
Type: Number
Description:

Select equivalent: K_SE_NAS_Quota.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileSystemNode
Description:

Object: FileSystemNode Key
Type: Number
Description:

Select equivalent: K_SE_NAS_Processor.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileSnapshot

Description:

Object: FileSnapshot Key

Type: Number

Description:

Select equivalent: K_SE_NAS_Snapshot.dsi_key_id

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Class: FileExtent

Description:

Object: FileExtent Key

Type: Number

Description:

Select equivalent: K_SE_NAS_Extent.dsi_key_id

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Conditions

Class: Block System Extents Associated with Disks

Description:

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Extents
Description:

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block Backend Storage System
Description:

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Volumes
Description:

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System SCSI Controllers
Description:

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Processors
Description:

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Fiber Channel Ports
Description:

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

| | |
|--------------|--------------------------|
| Class: | Block System Replication |
| Description: | |

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

| | |
|--------------|---|
| Class: | File System Extents Associated with Disks |
| Description: | |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|---------------------|
| Class: | File System Extents |
| Description: | |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|------------------------|
| Class: | File Network Interface |
| Description: | |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|---------------------|
| Class: | File System Volumes |
| Description: | |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|------------|
| Class: | File QTree |
| Description: | |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|-------------------------|
| Class: | File System Replication |
| Description: | |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|-------------|
| Class: | File Shares |
| Description: | |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|------------------------------------|
| Class: | Storage System Capacity Statistics |
| Description: | Storage System Capacity Statistics |

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

| | |
|--------------|--|
| Class: | Raw Storage System Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Storage System Capacity Statistics)\Full Date) in (Select max(SR_SE_StorageSystemCapacity.ta_period) from SR_SE_StorageSystemCapacity, K_SE_StorageSystem K WHERE SR_SE_StorageSystemCapacity.dsi_key_id = K.dsi_key_id and K.dsi_key_id=@Select(StorageSystem\StorageSystem Key) Group By K.dsi_key_id)

| | |
|--------------|---|
| Class: | Hourly Storage System Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Storage System Capacity Statistics)\Full Date) in (Select max(SH_SE_StorageSystemCapacity.ta_period) from SH_SE_StorageSystemCapacity, K_SE_StorageSystem K WHE RE SH_SE_StorageSystemCapacity.dsi_key_id_ = K.dsi_key_id and K.dsi_key_id=@ Select(StorageSystem\StorageSystem Key) Group By K.dsi_key_id)

| | |
|--------------|--|
| Class: | Daily Storage System Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Storage System Capacity Statistics)\Full Date) in (Select max(SD_SE_StorageSystemCapacity.ta_period) from SD_SE_StorageSystemCapacity, K_SE_StorageSystem K WHE RE SD_SE_StorageSystemCapacity.dsi_key_id_ = K.dsi_key_id and K.dsi_key_id=@ Select(StorageSystem\StorageSystem Key) Group By K.dsi_key_id)

| | |
|--------------|---|
| Class: | HourlyOLAP-Storage System Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Storage System Capacity Statistics)\Full Date) in (Select max(SH_SE_StorageSystemCapacity.ta_period) from SH_SE_StorageSystemCapacity, K_SE_StorageSystem K WHE RE SH_SE_StorageSystemCapacity.dsi_key_id_ = K.dsi_key_id and K.dsi_key_id=@ Select(StorageSystem\StorageSystem Key) Group By K.dsi_key_id)

| | |
|--------|--|
| Class: | DailyOLAP-Storage System Capacity Statistics |
|--------|--|

Description:

Latest Collection Time

Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Storage System Capacity Statistics)\Full Date) in (Select max(SD_SE_StorageSystemCapacity.ta_period) from SD_SE_StorageSystemCapacity, K_SE_StorageSystem K WHERE SD_SE_StorageSystemCapacity.dsi_key_id = K.dsi_key_id and K.dsi_key_id=@Select(StorageSystem\StorageSystem Key) Group By K.dsi_key_id)

| | |
|--------------|---|
| Class: | File Logical Volume Capacity Statistics |
| Description: | File Logical Volume Capacity Statistics |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|---|
| Class: | Raw File Logical Volume Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File Logical Volume Capacity Statistics)\Full Date) in (Select max(SR_SE_NAS_LogiVolume_Capacity.ta_period) from SR_SE_NAS_LogiVolume_Capacity, K_SE_NAS_LogiVolume K WHERE SR_SE_NAS_LogiVolume_Capacity.dsi_key_id = K.dsi_key_id and K.dsi_key_id=@Select(FileLogicalVolume\FileLogicalVolume Key) Group By K.dsi_key_id)

| | |
|--------------|---|
| Class: | Daily File Logical Volume Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File

Logical Volume Capacity Statistics)\Full Date) in (Select max(SD_SE_NAS_LogiVolume_Capacity.ta_period) from SD_SE_NAS_LogiVolume_Capacity, K_SE_NAS_LogicalVolume K WHERE SD_SE_NAS_LogiVolume_Capacity.dsi_key_id_ = K.dsi_key_id and K.dsi_key_id=@Select(FileLogicalVolume\FileLogicalVolume Key) Group By K.dsi_key_id)

| | |
|--------------|--|
| Class: | Hourly File Logical Volume Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File Logical Volume Capacity Statistics)\Full Date) in (Select max(SH_SE_NAS_LogiVolume_Capacity.ta_period) from SH_SE_NAS_LogiVolume_Capacity, K_SE_NAS_LogicalVolume K WHERE SH_SE_NAS_LogiVolume_Capacity.dsi_key_id_ = K.dsi_key_id and K.dsi_key_id=@Select(FileLogicalVolume\FileLogicalVolume Key) Group By K.dsi_key_id)

| | |
|--------------|-------------------------------------|
| Class: | DailyOLAP-FileLogicalVolumeCapacity |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File Logical Volume Capacity Statistics)\Full Date) in (Select max(SD_SE_NAS_LogiVolume_Capacity.ta_period) from SD_SE_NAS_LogiVolume_Capacity, K_SE_NAS_LogicalVolume K WHERE SD_SE_NAS_LogiVolume_Capacity.dsi_key_id_ = K.dsi_key_id and K.dsi_key_id=@Select(FileLogicalVolume\FileLogicalVolume Key) Group By K.dsi_key_id)

| | |
|--------------|--------------------------------------|
| Class: | HourlyOLAP-FileLogicalVolumeCapacity |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Logical Volume Capacity Statistics)\Full
Date) in (Select max(SH_SE_NAS_LogiV
olume_Capacity.ta_period) from SH_SE_N
AS_LogiVolume_Capacity, K_SE_NAS_Logi
alVolume K WHERE SH_SE_NAS_LogiVolume
_Capacity.dsi_key_id_ = K.dsi_key_id an
d K.dsi_key_id=@Select(FileLogicalVolu
me\FileLogicalVolume Key) Group By K.ds
i_key_id)

| | |
|--------------|---------------------------------------|
| Class: | Block Pool Capacity Statistics |
| Description: | Block Pool Capacity Statistics |

Is SAN System?

Description:

Where Equivalent:K_SE_StorageSystem.HasBlock='True'

| | |
|--------------|---|
| Class: | Raw Block Pool Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i
n (Select max(SR_SE_Storage_Pool_Capac
ity.ta_period) from SR_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SR
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id)

| | |
|--------------|--|
| Class: | Hourly Block Pool Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i

```

n (Select max(SH_SE_Storage_Pool_Capac
ity.ta_period) from SH_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SH
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id )

```

| | |
|--------------|--------------------------------------|
| Class: | Daily Block Pool Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i

```

n (Select max(SD_SE_Storage_Pool_Capac
ity.ta_period) from SD_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SD
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id )

```

| | |
|--------------|---|
| Class: | HourlyOLAP-Block Pool Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i

```

n (Select max(SH_SE_Storage_Pool_Capac
ity.ta_period) from SH_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SH
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id )

```

| | |
|--------------|--|
| Class: | DailyOLAP-Block Pool Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i
n (Select max(SD_SE_Storage_Pool_Capac
ity.ta_period) from SD_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SD
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id)

| | |
|--------------|--------------------------------|
| Class: | File Quota Capacity Statistics |
| Description: | File Quota Capacity Statistics |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|------------------------------------|
| Class: | Raw File Quota Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SR_SE_NAS_Quota_Capacity
.ta_period) from SR_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SR_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

| | |
|--------------|--------------------------------------|
| Class: | Daily File Quota Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SD_SE_NAS_Quota_Capacity
.ta_period) from SD_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SD_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

| | |
|--------------|---------------------------------------|
| Class: | Hourly File Quota Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SH_SE_NAS_Quota_Capacity
.ta_period) from SH_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SH_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

| | |
|--------------|-----------------------------|
| Class: | DailyOLAP-FileQuotaCapacity |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SD_SE_NAS_Quota_Capacity
.ta_period) from SD_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SD_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

| | |
|--------------|------------------------------|
| Class: | HourlyOLAP-FileQuotaCapacity |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SH_SE_NAS_Quota_Capacity
.ta_period) from SH_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SH_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

Class: File System Node Capacity Statistics
Description:

Is NAS System?

Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: Raw File System Node Capacity Statistics
Description:

Latest Collection Time

Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SR_SE_NAS_SystemNo
de_Capacity.ta_period) from SR_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SR_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

Class: Hourly File SystemNode Capacity Statistics
Description:

Latest Collection Time

Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SH_SE_NAS_SystemNo
de_Capacity.ta_period) from SH_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SH_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

Class: Daily File SystemNode Capacity Statistics
Description:

Latest Collection Time

Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SD_SE_NAS_SystemNo
de_Capacity.ta_period) from SD_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SD_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

| | |
|--------------|-----------------------------------|
| Class: | HourlyOLAP-FileSystemNodeCapacity |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SH_SE_NAS_SystemNo
de_Capacity.ta_period) from SH_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SH_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

| | |
|--------------|----------------------------------|
| Class: | DailyOLAP-FileSystemNodeCapacity |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SD_SE_NAS_SystemNo
de_Capacity.ta_period) from SD_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SD_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

| | |
|--------------|-----------------------------------|
| Class: | File Snapshot Capacity Statistics |
| Description: | File Snapshot Capacity Statistics |

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

| | |
|--------------|---------------------------------------|
| Class: | Raw File Snapshot Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SR_SE_NAS_Snapshot_Ca
pacity.ta_period) from SR_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHERE
SR_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

| | |
|--------------|---|
| Class: | Daily File Snapshot Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SD_SE_NAS_Snapshot_Ca
pacity.ta_period) from SD_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHERE
SD_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

| | |
|--------------|--|
| Class: | Hourly File Snapshot Capacity Statistics |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SH_SE_NAS_Snapshot_Ca
pacity.ta_period) from SH_SE_NAS_Snaps

hot_Capacity, K_SE_NAS_Snapshot K WHERE
E SH_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

Class: DailyOLAP-FileSnapshotCapacity
Description:

Latest Collection Time

Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SD_SE_NAS_Snapshot_Ca
pacity.ta_period) from SD_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHERE
E SD_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

Class: HourlyOLAP-FileSnapshotCapacity
Description:

Latest Collection Time

Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SH_SE_NAS_Snapshot_Ca
pacity.ta_period) from SH_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHERE
E SH_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

Class: File Extent Capacity Statistics
Description:

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: Raw File Extent Capacity Statistics
Description:

Latest Collection Time

Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SR_SE_NAS_Extent_Capaci
ty.ta_period) from SR_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SR_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

Class: Hourly File Extent Capacity Statistics
Description:

Latest Collection Time

Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SH_SE_NAS_Extent_Capaci
ty.ta_period) from SH_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SH_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

Class: Daily File Extent Capacity Statistics
Description:

Latest Collection Time

Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SD_SE_NAS_Extent_Capaci
ty.ta_period) from SD_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SD_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke

y_id)

| | |
|--------------|-------------------------------|
| Class: | HourlyOLAP-FileExtentCapacity |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SH_SE_NAS_Extent_Capaci
ty.ta_period) from SH_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SH_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

| | |
|--------------|------------------------------|
| Class: | DailyOLAP-FileExtentCapacity |
| Description: | |

Latest Collection Time

Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SD_SE_NAS_Extent_Capaci
ty.ta_period) from SD_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SD_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

| | |
|--------------|------------------|
| Class: | Date Time Period |
| Description: | |

Gap Filter

Description:Used to fill the values for the missing date ranges

Where Equivalent:DATETIME.TIME_FULL_D

ATE < convert(date,cast(Year(getSHRDat
e())+1 as char(4))+ '-01-01')

Use Custom Range

Description:Use Custom Range Filter List of Values for Date Range Prompt

Where Equivalent:@Variable('Select Date Range')='Use Custom Range'

DateTimeRange

Description:Date Time Range Filter Prompt with Various List of Values for Time Period

Where Equivalent:DATETIMERANGE.DATE_R

ANGE = @Prompt('Select Date Range','A',
{ 'Current Month','Last Month','Last 3 Mo
nths','Use Custom Range'},mono,constrai
ned,persistent,{'Current Month'})

Hierarchies

MA_GEN_HIE_DATETIMEHierarchy(DATETIME(Storage System Capacity Statistics))

DATETIME(Storage System Capacity Statistics)/Year

DATETIME(Storage System Capacity Statistics)/Month

DATETIME(Storage System Capacity Statistics)/Day

DATETIME(Storage System Capacity Statistics)/Hour

MA_GEN_HIE_DATETIMEHierarchy(DATETIME(Block Pool Capacity Statistics))

DATETIME(Block Pool Capacity Statistics)/Year

DATETIME(Block Pool Capacity Statistics)/Month

DATETIME(Block Pool Capacity Statistics)/Day

DATETIME(Block Pool Capacity Statistics)/Hour

MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File Logical Volume Capacity Statistics))

DATETIME(File Logical Volume Capacity Statistics)/Year

DATETIME(File Logical Volume Capacity Statistics)/Month

DATETIME(File Logical Volume Capacity Statistics)/Day

DATETIME(File Logical Volume Capacity Statistics)/Hour

MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File System Node Capacity Statistics))

DATETIME(File System Node Capacity Statistics)/Year

DATETIME(File System Node Capacity Statistics)/Month

DATETIME(File System Node Capacity Statistics)/Day

DATETIME(File System Node Capacity Statistics)/Hour

MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File Quota Capacity Statistics))

DATETIME(File Quota Capacity Statistics)/Year

DATETIME(File Quota Capacity Statistics)/Month

DATETIME(File Quota Capacity Statistics)/Day

DATETIME(File Quota Capacity Statistics)/Hour

MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File Extent Capacity Statistics))

DATETIME(File Extent Capacity Statistics)/Year

DATETIME(File Extent Capacity Statistics)/Month

DATETIME(File Extent Capacity Statistics)/Day

DATETIME(File Extent Capacity Statistics)/Hour

MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File Snapshot Capacity Statistics))

DATETIME(File Snapshot Capacity Statistics)/Year

DATETIME(File Snapshot Capacity Statistics)/Month

DATETIME(File Snapshot Capacity Statistics)/Day
DATETIME(File Snapshot Capacity Statistics)/Hour
MA_CUST_HIE_SOM Tenant Storage System Hierarchy(StorageSystem(Storage System Capacity Statistics))
StorageSystem(Storage System Capacity Statistics)/SOM Source Name
StorageSystem(Storage System Capacity Statistics)/Tenant Name
StorageSystem(Storage System Capacity Statistics)/Vendor
StorageSystem(Storage System Capacity Statistics)/Model
StorageSystem(Storage System Capacity Statistics)/Storage System Name
MA_CUST_HIE_SOM Tenant Block Pool Hierarchy(SANPool(Block Pool Capacity Statistics))
BlockPool(Block Pool Capacity Statistics)/SOM Source Name
BlockPool(Block Pool Capacity Statistics)/Tenant Name
BlockPool(Block Pool Capacity Statistics)/Vendor
BlockPool(Block Pool Capacity Statistics)/Model
BlockPool(Block Pool Capacity Statistics)/Storage System Name
BlockPool(Block Pool Capacity Statistics)/Block Pool Name
MA_CUST_HIE_File Logical Volume Hierarchy(NAS Logical Volume(File Logical Volume Capacity Statistics))
File Logical Volume(File Logical Volume Capacity Statistics)/SOM Source Name
File Logical Volume(File Logical Volume Capacity Statistics)/Tenant Name
File Logical Volume(File Logical Volume Capacity Statistics)/Vendor
File Logical Volume(File Logical Volume Capacity Statistics)/Model
File Logical Volume(File Logical Volume Capacity Statistics)/Storage System Name
File Logical Volume(File Logical Volume Capacity Statistics)/File Logical Volume
MA_CUST_HIE_File System Node Hierarchy(NASSystemNode(File System Node Capacity Statistics))
FileSystemNode(File System Node Capacity Statistics)/SOM Source Name
FileSystemNode(File System Node Capacity Statistics)/Tenant Name
FileSystemNode(File System Node Capacity Statistics)/Vendor
FileSystemNode(File System Node Capacity Statistics)/Model
FileSystemNode(File System Node Capacity Statistics)/Storage System Name
FileSystemNode(File System Node Capacity Statistics)/Processor Name
MA_CUST_HIE_File Quota Hierarchy(NASQuotas(File Quota Capacity Statistics))
FileQuotas(File Quota Capacity Statistics)/SOM Source Name
FileQuotas(File Quota Capacity Statistics)/Tenant Name
FileQuotas(File Quota Capacity Statistics)/Vendor
FileQuotas(File Quota Capacity Statistics)/Model
FileQuotas(File Quota Capacity Statistics)/Storage System Name
FileQuotas(File Quota Capacity Statistics)/File Logical Volume
FileQuotas(File Quota Capacity Statistics)/Quota Name
MA_CUST_HIE_File Extent Hierarchy(NASExtent(File Extent Capacity Statistics))
FileExtent(File Extent Capacity Statistics)/SOM Source Name
FileExtent(File Extent Capacity Statistics)/Tenant Name
FileExtent(File Extent Capacity Statistics)/Vendor
FileExtent(File Extent Capacity Statistics)/Model
FileExtent(File Extent Capacity Statistics)/Storage System Name
FileExtent(File Extent Capacity Statistics)/File Extent Name
MA_CUST_HIE_File Snapshot Hierarchy(NASSnapshot(File Snapshot Capacity Statistics))
FileSnapshot(File Snapshot Capacity Statistics)/SOM Source Name

FileSnapshot(File Snapshot Capacity Statistics)/Tenant Name
FileSnapshot(File Snapshot Capacity Statistics)/Vendor
FileSnapshot(File Snapshot Capacity Statistics)/Model
FileSnapshot(File Snapshot Capacity Statistics)/Storage System Name
FileSnapshot(File Snapshot Capacity Statistics)/File Logical Volume
FileSnapshot(File Snapshot Capacity Statistics)/Snapshot Name

Context List

MA_CUST_CONT_BackendStorage
MA_CUST_CONT_SANExtents
MA_CUST_CONT_NAS_NetworkInterface
MA_GEN_CONT_SR_SE_NAS_Quota_Capacity
MA_CUST_CONT_NASExtents
MA_GEN_CONT_SH_SE_Storage_Pool_Capacity
MA_GEN_CONT_SD_SE_NAS_LogiVolume_Capacity
MA_GEN_CONT_SR_SE_NAS_LogiVolume_Capacity
MA_CUST_CONT_NAS_Processor
MA_GEN_CONT_SH_SE_NAS_Snapshot_Capacity
MA_CUST_CONT_NAS_LogicalVolume
MA_GEN_CONT_SD_SE_NAS_SystemNode_Capacity
MA_GEN_CONT_SH_SE_StorageSystemCapacity
MA_CUST_CONT_NAS_QTrees
MA_CUST_CONT_SAN_Volume
MA_GEN_CONT_SR_SE_NAS_SystemNode_Capacity
MA_GEN_CONT_SD_SE_Storage_Pool_Capacity
MA_GEN_CONT_SR_SE_Storage_Pool_Capacity
MA_CUST_CONT_NAS_Replication
MA_GEN_CONT_SD_SE_NAS_Extent_Capacity
MA_GEN_CONT_SR_SE_NAS_Extent_Capacity
MA_GEN_CONT_SD_SE_NAS_Snapshot_Capacity
MA_GEN_CONT_SD_SE_NAS_Quota_Capacity
MA_GEN_CONT_SR_SE_NAS_Snapshot_Capacity
MA_GEN_CONT_SR_SE_StorageSystemCapacity
MA_GEN_CONT_SD_SE_StorageSystemCapacity
MA_GEN_CONT_SH_SE_NAS_LogiVolume_Capacity
MA_CUST_CONT_FCPorts
MA_GEN_CONT_F_SD42_SE_StorageSys_Capacity
MA_CUST_CONT_StorageTiers
MA_CUST_CONT_SCSIController
MA_GEN_CONT_SH_SE_NAS_SystemNode_Capacity
MA_CUST_CONT_StorageReplication
MA_CUST_CONT_NASVolumes
MA_GEN_CONT_SH_SE_NAS_Quota_Capacity
MA_GEN_CONT_SH_SE_NAS_Extent_Capacity

We appreciate your feedback!

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on Content Pack for Storage Systems Universe Reference, March 2015 (Storage Operations Manager 10.00)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to storage-management-doc-feedback@hp.com.