

HP Storage Operations Manager

Software Version: 10.01
Linux® operating system

Content Pack for End-to-End Connectivity Universe Reference

Document Release Date: June 2015
Software Release Date: June 2015



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2015 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

AMD is a trademark of Advanced Micro Devices, Inc.

© 2012 Google Inc. All rights reserved. Google™ is a trademark of Google Inc.

Intel®, Intel® Itanium®, and Intel® Xeon® are trademarks of Intel Corporation in the U.S. and other countries.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Microsoft®, Windows®, and Windows Server® are U.S. registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Red Hat® is a registered trademark of Red Hat, Inc. in the United States and other countries.

UNIX® is a registered trademark of The Open Group.

Oracle Technology — Notice of Restricted Rights

Programs delivered subject to the DOD FAR Supplement are 'commercial computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, programs delivered subject to the Federal Acquisition Regulations are 'restricted computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the restrictions in FAR 52.227-19, Commercial Computer Software-Restricted Rights (June 1987). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

For the full Oracle license text, see the [open_source_third_party_license_agreements.pdf](#) file in the [license-agreements](#) directory in the SOM product download file.

Acknowledgements

This product includes software developed by the Apache Software Foundation.
(<http://www.apache.org>)

This product includes software developed by the Indiana University Extreme! Lab.
(<http://www.extreme.indiana.edu>)

This product uses the j-Interop library to interoperate with COM servers.
(<http://www.j-interop.org>)

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to:

<https://softwaresupport.hp.com>

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to:

<https://hpp12.passport.hp.com/hppcf/createuser.do>

Or click the **the Register** link at the top of the HP Software Support page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

Visit the HP Software Support Online web site at: **<https://softwaresupport.hp.com>**

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

<https://hpp12.passport.hp.com/hppcf/createuser.do>

To find more information about access levels, go to:

<https://softwaresupport.hp.com/web/softwaresupport/access-levels>

HP Software Solutions Now accesses the HPSW Solution and Integration Portal Web site. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of integrations between HP Products, as well as a listing of ITIL Processes. The URL for this Web site is

<http://h20230.www2.hp.com/sc/solutions/index.jsp>

Universe Parameters

Definition

Name: SOM_ConnectivityReporting Universe
Description:

Connection: MA (2)

General information

Created: 4/27/2015 by Administrator
Modified: 4/27/2015 by Administrator
Comments:

Statistics: 9 Classes
532 Objects
18 Tables
0 Aliases
16 Joins
0 Contexts
1 Hierarchies
1 Conditions

Strategies

Join strategy: Edit Manually (none)
Table strategy: (Built-in) Standard
Object strategy: (Built-in) Standard Renaming

Controls

Limit size of result set to: unchecked
Limit size of long text objects to: 1000 characters
Limit execution time to: 10 minutes
Warn if cost estimate exceeds: unchecked

SQL parameters

Query
Allow use of subqueries: yes
Allow use of union, intersect and minus operators: yes
Allow complex conditions in Query Panel: yes
Cartesian products: warn
Multiple paths
Generate several SQL statements for each context: yes
Generate several SQL statements for each measure: yes
Allow selection of multiple contexts: no

Links

No links for this universe

Object Properties

Class:	SOM_ConnectivityReporting_Core
Description:	

No objects

Class:	Host Switch Connectivity
Description:	

Object:	SOM CMS
Type:	Character
Description:	Storage Operations Manager CMS
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.SourceName
Where equivalent:	

Qualification:	dimension
List of values:	001, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Name of the Tenant
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.TenantName
Where equivalent:	

Qualification:	dimension
List of values:	002, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Host Name
Type:	Character
Description:	Host/Server name (include s cluster hosts, virtual s ervers, and virtual machin

	es)
Select equivalent:	K_SE_Host.HostName
Where equivalent:	
Qualification:	dimension
List of values:	003, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Serial Number
Type:	Character
Description:	Serial Number of the Host
Select equivalent:	K_SE_Host.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	051, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name given to the host
Select equivalent:	K_SE_Host.HostCustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	053, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Host Description
Type:	Character
Description:	Description of the host/server
Select equivalent:	K_SE_Host.Description
Where equivalent:	

Qualification:	detail
----------------	--------

Associated dimension name: Host Name
List of values: 055, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Host/server vendor name
Select equivalent: K_SE_Host.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 057, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Host Discovery Status
Type: Character
Description: Discovery status of the host such as Created, Contacted, Missing, Inferred or Generic
Select equivalent: K_SE_Host.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 059, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: IP Address
Type: Character
Description: IP address of the host/server
Select equivalent: K_SE_Host.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Host Name

List of values:	05b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DNS Name
Type:	Character
Description:	DNS Name of the host/server
Select equivalent:	K_SE_Host.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	05d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Model name of the host/server
Select equivalent:	K_SE_Host.Model
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	05f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the timestamp of when host was last contacted
Select equivalent:	K_SE_Host.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	05h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Host Type
Type:	Character
Description:	This lists type of host such as Backup client, Media server, NAS host
Select equivalent:	K_SE_Host.HostType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	05j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	OS Caption
Type:	Character
Description:	Shows the complete OS name
Select equivalent:	K_SE_Host.OSCaption
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	05l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	OS Version
Type:	Character
Description:	Operating system version
Select equivalent:	K_SE_Host.OSVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	05n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	OS Type
Type:	Character

Description: Operating system type/vendor
Select equivalent: K_SE_Host.OSType
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 05p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions of host
Select equivalent: K_SE_Host.IdentifyingDesc
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 05r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Information
Type: Character
Description: Other identifying information of host
Select equivalent: K_SE_Host.OldIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 05t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Physical Memory (GB)
Type: Number
Description: Total physical memory of the server/host in GB
Select equivalent: K_SE_Host.TotalPhysicalMemoryGB
Where equivalent:

Qualification:	detail
Associated dimension name:	Host Name
List of values:	05v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Physical Memory (GiB)
Type:	Number
Description:	Total physical memory of the server/host in GiB
Select equivalent:	K_SE_Host.TotalPhysicalMemoryGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	05x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	# of Processors
Type:	Number
Description:	Number of Processors
Select equivalent:	K_SE_Host.NumberofProcessors
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	060, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Creation Time
Type:	Date
Description:	Creation time
Select equivalent:	K_SE_Host.CreationTime
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	062, editable, manual refresh, not exportable
Security access level:	0

Can be used: in result, in condition, in sort
Object status: show

Object: **Is Cluster?**
Type: Character
Description: Indicates whether or not the host/server is a cluster
Select equivalent: K_SE_Host.IsCluster
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 064, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Is Virtual Server?**
Type: Character
Description: Indicates whether or not the host/server is a virtual server
Select equivalent: K_SE_Host.IsVirtualServer
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 066, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Is Virtual Machine?**
Type: Character
Description: Indicates whether or not the host/server is a virtual machine
Select equivalent: K_SE_Host.IsVirtualMachine
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 068, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Inferred Host?
Type: Character
Description: Indicates whether or not the host/server is a inferred host
Select equivalent: K_SE_Host.IsInferredHost
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 06a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Agent-less Host?
Type: Character
Description: Indicates whether or not the host/server is a agent-less host
Select equivalent: K_SE_Host.IsAgentlessHost
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 06c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Created Host?
Type: Character
Description: Indicates whether or not the host/server is a created host
Select equivalent: K_SE_Host.IsCreatedHost
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 06e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: CIME Version
Type: Character
Description: Host CIM extension version
Select equivalent: K_SE_Host.CIMEVersion

Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 06g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Host
Select equivalent: K_SE_Host.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 06i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Host
Select equivalent: K_SE_Host.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 06k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Take Over IP Address
Type: Character
Description: Take over IP address
Select equivalent: K_SE_Host.IPAddressTakeover
Where equivalent:

Qualification: detail
Associated dimension name: Host Name

List of values:	06m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cluster Nodes
Type:	Character
Description:	List of nodes in a cluster
Select equivalent:	K_SE_Host.ClusterNodes
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	06o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain Name
Type:	Character
Description:	Domain name of host
Select equivalent:	K_SE_Host.HostDomain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	06q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Disaster Recovery System?
Type:	Character
Description:	Indicates whether the host is a Disaster recovery system or not
Select equivalent:	K_SE_Host.IsDRS
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	06s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is High Availability?
Type:	Character
Description:	Indicates whether the host is in high availability or not
Select equivalent:	K_SE_Host.IsHA
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	06u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Indicates whether the host is manageable or not
Select equivalent:	K_SE_Host.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	06w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Service Pack
Type:	Character
Description:	Service pack name of the host's operating system
Select equivalent:	K_SE_Host.ServicePack
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	06y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max # of Nodes
Type:	Number

Description: Maximum number of nodes in a cluster
Select equivalent: K_SE_Host.MaxNodes
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 071, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is FSRM Supported?
Type: Character
Description: Indicates whether FSRM support is available or not for the host
Select equivalent: K_SE_Host.IsFSRMSupported
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 073, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Multi-threaded FSRM Supported?
Type: Character
Description: Indicates whether multi-threaded support is available for FSRM or not for the host
Select equivalent: K_SE_Host.SupportsMultithreadedFSRM
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 075, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Name
Type: Character
Description: Name given during the creation of the virtual machine

Select equivalent: K_SE_Host.VirtualMachineName
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 077, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Power State
Type: Character
Description: Represents power state of
the virtual machine - Pow
ered ON/OFF/SUSPENDED
Select equivalent: K_SE_Host.VirtualMachinePowerState
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 079, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Tool Status
Type: Character
Description: Represents the state of VMTools installation on the virtual machine
Select equivalent: K_SE_Host.VirtualMachineToolStatus
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 07b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Template?
Type: Character
Description: Indicates whether host is a virtual machine template or not
Select equivalent: K_SE_Host.IsTemplate
Where equivalent:

Qualification:	detail
Associated dimension name:	Host Name
List of values:	07d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine DAS Capacity on Server (GB)
Type:	Number
Description:	Represents the DAS storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMDASSizeGB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	07f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine DAS Capacity on Server (GiB)
Type:	Number
Description:	Represents the DAS storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMDASSizeGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	07h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine iSCSI Capacity on Server (GB)
---------	---

Type:	Number
Description:	Represents the iSCSI storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMiSCSISizeGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	07j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine iSCSI Capacity on Server (GiB)
Type:	Number
Description:	Represents the iSCSI storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMiSCSISizeGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	07l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine NAS Capacity on Server (GB)
Type:	Number
Description:	Represents the NAS storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMNASSizeGB
Where equivalent:	
Qualification:	detail

Associated dimension name:	Host Name
List of values:	07n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine NAS Capacity on Server (GiB)
Type:	Number
Description:	Represents the NAS storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMNASSizeGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	07p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine Other Capacity on Server (GB)
Type:	Number
Description:	Represents the Other storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMOtherSizeGB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	07r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine Other Capacity on Server (GiB)
Type:	Number
Description:	Represents the Other stor

	age capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMOtherSizeGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	07t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine Capacity on Server (GB)
Type:	Number
Description:	Represents the storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMSizeonVSGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	07v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine Capacity on Server (GiB)
Type:	Number
Description:	Represents the storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMSizeonVSGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	07x, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine FC Capacity on Server (GB)
Type:	Number
Description:	Represents the FC storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMFCSizeGB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	080, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine FC Capacity on Server (GiB)
Type:	Number
Description:	Represents the FC storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMFCSizeGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	082, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Card Name
Type:	Character
Description:	The name of the HBA card as discovered from the host
Select equivalent:	K_SE_HBA_Card.HBACardName
Where equivalent:	

Qualification:	dimension
List of values:	084, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Vendor
Type:	Character
Description:	Vendor Name of HBA card
Select equivalent:	K_SE_HBA_Card.Vendor
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Card Name
List of values:	086, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Description
Type:	Character
Description:	The description of the HBA card
Select equivalent:	K_SE_HBA_Card.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Card Name
List of values:	088, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA WWN
Type:	Character
Description:	The unique 64-bit worldwide name identifier of the HBA card
Select equivalent:	K_SE_HBA_Card.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Card Name
List of values:	08a, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Model
Type:	Character
Description:	Model Name of HBA card
Select equivalent:	K_SE_HBA_Card.Model
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Card Name
List of values:	08c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Serial Number
Type:	Character
Description:	Serial Number of HBA card
Select equivalent:	K_SE_HBA_Card.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Card Name
List of values:	08e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Hardware Version
Type:	Character
Description:	Hardware Version of HBA card
Select equivalent:	K_SE_HBA_Card.CardVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Card Name
List of values:	08g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: HBA Firmware Version
Type: Character
Description: Firmware Version of HBA card
Select equivalent: K_SE_HBA_Card.FirmwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: HBA Card Name
List of values: 08i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Driver Version
Type: Character
Description: Driver Version of HBA card
Select equivalent: K_SE_HBA_Card.DriverVersion
Where equivalent:

Qualification: detail
Associated dimension name: HBA Card Name
List of values: 08k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Card IP
Type: Character
Description: IP address of HBA card
Select equivalent: K_SE_HBA_Card.CardIP
Where equivalent:

Qualification: detail
Associated dimension name: HBA Card Name
List of values: 08m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Custom Name
Type: Character
Description: Custom Name given to the HBA card
Select equivalent: K_SE_HBA_Card.HBACustomName

Where equivalent:

Qualification: detail
Associated dimension name: HBA Card Name
List of values: 08o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Primary Owner Name
Type: Character
Description: Primary Owner Name of HBA card
Select equivalent: K_SE_HBA_Card.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: HBA Card Name
List of values: 08q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Primary Owner Contact
Type: Character
Description: Primary Owner Contact of HBA card
Select equivalent: K_SE_HBA_Card.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: HBA Card Name
List of values: 08s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Modified Timestamp
Type: Date
Description: Shows the timestamp of when HBA card was last modified
Select equivalent: K_SE_HBA_Card.LastModifiedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: HBA Card Name

List of values:	08u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Installed Date
Type:	Date
Description:	Shows the date when HBA card was installed
Select equivalent:	K_SE_HBA_Card.InstalledDate
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Card Name
List of values:	08w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Manufactured Date
Type:	Date
Description:	Shows the date when HBA card was manufactured
Select equivalent:	K_SE_HBA_Card.ManufactureDate
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Card Name
List of values:	08y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Name
Type:	Character
Description:	Name of the Host Bus Adapter (HBA)
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HBACardName
Where equivalent:	

Qualification:	dimension
List of values:	004, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	HBA WWNss
Type:	Character
Description:	HBA WWN
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HBAWWN
Where equivalent:	

Qualification:	dimension
List of values:	005, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	HBA Port Name
Type:	Character
Description:	Name of the Host Bus Adapter (HBA) Port
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HBAPortName
Where equivalent:	

Qualification:	dimension
List of values:	006, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port Description
Type:	Character
Description:	Description about HBA Port
Select equivalent:	!Unknown.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	03x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port WWN
Type:	Character
Description:	The unique 64-bit worldwide name identifier of the HBA Port
Select equivalent:	!Unknown.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	040, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Connected to WWN
Type:	Character
Description:	Connected to WWN (i.e., Target Port WWN)
Select equivalent:	!Unknown.Connected_to_WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	042, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port State
Type:	Character
Description:	HBA Port State indicate state of the port such as LinkDown, Online
Select equivalent:	!Unknown.PortState
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	044, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Status
Type:	Character
Description:	HBA Port Status
Select equivalent:	!Unknown.PortStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	046, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Physical State
Type: Character
Description: HBA Port Physical State
Select equivalent: !Unknown.PhysicalState
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 048, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Speed (Gb/s)
Type: Number
Description: HBA Port Speed in Gb/sec
Select equivalent: !Unknown.PortSpeed
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Max Speed (Gb/s)
Type: Number
Description: HBA Port Maximum Speed in Gb/sec
Select equivalent: !Unknown.MaxSpeed
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Number
Type: Number
Description: HBA Port Number
Select equivalent: !Unknown.PortNumber
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Port
Type: Number
Description: SCSI Port
Select equivalent: !Unknown.SCSIPort
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Connected to Node WWN
Type: Character
Description: Connected to node WWN
Select equivalent: !Unknown.ConnectedtoNodeWWN
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Symbolic Name
Type: Character
Description: Port Symbolic Name

Select equivalent: !Unknown.PortSymbolicName
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Type
Type: Character
Description: Indicates the type of the port such as N, F, FL, NL, E
Select equivalent: !Unknown.PortType
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Link Technology
Type: Character
Description: Link Technology
Select equivalent: !Unknown.LinkTechnology
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Flavor
Type: Number
Description: Port Flavor
Select equivalent: !Unknown.PortFlavor
Where equivalent:

Qualification: detail

Associated dimension name: HBA Port Name
List of values: 04q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Custom Name
Type: Character
Description: Custom Name given to the HBA port
Select equivalent: !Unknown.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Last Modified Timestamp
Type: Date
Description: Shows the timestamp of when HBA port was last modified
Select equivalent: !Unknown.LastModifiedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Installed Date
Type: Date
Description: Shows the date when HBA port was installed
Select equivalent: !Unknown.InstalledDate
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Port ID
Type: Number
Description: Port ID
Select equivalent: !Unknown.PORT_ID
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 04y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Connected to WWN
Type: Character
Description: HBA Port Connected to WWN
Select equivalent: K_SE_HOST_SWITCH_CONNECTIVITY.HBAPortConnectedtoWWN
Where equivalent:

Qualification: dimension
List of values: 02n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: HBA Port Connected to Node WWN
Type: Character
Description: HBA Port Connected to Node WWN
Select equivalent: K_SE_HOST_SWITCH_CONNEC
TIVITY.HBAPortConnectedto
NodeWWN

Where equivalent:

Qualification: dimension
List of values: 02p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Fabric Name

Type: Character
Description: Name of the Fabric that is connected to Host
Select equivalent: K_SE_HOST_SWITCH_CONNECTIVITY.FABRICNAME
Where equivalent:

Qualification: dimension
List of values: 00a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: WWN of Fabric
Type: Character
Description: World Wide Number of the Fabric
Select equivalent: !Unknown.FabricWWN
Where equivalent:

Qualification: detail
Associated dimension name: Fabric Name
List of values: 091, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Fabric Custom Name
Type: Character
Description: Custom Name of the Fabric
Select equivalent: !Unknown.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Fabric Name
List of values: 093, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Name
Type: Character
Description: Name of the Switch that is connected to Host
Select equivalent: K_SE_HOST_SWITCH_CONNECTIVITY.SWITCHNAME
Where equivalent:

Qualification:	dimension
List of values:	00b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch ID
Type:	Number
Description:	Switch ID
Select equivalent:	!Unknown.SwitchID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	095, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain ID
Type:	Number
Description:	Domain ID of the Switch
Select equivalent:	!Unknown.DomainID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	097, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Description
Type:	Character
Description:	Description about Switch
Select equivalent:	!Unknown.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	099, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Discovery Status
Type: Character
Description: Discovery status of the Switch
Select equivalent: !Unknown.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 09b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch IP Address
Type: Character
Description: IP Address of the Switch
Select equivalent: !Unknown.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 09d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DNS
Type: Character
Description: DNS
Select equivalent: !Unknown.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 09f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: WWN

Type: Character
Description: World Wide Number of the Switch
Select equivalent: !Unknown.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 09h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Model
Type: Character
Description: Model of the Switch
Select equivalent: !Unknown.Model
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 09j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Serial Number
Type: Character
Description: Serial Number of the Switch
Select equivalent: !Unknown.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 09l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Version
Type: Character
Description: Hardware/firmware Version of the Switch
Select equivalent: !Unknown.Version
Where equivalent:

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	09n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Zoning Capability
Type:	Character
Description:	Hardware Zoning Capability of the Switch
Select equivalent:	!Unknown.HardwareZoningCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	09p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Software Zoning Capability
Type:	Character
Description:	Software Zoning Capability of the Switch
Select equivalent:	!Unknown.SoftwareZoningCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	09r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Zoning Installed?
Type:	Number
Description:	Is Zoning Installed (flag)
Select equivalent:	!Unknown.IsZoningInstalled
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	09t, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Number of Modules
Type: Number
Description: Maximum Number of blades or modules in the switch chassis
Select equivalent: !Unknown.MaxNumberOfModules
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 09v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Current Zoning Enforcement
Type: Character
Description: Current Zoning Enforcement
Select equivalent: !Unknown.CurrentZoningEnforcement
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 09x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Fabric Switch Domain Id
Type: Number
Description: Domain Id of the Switch as per the Fabric configuration
Select equivalent: !Unknown.FabricSwitchDomainId
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0a0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Switch Status
Type:	Character
Description:	Operational status of the Switch
Select equivalent:	!Unknown.SwitchStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0a2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch State
Type:	Character
Description:	State of the Switch
Select equivalent:	!Unknown.SwitchState
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0a4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	IP Gateway
Type:	Character
Description:	IP Gateway of the Switch
Select equivalent:	!Unknown.IPGateway
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0a6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	IP Netmask
Type:	Character
Description:	IP Net Mask of the Switch

Select equivalent: !Unknown.IPNetmask
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0a8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Role
Type: Character
Description: Role of the Switch (Principal or Subordinate)
Select equivalent: !Unknown.SwitchRole
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0aa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Fabric WWN
Type: Character
Description: World Wide Number of the Fabric
Select equivalent: !Unknown.FabricWWN
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ac, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Fabric Name
Type: Character
Description: Name of the Switch Fabric
Select equivalent: !Unknown.FabricName
Where equivalent:

Qualification: detail

Associated dimension name: Switch Name
List of values: 0ae, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Virtual Switch?
Type: Character
Description: Is a Virtual Switch (flag)
Select equivalent: !Unknown.IsVirtualSwitch
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ag, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OEM Serial Number
Type: Character
Description: OEM Serial Number
Select equivalent: !Unknown.OEMSerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ai, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Access Gateway?
Type: Character
Description: Is an Access Gateway (flag)
Select equivalent: !Unknown.IsAccessGateway
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ak, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Switch
Select equivalent: !Unknown.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0am, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Custom Name
Type: Character
Description: Custom Name of the Switch
Select equivalent: !Unknown.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ao, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: !Unknown.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0aq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port Name

Type:	Character
Description:	Name of the Switch Port
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HS_SWITCHPORTNAME
Where equivalent:	

Qualification:	dimension
List of values:	00c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Description
Type:	Character
Description:	Description about the switch port
Select equivalent:	!Unknown.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0as, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Discovery Status
Type:	Character
Description:	Description about the discovery status of the Switch port such as CREATED, CONTACTED, MISSING, GENERAL C.
Select equivalent:	!Unknown.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0au, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Port
Type:	Number

Description: Target Port
Select equivalent: !Unknown.TargetPort
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0aw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port State
Type: Character
Description: Port State
Select equivalent: !Unknown.PortState
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0ay, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port WWN
Type: Character
Description: WWN of the Switch Port
Select equivalent: K_SE_HOST_SWITCH_CONNECTIVITY.HS_SWITCHPORTWWN
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 00d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Virtual Port?
Type: Character
Description: Indicates whether a port is a virtual or physical one
Select equivalent: !Unknown.IsVirtualPort
Where equivalent:

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0b1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port Status
Type:	Character
Description:	Port Status
Select equivalent:	!Unknown.PortStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0b3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port Physical State
Type:	Character
Description:	Physical State
Select equivalent:	!Unknown.PhysicalState
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0b5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Speed in Gb/s
Type:	Number
Description:	Port Speed in Gb/s
Select equivalent:	!Unknown.PortSpeed
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0b7, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Speed in Gb/s
Type:	Number
Description:	Maximum port speed in Gb/sec
Select equivalent:	!Unknown.MaxSpeed
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0b9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Number
Type:	Number
Description:	Port Number
Select equivalent:	!Unknown.PortNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0bb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch SCSI Port
Type:	Number
Description:	SCSI Port
Select equivalent:	!Unknown.SCSIPort
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0bd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Switch Port Type
Type: Character
Description: Port Type
Select equivalent: !Unknown.PortType
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0bf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port Link Technology
Type: Character
Description: Link Technology
Select equivalent: !Unknown.LinkTechnology
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0bh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Trunked State
Type: Character
Description: Trunked State
Select equivalent: !Unknown.TrunkedState
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0bj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port Flavor
Type: Number
Description: Port Flavor
Select equivalent: !Unknown.PortFlavor

Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0bl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: NPIV Port?
Type: Character
Description: Indicates whether the Port is NPIV Port or not. TRUE indicates that the port is a NPIV port.
Select equivalent: !Unknown.NPIVPort
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0bn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Port Connected?
Type: Character
Description: Indicates whether the Port is connected to any device or not. True indicates that the port is connected.
Select equivalent: !Unknown.IsConnected
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0bp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port Connected to WWN
Type: Character

Description:	Connected to wwn of the Switch Port
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HS_SWITCHPORTCON NTOWWN
Where equivalent:	
Qualification:	dimension
List of values:	00e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Host UUID
Type:	Character
Description:	UUID of the Host
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HostUUID
Where equivalent:	
Qualification:	dimension
List of values:	00f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA UUID
Type:	Character
Description:	UUID of HBA Card
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HBAUUID
Where equivalent:	
Qualification:	dimension
List of values:	00g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port UUID
Type:	Character
Description:	UUID of the HBA Port
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HBAPortUUID
Where equivalent:	
Qualification:	dimension

List of values:	00h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Fabric UUID
Type:	Character
Description:	UUID of the Host Side Fabric
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.FABRICUUID
Where equivalent:	

Qualification:	dimension
List of values:	00i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch UUID
Type:	Character
Description:	UUID of the Host Side Switch
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.SWITCHUUID
Where equivalent:	

Qualification:	dimension
List of values:	00j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port UUID
Type:	Character
Description:	UUID of the Host Side Switch Port
Select equivalent:	K_SE_HOST_SWITCH_CONNECTIVITY.HS_SWITCHPORTUUID
Where equivalent:	

Qualification:	dimension
List of values:	00k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port WWNss
---------	----------------

Type: Character
Description: HBA Port WWN
Select equivalent: K_SE_HOST_SWITCH_CONNECTIVITY.HBAPortWWN
Where equivalent:

Qualification: dimension
List of values: 02I, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class:	Storage Switch Connectivity
Description:	

Object: SOM CMS
Type: Character
Description: Storage Operations Manager CMS
Select equivalent: K_SE_SS_SWITCH_CONNECTIVITY.SourceName
Where equivalent:

Qualification: dimension
List of values: 00I, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Name of the Tenant
Select equivalent: K_SE_SS_SWITCH_CONNECTIVITY.TenantName
Where equivalent:

Qualification: dimension
List of values: 00m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName
Where equivalent:

Qualification:	dimension
List of values:	00n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ei, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of the storage system such as CREATED, CONTACTED, MISSING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ek, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
----------------	--------

Associated dimension name: Storage System Name
List of values: 0em, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0eo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0eq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0es, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0eu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ew, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ey, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size

Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0f1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0f3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0f5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0f7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0f9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0fb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0fd, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: Off, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: Off, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: Off, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0fl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0fn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0fp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System

Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0fr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ft, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0fv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 0fx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0g0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0g2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0g4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0g6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0g8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ga, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Primary Owner Contact

Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0gc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of when the storage system was last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ge, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Port Name
Type: Character
Description: Name of the Storage System Port

Select equivalent: K_SE_SS_SWITCH_CONNECTIVITY.STORAGEPORTNAME
Where equivalent:

Qualification: dimension
List of values: 00o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0gi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: !Unknown.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0gg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Connected to Node WWN
Type: Character
Description: Which node WWN is the port connected to?
Select equivalent: !Unknown.ConnectedToNodeWWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name

List of values: 0h7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage SCSIPort
Type: Number
Description: SCSI Port
Select equivalent: K_SE_Storage_Port.SCSIPort
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0h5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port Number
Type: Number
Description: Port Number
Select equivalent: !Unknown.PortNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0h3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Max Speed in Gb/s
Type: Number
Description: Max Speed in Gb/s
Select equivalent: K_SE_Storage_Port.MaxSpeed
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0h1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port Speed in Gb/s
Type: Number
Description: Port Speed in Gb/s
Select equivalent: !Unknown.PortSpeed
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0gy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Physical State
Type: Character
Description: Physical State
Select equivalent: K_SE_Storage_Port.PhysicalState
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0gw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port Status
Type: Character
Description: Port Status
Select equivalent: !Unknown.PortStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0gu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port State
Type: Character

Description: Port State
Select equivalent: K_SE_Storage_Port.PortState
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0gs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Connected To WWN
Type: Character
Description: Which WWN is this port connected to?
Select equivalent: !Unknown.ConnectedToWWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0gq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Port WWN
Type: Character
Description: World Wide Name of the Block system port
Select equivalent: K_SE_Storage_Port.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Port Name
List of values: 0go, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Name
Type: Character
Description: Block system port name
Select equivalent: !Unknown.PortName
Where equivalent:

Qualification:	dimension
List of values:	0gk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Block Port Description
Type:	Character
Description:	Block system port description
Select equivalent:	!Unknown.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	0gm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Name
Type:	Character
Description:	Switch Name
Select equivalent:	K_SE_Switch.SwitchName
Where equivalent:	

Qualification:	dimension
List of values:	00p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port Type
Type:	Character
Description:	Port Type
Select equivalent:	K_SE_Storage_Port.PortType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0h9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port Link Technology
Type:	Character
Description:	Link Technology
Select equivalent:	!Unknown.LinkTechnology
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0hb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain ID
Type:	Number
Description:	Domain ID of the Switch
Select equivalent:	K_SE_Switch.DomainID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0bt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch ID
Type:	Number
Description:	Switch ID
Select equivalent:	!Unknown.SwitchID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0br, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Discovery Status
Type:	Character

Description: Discovery status of the Switch
Select equivalent: K_SE_Switch.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0bx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Description
Type: Character
Description: Description about Switch
Select equivalent: !Unknown.Description
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0bv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: DNS
Type: Character
Description: DNS
Select equivalent: K_SE_Switch.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0c2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch IP Address
Type: Character
Description: IP Address of the Switch
Select equivalent: !Unknown.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0c0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Model
Type: Character
Description: Model of the Switch
Select equivalent: K_SE_Switch.Model
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0c6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: WWN
Type: Character
Description: World Wide Number of the Switch
Select equivalent: !Unknown.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0c4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Version
Type: Character
Description: Hardware/firmware Version of the Switch
Select equivalent: K_SE_Switch.Version
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ca, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: Switch Serial Number
Type: Character
Description: Serial Number of the Switch
Select equivalent: !Unknown.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0c8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Software Zoning Capability
Type: Character
Description: Software Zoning Capability of the Switch
Select equivalent: K_SE_Switch.SoftwareZoningCapability
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ce, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Zoning Capability
Type: Character
Description: Hardware Zoning Capability of the Switch
Select equivalent: !Unknown.HardwareZoningCapability
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0cc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Number of Modules
Type: Number
Description: Maximum Number of blades or modules in the switch chassis
Select equivalent: K_SE_Switch.MaxNumberOfModules
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ci, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Zoning Installed?
Type: Number
Description: Is Zoning Installed (flag)
Select equivalent: !Unknown.IsZoningInstalled
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0cg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Fabric Switch Domain Id
Type: Number
Description: Domain Id of the Switch as per the Fabric configuration
Select equivalent: K_SE_Switch.FabricSwitchDomainId
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0cm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Current Zoning Enforcement
Type: Character
Description: Current Zoning Enforcement
Select equivalent: !Unknown.CurrentZoningEnforcement

Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0ck, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch State
Type: Character
Description: State of the Switch
Select equivalent: K_SE_Switch.SwitchState
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0cq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Status
Type: Character
Description: Operational status of the Switch
Select equivalent: !Unknown.SwitchStatus
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0co, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: IP Netmask
Type: Character
Description: IP Net Mask of the Switch
Select equivalent: K_SE_Switch.IPNetmask
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name

List of values:	0cu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	IP Gateway
Type:	Character
Description:	IP Gateway of the Switch
Select equivalent:	!Unknown.IPGateway
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0cs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Fabric WWN
Type:	Character
Description:	World Wide Number of the Fabric
Select equivalent:	K_SE_Switch.FabricWWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0cy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Role
Type:	Character
Description:	Role of the Switch (Principal or Subordinate)
Select equivalent:	!Unknown.SwitchRole
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0cw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Virtual Switch?
Type:	Character
Description:	Is a Virtual Switch (flag)
Select equivalent:	K_SE_Switch.IsVirtualSwitch
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0d3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Fabric Name
Type:	Character
Description:	Name of the Switch Fabric
Select equivalent:	!Unknown.FabricName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0d1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Access Gateway?
Type:	Character
Description:	Is an Access Gateway (flag)
Select equivalent:	K_SE_Switch.IsAccessGateway
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Name
List of values:	0d7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	OEM Serial Number
Type:	Character

Description: OEM Serial Number
Select equivalent: !Unknown.OEMSerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Switch Name
List of values: 0d5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Fabric Name
Type: Character
Description: Switch Fabric name
Select equivalent: K_SE_Switch_Fabric.FabricName
Where equivalent:

Qualification: dimension
List of values: 00q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Switch
Select equivalent: !Unknown.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Fabric Name
List of values: 0d9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Custom Name
Type: Character
Description: Custom Name of the Switch
Select equivalent: K_SE_Switch.CustomName
Where equivalent:

Qualification: detail

Associated dimension name: Fabric Name
List of values: 0db, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: !Unknown.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Fabric Name
List of values: 0dd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port Name
Type: Character
Description: Switch port name
Select equivalent: !Unknown.PortName
Where equivalent:

Qualification: dimension
List of values: 00r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: WWN of Fabric
Type: Character
Description: World Wide Number of the Fabric
Select equivalent: !Unknown.FabricWWN
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0df, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Fabric Custom Name
Type:	Character
Description:	Custom Name of the Fabric
Select equivalent:	K_SE_Switch_Fabric.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0dh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Description
Type:	Character
Description:	Description about the switch port
Select equivalent:	!Unknown.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0dj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Discovery Status
Type:	Character
Description:	Description about the discovery status of the Switch port such as CREATED, CONTACTED, MISSING, GENERAL C.
Select equivalent:	K_SE_Switch_Port.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0dl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Port
Type:	Number
Description:	Target Port
Select equivalent:	!Unknown.TargetPort
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0dn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port State
Type:	Character
Description:	Port State
Select equivalent:	K_SE_Switch_Port.PortState
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0dp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port WWN
Type:	Character
Description:	World Wide Name of the Switch Port
Select equivalent:	!Unknown.SwitchPortWWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	00s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Virtual Port?
Type:	Character

Description: Indicates whether a port is a virtual or physical one
Select equivalent: K_SE_Switch_Port.IsVirtualPort
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0dr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port Status
Type: Character
Description: Port Status
Select equivalent: !Unknown.PortStatus
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0dt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Switch Port Physical State
Type: Character
Description: Physical State
Select equivalent: K_SE_Switch_Port.PhysicalState
Where equivalent:

Qualification: detail
Associated dimension name: Switch Port Name
List of values: 0dv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Speed in Gb/s
Type: Number
Description: Port Speed in Gb/s
Select equivalent: !Unknown.PortSpeed
Where equivalent:

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0dx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Speed in Gb/s
Type:	Number
Description:	Maximum port speed in Gb/sec
Select equivalent:	K_SE_Switch_Port.MaxSpeed
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0e0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Number
Type:	Number
Description:	Port Number
Select equivalent:	!Unknown.PortNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0e2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch SCSI Port
Type:	Number
Description:	SCSI Port
Select equivalent:	K_SE_Switch_Port.SCSIPort
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0e4, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port Type
Type:	Character
Description:	Port Type
Select equivalent:	!Unknown.PortType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0e6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Trunked State
Type:	Character
Description:	Trunked State
Select equivalent:	K_SE_Switch_Port.TrunkedState
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0ea, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port Link Technology
Type:	Character
Description:	Link Technology
Select equivalent:	K_SE_Switch_Port.LinkTechnology
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Name
List of values:	0e8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port Connected to WWN
Type:	Character
Description:	Connected to WWN of the Switch port
Select equivalent:	K_SE_SS_SWITCH_CONNECTIVITY.SS_SWITCHPORTCONNTOWWN
Where equivalent:	

Qualification:	dimension
List of values:	00t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Switch Port Flavor
Type:	Number
Description:	Port Flavor
Select equivalent:	!Unknown.PortFlavor
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Connected to WWN
List of values:	0ec, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	NPIV Port?
Type:	Character
Description:	Indicates whether the Port is NPIV Port or not. TRUE indicates that the port i s a NPIV port.
Select equivalent:	!Unknown.NPIVPort
Where equivalent:	

Qualification:	detail
Associated dimension name:	Switch Port Connected to WWN
List of values:	0ee, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Port Connected?
Type:	Character

Description:	Indicates whether the Port is connected to any device or not. True indicates that the port is connected.
Select equivalent:	!Unknown.IsConnected
Where equivalent:	
Qualification:	detail
Associated dimension name:	Switch Port Connected to WWN
List of values:	0eg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_SS_SWITCH_CONNECTIVITY.StorageSystemUUID
Where equivalent:	
Qualification:	dimension
List of values:	00u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Side Fabric UUID
Type:	Character
Description:	UUID of the Storage Side Fabric
Select equivalent:	K_SE_SS_SWITCH_CONNECTIVITY.SS_FabricUUID
Where equivalent:	
Qualification:	dimension
List of values:	00v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Side Switch UUID
Type:	Character
Description:	UUID of the Storage Side Switch
Select equivalent:	K_SE_SS_SWITCH_CONNECTIVITY.SS_SwitchUUID
Where equivalent:	

Qualification: dimension
List of values: 00w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Host Path Connectivity
Description:	

Object: SOM CMS
Type: Character
Description: Storage Operations Manager CMS
Select equivalent: K_SE_HOST_PATH.SourceName
Where equivalent:

Qualification: dimension
List of values: 00x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Name of the Tenant
Select equivalent: K_SE_HOST_PATH.TenantName
Where equivalent:

Qualification: dimension
List of values: 00y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Host Name
Type: Character
Description: Host/Server name (include
s cluster hosts, virtual s
ervers, and virtual machin
es)
Select equivalent: K_SE_Host.HostName
Where equivalent:

Qualification:	dimension
List of values:	010, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Serial Number
Type:	Character
Description:	Serial Number of the Host
Select equivalent:	K_SE_Host.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0me, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name given to the host
Select equivalent:	K_SE_Host.HostCustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0mg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Host Description
Type:	Character
Description:	Description of the host/server
Select equivalent:	K_SE_Host.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0mi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Vendor
Type: Character
Description: Host/server vendor name
Select equivalent: K_SE_Host.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0mk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Host Discovery Status
Type: Character
Description: Discovery status of the host such as Created, Contacted, Missing, Inferred or Generic
Select equivalent: K_SE_Host.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0mm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: IP Address
Type: Character
Description: IP address of the host/server
Select equivalent: K_SE_Host.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0mo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	DNS Name
Type:	Character
Description:	DNS Name of the host/server
Select equivalent:	K_SE_Host.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0mq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Model name of the host/server
Select equivalent:	K_SE_Host.Model
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0ms, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the timestamp of when host was last contacted
Select equivalent:	K_SE_Host.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0mu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Host Type
Type:	Character

Description: This lists type of host such as Backup client, Media server, NAS host
Select equivalent: K_SE_Host.HostType
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0mw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OS Caption
Type: Character
Description: Shows the complete OS name
Select equivalent: K_SE_Host.OSCaption
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0my, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OS Version
Type: Character
Description: Operating system version
Select equivalent: K_SE_Host.OSVersion
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0n1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OS Type
Type: Character
Description: Operating system type/vendor
Select equivalent: K_SE_Host.OSType
Where equivalent:

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0n3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions of host
Select equivalent:	K_SE_Host.IdentifyingDesc
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0n5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Information
Type:	Character
Description:	Other identifying information of host
Select equivalent:	K_SE_Host.OldIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0n7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Physical Memory (GB)
Type:	Number
Description:	Total physical memory of the server/host in GB
Select equivalent:	K_SE_Host.TotalPhysicalMemoryGB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0n9, editable, manual refresh, not exportable
Security access level:	0

Can be used: in result, in condition, in sort
Object status: show

Object: Total Physical Memory (GiB)
Type: Number
Description: Total physical memory of the server/host in GiB
Select equivalent: K_SE_Host.TotalPhysicalMemoryGiB
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: Onb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: # of Processors
Type: Number
Description: Number of Processors
Select equivalent: K_SE_Host.NumberofProcessors
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: Onb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Creation Time
Type: Date
Description: Creation time
Select equivalent: K_SE_Host.CreationTime
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: Onf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Cluster?
Type: Character
Description: Indicates whether or not the host/server is a cluster
Select equivalent: K_SE_Host.IsCluster
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: Onh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Virtual Server?
Type: Character
Description: Indicates whether or not the host/server is a virtual server
Select equivalent: K_SE_Host.IsVirtualServer
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: Onj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Virtual Machine?
Type: Character
Description: Indicates whether or not the host/server is a virtual machine
Select equivalent: K_SE_Host.IsVirtualMachine
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: Onl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Inferred Host?
Type: Character
Description: Indicates whether or not the host/server is a inferred host
Select equivalent: K_SE_Host.IsInferredHost

Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0nn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Agent-less Host?
Type: Character
Description: Indicates whether or not the host/server is a agent-less host
Select equivalent: K_SE_Host.IsAgentlessHost
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0np, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Created Host?
Type: Character
Description: Indicates whether or not the host/server is a created host
Select equivalent: K_SE_Host.IsCreatedHost
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0nr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: CIME Version
Type: Character
Description: Host CIM extension version
Select equivalent: K_SE_Host.CIMEVersion
Where equivalent:

Qualification: detail
Associated dimension name: Host Name

List of values:	Ont, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Host
Select equivalent:	K_SE_Host.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	Onv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Host
Select equivalent:	K_SE_Host.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	Onx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Take Over IP Address
Type:	Character
Description:	Take over IP address
Select equivalent:	K_SE_Host.IPAddressTakeover
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0o0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cluster Nodes
Type:	Character
Description:	List of nodes in a cluster
Select equivalent:	K_SE_Host.ClusterNodes
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0o2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain Name
Type:	Character
Description:	Domain name of host
Select equivalent:	K_SE_Host.HostDomain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0o4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Disaster Recovery System?
Type:	Character
Description:	Indicates whether the host is a Disaster recovery system or not
Select equivalent:	K_SE_Host.IsDRS
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0o6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is High Availability?
Type:	Character

Description: Indicates whether the host is in high availability or not
Select equivalent: K_SE_Host.IsHA
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0o8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Indicates whether the host is manageable or not
Select equivalent: K_SE_Host.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0oa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Service Pack
Type: Character
Description: Service pack name of the host's operating system
Select equivalent: K_SE_Host.ServicePack
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0oc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max # of Nodes
Type: Number
Description: Maximum number of nodes in a cluster
Select equivalent: K_SE_Host.MaxNodes
Where equivalent:

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0oe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is FSRM Supported?
Type:	Character
Description:	Indicates whether FSRM support is available or not for the host
Select equivalent:	K_SE_Host.IsFSRMSupported
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0og, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Multi-threaded FSRM Supported?
Type:	Character
Description:	Indicates whether multi-threaded support is available for FSRM or not for the host
Select equivalent:	K_SE_Host.SupportsMultithreadedFSRM
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0oi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine Name
Type:	Character
Description:	Name given during the creation of the virtual machine
Select equivalent:	K_SE_Host.VirtualMachineName
Where equivalent:	

Qualification:	detail
----------------	--------

Associated dimension name: Host Name
List of values: 0ok, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Power State
Type: Character
Description: Represents power state of the virtual machine - Powered ON/OFF/SUSPENDED
Select equivalent: K_SE_Host.VirtualMachinePowerState
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0om, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Tool Status
Type: Character
Description: Represents the state of VMTools installation on the virtual machine
Select equivalent: K_SE_Host.VirtualMachineToolStatus
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0oo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Template?
Type: Character
Description: Indicates whether host is a virtual machine template or not
Select equivalent: K_SE_Host.IsTemplate
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0oq, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine DAS Capacity on Server (GB)
Type:	Number
Description:	Represents the DAS storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMDASSizeGB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0os, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine DAS Capacity on Server (GiB)
Type:	Number
Description:	Represents the DAS storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMDASSizeGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Host Name
List of values:	0ou, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine iSCSI Capacity on Server (GB)
Type:	Number
Description:	Represents the iSCSI storage capacity in GB occupied by the files for this virt

	ual machine on the virtual server
Select equivalent:	K_SE_Host.VMiSCSISizeGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	0ow, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine iSCSI Capacity on Server (GiB)
Type:	Number
Description:	Represents the iSCSI stora ge capacity in GiB occupie d by the files for this vir tual machine on the virtua l server
Select equivalent:	K_SE_Host.VMiSCSISizeGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	0oy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine NAS Capacity on Server (GB)
Type:	Number
Description:	Represents the NAS storag e capacity in GB occupied by the files for this virtu al machine on the virtual server
Select equivalent:	K_SE_Host.VMNASSizeGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	0p1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Virtual Machine NAS Capacity on Server (GiB)
Type: Number
Description: Represents the NAS storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent: K_SE_Host.VMNASSizeGiB
Where equivalent:
Qualification: detail
Associated dimension name: Host Name
List of values: 0p3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Other Capacity on Server (GB)
Type: Number
Description: Represents the Other storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent: K_SE_Host.VMOtherSizeGB
Where equivalent:
Qualification: detail
Associated dimension name: Host Name
List of values: 0p5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Other Capacity on Server (GiB)
Type: Number
Description: Represents the Other storage capacity in GiB occupied by the files for this virtual machine on the virtual server

Select equivalent: K_SE_Host.VMOtherSizeGiB
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0p7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Capacity on Server (GB)
Type: Number
Description: Represents the storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent: K_SE_Host.VMSizeonVSGB
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0p9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Virtual Machine Capacity on Server (GiB)
Type: Number
Description: Represents the storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent: K_SE_Host.VMSizeonVSGiB
Where equivalent:

Qualification: detail
Associated dimension name: Host Name
List of values: 0pb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Virtual Machine FC Capacity on Server (GB)
Type:	Number
Description:	Represents the FC storage capacity in GB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMFCSIZEGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	0pd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Virtual Machine FC Capacity on Server (GiB)
Type:	Number
Description:	Represents the FC storage capacity in GiB occupied by the files for this virtual machine on the virtual server
Select equivalent:	K_SE_Host.VMFCSIZEGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Host Name
List of values:	0pf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Logical Volume Name
Type:	Character
Description:	Name of the logical volume
Select equivalent:	K_SE_Host_LogicalVolume.LogicalVolumeName
Where equivalent:	
Qualification:	dimension
List of values:	011, editable, manual refresh, not exportable
Security access level:	0

Can be used: in result, in condition, in sort
Object status: show

Object: **Drive Type**
Type: Character
Description: Indicates whether the volume is External, Local or Network
Select equivalent: K_SE_Host_LogicalVolume.DriveType
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0ph, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Device ID**
Type: Character
Description: An address or other identifying information to uniquely name the Logical Device/ Logical Volume
Select equivalent: K_SE_Host_LogicalVolume.DeviceID
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0pj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Description**
Type: Character
Description: Description about Host Volumes
Select equivalent: K_SE_Host_LogicalVolume.Description
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0pl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: File System Type
Type: Character
Description: Indicates the type of the file system
Select equivalent: K_SE_Host_LogicalVolume.FileSystemType
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0pn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model Type
Type: Character
Description: Represents whether the volume is 'Logical Disk' or 'File System'
Select equivalent: K_SE_Host_LogicalVolume.ModelType
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0pp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share Name
Type: Character
Description: Share Name
Select equivalent: K_SE_Host_LogicalVolume.ShareName
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0pr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share System Name

Type: Character
Description: Name of the share system
Select equivalent: K_SE_Host_LogicalVolume.ShareSystemName
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: Opt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Logical Volume Shared ID
Type: Character
Description: Name of the Cluster share
Select equivalent: K_SE_Host_LogicalVolume.SharedID
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0s8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Shared ID
Type: Character
Description: Name of the Cluster share
Select equivalent: !Unknown.SharedID
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0pv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Shared?
Type: Character
Description: Indicates whether the Logical Volume is a shared resource or not
Select equivalent: !Unknown.IsShared
Where equivalent:

Qualification:	detail
Associated dimension name:	Logical Volume Name
List of values:	0px, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Logical Volume Shared?
Type:	Character
Description:	Indicates whether the Logical Volume is a shared resource or not
Select equivalent:	!Unknown.IsShared
Where equivalent:	

Qualification:	detail
Associated dimension name:	Logical Volume Name
List of values:	0qo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is ZFS File System?
Type:	Character
Description:	Indicates whether the File system of logical volume is zfs (Z File System) or not
Select equivalent:	!Unknown.IsZFSFileSystem
Where equivalent:	

Qualification:	detail
Associated dimension name:	Logical Volume Name
List of values:	0q0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is ZFS Storage Pool?
Type:	Character
Description:	Indicates whether mount p oint is zfs (Z File System) base mount point or not
Select equivalent:	!Unknown.IsZFSStoragePool

Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0q2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Type
Type: Character
Description: Indicates type of the Logical Volume such as Reparse point etc
Select equivalent: !Unknown.VolumeType
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0q4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Logical Volume Custom Name
Type: Character
Description: Custom name of Logical Volume
Select equivalent: !Unknown.VolumeCustomName
Where equivalent:

Qualification: detail
Associated dimension name: Logical Volume Name
List of values: 0q6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Name
Type: Character
Description: Disk Drive Name
Select equivalent: K_SE_HOST_PATH.DISKDRIVENAME
Where equivalent:

Qualification: dimension
List of values: 013, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OID
Type: Character
Description: OID
Select equivalent: !Unknown.OID
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0q8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Vendor
Type: Character
Description: Vendor name of the disk drive
Select equivalent: !Unknown.VENDOR
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0qa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Serial Number
Type: Character
Description: Serial Number of the disk drive
Select equivalent: !Unknown.SERIALNUMBER
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0qc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Disk Drive Description
Type:	Character
Description:	Description of disk drive
Select equivalent:	!Unknown.DESCRPTION
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	0qe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Model
Type:	Character
Description:	Model name of the disk drive
Select equivalent:	!Unknown.MODEL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	0qg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Disk Drive Hardware Version
Select equivalent:	!Unknown.VERSION
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	0qi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Status
Type:	Character
Description:	Disk Drive Status

Select equivalent: !Unknown.DISKDRIVESTATUS
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0qk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Share ID
Type: Character
Description: Name of the cluster share
Select equivalent: !Unknown.SHAREID
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0sa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Disk Drive Shared?
Type: Character
Description: Indicates whether the disk drive is a shared resource or not
Select equivalent: !Unknown.ISSHARED
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0qq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Bus
Type: Number
Description: SCSI Bus of the Disk drive
Select equivalent: !Unknown.SCSIBUS
Where equivalent:

Qualification: detail

Associated dimension name: Disk Drive Name
List of values: 0qs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OS LUN
Type: Number
Description: OS LUN of the Disk drive
Select equivalent: !Unknown.SCSILUN
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0qu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Target ID
Type: Number
Description: SCSI Target ID
Select equivalent: !Unknown.SCSITARGETID
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0qw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive SCSI Port
Type: Number
Description: SCSI Port of the Disk drive
Select equivalent: !Unknown.SCSIPort
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0sc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Maximum Media Size (GB)
Type: Number
Description: Maximum Media Size in GB
Select equivalent: !Unknown.MAXMEDIASIZEGB
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0r1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Media Size (GiB)
Type: Number
Description: Maximum Media Size in GiB
Select equivalent: !Unknown.MAXMEDIASIZEGIB
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0r3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Block Size (Bytes)
Type: Number
Description: Maximum Block Size in Bytes
Select equivalent: !Unknown.MAXBLOCKSIZE
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0r5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Block Size (Bytes)

Type:	Number
Description:	Minimum Block Size in Bytes
Select equivalent:	!Unknown.MINBLOCKSIZE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	0r7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default Block Size (Bytes)
Type:	Number
Description:	Default Block Size in Bytes
Select equivalent:	!Unknown.DefaultBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	0r9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Enabled Status
Type:	Character
Description:	Enabled Status
Select equivalent:	!Unknown.ENABLESTATUS
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	0rb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Availability
Type:	Character
Description:	Availability
Select equivalent:	!Unknown.AVAILABILITY
Where equivalent:	

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: Ord, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Path Status
Type: Character
Description: Path Status
Select equivalent: !Unknown.PATHSTATUS
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: Orf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: RPM
Type: Number
Description: Revolutions per Minute
Select equivalent: !Unknown.RPM
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0rh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Architecture
Type: Character
Description: Architecture
Select equivalent: !Unknown.ARCHITECTURE
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0rj, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Compression Methodology
Type: Character
Description: Compression Methodology
Select equivalent: !Unknown.CompressionMethod
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0rl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Uncompressed Data Rate
Type: Number
Description: Uncompressed Data Rate
Select equivalent: !Unknown.UncompressedDataRate
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0rn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Access Time
Type: Number
Description: Maximum Access Time
Select equivalent: !Unknown.MAXACCESSTIME
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 0rp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Share ID
Type:	Character
Description:	Name of the cluster share
Select equivalent:	!Unknown.SHAREID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	0qm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port Name
Type:	Character
Description:	Name of the Host Bus Adapter (HBA) Port
Select equivalent:	K_SE_HOST_PATH.HS_HBAPortName
Where equivalent:	
Qualification:	dimension
List of values:	014, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port Description
Type:	Character
Description:	Description about HBA Port
Select equivalent:	!Unknown.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0rr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port WWN
Type:	Character
Description:	HBA Port WWN
Select equivalent:	K_SE_HOST_PATH.HS_HBAPortWWN

Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 02r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Connected to WWN
Type: Character
Description: Connected to WWN (i.e., Target Port WWN)
Select equivalent: !Unknown.Connected_to_WWN
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 0rt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port State
Type: Character
Description: HBA Port State indicate state of the port such as LinkDown, Online
Select equivalent: !Unknown.PortState
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 0rv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Status
Type: Character
Description: HBA Port Status
Select equivalent: !Unknown.PortStatus
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name

List of values: 0rx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Physical State
Type: Character
Description: HBA Port Physical State
Select equivalent: !Unknown.PhysicalState
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 0s0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Speed (Gb/s)
Type: Number
Description: HBA Port Speed in Gb/sec
Select equivalent: !Unknown.PortSpeed
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 0s2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Max Speed (Gb/s)
Type: Number
Description: HBA Port Maximum Speed in Gb/sec
Select equivalent: !Unknown.MaxSpeed
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 0s4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port Number
Type: Number
Description: HBA Port Number
Select equivalent: !Unknown.PortNumber
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 0s6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Port
Type: Number
Description: SCSI Port of the Disk drive
Select equivalent: !Unknown.SCSIPort
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 0qy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Connected to Node WWN
Type: Character
Description: Connected to node WWN
Select equivalent: !Unknown.ConnectedtoNodeWWN
Where equivalent:

Qualification: detail
Associated dimension name: HBA Port Name
List of values: 0se, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Symbolic Name
Type: Character

Description:	Port Symbolic Name
Select equivalent:	!Unknown.PortSymbolicName
Where equivalent:	
Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0sg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Type
Type:	Character
Description:	Indicates the type of the port such as N, F, FL, NL, E
Select equivalent:	!Unknown.PortType
Where equivalent:	
Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0si, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Link Technology
Type:	Character
Description:	Link Technology
Select equivalent:	!Unknown.LinkTechnology
Where equivalent:	
Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0sk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Flavor
Type:	Number
Description:	Port Flavor
Select equivalent:	!Unknown.PortFlavor
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0sm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port Custom Name
Type:	Character
Description:	Custom Name given to the HBA port
Select equivalent:	!Unknown.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0so, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port Last Modified Timestamp
Type:	Date
Description:	Shows the timestamp of when HBA port was last modified
Select equivalent:	!Unknown.LastModifiedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0sq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port Installed Date
Type:	Date
Description:	Shows the date when HBA port was installed
Select equivalent:	!Unknown.InstalledDate
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0ss, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port ID
Type:	Number
Description:	Port ID
Select equivalent:	!Unknown.PORT_ID
Where equivalent:	

Qualification:	detail
Associated dimension name:	HBA Port Name
List of values:	0su, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port Connected to WWN
Type:	Character
Description:	HBA Port Connected to WWN
Select equivalent:	K_SE_HOST_PATH.HS_HBAPortConnectedtoWWN
Where equivalent:	

Qualification:	dimension
List of values:	02t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	HBA Port Connected to Node WWN
Type:	Character
Description:	HBA Port Connected to Node WWN
Select equivalent:	K_SE_HOST_PATH.HS_HBAPortConnectedtoNodeWWN
Where equivalent:	

Qualification:	dimension
List of values:	02v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Target LUN ID
Type:	Character

Description:	Target LUN ID
Select equivalent:	K_SE_HOST_PATH.TargetLUNID
Where equivalent:	
Qualification:	dimension
List of values:	018, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Port WWN
Type:	Character
Description:	Target Port WWN
Select equivalent:	K_SE_HOST_PATH.TargetPortWWN
Where equivalent:	
Qualification:	dimension
List of values:	019, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Host UUID
Type:	Character
Description:	Host/Server UUID
Select equivalent:	K_SE_HOST_PATH.HP_HostUUID
Where equivalent:	
Qualification:	dimension
List of values:	01a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Logical Volume UUID
Type:	Character
Description:	UUID of the Logical Volume
Select equivalent:	K_SE_HOST_PATH.LogicalVolumeUUID
Where equivalent:	
Qualification:	dimension
List of values:	01b, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive UUID
Type:	Character
Description:	Disk Drive UUID
Select equivalent:	K_SE_HOST_PATH.DISKDRIVEUUID
Where equivalent:	

Qualification:	dimension
List of values:	01c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HBA Port UUID
Type:	Character
Description:	UUID of the Host Bus Adapter (HBA) Port
Select equivalent:	K_SE_HOST_PATH.HS_HBAPortUUID
Where equivalent:	

Qualification:	dimension
List of values:	01d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Logical Volume Size in Bytes
Type:	Number
Description:	Size of the Logical Volume
Select equivalent:	K_SE_HOST_PATH.LogicalVolumeSizeinGB
Where equivalent:	

Qualification:	dimension
List of values:	012, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Presented Storage Connectivity
Description:	

Object:	SOM CMS
Type:	Character
Description:	Storage Operations Manager CMS
Select equivalent:	K_SE_STORAGE_PATH.SourceName
Where equivalent:	
Qualification:	dimension
List of values:	01e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Name of the Tenant
Select equivalent:	K_SE_STORAGE_PATH.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	01f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	01g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail

Associated dimension name: Storage System Name
List of values: 0hf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of the storage system such as
CREATED, CONTACTED, MISSING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values:	0hl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ht, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character

Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0i0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0i2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0i4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0i6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0i8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ia, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ic, editable, manual refresh, not exportable
Security access level:	0

Can be used: in result, in condition, in sort
Object status: show

Object: **Replication Pools**
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ie, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Replication Status**
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ig, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Storage On Access**
Type: Character
Description: Storage On Access (flag)
Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ii, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Business Cost**
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ik, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **DKC Microcode Version**
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0im, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Family**
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0io, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Hardware Version**
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0iq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0is, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0iu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values:	Oiw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	Oiy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0j1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0j3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0j5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0j7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0j9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date

Description:	Shows the time stamp of when the storage system was last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0jb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0jd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0jf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0jh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Block Volume Name**
Type: Character
Description: Name of the Block Volume
Select equivalent: K_SE_Storage_Volume.SANVolumeName
Where equivalent:

Qualification: dimension
List of values: 0jj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **OID**
Type: Character
Description: Unique Identifier for Block Volume
Select equivalent: K_SE_Storage_Volume.OID
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0jl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Volume Device ID**
Type: Character
Description: Block Volume Device ID
Select equivalent: K_SE_Storage_Volume.VolumeDeviceId
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0jn, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Block Volume Access Type**
Type: Character
Description: Block Volume Access Type
Select equivalent: K_SE_Storage_Volume.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0jp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Block Volume Block Size in Bytes**
Type: Number
Description: Block Volume Block Size in Bytes
Select equivalent: K_SE_Storage_Volume.BlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0jr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Number of Blocks**
Type: Number
Description: Number of blocks in Block Volume
Select equivalent: K_SE_Storage_Volume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0jt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Volume Size Bytes
Type:	Number
Description:	Source Block Volume Size in Bytes
Select equivalent:	K_SE_Storage_Volume.VolumeSizeBytes
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0jv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumable Blocks
Type:	Number
Description:	Number of consumable blocks in Block Volume
Select equivalent:	K_SE_Storage_Volume.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0jx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumed Blocks
Type:	Number
Description:	Actual consumed physical space of the volume. Note : This object only applicable for Block systems that support Thin Provisioning
Select equivalent:	K_SE_Storage_Volume.ConsumedBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0k0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates Whether Block Volume is Thinly Provisioned or not
Select equivalent:	K_SE_Storage_Volume.IsThinlyProvisioned
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0k2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (Bytes)
Type:	Number
Description:	Raw Space in Bytes that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpace
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0k4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GB)
Type:	Number
Description:	Raw Space in GB that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpaceGB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0k6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Raw Space (GiB)
Type: Number
Description: Raw Space in GiB that is consumed by the Block volume from the underlying Block extents
Select equivalent: K_SE_Storage_Volume.RawSpaceGiB
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0k8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: RAID Type
Type: Character
Description: RAID Type - A String representation of the RAID level and configuration of the underlying Block extent(s) that the volume is based on. E.g. 'RAID5(7D+1P)'.
Select equivalent: K_SE_Storage_Volume.RaidType
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0ka, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sequential Access?
Type: Character
Description: Indicates whether sequential access or not
Select equivalent: K_SE_Storage_Volume.SeqAccess
Where equivalent:

Qualification: detail

Associated dimension name: Block Volume Name
List of values: 0kc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Availability
Type: Character
Description: Whether Block Volume is Available
Select equivalent: K_SE_Storage_Volume.Availability
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0ke, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Status Information
Type: Character
Description: Block Volume Status Information
Select equivalent: K_SE_Storage_Volume.StatusInfo
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0kg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Type
Type: Character
Description: Volume Type - {'Open','Mainframe Mapped' - Volume known to be mapped from FINCON or ESCO N port. EFile - Volume known to be mapped through a File port}
Select equivalent: K_SE_Storage_Volume.VolumeType
Where equivalent:

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0ki, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Purpose
Type:	Character
Description:	Volume Purpose represents the Block Volume Emulation type for supported Block Arrays
Select equivalent:	K_SE_Storage_Volume.VolumePurpose
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0kk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Single Point of Failure
Type:	Number
Description:	Default Single Point of Failure for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDfltSnglPtofFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0km, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume No Single Point of Failure
Type:	Character
Description:	No Single Point of Failure for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolNoSinglePointofFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0ko, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0kq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0ks, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDefaultDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0ku, editable, manual refresh, not exportable
Security access level:	0

Can be used: in result, in condition, in sort
Object status: show

Object: Volume Minimum Spindle Redundancy
Type: Number
Description: Minimum Spindle Redundancy for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMinSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0kw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Maximum Spindle Redundancy
Type: Number
Description: Maximum Spindle Redundancy for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMaxSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0ky, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Default Spindle Redundancy
Type: Number
Description: Default Spindle Redundancy for Block Volume
Select equivalent: K_SE_Storage_Volume.VolDefaultSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0l1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Minimum Delta Reservation
Type: Number
Description: Minimum Delta Reservation for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMinDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 013, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Maximum Delta Reservation
Type: Number
Description: Maximum Delta Reservation for Block Volume
Select equivalent: K_SE_Storage_Volume.VolMaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 015, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Default Delta Reservation
Type: Number
Description: Default Delta Reservation for Block Volume
Select equivalent: K_SE_Storage_Volume.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 017, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Blocks
Type: Number
Description: Actual Number of Blocks
Select equivalent: K_SE_Storage_Volume.ActualBlocks

Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0l9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Used Blocks**
Type: Number
Description: Number of Used Blocks
Select equivalent: K_SE_Storage_Volume.UsedBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0lb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Block Volume Controller Name**
Type: Character
Description: Controller Name
Select equivalent: K_SE_Storage_Volume.ControllerName
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 0ld, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Block Volume Composition**
Type: Character
Description: Shows type of volume like Internal, External, Hybrid...
Select equivalent: K_SE_Storage_Volume.Composition
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name

List of values:	0lf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Description
Type:	Character
Description:	Block Volume Description
Select equivalent:	K_SE_Storage_Volume.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0lh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capabilities
Type:	Character
Description:	Storage Capabilities
Select equivalent:	K_SE_Storage_Volume.StorageCapabilities
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	0lj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Name
Type:	Character
Description:	Block system port name
Select equivalent:	K_SE_Storage_Port.PortName
Where equivalent:	

Qualification:	dimension
List of values:	0ll, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Port Description
Type:	Character
Description:	Block system port description
Select equivalent:	K_SE_Storage_Port.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	0In, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Port WWN
Type:	Character
Description:	World Wide Name of the Block system port
Select equivalent:	K_SE_Storage_Port.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	0lp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Connected To WWN
Type:	Character
Description:	Which WWN is this port connected to?
Select equivalent:	K_SE_Storage_Port.ConnectedToWWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	0lr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port State
Type:	Character
Description:	Port State

Select equivalent: K_SE_Storage_Port.PortState
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0lt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port Status
Type: Character
Description: Port Status
Select equivalent: K_SE_Storage_Port.PortStatus
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0lv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Physical State
Type: Character
Description: Physical State
Select equivalent: K_SE_Storage_Port.PhysicalState
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0lx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port Speed in Gb/s
Type: Number
Description: Port Speed in Gb/s
Select equivalent: K_SE_Storage_Port.PortSpeed
Where equivalent:

Qualification: detail

Associated dimension name: Port Name
List of values: 0m0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Max Speed in Gb/s
Type: Number
Description: Max Speed in Gb/s
Select equivalent: K_SE_Storage_Port.MaxSpeed
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0m2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port Number
Type: Number
Description: Port Number
Select equivalent: K_SE_Storage_Port.PortNumber
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0m4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage SCSI Port
Type: Number
Description: SCSI Port
Select equivalent: K_SE_Storage_Port.SCSIPort
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0m6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Storage Connected to Node WWN
Type: Character
Description: Which node WWN is the port connected to?
Select equivalent: K_SE_Storage_Port.ConnectedToNodeWWN
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0m8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port Type
Type: Character
Description: Port Type
Select equivalent: K_SE_Storage_Port.PortType
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0ma, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Port Link Technology
Type: Character
Description: Link Technology
Select equivalent: K_SE_Storage_Port.LinkTechnology
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0mc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Volume Name

Type:	Character
Description:	Name of the Storage Volume
Select equivalent:	K_SE_STORAGE_PATH.SP_StorageVolumeName
Where equivalent:	

Qualification:	dimension
List of values:	01h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage Volume Size in Bytes
Type:	Number
Description:	Total Size of Storage Volume
Select equivalent:	K_SE_STORAGE_PATH.SP_StorageVolumeSizeinGB
Where equivalent:	

Qualification:	dimension
List of values:	02j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	LUN ID
Type:	Character
Description:	LUN ID
Select equivalent:	K_SE_STORAGE_PATH.SP_LUNID
Where equivalent:	

Qualification:	dimension
List of values:	01l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Initiator WWN
Type:	Character
Description:	Initiator WWN
Select equivalent:	K_SE_STORAGE_PATH.SP_INITIATORWWN
Where equivalent:	

Qualification:	dimension
List of values:	01m, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_STORAGE_PATH.SP_StorageSystemUUID
Where equivalent:	

Qualification:	dimension
List of values:	01n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Volume UUID
Type:	Character
Description:	UUID of the Storage Volume
Select equivalent:	K_SE_STORAGE_PATH.SP_StorageVolumeUUID
Where equivalent:	

Qualification:	dimension
List of values:	01o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Port UUID
Type:	Character
Description:	UUID of the Storage System Port
Select equivalent:	K_SE_STORAGE_PATH.SP_StorageSystemPortUUID
Where equivalent:	

Qualification:	dimension
List of values:	01p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Port Name
Type:	Character

Description:	Name of the Storage System Port
Select equivalent:	K_SE_STORAGE_PATH.SP_StorageSystemPortName
Where equivalent:	

Qualification:	dimension
List of values:	01j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Port WWN
Type:	Character
Description:	wwn of the SP_Storage System Port
Select equivalent:	K_SE_STORAGE_PATH.SP_StorageSystemPortWWN
Where equivalent:	

Qualification:	dimension
List of values:	01k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Switch ISL Connectivity
Description:	

Object:	SOM CMS
Type:	Character
Description:	Storage Operations Manager CMS
Select equivalent:	K_SE_SWTICH_ISL.SourceName
Where equivalent:	

Qualification:	dimension
List of values:	021, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Name of the Tenant
Select equivalent:	K_SE_SWTICH_ISL.TenantName
Where equivalent:	

Qualification:	dimension
List of values:	022, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source Fabric Name
Type:	Character
Description:	Name of the Source Fabric
Select equivalent:	K_SE_SWTICH_ISL.SOURCE_FABRICNAME
Where equivalent:	

Qualification:	dimension
List of values:	023, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source Switch Name
Type:	Character
Description:	Name of the Source Switch
Select equivalent:	K_SE_SWTICH_ISL.SOURCE_SWITCHNAME
Where equivalent:	

Qualification:	dimension
List of values:	024, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source Switch Port Name
Type:	Character
Description:	Name of the Source Switch Port
Select equivalent:	K_SE_SWTICH_ISL.SOURCE_SWITCHPORTNAME
Where equivalent:	

Qualification:	dimension
List of values:	025, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source Switch Port WWN
Type:	Character
Description:	WWN of the Source Switch Port
Select equivalent:	K_SE_SWTICH_ISL.SOURCE_SWITCHPORTWWN
Where equivalent:	

Qualification:	dimension
List of values:	026, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Fabric Name
Type:	Character
Description:	Name of the Target Fabric
Select equivalent:	K_SE_SWTICH_ISL.TARGET_FABRICNAME
Where equivalent:	

Qualification:	dimension
List of values:	027, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Switch Name
Type:	Character
Description:	Name of the Target Switch
Select equivalent:	K_SE_SWTICH_ISL.TARGET_SWITCHNAME
Where equivalent:	

Qualification:	dimension
List of values:	028, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Switch Port Name
Type:	Character
Description:	Name of the Target Switch Port
Select equivalent:	K_SE_SWTICH_ISL.TARGET_SWITCHPORTNAME
Where equivalent:	

Qualification:	dimension
----------------	-----------

List of values:	029, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Switch Port WWN
Type:	Character
Description:	WWN of the Target Switch Port
Select equivalent:	K_SE_SWTICH_ISL.TARGET_PORTWWN
Where equivalent:	

Qualification:	dimension
List of values:	02a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Connected to WWN
Type:	Character
Description:	Target Connected to WWN
Select equivalent:	K_SE_ISLPorT_CONN.ISLP_CONNECTEDTOWWN
Where equivalent:	

Qualification:	dimension
List of values:	02b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source Fabric UUID
Type:	Character
Description:	UUID of the Source Fabric
Select equivalent:	K_SE_SWTICH_ISL.SOURCE_FABRICUUID
Where equivalent:	

Qualification:	dimension
List of values:	02c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source Switch UUID
---------	--------------------

Type:	Character
Description:	UUID of the Source Switch
Select equivalent:	K_SE_SWTICH_ISL.SOURCE_SWITCHUUID
Where equivalent:	

Qualification:	dimension
List of values:	02d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source Switch Port UUID
Type:	Character
Description:	UUID of the Source Switch Port
Select equivalent:	K_SE_SWTICH_ISL.SOURCE_SWITCHPORTUUID
Where equivalent:	

Qualification:	dimension
List of values:	02e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Fabric UUID
Type:	Character
Description:	UUID of the Target Fabric
Select equivalent:	K_SE_SWTICH_ISL.TARGET_FABRICUUID
Where equivalent:	

Qualification:	dimension
List of values:	02f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Switch UUID
Type:	Character
Description:	UUID of the Target Switch
Select equivalent:	K_SE_SWTICH_ISL.TARGET_SWITCHUUID
Where equivalent:	

Qualification:	dimension
List of values:	02g, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Target Switch Port UUID
Type: Character
Description: UUID of the Target Switch Port
Select equivalent: K_SE_SWTICH_ISL.TARGET_SWITCHPORTUUID
Where equivalent:

Qualification: dimension
List of values: 02h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	NAS Client Connectivity
Description:	

Object: SOM CMS
Type: Character
Description: Storage Operations Manager CMS
Select equivalent: K_SE_NAS_CLIENTS.SourceName
Where equivalent:

Qualification: dimension
List of values: 01q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Tenant Name
Type: Character
Description: Name of the Tenant
Select equivalent: K_SE_NAS_CLIENTS.TenantName
Where equivalent:

Qualification: dimension
List of values: 01r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object:	File System Name
Type:	Character
Description:	Name of the File System
Select equivalent:	K_SE_NAS_IDENTIFIER.NASNAME
Where equivalent:	

Qualification:	dimension
List of values:	01s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Client Host Name
Type:	Character
Description:	Name of the Client Host that NAS Storage is connected to
Select equivalent:	K_SE_NAS_CLIENTS.CLIENTHOSTNAME
Where equivalent:	

Qualification:	dimension
List of values:	01t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Client Logical Volume Name
Type:	Character
Description:	Name of the Client Logical Volume mapped from NAS Storage
Select equivalent:	K_SE_NAS_CLIENTS.CLIENTLOGICALVOLUMENAME
Where equivalent:	

Qualification:	dimension
List of values:	01u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Client Volume Size in Bytes
Type:	Number
Description:	Logical Volume Size in Bytes mapped from NAS Storage
Select equivalent:	K_SE_NAS_CLIENTS.CLIENTVOLUMESIZEINGB
Where equivalent:	

Qualification:	dimension
List of values:	01v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Share System Name
Type:	Character
Description:	Name of the Share System
Select equivalent:	K_SE_NAS_CLIENTS.SHARESYSTEMNAME
Where equivalent:	

Qualification:	dimension
List of values:	01w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Share Name
Type:	Character
Description:	Name of the NAS device Share
Select equivalent:	K_SE_NAS_CLIENTS.SHARENAME
Where equivalent:	

Qualification:	dimension
List of values:	02y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Block Size (Bytes)
Type:	Number
Description:	Block size of the Share in Bytes
Select equivalent:	K_SE_NAS_CLIENTS.Blocksize
Where equivalent:	

Qualification:	dimension
List of values:	031, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Number of Blocks
Type:	Number
Description:	Number of Blocks of the Share
Select equivalent:	K_SE_NAS_CLIENTS.NumberOfBlocks
Where equivalent:	
Qualification:	dimension
List of values:	033, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	File System UUID
Type:	Character
Description:	File System UUID
Select equivalent:	K_SE_NAS_IDENTIFIER.NASUUID
Where equivalent:	

Qualification:	dimension
List of values:	01x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Client Host UUID
Type:	Character
Description:	UUID of the Client Host that NAS Storage is connected to
Select equivalent:	K_SE_NAS_CLIENTS.CLIENTHOSTUUID
Where equivalent:	

Qualification:	dimension
List of values:	01y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Client Logical Volume UUID
Type:	Character
Description:	UUID of the Client Logical Volume mapped from NAS Storage
Select equivalent:	K_SE_NAS_CLIENTS.CLIENTLOGICALVOLUMEUUID
Where equivalent:	

Qualification:	dimension
----------------	-----------

List of values: 020, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Supplemental
Description:

No objects

Class: Presented Storage
Description:

Object: Host Name
Type: Character
Description: Host Name
Select equivalent: !Unknown.HostName
Where equivalent:

Qualification: dimension
List of values: 03s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hbacardname
Type: Character
Description:

Select equivalent: !Unknown.HBACardName
Where equivalent:

Qualification: dimension
List of values: 03t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: HBA Port Name
Type: Character
Description: HBA Port Name
Select equivalent: !Unknown.HBAPortName

Where equivalent:

Qualification: dimension
List of values: 03u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: HBA Port WWN
Type: Character
Description: WWN of HBA Port
Select equivalent: !Unknown.WWN
Where equivalent:

Qualification: dimension
List of values: 03v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Capacity (GiB)
Type: Number
Description: Storage Volume Capacity in GiB
Select equivalent: @Select(Presented Storage
Connectivity\Storage Volume
Size in Bytes)/(1024*1
024*1024)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Conditions

Class:	Presented Storage
Description:	

Associated Storage Systems

Description:Use this filter to get associated storage systems for end to end connectivity information

Where Equivalent:@Select(Storage Switch

Connectivity\Storage System Name)=@Se

lect(Presented Storage Connectivity\Sto

rage System Name)

Hierarchies

MA_CUST_HIE_PresentedStorage

Presented Storage Connectivity/Storage System Name

Presented Storage Connectivity/Storage Volume Name

Context List

No context

We appreciate your feedback!

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on Content Pack for End-to-End Connectivity Universe Reference, June 2015 (Storage Operations Manager 10.01)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to storage-management-doc-feedback@hp.com.