HP Storage Operations Manager

Software Version: 10.01
Linux® operating system

Content Pack for Storage Systems Universe Reference

Document Release Date: June 2015
Software Release Date: June 2015



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2015 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

AMD is a trademark of Advanced Micro Devices, Inc.

© 2012 Google Inc. All rights reserved. Google™ is a trademark of Google Inc.

Intel®, Intel® Itanium®, and Intel® Xeon® are trademarks of Intel Corporation in the U.S. and other countries.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Microsoft®, Windows®, and Windows Server® are U.S. registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Red Hat® is a registered trademark of Red Hat, Inc. in the United States and other countries.

UNIX® is a registered trademark of The Open Group.

Oracle Technology — Notice of Restricted Rights

Programs delivered subject to the DOD FAR Supplement are 'commercial computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, programs delivered subject to the Federal Acquisition Regulations are 'restricted computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the restrictions in FAR 52.227-19, Commercial Computer Software-Restricted Rights (June 1987). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

For the full Oracle license text, see the `open_source_third_party_license_agreements.pdf` file in the `license-agreements` directory in the SOM product download file.

Acknowledgements

This product includes software developed by the Apache Software Foundation.
(http://www.apache.org)

This product includes software developed by the Indiana University Extreme! Lab.
(http://www.extreme.indiana.edu)

This product uses the j-Interop library to interoperate with COM servers.
(http://www.j-interop.org)

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to:

https://softwaresupport.hp.com

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to:

https://hpp12.passport.hp.com/hppcf/createuser.do

Or click the **the Register** link at the top of the HP Software Support page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

Visit the HP Software Support Online web site at: **https://softwaresupport.hp.com**

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

https://hpp12.passport.hp.com/hppcf/createuser.do

To find more information about access levels, go to:

https://softwaresupport.hp.com/web/softwaresupport/access-levels

HP Software Solutions Now accesses the HPSW Solution and Integration Portal Web site. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of Integrations between HP Products, as well as a listing of ITIL Processes. The URL for this Web site is **http://h20230.www2.hp.com/sc/solutions/index.jsp**

Universe Parameters

Definition

Name:	SOM_StorageSystemReporting Universe
Description:	
Connection:	MA_SS

General information

Created:	6/10/2015 by Administrator
Modified:	6/16/2015 by Administrator
Comments:	
Statistics:	96 Classes
	5410 Objects
	58 Tables
	1 Aliases
	82 Joins
	38 Contexts
	14 Hierarchies
	88 Conditions

Strategies

Join strategy:	Edit Manually (none)
Table strategy:	(Built-in) Standard
Object strategy:	(Built-in) Standard Renaming

Controls

Limit size of result set to:	unchecked
Limit size of long text objects to:	1000 characters
Limit execution time to:	10 minutes
Warn if cost estimate exceeds:	unchecked

SQL parameters

Query

Allow use of subqueries:	yes
Allow use of union, intersect and minus operators:	yes
Allow complex conditions in Query Panel:	yes
Cartesian products:	warn

Multiple paths

Generate several SQL statements for each context:	yes
Generate several SQL statements for each measure:	yes
Allow selection of multiple contexts:	no

Links

No links for this universe

Object Properties

Class:	SOM_StorageSystemReporting_Core
Description:	

No objects

Class:	Storage System Disks
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	001, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	002, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	

Qualification:	dimension
List of values:	5e7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5e9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5eb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5ed, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5ef, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5eh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5ej, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5el, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5en, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5ep, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	

Qualification:	dimension
List of values:	5er, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Element Name
List of values:	5et, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	

Qualification:	dimension
List of values:	003, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	

Qualification:	dimension
List of values:	004, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	005, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	006, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	007, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	008, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	009, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values: 00e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 00g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5rf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character

Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00r, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	22x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	230, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	5rh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	00y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5rl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5rj, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5rp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5rn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	26r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5rr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	012, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	011, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	010, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	26v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	26t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Name
Type:	Character
Description:	Name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.DiskDriveName
Where equivalent:	

Qualification:	dimension
List of values:	013, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Vendor
Type:	Character
Description:	Vendor name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Vendor
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	014, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Description
Type:	Character
Description:	Description of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	015, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Model
Type:	Character
Description:	Model name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Model
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	016, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Disk Drive Serial Number
Type: Character
Description: Serial Number of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 017, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive Hardware Version
Type: Character
Description: Hardware Version of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SDDHardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 018, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI BUS
Type: Character
Description: SCSI bus of the disk drive
Select equivalent: K_SE_Storage_DiskDrive.SCSIBUS
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 019, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI LUN

Type:	Character
Description:	SCSI LUN of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SCSILUN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	01a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI Port
Type:	Character
Description:	SCSI port of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SCSIPort
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	01b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Media Size in GiB
Type:	Number
Description:	Maximum Media Size in GiB uses 1024 i.e. base 2 when converting values from bytes to gigabytes
Select equivalent:	K_SE_Storage_DiskDrive.MaxMediaSizeinGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	01c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Media Size in GB
Type:	Number

Description:	Maximum Media Size in GB uses 1000 i.e. base 10 wh en converting values from bytes to gigabytes
Select equivalent:	K_SE_Storage_DiskDrive.MaxMediaSizeinGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	01d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Block Size
Type:	Number
Description:	Maximum Block Size in Bytes
Select equivalent:	K_SE_Storage_DiskDrive.MaxBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	01e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Block Size
Type:	Number
Description:	Minimum Block Size in Bytes
Select equivalent:	K_SE_Storage_DiskDrive.MinBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	01f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Enable Status
Type:	Character
Description:	Enable Status

Select equivalent: K_SE_Storage_DiskDrive.EnableStatus
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Drive Type
Type: Character
Description: Type of Drive
Select equivalent: K_SE_Storage_DiskDrive.DriveType
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Type
Type: Character
Description: Type of Disk
Select equivalent: K_SE_Storage_DiskDrive.DiskType
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 01i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Availability
Type: Character
Description: Availability
Select equivalent: K_SE_Storage_DiskDrive.Availability
Where equivalent:

Qualification: detail

Associated dimension name:	Disk Drive Name
List of values:	01j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	RPM
Type:	Character
Description:	Revolutions per minute
Select equivalent:	K_SE_Storage_DiskDrive.RPM
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	01k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Architecture
Type:	Character
Description:	Architecture
Select equivalent:	K_SE_Storage_DiskDrive.Architecture
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	01l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	

Qualification:	dimension
List of values:	01m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive UUID
Type:	Character
Description:	UUID of the Disk Drive
Select equivalent:	K_SE_Storage_DiskDrive.DiskDriveUUID
Where equivalent:	
Qualification:	dimension
List of values:	01n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	5n4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Block System Extents
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	01o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character

Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	01p, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	5fk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5fm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name

List of values:	5fo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5fq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5fs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5fu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5fw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5fy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5g1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group

Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5g3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element Name
Type: Character
Description: Name of the Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:

Qualification: dimension
List of values: 5g5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element Type
Type: Character
Description: Type of Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Element Name
List of values: 5g7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 01q, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	01r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	01s, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	01t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status

Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	01u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	01v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	01w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character

Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	01x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	01y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	020, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	021, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	022, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	023, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	024, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5s8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	025, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	027, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	026, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	029, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	028, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	02c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character

Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	232, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	234, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5sa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	5se, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5sc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5si, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5sg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	26x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5sk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character

Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	02n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	272, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 270, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Extent Name
Type: Character
Description: Name of the Block extent
Select equivalent: K_SE_Storage_Extent.SANExtentName
Where equivalent:

Qualification: dimension
List of values: 03f, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Extent Vendor
Type: Character
Description: Vendor name of the Block Extent
Select equivalent: K_SE_Storage_Extent.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 03g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is External?
Type: Character
Description: Indicates whether the Disk Extent is external or not
Select equivalent: K_SE_Storage_Extent.IsExternal
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 03h, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent Description
Type:	Character
Description:	Disk Extent description
Select equivalent:	K_SE_Storage_Extent.SANExtentDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	03i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Access Type
Type:	Character
Description:	Disk Extent access type
Select equivalent:	K_SE_Storage_Extent.AccessType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	03j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size in Bytes
Type:	Number
Description:	Block size in bytes
Select equivalent:	K_SE_Storage_Extent.BlkSizeinBytes
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	03k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	# of Blocks
Type:	Number
Description:	Number of blocks
Select equivalent:	K_SE_Storage_Extent.NumberOfBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	03l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks
Type:	Number
Description:	Number of consumable blocks
Select equivalent:	K_SE_Storage_Extent.ConsumableBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	03m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Controller Name
Type:	Character
Description:	Shows the name of the controller
Select equivalent:	K_SE_Storage_Extent.ControllerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	03n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System

Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 03o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Extent UUID
Type: Character
Description: UUID of the Block Extent
Select equivalent: K_SE_Storage_Extent.SANExtentUUID
Where equivalent:

Qualification: dimension
List of values: 03q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5n8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Block System Extents Associated with Disks
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension

List of values: 2pn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 2po, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5ev, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ex, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5f0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5f2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5f4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5

Where equivalent:

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5f6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5f8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	

Qualification:	dimension
List of values:	5fa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Group Path
List of values:	5fc, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5fe, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element Name
Type: Character
Description: Name of the Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:

Qualification: dimension
List of values: 5fg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element Type
Type: Character
Description: Type of Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Element Name
List of values: 5fi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	2pp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	2pq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	2pr, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	2ps, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2pt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2pu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	2pv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2pw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2px, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2py, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character

Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5rt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q7, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2q9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values: 2qh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2qm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ql, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5rv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date

Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5s0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5rx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5s4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5s2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5s6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	2qt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qq, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2qp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent Name
Type:	Character
Description:	Name of the Block extent
Select equivalent:	K_SE_Storage_Extent.SANExtentName
Where equivalent:	
Qualification:	dimension
List of values:	2qu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent Vendor
Type:	Character
Description:	Vendor name of the Block Extent
Select equivalent:	K_SE_Storage_Extent.Vendor
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2qv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is External?

Type:	Character
Description:	Indicates whether the Disk Extent is external or not
Select equivalent:	K_SE_Storage_Extent.IsExternal
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2qw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent Description
Type:	Character
Description:	Disk Extent description
Select equivalent:	K_SE_Storage_Extent.SANExtentDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2qx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Access Type
Type:	Character
Description:	Disk Extent access type
Select equivalent:	K_SE_Storage_Extent.AccessType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2qy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size in Bytes
Type:	Number
Description:	Block size in bytes
Select equivalent:	K_SE_Storage_Extent.BlkSizeinBytes
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2r0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	# of Blocks
Type:	Number
Description:	Number of blocks
Select equivalent:	K_SE_Storage_Extent.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2r1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks
Type:	Number
Description:	Number of consumable blocks
Select equivalent:	K_SE_Storage_Extent.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2r2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Controller Name
Type:	Character
Description:	Shows the name of the controller
Select equivalent:	K_SE_Storage_Extent.ControllerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2r3, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	2r4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent UUID
Type:	Character
Description:	UUID of the Block Extent
Select equivalent:	K_SE_Storage_Extent.SANExtentUUID
Where equivalent:	
Qualification:	dimension
List of values:	2r5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Name
Type:	Character
Description:	Name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.DiskDriveName
Where equivalent:	
Qualification:	dimension
List of values:	2r6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Vendor
Type:	Character

Description:	Vendor name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Vendor
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2r7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Description
Type:	Character
Description:	Description of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2r8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Model
Type:	Character
Description:	Model name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Model
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2r9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Serial Number
Type:	Character
Description:	Serial Number of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2ra, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Hardware Version
Type:	Character
Description:	Hardware Version of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SDDHardwareVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2rb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI BUS
Type:	Character
Description:	SCSI bus of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SCSIBUS
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2rc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI LUN
Type:	Character
Description:	SCSI LUN of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SCSILUN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2rd, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI Port
Type:	Character
Description:	SCSI port of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SCSIPort
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2re, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Media Size in GiB
Type:	Number
Description:	Maximum Media Size in GiB uses 1024 i.e. base 2 whe n converting values from b ytes to gigabytes
Select equivalent:	K_SE_Storage_DiskDrive.MaxMediaSizeinGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2rf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Media Size in GB
Type:	Number
Description:	Maximum Media Size in GB uses 1000 i.e. base 10 wh en converting values from bytes to gigabytes
Select equivalent:	K_SE_Storage_DiskDrive.MaxMediaSizeinGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name

List of values: 2rg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Block Size
Type: Number
Description: Maximum Block Size in Bytes
Select equivalent: K_SE_Storage_DiskDrive.MaxBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Block Size
Type: Number
Description: Minimum Block Size in Bytes
Select equivalent: K_SE_Storage_DiskDrive.MinBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2ri, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Enable Status
Type: Character
Description: Enable Status
Select equivalent: K_SE_Storage_DiskDrive.EnableStatus
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2rj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Drive Type
Type:	Character
Description:	Type of Drive
Select equivalent:	K_SE_Storage_DiskDrive.DriveType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2rk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Type
Type:	Character
Description:	Type of Disk
Select equivalent:	K_SE_Storage_DiskDrive.DiskType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2rl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Availability
Type:	Character
Description:	Availability
Select equivalent:	K_SE_Storage_DiskDrive.Availability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2rm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	RPM
Type:	Character

Description:	Revolutions per minute
Select equivalent:	K_SE_Storage_DiskDrive.RPM
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2rn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Architecture
Type:	Character
Description:	Architecture
Select equivalent:	K_SE_Storage_DiskDrive.Architecture
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2ro, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive UUID
Type:	Character
Description:	UUID of the Disk Drive
Select equivalent:	K_SE_Storage_DiskDrive.DiskDriveUUID
Where equivalent:	
Qualification:	dimension
List of values:	2rp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Snapshot Time
Type:	Date
Description:	Snapshot Time for mapping data between Disk drives and extents
Select equivalent:	K_SE_DD_Map_SE.SnapshotTime
Where equivalent:	
Qualification:	dimension

List of values: 2rq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5n6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Block System Volumes
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 03r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 03s, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	5g9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5gb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5gd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata

Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5gf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5gh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5gj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail

Associated dimension name:	Node Group Name
List of values:	5gl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5gn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5gp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5gr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5gt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	5gv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	03t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model

Where equivalent:

Qualification: dimension
List of values: 03u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName
Where equivalent:

Qualification: dimension
List of values: 03v, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Description
Type: Character
Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 03w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of th
e storage system such as
CREATED, CONTACTED, MISS
ING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	03x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	03y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	040, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	041, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 042, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 043, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 044, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?

Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	045, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	046, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	047, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5t1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	048, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	049, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System

Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	04j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	236, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 238, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Primary Owner Name

Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5t3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5t7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System

Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5t5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5tb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5t9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	274, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5td, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	04r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 04q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of w
hen the storage system wa
s last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 278, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 276, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Block Pool Name
Type:	Character
Description:	Block Pool Name
Select equivalent:	K_SE_Storage_Pool.SANPoolName
Where equivalent:	
Qualification:	dimension
List of values:	04t, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Description
Type:	Character
Description:	Description about Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	04u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Pool Name
Type:	Character
Description:	Parent Pool Name
Select equivalent:	K_SE_Storage_Pool.ParentPoolName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	04v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GB)
Type:	Number
Description:	Total Available Space in GB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGB

Where equivalent:

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	04w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GiB)
Type:	Number
Description:	Total Available Space in GiB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	04x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Name
Type:	Character
Description:	Storage Capability Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	04y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Common Name
Type:	Character
Description:	Storage Capability Common Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityCommonName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name

List of values:	050, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Description
Type:	Character
Description:	Storage Capability Description
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	051, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	No Single Point Of Failure
Type:	Character
Description:	No Single Point Of Failure
Select equivalent:	K_SE_Storage_Pool.NoSinglePtOfFailure
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	052, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default No Single Point Of Failure
Type:	Character
Description:	Default No Single Point Of Failure
Select equivalent:	K_SE_Storage_Pool.DefaultNoSinglePtOfFailure
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	053, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy
Select equivalent:	K_SE_Storage_Pool.MinDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	054, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy
Select equivalent:	K_SE_Storage_Pool.MaxDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	055, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy
Select equivalent:	K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	056, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Spindle Redundancy
Type:	Number

Description: Minimum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 057, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Spindle Redundancy
Type: Number
Description: Maximum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MaxSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 058, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Spindle Redundancy
Type: Number
Description: Default Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 059, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Delta Reservation
Type: Number
Description: Minimum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	05a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Delta Reservation
Type:	Number
Description:	Maximum Delta Reservation
Select equivalent:	K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	05b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default Delta Reservation
Type:	Number
Description:	Default Delta Reservation
Select equivalent:	K_SE_Storage_Pool.DefaultDeltaReservation
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	05c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit (GB)
Type:	Number
Description:	Space Limit in GB
Select equivalent:	K_SE_Storage_Pool.SpaceLimitGB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	05d, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit (GiB)
Type:	Number
Description:	Space Limit in GiB
Select equivalent:	K_SE_Storage_Pool.SpaceLimitGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	05e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit Determination
Type:	Number
Description:	Space Limit Determination
Select equivalent:	K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	05f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Composition
Type:	Character
Description:	Shows type of pool like Internal, External, Hybrid ....
Select equivalent:	K_SE_Storage_Pool.Composition
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	05g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Type
Type:	Character
Description:	Block Pool type - Primordi al, Concrete, Open, Mainfr ame, Snapshot, Reserved, Parent concrete ...
Select equivalent:	K_SE_Storage_Pool.SANPoolType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	05h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Name
Type:	Character
Description:	Name of the Block Volume
Select equivalent:	K_SE_Storage_Volume.SANVolumeName
Where equivalent:	
Qualification:	dimension
List of values:	05i, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	OID
Type:	Character
Description:	Unique Identifier for Block Volume
Select equivalent:	K_SE_Storage_Volume.OID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Device ID
Type:	Character

Description:	Block Volume Device ID
Select equivalent:	K_SE_Storage_Volume.VolumeDeviceId
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Access Type
Type:	Character
Description:	Block Volume Access Type
Select equivalent:	K_SE_Storage_Volume.AccessType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Block Size in Bytes
Type:	Number
Description:	Block Volume Block Size in Bytes
Select equivalent:	K_SE_Storage_Volume.BlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Number of Blocks
Type:	Number
Description:	Number of blocks in Block Volume
Select equivalent:	K_SE_Storage_Volume.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Size Bytes
Type:	Number
Description:	Source Block Volume Size in Bytes
Select equivalent:	K_SE_Storage_Volume.VolumeSizeBytes
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumable Blocks
Type:	Number
Description:	Number of consumable blocks in Block Volume
Select equivalent:	K_SE_Storage_Volume.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumed Blocks
Type:	Number
Description:	Actual consumed physical space of the volume. Note : This object only applica ble for Block systems that support Thin Provisioning
Select equivalent:	K_SE_Storage_Volume.ConsumedBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates Whether Block Volume is Thinly Provisioned or not
Select equivalent:	K_SE_Storage_Volume.IsThinlyProvisioned
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (Bytes)
Type:	Number
Description:	Raw Space in Bytes that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpace
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GB)
Type:	Number
Description:	Raw Space in GB that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpaceGB

Where equivalent:

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GiB)
Type:	Number
Description:	Raw Space in GiB that is c onsumed by the Block volu me from the underlying Bl ock extents
Select equivalent:	K_SE_Storage_Volume.RawSpaceGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	RAID Type
Type:	Character
Description:	RAID Type - A String repre sentation of the RAID leve l and configuration of the underlying Block extent(s) that the volume is based on. E.g. 'RAID5(7D+1P)'.
Select equivalent:	K_SE_Storage_Volume.RaidType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Sequential Access?
Type:	Character
Description:	Indicates whether sequential access or not
Select equivalent:	K_SE_Storage_Volume.SeqAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Availability
Type:	Character
Description:	Whether Block Volume is Available
Select equivalent:	K_SE_Storage_Volume.Availability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Status Information
Type:	Character
Description:	Block Volume Status Information
Select equivalent:	K_SE_Storage_Volume.StatusInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	05y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Type
Type:	Character
Description:	Volume Type - {'Open','Ma inframe','Mainframe Mappe

	d' - Volume known to be m apped from FINCON or ESCO N port. EFile - Volume kno wn to be mapped through a File port}
Select equivalent:	K_SE_Storage_Volume.VolumeType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	060, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Purpose
Type:	Character
Description:	Volume Purpose represents the Block Volume Emulati on type for supported Bloc k Arrays
Select equivalent:	K_SE_Storage_Volume.VolumePurpose
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	061, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Single Point of Failure
Type:	Number
Description:	Default Single Point of Failure for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDfltSnglPtofFailure
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	062, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume No Single Point of Failure
Type:	Character
Description:	No Single Point of Failure for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolNoSinglePointofFailure
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	063, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	064, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	065, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy for Block Volume

Select equivalent:	K_SE_Storage_Volume.VolDefaultDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	066, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Spindle Redundancy
Type:	Number
Description:	Minimum Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	067, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	068, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Spindle Redundancy
Type:	Number
Description:	Default Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDefaultSpindleRedundancy
Where equivalent:	
Qualification:	detail

Associated dimension name:	Block Volume Name
List of values:	069, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Delta Reservation
Type:	Number
Description:	Minimum Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinDeltaReservation
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	06a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Delta Reservation
Type:	Number
Description:	Maximum Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxDeltaReservation
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	06b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Default Delta Reservation
Type:	Number
Description:	Default Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.DefaultDeltaReservation
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	06c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Actual Blocks
Type: Number
Description: Actual Number of Blocks
Select equivalent: K_SE_Storage_Volume.ActualBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 06d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Used Blocks
Type: Number
Description: Number of Used Blocks
Select equivalent: K_SE_Storage_Volume.UsedBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 06e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Controller Name
Type: Character
Description: Controller Name
Select equivalent: K_SE_Storage_Volume.ControllerName
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 06f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Composition

Type:	Character
Description:	Shows type of volume like Internal, External, Hybrid...
Select equivalent:	K_SE_Storage_Volume.Composition
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	06g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Description
Type:	Character
Description:	Block Volume Description
Select equivalent:	K_SE_Storage_Volume.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	06h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capabilities
Type:	Character
Description:	Storage Capabilities
Select equivalent:	K_SE_Storage_Volume.StorageCapabilities
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	06i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	

Qualification:	dimension
List of values:	06j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool UUID
Type:	Character
Description:	UUID of the Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolUUID
Where equivalent:	

Qualification:	dimension
List of values:	06k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume UUID
Type:	Character
Description:	UUID of the Block Volume
Select equivalent:	K_SE_Storage_Volume.SANVolumeUUID
Where equivalent:	

Qualification:	dimension
List of values:	06l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	

Qualification:	dimension
List of values:	5na, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class: Block Backend Storage System
Description:

Object: SOM Source Name
Type: Character
Description: SOM Source Name
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.SourceName
Where equivalent:

Qualification: dimension
List of values: 2cw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Name of the Tenant
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.TenantName
Where equivalent:

Qualification: dimension
List of values: 2cx, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 5o6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character
Description: Storage System Model Number

Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	5o8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	2hi, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2hk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2hm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ho, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2hq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2hs, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2hu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2hw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2hy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5sm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ib, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	2id, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2if, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ih, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ij, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2il, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2in, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ip, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character

Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ir, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2it, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2iv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ix, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2j0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2j2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2j4, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2j6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2j8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ja, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5so, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5sq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ss, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character

Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5su, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5sw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5sy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2jm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2jk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ji, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	2jg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2je, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2jc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent Name
Type:	Character
Description:	Name of the Block extent
Select equivalent:	K_SE_Storage_Extent.SANExtentName
Where equivalent:	
Qualification:	dimension
List of values:	2d0, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent Vendor
Type:	Character
Description:	Vendor name of the Block Extent
Select equivalent:	K_SE_Storage_Extent.Vendor
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2d1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is External?
Type:	Character
Description:	Indicates whether the Disk Extent is external or not
Select equivalent:	K_SE_Storage_Extent.IsExternal
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2d2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent Description
Type:	Character
Description:	Disk Extent description

Select equivalent: K_SE_Storage_Extent.SANExtentDescription
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2d3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Access Type
Type: Character
Description: Disk Extent access type
Select equivalent: K_SE_Storage_Extent.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2d4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Size in Bytes
Type: Number
Description: Block size in bytes
Select equivalent: K_SE_Storage_Extent.BlkSizeinBytes
Where equivalent:

Qualification: detail
Associated dimension name: Block Extent Name
List of values: 2d5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: # of Blocks
Type: Number
Description: Number of blocks
Select equivalent: K_SE_Storage_Extent.NumberOfBlocks
Where equivalent:

Qualification: detail

Associated dimension name:	Block Extent Name
List of values:	2d6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks
Type:	Number
Description:	Number of consumable blocks
Select equivalent:	K_SE_Storage_Extent.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2d7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Controller Name
Type:	Character
Description:	Shows the name of the controller
Select equivalent:	K_SE_Storage_Extent.ControllerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Extent Name
List of values:	2d8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Front-end Storage Port Name
Type:	Character
Description:	Name of the Front-end Storage Port
Select equivalent:	K_SE_BACKEND_STORAGESYS TEM.FRONTEND_STORAGEPOR TNAME
Where equivalent:	

Qualification:	dimension
List of values:	2d9, editable, manual refresh, exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Front-end Switch Port Name
Type:	Character
Description:	Name of the Front-end Switch Port
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.FRONTEND_SWITCHPORTNAME
Where equivalent:	
Qualification:	dimension
List of values:	2da, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Front-end Switch Name
Type:	Character
Description:	Name of the Front-end Switch
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.FRONTEND_SWITCHNAME
Where equivalent:	
Qualification:	dimension
List of values:	2db, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Back-end Storage System Name
Type:	Character
Description:	Name of the Back-end Storage System
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.BACKEND_STORAGESYSTEMNAME
Where equivalent:	
Qualification:	dimension
List of values:	2dc, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Back-end Storage Volume Name

Type:	Character
Description:	Name of the Back-end Storage Volume
Select equivalent:	K_SE_BACKEND_STORAGESYS TEM.BACKEND_STORAGEVOLU MENAME
Where equivalent:	
Qualification:	dimension
List of values:	2dd, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Back-end Storage Port Name

Type:	Character
Description:	Name of the Back-end Storage Port
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.BACKEND_STORAGEPORTNAME
Where equivalent:	
Qualification:	dimension
List of values:	2de, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Back-end Switch Port Name

Type:	Character
Description:	Name of the Back-end Switch Port
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.BACKEND_SWITCHPORTNAME
Where equivalent:	
Qualification:	dimension
List of values:	2df, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Back-end Switch Name

Type:	Character
Description:	Name of the Back-end Switch
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.BACKEND_SWITCHNAME
Where equivalent:	

Qualification:	dimension
List of values:	2dg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	

Qualification:	dimension
List of values:	2jo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Extent UUID
Type:	Character
Description:	UUID of the Block Extent
Select equivalent:	K_SE_Storage_Extent.SANExtentUUID
Where equivalent:	

Qualification:	dimension
List of values:	2di, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Front-end Storage Port UUID
Type:	Character
Description:	UUID of the Front-end Storage Port
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.FRONTEND_STORAGEPORTUUID
Where equivalent:	

Qualification:	dimension
List of values:	2dj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Front-end Switch Port UUID
Type:	Character
Description:	UUID of the Front-end Switch Port
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.FRONTEND_SWITCHPORTUUID
Where equivalent:	
Qualification:	dimension
List of values:	2dk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Front-end Switch UUID
Type:	Character
Description:	Name of the Front-end Switch
Select equivalent:	K_SE_BACKEND_STORAGESYSTEM.FRONTEND_SWITCHUUID
Where equivalent:	
Qualification:	dimension
List of values:	2dl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Back-end Storage System UUID
Type:	Character
Description:	UUID of the Back-end Storage System
Select equivalent:	K_SE_BACKEND_STORAGESYS TEM.BACKEND_STORAGESYST EMUUID
Where equivalent:	
Qualification:	dimension
List of values:	2dm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Back-end Storage Volume UUID
Type:	Character
Description:	UUID of the Back-end Storage Volume
Select equivalent:	K_SE_BACKEND_STORAGESYS TEM.BACKEND_STORAGEVOLU

MEUUID

Where equivalent:

Qualification: dimension
List of values: 2dn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Back-end Storage Port UUID
Type: Character
Description: UUID of the Back-end Storage Port
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.BACKEND_STORAGEPORTUUID
Where equivalent:

Qualification: dimension
List of values: 2do, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Back-end Switch Port UUID
Type: Character
Description: UUID of the Back-end Switch Port
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.BACKEND_SWITCHPORTUUID
Where equivalent:

Qualification: dimension
List of values: 2dp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Back-end Switch UUID
Type: Character
Description: UUID of the Back-end Switch
Select equivalent: K_SE_BACKEND_STORAGESYSTEM.BACKEND_SWITCHUUID
Where equivalent:

Qualification: dimension
List of values: 2dq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Front-end Storage System UUID
Type: Character
Description: UUID of the Front-end Storage System
Select equivalent: K_SE_BACKEND_STORAGESYS
TEM.FRONTEND_STORAGESYS
TEMUUID
Where equivalent:

Qualification: dimension
List of values: 2dh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Host Security Group
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 6ib, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 2hl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	6ic, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	2hn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6id, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3

Where equivalent:

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	2hp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6ie, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	2hr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name

List of values: 6if, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 2ht, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 6ig, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 2hv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	6ih, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	2hx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	6ii, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	

Qualification:	dimension
List of values:	2i0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	

Qualification:	dimension
List of values:	6ij, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	6ik, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6il, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6im, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2i8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6in, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character

Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ia, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6io, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ic, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6ip, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ie, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6iq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ig, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6ir, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ii, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6is, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ik, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6it, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2im, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6iu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2io, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6iv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values: 2iq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 6iw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2is, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 6ix, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2iu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6iy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2iw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character

Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6j0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2iy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6j1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2j1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 6j2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2j3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Name
Type: Character
Description: Block Pool Name
Select equivalent: K_SE_Storage_Pool.SANPoolName
Where equivalent:

Qualification: dimension
List of values: 6j3, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Description
Type:	Character
Description:	Description about Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2j5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Pool Name
Type:	Character
Description:	Parent Pool Name
Select equivalent:	K_SE_Storage_Pool.ParentPoolName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6j4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GB)
Type:	Number
Description:	Total Available Space in GB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2j7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GiB)
Type:	Number
Description:	Total Available Space in GiB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6j5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Name
Type:	Character
Description:	Storage Capability Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2j9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Common Name
Type:	Character
Description:	Storage Capability Common Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityCommonName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6j6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Description
Type:	Character
Description:	Storage Capability Description

Select equivalent: K_SE_Storage_Pool.StorageCapabilityDescription
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2jb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: No Single Point Of Failure
Type: Character
Description: No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.NoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 6j7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default No Single Point Of Failure
Type: Character
Description: Default No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.DefaultNoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2jd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Data Redundancy
Type: Number
Description: Minimum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MinDataRedundancy
Where equivalent:

Qualification: detail

Associated dimension name:	Block Pool Name
List of values:	6j8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy
Select equivalent:	K_SE_Storage_Pool.MaxDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2jf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy
Select equivalent:	K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6j9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Spindle Redundancy
Type:	Number
Description:	Minimum Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2jh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Max Spindle Redundancy
Type: Number
Description: Maximum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MaxSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 6ja, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Spindle Redundancy
Type: Number
Description: Default Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2jj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Delta Reservation
Type: Number
Description: Minimum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 6jb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Delta Reservation

Type:	Number
Description:	Maximum Delta Reservation
Select equivalent:	K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2jl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default Delta Reservation
Type:	Number
Description:	Default Delta Reservation
Select equivalent:	K_SE_Storage_Pool.DefaultDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6jc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit (GB)
Type:	Number
Description:	Space Limit in GB
Select equivalent:	K_SE_Storage_Pool.SpaceLimitGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2jn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit (GiB)
Type:	Number
Description:	Space Limit in GiB
Select equivalent:	K_SE_Storage_Pool.SpaceLimitGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6jd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit Determination
Type:	Number
Description:	Space Limit Determination
Select equivalent:	K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2jp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Composition
Type:	Character
Description:	Shows type of pool like Internal, External, Hybrid ....
Select equivalent:	K_SE_Storage_Pool.Composition
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6je, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Type
Type:	Character
Description:	Block Pool type - Primordi al, Concrete, Open, Mainfr ame, Snapshot, Reserved, Parent concrete ...
Select equivalent:	K_SE_Storage_Pool.SANPoolType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2jr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Name
Type:	Character
Description:	Name of the Block Volume
Select equivalent:	K_SE_Storage_Volume.SANVolumeName
Where equivalent:	

Qualification:	dimension
List of values:	6jf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	OID
Type:	Character
Description:	Unique Identifier for Block Volume
Select equivalent:	K_SE_Storage_Volume.OID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2jt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Device ID
Type:	Character
Description:	Block Volume Device ID
Select equivalent:	K_SE_Storage_Volume.VolumeDeviceId
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Block Volume Access Type
Type: Character
Description: Block Volume Access Type
Select equivalent: K_SE_Storage_Volume.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2jv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Block Size in Bytes
Type: Number
Description: Block Volume Block Size in Bytes
Select equivalent: K_SE_Storage_Volume.BlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 6jh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Number of Blocks
Type: Number
Description: Number of blocks in Block Volume
Select equivalent: K_SE_Storage_Volume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2jx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Size Bytes

Type:	Number
Description:	Source Block Volume Size in Bytes
Select equivalent:	K_SE_Storage_Volume.VolumeSizeBytes
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6ji, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumable Blocks
Type:	Number
Description:	Number of consumable blocks in Block Volume
Select equivalent:	K_SE_Storage_Volume.ConsumableBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2k0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumed Blocks
Type:	Number
Description:	Actual consumed physical space of the volume. Note : This object only applica ble for Block systems that support Thin Provisioning
Select equivalent:	K_SE_Storage_Volume.ConsumedBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?

Type:	Character
Description:	Indicates Whether Block Volume is Thinly Provisioned or not
Select equivalent:	K_SE_Storage_Volume.IsThinlyProvisioned
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2k2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (Bytes)
Type:	Number
Description:	Raw Space in Bytes that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpace
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GB)
Type:	Number
Description:	Raw Space in GB that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpaceGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2k4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GiB)
Type:	Number
Description:	Raw Space in GiB that is c onsumed by the Block volu me from the underlying Bl ock extents
Select equivalent:	K_SE_Storage_Volume.RawSpaceGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	RAID Type
Type:	Character
Description:	RAID Type - A String repre sentation of the RAID leve l and configuration of the underlying Block extent(s) that the volume is based on. E.g. 'RAID5(7D+1P)'.
Select equivalent:	K_SE_Storage_Volume.RaidType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2k6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Sequential Access?
Type:	Character
Description:	Indicates whether sequential access or not
Select equivalent:	K_SE_Storage_Volume.SeqAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jm, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Availability
Type:	Character
Description:	Whether Block Volume is Available
Select equivalent:	K_SE_Storage_Volume.Availability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2k8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Status Information
Type:	Character
Description:	Block Volume Status Information
Select equivalent:	K_SE_Storage_Volume.StatusInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Type
Type:	Character
Description:	Volume Type - {'Open','Ma inframe','Mainframe Mappe d' - Volume known to be m apped from FINCON or ESCO N port. EFile - Volume kno wn to be mapped through a File port}
Select equivalent:	K_SE_Storage_Volume.VolumeType
Where equivalent:	
Qualification:	detail

Associated dimension name:	Block Volume Name
List of values:	2ka, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Purpose
Type:	Character
Description:	Volume Purpose represents the Block Volume Emulation type for supported Block Arrays
Select equivalent:	K_SE_Storage_Volume.VolumePurpose
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Single Point of Failure
Type:	Number
Description:	Default Single Point of Failure for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDfltSnglPtofFailure
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2kc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume No Single Point of Failure
Type:	Character
Description:	No Single Point of Failure for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolNoSinglePointofFailure
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name

List of values:	6jp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2ke, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDefaultDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2kg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Spindle Redundancy
Type:	Number
Description:	Minimum Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2ki, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Spindle Redundancy
Type:	Number
Description:	Default Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDefaultSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6js, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Delta Reservation
Type:	Number

Description:	Minimum Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2kk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Delta Reservation
Type:	Number
Description:	Maximum Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Default Delta Reservation
Type:	Number
Description:	Default Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.DefaultDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2km, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Blocks
Type:	Number
Description:	Actual Number of Blocks
Select equivalent:	K_SE_Storage_Volume.ActualBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6ju, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Blocks
Type:	Number
Description:	Number of Used Blocks
Select equivalent:	K_SE_Storage_Volume.UsedBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2ko, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Controller Name
Type:	Character
Description:	Controller Name
Select equivalent:	K_SE_Storage_Volume.ControllerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Composition
Type:	Character
Description:	Shows type of volume like Internal, External, Hybrid...
Select equivalent:	K_SE_Storage_Volume.Composition
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2kq, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Description
Type:	Character
Description:	Block Volume Description
Select equivalent:	K_SE_Storage_Volume.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6jw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capabilities
Type:	Character
Description:	Storage Capabilities
Select equivalent:	K_SE_Storage_Volume.StorageCapabilities
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2ks, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HSG Name
Type:	Character
Description:	Name of the Host Security Group
Select equivalent:	K_SE_Storage_HSG.HSG_Name
Where equivalent:	
Qualification:	dimension
List of values:	6jx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HSG Display Name

Type:	Character
Description:	Display Name of the Host Security Group
Select equivalent:	K_SE_Storage_HSG.HSG_DisplayName
Where equivalent:	
Qualification:	detail
Associated dimension name:	HSG Name
List of values:	2ku, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HSG Custom Name
Type:	Character
Description:	Custom Name of the Host Security Group
Select equivalent:	K_SE_Storage_HSG.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	HSG Name
List of values:	6jy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	HSG Last Modified
Type:	Date
Description:	Last modified time of the Host Security Group
Select equivalent:	K_SE_Storage_HSG.LAST_MODIFIED_TIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	HSG Name
List of values:	2kw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	

Qualification:	dimension
List of values:	6k0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool UUID
Type:	Character
Description:	UUID of the Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolUUID
Where equivalent:	

Qualification:	dimension
List of values:	2ky, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume UUID
Type:	Character
Description:	UUID of the Block Volume
Select equivalent:	K_SE_Storage_Volume.SANVolumeUUID
Where equivalent:	

Qualification:	dimension
List of values:	6k1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	

Qualification:	dimension
List of values:	2l1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	HSG UUID
Type:	Character
Description:	UUID of the Host Security Group
Select equivalent:	K_SE_Storage_HSG.HSG_UUID
Where equivalent:	
Qualification:	dimension
List of values:	6k2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Block System SCSI Controllers
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	06m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	06n, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group

Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	5gx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5h0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5h2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name

List of values:	5h4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5h6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5h8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5ha, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5hc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5he, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5hg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element

Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5hi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	5hk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	06o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	06p, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	06q, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	06r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	06s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	06t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	06u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	06v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character

Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	06w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	06x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	06y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	070, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	071, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	072, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5tf, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	073, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	075, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	074, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 077, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 076, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 079, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	078, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	07d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	23a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character

Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	23c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5th, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5tl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	5tj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5tp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5tn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	27a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5tr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character

Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	07l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	27e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	27c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI Controller Name
Type:	Character
Description:	Name of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.SCSIControllerName

Where equivalent:

Qualification:	dimension
List of values:	07o, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI Controller Vendor
Type:	Character
Description:	Vendor name of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.Vendor
Where equivalent:	

Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Description
Type:	Character
Description:	Description of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	WWN
Type:	Character
Description:	World Wide Name of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07r, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI Controller Model
Type:	Character
Description:	Model Name of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.Model
Where equivalent:	
Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Serial Number
Type:	Character
Description:	Serial Number of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Version
Type:	Character
Description:	Version of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.Version
Where equivalent:	
Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Firmware Version
Type:	Character
Description:	Firmware Version of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.FirmwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	IP Address
Type:	Character
Description:	IP Address of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Driver Version
Type:	Character
Description:	Driver Version of the SCSI Controller
Select equivalent:	K_SE_Storage_SCSIController.DriverVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	SCSI Controller Name
List of values:	07x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System

Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 07y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: SCSI Controller UUID
Type: Character
Description: UUID of the SCSI Controller
Select equivalent: K_SE_Storage_SCSIController.SCSIControllerUUID
Where equivalent:

Qualification: dimension
List of values: 080, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5nc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Block System Processors
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension

List of values: 081, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 082, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5hm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ho, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5hq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5hs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5hu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5

Where equivalent:

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5hw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5hy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	

Qualification:	dimension
List of values:	5i1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Group Path
List of values:	5i3, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5i5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element Name
Type: Character
Description: Name of the Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:

Qualification: dimension
List of values: 5i7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element Type
Type: Character
Description: Type of Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Element Name
List of values: 5i9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	083, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	084, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	085, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	086, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	087, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	088, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	089, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character

Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5tt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08k, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values: 08u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 23e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 08x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	23g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5tv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	08y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date

Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5u0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5tx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5u4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5u2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	27g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5u6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	092, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	091, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	090, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	27k, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	27i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Name
Type:	Character
Description:	Name of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.SANProcessorName
Where equivalent:	
Qualification:	dimension
List of values:	093, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Vendor
Type:	Character
Description:	Vendor Name of Block System Processor
Select equivalent:	K_SE_Storage_Processor.Vendor
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	094, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Description

Type:	Character
Description:	Description of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	095, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	IP Address
Type:	Character
Description:	IP Address of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	096, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DNS
Type:	Character
Description:	DNS name of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	097, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	WWN
Type:	Character
Description:	World Wide Name of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	098, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Model
Type:	Character
Description:	Model name of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.Model
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	099, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Processor Power Management
Type:	Character
Description:	Indicates whether Power m anagement is supported or not on the Block System P rocessor
Select equivalent:	K_SE_Storage_Processor.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	27m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Serial Number
Type:	Character
Description:	Serial Number of the Storage System Processor
Select equivalent:	K_SE_Storage_Processor.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	09b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Version
Type:	Character
Description:	Version of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.Version
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	09c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Processor Status
Type:	Character
Description:	Status of the Storage System Processor
Select equivalent:	K_SE_Storage_Processor.ProcessorStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	09d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Reset Capability
Type:	Character
Description:	Reset Capability of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.ResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	09e, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Roles
Type:	Character
Description:	Roles of the Storage System Processor
Select equivalent:	K_SE_Storage_Processor.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	09f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Power Management
Type:	Character
Description:	Indicates whether Power m anagement is supported or not on the Storage Syste m Processor
Select equivalent:	K_SE_Storage_Processor.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	09a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	09g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor UUID
Type:	Character
Description:	UUID of the Storage Processor
Select equivalent:	K_SE_Storage_Processor.SANProcessorUUID
Where equivalent:	
Qualification:	dimension
List of values:	09h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	5ne, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Block System Fiber Channel Ports
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	09i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character

Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 09j, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5ib, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5id, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 2
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name

List of values: 5if, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ih, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ij, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5il, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5in, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5ip, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5ir, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group

Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5it, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element Name
Type: Character
Description: Name of the Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:

Qualification: dimension
List of values: 5iv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element Type
Type: Character
Description: Type of Element
Select equivalent: K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Element Name
List of values: 5ix, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 09k, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	09l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	09m, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status

Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character

Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09x, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5u8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	09y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	0a6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0a8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ab, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0aa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ad, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ac, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character

Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	23i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ae, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0af, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	23k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ua, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ag, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	5ue, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5uc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ui, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ug, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2bn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5uk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0aj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character

Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ai, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ah, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2br, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2bp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Name
Type:	Character
Description:	Name of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.SANProcessorName
Where equivalent:	

Qualification:	dimension
List of values:	0ak, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Vendor
Type:	Character
Description:	Vendor Name of Block System Processor
Select equivalent:	K_SE_Storage_Processor.Vendor
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0al, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Description
Type:	Character
Description:	Description of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0am, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	IP Address
Type:	Character
Description:	IP Address of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0an, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DNS
Type:	Character
Description:	DNS name of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0ao, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	WWN
Type:	Character
Description:	World Wide Name of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0ap, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Model
Type:	Character
Description:	Model name of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.Model
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0aq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Processor Power Management
Type:	Character
Description:	Indicates whether Power m anagement is supported or not on the Block System P rocessor
Select equivalent:	K_SE_Storage_Processor.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	2bt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Serial Number
Type:	Character
Description:	Serial Number of the Storage System Processor
Select equivalent:	K_SE_Storage_Processor.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0as, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Version
Type:	Character
Description:	Version of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.Version
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0at, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Processor Status
Type:	Character
Description:	Status of the Storage System Processor
Select equivalent:	K_SE_Storage_Processor.ProcessorStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0au, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Reset Capability
Type:	Character
Description:	Reset Capability of the Block System Processor
Select equivalent:	K_SE_Storage_Processor.ResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0av, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Roles
Type:	Character
Description:	Roles of the Storage System Processor
Select equivalent:	K_SE_Storage_Processor.Roles

Where equivalent:

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0aw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor Power Management
Type:	Character
Description:	Indicates whether Power m anagement is supported or not on the Storage Syste m Processor
Select equivalent:	K_SE_Storage_Processor.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Processor Name
List of values:	0ar, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Name
Type:	Character
Description:	Block system port name
Select equivalent:	K_SE_Storage_Port.PortName
Where equivalent:	

Qualification:	dimension
List of values:	0ax, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Port Description
Type:	Character
Description:	Storage system port description
Select equivalent:	K_SE_Storage_Port.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	0ay, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Port WWN
Type:	Character
Description:	World Wide Name of the Block system port
Select equivalent:	K_SE_Storage_Port.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	0b0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Connected To WWN
Type:	Character
Description:	Which WWN is this port connected to?
Select equivalent:	K_SE_Storage_Port.ConnectedToWWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	5um, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port State
Type:	Character
Description:	Port State
Select equivalent:	K_SE_Storage_Port.PortState
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	5uo, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port Status
Type:	Character
Description:	Port Status
Select equivalent:	K_SE_Storage_Port.PortStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	5uq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Physical State
Type:	Character
Description:	Physical State
Select equivalent:	K_SE_Storage_Port.PhysicalState
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	5us, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port Speed in Gb/s
Type:	Number
Description:	Port Speed in Gb/s
Select equivalent:	K_SE_Storage_Port.PortSpeed
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	5uu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Max Speed in Gb/s
Type:	Number
Description:	Max Speed in Gb/s
Select equivalent:	K_SE_Storage_Port.MaxSpeed
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	5uw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port Number
Type:	Number
Description:	Port Number
Select equivalent:	K_SE_Storage_Port.PortNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	5uy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage SCSIPort
Type:	Number
Description:	SCSI Port
Select equivalent:	K_SE_Storage_Port.SCSIPort
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	5v1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Connected to Node WWN
Type:	Character
Description:	Which node WWN is the port connected to?
Select equivalent:	K_SE_Storage_Port.ConnectedToNodeWWN

Where equivalent:

Qualification:	detail
Associated dimension name:	Port Name
List of values:	5v3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port Type
Type:	Character
Description:	Port Type
Select equivalent:	K_SE_Storage_Port.PortType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	5v5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Port Link Technology
Type:	Character
Description:	Link Technology
Select equivalent:	K_SE_Storage_Port.LinkTechnology
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	5v7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Link Technology
Type:	Character
Description:	Link Technology
Select equivalent:	K_SE_Storage_Port.LinkTechnology
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name

List of values: 0bb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Connected to Node WWN
Type: Character
Description: Which node WWN is the port connected to?
Select equivalent: K_SE_Storage_Port.ConnectedToNodeWWN
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0b9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Type
Type: Character
Description: Port Type
Select equivalent: K_SE_Storage_Port.PortType
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0ba, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Number
Type: Number
Description: Port Number
Select equivalent: K_SE_Storage_Port.PortNumber
Where equivalent:

Qualification: detail
Associated dimension name: Port Name
List of values: 0b7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	SCSIPort
Type:	Number
Description:	SCSI Port
Select equivalent:	K_SE_Storage_Port.SCSIPort
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	0b8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Speed in Gb/s
Type:	Number
Description:	Port Speed in Gb/s
Select equivalent:	K_SE_Storage_Port.PortSpeed
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	0b5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Speed in Gb/s
Type:	Number
Description:	Max Speed in Gb/s
Select equivalent:	K_SE_Storage_Port.MaxSpeed
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	0b6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Status
Type:	Character

Description:	Port Status
Select equivalent:	K_SE_Storage_Port.PortStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	0b3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Physical State
Type:	Character
Description:	Physical State
Select equivalent:	K_SE_Storage_Port.PhysicalState
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	0b4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Connected To WWN
Type:	Character
Description:	Which WWN is this port connected to?
Select equivalent:	K_SE_Storage_Port.ConnectedToWWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Port Name
List of values:	0b1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port State
Type:	Character
Description:	Port State
Select equivalent:	K_SE_Storage_Port.PortState
Where equivalent:	

Qualification:	detail
Associated dimension name:	Port Name
List of values:	0b2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	

Qualification:	dimension
List of values:	0bc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Processor UUID
Type:	Character
Description:	UUID of the Storage Processor
Select equivalent:	K_SE_Storage_Processor.SANProcessorUUID
Where equivalent:	

Qualification:	dimension
List of values:	0bd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port UUID
Type:	Character
Description:	UUID of the Block System Port
Select equivalent:	K_SE_Storage_Port.PortUUID
Where equivalent:	

Qualification:	dimension
List of values:	0be, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	5ng, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Block System Replication
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	0bf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	0bg, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name

Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	0bh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	5oa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	0bi, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	0bk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0bq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status

Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0br, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5v9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bv, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0bx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0by, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)

Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	0c6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0c9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0ca, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 23m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 23o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management

Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0cb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0cc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	5vj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0cf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ce, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0cd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Link Technology
Type: Character
Description: Link Technology
Select equivalent: K_SE_Storage_Port.LinkTechnology
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2cj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ch, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp

Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ci, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2cg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source Volume Name
Type:	Character
Description:	Name of the Source Volume
Select equivalent:	K_SE_Storage_Replication.SourceVolName
Where equivalent:	
Qualification:	dimension
List of values:	0cg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Remote Block System Name
Type:	Character
Description:	Name of the Remote Storage System
Select equivalent:	K_SE_Storage_Replication.RemoteSystemName

Where equivalent:

Qualification:	dimension
List of values:	0ch, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Volume Name
Type:	Character
Description:	Name of the Target Volume
Select equivalent:	K_SE_Storage_Replication.TargetVolName
Where equivalent:	

Qualification:	dimension
List of values:	0ci, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Synchronization State
Type:	Character
Description:	Indicates Synchronization state such as Broken/Froz en/Synchronized/Idle/....
Select equivalent:	K_SE_Storage_Replication.SyncState
Where equivalent:	

Qualification:	dimension
List of values:	0cj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Synchronization Time
Type:	Date
Description:	Shows time when Synchronization was happened
Select equivalent:	K_SE_Storage_Replication.SyncedTimeStamp
Where equivalent:	

Qualification:	dimension
List of values:	0ck, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Copy Type
Type:	Character
Description:	Indicates the Type of Copy such as UnSyncAssoc/Sync/Async/...
Select equivalent:	K_SE_Storage_Replication.CopyType
Where equivalent:	
Qualification:	dimension
List of values:	0cl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replica Type
Type:	Character
Description:	Indicates the replica type such as After Delta/Full Copy/...
Select equivalent:	K_SE_Storage_Replication.ReplicaType
Where equivalent:	
Qualification:	dimension
List of values:	0cm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Synchronization Maintained?
Type:	Character
Description:	Indicates whether synchronization is maintained or not
Select equivalent:	K_SE_Storage_Replication.IsSyncMaintained
Where equivalent:	
Qualification:	dimension
List of values:	0cn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Synchronization Collection Time
Type:	Date
Description:	Shows time when Storage O

	perations Manager collecte
	d the replication informat
	ion for the pair
Select equivalent:	K_SE_Storage_Replication.SyncTime
Where equivalent:	
Qualification:	dimension
List of values:	0co, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Locality
Type:	Character
Description:	Shows type of replication such as local/remote
Select equivalent:	K_SE_Storage_Replication.Locality
Where equivalent:	
Qualification:	dimension
List of values:	0cp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	0cq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension

List of values: 5ni, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Remote Element ID
Type: Character
Description: Remote Element Identifier
Select equivalent: K_SE_Storage_Replication.RemoteElementID
Where equivalent:

Qualification: dimension
List of values: 5ny, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Remote System ID
Type: Character
Description: Remote System Identifier
Select equivalent: K_SE_Storage_Replication.RemoteSystemID
Where equivalent:

Qualification: dimension
List of values: 5nx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: File System Extents Associated with Disks
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 2rr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	2rs, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	5j0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5j2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2

Where equivalent:

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5j4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5j6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5j8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name

List of values:	5ja, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5jc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5je, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5jg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5ji, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5jk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	5jm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor

Where equivalent:

Qualification:	dimension
List of values:	2rt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	

Qualification:	dimension
List of values:	2ru, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	

Qualification:	dimension
List of values:	2rv, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2rw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of th
e storage system such as
CREATED, CONTACTED, MISS
ING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2rx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ry, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2s1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2s2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2s3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character

Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2s6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2s7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2s8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sa, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2s9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2se, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2si, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	2sk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2so, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character

Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5vx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values: 5vv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ss, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5w0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2sx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2sv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2su, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2st, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Extent Name
Type:	Character
Description:	Name of the File extent
Select equivalent:	K_SE_NAS_Extent.NASExtentName
Where equivalent:	
Qualification:	dimension
List of values:	2sy, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Extent Vendor
Type:	Character
Description:	Vendor name of the File Extent
Select equivalent:	K_SE_NAS_Extent.Vendor
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2t0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Extent Description
Type:	Character
Description:	File Extent description
Select equivalent:	K_SE_NAS_Extent.NASExtentDescription
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2t1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Access Type
Type:	Character
Description:	File Extent access type
Select equivalent:	K_SE_NAS_Extent.AccessType
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2t2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size in Bytes
Type:	Number
Description:	Block size in bytes
Select equivalent:	K_SE_NAS_Extent.BlkSizeinBytes
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2t3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	# of Blocks
Type:	Number
Description:	Number of blocks
Select equivalent:	K_SE_NAS_Extent.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2t4, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks
Type:	Number
Description:	Number of consumable blocks
Select equivalent:	K_SE_NAS_Extent.ConsumableBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2t5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Name
Type:	Character
Description:	Name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.DiskDriveName
Where equivalent:	
Qualification:	dimension
List of values:	2t6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Vendor
Type:	Character
Description:	Vendor name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Vendor
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2t7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Description
Type:	Character
Description:	Description of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2t8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Model
Type:	Character
Description:	Model name of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.Model
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2t9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Serial Number
Type:	Character
Description:	Serial Number of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2ta, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Drive Hardware Version
Type:	Character
Description:	Hardware Version of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SDDHardwareVersion

Where equivalent:

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2tb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI BUS
Type:	Character
Description:	SCSI bus of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SCSIBUS
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2tc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI LUN
Type:	Character
Description:	SCSI LUN of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SCSILUN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2td, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI Port
Type:	Character
Description:	SCSI port of the disk drive
Select equivalent:	K_SE_Storage_DiskDrive.SCSIPort
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name

List of values: 2te, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Media Size in GiB
Type: Number
Description: Maximum Media Size in GiB uses 1024 i.e. base 2 when converting values from bytes to gigabytes
Select equivalent: K_SE_Storage_DiskDrive.MaxMediaSizeinGiB
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2tf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Media Size in GB
Type: Number
Description: Maximum Media Size in GB uses 1000 i.e. base 10 when converting values from bytes to gigabytes
Select equivalent: K_SE_Storage_DiskDrive.MaxMediaSizeinGB
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2tg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Block Size
Type: Number
Description: Maximum Block Size in Bytes
Select equivalent: K_SE_Storage_DiskDrive.MaxBlockSize
Where equivalent:

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2th, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Block Size
Type:	Number
Description:	Minimum Block Size in Bytes
Select equivalent:	K_SE_Storage_DiskDrive.MinBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2ti, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Enable Status
Type:	Character
Description:	Enable Status
Select equivalent:	K_SE_Storage_DiskDrive.EnableStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2tj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Drive Type
Type:	Character
Description:	Type of Drive
Select equivalent:	K_SE_Storage_DiskDrive.DriveType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2tk, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Disk Type
Type:	Character
Description:	Type of Disk
Select equivalent:	K_SE_Storage_DiskDrive.DiskType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2tl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Availability
Type:	Character
Description:	Availability
Select equivalent:	K_SE_Storage_DiskDrive.Availability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2tm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	RPM
Type:	Character
Description:	Revolutions per minute
Select equivalent:	K_SE_Storage_DiskDrive.RPM
Where equivalent:	
Qualification:	detail
Associated dimension name:	Disk Drive Name
List of values:	2tn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Architecture
Type: Character
Description: Architecture
Select equivalent: K_SE_Storage_DiskDrive.Architecture
Where equivalent:

Qualification: detail
Associated dimension name: Disk Drive Name
List of values: 2to, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Disk Drive UUID
Type: Character
Description: UUID of the Disk Drive
Select equivalent: K_SE_Storage_DiskDrive.DiskDriveUUID
Where equivalent:

Qualification: dimension
List of values: 2tp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 2tq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent UUID
Type: Character
Description: UUID of the File Extent
Select equivalent: K_SE_NAS_Extent.NASExtentUUID
Where equivalent:

Qualification: dimension
List of values: 2tr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Snapshot Time
Type: Date
Description: Snapshot Time for mapping data between Disk drives and extents
Select equivalent: K_SE_DD_Map_NE.SnapshotTime
Where equivalent:

Qualification: dimension
List of values: 2ts, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5nk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: File System Volumes
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 2va, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 2vb, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 2vc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character
Description: Storage System Model Number
Select equivalent: K_SE_StorageSystem.Model
Where equivalent:

Qualification: dimension
List of values: 2vd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName

Where equivalent:

Qualification:	dimension
List of values:	2ve, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vk, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	2vu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2vy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character

Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w8, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2w9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2wa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2wb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2wc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2wd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2we, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character

Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2wf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2wg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume Name
Type:	Character
Description:	Name of the File Volume
Select equivalent:	K_SE_NAS_Volume.NASVolumeName
Where equivalent:	
Qualification:	dimension
List of values:	2wh, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	OID
Type:	Character
Description:	Unique Identifier for File Volume
Select equivalent:	K_SE_NAS_Volume.OID
Where equivalent:	
Qualification:	detail

Associated dimension name:	File Volume Name
List of values:	2wi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Device ID
Type:	Character
Description:	File Volume Device ID
Select equivalent:	K_SE_NAS_Volume.VolumeDeviceId
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume Access Type
Type:	Character
Description:	File Volume Access Type
Select equivalent:	K_SE_NAS_Volume.AccessType
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume Block Size in Bytes
Type:	Number
Description:	File Volume Block Size in Bytes
Select equivalent:	K_SE_NAS_Volume.BlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Number of Blocks
Type: Number
Description: Number of blocks in File Volume
Select equivalent: K_SE_NAS_Volume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Size Bytes
Type: Number
Description: Source File Volume Size in Bytes
Select equivalent: K_SE_NAS_Volume.VolumeSizeBytes
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Volume Consumable Blocks
Type: Number
Description: Number of consumable blocks in File Volume
Select equivalent: K_SE_NAS_Volume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Volume Name
List of values: 2wo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Volume Consumed Blocks

Type:	Number
Description:	Actual consumed physical space of the volume. Note : This object only applica ble for File systems that support Thin Provisioning
Select equivalent:	K_SE_NAS_Volume.ConsumedBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates Whether File Volume is Thinly Provisioned or not
Select equivalent:	K_SE_NAS_Volume.IsThinlyProvisioned
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (Bytes)
Type:	Number
Description:	Raw Space in Bytes that is consumed by the File volu me from the underlying Fil e extents
Select equivalent:	K_SE_NAS_Volume.RawSpace
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GB)
Type:	Number
Description:	Raw Space in GB that is co nsumed by the File volume from the underlying File extents
Select equivalent:	K_SE_NAS_Volume.RawSpaceGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2ws, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GiB)
Type:	Number
Description:	Raw Space in GiB that is c onsumed by the File volum e from the underlying File extents
Select equivalent:	K_SE_NAS_Volume.RawSpaceGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	RAID Type
Type:	Character
Description:	RAID Type - A String repre sentation of the RAID leve l and configuration of the underlying File extent(s) that the volume is based on. E.g. 'RAID5(7D+1P)'.
Select equivalent:	K_SE_NAS_Volume.RaidType
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Sequential Access?
Type:	Character
Description:	Indicates whether sequential access or not
Select equivalent:	K_SE_NAS_Volume.SeqAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume Availability
Type:	Character
Description:	Whether File Volume is Available
Select equivalent:	K_SE_NAS_Volume.Availability
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2ww, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Status Information
Type:	Character
Description:	File Volume Status Information
Select equivalent:	K_SE_NAS_Volume.StatusInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wx, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Type
Type:	Character
Description:	Volume Type - {'Open','Mainframe','Mainframe Mapped' - Volume known to be mapped from FINCON or ESCON port. EFile - Volume known to be mapped through a File port}
Select equivalent:	K_SE_NAS_Volume.VolumeType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2wy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Purpose
Type:	Character
Description:	Volume Purpose represents the File Volume Emulation type for supported File Arrays
Select equivalent:	K_SE_NAS_Volume.VolumePurpose
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Single Point of Failure
Type:	Number
Description:	Default Single Point of Failure for File Volume
Select equivalent:	K_SE_NAS_Volume.VolDfltSnglPtofFailure

Where equivalent:

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume No Single Point of Failure
Type:	Character
Description:	No Single Point of Failure for File Volume
Select equivalent:	K_SE_NAS_Volume.VolNoSinglePointofFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy for File Volume
Select equivalent:	K_SE_NAS_Volume.VolMinDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy for File Volume
Select equivalent:	K_SE_NAS_Volume.VolMaxDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name

List of values:	2x4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy for File Volume
Select equivalent:	K_SE_NAS_Volume.VolDefaultDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Spindle Redundancy
Type:	Number
Description:	Minimum Spindle Redundancy for File Volume
Select equivalent:	K_SE_NAS_Volume.VolMinSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy for File Volume
Select equivalent:	K_SE_NAS_Volume.VolMaxSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Spindle Redundancy
Type:	Number
Description:	Default Spindle Redundancy for File Volume
Select equivalent:	K_SE_NAS_Volume.VolDefaultSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Delta Reservation
Type:	Number
Description:	Minimum Delta Reservation for File Volume
Select equivalent:	K_SE_NAS_Volume.VolMinDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2x9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Delta Reservation
Type:	Number
Description:	Maximum Delta Reservation for File Volume
Select equivalent:	K_SE_NAS_Volume.VolMaxDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2xa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume Default Delta Reservation
Type:	Number

Description:	Default Delta Reservation for File Volume
Select equivalent:	K_SE_NAS_Volume.DefaultDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2xb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Blocks
Type:	Number
Description:	Actual Number of Blocks
Select equivalent:	K_SE_NAS_Volume.ActualBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2xc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Blocks
Type:	Number
Description:	Number of Used Blocks
Select equivalent:	K_SE_NAS_Volume.UsedBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2xd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume Controller Name
Type:	Character
Description:	Controller Name
Select equivalent:	K_SE_NAS_Volume.ControllerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2xe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume Composition
Type:	Character
Description:	Shows type of volume like Internal, External, Hybrid...
Select equivalent:	K_SE_NAS_Volume.Composition
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2xf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume Description
Type:	Character
Description:	File Volume Description
Select equivalent:	K_SE_NAS_Volume.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2xg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capabilities
Type:	Character
Description:	Storage Capabilities
Select equivalent:	K_SE_NAS_Volume.StorageCapabilities
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Volume Name
List of values:	2xh, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	2xi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Volume UUID
Type:	Character
Description:	UUID of the File Volume
Select equivalent:	K_SE_NAS_Volume.NASVolumeUUID
Where equivalent:	
Qualification:	dimension
List of values:	2xj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	File Network Interface
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	0du, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	0dv, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	5jo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5jq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5js, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5ju, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5jw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5jy, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5k1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5k3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5k5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name

Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5k7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5k9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	5kb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	

Qualification:	dimension
List of values:	5oc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	

Qualification:	dimension
List of values:	5oe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	

Qualification:	dimension
List of values:	0dw, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0dx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0dy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	0e8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5w2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ea, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0eb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ec, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ed, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ee, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character

Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ef, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0eg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0eh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ei, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ej, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ek, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0el, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0em, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0en, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0eo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	23u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	23w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ep, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0eq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5w4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5w6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5w8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5wa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5wc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5we, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0et, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0es, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0er, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2cq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2cp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2co, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character

Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0e9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ethernet Port Name
Type:	Character
Description:	NetApp IP Port Name
Select equivalent:	K_SE_NAS_Network_Interface.PORTNAME
Where equivalent:	
Qualification:	dimension
List of values:	0eu, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Description
Type:	Character
Description:	Description about NetApp IP Port
Select equivalent:	K_SE_NAS_Network_Interface.DESCRIPTION
Where equivalent:	
Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0ev, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port WWN
Type:	Character
Description:	WWN of NetApp IP Port
Select equivalent:	K_SE_NAS_Network_Interface.WWN
Where equivalent:	
Qualification:	detail

Associated dimension name:	Ethernet Port Name
List of values:	0ex, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Port
Type:	Number
Description:	Target Port
Select equivalent:	K_SE_NAS_Network_Interface.TARGET_PORT
Where equivalent:	

Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0ey, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Connected to WWN
Type:	Character
Description:	Connected to WWN
Select equivalent:	K_SE_NAS_Network_Interface.CONNECTED_TO_WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0f0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Card Name
Type:	Character
Description:	Card Name
Select equivalent:	K_SE_NAS_Network_Interface.CARDNAME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	5o3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: IP Address
Type: Character
Description: IP Address
Select equivalent: K_SE_NAS_Network_Interface.CARDIP
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 5og, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port State
Type: Character
Description: NetApp IP Port State
Select equivalent: K_SE_NAS_Network_Interface.PORTSTATE
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Port Status
Type: Character
Description: NetApp IP Port Status
Select equivalent: K_SE_NAS_Network_Interface.PORTSTATUS
Where equivalent:

Qualification: detail
Associated dimension name: Ethernet Port Name
List of values: 0f2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Physical State

Type:	Character
Description:	Physical State
Select equivalent:	K_SE_NAS_Network_Interface.PHYSICAL_STATE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0f3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Speed in Mb/s
Type:	Number
Description:	NetApp IP Port Speed
Select equivalent:	K_SE_NAS_Network_Interface.PORT_SPEED
Where equivalent:	
Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0f4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Speed in Mb/s
Type:	Number
Description:	NetApp IP Port Maximum Speed
Select equivalent:	K_SE_NAS_Network_Interface.MAX_SPEED
Where equivalent:	
Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0f5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Number
Type:	Number
Description:	Port Number
Select equivalent:	K_SE_NAS_Network_Interface.PORTNUMBER
Where equivalent:	

Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0f6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SCSI Port
Type:	Number
Description:	SCSI Port
Select equivalent:	K_SE_NAS_Network_Interface.SCSIPORT
Where equivalent:	

Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0f7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Connected to node WWN
Type:	Character
Description:	Connected to node WWN
Select equivalent:	K_SE_NAS_Network_Interface.CONNECTEDTONODEWWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0f8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	MAC Address
Type:	Character
Description:	Port Symbolic Name
Select equivalent:	K_SE_NAS_Network_Interface.PORT_SYMBOLIC_NAME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0f9, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Port Type
Type:	Character
Description:	Port Type
Select equivalent:	K_SE_NAS_Network_Interface.PORTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0fa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Link Technology
Type:	Character
Description:	Link Technology
Select equivalent:	K_SE_NAS_Network_Interface.LINK_TECHNOLOGY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	0fb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Link Technology2
Type:	Character
Description:	Link Technology
Select equivalent:	K_SE_Storage_Port.LinkTechnology
Where equivalent:	
Qualification:	detail
Associated dimension name:	Ethernet Port Name
List of values:	2cr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	0fc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ethernet Port UUID
Type:	Character
Description:	UUID of the File Ethernet Port
Select equivalent:	K_SE_NAS_Network_Interface.PORTUUID
Where equivalent:	
Qualification:	dimension
List of values:	0fd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	5nm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	File System Replication
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server

Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	2xk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Name of the Tenant
Select equivalent:	K_SE_NAS_Replication.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	2yo, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	5r2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	5r3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName
Where equivalent:

Qualification: dimension
List of values: 2xl, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Description
Type: Character
Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of th
e storage system such as
CREATED, CONTACTED, MISS
ING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2xo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2xp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2xq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System

Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	2xu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2xv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2xw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2xx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2xy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2y1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length

Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2y2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2y3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2y4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2y5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2y6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2y7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2y8, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2y9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ya, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2yb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2yc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2yd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ye, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server

Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	2yi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2yj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the timestamp of when the storage system was last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2yk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2yl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ym, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2yn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Source Name
Type: Character
Description: Name of the Source
Select equivalent: K_SE_NAS_Replication.SrcName
Where equivalent:

Qualification: dimension
List of values: 2yp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Remote Storage System Name
Type: Character

Description:	Name of the Remote File System
Select equivalent:	K_SE_NAS_Replication.RemoteNASSystemName
Where equivalent:	
Qualification:	dimension
List of values:	2yq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target Name
Type:	Character
Description:	Name of the Target
Select equivalent:	K_SE_NAS_Replication.TargetName
Where equivalent:	
Qualification:	dimension
List of values:	2yr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Remote System ID
Type:	Character
Description:	Remote System Identifier
Select equivalent:	K_SE_NAS_Replication.RemoteSystemID
Where equivalent:	
Qualification:	dimension
List of values:	5o0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Remote Element ID
Type:	Character
Description:	Remote Element Identifier
Select equivalent:	K_SE_NAS_Replication.RemoteElementID
Where equivalent:	
Qualification:	dimension
List of values:	5o1, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Synchronization State
Type:	Character
Description:	Indicates Synchronization state such as Broken/Frozen/Synchronized/Idle/....
Select equivalent:	K_SE_NAS_Replication.SyncState
Where equivalent:	
Qualification:	dimension
List of values:	2ys, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Synchronization Time
Type:	Date
Description:	Shows time when Synchronization was happened
Select equivalent:	K_SE_NAS_Replication.SyncedTimeStamp
Where equivalent:	
Qualification:	dimension
List of values:	2yt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Copy Type
Type:	Character
Description:	Indicates the Type of Copy such as UnSyncAssoc/Sync/Async/...
Select equivalent:	K_SE_NAS_Replication.CopyType
Where equivalent:	
Qualification:	dimension
List of values:	2yu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replica Type

Type:	Character
Description:	Indicates the replica type such as After Delta/Full Copy/...
Select equivalent:	K_SE_NAS_Replication.ReplicaType
Where equivalent:	
Qualification:	dimension
List of values:	2yv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Synchronization Maintained?
Type:	Character
Description:	Indicates whether synchronization is maintained or not
Select equivalent:	K_SE_NAS_Replication.IsSyncMaintained
Where equivalent:	
Qualification:	dimension
List of values:	2yw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Synchronization Collection Time
Type:	Character
Description:	Shows time when Storage O perations Manager collecte d the replication informat ion for the pair
Select equivalent:	K_SE_NAS_Replication.SyncTime
Where equivalent:	
Qualification:	dimension
List of values:	2yx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Locality
Type:	Character
Description:	Shows type of replication such as local/remote
Select equivalent:	K_SE_NAS_Replication.Locality
Where equivalent:	

Qualification:	dimension
List of values:	2yy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Remote File System UUID
Type:	Character
Description:	Remote File System Unique id
Select equivalent:	K_SE_NAS_Replication.RemoteNASSystemUUID
Where equivalent:	

Qualification:	dimension
List of values:	300, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Source UUID
Type:	Character
Description:	Source Unique id
Select equivalent:	K_SE_NAS_Replication.SrcUUID
Where equivalent:	

Qualification:	dimension
List of values:	301, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Target UUID
Type:	Character
Description:	Target Unique id
Select equivalent:	K_SE_NAS_Replication.TargetUUID
Where equivalent:	

Qualification:	dimension
List of values:	302, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class: File QTree
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 0h0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 0h1, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 5oi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character
Description: Storage System Model Number

Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	5ok, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	0h2, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0h3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0h4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0h5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0h6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0h7, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0h8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0h9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ha, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5wg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 0hg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values:	0hh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character

Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ho, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0ht, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	243, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	245, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5wi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5wk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5wm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character

Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5wo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5wq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ws, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0hw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	2c0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2bx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2bv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	0he, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	QTree Name
Type:	Character
Description:	File File System Directory Name
Select equivalent:	K_SE_NAS_QTrees.QTREENAME
Where equivalent:	
Qualification:	dimension
List of values:	0i0, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File System Name
Type:	Character
Description:	File System Name
Select equivalent:	K_SE_NAS_QTrees.FILESYSTEMNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	QTree Name
List of values:	0i1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	QDescription
Type:	Character
Description:	Description about File File System Directory
Select equivalent:	K_SE_NAS_QTrees.DESCRIPTION
Where equivalent:	
Qualification:	detail
Associated dimension name:	QTree Name
List of values:	0i2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System

Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 0i3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Qtree UUID
Type: Character
Description: UUID of the File Qtree
Select equivalent: K_SE_NAS_QTrees.QTREEUUID
Where equivalent:

Qualification: dimension
List of values: 0i4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5no, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: File Shares
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension

List of values: 49e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 49f, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 5r4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Model
Type: Character
Description: Storage System Model Number
Select equivalent: K_SE_StorageSystem.Model
Where equivalent:

Qualification: dimension
List of values: 5r5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Name

Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	49g, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	49h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	49i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System

Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 49m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 49s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity

Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	49t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	49u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	49v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	49w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	49x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	49y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4a0, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4a1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4a2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4a3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4a4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4a5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4a6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System

Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4a9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	4aa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ab, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ac, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ad, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ae, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of w
hen the storage system wa
s last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4af, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ag, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ah, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ai, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Logical Volume
Type:	Character
Description:	File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:	
Qualification:	dimension
List of values:	4aj, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	LVDescription
Type:	Character
Description:	Description about File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.Description

Where equivalent:

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ak, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates whether a logical volume is thinly provisioned or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4am, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model Type
Type:	Character
Description:	Represents whether the vo lume is 'Logical Disk' or ' File System' or 'LUN'
Select equivalent:	K_SE_NAS_LogicalVolume.ModelType
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4an, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size (Bytes)
Type:	Number
Description:	Block Size in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.Blocksize
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ao, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Number Of Blocks
Type:	Number
Description:	Number Of Blocks
Select equivalent:	K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ap, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks (Bytes)
Type:	Number
Description:	Consumable Blocks in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4aq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Cluster Shared?
Type:	Character
Description:	Indicates whether a logical volume is cluster shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ar, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Device ID
Type:	Character
Description:	Device ID
Select equivalent:	K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4as, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share ID
Type:	Character
Description:	Share ID
Select equivalent:	K_SE_NAS_LogicalVolume.ShareID
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4at, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Shared?
Type:	Character
Description:	Indicates whether a logical volume is shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsShared
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4au, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File System Type
Type:	Character
Description:	File System Type
Select equivalent:	K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4av, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Name of the Share
Type:	Character
Description:	Name of the share
Select equivalent:	K_SE_NAS_LogicalVolume.ShareName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4aw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share System Name
Type:	Character
Description:	Share System Name
Select equivalent:	K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ax, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share Name
Type:	Character
Description:	Shows name of the File share
Select equivalent:	K_SE_NAS_Shares.SHARENAME

Where equivalent:

Qualification: dimension
List of values: 4ay, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share Vendor
Type: Character
Description: File Share vendor name
Select equivalent: K_SE_NAS_Shares.VENDOR
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Mount Point
Type: Character
Description: Shows share mount point
Select equivalent: K_SE_NAS_Shares.MOUNTPOINT
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share Description
Type: Character
Description: Shows description of File Share
Select equivalent: K_SE_NAS_Shares.DESCRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b2, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share Model Type
Type: Character
Description: Model type of File shares
Select equivalent: K_SE_NAS_Shares.MODELTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share Business Cost
Type: Character
Description: business Cost
Select equivalent: K_SE_NAS_Shares.BUSINESSCOST
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share OID
Type: Character
Description: OID of the share
Select equivalent: K_SE_NAS_Shares.OID
Where equivalent:

Qualification: detail
Associated dimension name: Share Name
List of values: 4b5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Share Status
Type:	Character
Description:	File Share Status
Select equivalent:	K_SE_NAS_Shares.Status
Where equivalent:	
Qualification:	detail
Associated dimension name:	Share Name
List of values:	4b6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	4b7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Logical Volume UUID
Type:	Character
Description:	UUID of the File logical volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:	
Qualification:	dimension
List of values:	4b8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share UUID
Type:	Character
Description:	UUID of the File Share
Select equivalent:	K_SE_NAS_Shares.SHAREUUID
Where equivalent:	

Qualification: dimension
List of values: 4b9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Storage Tiers
Description:

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_Storage_Tier.TenantName
Where equivalent:

Qualification: dimension
List of values: 2dr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Tier Name
Type: Character
Description: Name of the Storage Tier
Select equivalent: K_SE_Storage_Tier.STORAGETIERNAME
Where equivalent:

Qualification: dimension
List of values: 2ds, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Active
Type: Character
Description: Description about Tier active inactive state
Select equivalent: K_SE_Storage_Tier.ACTIVE
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2dt, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cost Per GB
Type:	Number
Description:	Cost Per GB assigned to the Tier
Select equivalent:	K_SE_Storage_Tier.COSTPERGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2du, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Offering
Type:	Character
Description:	Offering
Select equivalent:	K_SE_Storage_Tier.OFFERING
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2dv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Priority
Type:	Character
Description:	Priority
Select equivalent:	K_SE_Storage_Tier.PRIORITY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2dw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Run Status
Type:	Character
Description:	Run Status
Select equivalent:	K_SE_Storage_Tier.RUNSTATUS
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2dx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Type
Type:	Character
Description:	Storage System Type
Select equivalent:	K_SE_Storage_Tier.STORAGESYSTEMTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2dy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tier Description
Type:	Character
Description:	Tier Description
Select equivalent:	K_SE_Storage_Tier.TIERDESC
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2e0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Created time
Type:	Date
Description:	Created time

Select equivalent: K_SE_Storage_Tier.CREATED_TIME
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2e1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last modified time
Type: Date
Description: Last modified time
Select equivalent: K_SE_Storage_Tier.LAST_MODIFIED_TIME
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2e2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Last Run Time
Type: Date
Description: Last Run Time
Select equivalent: K_SE_Storage_Tier.LAST_RUN_TIME
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2e3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Tier UUID
Type: Character
Description: UUID of the Storage Tier
Select equivalent: K_SE_Storage_Tier.STORAGETIERUUID
Where equivalent:

Qualification: dimension

List of values: 2e4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Sublun Tiers
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 64y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 650, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 651, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	652, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	653, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	665, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	664, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	663, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	662, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	661, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	660, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65x, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	65n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Over Subscribed Capacity
Type:	Character

Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 65g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 65f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 65e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	65a, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	659, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	658, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	657, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	656, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	655, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	654, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Sublun Storage Group UUID

Type:	Character
Description:	UUID of the Storage Group
Select equivalent:	K_SE_Sublun_StorageGroup.SublunSGUUID
Where equivalent:	
Qualification:	dimension
List of values:	6e1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage Group Name
Type:	Character
Description:	Name of the Storage Group
Select equivalent:	K_SE_Sublun_StorageGroup.StorageGrpName
Where equivalent:	
Qualification:	dimension
List of values:	667, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Sublun Policy UUID
Type:	Character
Description:	UUID of the Policy
Select equivalent:	K_SE_Sublun_Policy.SublunPolicyUUID
Where equivalent:	
Qualification:	dimension
List of values:	668, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Policy Name
Type:	Character
Description:	Name of the Policy
Select equivalent:	K_SE_Sublun_Policy.PolicyName
Where equivalent:	
Qualification:	dimension
List of values:	669, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Tier Name
Type:	Character
Description:	Name of the tier
Select equivalent:	K_SE_Sublun_Tier.TierName
Where equivalent:	
Qualification:	dimension
List of values:	66a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Dynamic
Type:	Character
Description:	Shows Whether the tier is static (flase) or dynamic (true).
Select equivalent:	K_SE_Sublun_Tier.Dynamic
Where equivalent:	
Qualification:	dimension
List of values:	66b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Raid Protection
Type:	Character
Description:	RAID protection level assigned to the volumes in the tier.
Select equivalent:	K_SE_Sublun_Tier.RaidProtection
Where equivalent:	
Qualification:	dimension
List of values:	66c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Tier Type
Type:	Character

Description: Type of the Tier
Select equivalent: K_SE_Sublun_Tier.TierType
Where equivalent:

Qualification: dimension
List of values: 66d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Tier Technology
Type: Character
Description: Disk technology on which the tier resides
Select equivalent: K_SE_Sublun_Tier.TierTechnology
Where equivalent:

Qualification: dimension
List of values: 66e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Tier Index
Type: Character
Description:

Select equivalent: K_SE_Sublun_Tier.TierIndex
Where equivalent:

Qualification: dimension
List of values: 66f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Threshold
Type: Character
Description: % of Capacity can be used by the storage groups
Select equivalent: K_SE_Sublun_Tier.Threshold
Where equivalent:

Qualification: dimension
List of values: 66g, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	66h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Snapshot Time for Policy Tier
Type:	Date
Description:	Snapshot creation time for mapping from Sublun Policy to Sublun Tier
Select equivalent:	K_SE_Sublun_PolicyTier_Map.SnapshotTime_PolicyTier
Where equivalent:	
Qualification:	dimension
List of values:	66i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Snapshot Time for Tier Pool
Type:	Date
Description:	Snapshot creation time for mapping from Tier to Pool
Select equivalent:	K_SE_Sublun_TierPool_Map.SnapshotTime_TierPool
Where equivalent:	
Qualification:	dimension
List of values:	66j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object: Sublun Tier UUID
Type: Character
Description: UUID of the Sublun Tier
Select equivalent: K_SE_Sublun_Tier.SublunTierUUID
Where equivalent:

Qualification: dimension
List of values: 66k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Pool UUID
Type: Number
Description: UUID of the Pool
Select equivalent: K_SE_Sublun_TierPool_Map.Pool_fk
Where equivalent:

Qualification: dimension
List of values: 66l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Tier Element Map
Description:

Object: SOM Source Name
Type: Character
Description: SOM Source Name
Select equivalent: K_SE_Tier_Element_Map.SourceName
Where equivalent:

Qualification: dimension
List of values: 2e5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Name of the Tenant
Select equivalent: K_SE_Tier_Element_Map.TenantName

Where equivalent:

Qualification:	dimension
List of values:	2e6, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	

Qualification:	dimension
List of values:	5r6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	

Qualification:	dimension
List of values:	5r7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	

Qualification:	dimension
List of values:	2e7, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2e8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2e9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ea, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2eb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ec, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ed, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System

Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ee, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ef, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2eg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	2eh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ei, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	66n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ek, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Requested Capacity
Type: Character
Description: Requested Capacity
Select equivalent: K_SE_StorageSystem.RequestedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2el, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2em, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2en, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP

Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2eo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ep, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2eq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2er, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2es, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2et, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2eu, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ev, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ew, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ex, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ey, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2f0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2f1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management

Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2f2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2f3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 66p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	66r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	66t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	66v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	66x, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 670, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2f9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2f8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2f7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2f6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2f5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name

Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2f4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ej, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Name
Type:	Character
Description:	Block Pool Name
Select equivalent:	K_SE_Storage_Pool.SANPoolName
Where equivalent:	
Qualification:	dimension
List of values:	2fa, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Description
Type:	Character
Description:	Description about Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolDescription
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Pool Name
Type:	Character
Description:	Parent Pool Name
Select equivalent:	K_SE_Storage_Pool.ParentPoolName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GB)
Type:	Number
Description:	Total Available Space in GB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GiB)
Type:	Number
Description:	Total Available Space in GiB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGiB
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fe, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Name
Type:	Character
Description:	Storage Capability Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2ff, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Common Name
Type:	Character
Description:	Storage Capability Common Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityCommonName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Description
Type:	Character
Description:	Storage Capability Description
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: No Single Point Of Failure
Type: Character
Description: No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.NoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default No Single Point Of Failure
Type: Character
Description: Default No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.DefaultNoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Data Redundancy
Type: Number
Description: Minimum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MinDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Data Redundancy
Type: Number
Description: Maximum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MaxDataRedundancy

Where equivalent:

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy
Select equivalent:	K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Spindle Redundancy
Type:	Number
Description:	Minimum Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.MaxSpindleRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name

List of values: 2fo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Spindle Redundancy
Type: Number
Description: Default Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Delta Reservation
Type: Number
Description: Minimum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Delta Reservation
Type: Number
Description: Maximum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 2fr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Default Delta Reservation
Type:	Number
Description:	Default Delta Reservation
Select equivalent:	K_SE_Storage_Pool.DefaultDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit (GB)
Type:	Number
Description:	Space Limit in GB
Select equivalent:	K_SE_Storage_Pool.SpaceLimitGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2ft, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit (GiB)
Type:	Number
Description:	Space Limit in GiB
Select equivalent:	K_SE_Storage_Pool.SpaceLimitGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit Determination
Type:	Number

Description:	Space Limit Determination
Select equivalent:	K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Composition
Type:	Character
Description:	Shows type of pool like Internal, External, Hybrid ....
Select equivalent:	K_SE_Storage_Pool.Composition
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Type
Type:	Character
Description:	Block Pool type - Primordi al, Concrete, Open, Mainfr ame, Snapshot, Reserved, Parent concrete ...
Select equivalent:	K_SE_Storage_Pool.SANPoolType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	2fx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Name
Type:	Character
Description:	Name of the Block Volume

Select equivalent: K_SE_Storage_Volume.SANVolumeName
Where equivalent:

Qualification: dimension
List of values: 2fy, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OID
Type: Character
Description: Unique Identifier for Block Volume
Select equivalent: K_SE_Storage_Volume.OID
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Device ID
Type: Character
Description: Block Volume Device ID
Select equivalent: K_SE_Storage_Volume.VolumeDeviceId
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Access Type
Type: Character
Description: Block Volume Access Type
Select equivalent: K_SE_Storage_Volume.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name

List of values: 2g2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Block Size in Bytes
Type: Number
Description: Block Volume Block Size in Bytes
Select equivalent: K_SE_Storage_Volume.BlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Number of Blocks
Type: Number
Description: Number of blocks in Block Volume
Select equivalent: K_SE_Storage_Volume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Size Bytes
Type: Number
Description: Source Block Volume Size in Bytes
Select equivalent: K_SE_Storage_Volume.VolumeSizeBytes
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2g5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Block Volume Consumable Blocks
Type:	Number
Description:	Number of consumable blocks in Block Volume
Select equivalent:	K_SE_Storage_Volume.ConsumableBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2g6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumed Blocks
Type:	Number
Description:	Actual consumed physical space of the volume. Note : This object only applica ble for Block systems that support Thin Provisioning
Select equivalent:	K_SE_Storage_Volume.ConsumedBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2g7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates Whether Block Volume is Thinly Provisioned or not
Select equivalent:	K_SE_Storage_Volume.IsThinlyProvisioned
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2g8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (Bytes)
Type:	Number
Description:	Raw Space in Bytes that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpace
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2g9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GB)
Type:	Number
Description:	Raw Space in GB that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpaceGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2ga, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GiB)
Type:	Number
Description:	Raw Space in GiB that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Storage_Volume.RawSpaceGiB
Where equivalent:	
Qualification:	detail

Associated dimension name:	Block Volume Name
List of values:	2gb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	RAID Type
Type:	Character
Description:	RAID Type - A String repre sentation of the RAID leve l and configuration of the underlying Block extent(s) that the volume is based on. E.g. 'RAID5(7D+1P)'.
Select equivalent:	K_SE_Storage_Volume.RaidType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Sequential Access?
Type:	Character
Description:	Indicates whether sequential access or not
Select equivalent:	K_SE_Storage_Volume.SeqAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Availability
Type:	Character
Description:	Whether Block Volume is Available
Select equivalent:	K_SE_Storage_Volume.Availability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2ge, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Status Information
Type:	Character
Description:	Block Volume Status Information
Select equivalent:	K_SE_Storage_Volume.StatusInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Type
Type:	Character
Description:	Volume Type - {'Open','Ma inframe','Mainframe Mappe d' - Volume known to be m apped from FINCON or ESCO N port. EFile - Volume kno wn to be mapped through a File port}
Select equivalent:	K_SE_Storage_Volume.VolumeType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Purpose
Type:	Character
Description:	Volume Purpose represents the Block Volume Emulati

	on type for supported Bloc k Arrays
Select equivalent:	K_SE_Storage_Volume.VolumePurpose
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Single Point of Failure
Type:	Number
Description:	Default Single Point of Failure for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDfltSnglPtofFailure
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume No Single Point of Failure
Type:	Character
Description:	No Single Point of Failure for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolNoSinglePointofFailure
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDefaultDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Spindle Redundancy
Type:	Number
Description:	Minimum Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinSpindleRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gn, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2go, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Spindle Redundancy
Type:	Number
Description:	Default Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolDefaultSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Delta Reservation
Type:	Number
Description:	Minimum Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMinDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Delta Reservation
Type:	Number
Description:	Maximum Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.VolMaxDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Default Delta Reservation
Type:	Number
Description:	Default Delta Reservation for Block Volume
Select equivalent:	K_SE_Storage_Volume.DefaultDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Blocks
Type:	Number
Description:	Actual Number of Blocks
Select equivalent:	K_SE_Storage_Volume.ActualBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Blocks
Type:	Number
Description:	Number of Used Blocks

Select equivalent: K_SE_Storage_Volume.UsedBlocks
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Controller Name
Type: Character
Description: Controller Name
Select equivalent: K_SE_Storage_Volume.ControllerName
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Composition
Type: Character
Description: Shows type of volume like Internal, External, Hybrid...
Select equivalent: K_SE_Storage_Volume.Composition
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 2gw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Description
Type: Character
Description: Block Volume Description
Select equivalent: K_SE_Storage_Volume.Description
Where equivalent:

Qualification: detail

Associated dimension name:	Block Volume Name
List of values:	2gx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capabilities
Type:	Character
Description:	Storage Capabilities
Select equivalent:	K_SE_Storage_Volume.StorageCapabilities
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	2gy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Tier Name
Type:	Character
Description:	Name of the Storage Tier
Select equivalent:	K_SE_Storage_Tier.STORAGETIERNAME
Where equivalent:	

Qualification:	dimension
List of values:	2h0, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Active
Type:	Character
Description:	Description about Tier active inactive state
Select equivalent:	K_SE_Storage_Tier.ACTIVE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2h1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cost Per GB
Type:	Number
Description:	Cost Per GB assigned to the Tier
Select equivalent:	K_SE_Storage_Tier.COSTPERGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2h2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Offering
Type:	Character
Description:	Offering
Select equivalent:	K_SE_Storage_Tier.OFFERING
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2h3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Priority
Type:	Character
Description:	Priority
Select equivalent:	K_SE_Storage_Tier.PRIORITY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2h4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Run Status
Type:	Character

Description: Run Status
Select equivalent: K_SE_Storage_Tier.RUNSTATUS
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2h5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Type
Type: Character
Description: Storage System Type
Select equivalent: K_SE_Storage_Tier.STORAGESYSTEMTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2h6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tier Description
Type: Character
Description: Tier Description
Select equivalent: K_SE_Storage_Tier.TIERDESC
Where equivalent:

Qualification: detail
Associated dimension name: Storage Tier Name
List of values: 2h7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Created time
Type: Date
Description: Created time
Select equivalent: K_SE_Storage_Tier.CREATED_TIME
Where equivalent:

Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2h8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last modified time
Type:	Date
Description:	Last modified time
Select equivalent:	K_SE_Storage_Tier.LAST_MODIFIED_TIME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2h9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Run Time
Type:	Date
Description:	Last Run Time
Select equivalent:	K_SE_Storage_Tier.LAST_RUN_TIME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage Tier Name
List of values:	2ha, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Last Updated Time
Type:	Date
Description:	Element Last Updated Time
Select equivalent:	K_SE_Tier_Element_Map.ELEMENTLASTUPDATEDTIME
Where equivalent:	

Qualification:	dimension
List of values:	2hb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: is Manually Updated
Type: Character
Description: Defines if the tier is manually u
Select equivalent: K_SE_Tier_Element_Map.ISMANUALLYADDED
Where equivalent:

Qualification: dimension
List of values: 2hc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Tier UUID
Type: Character
Description: UUID of the Storage Tier
Select equivalent: K_SE_Storage_Tier.STORAGETIERUUID
Where equivalent:

Qualification: dimension
List of values: 2hd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 2he, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool UUID
Type: Character
Description: UUID of the Block Pool
Select equivalent: K_SE_Storage_Pool.SANPoolUUID

Where equivalent:

Qualification: dimension
List of values: 2hf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume UUID
Type: Character
Description: UUID of the Block Volume
Select equivalent: K_SE_Storage_Volume.SANVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 2hg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: File System Extents
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 2tt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 2tu, editable, manual refresh, exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	2tv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	2tw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	2tx, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character

Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ty, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2u0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2u1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System

Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2u2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2u3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2u4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	2u5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2u6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2u7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2u8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2u9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ua, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 2ub, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity

Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ud, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ue, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ug, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ui, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ul, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2um, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2un, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System

Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2up, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ur, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	2us, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ut, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ux, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2uy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2v0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Extent Name
Type:	Character
Description:	Name of the File extent
Select equivalent:	K_SE_NAS_Extent.NASExtentName
Where equivalent:	
Qualification:	dimension
List of values:	2v1, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Extent Vendor
Type:	Character
Description:	Vendor name of the File Extent
Select equivalent:	K_SE_NAS_Extent.Vendor
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2v2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Extent Description
Type:	Character
Description:	File Extent description
Select equivalent:	K_SE_NAS_Extent.NASExtentDescription

Where equivalent:

Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2v3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Access Type
Type:	Character
Description:	File Extent access type
Select equivalent:	K_SE_NAS_Extent.AccessType
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2v4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size in Bytes
Type:	Number
Description:	Block size in bytes
Select equivalent:	K_SE_NAS_Extent.BlkSizeinBytes
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2v5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	# of Blocks
Type:	Number
Description:	Number of blocks
Select equivalent:	K_SE_NAS_Extent.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Extent Name

List of values:	2v6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks
Type:	Number
Description:	Number of consumable blocks
Select equivalent:	K_SE_NAS_Extent.ConsumableBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	2v7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	2v8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Extent UUID
Type:	Character
Description:	UUID of the File Extent
Select equivalent:	K_SE_NAS_Extent.NASExtentUUID
Where equivalent:	
Qualification:	dimension
List of values:	2v9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class: Storage System Capacity Statistics

Description: Storage System Capacity Statistics

No objects

Class: DATETIME(Storage System Capacity Statistics)
Description:

Object: Year
Type: Number
Description: Year
Select equivalent: DATETIME.TIME_YEAR_NUMBER
Where equivalent:

Qualification: dimension
List of values: 0lr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month
Type: Character
Description: Month Name first Three Characters
Select equivalent: (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:

Qualification: dimension
List of values: 0ls, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month Name
Type: Character
Description: Month Name
Select equivalent: DATETIME.TIME_MONTH_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Month
List of values: 0lt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Day
Type:	Number
Description:	Day
Select equivalent:	DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:	
Qualification:	dimension
List of values:	0lu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day Name
Type:	Character
Description:	Day Name
Select equivalent:	DATETIME.TIME_DAY_NAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Day
List of values:	0lv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour
Type:	Number
Description:	Hour
Select equivalent:	DATETIME.TIME_HOUR_ID
Where equivalent:	
Qualification:	dimension
List of values:	0lw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Id
Type:	Number
Description:	Hour Id
Select equivalent:	DATETIME.TIME_HOUR_ID

Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 0lx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Hour Description
Type: Character
Description: Time Hour Description
Select equivalent: DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 0ly, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Full Date
Type: Date
Description: Full Date
Select equivalent: DATETIME.TIME_FULL_DATE
Where equivalent:

Qualification: dimension
List of values: 0m0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Is Holiday
Type: Character
Description: Time Is Holiday
Select equivalent: DATETIME.TIME_IS_HOLIDAY
Where equivalent:

Qualification: detail
Associated dimension name: Full Date
List of values: 0m1, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Weekday
Type:	Character
Description:	Time Is Weekday
Select equivalent:	DATETIME.TIME_IS_WEEKDAY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Full Date
List of values:	0m2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Boundary
Type:	Number
Description:	Hour Boundary
Select equivalent:	DATETIME.HOUR_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	0m3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Day Boundary
Type:	Number
Description:	Day Boundary
Select equivalent:	DATETIME.DAY_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	0m4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Week Boundary

Type:	Number
Description:	Week Boundary
Select equivalent:	DATETIME.WEEK_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	0m5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Month Boundary
Type:	Number
Description:	Month Boundary
Select equivalent:	DATETIME.MONTH_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	0m6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Year Boundary
Type:	Number
Description:	Year Boundary
Select equivalent:	DATETIME.YEAR_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	0m7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	StorageSystem(Storage System Capacity Statistics)
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	

Qualification:	dimension
List of values:	303, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	

Qualification:	dimension
List of values:	304, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	

Qualification:	dimension
List of values:	5kd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5kf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5kh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5kj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5kl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character

Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5kn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5kp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5kr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail

Associated dimension name:	Group Path
List of values:	5kt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Group Path
List of values:	5kv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	

Qualification:	dimension
List of values:	5kx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Element Name
List of values:	5l0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	305, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	306, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	307, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	308, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	309, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30e, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5wu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity

Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 30n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Manageable?
Type: Character
Description: Is Manageable
Select equivalent: K_SE_StorageSystem.IsManageable
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name

List of values:	30m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character

Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	310, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	30y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	312, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	311, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ww, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	313, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5x1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5wy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5x5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character

Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5x3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	314, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5x7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	319, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	318, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	317, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	316, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	315, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	31a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	5nq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class: Raw Storage System Capacity Statistics

Description:

Object:	Raw Used Percentage
Type:	Number
Description:	Percentage of Raw Used capacity.
Select equivalent:	SR_SE_StorageSystemCapacity.RawUsedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Allocated Percentage
Type:	Number
Description:	Percentage of Allocated capacity.
Select equivalent:	SR_SE_StorageSystemCapacity.AllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Allocated Percentage
Type:	Number
Description:	Percentage of Actual Allocated capacity.
Select equivalent:	SR_SE_StorageSystemCapacity.ActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Percentage

Type:	Number
Description:	Percentage of Actual Used capacity.
Select equivalent:	SR_SE_StorageSystemCapacity.ActualUsedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size GB
Type:	Number
Description:	The total (internal and ex ternal) logical capacity o f the Storage System in Gi gabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Raw Size GB
Type:	Number
Description:	The total raw capacity of the Storage System in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalRawSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Raw Size GB
Type:	Number

Description:	The total used raw capacity of the Storage System in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.UsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Unused Raw Size GB
Type:	Number
Description:	The total unused raw capacity of the Storage System in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.UnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Unallocated Size GB
Type:	Number
Description:	The total logical capacity of the volumes available for provisioning in the St orage pools in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.UnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Allocation Size in GB
Type:	Number
Description:	The over allocated capacit

	y in Gigabytes. The amoun t of over or under subscri ption.
Select equivalent:	SR_SE_StorageSystemCapacity.OverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Size GB
Type:	Number
Description:	The total external capacit y that is part of the logic al capacity of the Storage System in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalExtSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Allocated Size GB
Type:	Number
Description:	The total external capacit y of the volumes provision ed from the Storage pools in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Unallocated Size GB
Type:	Number
Description:	The total external capacit y of the volumes available for provisioning in the S torage pools in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Mapped Size GB
Type:	Number
Description:	The total external capacit y of the volumes visible t o hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Unmapped Size GB
Type:	Number
Description:	The total external capacit y of the volumes not visib le to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Allocated Size GB
Type:	Number
Description:	The total external physica l capacity that is actually allocated by the volumes in Gigabytes. This would b e different from the total external allocated capaci ty in case of Thin Provisi oning.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Mapped Size GB
Type:	Number
Description:	The total external physica l capacity that is actually visible to hosts in Gigab ytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Unmapped Size GB
Type:	Number
Description:	The total external physica

	l capacity that is actually not visible to hosts in Gi gabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Used Size GB
Type:	Number
Description:	The total external physical capacity that is actually used in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Unused Size GB
Type:	Number
Description:	The total external physica l capacity that is actually unused in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Used Mapped Size GB
Type:	Number

Description:	The total external physica l capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Used Unmapped Size GB
Type:	Number
Description:	The total external physica l capacity that is actually used and not visible to h osts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Size GB
Type:	Number
Description:	The total internal capacit y that is part of the logic al capacity of the Storage System in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalIntSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Internal Unallocated Size GB
Type:	Number
Description:	The total internal capacit y of the volumes available for provisioning in the S torage pools in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Allocated Size GB
Type:	Number
Description:	The total internal capacit y of the volumes provision ed from the Storage pools in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Mapped Size GB
Type:	Number
Description:	The total internal capacit y of the volumes visible t o hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntMappedSizeGB
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Unmapped Size GB
Type:	Number
Description:	The total internal capacit y of the volumes not visib le to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Allocated Size GB
Type:	Number
Description:	The total internal physica l capacity that is actually allocated by the volumes in Gigabytes. This would b e different from the total internal allocated capaci ty in case of Thin Provisi oning.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Mapped Size GB
Type:	Number

Description:	The total internal physica l capacity that is actually visible to hosts in Gigab ytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Unmapped Size GB
Type:	Number
Description:	The total internal physica l capacity that is actually not visible to hosts in Gi gabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Used Size GB
Type:	Number
Description:	The total internal physical capacity that is actually used in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Unused Size GB
Type:	Number
Description:	The total internal physica l capacity that is actually unused in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Used Mapped Size GB
Type:	Number
Description:	The total internal physica l capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Used Unmapped Size GB
Type:	Number
Description:	The total internal physica l capacity that is actually used and not visible to h osts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Unmapped Size GB
Type:	Number
Description:	The total logical capacity of volumes not visible to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.UnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Unmapped Size GB
Type:	Number
Description:	The total physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Unmapped Size GB
Type:	Number
Description:	The total physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Mapped Size GB
Type:	Number
Description:	The total logical capacity of volumes visible to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.MappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Mapped Size GB
Type:	Number
Description:	The total physical capacit y that is actually visible to hosts in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Mapped Size GB
Type:	Number
Description:	The total physical capacit y that is actually used an d visible to hosts in Giga bytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUsedMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Allocated Size GB
Type:	Number
Description:	The total logical capacity of the volumes provisioned from the Storage pools in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.AllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Allocated Size GB
Type:	Number
Description:	The total physical capacity that is actually allocated in Gigabytes.This would be different from the total allocated capacity in case of Thin Provisioning.
Select equivalent:	SR_SE_StorageSystemCapacity.ActAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Reserved Allocated Size GB
Type:	Number

Description:	The total reserved capacity that has been provisioned in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalReservedAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Size GB
Type:	Number
Description:	The total physical capacity that is actually used in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Unused Size GB
Type:	Number
Description:	The total physical capacity that is actually unused in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Reserved Size GB
Type:	Number
Description:	The total reserved capacity in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalReservedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Reserved Used Size GB
Type:	Number
Description:	The total reserved capacity that is being used in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalReservedUsedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Reserved Remaining Size GB
Type:	Number
Description:	The total reserved capacity remaining in Gigabytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalReservedRemainingSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size GiB
Type:	Number
Description:	The total (internal and ex ternal) Logical capacity o f the Storage System in Gi bibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalSizeGiB
Where equivalent:	

Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Raw Size GiB
Type:	Number
Description:	The total raw capacity of the Storage System in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Raw Size GiB
Type:	Number
Description:	The total used raw capacity of the Storage System in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.UsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Unused Raw Size GiB
Type:	Number
Description:	The total unused raw capacity of the Storage System in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.UnusedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Unallocated Size GiB
Type:	Number
Description:	The total logical capacity of the volumes available for provisioning in the St orage pools in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.UnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Allocation Size in GiB
Type:	Number
Description:	The over allocated capacit y in Gibibytes. The amount of over or under subscrip tion.
Select equivalent:	SR_SE_StorageSystemCapacity.OverAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Size GiB
Type:	Number
Description:	The total external capacit y that is part of the logic al capacity of the Storage System in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalExtSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Unallocated Size GiB
Type:	Number
Description:	The total external capacit y of the volumes available for provisioning in the S torage pools in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Allocated Size GiB
Type:	Number
Description:	The total external capacit y of the volumes provision ed from the Storage pools in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Mapped Size GiB
Type:	Number
Description:	The total external capacit y of the volumes visible t

	o hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Unmapped Size GiB
Type:	Number
Description:	The total external capacit y of the volumes not visib le to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Allocated Size GiB
Type:	Number
Description:	The total external physica l capacity that is actually allocated by the volumes in Gibibytes. This would b e different from the total external allocated capaci ty in case of Thin Provisi oning.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: External Actual Mapped Size GiB
Type: Number
Description: The total external physica l capacity that is actually visible to hosts in Gibib ytes.
Select equivalent: SR_SE_StorageSystemCapacity.ExtActMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: External Actual Unmapped Size GiB
Type: Number
Description: The total external physica l capacity that is not visi ble to hosts in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.ExtActUnmappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: External Actual Used Size GiB
Type: Number
Description: The total external physical capacity that is actually used in Gibibytes.
Select equivalent: SR_SE_StorageSystemCapacity.ExtActUsedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Unused Size GiB
Type:	Number
Description:	The total external physica l capacity that is actually unused in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Used Mapped Size GiB
Type:	Number
Description:	The total external physica l capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	External Actual Used Unmapped Size GiB
Type:	Number
Description:	The total external physica l capacity that is actually used but yet to be visibl e to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ExtActUsedUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Size GiB
Type:	Number
Description:	The total internal capacit y that is part of the logic al capacity of the Storage System in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalIntSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Unallocated Size GiB
Type:	Number
Description:	The total internal capacit y of the volumes available for provisioning in the S torage pools in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Allocated Size GiB
Type:	Number
Description:	The total internal capacit y of the volumes provision

	ed from the Storage pools
	in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Mapped Size GiB
Type:	Number
Description:	The total internal capacit
	y of the volumes visible t
	o hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Unmapped Size GiB
Type:	Number
Description:	The total internal capacit
	y of the volumes not visib
	le to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Allocated Size GiB

Type:	Number
Description:	The total internal physica l capacity that is actually allocated by the volumes in Gibibytes. This would b e different from the total internal allocated capaci ty in case of Thin Provisi oning.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Mapped Size GiB
Type:	Number
Description:	The total internal physica l capacity that is actually visible to hosts in Gibib ytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Unmapped Size GiB
Type:	Number
Description:	The total internal physica l capacity that is actually not visible to hosts in Gi bibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Used Size GiB
Type:	Number
Description:	The total internal physical capacity that is actually used in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUsedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Unused Size GiB
Type:	Number
Description:	The total internal physica l capacity that is actually not used in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Used Mapped Size GiB
Type:	Number
Description:	The total internal physica l capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUsedMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	The total internal physica l capacity that is actually used and not visible to h osts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.IntActUsedUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Unmapped Size GiB
Type:	Number
Description:	The total logical capacity of volumes not visible to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.UnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Unmapped Size GiB
Type:	Number
Description:	The total physical capacit y that is actually not visi ble to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUnmappedSizeGiB

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Unmapped Size GiB
Type:	Number
Description:	The total physical capacit y that is actually used bu t not visible to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUsedUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Mapped Size GiB
Type:	Number
Description:	The total logical capacity of volumes visible to hosts in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.MappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Mapped Size GiB
Type:	Number
Description:	The total physical capacit y that is actually visible to hosts in Gibibytes.

Select equivalent:	SR_SE_StorageSystemCapacity.ActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Mapped Size GiB
Type:	Number
Description:	The total physical capacit y that is actually used an d visible to hosts in Gibi bytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Allocated Size GiB
Type:	Number
Description:	The total logical capacity of the volumes provisione d from the Storage pools i n Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.AllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Allocated Size GiB

Type:	Number
Description:	The total physical capacit y that is allocated by the volumes in Gibibytes. Thi s would be different from the total allocated capaci ty in case of Thin Provisi oning.
Select equivalent:	SR_SE_StorageSystemCapacity.ActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Reserved Allocated Size GiB
Type:	Number
Description:	The total reserved capacity that has been provisioned in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalReservedAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Size GiB
Type:	Number
Description:	The total physical capacity that is actually used in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Unused Size GiB
Type:	Number
Description:	The total physical capacity that is actually unused in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.ActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Reserved Size GiB
Type:	Number
Description:	The total reserved capacity in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalReservedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Reserved Used Size GiB
Type:	Number
Description:	The total reserved capacity that is being used in Gibibytes.
Select equivalent:	SR_SE_StorageSystemCapacity.TotalReservedUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Reserved Remaining Size GiB
Type:	Number
Description:	The total reserved capacity remaining in Gibibytes.

Select equivalent: SR_SE_StorageSystemCapacity.TotalReservedRemainingSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Hourly Storage System Capacity Statistics
Description:

Object: Average Raw Used Percentage
Type: Number
Description: Average percentage of Raw Used capacity.
Select equivalent: SH_SE_StorageSystemCapacity.AvgRawUsedPct
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Raw Used Percentage
Type: Number
Description: Maximum percentage of Raw Used capacity.
Select equivalent: SH_SE_StorageSystemCapacity.MaxRawUsedPct
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Raw Used Percentage
Type: Number
Description: Minimum percentage of Raw Used capacity.
Select equivalent: SH_SE_StorageSystemCapacity.MinRawUsedPct

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: 95 Percentile Raw Used Percentage
Type: Number
Description: 95th Percentile of Raw Used capacity.
Select equivalent: SH_SE_StorageSystemCapacity.Per95RawUsedPct
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Allocated Percentage
Type: Number
Description: Average percentage of Allocated capacity.
Select equivalent: SH_SE_StorageSystemCapacity.AvgAllocatedPct
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Allocated Percentage
Type: Number
Description: Maximum percentage of Allocated capacity.
Select equivalent: SH_SE_StorageSystemCapacity.MaxAllocatedPct
Where equivalent:

Qualification: measure
Aggregate function: Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Percentage
Type:	Number
Description:	Minimum percentage of Allocated capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.MinAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Allocated Percentage
Type:	Number
Description:	95th Percentile of Allocated capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.Per95AllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Percentage
Type:	Number
Description:	Average percentage of Actual Allocated capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Percentage
Type:	Number
Description:	Maximum percentage of Actual Allocated capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Percentage
Type:	Number
Description:	Minimum percentage of Actual Allocated capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Actual Allocated Percentage
Type:	Number
Description:	95th Percentile of Actual Allocated capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.Per95ActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Percentage
Type:	Number

Description:	Average percentage of Actual Used capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActualUsedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Percentage
Type:	Number
Description:	Maximum percentage of Actual Used capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActualUsedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Percentage
Type:	Number
Description:	Minimum percentage of Actual Used capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActualUsedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Actual Used Percentage
Type:	Number
Description:	95th Percentile of Actual Used capacity.
Select equivalent:	SH_SE_StorageSystemCapacity.Per95ActualUsedPct
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Size GB
Type:	Number
Description:	Average of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Size GB
Type:	Number
Description:	Maximum of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Size GB
Type:	Number
Description:	Minimum of the total (inte rnal and external) logical

	capacity of the Storage S ystem in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Size GB
Type:	Number
Description:	Total of the total (intern al and external) logical c apacity of the Storage Sys tem in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Raw Size GB
Type:	Number
Description:	Average of the total raw c apacity of the Storage Sys tem in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalRawSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Raw Size GB
Type:	Number
Description:	Maximum of the total raw capacity of the Storage Sy stem in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalRawSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Raw Size GB
Type:	Number
Description:	Minimum of the total raw capacity of the Storage Sy stem in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalRawSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Raw Size GB
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalRawSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Raw Size GB
Type:	Number
Description:	Average of the total used raw capacity of the Storag e System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgUsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Raw Size GB
Type:	Number
Description:	Maximum of the total used raw capacity of the Stora ge System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxUsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Raw Size GB
Type:	Number
Description:	Minimum of the total used raw capacity of the Stora ge System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinUsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Raw Size GB
Type:	Number
Description:	Total of the total used ra w capacity of the Storage System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotUsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unused Raw Size GB
Type:	Number
Description:	Average of the total unuse d raw capacity of the Stor age System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgUnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unused Raw Size GB
Type:	Number
Description:	Maximum of the total unus ed raw capacity of the Sto rage System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxUnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unused Raw Size GB
Type:	Number
Description:	Minimum of the total unus ed raw capacity of the Sto rage System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinUnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unused Raw Size GB
Type:	Number
Description:	Total of the total unused raw capacity of the Storag e System in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotUnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unallocated Size GB
Type:	Number
Description:	Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unallocated Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unallocated Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unallocated Size GB
Type:	Number

Description:	Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Average of the Over Allocation Size in GB

Type:	Number
Description:	Average of the over allocated capacity in Gigabytes. The amount of over or under subscription.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgOverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Maximum of the Over Allocation Size in GB

Type:	Number
Description:	Maximum of the over allocated capacity in Gigabytes. The amount of over or under subscription.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxOverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the Over Allocation Size in GB
Type:	Number
Description:	Minimum of the over alloc ated capacity in Gigabytes . The amount of over or u nder subscription.
Select equivalent:	SH_SE_StorageSystemCapacity.MinOverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the Over Allocation Size in GB
Type:	Number
Description:	Total of the over allocate d capacity in Gigabytes. T he amount of over or unde r subscription.
Select equivalent:	SH_SE_StorageSystemCapacity.TotOverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total External Size GB
Type:	Number
Description:	Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalExtSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total External Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi gabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalExtSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total External Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalExtSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total External Size GB
Type:	Number
Description:	Total of the total externa l capacity that is part of the logical capacity of th e Storage System in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalExtSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Allocated Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Allocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max

List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum External Allocated Size GB
Type: Number
Description: Minimum of the total exter
nal capacity of the volume
s provisioned from the Sto
rage pools in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinExtAllocSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total External Allocated Size GB
Type: Number
Description: Total of the total externa
l capacity of the volumes
provisioned from the Stora
ge pools in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotExtAllocSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Unallocated Size GB
Type: Number
Description: Average of the total exter
nal capacity of the volume
s available for provisioni
ng in the Storage pools in

	Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unallocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es available for provision ing in the Storage pools i n Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unallocated Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unallocated Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes available for provisioning in the Storage pools in G igabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Mapped Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es visible to hosts in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Mapped Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes visible to hosts in Gigaby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume

	s not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unmapped Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes not visible to hosts in Gi gabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Allocated Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gigabytes. This would be different fr

	om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Allocated Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActAllocSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Mapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually visible to ho sts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Mapped Size GB
Type:	Number

Description:	Minimum of the total exter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Mapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually visible to host s in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Maximum External Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually not visible t o hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unmapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUsedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used in Giga bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUsedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that

	is actually used in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used in Gigabyt es.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unused Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unused Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually unused in Gi gabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unused Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unused Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually unused in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and vis ible to hosts in Gigabytes .
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and visi

	ble to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and visibl e to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.

Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Internal Size GB
Type:	Number
Description:	Average of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalIntSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Internal Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalIntSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Internal Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalIntSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Internal Size GB
Type:	Number
Description:	Total of the total interna l capacity that is part of the logical capacity of th e Storage System in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalIntSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unallocated Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unallocated Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unallocated Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unallocated Size GB

Type:	Number
Description:	Total of the total interna l capacity of the volumes available for provisioning in the Storage pools in G igabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Allocated Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Allocated Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Allocated Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Allocated Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes provisioned from the Stora ge pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Mapped Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntMappedSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Mapped Size GB
Type:	Number

Description:	Total of the total interna l capacity of the volumes visible to hosts in Gigaby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Minimum Internal Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unmapped Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes not visible to hosts in Gi gabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Allocated Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of

	Thin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Allocated Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Mapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Mapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually visible to host s in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUnmappedSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unmapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUsedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Size GB
Type:	Number

Description:	Maximum of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used in Gigabyt es.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Average Internal Actual Unused Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unused Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unused Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUnusedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unused Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually unused in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUnusedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that

	is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and not vi sible to hosts in Gigabyte s.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unmapped Size GB
Type:	Number
Description:	Average of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unmapped Size GB
Type:	Number

Description:	Maximum of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unmapped Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unmapped Size GB
Type:	Number
Description:	Total of the total logical capacity of volumes not vi sible to hosts in Gigabyte s.
Select equivalent:	SH_SE_StorageSystemCapacity.TotUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Average Actual Unmapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally not visible to hosts i n Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unmapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually not visible to hosts in Gi gabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and not visible t o hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu

	ally used and not visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and not visible t o hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and not visible to h osts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size GB
Type:	Number
Description:	Average of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	SH_SE_StorageSystemCapacity.AvgMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	SH_SE_StorageSystemCapacity.MaxMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	SH_SE_StorageSystemCapacity.MinMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size GB
Type:	Number
Description:	Total of the total logical capacity of volumes visibl e to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly visible to hosts in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally visible to hosts in Gi gabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActMappedSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly visible to hosts in Gig abytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually visible to hosts in Gigab ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size GB
Type:	Number

Description:	Average of the total physi cal capacity that is actua lly used and visible to ho sts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and visible to h osts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Total Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size GB
Type:	Number
Description:	Average of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size GB
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua

	lly allocated in Gigabytes .This would be different f rom the total allocated ca pacity in case of Thin Pro visioning.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally allocated in Gigabyte s.This would be different from the total allocated c apacity in case of Thin Pr ovisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly allocated in Gigabytes .This would be different f rom the total allocated ca pacity in case of Thin Pro visioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActAllocSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually allocated in Gigabytes.Th is would be different from the total allocated capac ity in case of Thin Provis ioning.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Allocated Size GB
Type:	Number
Description:	Average of the total reser ved capacity that has been provisioned in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Allocated Size GB
Type:	Number
Description:	Maximum of the total rese rved capacity that has bee n provisioned in Gigabytes .
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Allocated Size GB
Type:	Number
Description:	Minimum of the total reser ved capacity that has been provisioned in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Allocated Size GB
Type:	Number
Description:	Total of the total reserve d capacity that has been p rovisioned in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Average Actual Used Size GB
Type: Number
Description: Average of the total physi
cal capacity that is actua
lly used in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.AvgActUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Size GB
Type: Number
Description: Maximum of the total phys
ical capacity that is actu
ally used in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MaxActUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Size GB
Type: Number
Description: Minimum of the total physi
cal capacity that is actua
lly used in Gigabytes.
Select equivalent: SH_SE_StorageSystemCapacity.MinActUsedSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size GB
Type:	Number
Description:	Total of the total physical capacity that is actually used in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly unused in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally unused in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly unused in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually unused in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Size GB
Type:	Number
Description:	Average of the total reserved capacity in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalReservedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Size GB
Type:	Number
Description:	Maximum of the total reserved capacity in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalReservedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Size GB
Type:	Number
Description:	Minimum of the total reserved capacity in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalReservedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Size GB
Type:	Number
Description:	Total of the total reserved capacity in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalReservedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Used Size GB
Type:	Number
Description:	Average of the total reser ved capacity that is being used in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Used Size GB
Type:	Number
Description:	Maximum of the total rese rved capacity that is bein g used in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Used Size GB
Type:	Number
Description:	Minimum of the total reser ved capacity that is being used in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Total of the total Reserved Used Size GB
Type:	Number
Description:	Total of the total reserved capacity that is being used in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Remaining Size GB
Type:	Number
Description:	Average of the total reserved capacity remaining in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Remaining Size GB
Type:	Number
Description:	Maximum of the total reserved capacity remaining in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Remaining Size GB
Type:	Number
Description:	Minimum of the total reserved capacity remaining in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Remaining Size GB
Type:	Number
Description:	Total of the total reserved capacity remaining in Gigabytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Size GiB
Type:	Number
Description:	Average of the total (inte rnal and external) Logical capacity of the Storage S ystem in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Size GiB
Type:	Number
Description:	Maximum of the total (inte rnal and external) Logical capacity of the Storage S ystem in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Size GiB
Type:	Number
Description:	Minimum of the total (inte rnal and external) Logical capacity of the Storage S ystem in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Size GiB
Type:	Number
Description:	Total of the total (intern al and external) Logical c apacity of the Storage Sys tem in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Raw Size GiB
Type:	Number
Description:	Average of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Raw Size GiB
Type:	Number
Description:	Maximum of the total raw capacity of the Storage Sy stem in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Raw Size GiB
Type:	Number
Description:	Minimum of the total raw capacity of the Storage Sy stem in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Raw Size GiB
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Raw Size GiB
Type:	Number
Description:	Average of the total used raw capacity of the Storag e System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgUsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Raw Size GiB
Type:	Number
Description:	Maximum of the total used raw capacity of the Stora ge System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxUsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Raw Size GiB
Type:	Number
Description:	Minimum of the total used raw capacity of the Stora ge System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinUsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Raw Size GiB
Type:	Number
Description:	Total of the total used ra w capacity of the Storage System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotUsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unused Raw Size GiB
Type:	Number
Description:	Average of the total unuse d raw capacity of the Stor age System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgUnusedRawsizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unused Raw Size GiB
Type:	Number
Description:	Maximum of the total unus ed raw capacity of the Sto rage System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxUnusedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unused Raw Size GiB
Type:	Number
Description:	Minimum of the total unus ed raw capacity of the Sto rage System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinUnusedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unused Raw Size GiB
Type:	Number
Description:	Total of the total unused raw capacity of the Storag e System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotUnusedRawsizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unallocated Size GiB
Type:	Number
Description:	Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unallocated Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unallocated Size GiB

Type:	Number
Description:	Minimum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Total Unallocated Size GiB

Type:	Number
Description:	Total of the total logical capacity of the volumes av ailable for provisioning i n the Storage pools in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Average of the Over Allocation Size in GiB

Type:	Number
Description:	Average of the over alloca ted capacity in Gibibytes. The amount of over or un der subscription.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgOverAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the Over Allocation Size in GiB
Type:	Number
Description:	Maximum of the over alloc ated capacity in Gibibytes . The amount of over or u nder subscription.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxOverAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the Over Allocation Size in GiB
Type:	Number
Description:	Minimum of the over alloc ated capacity in Gibibytes . The amount of over or u nder subscription.
Select equivalent:	SH_SE_StorageSystemCapacity.MinOverAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the Over Allocation Size in GiB
Type:	Number
Description:	Total of the over allocate d capacity in Gibibytes. T he amount of over or unde r subscription.

Select equivalent:	SH_SE_StorageSystemCapacity.TotOverAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total External Size GiB
Type:	Number
Description:	Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalExtSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total External Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi bibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalExtSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total External Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalExtSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total External Size GiB
Type:	Number
Description:	Total of the total externa l capacity that is part of the logical capacity of th e Storage System in Gibiby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalExtSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unallocated Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unallocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es available for provision ing in the Storage pools i n Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unallocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unallocated Size GiB

Type:	Number
Description:	Total of the total externa l capacity of the volumes available for provisioning in the Storage pools in G ibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Allocated Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Allocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Allocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Allocated Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes provisioned from the Stora ge pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtMappedSizeGiB

Where equivalent:

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es visible to hosts in Gibi bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Mapped Size GiB
Type:	Number

Description:	Total of the total externa l capacity of the volumes visible to hosts in Gibiby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Minimum External Unmapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes not visible to hosts in Gi bibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Allocated Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T

	hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gibibytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Allocated Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total external alloca ted capacity in case of Th in Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually visible to ho sts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Mapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually visible to host s in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is not visible to hosts i n Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUnmappedSizeGiB

Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUsedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Size GiB
Type:	Number

Description:	Maximum of the total exte rnal physical capacity tha t is actually used in Gibi bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used in Gibibyt es.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Average External Actual Unused Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually unused in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually unused in Gi bibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually unused in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unused Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually unused in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha

	t is actually used and vis ible to hosts in Gibibytes .
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and visibl e to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Ac tual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Act ual Used Unmapped S ize GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that

	is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Internal Size GiB
Type:	Number
Description:	Average of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalIntSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Internal Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalIntSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Internal Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalIntSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Internal Size GiB
Type:	Number
Description:	Total of the total interna l capacity that is part of the logical capacity of th e Storage System in Gibiby

	tes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalIntSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unallocated Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unallocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unallocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unallocated Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes available for provisioning in the Storage pools in G ibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Allocated Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Allocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Allocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Allocated Size GiB
Type:	Number
Description:	Total of the total interna

	l capacity of the volumes provisioned from the Stora ge pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Average Internal Mapped Size GiB

Type:	Number
Description:	Average of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Maximum Internal Mapped Size GiB

Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Mapped Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes visible to hosts in Gibiby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntUnmappedSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unmapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unmapped Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes not visible to hosts in Gi

	bibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Allocated Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Allocated Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total internal allocat ed capacity in case of Thi n Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Mapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually visible to host s in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter

	nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUsedSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used in Gibibyt es.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unused Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not used in G

	ibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unused Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not used in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gibiby tes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Ac tual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that

	is actually used and not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unmapped Size GiB
Type:	Number
Description:	Average of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unmapped Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unmapped Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unmapped Size GiB
Type:	Number
Description:	Total of the total logical capacity of volumes not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total phys

	ical capacity that is actu ally not visible to hosts i n Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually not visible to hosts in Gi bibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used but not visible t o hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used but not visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Unmapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used but not visible t o hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually used but not visible to h osts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size GiB
Type:	Number
Description:	Average of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	SH_SE_StorageSystemCapacity.AvgMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes vis ible to hosts in Gibibytes

.

Select equivalent: SH_SE_StorageSystemCapacity.MaxMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Mapped Size GiB
Type: Number
Description: Minimum of the total logic
al capacity of volumes vis
ible to hosts in Gibibytes
.
Select equivalent: SH_SE_StorageSystemCapacity.MinMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Mapped Size GiB
Type: Number
Description: Total of the total logical
capacity of volumes visibl
e to hosts in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotMappedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Mapped Size GiB

Type:	Number
Description:	Average of the total physi cal capacity that is actua lly visible to hosts in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally visible to hosts in Gi bibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly visible to hosts in Gib ibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually visible to hosts in Gibib ytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and visible to h osts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUsedMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUsedMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUsedMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size GiB
Type:	Number
Description:	Average of the total logic

	al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size GiB
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc

	ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is allocate d by the volumes in Gibiby tes. This would be differe nt from the total allocate d capacity in case of Thin Provisioning.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActAllocSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Allocated Size GiB
Type:	Number
Description:	Average of the total reser ved capacity that has been provisioned in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Allocated Size GiB
Type:	Number
Description:	Maximum of the total rese rved capacity that has bee n provisioned in Gibibytes .
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Allocated Size GiB
Type:	Number
Description:	Minimum of the total reser ved capacity that has been provisioned in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGiB

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of the total Reserved Allocated Size GiB
Type: Number
Description: Total of the total reserve
d capacity that has been p
rovisioned in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Used Size GiB
Type: Number
Description: Average of the total physi
cal capacity that is actua
lly used in Gibibytes.
Select equivalent: SH_SE_StorageSystemCapacity.AvgActUsedSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Size GiB
Type: Number
Description: Maximum of the total phys
ical capacity that is actu

	ally used in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size GiB
Type:	Number
Description:	Total of the total physical capacity that is actually used in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua

	lly unused in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally unused in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly unused in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size GiB
Type:	Number

Description:	Total of the total physica l capacity that is actually unused in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Size GiB
Type:	Number
Description:	Average of the total reserved capacity in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalReservedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Size GiB
Type:	Number
Description:	Maximum of the total reserved capacity in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalReservedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Size GiB
Type:	Number
Description:	Minimum of the total reserved capacity in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalReservedSizeGiB

Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Size GiB
Type:	Number
Description:	Total of the total reserved capacity in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalReservedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Used Size GiB
Type:	Number
Description:	Average of the total reser ved capacity that is being used in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Used Size GiB
Type:	Number
Description:	Maximum of the total rese rved capacity that is bein g used in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGiB

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Used Size GiB
Type:	Number
Description:	Minimum of the total reser ved capacity that is being used in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Used Size GiB
Type:	Number
Description:	Total of the total reserved capacity that is being used in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Remaining Size GiB
Type:	Number
Description:	Average of the total reserved capacity remaining in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Remaining Size GiB
Type:	Number
Description:	Maximum of the total reserved capacity remaining in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Remaining Size GiB
Type:	Number
Description:	Minimum of the total reserved capacity remaining in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Remaining Size GiB
Type:	Number
Description:	Total of the total reserved capacity remaining in Gibibytes.
Select equivalent:	SH_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGiB
Where equivalent:	

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Daily Storage System Capacity Statistics
Description:

Object: Average Raw Used Percentage
Type: Number
Description: Average percentage of Raw Used capacity.
Select equivalent: SD_SE_StorageSystemCapacity.AvgRawUsedPct
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Raw Used Percentage
Type: Number
Description: Maximum percentage of Raw Used capacity.
Select equivalent: SD_SE_StorageSystemCapacity.MaxRawUsedPct
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Raw Used Percentage
Type: Number
Description: Minimum percentage of Raw Used capacity.
Select equivalent: SD_SE_StorageSystemCapacity.MinRawUsedPct
Where equivalent:

Qualification: measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Raw Used Percentage
Type:	Number
Description:	95th Percentile of Raw Used capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.Per95RawUsedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Percentage
Type:	Number
Description:	Average percentage of Allocated capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Percentage
Type:	Number
Description:	Maximum percentage of Allocated capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Minimum Allocated Percentage
Type: Number
Description: Minimum percentage of Allocated capacity.
Select equivalent: SD_SE_StorageSystemCapacity.MinAllocatedPct
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: 95 Percentile Allocated Percentage
Type: Number
Description: 95th Percentile of Allocated capacity.
Select equivalent: SD_SE_StorageSystemCapacity.Per95AllocatedPct
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Allocated Percentage
Type: Number
Description: Average percentage of Actual Allocated capacity.
Select equivalent: SD_SE_StorageSystemCapacity.AvgActualAllocatedPct
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Allocated Percentage

Type:	Number
Description:	Maximum percentage of Actual Allocated capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Percentage
Type:	Number
Description:	Minimum percentage of Actual Allocated capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Actual Allocated Percentage
Type:	Number
Description:	95th Percentile of Actual Allocated capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.Per95ActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Percentage
Type:	Number
Description:	Average percentage of Actual Used capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActualUsedPct
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Percentage
Type:	Number
Description:	Maximum percentage of Actual Used capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActualUsedPct
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Percentage
Type:	Number
Description:	Minimum percentage of Actual Used capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActualUsedPct
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Actual Used Percentage
Type:	Number
Description:	95th Percentile of Actual Used capacity.
Select equivalent:	SD_SE_StorageSystemCapacity.Per95ActualUsedPct
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Size GB
Type:	Number
Description:	Average of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Size GB
Type:	Number
Description:	Maximum of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Size GB
Type:	Number
Description:	Minimum of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Size GB
Type:	Number
Description:	Total of the total (intern al and external) logical c apacity of the Storage Sys tem in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Raw Size GB
Type:	Number
Description:	Average of the total raw c apacity of the Storage Sys tem in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalRawSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Raw Size GB
Type:	Number
Description:	Maximum of the total raw

	capacity of the Storage Sy
	stem in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalRawSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Raw Size GB
Type:	Number
Description:	Minimum of the total raw
	capacity of the Storage Sy
	stem in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalRawSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Raw Size GB
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalRawSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Raw Size GB
Type:	Number
Description:	Average of the total used

	raw capacity of the Storag e System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgUsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Raw Size GB
Type:	Number
Description:	Maximum of the total used raw capacity of the Stora ge System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxUsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Raw Size GB
Type:	Number
Description:	Minimum of the total used raw capacity of the Stora ge System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinUsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Raw Size GB

Type:	Number
Description:	Total of the total used ra w capacity of the Storage System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotUsedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unused Raw Size GB
Type:	Number
Description:	Average of the total unuse d raw capacity of the Stor age System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgUnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unused Raw Size GB
Type:	Number
Description:	Maximum of the total unus ed raw capacity of the Sto rage System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxUnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unused Raw Size GB
Type:	Number
Description:	Minimum of the total unus ed raw capacity of the Sto rage System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinUnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unused Raw Size GB
Type:	Number
Description:	Total of the total unused raw capacity of the Storag e System in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotUnusedRawsizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unallocated Size GB
Type:	Number
Description:	Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unallocated Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unallocated Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unallocated Size GB
Type:	Number
Description:	Total of the total logical capacity of the volumes av ailable for provisioning i

	n the Storage pools in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the Over Allocation Size in GB
Type:	Number
Description:	Average of the over alloca ted capacity in Gigabytes. The amount of over or un der subscription.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgOverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the Over Allocation Size in GB
Type:	Number
Description:	Maximum of the over alloc ated capacity in Gigabytes . The amount of over or u nder subscription.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxOverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the Over Allocation Size in GB
Type:	Number
Description:	Minimum of the over alloc ated capacity in Gigabytes . The amount of over or u nder subscription.
Select equivalent:	SD_SE_StorageSystemCapacity.MinOverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the Over Allocation Size in GB
Type:	Number
Description:	Total of the over allocate d capacity in Gigabytes. T he amount of over or unde r subscription.
Select equivalent:	SD_SE_StorageSystemCapacity.TotOverAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total External Size GB
Type:	Number
Description:	Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalExtSizeGB
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total External Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi gabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalExtSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total External Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalExtSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total External Size GB
Type:	Number
Description:	Total of the total externa

	l capacity that is part of the logical capacity of th e Storage System in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalExtSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Allocated Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Allocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Minimum External Allocated Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Allocated Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes provisioned from the Stora ge pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unallocated Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unallocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es available for provision ing in the Storage pools i n Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unallocated Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtUnallocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unallocated Size GB

Type:	Number
Description:	Total of the total externa l capacity of the volumes available for provisioning in the Storage pools in G igabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Mapped Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es visible to hosts in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Mapped Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes visible to hosts in Gigaby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtUnmappedSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unmapped Size GB
Type:	Number

Description:	Total of the total externa l capacity of the volumes not visible to hosts in Gi gabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Allocated Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.

Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Allocated Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActAllocSizeGB
Where equivalent:	
Qualification:	measure

Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Mapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually visible to ho sts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually visible to hos

	ts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Mapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually visible to host s in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually not visible t o hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unmapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used in Giga bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUsedSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used in Gigabyt es.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUsedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unused Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUnusedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unused Size GB
Type:	Number

Description:	Maximum of the total exte rnal physical capacity tha t is actually unused in Gi gabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unused Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unused Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually unused in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Average External Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and vis ible to hosts in Gigabytes .
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and visibl e to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Ac tual Used Unmapped

Size GB

Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and not visible to hosts in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and not vi sible to hosts in Gigabyte s.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Internal Size GB
Type:	Number
Description:	Average of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalIntSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Internal Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalIntSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Internal Size GB
Type:	Number

Description:	Minimum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalIntSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Internal Size GB
Type:	Number
Description:	Total of the total interna l capacity that is part of the logical capacity of th e Storage System in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalIntSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unallocated Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unallocated Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unallocated Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unallocated Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes

	available for provisioning in the Storage pools in G igabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntUnallocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Allocated Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Allocated Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Allocated Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Allocated Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes provisioned from the Stora ge pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Mapped Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntMappedSizeGB
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Mapped Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes visible to hosts in Gigaby

	tes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unmapped Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes not visible to hosts in Gi gabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Allocated Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActAllocSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Allocated Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Mapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total inter

	nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Mapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually visible to host s in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUnmappedSizeGB
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unmapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used in Gigab

	ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used in Gigabyt es.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unused Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unused Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unused Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unused Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually unused in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Unmapped Size GB
Type:	Number

Description:	Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and not vi sible to hosts in Gigabyte s.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unmapped Size GB
Type:	Number
Description:	Average of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unmapped Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes not visible to hosts in Gigab

	ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unmapped Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unmapped Size GB
Type:	Number
Description:	Total of the total logical capacity of volumes not vi sible to hosts in Gigabyte s.
Select equivalent:	SD_SE_StorageSystemCapacity.TotUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unmapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally not visible to hosts i n Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unmapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually not visible to hosts in Gi gabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and not visible t o hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and not visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGB

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and not visible t o hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and not visible to h osts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size GB
Type:	Number

Description:	Average of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	SD_SE_StorageSystemCapacity.AvgMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	SD_SE_StorageSystemCapacity.MaxMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	SD_SE_StorageSystemCapacity.MinMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Total Mapped Size GB
Type:	Number
Description:	Total of the total logical capacity of volumes visibl e to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly visible to hosts in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally visible to hosts in Gi gabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActMappedSizeGB
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly visible to hosts in Gig abytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually visible to hosts in Gigab ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and visible to ho

	sts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and visible to h osts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUsedMappedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size GB
Type:	Number
Description:	Average of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size GB
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly allocated in Gigabytes .This would be different f rom the total allocated ca

	pacity in case of Thin Pro visioning.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally allocated in Gigabyte s.This would be different from the total allocated c apacity in case of Thin Pr ovisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly allocated in Gigabytes .This would be different f rom the total allocated ca pacity in case of Thin Pro visioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActAllocSizeGB
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually allocated in Gigabytes.Th is would be different from the total allocated capac ity in case of Thin Provis ioning.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Allocated Size GB
Type:	Number
Description:	Average of the total reser ved capacity that has been provisioned in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Allocated Size GB
Type:	Number
Description:	Maximum of the total rese

	rved capacity that has bee n provisioned in Gigabytes .
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Allocated Size GB
Type:	Number
Description:	Minimum of the total reser ved capacity that has been provisioned in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Allocated Size GB
Type:	Number
Description:	Total of the total reserve d capacity that has been p rovisioned in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size GB
Type:	Number
Description:	Total of the total physical capacity that is actually used in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly unused in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally unused in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly unused in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually unused in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUnusedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Size GB
Type:	Number
Description:	Average of the total reserved capacity in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalReservedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Size GB
Type:	Number
Description:	Maximum of the total reserved capacity in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalReservedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Size GB
Type:	Number
Description:	Minimum of the total reserved capacity in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalReservedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Size GB
Type:	Number
Description:	Total of the total reserved capacity in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalReservedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Used Size GB
Type:	Number

Description:	Average of the total reser ved capacity that is being used in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Used Size GB
Type:	Number
Description:	Maximum of the total rese rved capacity that is bein g used in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Used Size GB
Type:	Number
Description:	Minimum of the total reser ved capacity that is being used in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Used Size GB
Type:	Number
Description:	Total of the total reserved capacity that is being used in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Remaining Size GB
Type:	Number
Description:	Average of the total reserved capacity remaining in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Remaining Size GB
Type:	Number
Description:	Maximum of the total reserved capacity remaining in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Remaining Size GB
Type:	Number

Description:	Minimum of the total reserved capacity remaining in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Remaining Size GB
Type:	Number
Description:	Total of the total reserved capacity remaining in Gigabytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Size GiB
Type:	Number
Description:	Average of the total (inte rnal and external) Logical capacity of the Storage S ystem in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Size GiB
Type:	Number
Description:	Maximum of the total (inte

	rnal and external) Logical capacity of the Storage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Size GiB
Type:	Number
Description:	Minimum of the total (internal and external) Logical capacity of the Storage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Size GiB
Type:	Number
Description:	Total of the total (internal and external) Logical capacity of the Storage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Raw Size GiB
Type:	Number
Description:	Average of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Raw Size GiB
Type:	Number
Description:	Maximum of the total raw capacity of the Storage Sy stem in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Raw Size GiB
Type:	Number
Description:	Minimum of the total raw capacity of the Storage Sy stem in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Raw Size GiB
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Raw Size GiB
Type:	Number
Description:	Average of the total used raw capacity of the Storag e System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgUsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Raw Size GiB
Type:	Number
Description:	Maximum of the total used raw capacity of the Stora ge System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxUsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Raw Size GiB
Type:	Number
Description:	Minimum of the total used raw capacity of the Storage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinUsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Raw Size GiB
Type:	Number
Description:	Total of the total used raw capacity of the Storage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotUsedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unused Raw Size GiB
Type:	Number
Description:	Average of the total unused raw capacity of the Storage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgUnusedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unused Raw Size GiB
Type:	Number
Description:	Maximum of the total unus ed raw capacity of the Sto rage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxUnusedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unused Raw Size GiB
Type:	Number
Description:	Minimum of the total unus ed raw capacity of the Sto rage System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinUnusedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unused Raw Size GiB
Type:	Number
Description:	Total of the total unused raw capacity of the Storag e System in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotUnusedRawsizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unallocated Size GiB
Type:	Number
Description:	Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unallocated Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unallocated Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes

	available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unallocated Size GiB
Type:	Number
Description:	Total of the total logical capacity of the volumes av ailable for provisioning i n the Storage pools in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the Over Allocation Size in GiB
Type:	Number
Description:	Average of the over alloca ted capacity in Gibibytes. The amount of over or un der subscription.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgOverAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Maximum of the Over Allocation Size in GiB
Type:	Number
Description:	Maximum of the over alloc ated capacity in Gibibytes . The amount of over or u nder subscription.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxOverAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the Over Allocation Size in GiB
Type:	Number
Description:	Minimum of the over alloc ated capacity in Gibibytes . The amount of over or u nder subscription.
Select equivalent:	SD_SE_StorageSystemCapacity.MinOverAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the Over Allocation Size in GiB
Type:	Number
Description:	Total of the over allocate d capacity in Gibibytes. T he amount of over or unde r subscription.
Select equivalent:	SD_SE_StorageSystemCapacity.TotOverAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total External Size GiB
Type:	Number
Description:	Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalExtSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total External Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi bibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalExtSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total External Size GiB
Type:	Number

Description:	Minimum of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalExtSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total External Size GiB
Type:	Number
Description:	Total of the total externa l capacity that is part of the logical capacity of th e Storage System in Gibiby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalExtSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unallocated Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unallocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es available for provision ing in the Storage pools i n Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unallocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unallocated Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes

	available for provisioning in the Storage pools in G ibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Allocated Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Allocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Allocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Allocated Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes provisioned from the Stora ge pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtMappedSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es visible to hosts in Gibi bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Mapped Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes visible to hosts in Gibiby

	tes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unmapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes not visible to hosts in Gi bibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Allocated Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gibibytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Allocated Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total external alloca ted capacity in case of Th in Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte

	rnal physical capacity tha t is actually visible to ho sts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Mapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually visible to host s in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is not visible to hosts i n Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used in Gibi

	bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used in Gibibyt es.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unused Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually unused in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually unused in Gi bibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually unused in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unused Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually unused in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and vis ible to hosts in Gibibytes .

Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and visibl e to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Unmapped Size GiB

Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgExtActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Ac tual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Act ual Used Unmapped S ize GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used but yet to be visible to hosts in Gibibytes.

Select equivalent:	SD_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used but yet to be visible to hosts in Gi bibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Internal Size GiB
Type:	Number
Description:	Average of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalIntSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Internal Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalIntSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Internal Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalIntSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Internal Size GiB
Type:	Number
Description:	Total of the total interna l capacity that is part of the logical capacity of th e Storage System in Gibiby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalIntSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unallocated Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unallocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntUnallocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unallocated Size GiB

Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unallocated Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes available for provisioning in the Storage pools in G ibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntUnallocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Allocated Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Allocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Allocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Allocated Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes provisioned from the Stora ge pools in Gibibytes.

Select equivalent:	SD_SE_StorageSystemCapacity.TotIntAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Mapped Size GiB

Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Mapped Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes visible to hosts in Gibiby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unmapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unmapped Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes not visible to hosts in Gi bibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntUnmappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Allocated Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Allocated Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total internal allocat ed capacity in case of Thi n Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Mapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually visible to host s in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.

Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Size GiB

Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used in Gibibyt es.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unused Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unused Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not used in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total inter

	nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gibiby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Ac tual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and not visible to hosts in Gibiby tes.

Select equivalent:	SD_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and not visible to hosts in Gibiby tes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and not vi sible to hosts in Gibibyte s.
Select equivalent:	SD_SE_StorageSystemCapacity.TotIntActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unmapped Size GiB
Type:	Number
Description:	Average of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unmapped Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unmapped Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unmapped Size GiB
Type:	Number
Description:	Total of the total logical capacity of volumes not vi sible to hosts in Gibibyte s.
Select equivalent:	SD_SE_StorageSystemCapacity.TotUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally not visible to hosts i n Gibibytes.

Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually not visible to hosts in Gi bibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Unmapped Size GiB

Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used but not visible t o hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used but not visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Unmapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used but not visible t o hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually used but not visible to h osts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size GiB
Type:	Number
Description:	Average of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	SD_SE_StorageSystemCapacity.AvgMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	SD_SE_StorageSystemCapacity.MaxMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	SD_SE_StorageSystemCapacity.MinMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size GiB
Type:	Number
Description:	Total of the total logical capacity of volumes visibl e to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotMappedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua

	lly visible to hosts in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally visible to hosts in Gi bibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly visible to hosts in Gib ibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually visible to hosts in Gibib ytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and visible to h osts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUsedMappedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size GiB
Type:	Number
Description:	Average of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.

Select equivalent:	SD_SE_StorageSystemCapacity.AvgAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size GiB

Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Average Actual Allocated Size GiB

Type:	Number
Description:	Average of the total physi cal capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Maximum Actual Allocated Size GiB

Type:	Number
Description:	Maximum of the total phys ical capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActAllocSizeGiB

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is allocate d by the volumes in Gibiby tes. This would be differe nt from the total allocate d capacity in case of Thin Provisioning.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Allocated Size GiB
Type:	Number
Description:	Average of the total reser ved capacity that has been provisioned in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Allocated Size GiB
Type:	Number
Description:	Maximum of the total rese rved capacity that has bee n provisioned in Gibibytes .
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Allocated Size GiB
Type:	Number
Description:	Minimum of the total reser ved capacity that has been provisioned in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Allocated Size GiB
Type:	Number
Description:	Total of the total reserve d capacity that has been p rovisioned in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUsedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUsedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size GiB
Type:	Number
Description:	Total of the total physical capacity that is actually used in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotActUsedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly unused in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally unused in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly unused in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinActUnusedSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually unused in Gibibytes.

Select equivalent:	SD_SE_StorageSystemCapacity.TotActUnusedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Size GiB
Type:	Number
Description:	Average of the total reserved capacity in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalReservedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Size GiB
Type:	Number
Description:	Maximum of the total reserved capacity in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalReservedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Size GiB
Type:	Number
Description:	Minimum of the total reserved capacity in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalReservedSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Size GiB
Type:	Number
Description:	Total of the total reserved capacity in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalReservedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Used Size GiB
Type:	Number
Description:	Average of the total reser ved capacity that is being used in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Used Size GiB
Type:	Number
Description:	Maximum of the total rese rved capacity that is bein g used in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Used Size GiB
Type:	Number
Description:	Minimum of the total reser ved capacity that is being used in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Used Size GiB
Type:	Number
Description:	Total of the total reserved capacity that is being used in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Remaining Size GiB
Type:	Number
Description:	Average of the total reserved capacity remaining in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Remaining Size GiB
Type:	Number
Description:	Maximum of the total reserved capacity remaining in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Remaining Size GiB
Type:	Number
Description:	Minimum of the total reserved capacity remaining in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Remaining Size GiB
Type:	Number
Description:	Total of the total reserved capacity remaining in Gibibytes.
Select equivalent:	SD_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: HourlyOLAP-Storage System Capacity Statistics
Description:

Object: Average Raw Used Percentage
Type: Number
Description: Average percentage of Raw Used capacity.
Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgRawUsedPct)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Raw Used Percentage
Type: Number
Description: Maximum percentage of Raw Used capacity.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxRawUsedPct)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Raw Used Percentage
Type: Number
Description: Minimum percentage of Raw Used capacity.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinRawUsedPct)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Percentage
Type:	Number
Description:	Average percentage of Allocated capacity.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Percentage
Type:	Number
Description:	Maximum percentage of Allocated capacity.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Percentage
Type:	Number
Description:	Minimum percentage of Allocated capacity.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Percentage
Type:	Number
Description:	Average percentage of Actual Allocated capacity.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActualAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Percentage
Type:	Number
Description:	Maximum percentage of Actual Allocated capacity.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActualAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Percentage
Type:	Number
Description:	Minimum percentage of Actual Allocated capacity.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActualAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Percentage
Type:	Number
Description:	Average percentage of Actual Used capacity.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActualUsedPct)

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Percentage
Type: Number
Description: Maximum percentage of Actual Used capacity.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxActualUsedPct)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Percentage
Type: Number
Description: Minimum percentage of Actual Used capacity.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinActualUsedPct)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the total Size GB
Type: Number
Description: Average of the total (inte
rnal and external) logical
capacity of the Storage S
ystem in Gigabytes.
Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgTotalSizeGB)
Where equivalent:

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Size GB
Type:	Number
Description:	Maximum of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Size GB
Type:	Number
Description:	Minimum of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Size GB
Type:	Number
Description:	Total of the total (intern

	al and external) logical c
	apacity of the Storage Sys
	tem in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Raw Size GB
Type:	Number
Description:	Average of the total raw c
	apacity of the Storage Sys
	tem in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalRawSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Raw Size GB
Type:	Number
Description:	Maximum of the total raw
	capacity of the Storage Sy
	stem in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalRawSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Raw Size GB
Type:	Number
Description:	Minimum of the total raw capacity of the Storage System in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalRawSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Raw Size GB
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalRawSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Raw Size GB
Type:	Number
Description:	Average of the total used raw capacity of the Storage System in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgUsedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Raw Size GB
Type:	Number
Description:	Maximum of the total used raw capacity of the Stora ge System in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxUsedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Raw Size GB
Type:	Number
Description:	Minimum of the total used raw capacity of the Stora ge System in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinUsedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Raw Size GB
Type:	Number
Description:	Total of the total used ra w capacity of the Storage System in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotUsedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unused Raw Size GB
Type:	Number
Description:	Average of the total unuse d raw capacity of the Stor age System in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgUnusedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unused Raw Size GB
Type:	Number
Description:	Maximum of the total unus ed raw capacity of the Sto rage System in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxUnusedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unused Raw Size GB
Type:	Number
Description:	Minimum of the total unus ed raw capacity of the Sto rage System in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinUnusedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unused Raw Size GB
Type:	Number
Description:	Total of the total unused raw capacity of the Storag e System in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotUnusedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unallocated Size GB
Type:	Number
Description:	Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unallocated Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxUnallocSizeGB)

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unallocated Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinUnallocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unallocated Size GB
Type:	Number
Description:	Total of the total logical capacity of the volumes av ailable for provisioning i n the Storage pools in Gig abytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotUnallocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the Over Allocation Size in GB
Type:	Number
Description:	Average of the over alloca ted capacity in Gigabytes. The amount of over or un der subscription.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgOverAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the Over Allocation Size in GB
Type:	Number
Description:	Maximum of the over alloc ated capacity in Gigabytes . The amount of over or u nder subscription.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxOverAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the Over Allocation Size in GB
Type:	Number
Description:	Minimum of the over alloc ated capacity in Gigabytes . The amount of over or u nder subscription.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinOverAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the Over Allocation Size in GB
Type:	Number
Description:	Total of the over allocate d capacity in Gigabytes. T he amount of over or unde r subscription.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotOverAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total External Size GB
Type:	Number
Description:	Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalExtSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total External Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi

	gabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalExtSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total External Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalExtSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total External Size GB
Type:	Number
Description:	Total of the total externa l capacity that is part of the logical capacity of th e Storage System in Gigab ytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalExtSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Allocated Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Allocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Allocated Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtAllocSizeGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Allocated Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes provisioned from the Stora ge pools in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unallocated Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unallocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum

	es available for provision ing in the Storage pools i n Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unallocated Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unallocated Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes available for provisioning in the Storage pools in G igabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Mapped Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es visible to hosts in Gig abytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Mapped Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes visible to hosts in Gigaby tes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtUnmappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte

	rnal capacity of the volum es not visible to hosts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unmapped Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes not visible to hosts in Gi gabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Allocated Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Allocated Size GB
Type:	Number

Description:	Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Allocated Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Mapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually visible to hos ts in Gigabytes.

Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually visible to ho sts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Mapped Size GB

Type:	Number
Description:	Total of the total externa l physical capacity that i s actually visible to host s in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually not visible t o hosts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unmapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually not visible to hosts in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActUsedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used in Giga bytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActUsedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUsedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Size GB
Type:	Number
Description:	Total of the total externa

	l physical capacity that i s actually used in Gigabyt es.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unused Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unused Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually unused in Gi gabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unused Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unused Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually unused in Gigab ytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and vis ible to hosts in Gigabytes .
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i

	s actually used and visibl e to hosts in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	avg(SH_SE_StorageSystemC apacity.AvgExtActUsedUnma ppedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Ac tual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and not visible to hosts in Gigab ytes.
Select equivalent:	max(SH_SE_StorageSystemC apacity.MaxExtActUsedUnma ppedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	min(SH_SE_StorageSystemC apacity.MinExtActUsedUnma ppedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and not vi sible to hosts in Gigabyte s.
Select equivalent:	sum(SH_SE_StorageSystemC apacity.TotExtActUsedUnma ppedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Average of the total Internal Size GB
Type:	Number
Description:	Average of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalIntSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Internal Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalIntSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Internal Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.

Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalIntSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Internal Size GB
Type:	Number
Description:	Total of the total interna l capacity that is part of the logical capacity of th e Storage System in Gigab ytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalIntSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unallocated Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unallocated Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unallocated Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unallocated Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes available for provisioning in the Storage pools in G igabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntUnallocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Allocated Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntAllocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Allocated Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntAllocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Allocated Size GB
Type:	Number
Description:	Minimum of the total inter

	nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Allocated Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes provisioned from the Stora ge pools in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Mapped Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Mapped Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes visible to hosts in Gigaby tes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntMappedSizeGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s not visible to hosts in

	Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unmapped Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes not visible to hosts in Gi gabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Allocated Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Allocated Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Mapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Mapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually visible to host s in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unmapped Size GB
Type:	Number
Description:	Average of the total inter

	nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unmapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not visible to hosts in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUsedSizeGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used in Gigabyt es.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unused Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually unused in Gig

	abytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unused Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unused Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unused Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually unused in Gigab ytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.

Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	max(SH_SE_StorageSystemC apacity.MaxIntActUsedUnma ppedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Total Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and not vi sible to hosts in Gigabyte s.
Select equivalent:	sum(SH_SE_StorageSystemC apacity.TotIntActUsedUnma ppedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unmapped Size GB
Type:	Number
Description:	Average of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unmapped Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes not visible to hosts in Gigab ytes.

Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unmapped Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unmapped Size GB
Type:	Number
Description:	Total of the total logical capacity of volumes not vi sible to hosts in Gigabyte s.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unmapped Size GB

Type:	Number
Description:	Average of the total physi cal capacity that is actua lly not visible to hosts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally not visible to hosts i n Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly not visible to hosts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unmapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually not visible to hosts in Gi gabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and not visible t o hosts in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and not visible to hosts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and not visible t o hosts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and not visible to h osts in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size GB
Type:	Number
Description:	Average of the total logic

	al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size GB
Type:	Number
Description:	Total of the total logical capacity of volumes visibl e to hosts in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly visible to hosts in Gig abytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally visible to hosts in Gi gabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly visible to hosts in Gig abytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually visible to hosts in Gigab ytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and visible to ho sts in Gigabytes.

Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and visible to h osts in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Total Actual Used Mapped Size GB

Type:	Number
Description:	Total of the total physica l capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size GB
Type:	Number
Description:	Average of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size GB
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly allocated in Gigabytes .This would be different f rom the total allocated ca pacity in case of Thin Pro

	visioning.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally allocated in Gigabyte s.This would be different from the total allocated c apacity in case of Thin Pr ovisioning.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly allocated in Gigabytes .This would be different f rom the total allocated ca pacity in case of Thin Pro visioning.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually allocated in Gigabytes.Th is would be different from the total allocated capac ity in case of Thin Provis ioning.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Allocated Size GB
Type:	Number
Description:	Average of the total reser ved capacity that has been provisioned in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Allocated Size GB
Type:	Number
Description:	Maximum of the total rese rved capacity that has bee

	n provisioned in Gigabytes .
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Allocated Size GB
Type:	Number
Description:	Minimum of the total reser ved capacity that has been provisioned in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Allocated Size GB
Type:	Number
Description:	Total of the total reserve d capacity that has been p rovisioned in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size GB

Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size GB
Type:	Number
Description:	Total of the total physical capacity that is actually used in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly unused in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally unused in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly unused in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually unused in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Size GB
Type:	Number
Description:	Average of the total reserved capacity in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalReservedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Size GB
Type:	Number
Description:	Maximum of the total reserved capacity in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalReservedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Size GB
Type:	Number
Description:	Minimum of the total reserved capacity in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalReservedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Size GB
Type:	Number
Description:	Total of the total reserved capacity in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalReservedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Used Size GB
Type:	Number
Description:	Average of the total reser

	ved capacity that is being used in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Used Size GB
Type:	Number
Description:	Maximum of the total reserved capacity that is being used in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Used Size GB
Type:	Number
Description:	Minimum of the total reserved capacity that is being used in Gigabytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Used Size GB

Type:	Number
Description:	Total of the total reserved capacity that is being used in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Remaining Size GB
Type:	Number
Description:	Average of the total reserved capacity remaining in Gigabytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Remaining Size GB
Type:	Number
Description:	Maximum of the total reserved capacity remaining in Gigabytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Remaining Size GB
Type:	Number
Description:	Minimum of the total reserved capacity remaining in Gigabytes.

Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Remaining Size GB
Type:	Number
Description:	Total of the total reserved capacity remaining in Gigabytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Size GiB
Type:	Number
Description:	Average of the total (inte rnal and external) Logical capacity of the Storage S ystem in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Size GiB
Type:	Number
Description:	Maximum of the total (inte rnal and external) Logical

	capacity of the Storage S ystem in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Size GiB
Type:	Number
Description:	Minimum of the total (inte rnal and external) Logical capacity of the Storage S ystem in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Size GiB
Type:	Number
Description:	Total of the total (intern al and external) Logical c apacity of the Storage Sys tem in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Raw Size GiB
Type:	Number
Description:	Average of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalRawSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Raw Size GiB
Type:	Number
Description:	Maximum of the total raw capacity of the Storage Sy stem in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalRawSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Raw Size GiB
Type:	Number
Description:	Minimum of the total raw capacity of the Storage Sy stem in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalRawSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Raw Size GiB
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalRawSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Raw Size GiB
Type:	Number
Description:	Average of the total used raw capacity of the Storag e System in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgUsedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Raw Size GiB
Type:	Number
Description:	Maximum of the total used raw capacity of the Stora ge System in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxUsedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Raw Size GiB
Type:	Number
Description:	Minimum of the total used raw capacity of the Stora ge System in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinUsedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Raw Size GiB
Type:	Number
Description:	Total of the total used ra w capacity of the Storage System in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotUsedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unused Raw Size GiB
Type:	Number
Description:	Average of the total unuse d raw capacity of the Stor age System in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgUnusedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Maximum Unused Raw Size GiB
Type: Number
Description: Maximum of the total unus
ed raw capacity of the Sto
rage System in Gibibytes.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxUnusedRawsizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Unused Raw Size GiB
Type: Number
Description: Minimum of the total unus
ed raw capacity of the Sto
rage System in Gibibytes.
Select equivalent: min(SH_SE_StorageSystemCapacity.MinUnusedRawsizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Unused Raw Size GiB
Type: Number
Description: Total of the total unused
raw capacity of the Storag
e System in Gibibytes.
Select equivalent: sum(SH_SE_StorageSystemCapacity.TotUnusedRawsizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unallocated Size GiB
Type:	Number
Description:	Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unallocated Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unallocated Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes available for provisionin

	g in the Storage pools in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unallocated Size GiB
Type:	Number
Description:	Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the Over Allocation Size in GiB
Type:	Number
Description:	Average of the over allocated capacity in Gibibytes. The amount of over or under subscription.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgOverAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the Over Allocation Size in GiB
Type:	Number
Description:	Maximum of the over alloc ated capacity in Gibibytes . The amount of over or u nder subscription.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxOverAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the Over Allocation Size in GiB
Type:	Number
Description:	Minimum of the over alloc ated capacity in Gibibytes . The amount of over or u nder subscription.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinOverAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the Over Allocation Size in GiB
Type:	Number
Description:	Total of the over allocate d capacity in Gibibytes. T he amount of over or unde r subscription.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotOverAllocSizeGiB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total External Size GiB
Type:	Number
Description:	Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalExtSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total External Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi bibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalExtSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total External Size GiB
Type:	Number
Description:	Minimum of the total exter

	nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalExtSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total External Size GiB
Type:	Number
Description:	Total of the total externa l capacity that is part of the logical capacity of th e Storage System in Gibiby tes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalExtSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unallocated Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unallocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es available for provision ing in the Storage pools i n Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unallocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unallocated Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes available for provisioning

	in the Storage pools in G ibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Allocated Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Allocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Allocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Allocated Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes provisioned from the Stora ge pools in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es visible to hosts in Gibi bytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Mapped Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes visible to hosts in Gibiby tes.

Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es not visible to hosts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unmapped Size GiB

Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes not visible to hosts in Gi bibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Allocated Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gibibytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Allocated Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total external alloca ted capacity in case of Th in Provisioning.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha

	t is actually visible to ho
	sts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter
	nal physical capacity that
	is actually visible to hos
	ts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Mapped Size GiB
Type:	Number
Description:	Total of the total externa
	l physical capacity that i
	s actually visible to host
	s in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is not visible to hosts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is not visible to hosts i n Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is not visible to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s not visible to hosts in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used in Gibi bytes.

Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used in Gibibyt es.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unused Size GiB

Type:	Number
Description:	Average of the total exter nal physical capacity that is actually unused in Gib ibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually unused in Gi bibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually unused in Gib ibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unused Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually unused in Gibib ytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and vis ible to hosts in Gibibytes .
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGiB)

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and visibl e to hosts in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Unmapped Size GiB
Type:	Number

Description:	Average of the total exter nal physical capacity that is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemC apacity.AvgExtActUsedUnma ppedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Ac tual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemC apacity.MaxExtActUsedUnma ppedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Act ual Used Unmapped S ize GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that

	is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total external physical capacity that is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotExtActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Internal Size GiB
Type:	Number
Description:	Average of the total internal capacity that is part of the logical capacity of the Storage System in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalIntSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Internal Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalIntSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Internal Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalIntSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Internal Size GiB
Type:	Number

Description:	Total of the total interna l capacity that is part of the logical capacity of th e Storage System in Gibiby tes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalIntSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unallocated Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unallocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unallocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unallocated Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes available for provisioning in the Storage pools in G ibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Allocated Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume

	s provisioned from the Sto
	rage pools in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Allocated Size GiB
Type:	Number
Description:	Maximum of the total inter
	nal capacity of the volume
	s provisioned from the Sto
	rage pools in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Allocated Size GiB
Type:	Number
Description:	Minimum of the total inter
	nal capacity of the volume
	s provisioned from the Sto
	rage pools in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Allocated Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes provisioned from the Stora ge pools in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Mapped Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes visible to hosts in Gibiby tes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.

Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unmapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Total Internal Unmapped Size GiB

Type:	Number
Description:	Total of the total interna l capacity of the volumes not visible to hosts in Gi bibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Allocated Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T

	hin Provisioning.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Allocated Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total internal allocat ed capacity in case of Thi n Provisioning.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that

	is actually visible to hos
	ts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Mapped Size GiB
Type:	Number
Description:	Total of the total interna
	l physical capacity that i
	s actually visible to host
	s in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total inter
	nal physical capacity that
	is actually not visible to
	hosts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not visible to hosts in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used in Gibib ytes.

Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used in Gibibyt es.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unused Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unused Size GiB

Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unused Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not used in Gib ibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gibiby tes.
Select equivalent:	avg(SH_SE_StorageSystemC apacity.AvgIntActUsedUnma ppedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total internal physical capacity that i

	s actually used and not vi sible to hosts in Gibibyte s.
Select equivalent:	sum(SH_SE_StorageSystemC apacity.TotIntActUsedUnma ppedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unmapped Size GiB
Type:	Number
Description:	Average of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unmapped Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unmapped Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unmapped Size GiB
Type:	Number
Description:	Total of the total logical capacity of volumes not vi sible to hosts in Gibibyte s.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly not visible to hosts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUnmappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally not visible to hosts i n Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUnmappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly not visible to hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUnmappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total physica

	l capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total physical capacity that is actually used but not visible to hosts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total physical capacity that is actually used but not visible to hosts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Unmapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used but not visible t o hosts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually used but not visible to h osts in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size GiB
Type:	Number
Description:	Average of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgMappedSizeGiB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size GiB
Type:	Number
Description:	Total of the total logical capacity of volumes visibl e to hosts in Gibibytes.

Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly visible to hosts in Gib ibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally visible to hosts in Gi bibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size GiB

Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly visible to hosts in Gib ibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually visible to hosts in Gibib ytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and visible to h osts in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size GiB
Type:	Number
Description:	Average of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size GiB
Type:	Number
Description:	Minimum of the total logic

	al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size GiB
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size GiB

Type:	Number
Description:	Total of the total physica l capacity that is allocate d by the volumes in Gibiby tes. This would be differe nt from the total allocate d capacity in case of Thin Provisioning.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Allocated Size GiB
Type:	Number
Description:	Average of the total reser ved capacity that has been provisioned in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Allocated Size GiB
Type:	Number
Description:	Maximum of the total rese rved capacity that has bee n provisioned in Gibibytes .
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Allocated Size GiB
Type:	Number
Description:	Minimum of the total reser ved capacity that has been provisioned in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Allocated Size GiB
Type:	Number
Description:	Total of the total reserve d capacity that has been p rovisioned in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size GiB
Type:	Number
Description:	Total of the total physical capacity that is actually used in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotActUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly unused in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgActUnusedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally unused in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxActUnusedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly unused in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinActUnusedSizeGiB)

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Unused Size GiB
Type: Number
Description: Total of the total physica
l capacity that is actually
unused in Gibibytes.
Select equivalent: sum(SH_SE_StorageSystemCapacity.TotActUnusedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of the total Reserved Size GiB
Type: Number
Description: Average of the total reserved capacity in Gibibytes.
Select equivalent: avg(SH_SE_StorageSystemCapacity.AvgTotalReservedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of the total Reserved Size GiB
Type: Number
Description: Maximum of the total reserved capacity in Gibibytes.
Select equivalent: max(SH_SE_StorageSystemCapacity.MaxTotalReservedSizeGiB)
Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Size GiB
Type:	Number
Description:	Minimum of the total reserved capacity in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalReservedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Size GiB
Type:	Number
Description:	Total of the total reserved capacity in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalReservedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Used Size GiB
Type:	Number
Description:	Average of the total reser ved capacity that is being used in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Used Size GiB
Type:	Number
Description:	Maximum of the total rese rved capacity that is bein g used in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Used Size GiB
Type:	Number
Description:	Minimum of the total reser ved capacity that is being used in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Used Size GiB
Type:	Number
Description:	Total of the total reserved capacity that is being used in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Remaining Size GiB
Type:	Number
Description:	Average of the total reserved capacity remaining in Gibibytes.
Select equivalent:	avg(SH_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Remaining Size GiB
Type:	Number
Description:	Maximum of the total reserved capacity remaining in Gibibytes.
Select equivalent:	max(SH_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Remaining Size GiB
Type:	Number
Description:	Minimum of the total reserved capacity remaining in Gibibytes.
Select equivalent:	min(SH_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Remaining Size GiB
Type:	Number
Description:	Total of the total reserved capacity remaining in Gibibytes.
Select equivalent:	sum(SH_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DailyOLAP-Storage System Capacity Statistics
Description:	

Object:	Average Raw Used Percentage
Type:	Number
Description:	Average percentage of Raw Used capacity.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgRawUsedPct)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Raw Used Percentage
Type:	Number
Description:	Maximum percentage of Raw Used capacity.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxRawUsedPct)
Where equivalent:	

Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Raw Used Percentage
Type:	Number
Description:	Minimum percentage of Raw Used capacity.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinRawUsedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Percentage
Type:	Number
Description:	Average percentage of Allocated capacity.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Percentage
Type:	Number
Description:	Maximum percentage of Allocated capacity.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Minimum Allocated Percentage
Type: Number
Description: Minimum percentage of Allocated capacity.
Select equivalent: min(SD_SE_StorageSystemCapacity.MinAllocatedPct)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Allocated Percentage
Type: Number
Description: Average percentage of Actual Allocated capacity.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgActualAllocatedPct)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Allocated Percentage
Type: Number
Description: Maximum percentage of Actual Allocated capacity.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxActualAllocatedPct)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Allocated Percentage

Type:	Number
Description:	Minimum percentage of Actual Allocated capacity.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActualAllocatedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Percentage
Type:	Number
Description:	Average percentage of Actual Used capacity.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActualUsedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Percentage
Type:	Number
Description:	Maximum percentage of Actual Used capacity.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActualUsedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Percentage
Type:	Number
Description:	Minimum percentage of Actual Used capacity.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActualUsedPct)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Size GB
Type:	Number
Description:	Average of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Size GB
Type:	Number
Description:	Maximum of the total (inte rnal and external) logical capacity of the Storage S ystem in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Size GB
Type:	Number
Description:	Minimum of the total (inte

	rnal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Size GB
Type:	Number
Description:	Total of the total (internal and external) logical capacity of the Storage System in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Raw Size GB
Type:	Number
Description:	Average of the total raw capacity of the Storage System in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalRawSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Raw Size GB
Type:	Number
Description:	Maximum of the total raw capacity of the Storage Sy stem in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalRawSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Raw Size GB
Type:	Number
Description:	Minimum of the total raw capacity of the Storage Sy stem in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalRawSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Raw Size GB
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalRawSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Raw Size GB
Type:	Number
Description:	Average of the total used raw capacity of the Storag e System in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgUsedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Raw Size GB
Type:	Number
Description:	Maximum of the total used raw capacity of the Stora ge System in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxUsedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Raw Size GB
Type:	Number
Description:	Minimum of the total used raw capacity of the Stora ge System in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinUsedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Total Used Raw Size GB
Type:	Number
Description:	Total of the total used ra w capacity of the Storage System in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotUsedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unused Raw Size GB
Type:	Number
Description:	Average of the total unuse d raw capacity of the Stor age System in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgUnusedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unused Raw Size GB
Type:	Number
Description:	Maximum of the total unus ed raw capacity of the Sto rage System in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxUnusedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unused Raw Size GB
Type:	Number
Description:	Minimum of the total unus ed raw capacity of the Sto rage System in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinUnusedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unused Raw Size GB
Type:	Number
Description:	Total of the total unused raw capacity of the Storag e System in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotUnusedRawsizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unallocated Size GB
Type:	Number
Description:	Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgUnallocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unallocated Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxUnallocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unallocated Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinUnallocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unallocated Size GB

Type:	Number
Description:	Total of the total logical capacity of the volumes available for provisioning in the Storage pools in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the Over Allocation Size in GB
Type:	Number
Description:	Average of the over allocated capacity in Gigabytes. The amount of over or under subscription.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgOverAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the Over Allocation Size in GB
Type:	Number
Description:	Maximum of the over allocated capacity in Gigabytes. The amount of over or under subscription.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxOverAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the Over Allocation Size in GB
Type:	Number
Description:	Minimum of the over alloc ated capacity in Gigabytes . The amount of over or u nder subscription.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinOverAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the Over Allocation Size in GB
Type:	Number
Description:	Total of the over allocate d capacity in Gigabytes. T he amount of over or unde r subscription.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotOverAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total External Size GB
Type:	Number
Description:	Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.

Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalExtSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total External Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity that is part of the logical capacity o f the Storage System in Gi gabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalExtSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total External Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalExtSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total External Size GB
Type:	Number
Description:	Total of the total externa l capacity that is part of the logical capacity of th e Storage System in Gigab ytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalExtSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Allocated Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Allocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtAllocSizeGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Allocated Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Allocated Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes provisioned from the Stora ge pools in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unallocated Size GB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s available for provisioni

	ng in the Storage pools in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unallocated Size GB
Type:	Number
Description:	Maximum of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unallocated Size GB
Type:	Number
Description:	Minimum of the total external capacity of the volumes available for provisioning in the Storage pools in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Total External Unallocated Size GB
Type: Number
Description: Total of the total externa l capacity of the volumes available for provisioning in the Storage pools in G igabytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotExtUnallocSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average External Mapped Size GB
Type: Number
Description: Average of the total exter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgExtMappedSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum External Mapped Size GB
Type: Number
Description: Maximum of the total exte rnal capacity of the volum es visible to hosts in Gig abytes.
Select equivalent: max(SD_SE_StorageSystemCapacity.MaxExtMappedSizeGB)
Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Mapped Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes visible to hosts in Gigaby tes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unmapped Size GB
Type:	Number
Description:	Average of the total exter

	nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es not visible to hosts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unmapped Size GB
Type:	Number
Description:	Total of the total externa l capacity of the volumes not visible to hosts in Gi gabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Allocated Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gigabytes.

	This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Allocated Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.

Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Mapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually visible to ho sts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Mapped Size GB

Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Mapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually visible to host s in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually not visible t o hosts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unmapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually not visible to hosts in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActUnmappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActUsedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used in Giga bytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUsedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Size GB
Type:	Number
Description:	Minimum of the total exter

	nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used in Gigabyt es.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unused Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unused Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually unused in Gi gabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unused Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unused Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually unused in Gigab ytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActUnusedSizeGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and vis ible to hosts in Gigabytes .
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that

	is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and visibl e to hosts in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	avg(SD_SE_StorageSystemC apacity.AvgExtActUsedUnma ppedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUsedUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total external physical capacity that is actually used and not visible to hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUsedUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used and not vi sible to hosts in Gigabyte s.
Select equivalent:	sum(SD_SE_StorageSystemC apacity.TotExtActUsedUnma ppedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Internal Size GB
Type:	Number
Description:	Average of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalIntSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Internal Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalIntSizeGB)

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Internal Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gig abytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalIntSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Internal Size GB
Type:	Number
Description:	Total of the total interna l capacity that is part of the logical capacity of th e Storage System in Gigab ytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalIntSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unallocated Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unallocated Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntUnallocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unallocated Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntUnallocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unallocated Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes available for provisioning in the Storage pools in G igabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntUnallocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Allocated Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntAllocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Allocated Size GB
Type:	Number
Description:	Maximum of the total inter

	nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Allocated Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Allocated Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes provisioned from the Stora ge pools in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Mapped Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s visible to hosts in Giga bytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntMappedSizeGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Mapped Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes visible to hosts in Gigaby tes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s not visible to hosts in

	Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s not visible to hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unmapped Size GB
Type:	Number
Description:	Total of the total interna l capacity of the volumes not visible to hosts in Gi gabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Allocated Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that

	is actually allocated by t he volumes in Gigabytes. This would be different fr om the total internal allo cated capacity in case of Thin Provisioning.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Allocated Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gigabytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Mapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually visible to hos ts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActMappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Mapped Size GB
Type:	Number
Description:	Total of the total interna

	l physical capacity that i s actually visible to host s in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unmapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not visible to hosts in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUsedSizeGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used in Gigab ytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used in Gigabyt

	es.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unused Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unused Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unused Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually unused in Gig abytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unused Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually unused in Gigab ytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Mapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGB)

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGB)

Where equivalent:

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	max(SD_SE_StorageSystemC apacity.MaxIntActUsedUnma ppedSizeGB)

Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and not visible to hosts in Gigaby tes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUsedUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and not vi sible to hosts in Gigabyte s.
Select equivalent:	sum(SD_SE_StorageSystemC apacity.TotIntActUsedUnma ppedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unmapped Size GB
Type:	Number
Description:	Average of the total logic al capacity of volumes not visible to hosts in Gigab ytes.

Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unmapped Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unmapped Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes not visible to hosts in Gigab ytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unmapped Size GB

Type:	Number
Description:	Total of the total logical capacity of volumes not visible to hosts in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unmapped Size GB
Type:	Number
Description:	Average of the total physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unmapped Size GB
Type:	Number
Description:	Maximum of the total physical capacity that is actually not visible to hosts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unmapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly not visible to hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unmapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually not visible to hosts in Gi gabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Unmapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and not visible t o hosts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Unmapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and not visible to hosts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Unmapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and not visible t o hosts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Unmapped Size GB
Type:	Number
Description:	Total of the total physica

	l capacity that is actually used and not visible to h osts in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size GB
Type:	Number
Description:	Average of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes vis ible to hosts in Gigabytes .
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size GB
Type:	Number
Description:	Total of the total logical capacity of volumes visibl e to hosts in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly visible to hosts in Gig abytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally visible to hosts in Gi gabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly visible to hosts in Gig abytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually visible to hosts in Gigab ytes.

Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and visible to ho sts in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and visible to h osts in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size GB

Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and visible to hosts in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUsedMappedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size GB
Type:	Number
Description:	Average of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size GB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size GB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size GB
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotAllocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly allocated in Gigabytes .This would be different f rom the total allocated ca pacity in case of Thin Pro visioning.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActAllocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally allocated in Gigabyte s.This would be different from the total allocated c apacity in case of Thin Pr ovisioning.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActAllocSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Minimum Actual Allocated Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly allocated in Gigabytes .This would be different f rom the total allocated ca pacity in case of Thin Pro visioning.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually allocated in Gigabytes.Th is would be different from the total allocated capac ity in case of Thin Provis ioning.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Allocated Size GB
Type:	Number
Description:	Average of the total reser

	ved capacity that has been provisioned in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Allocated Size GB
Type:	Number
Description:	Maximum of the total rese rved capacity that has bee n provisioned in Gigabytes .
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Allocated Size GB
Type:	Number
Description:	Minimum of the total reser ved capacity that has been provisioned in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Allocated Size GB
Type:	Number
Description:	Total of the total reserve d capacity that has been p rovisioned in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size GB
Type:	Number
Description:	Total of the total physical capacity that is actually used in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size GB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly unused in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size GB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally unused in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size GB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly unused in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size GB
Type:	Number
Description:	Total of the total physica l capacity that is actually unused in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUnusedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Size GB
Type:	Number
Description:	Average of the total reserved capacity in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalReservedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Size GB
Type:	Number
Description:	Maximum of the total reserved capacity in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalReservedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Size GB
Type:	Number
Description:	Minimum of the total reserved capacity in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalReservedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Size GB
Type:	Number
Description:	Total of the total reserved capacity in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalReservedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Used Size GB
Type:	Number
Description:	Average of the total reser ved capacity that is being used in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Used Size GB
Type:	Number
Description:	Maximum of the total rese rved capacity that is bein g used in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Used Size GB
Type:	Number
Description:	Minimum of the total reser ved capacity that is being used in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Used Size GB
Type:	Number
Description:	Total of the total reserved capacity that is being used in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Remaining Size GB
Type:	Number
Description:	Average of the total reserved capacity remaining in Gigabytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Remaining

Size GB

Type:	Number
Description:	Maximum of the total reserved capacity remaining in Gigabytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Minimum of the total Reserved Remaining Size GB

Type:	Number
Description:	Minimum of the total reserved capacity remaining in Gigabytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Total of the total Reserved Remaining Size GB

Type:	Number
Description:	Total of the total reserved capacity remaining in Gigabytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Average of the total Size GiB

Type:	Number
Description:	Average of the total (inte rnal and external) Logical

	capacity of the Storage S ystem in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Size GiB
Type:	Number
Description:	Maximum of the total (inte rnal and external) Logical capacity of the Storage S ystem in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Size GiB
Type:	Number
Description:	Minimum of the total (inte rnal and external) Logical capacity of the Storage S ystem in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Size GiB
Type:	Number
Description:	Total of the total (intern al and external) Logical c apacity of the Storage Sys tem in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Raw Size GiB
Type:	Number
Description:	Average of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalRawSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Raw Size GiB
Type:	Number
Description:	Maximum of the total raw capacity of the Storage Sy stem in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalRawSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Raw Size GiB
Type:	Number
Description:	Minimum of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalRawSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Raw Size GiB
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalRawSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Raw Size GiB
Type:	Number
Description:	Average of the total used raw capacity of the Storage System in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgUsedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Raw Size GiB
Type:	Number
Description:	Maximum of the total used raw capacity of the Stora ge System in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxUsedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Raw Size GiB
Type:	Number
Description:	Minimum of the total used raw capacity of the Stora ge System in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinUsedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Raw Size GiB
Type:	Number
Description:	Total of the total used ra w capacity of the Storage System in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotUsedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unused Raw Size GiB
Type:	Number
Description:	Average of the total unuse d raw capacity of the Stor age System in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgUnusedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unused Raw Size GiB
Type:	Number
Description:	Maximum of the total unus ed raw capacity of the Sto rage System in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxUnusedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unused Raw Size GiB
Type:	Number
Description:	Minimum of the total unus ed raw capacity of the Sto rage System in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinUnusedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unused Raw Size GiB
Type:	Number
Description:	Total of the total unused raw capacity of the Storag e System in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotUnusedRawsizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unallocated Size GiB
Type:	Number
Description:	Average of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unallocated Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in

	Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unallocated Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes available for provisionin g in the Storage pools in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unallocated Size GiB
Type:	Number
Description:	Total of the total logical capacity of the volumes av ailable for provisioning i n the Storage pools in Gib ibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the Over Allocation Size in GiB
Type:	Number
Description:	Average of the over alloca ted capacity in Gibibytes. The amount of over or un der subscription.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgOverAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the Over Allocation Size in GiB
Type:	Number
Description:	Maximum of the over alloc ated capacity in Gibibytes . The amount of over or u nder subscription.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxOverAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the Over Allocation Size in GiB
Type:	Number
Description:	Minimum of the over alloc ated capacity in Gibibytes . The amount of over or u nder subscription.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinOverAllocSizeGiB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the Over Allocation Size in GiB
Type:	Number
Description:	Total of the over allocate d capacity in Gibibytes. T he amount of over or unde r subscription.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotOverAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total External Size GiB
Type:	Number
Description:	Average of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalExtSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total External Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity that is part

	of the logical capacity o f the Storage System in Gi bibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalExtSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total External Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalExtSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total External Size GiB
Type:	Number
Description:	Total of the total externa l capacity that is part of the logical capacity of th e Storage System in Gibiby tes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalExtSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unallocated Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unallocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es available for provision ing in the Storage pools i n Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unallocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s available for provisioni ng in the Storage pools in

	Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unallocated Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes available for provisioning in the Storage pools in G ibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Allocated Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Allocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es provisioned from the St orage pools in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Allocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Allocated Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes provisioned from the Stora ge pools in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es visible to hosts in Gibi bytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s visible to hosts in Gibi bytes.

Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Mapped Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes visible to hosts in Gibiby tes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Unmapped Size GiB

Type:	Number
Description:	Maximum of the total exte rnal capacity of the volum es not visible to hosts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Unmapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l capacity of the volumes not visible to hosts in Gi bibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Allocated Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually allocated by the volumes in Gibibytes. This would be different fr om the total external allo cated capacity in case of Thin Provisioning.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total external alloc ated capacity in case of T hin Provisioning.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Allocated Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total external alloca ted capacity in case of Th in Provisioning.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that

	is actually visible to hos
	ts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte
	rnal physical capacity tha
	t is actually visible to ho
	sts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter
	nal physical capacity that
	is actually visible to hos
	ts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Mapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually visible to host s in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is not visible to hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is not visible to hosts i n Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is not visible to hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s not visible to hosts in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used in Gibib ytes.

Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used in Gibi bytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Size GiB

Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used in Gibibyt es.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Unused Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually unused in Gib ibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually unused in Gi bibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually unused in Gib ibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Unused Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually unused in Gibib ytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgExtActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used and vis ible to hosts in Gibibytes .
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxExtActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinExtActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Mapped Size GiB
Type:	Number

Description:	Total of the total externa l physical capacity that i s actually used and visibl e to hosts in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotExtActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average External Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total exter nal physical capacity that is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemC apacity.AvgExtActUsedUnma ppedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum External Ac tual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total exte rnal physical capacity tha t is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemC apacity.MaxExtActUsedUnma

	ppedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum External Act ual Used Unmapped S ize GiB
Type:	Number
Description:	Minimum of the total exter nal physical capacity that is actually used but yet to be visible to hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemC apacity.MinExtActUsedUnma ppedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total External Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total externa l physical capacity that i s actually used but yet to be visible to hosts in Gi bibytes.
Select equivalent:	sum(SD_SE_StorageSystemC apacity.TotExtActUsedUnma ppedSizeGiB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Internal Size GiB
Type:	Number
Description:	Average of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalIntSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Internal Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalIntSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Internal Size GiB
Type:	Number
Description:	Minimum of the total inter

	nal capacity that is part of the logical capacity of the Storage System in Gib ibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalIntSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Internal Size GiB
Type:	Number
Description:	Total of the total interna l capacity that is part of the logical capacity of th e Storage System in Gibiby tes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalIntSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unallocated Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unallocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Unallocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s available for provisioni ng in the Storage pools in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unallocated Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes available for provisioning

	in the Storage pools in G
	ibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntUnallocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Allocated Size GiB
Type:	Number
Description:	Average of the total inter
	nal capacity of the volume
	s provisioned from the Sto
	rage pools in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Allocated Size GiB
Type:	Number
Description:	Maximum of the total inter
	nal capacity of the volume
	s provisioned from the Sto
	rage pools in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Allocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s provisioned from the Sto rage pools in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Allocated Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes provisioned from the Stora ge pools in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s visible to hosts in Gibi bytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Mapped Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes visible to hosts in Gibiby tes.

Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Minimum Internal Unmapped Size GiB

Type:	Number
Description:	Minimum of the total inter nal capacity of the volume s not visible to hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Unmapped Size GiB
Type:	Number
Description:	Total of the total interna l capacity of the volumes not visible to hosts in Gi bibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Allocated Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually allocated by t he volumes in Gibibytes. T his would be different fro m the total internal alloc ated capacity in case of T hin Provisioning.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Allocated Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually allocated by th e volumes in Gibibytes. Th is would be different from the total internal allocat ed capacity in case of Thi n Provisioning.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually visible to hos ts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that

	is actually visible to hos
	ts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter
	nal physical capacity that
	is actually visible to hos
	ts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Mapped Size GiB
Type:	Number
Description:	Total of the total interna
	l physical capacity that i
	s actually visible to host
	s in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not visible to hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Internal Actual Unmapped Size GiB
Type: Number
Description: Total of the total interna
l physical capacity that i
s actually not visible to
hosts in Gibibytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotIntActUnmappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Internal Actual Used Size GiB
Type: Number
Description: Average of the total inter
nal physical capacity that
is actually used in Gibib
ytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgIntActUsedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Internal Actual Used Size GiB
Type: Number
Description: Maximum of the total inter
nal physical capacity that
is actually used in Gibib
ytes.

Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used in Gibib ytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used in Gibibyt es.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Unused Size GiB

Type:	Number
Description:	Average of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually not used in G ibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Unused Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually not used in Gib ibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total inter nal physical capacity that is actually used and visi ble to hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinIntActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and visibl e to hosts in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotIntActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total inter

	nal physical capacity that is actually used and not visible to hosts in Gibiby tes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgIntActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxIntActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Minimum of the total internal physical capacity that is actually used and not visible to hosts in Gibibytes.

Select equivalent:	min(SD_SE_StorageSystemC apacity.MinIntActUsedUnma ppedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Internal Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total interna l physical capacity that i s actually used and not vi sible to hosts in Gibibyte s.
Select equivalent:	sum(SD_SE_StorageSystemC apacity.TotIntActUsedUnma ppedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Unmapped Size GiB
Type:	Number
Description:	Average of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Unmapped Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Unmapped Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes not visible to hosts in Gibib ytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Unmapped Size GiB
Type:	Number
Description:	Total of the total logical capacity of volumes not vi sible to hosts in Gibibyte s.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotUnmappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unmapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly not visible to hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUnmappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unmapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally not visible to hosts i n Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUnmappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unmapped Size GiB
Type:	Number
Description:	Minimum of the total physi

	cal capacity that is actua lly not visible to hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unmapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually not visible to hosts in Gi bibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Unmapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used but not visible t o hosts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Unmapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used but not visible to hosts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Unmapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used but not visible t o hosts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Unmapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually used but not visible to h osts in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUsedUnmappedSizeGiB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size GiB
Type:	Number
Description:	Average of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size GiB
Type:	Number
Description:	Maximum of the total logic al capacity of volumes vis ible to hosts in Gibibytes .
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of volumes vis ible to hosts in Gibibytes

.

Select equivalent: min(SD_SE_StorageSystemCapacity.MinMappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Mapped Size GiB
Type: Number
Description: Total of the total logical capacity of volumes visible to hosts in Gibibytes.
Select equivalent: sum(SD_SE_StorageSystemCapacity.TotMappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Mapped Size GiB
Type: Number
Description: Average of the total physical capacity that is actually visible to hosts in Gibibytes.
Select equivalent: avg(SD_SE_StorageSystemCapacity.AvgActMappedSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Mapped Size GiB

Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally visible to hosts in Gi bibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly visible to hosts in Gib ibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually visible to hosts in Gibib ytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used and visible to h osts in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUsedMappedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used and visible to ho sts in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually used and visible to hosts in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUsedMappedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size GiB
Type:	Number
Description:	Average of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size GiB
Type:	Number
Description:	Maximum of the total logic

	al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size GiB
Type:	Number
Description:	Minimum of the total logic al capacity of the volumes provisioned from the Stor age pools in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size GiB
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is alloc ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is alloc

	ated by the volumes in Gib ibytes. This would be diff erent from the total alloc ated capacity in case of T hin Provisioning.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is allocate d by the volumes in Gibiby tes. This would be differe nt from the total allocate d capacity in case of Thin Provisioning.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Allocated Size GiB
Type:	Number
Description:	Average of the total reser ved capacity that has been provisioned in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalReservedAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Allocated Size GiB
Type:	Number
Description:	Maximum of the total rese rved capacity that has bee n provisioned in Gibibytes .
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalReservedAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Allocated Size GiB
Type:	Number
Description:	Minimum of the total reser ved capacity that has been provisioned in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalReservedAllocSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Allocated Size GiB
Type:	Number
Description:	Total of the total reserve d capacity that has been p rovisioned in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalReservedAllocSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly used in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally used in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly used in Gibibytes.

Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size GiB
Type:	Number
Description:	Total of the total physical capacity that is actually used in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size GiB
Type:	Number
Description:	Average of the total physi cal capacity that is actua lly unused in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size GiB
Type:	Number
Description:	Maximum of the total phys ical capacity that is actu ally unused in Gibibytes.

Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size GiB
Type:	Number
Description:	Minimum of the total physi cal capacity that is actua lly unused in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size GiB
Type:	Number
Description:	Total of the total physica l capacity that is actually unused in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotActUnusedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Size GiB
Type:	Number
Description:	Average of the total reserved capacity in Gibibytes.

Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalReservedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Size GiB
Type:	Number
Description:	Maximum of the total reserved capacity in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalReservedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Size GiB
Type:	Number
Description:	Minimum of the total reserved capacity in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalReservedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Size GiB
Type:	Number
Description:	Total of the total reserved capacity in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalReservedSizeGiB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Used Size GiB
Type:	Number
Description:	Average of the total reser ved capacity that is being used in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotalReservedUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Used Size GiB
Type:	Number
Description:	Maximum of the total rese rved capacity that is bein g used in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotalReservedUsedSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Used Size GiB
Type:	Number
Description:	Minimum of the total reser ved capacity that is being used in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotalReservedUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Used Size GiB
Type:	Number
Description:	Total of the total reserved capacity that is being used in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotalReservedUsedSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of the total Reserved Remaining Size GiB
Type:	Number
Description:	Average of the total reserved capacity remaining in Gibibytes.
Select equivalent:	avg(SD_SE_StorageSystemCapacity.AvgTotRsrvedRemainingSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of the total Reserved Remaining Size GiB
Type:	Number
Description:	Maximum of the total reserved capacity remaining in Gibibytes.
Select equivalent:	max(SD_SE_StorageSystemCapacity.MaxTotRsrvedRemainingSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of the total Reserved Remaining Size GiB
Type:	Number
Description:	Minimum of the total reserved capacity remaining in Gibibytes.
Select equivalent:	min(SD_SE_StorageSystemCapacity.MinTotRsrvedRemainingSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of the total Reserved Remaining Size GiB
Type:	Number
Description:	Total of the total reserved capacity remaining in Gibibytes.
Select equivalent:	sum(SD_SE_StorageSystemCapacity.TotTotRsrvedRemainingSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Storage System Capacity - Forecast
Description:	

Object:	f30 Forecast Total Raw Size (GB)
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f30TotalRawSizeGB

Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f60 Forecast Total Raw Size (GB)
Type: Number
Description: Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f60TotalRawSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f90 Forecast Total Raw Size (GB)
Type: Number
Description: Total of the total raw capacity of the Storage System in Gigabytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f90TotalRawSizeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: f30 Forecast Total Raw Size (GiB)
Type: Number
Description: Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent: F_SD42_SE_StorageSys_Capacity.f30TotalRawSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	f60 Forecast Total Raw Size (GiB)
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f60TotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	f90 Forecast Total Raw Size (GiB)
Type:	Number
Description:	Total of the total raw capacity of the Storage System in Gibibytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f90TotalRawSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	f30 Forecast Total Allocated Size (GB)
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gigabytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f30TotAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	f60 Forecast Total Allocated Size (GB)
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gigabytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f60TotAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	f90 Forecast Total Allocated Size (GB)
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gigabytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f90TotAllocSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	f30 Forecast Total Allocated Size (GiB)
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gibibytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f30TotAllocSizeGiB

Where equivalent:

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	f60 Forecast Total Allocated Size (GiB)
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gibibytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f60TotAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	f90 Forecast Total Allocated Size (GiB)
Type:	Number
Description:	Total of the total logical capacity of the volumes pr ovisioned from the Storage pools in Gibibytes.
Select equivalent:	F_SD42_SE_StorageSys_Capacity.f90TotAllocSizeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	File Logical Volume Capacity Statistics
Description:	File Logical Volume Capacity Statistics

No objects

Class: NAS Logical Volume(File Logical Volume Capacity Statistics)

Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 58r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 58s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5om, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5oo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5oq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5os, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata

Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ou, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5ow, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5oy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension

List of values:	5p1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5p3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5p5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5p7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	5p9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	5pb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	5pd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	

Qualification:	dimension
List of values:	58t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	58u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	58v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	58w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	58x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	58y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	590, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: hidden

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 591, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 592, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 593, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Cache Block Size

Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	594, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	595, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	63s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	596, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	598, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	597, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59a, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	599, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System

Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	59k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	hidden

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	63u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Roles

Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	63y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	63w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System

Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 643, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 641, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 59q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	645, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	hidden

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	59r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	File Logical Volume
Type:	Character
Description:	File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:	
Qualification:	dimension
List of values:	59w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object: LVDescription
Type: Character
Description: Description about File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.Description
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 59x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates whether a logical volume is thinly provisioned or not
Select equivalent: K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 59y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Model Type
Type: Character
Description: Represents whether the vo
lume is 'Logical Disk' or '
File System' or 'LUN'
Select equivalent: K_SE_NAS_LogicalVolume.ModelType
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Block Size (Bytes)
Type: Number

Description: Block Size in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.Blocksize
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Number Of Blocks
Type: Number
Description: Number Of Blocks
Select equivalent: K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Consumable Blocks (Bytes)
Type: Number
Description: Consumable Blocks in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5a3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Cluster Shared?
Type: Character
Description: Indicates whether a logical volume is cluster shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5a4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Device ID
Type:	Character
Description:	Device ID
Select equivalent:	K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5a5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Share ID
Type:	Character
Description:	Share ID
Select equivalent:	K_SE_NAS_LogicalVolume.ShareID
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5a6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Shared?
Type:	Character
Description:	Indicates whether a logical volume is shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsShared
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5a7, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	File System Type
Type:	Character
Description:	File System Type
Select equivalent:	K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5a8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Name of the Share
Type:	Character
Description:	Name of the share
Select equivalent:	K_SE_NAS_LogicalVolume.ShareName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5a9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Share System Name
Type:	Character
Description:	Share System Name
Select equivalent:	K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5aa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	5ab, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Logical Volume UUID
Type:	Character
Description:	UUID of the File logical volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:	
Qualification:	dimension
List of values:	5ac, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	5pf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	File Logical Volume(File Logical Volume Capacity Statistics)
Description:	

Object:	SOM Source Name
Type:	Character

Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 4da, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 4db, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5l2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5l4, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5l6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5l8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5la, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5lc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5le, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5lg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL

Where equivalent:

Qualification:	detail
Associated dimension name:	Group Path
List of values:	5li, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Group Path
List of values:	5lk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	

Qualification:	dimension
List of values:	5lm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Element Name
List of values:	5lo, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	5r8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	5r9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	4dc, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character

Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4de, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4df, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System

Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4di, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	4dj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4do, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4dp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity

Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ds, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4du, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dw, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4dy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4e0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4e1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4e2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4e3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System

Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4e6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	4e7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4e8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4e9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ea, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of w
hen the storage system wa
s last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4eb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ec, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ed, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ee, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Logical Volume
Type:	Character
Description:	File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:	
Qualification:	dimension
List of values:	4ef, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	LVDescription
Type:	Character
Description:	Description about File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4eg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates whether a logical volume is thinly provisioned or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsThinlyProvisioned

Where equivalent:

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ei, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model Type
Type:	Character
Description:	Represents whether the vo lume is 'Logical Disk' or ' File System' or 'LUN'
Select equivalent:	K_SE_NAS_LogicalVolume.ModelType
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ej, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size (Bytes)
Type:	Number
Description:	Block Size in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.Blocksize
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ek, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Number Of Blocks
Type:	Number
Description:	Number Of Blocks
Select equivalent:	K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4el, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks (Bytes)
Type:	Number
Description:	Consumable Blocks in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4em, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Cluster Shared?
Type:	Character
Description:	Indicates whether a logical volume is cluster shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4en, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Device ID
Type:	Character
Description:	Device ID
Select equivalent:	K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4eo, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share ID
Type:	Character
Description:	Share ID
Select equivalent:	K_SE_NAS_LogicalVolume.ShareID
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ep, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Shared?
Type:	Character
Description:	Indicates whether a logical volume is shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsShared
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4eq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File System Type
Type:	Character
Description:	File System Type
Select equivalent:	K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4er, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Name of the Share
Type:	Character
Description:	Name of the share
Select equivalent:	K_SE_NAS_LogicalVolume.ShareName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4es, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share System Name
Type:	Character
Description:	Share System Name
Select equivalent:	K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4et, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	4eu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Logical Volume UUID
Type:	Character
Description:	UUID of the File logical volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:	

Qualification:	dimension
List of values:	4ev, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	

Qualification:	dimension
List of values:	5ns, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Raw File Logical Volume Capacity Statistics
Description:	

Object:	Total Size (GiB)
Type:	Number
Description:	Logical Volume Total Capacity in GiB
Select equivalent:	SR_SE_NAS_LogiVolume_Capacity.TotalGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Size (GiB)
Type:	Number
Description:	Logical Volume Used Capacity in GiB
Select equivalent:	SR_SE_NAS_LogiVolume_Capacity.UsedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Free Size (GiB)
Type:	Number
Description:	Logical Volume Free Capacity in GiB
Select equivalent:	SR_SE_NAS_LogiVolume_Capacity.FreeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	Logical Volume Total Capacity in GB
Select equivalent:	SR_SE_NAS_LogiVolume_Capacity.TotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Size (GB)
Type:	Number
Description:	Logical Volume Used Capacity in GB
Select equivalent:	SR_SE_NAS_LogiVolume_Capacity.UsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Free Size (GB)
Type:	Number
Description:	Logical Volume Free Capacity in GB
Select equivalent:	SR_SE_NAS_LogiVolume_Capacity.FreeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DATETIME(File Logical Volume Capacity Statistics)
Description:	

Object:	Year
Type:	Number
Description:	Year
Select equivalent:	DATETIME.TIME_YEAR_NUMBER
Where equivalent:	
Qualification:	dimension
List of values:	4ew, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month
Type:	Character
Description:	Month Name first Three Characters
Select equivalent:	(SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:	
Qualification:	dimension
List of values:	4ex, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month Name

Type:	Character
Description:	Month Name
Select equivalent:	DATETIME.TIME_MONTH_NAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Month
List of values:	4ey, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day
Type:	Number
Description:	Day
Select equivalent:	DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:	
Qualification:	dimension
List of values:	4f0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day Name
Type:	Character
Description:	Day Name
Select equivalent:	DATETIME.TIME_DAY_NAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Day
List of values:	4f1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour
Type:	Number
Description:	Hour
Select equivalent:	DATETIME.TIME_HOUR_ID
Where equivalent:	

Qualification:	dimension
List of values:	4f2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Id
Type:	Number
Description:	Hour Id
Select equivalent:	DATETIME.TIME_HOUR_ID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Hour
List of values:	4f3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Hour Description
Type:	Character
Description:	Time Hour Description
Select equivalent:	DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:	

Qualification:	detail
Associated dimension name:	Hour
List of values:	4f4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Full Date
Type:	Date
Description:	Full Date
Select equivalent:	DATETIME.TIME_FULL_DATE
Where equivalent:	

Qualification:	dimension
List of values:	4f5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Holiday
Type:	Character
Description:	Time Is Holiday
Select equivalent:	DATETIME.TIME_IS_HOLIDAY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Full Date
List of values:	4f6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Weekday
Type:	Character
Description:	Time Is Weekday
Select equivalent:	DATETIME.TIME_IS_WEEKDAY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Full Date
List of values:	4f7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Boundary
Type:	Number
Description:	Hour Boundary
Select equivalent:	DATETIME.HOUR_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	4f8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Day Boundary
Type:	Number
Description:	Day Boundary

Select equivalent: DATETIME.DAY_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4f9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Week Boundary
Type: Number
Description: Week Boundary
Select equivalent: DATETIME.WEEK_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4fa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Month Boundary
Type: Number
Description: Month Boundary
Select equivalent: DATETIME.MONTH_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4fb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Year Boundary
Type: Number
Description: Year Boundary
Select equivalent: DATETIME.YEAR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 4fc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Class: Daily File Logical Volume Capacity Statistics
Description:

Object: Total Size (GiB)
Type: Number
Description: Logical Volume Total Capacity in GiB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.TotSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Logical Volume Average Capacity in GiB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.AvgSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GiB)
Type: Number
Description: Logical Volume Maximum Capacity in GiB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.MaxSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Minimum Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MinSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Size (GiB)
Type:	Number
Description:	Logical Volume Total Used Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.TotUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Size (GiB)
Type:	Number
Description:	Logical Volume Average Used Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.AvgUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Size (GiB)
Type:	Number

Description:	Logical Volume Maximum Used Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MaxUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Used Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MinUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Free Size (GiB)
Type:	Number
Description:	Logical Volume Total Free Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.TotFreeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Free Size (GiB)
Type:	Number
Description:	Logical Volume Average Free Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.AvgFreeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Free Size (GiB)
Type:	Number
Description:	Logical Volume Maximum Free Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MaxFreeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Free Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Free Capacity in GiB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MinFreeGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	Logical Volume Total Capacity in GB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.TotSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GB)
Type:	Number
Description:	Logical Volume Average Capacity in GB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.AvgSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GB)
Type:	Number
Description:	Logical Volume Maximum Capacity in GB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MaxSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GB)
Type:	Number
Description:	Logical Volume Minimum Capacity in GB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MinSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Size (GB)
Type:	Number
Description:	Logical Volume Total Used Capacity in GB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.TotUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Size (GB)
Type:	Number
Description:	Logical Volume Average Used Capacity in GB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.AvgUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Size (GB)
Type:	Number
Description:	Logical Volume Maximum Used Capacity in GB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MaxUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Size (GB)
Type:	Number
Description:	Logical Volume Minimum Used Capacity in GB
Select equivalent:	SD_SE_NAS_LogiVolume_Capacity.MinUsedGB

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Free Size (GB)
Type: Number
Description: Logical Volume Total Free Capacity in GB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.TotFreeGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Free Size (GB)
Type: Number
Description: Logical Volume Average Free Capacity in GB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.AvgFreeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Free Size (GB)
Type: Number
Description: Logical Volume Maximum Free Capacity in GB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.MaxFreeGB
Where equivalent:

Qualification: measure
Aggregate function: Max

List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Free Size (GB)
Type: Number
Description: Logical Volume Minimum Free Capacity in GB
Select equivalent: SD_SE_NAS_LogiVolume_Capacity.MinFreeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Hourly File Logical Volume Capacity Statistics
Description:

Object: Total Size (GiB)
Type: Number
Description: Logical Volume Total Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.TotSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Logical Volume Average Capacity in GiB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.AvgSizeGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GiB)
Type:	Number
Description:	Logical Volume Maximum Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MaxSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MinSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Size (GiB)
Type:	Number
Description:	Logical Volume Total Used Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.TotUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Size (GiB)
Type:	Number
Description:	Logical Volume Average Used Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.AvgUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Size (GiB)
Type:	Number
Description:	Logical Volume Maximum Used Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MaxUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Used Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MinUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Free Size (GiB)
Type:	Number
Description:	Logical Volume Total Free Capacity in GiB

Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.TotFreeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Free Size (GiB)
Type:	Number
Description:	Logical Volume Average Free Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.AvgFreeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Free Size (GiB)
Type:	Number
Description:	Logical Volume Maximum Free Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MaxFreeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Free Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Free Capacity in GiB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MinFreeGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	Logical Volume Total Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.TotSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GB)
Type:	Number
Description:	Logical Volume Average Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.AvgSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GB)
Type:	Number
Description:	Logical Volume Maximum Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MaxSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Minimum Size (GB)
Type: Number
Description: Logical Volume Minimum Capacity in GB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.MinSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Used Size (GB)
Type: Number
Description: Logical Volume Total Used Capacity in GB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.TotUsedGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Used Size (GB)
Type: Number
Description: Logical Volume Average Used Capacity in GB
Select equivalent: SH_SE_NAS_LogiVolume_Capacity.AvgUsedGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Used Size (GB)

Type:	Number
Description:	Logical Volume Maximum Used Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MaxUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Size (GB)
Type:	Number
Description:	Logical Volume Minimum Used Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MinUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Free Size (GB)
Type:	Number
Description:	Logical Volume Total Free Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.TotFreeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Free Size (GB)
Type:	Number
Description:	Logical Volume Average Free Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.AvgFreeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Free Size (GB)
Type:	Number
Description:	Logical Volume Maximum Free Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MaxFreeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Free Size (GB)
Type:	Number
Description:	Logical Volume Minimum Free Capacity in GB
Select equivalent:	SH_SE_NAS_LogiVolume_Capacity.MinFreeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DailyOLAP-FileLogicalVolumeCapacity
Description:	

Object:	Total Size (GiB)
Type:	Number
Description:	Logical Volume Total Capacity in GiB
Select equivalent:	sum(SD_SE_NAS_LogiVolume_Capacity.TotSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GiB)
Type:	Number
Description:	Logical Volume Average Capacity in GiB
Select equivalent:	avg(SD_SE_NAS_LogiVolume_Capacity.AvgSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GiB)
Type:	Number
Description:	Logical Volume Maximum Capacity in GiB
Select equivalent:	max(SD_SE_NAS_LogiVolume_Capacity.MaxSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Capacity in GiB
Select equivalent:	min(SD_SE_NAS_LogiVolume_Capacity.MinSizeGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Size (GiB)
Type:	Number
Description:	Logical Volume Total Used Capacity in GiB
Select equivalent:	sum(SD_SE_NAS_LogiVolume_Capacity.TotUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Size (GiB)
Type:	Number
Description:	Logical Volume Average Used Capacity in GiB
Select equivalent:	avg(SD_SE_NAS_LogiVolume_Capacity.AvgUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Size (GiB)
Type:	Number
Description:	Logical Volume Maximum Used Capacity in GiB
Select equivalent:	max(SD_SE_NAS_LogiVolume_Capacity.MaxUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Used Capacity in GiB
Select equivalent:	min(SD_SE_NAS_LogiVolume_Capacity.MinUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Free Size (GiB)
Type:	Number
Description:	Logical Volume Total Free Capacity in GiB
Select equivalent:	sum(SD_SE_NAS_LogiVolume_Capacity.TotFreeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Free Size (GiB)
Type:	Number
Description:	Logical Volume Average Free Capacity in GiB
Select equivalent:	avg(SD_SE_NAS_LogiVolume_Capacity.AvgFreeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Free Size (GiB)
Type:	Number
Description:	Logical Volume Maximum Free Capacity in GiB
Select equivalent:	max(SD_SE_NAS_LogiVolume_Capacity.MaxFreeGiB)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Free Size (GiB)
Type: Number
Description: Logical Volume Minimum Free Capacity in GiB
Select equivalent: min(SD_SE_NAS_LogiVolume_Capacity.MinFreeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Size (GB)
Type: Number
Description: Logical Volume Total Capacity in GB
Select equivalent: sum(SD_SE_NAS_LogiVolume_Capacity.TotSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GB)
Type: Number
Description: Logical Volume Average Capacity in GB
Select equivalent: avg(SD_SE_NAS_LogiVolume_Capacity.AvgSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GB)
Type:	Number
Description:	Logical Volume Maximum Capacity in GB
Select equivalent:	max(SD_SE_NAS_LogiVolume_Capacity.MaxSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GB)
Type:	Number
Description:	Logical Volume Minimum Capacity in GB
Select equivalent:	min(SD_SE_NAS_LogiVolume_Capacity.MinSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Size (GB)
Type:	Number
Description:	Logical Volume Total Used Capacity in GB
Select equivalent:	sum(SD_SE_NAS_LogiVolume_Capacity.TotUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Size (GB)
Type:	Number
Description:	Logical Volume Average Used Capacity in GB
Select equivalent:	avg(SD_SE_NAS_LogiVolume_Capacity.AvgUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Size (GB)
Type:	Number
Description:	Logical Volume Maximum Used Capacity in GB
Select equivalent:	max(SD_SE_NAS_LogiVolume_Capacity.MaxUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Size (GB)
Type:	Number
Description:	Logical Volume Minimum Used Capacity in GB
Select equivalent:	min(SD_SE_NAS_LogiVolume_Capacity.MinUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Free Size (GB)
Type:	Number

Description:	Logical Volume Total Free Capacity in GB
Select equivalent:	sum(SD_SE_NAS_LogiVolume_Capacity.TotFreeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Free Size (GB)
Type:	Number
Description:	Logical Volume Average Free Capacity in GB
Select equivalent:	avg(SD_SE_NAS_LogiVolume_Capacity.AvgFreeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Free Size (GB)
Type:	Number
Description:	Logical Volume Maximum Free Capacity in GB
Select equivalent:	max(SD_SE_NAS_LogiVolume_Capacity.MaxFreeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Free Size (GB)
Type:	Number
Description:	Logical Volume Minimum Free Capacity in GB
Select equivalent:	min(SD_SE_NAS_LogiVolume_Capacity.MinFreeGB)
Where equivalent:	

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: HourlyOLAP-FileLogicalVolumeCapacity
Description:

Object: Total Size (GiB)
Type: Number
Description: Logical Volume Total Capacity in GiB
Select equivalent: sum(SH_SE_NAS_LogiVolume_Capacity.TotSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GiB)
Type: Number
Description: Logical Volume Average Capacity in GiB
Select equivalent: avg(SH_SE_NAS_LogiVolume_Capacity.AvgSizeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GiB)
Type: Number
Description: Logical Volume Maximum Capacity in GiB
Select equivalent: max(SH_SE_NAS_LogiVolume_Capacity.MaxSizeGiB)
Where equivalent:

Qualification: measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Capacity in GiB
Select equivalent:	min(SH_SE_NAS_LogiVolume_Capacity.MinSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Size (GiB)
Type:	Number
Description:	Logical Volume Total Used Capacity in GiB
Select equivalent:	sum(SH_SE_NAS_LogiVolume_Capacity.TotUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Size (GiB)
Type:	Number
Description:	Logical Volume Average Used Capacity in GiB
Select equivalent:	avg(SH_SE_NAS_LogiVolume_Capacity.AvgUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Maximum Used Size (GiB)
Type: Number
Description: Logical Volume Maximum Used Capacity in GiB
Select equivalent: max(SH_SE_NAS_LogiVolume_Capacity.MaxUsedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Used Size (GiB)
Type: Number
Description: Logical Volume Minimum Used Capacity in GiB
Select equivalent: min(SH_SE_NAS_LogiVolume_Capacity.MinUsedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Free Size (GiB)
Type: Number
Description: Logical Volume Total Free Capacity in GiB
Select equivalent: sum(SH_SE_NAS_LogiVolume_Capacity.TotFreeGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Free Size (GiB)

Type:	Number
Description:	Logical Volume Average Free Capacity in GiB
Select equivalent:	avg(SH_SE_NAS_LogiVolume_Capacity.AvgFreeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Free Size (GiB)
Type:	Number
Description:	Logical Volume Maximum Free Capacity in GiB
Select equivalent:	max(SH_SE_NAS_LogiVolume_Capacity.MaxFreeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Free Size (GiB)
Type:	Number
Description:	Logical Volume Minimum Free Capacity in GiB
Select equivalent:	min(SH_SE_NAS_LogiVolume_Capacity.MinFreeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	Logical Volume Total Capacity in GB
Select equivalent:	sum(SH_SE_NAS_LogiVolume_Capacity.TotSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GB)
Type:	Number
Description:	Logical Volume Average Capacity in GB
Select equivalent:	avg(SH_SE_NAS_LogiVolume_Capacity.AvgSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GB)
Type:	Number
Description:	Logical Volume Maximum Capacity in GB
Select equivalent:	max(SH_SE_NAS_LogiVolume_Capacity.MaxSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GB)
Type:	Number
Description:	Logical Volume Minimum Capacity in GB
Select equivalent:	min(SH_SE_NAS_LogiVolume_Capacity.MinSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Size (GB)
Type:	Number
Description:	Logical Volume Total Used Capacity in GB
Select equivalent:	sum(SH_SE_NAS_LogiVolume_Capacity.TotUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Size (GB)
Type:	Number
Description:	Logical Volume Average Used Capacity in GB
Select equivalent:	avg(SH_SE_NAS_LogiVolume_Capacity.AvgUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Size (GB)
Type:	Number
Description:	Logical Volume Maximum Used Capacity in GB
Select equivalent:	max(SH_SE_NAS_LogiVolume_Capacity.MaxUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Size (GB)
Type:	Number
Description:	Logical Volume Minimum Used Capacity in GB
Select equivalent:	min(SH_SE_NAS_LogiVolume_Capacity.MinUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Free Size (GB)
Type:	Number
Description:	Logical Volume Total Free Capacity in GB
Select equivalent:	sum(SH_SE_NAS_LogiVolume_Capacity.TotFreeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Free Size (GB)
Type:	Number
Description:	Logical Volume Average Free Capacity in GB
Select equivalent:	avg(SH_SE_NAS_LogiVolume_Capacity.AvgFreeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Free Size (GB)
Type:	Number
Description:	Logical Volume Maximum Free Capacity in GB

Select equivalent:	max(SH_SE_NAS_LogiVolume_Capacity.MaxFreeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Free Size (GB)
Type:	Number
Description:	Logical Volume Minimum Free Capacity in GB
Select equivalent:	min(SH_SE_NAS_LogiVolume_Capacity.MinFreeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Block Pool Capacity Statistics
Description:	Block Pool Capacity Statistics

No objects

Class:	DATETIME(Block Pool Capacity Statistics)
Description:	

Object:	Year
Type:	Number
Description:	Year
Select equivalent:	DATETIME.TIME_YEAR_NUMBER
Where equivalent:	
Qualification:	dimension
List of values:	1lp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month
Type:	Character
Description:	Month Name first Three Characters
Select equivalent:	(SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:	
Qualification:	dimension
List of values:	1lq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month Name
Type:	Character
Description:	Month Name
Select equivalent:	DATETIME.TIME_MONTH_NAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Month
List of values:	1lr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day
Type:	Number
Description:	Day
Select equivalent:	DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:	
Qualification:	dimension
List of values:	1ls, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day Name
Type:	Character
Description:	Day Name
Select equivalent:	DATETIME.TIME_DAY_NAME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Day
List of values:	1It, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour
Type:	Number
Description:	Hour
Select equivalent:	DATETIME.TIME_HOUR_ID
Where equivalent:	

Qualification:	dimension
List of values:	1Iu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Id
Type:	Number
Description:	Hour Id
Select equivalent:	DATETIME.TIME_HOUR_ID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Hour
List of values:	1Iv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Hour Description
Type:	Character
Description:	Time Hour Description
Select equivalent:	DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:	

Qualification:	detail
Associated dimension name:	Hour
List of values:	1Iw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Full Date
Type: Date
Description: Full Date
Select equivalent: DATETIME.TIME_FULL_DATE
Where equivalent:

Qualification: dimension
List of values: 1lx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Is Holiday
Type: Character
Description: Time Is Holiday
Select equivalent: DATETIME.TIME_IS_HOLIDAY
Where equivalent:

Qualification: detail
Associated dimension name: Full Date
List of values: 1ly, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Is Weekday
Type: Character
Description: Time Is Weekday
Select equivalent: DATETIME.TIME_IS_WEEKDAY
Where equivalent:

Qualification: detail
Associated dimension name: Full Date
List of values: 1m0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Boundary
Type: Number

Description: Hour Boundary
Select equivalent: DATETIME.HOUR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 1m1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Day Boundary
Type: Number
Description: Day Boundary
Select equivalent: DATETIME.DAY_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 1m2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Week Boundary
Type: Number
Description: Week Boundary
Select equivalent: DATETIME.WEEK_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 1m3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Month Boundary
Type: Number
Description: Month Boundary
Select equivalent: DATETIME.MONTH_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 1m4, editable, manual refresh, not exportable
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Year Boundary
Type:	Number
Description:	Year Boundary
Select equivalent:	DATETIME.YEAR_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	1m5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	SANPool(Block Pool Capacity Statistics)
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	671, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	672, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	673, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	674, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	675, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	676, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	677, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	678, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	679, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	67a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	67b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	67c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	67d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	67e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	67f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	

Qualification:	dimension
List of values:	67g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	

Qualification:	dimension
List of values:	67h, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67j, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)

Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	67t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	67w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Maximum Volume Name Length
Type: Character
Description: Maximum allowed length for Volume Names
Select equivalent: K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 67x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication IP
Type: Character
Description: Replication IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationIP
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 67y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Pools
Type: Character
Description: Replication Pools of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationPools
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 680, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Replication Status

Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	681, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	682, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	683, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	684, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	685, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	686, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	687, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	688, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	689, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	68a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	68b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	68c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	68d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System

Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	68e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	68f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	68g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification: detail
Associated dimension name: Storage System Name
List of values: 68h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 68i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 68j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Pool Name
Type: Character
Description: Block Pool Name
Select equivalent: K_SE_Storage_Pool.SANPoolName
Where equivalent:

Qualification: dimension
List of values: 68k, editable, manual refresh, exportable
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Description
Type:	Character
Description:	Description about Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Pool Name
Type:	Character
Description:	Parent Pool Name
Select equivalent:	K_SE_Storage_Pool.ParentPoolName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GB)
Type:	Number
Description:	Total Available Space in GB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GiB)
Type:	Number
Description:	Total Available Space in GiB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Name
Type:	Character
Description:	Storage Capability Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Common Name
Type:	Character
Description:	Storage Capability Common Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityCommonName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Description
Type:	Character
Description:	Storage Capability Description
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityDescription

Where equivalent:

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	No Single Point Of Failure
Type:	Character
Description:	No Single Point Of Failure
Select equivalent:	K_SE_Storage_Pool.NoSinglePtOfFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default No Single Point Of Failure
Type:	Character
Description:	Default No Single Point Of Failure
Select equivalent:	K_SE_Storage_Pool.DefaultNoSinglePtOfFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy
Select equivalent:	K_SE_Storage_Pool.MinDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name

List of values: 68u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Data Redundancy
Type: Number
Description: Maximum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MaxDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 68v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Data Redundancy
Type: Number
Description: Default Data Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 68w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Spindle Redundancy
Type: Number
Description: Minimum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 68x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Max Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.MaxSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	68y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default Spindle Redundancy
Type:	Number
Description:	Default Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	690, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Delta Reservation
Type:	Number
Description:	Minimum Delta Reservation
Select equivalent:	K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	691, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Delta Reservation
Type:	Number

Description: Maximum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 692, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Delta Reservation
Type: Number
Description: Default Delta Reservation
Select equivalent: K_SE_Storage_Pool.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 693, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit (GB)
Type: Number
Description: Space Limit in GB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGB
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 694, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit (GiB)
Type: Number
Description: Space Limit in GiB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGiB
Where equivalent:

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	695, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit Determination
Type:	Number
Description:	Space Limit Determination
Select equivalent:	K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	696, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Composition
Type:	Character
Description:	Shows type of pool like Internal, External, Hybrid ....
Select equivalent:	K_SE_Storage_Pool.Composition
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	697, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Type
Type:	Character
Description:	Block Pool type - Primordi al, Concrete, Open, Mainfr ame, Snapshot, Reserved, Parent concrete ...
Select equivalent:	K_SE_Storage_Pool.SANPoolType
Where equivalent:	

Qualification:	detail

Associated dimension name:	Block Pool Name
List of values:	698, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	699, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool UUID
Type:	Character
Description:	UUID of the Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolUUID
Where equivalent:	
Qualification:	dimension
List of values:	69a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	69b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	BlockPool(Block Pool Capacity Statistics)

Description:

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	1m6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	1m7, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	1m8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model

Where equivalent:

Qualification: dimension
List of values: 1m9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName
Where equivalent:

Qualification: dimension
List of values: 24p, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Description
Type: Character
Description: Description about Storage System
Select equivalent: K_SE_StorageSystem.Description
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 24r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of th
e storage system such as
CREATED, CONTACTED, MISS
ING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	24t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	24v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	24x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	250, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 252, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 254, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 256, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Has Advanced Retention Management?

Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	258, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25k, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System

Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	25y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	261, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	263, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	265, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	267, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	269, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	26b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 26d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 26f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Roles
Type: Character
Description: Roles of the Storage System
Select equivalent: K_SE_StorageSystem.Roles
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 26h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Owner Name

Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2c8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2ca, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the timestamp of when the storage system was last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	2cc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	26j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	26l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	26n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Name
Type:	Character
Description:	Block Pool Name
Select equivalent:	K_SE_Storage_Pool.SANPoolName
Where equivalent:	

Qualification:	dimension
List of values:	1ma, editable, manual refresh, exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Description
Type:	Character
Description:	Description about Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Pool Name
Type:	Character
Description:	Parent Pool Name
Select equivalent:	K_SE_Storage_Pool.ParentPoolName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GB)
Type:	Number
Description:	Total Available Space in GB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1md, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space (GiB)
Type:	Number
Description:	Total Available Space in GiB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1me, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Name
Type:	Character
Description:	Storage Capability Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Common Name
Type:	Character
Description:	Storage Capability Common Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityCommonName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage Capability Description
Type:	Character
Description:	Storage Capability Description
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityDescription

Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: No Single Point Of Failure
Type: Character
Description: No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.NoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default No Single Point Of Failure
Type: Character
Description: Default No Single Point Of Failure
Select equivalent: K_SE_Storage_Pool.DefaultNoSinglePtOfFailure
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Data Redundancy
Type: Number
Description: Minimum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MinDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name

List of values: 1mk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Max Data Redundancy
Type: Number
Description: Maximum Data Redundancy
Select equivalent: K_SE_Storage_Pool.MaxDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1ml, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Data Redundancy
Type: Number
Description: Default Data Redundancy
Select equivalent: K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Min Spindle Redundancy
Type: Number
Description: Minimum Spindle Redundancy
Select equivalent: K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Max Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.MaxSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Default Spindle Redundancy
Type:	Number
Description:	Default Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Min Delta Reservation
Type:	Number
Description:	Minimum Delta Reservation
Select equivalent:	K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Max Delta Reservation
Type:	Number

Description: Maximum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Default Delta Reservation
Type: Number
Description: Default Delta Reservation
Select equivalent: K_SE_Storage_Pool.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1ms, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit (GB)
Type: Number
Description: Space Limit in GB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGB
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 1mt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Space Limit (GiB)
Type: Number
Description: Space Limit in GiB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGiB
Where equivalent:

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Limit Determination
Type:	Number
Description:	Space Limit Determination
Select equivalent:	K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Composition
Type:	Character
Description:	Shows type of pool like Internal, External, Hybrid ....
Select equivalent:	K_SE_Storage_Pool.Composition
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	1mw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool Type
Type:	Character
Description:	Block Pool type - Primordi al, Concrete, Open, Mainfr ame, Snapshot, Reserved, Parent concrete ...
Select equivalent:	K_SE_Storage_Pool.SANPoolType
Where equivalent:	

Qualification:	detail

Associated dimension name:	Block Pool Name
List of values:	1mx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	26p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Pool UUID
Type:	Character
Description:	UUID of the Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolUUID
Where equivalent:	
Qualification:	dimension
List of values:	1my, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Hourly Block Pool Capacity Statistics
Description:	

Object:	Average Allocated Percentage
Type:	Number
Description:	Average percentage of Allocated capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Percentage
Type:	Number
Description:	Maximum percentage of Allocated capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Percentage
Type:	Number
Description:	Minimum percentage of Allocated capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Allocated Percentage
Type:	Number
Description:	95th Percentile of Allocated capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.Per95AllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Percentage
Type:	Number
Description:	Average percentage of Actual Allocated capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Percentage
Type:	Number
Description:	Maximum percentage of Actual Allocated capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Percentage
Type:	Number
Description:	Minimum percentage of Actual Allocated capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualAllocatedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Actual Allocated Percentage
Type:	Number
Description:	95th Percentile of Actual Allocated capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.Per95ActualAllocatedPct

Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Used Percentage
Type: Number
Description: Average percentage of Actual Used capacity.
Select equivalent: SH_SE_Storage_Pool_Capacity.AvgActualUsedPct
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used Percentage
Type: Number
Description: Maximum percentage of Actual Used capacity.
Select equivalent: SH_SE_Storage_Pool_Capacity.MaxActualUsedPct
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Percentage
Type: Number
Description: Minimum percentage of Actual Used capacity.
Select equivalent: SH_SE_Storage_Pool_Capacity.MinActualUsedPct
Where equivalent:

Qualification: measure
Aggregate function: Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	95 Percentile Actual Used Percentage
Type:	Number
Description:	95th Percentile of Actual Used capacity.
Select equivalent:	SH_SE_Storage_Pool_Capacity.Per95ActualUsedPct
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GiB)
Type:	Number
Description:	Total physical capacity of the Block pool in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GiB)
Type:	Number
Description:	Average physical capacity of the Block pool in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GiB)
Type:	Number
Description:	Maximum physical capacity of the Block pool in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GiB)
Type:	Number
Description:	Minimum physical capacity of the Block pool in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes exported to hosts in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size (GiB)
Type:	Number

Description:	Average logical capacity of volumes exported to hosts in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size (GiB)
Type:	Number
Description:	Maximum logical capacity of volumes exported to hosts in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes exported to hosts in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UnMapped Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes not exported to hosts in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotUnexportedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UnMapped Size (GiB)
Type:	Number
Description:	Average logical capacity of volumes not exported to hosts in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgUnexportedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UnMapped Size (GiB)
Type:	Number
Description:	Maximum logical capacity of volumes not exported to hosts in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxUnexportedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UnMapped Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes not exported to hosts in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinUnexportedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Size (GiB)
Type:	Number
Description:	Total space remaining in the Block pool for provisioning in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotAvailableGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Size (GiB)
Type:	Number
Description:	Average space remaining in the Block pool for provisioning in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgAvailableGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Size (GiB)
Type:	Number
Description:	Maximum space remaining in the Block pool for provisioning in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxAvailableGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Size (GiB)
Type:	Number
Description:	Minimum space remaining in the Block pool for provisioning in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinAvailableGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size (GiB)
Type:	Number
Description:	Average logical capacity o f volumes provisioned fro m Block pool in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size (GiB)
Type:	Number

Description:	Maximum logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual UnMapped Size (GiB)
Type:	Number
Description:	Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual UnMapped Size (GiB)
Type:	Number
Description:	Average amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual UnMapped Size (GiB)
Type:	Number
Description:	Maximum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual UnMapped Size (GiB)
Type:	Number

Description:	Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size (GiB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotRemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size (GiB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume

	s attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgRemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size (GiB)
Type:	Number
Description:	Maximum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxRemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size (GiB)
Type:	Number
Description:	Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed si

	ze.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinRemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Over Allocation Size (GiB)
Type:	Number
Description:	Total Block pool Over allo cated space in GiB. i.e, t otal virtual allocated - (A ctual Allocated + Unalloca ted) size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotOverAllocationGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Over Allocation Size (GiB)
Type:	Number
Description:	Average Block pool Over al located space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallo cated) size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgOverAllocationGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Over Allocation Size (GiB)
Type:	Number
Description:	Maximum Block pool Over a llocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unall ocated) size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxOverAllocationGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Over Allocation Size (GiB)
Type:	Number
Description:	Minimum Block pool Over a llocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unall ocated) size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinOverAllocationGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size (GiB)
Type:	Number
Description:	Total Actual Allocated Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size (GiB)
Type:	Number
Description:	Average Actual Allocated Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size (GiB)
Type:	Number
Description:	Maximum Actual Allocated Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size (GiB)
Type:	Number
Description:	Minimum Actual Allocated Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size (GiB)
Type:	Number
Description:	Total Actual Mapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size (GiB)
Type:	Number
Description:	Average Actual Exported Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size (GiB)
Type:	Number
Description:	Maximum Actual Exported Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size (GiB)
Type:	Number

Description:	Minimum Actual Exported Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size (GiB)
Type:	Number
Description:	Total Actual Used Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size (GiB)
Type:	Number
Description:	Average Actual Used Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size (GiB)
Type:	Number
Description:	Maximum Actual Used Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualUsedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size (GiB)
Type:	Number
Description:	Minimum Actual Used Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualUsedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size (GiB)
Type:	Number
Description:	Total Actual Used Mapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualUsedExportedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size (GiB)
Type:	Number
Description:	Average Actual Used Mapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualUsedExportedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size (GiB)
Type:	Number
Description:	Maximum Actual Used Mapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualUsedExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size (GiB)
Type:	Number
Description:	Minimum Actual Used Mapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualUsedExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Total Actual Used UnMapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Average Actual Used UnMapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Maximum Actual Used UnMapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Minimum Actual Used UnMapped Size in GiB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	Total physical capacity of the Block pool in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotSizeGB

Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Size (GB)
Type: Number
Description: Average physical capacity of the Block pool in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.AvgSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Size (GB)
Type: Number
Description: Maximum physical capacity of the Block pool in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.MaxSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Size (GB)
Type: Number
Description: Minimum physical capacity of the Block pool in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.MinSizeGB
Where equivalent:

Qualification: measure
Aggregate function: Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size (GB)
Type:	Number
Description:	Total logical capacity of volumes exported to hosts in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size (GB)
Type:	Number
Description:	Average logical capacity of volumes exported to hosts in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size (GB)
Type:	Number
Description:	Maximum logical capacity of volumes exported to hosts in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size (GB)
Type:	Number
Description:	Minimum logical capacity of volumes exported to hosts in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UnMapped Size (GB)
Type:	Number
Description:	Total logical capacity of volumes not exported to hosts in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotUnexportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UnMapped Size (GB)
Type:	Number
Description:	Average logical capacity of volumes not exported to hosts in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgUnexportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UnMapped Size (GB)
Type:	Number

Description:	Maximum logical capacity of volumes not exported to hosts in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxUnexportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UnMapped Size (GB)
Type:	Number
Description:	Minimum logical capacity of volumes not exported to hosts in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinUnexportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Size (GB)
Type:	Number
Description:	Total space remaining in the Block pool for provisioning in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotAvailableGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Size (GB)
Type:	Number
Description:	Average space remaining in the Block pool for provisioning in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgAvailableGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Size (GB)
Type:	Number
Description:	Maximum space remaining in the Block pool for provisioning in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxAvailableGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Size (GB)
Type:	Number
Description:	Minimum space remaining in the Block pool for provisioning in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinAvailableGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size (GB)
Type:	Number
Description:	Total logical capacity of volumes provisioned from Block pool in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotProvisionedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size (GB)
Type:	Number
Description:	Average logical capacity o f volumes provisioned fro m Block pool in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size (GB)
Type:	Number
Description:	Maximum logical capacity of volumes provisioned fro m Block pool in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size (GB)
Type:	Number
Description:	Minimum logical capacity o f volumes provisioned fro m Block pool in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual UnMapped Size (GB)
Type:	Number
Description:	Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB.
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual UnMapped Size (GB)
Type:	Number
Description:	Average amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB.
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual UnMapped Size (GB)
Type:	Number
Description:	Maximum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual UnMapped Size (GB)
Type:	Number
Description:	Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac

	e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotRemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgRemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size (GB)
Type:	Number
Description:	Maximum of Total amount o f physical space that is r emaining after the space c onsumed by thinly provisio ned or space efficient vir tual volumes attached to t his pool in GB. i.e, Consu mable size - Consumed siz

	e.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxRemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size (GB)
Type:	Number
Description:	Minimum of Total amount o f physical space that is r emaining after the space c onsumed by thinly provisio ned or space efficient vir tual volumes attached to t his pool in GB. i.e, Consu mable size - Consumed siz e.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinRemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Over Allocation Size (GB)
Type:	Number
Description:	Total Block pool Over allo cated space in GB. i.e, to tal virtual allocated - (Ac tual Allocated + Unallocat ed) size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotOverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Over Allocation Size (GB)
Type:	Number
Description:	Average Block pool Over al located space in GB. i.e, total virtual allocated - (Actual Allocated + Unalloc ated) size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgOverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Over Allocation Size (GB)
Type:	Number
Description:	Maximum Block pool Over a llocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallo cated) size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxOverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Over Allocation Size (GB)
Type:	Number
Description:	Minimum Block pool Over a llocated space in GB. i.e,

	total virtual allocated - (Actual Allocated + Unallocated) size.
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinOverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size (GB)
Type:	Number
Description:	Total Actual Allocated Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size (GB)
Type:	Number
Description:	Average Actual Allocated Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size (GB)
Type:	Number
Description:	Maximum Actual Allocated Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualProvisionedGB

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Allocated Size (GB)
Type: Number
Description: Minimum Actual Allocated Size in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.MinActualProvisionedGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Mapped Size (GB)
Type: Number
Description: Total Actual Mapped Size in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.TotActualExportedGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Mapped Size (GB)
Type: Number
Description: Average Actual Mapped Size in GB
Select equivalent: SH_SE_Storage_Pool_Capacity.AvgActualExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size (GB)
Type:	Number
Description:	Maximum Actual Mapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size (GB)
Type:	Number
Description:	Minimum Actual Mapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size (GB)
Type:	Number
Description:	Total Actual Used Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size (GB)
Type:	Number
Description:	Average Actual Used Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size (GB)
Type:	Number
Description:	Maximum Actual Used Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size (GB)
Type:	Number
Description:	Minimum Actual Used Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size (GB)
Type:	Number

Description:	Total Actual Used Mapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualUsedExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size (GB)
Type:	Number
Description:	Average Actual Used Mapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualUsedExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size (GB)
Type:	Number
Description:	Maximum Actual Used Mapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualUsedExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size (GB)
Type:	Number
Description:	Minimum Actual Used Mapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualUsedExportedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used UnMapped Size (GB)
Type:	Number
Description:	Total Actual Used UnMapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used UnMapped Size (GB)
Type:	Number
Description:	Average Actual Used UnMapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used UnMapped Size (GB)
Type:	Number
Description:	Maximum Actual Used UnMapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used UnMapped Size (GB)
Type:	Number
Description:	Minimum Actual Used UnMapped Size in GB
Select equivalent:	SH_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Raw Block Pool Capacity Statistics
Description:	

Object:	Total Size (GiB)
Type:	Number
Description:	The total physical capacity of the Block pool in GiB
Select equivalent:	SR_SE_Storage_Pool_Capacity.TotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Mapped Size (GiB)
Type:	Number
Description:	The total logical capacity of volumes exported to hosts in GiB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: UnMapped Size (GiB)
Type: Number
Description: The total logical capacity of volumes not exported to hosts in GiB
Select equivalent: SR_SE_Storage_Pool_Capacity.UnexportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Available Size (GiB)
Type: Number
Description: The space remaining in the Block pool for provisioning in GiB
Select equivalent: SR_SE_Storage_Pool_Capacity.AvailableGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Allocated Size (GiB)
Type: Number
Description: The total logical capacity
of volumes provisioned fr
om Block pool in GiB
Select equivalent: SR_SE_Storage_Pool_Capacity.ProvisionedGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Actual Unused Size (GiB)
Type:	Number
Description:	The total amount of physic al space that is remaining after the space consumed by thinly provisioned or space efficient virtual vo lumes attached to this poo l in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	SR_SE_Storage_Pool_Capacity.RemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual UnMapped Size (GiB)
Type:	Number
Description:	The total amount of physic al space that is consumed by thinly provisioned or s pace efficient virtual vol umes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Allocated Size (GiB)
Type:	Number
Description:	Actual Allocated Size in GiB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualProvisionedGiB

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Allocation Size (GiB)
Type:	Number
Description:	Storage pool Over allocate d space in GiB. i.e, total virtual allocated - (Actua l Allocated + Unallocated) size.
Select equivalent:	SR_SE_Storage_Pool_Capacity.OverAllocationGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Size (GiB)
Type:	Number
Description:	Actual Used Size in GiB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualUsedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Mapped Size (GiB)
Type:	Number
Description:	Actual Exported Size in GiB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualExportedGiB

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Used UnMapped Size (GiB)
Type: Number
Description: Actual Used UnMapped Size in GiB
Select equivalent: SR_SE_Storage_Pool_Capacity.ActualUsedUnExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Used Mapped Size (GiB)
Type: Number
Description: Actual Used Mapped Size in GiB
Select equivalent: SR_SE_Storage_Pool_Capacity.ActualUsedExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Mapped Size (GB)
Type: Number
Description: The total logical capacity of volumes exported to hosts in GB
Select equivalent: SR_SE_Storage_Pool_Capacity.ExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	The total physical capacity of the storage pool in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.TotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Available Size (GB)
Type:	Number
Description:	The space remaining in the Block pool for provisioning in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.AvailableGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	UnMapped Size (GB)
Type:	Number
Description:	The total logical capacity of volumes not exported to hosts in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.UnexportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Allocated Size (GB)
Type:	Number
Description:	The total logical capacity of volumes provisioned from storage pool in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual UnMapped Size (GB)
Type:	Number
Description:	The total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB.
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Unused Size (GB)
Type:	Number
Description:	The total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this poo

	l in GB. i.e, Consumable s ize - Consumed size.
Select equivalent:	SR_SE_Storage_Pool_Capacity.RemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Allocation Size (GB)
Type:	Number
Description:	Storage pool Over allocate d space in GB. i.e, total virtual allocated - (Actua l Allocated + Unallocated) size.
Select equivalent:	SR_SE_Storage_Pool_Capacity.OverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Allocated Size (GB)
Type:	Number
Description:	Actual Allocated Size in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Mapped Size (GB)

Type:	Number
Description:	Actual Exported Size in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Size (GB)
Type:	Number
Description:	Actual Used Size in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used Mapped Size (GB)
Type:	Number
Description:	Actual Used Mapped Size in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualUsedExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Used UnMapped Size (GB)
Type:	Number
Description:	Actual Used UnMapped Size in GB
Select equivalent:	SR_SE_Storage_Pool_Capacity.ActualUsedUnExportedGB
Where equivalent:	

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: HourlyOLAP-Block Pool Capacity Statistics
Description:

Object: Average Allocated Percentage
Type: Number
Description: Average percentage of Allocated capacity.
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgAllocatedPct)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Allocated Percentage
Type: Number
Description: Maximum percentage of Allocated capacity.
Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxAllocatedPct)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Allocated Percentage
Type: Number
Description: Minimum percentage of Allocated capacity.
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinAllocatedPct)
Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Percentage
Type:	Number
Description:	Average percentage of Actual Allocated capacity.
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualAllocatedPct)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Percentage
Type:	Number
Description:	Maximum percentage of Actual Allocated capacity.
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualAllocatedPct)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Percentage
Type:	Number
Description:	Minimum percentage of Actual Allocated capacity.
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualAllocatedPct)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Percentage
Type:	Number
Description:	Average percentage of Actual Used capacity.
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Percentage
Type:	Number
Description:	Maximum percentage of Actual Used capacity.
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUsedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Percentage
Type:	Number
Description:	Minimum percentage of Actual Used capacity.
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualUsedPct)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GiB)
Type:	Number
Description:	Total physical capacity of the Block pool in GiB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GiB)
Type:	Number
Description:	Average physical capacity of the Block pool in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GiB)
Type:	Number
Description:	Maximum physical capacity of the Block pool in GiB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GiB)
Type:	Number
Description:	Minimum physical capacity of the Block pool in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinSizeGiB)

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Mapped Size (GiB)
Type: Number
Description: Total logical capacity of volumes exported to hosts in GiB
Select equivalent: sum(SH_SE_Storage_Pool_Capacity.TotExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Mapped Size (GiB)
Type: Number
Description: Average logical capacity of volumes exported to hosts in GiB
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Mapped Size (GiB)
Type: Number
Description: Maximum logical capacity of volumes exported to hosts in GiB
Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes exported to hosts in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UnMapped Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes not exported to hosts in GiB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotUnexportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UnMapped Size (GiB)
Type:	Number
Description:	Average logical capacity of volumes not exported to hosts in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgUnexportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UnMapped Size (GiB)
Type:	Number
Description:	Maximum logical capacity of volumes not exported to hosts in GiB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxUnexportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UnMapped Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes not exported to hosts in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinUnexportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Size (GiB)
Type:	Number
Description:	Total space remaining in the Block pool for provisioning in GiB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotAvailableGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Size (GiB)
Type:	Number

Description:	Average space remaining in the Block pool for provisioning in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgAvailableGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Size (GiB)
Type:	Number
Description:	Maximum space remaining in the Block pool for provisioning in GiB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxAvailableGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Size (GiB)
Type:	Number
Description:	Minimum space remaining in the Block pool for provisioning in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinAvailableGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotProvisionedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size (GiB)
Type:	Number
Description:	Average logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgProvisionedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size (GiB)
Type:	Number
Description:	Maximum logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxProvisionedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinProvisionedGiB)

Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual UnMapped Size (GiB)
Type:	Number
Description:	Total amount of physical s pace that is consumed by t hinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB.
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualUnMappedGiB)

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual UnMapped Size (GiB)
Type:	Number
Description:	Average amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualUnMappedGiB)

Where equivalent:

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual UnMapped Size (GiB)
Type:	Number
Description:	Maximum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUnMappedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual UnMapped Size (GiB)
Type:	Number
Description:	Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualUnMappedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size (GiB)
Type:	Number

Description:	Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotRemainingGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size (GiB)
Type:	Number
Description:	Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgRemainingGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size (GiB)
Type:	Number
Description:	Maximum of Total amount of physical space that is remaining after the space consumed by thinly provisio

	ned or space efficient vir tual volumes attached to t his pool in GiB. i.e, Cons umable size - Consumed si ze.
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxRemainingGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size (GiB)
Type:	Number
Description:	Minimum of Total amount o f physical space that is r emaining after the space c onsumed by thinly provisio ned or space efficient vir tual volumes attached to t his pool in GiB. i.e, Cons umable size - Consumed si ze.
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinRemainingGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Over Allocation Size (GiB)
Type:	Number
Description:	Total Block pool Over allo cated space in GiB. i.e, t otal virtual allocated - (A ctual Allocated + Unalloca ted) size.
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotOverAllocationGiB)

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Over Allocation Size (GiB)
Type:	Number
Description:	Average Block pool Over al located space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallo cated) size.
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgOverAllocationGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Over Allocation Size (GiB)
Type:	Number
Description:	Maximum Block pool Over a llocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unall ocated) size.
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxOverAllocationGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Over Allocation Size (GiB)
Type:	Number
Description:	Minimum Block pool Over a llocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unall ocated) size.
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinOverAllocationGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size (GiB)
Type:	Number
Description:	Total Actual Allocated Size in GiB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualProvisionedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size (GiB)
Type:	Number
Description:	Average Actual Allocated Size in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualProvisionedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size (GiB)
Type:	Number
Description:	Maximum Actual Allocated Size in GiB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualProvisionedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size (GiB)
Type:	Number
Description:	Minimum Actual Allocated Size in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualProvisionedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size (GiB)
Type:	Number
Description:	Total Actual Mapped Size in GiB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size (GiB)
Type:	Number
Description:	Average Actual Mapped Size in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualExportedGiB)

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Mapped Size (GiB)
Type: Number
Description: Maximum Actual Mapped Size in GiB
Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxActualExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Mapped Size (GiB)
Type: Number
Description: Minimum Actual Mapped Size in GiB
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinActualExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Size (GiB)
Type: Number
Description: Total Actual Used Size in GiB
Select equivalent: sum(SH_SE_Storage_Pool_Capacity.TotActualUsedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size (GiB)
Type:	Number
Description:	Average Actual Used Size in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size (GiB)
Type:	Number
Description:	Maximum Actual Used Size in GiB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size (GiB)
Type:	Number
Description:	Minimum Actual Used Size in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size (GiB)
Type:	Number
Description:	Total Actual Used Mapped Size in GiB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualUsedExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size (GiB)
Type:	Number
Description:	Average Actual Used Mapped Size in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size (GiB)
Type:	Number
Description:	Maximum Actual Used Mapped Size in GiB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUsedExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size (GiB)
Type:	Number

Description:	Minimum Actual Used Mapped Size in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualUsedExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Total Actual Used UnMapped Size in GiB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Average Actual Used UnMapped Size in GiB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Maximum Actual Used UnMapped Size in GiB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Minimum Actual Used UnMapped Size in GiB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	Total physical capacity of the Block pool in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GB)
Type:	Number
Description:	Average physical capacity of the Block pool in GB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgSizeGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GB)
Type:	Number
Description:	Maximum physical capacity of the Block pool in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GB)
Type:	Number
Description:	Minimum physical capacity of the Block pool in GB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size (GB)
Type:	Number
Description:	Total logical capacity of volumes exported to hosts in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size (GB)
Type:	Number
Description:	Average logical capacity of volumes exported to hosts in GB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size (GB)
Type:	Number
Description:	Maximum logical capacity of volumes exported to hosts in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size (GB)
Type:	Number
Description:	Minimum logical capacity of volumes exported to hosts in GB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UnMapped Size (GB)
Type:	Number
Description:	Total logical capacity of volumes not exported to hosts in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotUnexportedGB)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UnMapped Size (GB)
Type: Number
Description: Average logical capacity of volumes not exported to hosts in GB
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgUnexportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UnMapped Size (GB)
Type: Number
Description: Maximum logical capacity of volumes not exported to hosts in GB
Select equivalent: max(SH_SE_Storage_Pool_Capacity.MaxUnexportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UnMapped Size (GB)
Type: Number
Description: Minimum logical capacity of volumes not exported to hosts in GB
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinUnexportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Size (GB)
Type:	Number
Description:	Total space remaining in the Block pool for provisioning in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotAvailableGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Size (GB)
Type:	Number
Description:	Average space remaining in the Block pool for provisioning in GB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgAvailableGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Size (GB)
Type:	Number
Description:	Maximum space remaining in the Block pool for provisioning in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxAvailableGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Size (GB)
Type:	Number
Description:	Minimum space remaining in the Block pool for provisioning in GB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinAvailableGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size (GB)
Type:	Number
Description:	Total logical capacity of volumes provisioned from Block pool in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size (GB)
Type:	Number
Description:	Average logical capacity o f volumes provisioned fro m Block pool in GB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size (GB)
Type:	Number
Description:	Maximum logical capacity of volumes provisioned fro m Block pool in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size (GB)
Type:	Number
Description:	Minimum logical capacity o f volumes provisioned fro m Block pool in GB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual UnMapped Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is consumed by t hinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB.
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualUnMappedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual UnMapped Size (GB)
Type:	Number
Description:	Average amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualUnMappedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual UnMapped Size (GB)
Type:	Number
Description:	Maximum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUnMappedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual UnMapped Size (GB)
Type:	Number
Description:	Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualUnMappedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotRemainingGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by

	thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgRemainingGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size (GB)
Type:	Number
Description:	Maximum of Total amount o f physical space that is r emaining after the space c onsumed by thinly provisio ned or space efficient vir tual volumes attached to t his pool in GB. i.e, Consu mable size - Consumed siz e.
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxRemainingGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size (GB)
Type:	Number
Description:	Minimum of Total amount o f physical space that is r emaining after the space c onsumed by thinly provisio ned or space efficient vir tual volumes attached to t

	his pool in GB. i.e, Consu mable size - Consumed siz e.
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinRemainingGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Over Allocation Size (GB)
Type:	Number
Description:	Total Block pool Over allo cated space in GB. i.e, to tal virtual allocated - (Ac tual Allocated + Unallocat ed) size.
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotOverAllocationGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Over Allocation Size (GB)
Type:	Number
Description:	Average Block pool Over al located space in GB. i.e, total virtual allocated - (Actual Allocated + Unalloc ated) size.
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgOverAllocationGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Over Allocation Size (GB)
Type:	Number
Description:	Maximum Block pool Over a llocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallo cated) size.
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxOverAllocationGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Over Allocation Size (GB)
Type:	Number
Description:	Minimum Block pool Over a llocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallo cated) size.
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinOverAllocationGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size (GB)
Type:	Number
Description:	Total Actual Allocated Size in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualProvisionedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size (GB)
Type:	Number
Description:	Average Actual Allocated Size in GB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualProvisionedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size (GB)
Type:	Number
Description:	Maximum Actual Allocated Size in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualProvisionedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size (GB)
Type:	Number
Description:	Minimum Actual Allocated Size in GB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualProvisionedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size (GB)
Type:	Number
Description:	Total Actual Mapped Size in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size (GB)
Type:	Number
Description:	Average Actual Mapped Size in GB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size (GB)
Type:	Number
Description:	Maximum Actual Mapped Size in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size (GB)
Type:	Number
Description:	Minimum Actual Mapped Size in GB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size (GB)
Type:	Number
Description:	Total Actual Used Size in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size (GB)
Type:	Number
Description:	Average Actual Used Size in GB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size (GB)
Type:	Number
Description:	Maximum Actual Used Size in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUsedGB)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Used Size (GB)
Type: Number
Description: Minimum Actual Used Size in GB
Select equivalent: min(SH_SE_Storage_Pool_Capacity.MinActualUsedGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Mapped Size (GB)
Type: Number
Description: Total Actual Used Mapped Size in GB
Select equivalent: sum(SH_SE_Storage_Pool_Capacity.TotActualUsedExportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Used Mapped Size (GB)
Type: Number
Description: Average Actual Used Mapped Size in GB
Select equivalent: avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedExportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size (GB)
Type:	Number
Description:	Maximum Actual Used Mapped Size in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUsedExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size (GB)
Type:	Number
Description:	Minimum Actual Used Mapped Size in GB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualUsedExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used UnMapped Size (GB)
Type:	Number
Description:	Total Actual Used UnMapped Size in GB
Select equivalent:	sum(SH_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used UnMapped Size (GB)
Type:	Number
Description:	Average Actual Used UnMapped Size in GB
Select equivalent:	avg(SH_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used UnMapped Size (GB)
Type:	Number
Description:	Maximum Actual Used UnMapped Size in GB
Select equivalent:	max(SH_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used UnMapped Size (GB)
Type:	Number
Description:	Minimum Actual Used UnMapped Size in GB
Select equivalent:	min(SH_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Daily Block Pool Capacity Statistics
Description:	

Object:	Total Size (GiB)
Type:	Number
Description:	Total physical capacity of the Block pool in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GiB)
Type:	Number
Description:	Average physical capacity of the Block pool in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GiB)
Type:	Number
Description:	Maximum physical capacity of the Block pool in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GiB)
Type:	Number
Description:	Minimum physical capacity of the Block pool in GiB

Select equivalent:	SD_SE_Storage_Pool_Capacity.MinSizeGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes exported to hosts in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size (GiB)
Type:	Number
Description:	Average logical capacity of volumes exported to hosts in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size (GiB)
Type:	Number
Description:	Maximum logical capacity of volumes exported to hosts in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxExportedGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes exported to hosts in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UnMapped Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes not exported to hosts in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotUnexportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UnMapped Size (GiB)
Type:	Number
Description:	Average logical capacity of volumes not exported to hosts in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgUnexportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Maximum UnMapped Size (GiB)
Type: Number
Description: Maximum logical capacity of volumes not exported to hosts in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MaxUnexportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UnMapped Size (GiB)
Type: Number
Description: Minimum logical capacity of volumes not exported to hosts in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MinUnexportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Available Size (GiB)
Type: Number
Description: Total space remaining in the Block pool for provisioning in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotAvailableGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Available Size (GiB)

Type:	Number
Description:	Average space remaining in the Block pool for provisioning in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgAvailableGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Size (GiB)
Type:	Number
Description:	Maximum space remaining in the Block pool for provisioning in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxAvailableGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Size (GiB)
Type:	Number
Description:	Minimum space remaining in the Block pool for provisioning in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinAvailableGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotProvisionedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size (GiB)
Type:	Number
Description:	Average logical capacity o f volumes provisioned fro m Block pool in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgProvisionedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size (GiB)
Type:	Number
Description:	Maximum logical capacity of volumes provisioned fro m Block pool in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxProvisionedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size (GiB)
Type:	Number
Description:	Minimum logical capacity o f volumes provisioned fro m Block pool in GiB

Select equivalent:	SD_SE_Storage_Pool_Capacity.MinProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual UnMapped Size (GiB)
Type:	Number
Description:	Total amount of physical s pace that is consumed by t hinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual UnMapped Size (GiB)
Type:	Number
Description:	Average amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual UnMapped Size (GiB)
Type:	Number
Description:	Maximum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual UnMapped Size (GiB)
Type:	Number
Description:	Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualUnMappedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size (GiB)

Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotRemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Average Actual Unused Size (GiB)

Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgRemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Maximum Actual Unused Size (GiB)

Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by

	thinly provisioned or spac e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxRemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size (GiB)
Type:	Number
Description:	Minimum of Total amount o f physical space that is r emaining after the space c onsumed by thinly provisio ned or space efficient vir tual volumes attached to t his pool in GiB. i.e, Cons umable size - Consumed si ze.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinRemainingGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Over Allocation Size (GiB)
Type:	Number
Description:	Total storage pool Over al located space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallo cated) size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotOverAllocationGiB

Where equivalent:

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Over Allocation Size (GiB)
Type:	Number
Description:	Average storage pool Over allocated space in GiB. i .e, total virtual allocated - (Actual Allocated + Una llocated) size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgOverAllocationGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Over Allocation Size (GiB)
Type:	Number
Description:	Maximim storage pool Over allocated space in GiB. i .e, total virtual allocated - (Actual Allocated + Una llocated) size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxOverAllocationGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Over Allocation Size (GiB)
Type:	Number
Description:	Minimum Block pool Over a llocated space in GiB. i.e , total virtual allocated - (Actual Allocated + Unall ocated) size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinOverAllocationGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size (GiB)
Type:	Number
Description:	Total Actual Allocated Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size (GiB)
Type:	Number
Description:	Average Actual Allocated Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size (GiB)
Type:	Number
Description:	Maximum Actual Allocated Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size (GiB)
Type:	Number
Description:	Minimum Actual Allocated Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualProvisionedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size (GiB)
Type:	Number
Description:	Total Actual Mapped Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size (GiB)
Type:	Number
Description:	Average Actual Mapped Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualExportedGiB

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Mapped Size (GiB)
Type: Number
Description: Maximum Actual Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MaxActualExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Mapped Size (GiB)
Type: Number
Description: Minimum Actual Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MinActualExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used Size (GiB)
Type: Number
Description: Total Actual Used Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotActualUsedGiB
Where equivalent:

Qualification: measure
Aggregate function: None

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size (GiB)
Type:	Number
Description:	Average Actual Used Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size (GiB)
Type:	Number
Description:	Maximum Actual Used Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size (GiB)
Type:	Number
Description:	Minimum Actual Used Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualUsedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size (GiB)
Type:	Number
Description:	Total Actual Used Mapped Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualUsedExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size (GiB)
Type:	Number
Description:	Average Actual Used Mapped Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualUsedExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size (GiB)
Type:	Number
Description:	Maximum Actual Used Mapped Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualUsedExportedGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size (GiB)
Type:	Number

Description: Minimum Actual Used Mapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MinActualUsedExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Actual Used UnMapped Size (GiB)
Type: Number
Description: Total Actual Used UnMapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Used UnMapped Size (GiB)
Type: Number
Description: Average Actual Used UnMapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Used UnMapped Size (GiB)
Type: Number
Description: Maximum Actual Used UnMapped Size in GiB
Select equivalent: SD_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGiB
Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Minimum Actual Used UnMapped Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	Total physical capacity of the storage pool in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GB)
Type:	Number
Description:	Average physical capacity of the storage pool in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgSizeGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GB)
Type:	Number
Description:	Maximum physical capacity of the storage pool in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GB)
Type:	Number
Description:	Minimum physical capacity of the Block pool in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinSizeGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Mapped Size (GB)
Type:	Number
Description:	Total logical capacity of volumes exported to hosts in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Mapped Size (GB)
Type:	Number
Description:	Average logical capacity of volumes exported to hosts in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size (GB)
Type:	Number
Description:	Maximum logical capacity of volumes exported to hosts in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size (GB)
Type:	Number
Description:	Minimum logical capacity of volumes exported to hosts in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UnMapped Size (GB)
Type:	Number
Description:	Total logical capacity of volumes not exported to hosts in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotUnexportedGB

Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UnMapped Size (GB)
Type: Number
Description: Average logical capacity of volumes not exported to hosts in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.AvgUnexportedGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UnMapped Size (GB)
Type: Number
Description: Maximum logical capacity of volumes not exported to hosts in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.MaxUnexportedGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UnMapped Size (GB)
Type: Number
Description: Minimum logical capacity of volumes not exported to hosts in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.MinUnexportedGB
Where equivalent:

Qualification: measure
Aggregate function: Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Size (GB)
Type:	Number
Description:	Total space remaining in the storage pool for provisioning in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotAvailableGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Size (GB)
Type:	Number
Description:	Average space remaining in the storage pool for provisioning in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgAvailableGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Size (GB)
Type:	Number
Description:	Maximum space remaining in the storage pool for provisioning in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxAvailableGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Size (GB)
Type:	Number
Description:	Minimum space remaining in the Block pool for provisioning in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinAvailableGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size (GB)
Type:	Number
Description:	Total logical capacity of volumes provisioned from storage pool in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size (GB)
Type:	Number
Description:	Average logical capacity o f volumes provisioned fro m storage pool in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size (GB)
Type:	Number
Description:	Maximum logical capacity of volumes provisioned from storage pool in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size (GB)
Type:	Number
Description:	Minimum logical capacity of volumes provisioned from Block pool in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual UnMapped Size (GB)
Type:	Number
Description:	Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB.
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual UnMapped Size (GB)
Type:	Number
Description:	Average amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual UnMapped Size (GB)
Type:	Number
Description:	Maximum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual UnMapped Size (GB)
Type:	Number
Description:	Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualUnMappedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotRemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by

	thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgRemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxRemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size (GB)
Type:	Number
Description:	Minimum of Total amount o f physical space that is r emaining after the space c onsumed by thinly provisio ned or space efficient vir tual volumes attached to t his pool in GB. i.e, Consu

	mable size - Consumed siz e.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinRemainingGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Over Allocation Size (GB)
Type:	Number
Description:	Total storage pool Over al located space in GB. i.e, total virtual allocated - (Actual Allocated + Unalloc ated) size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotOverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Over Allocation Size (GB)
Type:	Number
Description:	Average storage pool Over allocated space in GB. i. e, total virtual allocated - (Actual Allocated + Unal located) size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgOverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Maximum Over Allocation Size (GB)
Type:	Number
Description:	Maximim storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxOverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Over Allocation Size (GB)
Type:	Number
Description:	Minimum Block pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinOverAllocationGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size (GB)
Type:	Number
Description:	Total Actual Allocated Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualProvisionedGB
Where equivalent:	
Qualification:	measure

Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size (GB)
Type:	Number
Description:	Average Actual Allocated Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size (GB)
Type:	Number
Description:	Maximum Actual Allocated Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size (GB)
Type:	Number
Description:	Minimum Actual Allocated Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualProvisionedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Total Actual Mapped Size (GB)
Type: Number
Description: Total Actual Mapped Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.TotActualExportedGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Actual Mapped Size (GB)
Type: Number
Description: Average Actual Mapped Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.AvgActualExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Actual Mapped Size (GB)
Type: Number
Description: Maximum Actual Mapped Size in GB
Select equivalent: SD_SE_Storage_Pool_Capacity.MaxActualExportedGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Actual Mapped Size (GB)

Type:	Number
Description:	Minimum Actual Mapped Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size (GB)
Type:	Number
Description:	Total Actual Used Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size (GB)
Type:	Number
Description:	Average Actual Used Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualUsedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size (GB)
Type:	Number
Description:	Maximum Actual Used Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualUsedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size (GB)
Type:	Number
Description:	Minimum Actual Used Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualUsedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size (GB)
Type:	Number
Description:	Total Actual Used Mapped Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualUsedExportedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size (GB)
Type:	Number
Description:	Average Actual Used Mapped Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualUsedExportedGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size (GB)
Type:	Number
Description:	Maximum Actual Used Mapped Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualUsedExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size (GB)
Type:	Number
Description:	Minimum Actual Used Mapped Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualUsedExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used UnMapped Size (GB)
Type:	Number
Description:	Total Actual Used UnMapped Size in GiB
Select equivalent:	SD_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used UnMapped Size (GB)
Type:	Number
Description:	Average Actual Used UnMapped Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used UnMapped Size (GB)
Type:	Number
Description:	Maximum Actual Used UnMapped Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used UnMapped Size (GB)
Type:	Number
Description:	Minimum Actual Used UnMapped Size in GB
Select equivalent:	SD_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DailyOLAP-Block Pool Capacity Statistics
Description:	

Object:	Total Size (GiB)
Type:	Number
Description:	Total physical capacity of the Block pool in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GiB)
Type:	Number
Description:	Average physical capacity of the Block pool in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Size (GiB)
Type:	Number
Description:	Maximum physical capacity of the Block pool in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxSizeGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Size (GiB)
Type:	Number
Description:	Minimum physical capacity of the Block pool in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinSizeGiB)

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Mapped Size (GiB)
Type: Number
Description: Total logical capacity of volumes exported to hosts in GiB
Select equivalent: sum(SD_SE_Storage_Pool_Capacity.TotExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Mapped Size (GiB)
Type: Number
Description: Average logical capacity of volumes exported to hosts in GiB
Select equivalent: avg(SD_SE_Storage_Pool_Capacity.AvgExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Mapped Size (GiB)
Type: Number
Description: Maximum logical capacity of volumes exported to hosts in GiB
Select equivalent: max(SD_SE_Storage_Pool_Capacity.MaxExportedGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes exported to hosts in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UnMapped Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes not exported to hosts in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotUnexportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UnMapped Size (GiB)
Type:	Number
Description:	Average logical capacity of volumes not exported to hosts in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgUnexportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UnMapped Size (GiB)
Type:	Number
Description:	Maximum logical capacity of volumes not exported to hosts in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxUnexportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UnMapped Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes not exported to hosts in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinUnexportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Size (GiB)
Type:	Number
Description:	Total space remaining in the Block pool for provisioning in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotAvailableGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Size (GiB)
Type:	Number

Description:	Average space remaining in the Block pool for provisioning in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgAvailableGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Size (GiB)
Type:	Number
Description:	Maximum space remaining in the Block pool for provisioning in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxAvailableGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Size (GiB)
Type:	Number
Description:	Minimum space remaining in the Block pool for provisioning in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinAvailableGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size (GiB)
Type:	Number
Description:	Total logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotProvisionedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size (GiB)
Type:	Number
Description:	Average logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgProvisionedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size (GiB)
Type:	Number
Description:	Maximum logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxProvisionedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Allocated Size (GiB)
Type:	Number
Description:	Minimum logical capacity of volumes provisioned from Block pool in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinProvisionedGiB)

Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual UnMapped Size (GiB)
Type:	Number
Description:	Total amount of physical s pace that is consumed by t hinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GiB.
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualUnMappedGiB)

Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual UnMapped Size (GiB)
Type:	Number
Description:	Average amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualUnMappedGiB)

Where equivalent:

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual UnMapped Size (GiB)
Type:	Number
Description:	Maximum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualUnMappedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual UnMapped Size (GiB)
Type:	Number
Description:	Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GiB.
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualUnMappedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size (GiB)
Type:	Number

Description:	Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotRemainingGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Average Actual Unused Size (GiB)

Object:	Average Actual Unused Size (GiB)
Type:	Number
Description:	Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgRemainingGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Maximum Actual Unused Size (GiB)

Object:	Maximum Actual Unused Size (GiB)
Type:	Number
Description:	Total amount of physical space that is remaining after the space consumed by thinly provisioned or spac

	e efficient virtual volume s attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxRemainingGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size (GiB)
Type:	Number
Description:	Minimum of Total amount of physical space that is remaining after the space consumed by thinly provisioned or space efficient virtual volumes attached to this pool in GiB. i.e, Consumable size - Consumed size.
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinRemainingGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Over Allocation Size (GiB)
Type:	Number
Description:	Total storage pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotOverAllocationGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Over Allocation Size (GiB)
Type:	Number
Description:	Average storage pool Over allocated space in GiB. i .e, total virtual allocated - (Actual Allocated + Una llocated) size.
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgOverAllocationGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Over Allocation Size (GiB)
Type:	Number
Description:	Maximim storage pool Over allocated space in GiB. i .e, total virtual allocated - (Actual Allocated + Una llocated) size.
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxOverAllocationGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Over Allocation Size (GiB)

Type:	Number
Description:	Minimum Block pool Over allocated space in GiB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinOverAllocationGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Total Actual Allocated Size (GiB)

Type:	Number
Description:	Total Actual Allocated Size in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualProvisionedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Average Actual Allocated Size (GiB)

Type:	Number
Description:	Average Actual Allocated Size in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualProvisionedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Maximum Actual Allocated Size (GiB)

Type:	Number
Description:	Maximum Actual Allocated Size in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualProvisionedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size (GiB)
Type:	Number
Description:	Minimum Actual Allocated Size in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualProvisionedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size (GiB)
Type:	Number
Description:	Total Actual Mapped Size in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size (GiB)
Type:	Number
Description:	Average Actual Mapped Size in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualExportedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size (GiB)
Type:	Number
Description:	Maximum Actual Mapped Size in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualExportedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size (GiB)
Type:	Number
Description:	Minimum Actual Mapped Size in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualExportedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size (GiB)
Type:	Number
Description:	Total Actual Used Size in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualUsedGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size (GiB)
Type:	Number
Description:	Average Actual Used Size in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size (GiB)
Type:	Number
Description:	Maximum Actual Used Size in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size (GiB)
Type:	Number
Description:	Minimum Actual Used Size in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualUsedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size (GiB)
Type:	Number
Description:	Total Actual Used Mapped Size in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualUsedExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size (GiB)
Type:	Number
Description:	Average Actual Used Mapped Size in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size (GiB)
Type:	Number
Description:	Maximum Actual Used Mapped Size in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualUsedExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size (GiB)
Type:	Number
Description:	Minimum Actual Used Mapped Size in GiB

Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualUsedExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Total Actual Used UnMapped Size in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Average Actual Used UnMapped Size in GiB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Maximum Actual Used UnMapped Size in GiB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGiB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used UnMapped Size (GiB)
Type:	Number
Description:	Minimum Actual Used UnMapped Size in GiB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Size (GB)
Type:	Number
Description:	Total physical capacity of the storage pool in GB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Size (GB)
Type:	Number
Description:	Average physical capacity of the storage pool in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgSizeGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Maximum Size (GB)
Type: Number
Description: Maximum physical capacity of the storage pool in GB
Select equivalent: max(SD_SE_Storage_Pool_Capacity.MaxSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Size (GB)
Type: Number
Description: Minimum physical capacity of the Block pool in GB
Select equivalent: min(SD_SE_Storage_Pool_Capacity.MinSizeGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Mapped Size (GB)
Type: Number
Description: Total logical capacity of volumes exported to hosts in GB
Select equivalent: sum(SD_SE_Storage_Pool_Capacity.TotExportedGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Mapped Size (GB)

Type:	Number
Description:	Average logical capacity of volumes exported to hosts in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Mapped Size (GB)
Type:	Number
Description:	Maximum logical capacity of volumes exported to hosts in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Mapped Size (GB)
Type:	Number
Description:	Minimum logical capacity of volumes exported to hosts in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UnMapped Size (GB)
Type:	Number
Description:	Total logical capacity of volumes not exported to hosts in GB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotUnexportedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UnMapped Size (GB)
Type:	Number
Description:	Average logical capacity of volumes not exported to hosts in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgUnexportedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UnMapped Size (GB)
Type:	Number
Description:	Maximum logical capacity of volumes not exported to hosts in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxUnexportedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UnMapped Size (GB)
Type:	Number
Description:	Minimum logical capacity of volumes not exported to hosts in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinUnexportedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Size (GB)
Type:	Number
Description:	Total space remaining in the storage pool for provisioning in GB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotAvailableGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Size (GB)
Type:	Number
Description:	Average space remaining in the storage pool for provisioning in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgAvailableGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Size (GB)
Type:	Number
Description:	Maximum space remaining in the storage pool for provisioning in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxAvailableGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Size (GB)
Type:	Number
Description:	Minimum space remaining in the Block pool for provisioning in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinAvailableGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Allocated Size (GB)
Type:	Number
Description:	Total logical capacity of volumes provisioned from storage pool in GB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Allocated Size (GB)
Type:	Number
Description:	Average logical capacity o f volumes provisioned fro m storage pool in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Allocated Size (GB)

Type:	Number
Description:	Maximum logical capacity of volumes provisioned from storage pool in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Minimum Allocated Size (GB)

Type:	Number
Description:	Minimum logical capacity of volumes provisioned from Block pool in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Total Actual UnMapped Size (GB)

Type:	Number
Description:	Total amount of physical space that is consumed by thinly provisioned or space efficient virtual volumes attached to this pool and not exported to hosts in GB.
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualUnMappedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual UnMapped Size (GB)
Type:	Number
Description:	Average amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualUnMappedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual UnMapped Size (GB)
Type:	Number
Description:	Maximum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualUnMappedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual UnMapped Size (GB)

Type:	Number
Description:	Minimum amount of physica l space that is consumed b y thinly provisioned or sp ace efficient virtual volu mes attached to this pool and not exported to hosts in GB.
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualUnMappedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotRemainingGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac

	e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgRemainingGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Unused Size (GB)
Type:	Number
Description:	Total amount of physical s pace that is remaining aft er the space consumed by thinly provisioned or spac e efficient virtual volume s attached to this pool in GB. i.e, Consumable size - Consumed size.
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxRemainingGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Unused Size (GB)
Type:	Number
Description:	Minimum of Total amount o f physical space that is r emaining after the space c onsumed by thinly provisio ned or space efficient vir tual volumes attached to t his pool in GB. i.e, Consu mable size - Consumed siz

	e.
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinRemainingGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Over Allocation Size (GB)
Type:	Number
Description:	Total storage pool Over al located space in GB. i.e, total virtual allocated - (Actual Allocated + Unalloc ated) size.
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotOverAllocationGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Over Allocation Size (GB)
Type:	Number
Description:	Average storage pool Over allocated space in GB. i. e, total virtual allocated - (Actual Allocated + Unal located) size.
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgOverAllocationGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Over Allocation Size (GB)
Type:	Number
Description:	Maximim storage pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxOverAllocationGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Over Allocation Size (GB)
Type:	Number
Description:	Minimum Block pool Over allocated space in GB. i.e, total virtual allocated - (Actual Allocated + Unallocated) size.
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinOverAllocationGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Allocated Size (GB)
Type:	Number
Description:	Total Actual Allocated Size in GB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Allocated Size (GB)
Type:	Number
Description:	Average Actual Allocated Size in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Allocated Size (GB)
Type:	Number
Description:	Maximum Actual Allocated Size in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Allocated Size (GB)
Type:	Number
Description:	Minimum Actual Allocated Size in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualProvisionedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Mapped Size (GB)
Type:	Number
Description:	Total Actual Mapped Size in GB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Mapped Size (GB)
Type:	Number
Description:	Average Actual Mapped Size in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Mapped Size (GB)
Type:	Number
Description:	Maximum Actual Mapped Size in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Mapped Size (GB)
Type:	Number

Description:	Minimum Actual Mapped Size in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Size (GB)
Type:	Number
Description:	Total Actual Used Size in GB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Size (GB)
Type:	Number
Description:	Average Actual Used Size in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Size (GB)
Type:	Number
Description:	Maximum Actual Used Size in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualUsedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Size (GB)
Type:	Number
Description:	Minimum Actual Used Size in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualUsedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used Mapped Size (GB)
Type:	Number
Description:	Total Actual Used Mapped Size in GB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualUsedExportedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used Mapped Size (GB)
Type:	Number
Description:	Average Actual Used Mapped Size in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedExportedGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used Mapped Size (GB)
Type:	Number
Description:	Maximum Actual Used Mapped Size in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualUsedExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used Mapped Size (GB)
Type:	Number
Description:	Minimum Actual Used Mapped Size in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualUsedExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Actual Used UnMapped Size (GB)
Type:	Number
Description:	Total Actual Used UnMapped Size in GiB
Select equivalent:	sum(SD_SE_Storage_Pool_Capacity.TotActualUsedUnExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Actual Used UnMapped Size (GB)
Type:	Number
Description:	Average Actual Used UnMapped Size in GB
Select equivalent:	avg(SD_SE_Storage_Pool_Capacity.AvgActualUsedUnExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Actual Used UnMapped Size (GB)
Type:	Number
Description:	Maximum Actual Used UnMapped Size in GB
Select equivalent:	max(SD_SE_Storage_Pool_Capacity.MaxActualUsedUnExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Actual Used UnMapped Size (GB)
Type:	Number
Description:	Minimum Actual Used UnMapped Size in GB
Select equivalent:	min(SD_SE_Storage_Pool_Capacity.MinActualUsedUnExportedGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	File Quota Capacity Statistics
Description:	File Quota Capacity Statistics

No objects

Class: NASQuotas(File Quota Capacity Statistics)
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 5ad, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 5ae, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification: dimension
List of values: 5ph, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 1
Type: Character
Description: Custom Filed is free container of storing metadata

Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5pj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 2
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5pl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 3
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5pn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail

Associated dimension name:	Node Group Name
List of values:	5pp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5pr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5pt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	

Qualification:	dimension
List of values:	5pv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5px, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5q0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5q2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element

Select equivalent: K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:

Qualification: detail
Associated dimension name: Element Name
List of values: 5q4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 5q6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Model
Type: Character
Description: Storage System Model Number
Select equivalent: K_SE_StorageSystem.Model
Where equivalent:

Qualification: dimension
List of values: 5q8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Name
Type: Character
Description: Name of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemName
Where equivalent:

Qualification: dimension
List of values: 5af, editable, manual refresh, not exportable
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ag, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ah, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ai, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: hidden

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5aj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ak, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5al, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Status

Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5am, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5an, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ao, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ap, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5aq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	647, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ar, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5at, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5as, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5av, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5au, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ax, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5aw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)

Select equivalent: K_SE_StorageSystem.StorageOnAccess
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5b0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Replication Status
Type: Character
Description: Replication Status of the Storage System
Select equivalent: K_SE_StorageSystem.ReplicationStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5ay, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: DKC Microcode Version
Type: Character
Description: DKC Microcode Version of the Storage System
Select equivalent: K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5b2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Business Cost
Type: Number
Description: Business Cost of the Storage System
Select equivalent: K_SE_StorageSystem.BusinessCost
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	5b1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5b4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5b3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5b6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: hidden

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5b5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5b8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5b7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Power Management

Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ba, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5b9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	649, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5bb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	64d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	64b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail

Associated dimension name: Storage System Name
List of values: 64h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 64f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5bc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 64j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5bh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5bg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5bf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Last Contacted Timestamp

Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5be, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5bd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	File Logical Volume
Type:	Character
Description:	File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:	
Qualification:	dimension
List of values:	5bi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	LVDescription
Type:	Character
Description:	Description about File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.Description

Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Is Thinly Provisioned?
Type: Character
Description: Indicates whether a logical volume is thinly provisioned or not
Select equivalent: K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Model Type
Type: Character
Description: Represents whether the vo
lume is 'Logical Disk' or '
File System' or 'LUN'
Select equivalent: K_SE_NAS_LogicalVolume.ModelType
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 5bl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Block Size (Bytes)
Type: Number
Description: Block Size in Bytes
Select equivalent: K_SE_NAS_LogicalVolume.Blocksize
Where equivalent:

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Number Of Blocks
Type:	Number
Description:	Number Of Blocks
Select equivalent:	K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Consumable Blocks (Bytes)
Type:	Number
Description:	Consumable Blocks in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Cluster Shared?
Type:	Character
Description:	Indicates whether a logical volume is cluster shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bp, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Device ID
Type:	Character
Description:	Device ID
Select equivalent:	K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Share ID
Type:	Character
Description:	Share ID
Select equivalent:	K_SE_NAS_LogicalVolume.ShareID
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5br, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Shared?
Type:	Character
Description:	Indicates whether a logical volume is shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsShared
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	File System Type
Type:	Character
Description:	File System Type
Select equivalent:	K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Name of the Share
Type:	Character
Description:	Name of the share
Select equivalent:	K_SE_NAS_LogicalVolume.ShareName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Share System Name
Type:	Character
Description:	Share System Name
Select equivalent:	K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5bv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Quota Name
Type:	Character
Description:	Name of File Quota
Select equivalent:	K_SE_NAS_Quota.QUOTANAME

Where equivalent:

Qualification: dimension
List of values: 5bw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Resource Type
Type: Character
Description: File Resource type
Select equivalent: K_SE_NAS_Quota.RESOURCETYPE
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5bx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Units
Type: Character
Description: This indicates the units f
or Soft/Hard Limit, Amoun
t Used, Threshold. If Reso
urce Type is Disk then Uni
t is in Kilo Bytes, else No
units
Select equivalent: K_SE_NAS_Quota.UNITS
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5by, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Quota Type
Type: Character
Description: Quota Type
Select equivalent: K_SE_NAS_Quota.QUOTATYPE

Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Quota Target
Type: Character
Description: Quota Target
Select equivalent: K_SE_NAS_Quota.QUOTATARGET
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Soft Limit
Type: Number
Description: Soft Limit
Select equivalent: K_SE_NAS_Quota.SOFTLIMIT
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Hard Limit
Type: Number
Description: Hard Limit
Select equivalent: K_SE_NAS_Quota.HARDLIMIT
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name

List of values: 5c3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Threshold
Type: Number
Description: Threshold
Select equivalent: K_SE_NAS_Quota.THRESHOLD
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Amount Used
Type: Number
Description: Amount Used
Select equivalent: K_SE_NAS_Quota.AMOUNTUSED
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: File System Name
Type: Character
Description: Name of File System
Select equivalent: K_SE_NAS_Quota.FILESYSTEMNAME
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Directory Name
Type: Character
Description: Directory name
Select equivalent: K_SE_NAS_Quota.DIRECTORYNAME
Where equivalent:

Qualification: detail
Associated dimension name: Quota Name
List of values: 5c7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 5c8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Logical Volume UUID
Type: Character
Description: UUID of the File logical volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 5c9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Quota UUID
Type: Character
Description: UUID of the File Quota
Select equivalent: K_SE_NAS_Quota.QUOTAUUID

Where equivalent:

Qualification: dimension
List of values: 5ca, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5qa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileQuotas(File Quota Capacity Statistics)
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 4ps, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 4pt, editable, manual refresh, exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	5lq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5ls, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5lu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5lw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5ly, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5m1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME

Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5m3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path
Type: Character
Description: Group Path of the group Hierarchy
Select equivalent: K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:

Qualification: dimension
List of values: 5m5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Level
Type: Character
Description: Level of the Node Group
Select equivalent: K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5m7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Group Name
Type: Character
Description: Name of the Parent Node Group
Select equivalent: K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:

Qualification: detail
Associated dimension name: Group Path
List of values: 5m9, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5mb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	5md, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	5ra, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model

Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	5rb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	4pu, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4pv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4pw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4px, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4py, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	4q0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character

Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4q9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qd, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ql, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	4qn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4qw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Logical Volume
Type:	Character
Description:	File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeName

Where equivalent:

Qualification:	dimension
List of values:	4qx, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	LVDescription
Type:	Character
Description:	Description about File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4qy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates whether a logical volume is thinly provisioned or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4r0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model Type
Type:	Character
Description:	Represents whether the vo lume is 'Logical Disk' or ' File System' or 'LUN'
Select equivalent:	K_SE_NAS_LogicalVolume.ModelType
Where equivalent:	

Qualification:	detail

Associated dimension name:	File Logical Volume
List of values:	4r1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size (Bytes)
Type:	Number
Description:	Block Size in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.Blocksize
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4r2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Number Of Blocks
Type:	Number
Description:	Number Of Blocks
Select equivalent:	K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4r3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks (Bytes)
Type:	Number
Description:	Consumable Blocks in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4r4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Is Cluster Shared?
Type: Character
Description: Indicates whether a logical volume is cluster shared or not
Select equivalent: K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4r5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Device ID
Type: Character
Description: Device ID
Select equivalent: K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4r6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Share ID
Type: Character
Description: Share ID
Select equivalent: K_SE_NAS_LogicalVolume.ShareID
Where equivalent:

Qualification: detail
Associated dimension name: File Logical Volume
List of values: 4r7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Is Shared?

Type:	Character
Description:	Indicates whether a logical volume is shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsShared
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4r8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File System Type
Type:	Character
Description:	File System Type
Select equivalent:	K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4r9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Name of the Share
Type:	Character
Description:	Name of the share
Select equivalent:	K_SE_NAS_LogicalVolume.ShareName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4ra, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share System Name
Type:	Character
Description:	Share System Name
Select equivalent:	K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	4rb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Quota Name
Type:	Character
Description:	Name of File Quota
Select equivalent:	K_SE_NAS_Quota.QUOTANAME
Where equivalent:	

Qualification:	dimension
List of values:	4rc, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Resource Type
Type:	Character
Description:	File Resource type
Select equivalent:	K_SE_NAS_Quota.RESOURCETYPE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4rd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Units
Type:	Character
Description:	This indicates the units f or Soft/Hard Limit, Amoun t Used, Threshold. If Reso urce Type is Disk then Uni t is in Kilo Bytes, else No units
Select equivalent:	K_SE_NAS_Quota.UNITS
Where equivalent:	

Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4re, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Quota Type
Type:	Character
Description:	Quota Type
Select equivalent:	K_SE_NAS_Quota.QUOTATYPE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4rf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Quota Target
Type:	Character
Description:	Quota Target
Select equivalent:	K_SE_NAS_Quota.QUOTATARGET
Where equivalent:	

Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4rg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Soft Limit
Type:	Number
Description:	Soft Limit
Select equivalent:	K_SE_NAS_Quota.SOFTLIMIT
Where equivalent:	

Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4rh, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hard Limit
Type:	Number
Description:	Hard Limit
Select equivalent:	K_SE_NAS_Quota.HARDLIMIT
Where equivalent:	
Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4ri, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Threshold
Type:	Number
Description:	Threshold
Select equivalent:	K_SE_NAS_Quota.THRESHOLD
Where equivalent:	
Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4rj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Amount Used
Type:	Number
Description:	Amount Used
Select equivalent:	K_SE_NAS_Quota.AMOUNTUSED
Where equivalent:	
Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4rk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File System Name
Type:	Character
Description:	Name of File System
Select equivalent:	K_SE_NAS_Quota.FILESYSTEMNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4rl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Directory Name
Type:	Character
Description:	Directory name
Select equivalent:	K_SE_NAS_Quota.DIRECTORYNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Quota Name
List of values:	4rm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	4rn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Logical Volume UUID
Type:	Character
Description:	UUID of the File logical volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeUUID

Where equivalent:

Qualification: dimension
List of values: 4ro, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Quota UUID
Type: Character
Description: UUID of the File Quota
Select equivalent: K_SE_NAS_Quota.QUOTAUUID
Where equivalent:

Qualification: dimension
List of values: 4rp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5nu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Raw File Quota Capacity Statistics
Description:

Object: File Hard Limit
Type: Number
Description: File hard limit of File Quota
Select equivalent: SR_SE_NAS_Quota_Capacity.FileHardLimit
Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Soft Limit
Type:	Number
Description:	File soft limit of File Quota
Select equivalent:	SR_SE_NAS_Quota_Capacity.FileSoftLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Usage
Type:	Number
Description:	File usage of File Quota
Select equivalent:	SR_SE_NAS_Quota_Capacity.FileUsage
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Hard Limit in GiB
Type:	Number
Description:	Space hard limit of File Quota in GiB
Select equivalent:	SR_SE_NAS_Quota_Capacity.SpaceHardLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Hard Limit in GB
Type:	Number
Description:	Space hard limit of File Quota in GB
Select equivalent:	SR_SE_NAS_Quota_Capacity.SpaceHardLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Soft Limit in GiB
Type:	Number
Description:	Space soft limit of File Quota in GiB
Select equivalent:	SR_SE_NAS_Quota_Capacity.SpaceSoftLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Soft Limit in GB
Type:	Number
Description:	Space soft limit of File Quota in GB
Select equivalent:	SR_SE_NAS_Quota_Capacity.SpaceSoftLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Usage in GiB
Type:	Number

Description:	Space usage of File Quota in GiB
Select equivalent:	SR_SE_NAS_Quota_Capacity.SpaceUsageGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Space Usage in GB
Type:	Number
Description:	Space usage of File Quota in GB
Select equivalent:	SR_SE_NAS_Quota_Capacity.SpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Threshold in GiB
Type:	Number
Description:	Threshold of File Quota in GiB
Select equivalent:	SR_SE_NAS_Quota_Capacity.ThresholdGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Threshold in GB
Type:	Number
Description:	Threshold of File Quota in GB
Select equivalent:	SR_SE_NAS_Quota_Capacity.ThresholdGB
Where equivalent:	

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: DATETIME(File Quota Capacity Statistics)
Description:

Object: Year
Type: Number
Description: Year
Select equivalent: DATETIME.TIME_YEAR_NUMBER
Where equivalent:

Qualification: dimension
List of values: 4rq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month
Type: Character
Description: Month Name first Three Characters
Select equivalent: (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:

Qualification: dimension
List of values: 4rr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month Name
Type: Character
Description: Month Name
Select equivalent: DATETIME.TIME_MONTH_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Month
List of values: 4rs, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day
Type: Number
Description: Day
Select equivalent: DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:

Qualification: dimension
List of values: 4rt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day Name
Type: Character
Description: Day Name
Select equivalent: DATETIME.TIME_DAY_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Day
List of values: 4ru, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour
Type: Number
Description: Hour
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: dimension
List of values: 4rv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Id

Type:	Number
Description:	Hour Id
Select equivalent:	DATETIME.TIME_HOUR_ID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Hour
List of values:	4rw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Hour Description
Type:	Character
Description:	Time Hour Description
Select equivalent:	DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:	
Qualification:	detail
Associated dimension name:	Hour
List of values:	4rx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Full Date
Type:	Date
Description:	Full Date
Select equivalent:	DATETIME.TIME_FULL_DATE
Where equivalent:	
Qualification:	dimension
List of values:	4ry, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Holiday
Type:	Character
Description:	Time Is Holiday
Select equivalent:	DATETIME.TIME_IS_HOLIDAY
Where equivalent:	

Qualification:	detail
Associated dimension name:	Full Date
List of values:	4s0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Weekday
Type:	Character
Description:	Time Is Weekday
Select equivalent:	DATETIME.TIME_IS_WEEKDAY
Where equivalent:	

Qualification:	detail
Associated dimension name:	Full Date
List of values:	4s1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Boundary
Type:	Number
Description:	Hour Boundary
Select equivalent:	DATETIME.HOUR_BOUNDARY
Where equivalent:	

Qualification:	dimension
List of values:	4s2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Day Boundary
Type:	Number
Description:	Day Boundary
Select equivalent:	DATETIME.DAY_BOUNDARY
Where equivalent:	

Qualification:	dimension
List of values:	4s3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Week Boundary
Type:	Number
Description:	Week Boundary
Select equivalent:	DATETIME.WEEK_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	4s4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Month Boundary
Type:	Number
Description:	Month Boundary
Select equivalent:	DATETIME.MONTH_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	4s5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Year Boundary
Type:	Number
Description:	Year Boundary
Select equivalent:	DATETIME.YEAR_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	4s6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Daily File Quota Capacity Statistics
Description:	

Object:	Total File Hard Limit
Type:	Number

Description:	Total File hard limit of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTFileHardLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Hard Limit
Type:	Number
Description:	Maximum File hard limit of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXFileHardLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Hard Limit
Type:	Number
Description:	Minimum File hard limit of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINFileHardLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Hard Limit
Type:	Number
Description:	Average File hard limit of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGFileHardLimit
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total File Soft Limit
Type:	Number
Description:	Total File soft limit of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTFileSoftLimit
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Soft Limit
Type:	Number
Description:	Maximum File soft limit of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXFileSoftLimit
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Soft Limit
Type:	Number
Description:	Minimum File soft limit of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINFileSoftLimit
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Soft Limit
Type:	Number
Description:	Average File soft limit of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGFileSoftLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total File Usage
Type:	Number
Description:	Total File usage of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTFileUsage
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Usage
Type:	Number
Description:	Maximum File usage of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXFileUsage
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Usage
Type:	Number
Description:	Minimum File usage of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINFileUsage
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Usage
Type:	Number
Description:	Average File usage of File Quota
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGFileUsage
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Hard Limit in GiB
Type:	Number
Description:	Total Space hard limit of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Hard Limit in GiB
Type:	Number
Description:	Maximum Space hard limit of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGiB

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Hard Limit in GiB
Type: Number
Description: Minimum Space hard limit of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.MINSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Hard Limit in GiB
Type: Number
Description: Average Space hard limit of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Hard Limit in GB
Type: Number
Description: Total Space hard limit of File Quota in GB
Select equivalent: SD_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGB
Where equivalent:

Qualification: measure
Aggregate function: None

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Hard Limit in GB
Type:	Number
Description:	Maximum Space hard limit of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Hard Limit in GB
Type:	Number
Description:	Minimum Space hard limit of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINSpaceHardLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Hard Limit in GB
Type:	Number
Description:	Average Space hard limit of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Soft Limit in GiB
Type:	Number
Description:	Total Space soft limit of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Soft Limit in GiB
Type:	Number
Description:	Maximum Space soft limit of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Soft Limit in GiB
Type:	Number
Description:	Minimum Space soft limit of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Soft Limit in GiB
Type:	Number

Description:	Average Space soft limit of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Soft Limit in GB
Type:	Number
Description:	Total Space soft limit of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Soft Limit in GB
Type:	Number
Description:	Maximum Space soft limit of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Soft Limit in GB
Type:	Number
Description:	Minimum Space soft limit of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Soft Limit in GB
Type:	Number
Description:	Average Space soft limit of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Usage in GiB
Type:	Number
Description:	Total Space usage of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTSpaceUsageGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Usage in GiB
Type:	Number
Description:	Maximum Space usage of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXSpaceUsageGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Usage in GiB
Type:	Number
Description:	Minimum Space usage of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINSpaceUsageGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Usage in GiB
Type:	Number
Description:	Average Space usage of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGSpaceUsageGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Usage in GB
Type:	Number
Description:	Total Space usage of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTSpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Usage in GB
Type:	Number
Description:	Maximum Space usage of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXSpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Usage in GB
Type:	Number
Description:	Minimum Space usage of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINSpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Usage in GB
Type:	Number
Description:	Average Space usage of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGSpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Threshold in GiB
Type:	Number
Description:	Total Threshold of File Quota in GiB
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTThresholdGiB

Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Threshold in GiB
Type: Number
Description: Maximum Threshold of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.MAXThresholdGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Threshold in GiB
Type: Number
Description: Minimum Threshold of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.MINThresholdGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Threshold in GiB
Type: Number
Description: Average Threshold of File Quota in GiB
Select equivalent: SD_SE_NAS_Quota_Capacity.AVGThresholdGiB
Where equivalent:

Qualification: measure
Aggregate function: Average

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Threshold in GB
Type:	Number
Description:	Total Threshold of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.TOTThresholdGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Threshold in GB
Type:	Number
Description:	Maximum Threshold of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MAXThresholdGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Threshold in GB
Type:	Number
Description:	Minimum Threshold of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.MINThresholdGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Threshold in GB
Type:	Number
Description:	Average Threshold of File Quota in GB
Select equivalent:	SD_SE_NAS_Quota_Capacity.AVGThresholdGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Hourly File Quota Capacity Statistics
Description:	

Object:	Total File Hard Limit
Type:	Number
Description:	Total File hard limit of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTFileHardLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Hard Limit
Type:	Number
Description:	Maximum File hard limit of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXFileHardLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Hard Limit
Type:	Number
Description:	Minimum File hard limit of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINFileHardLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Hard Limit
Type:	Number
Description:	Average File hard limit of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGFileHardLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total File Soft Limit
Type:	Number
Description:	Total File soft limit of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTFileSoftLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Soft Limit
Type:	Number
Description:	Maximum File soft limit of File Quota

Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXFileSoftLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Soft Limit
Type:	Number
Description:	Minimum File soft limit of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINFileSoftLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Soft Limit
Type:	Number
Description:	Average File soft limit of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGFileSoftLimit
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total File Usage
Type:	Number
Description:	Total File usage of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTFileUsage
Where equivalent:	
Qualification:	measure

Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Usage
Type:	Number
Description:	Maximum File usage of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXFileUsage
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Usage
Type:	Number
Description:	Minimum File usage of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINFileUsage
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Usage
Type:	Number
Description:	Average File usage of File Quota
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGFileUsage
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Total Space Hard Limit in GiB
Type: Number
Description: Total Space hard limit of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Space Hard Limit in GiB
Type: Number
Description: Maximum Space hard limit of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Hard Limit in GiB
Type: Number
Description: Minimum Space hard limit of File Quota in GiB
Select equivalent: SH_SE_NAS_Quota_Capacity.MINSpaceHardLimitGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Hard Limit in GiB

Type:	Number
Description:	Average Space hard limit of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Hard Limit in GB
Type:	Number
Description:	Total Space hard limit of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Hard Limit in GB
Type:	Number
Description:	Maximum Space hard limit of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Hard Limit in GB
Type:	Number
Description:	Minimum Space hard limit of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINSpaceHardLimitGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Hard Limit in GB
Type:	Number
Description:	Average Space hard limit of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Soft Limit in GiB
Type:	Number
Description:	Total Space soft limit of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Soft Limit in GiB
Type:	Number
Description:	Maximum Space soft limit of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Soft Limit in GiB
Type:	Number
Description:	Minimum Space soft limit of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Soft Limit in GiB
Type:	Number
Description:	Average Space soft limit of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Soft Limit in GB
Type:	Number
Description:	Total Space soft limit of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Soft Limit in GB
Type:	Number
Description:	Maximum Space soft limit of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Soft Limit in GB
Type:	Number
Description:	Minimum Space soft limit of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Soft Limit in GB
Type:	Number
Description:	Average Space soft limit of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Usage in GiB
Type:	Number
Description:	Total Space usage of File Quota in GiB

Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTSpaceUsageGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Usage in GiB
Type:	Number
Description:	Maximum Space usage of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXSpaceUsageGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Usage in GiB
Type:	Number
Description:	Minimum Space usage of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINSpaceUsageGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Usage in GiB
Type:	Number
Description:	Average Space usage of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGSpaceUsageGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Usage in GB
Type:	Number
Description:	Total Space usage of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTSpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Usage in GB
Type:	Number
Description:	Maximum Space usage of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXSpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Usage in GB
Type:	Number
Description:	Minimum Space usage of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINSpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Average Space Usage in GB
Type:	Number
Description:	Average Space usage of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGSpaceUsageGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Threshold in GiB
Type:	Number
Description:	Total Threshold of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTThresholdGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Threshold in GiB
Type:	Number
Description:	Maximum Threshold of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXThresholdGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Threshold in GiB

Type:	Number
Description:	Minimum Threshold of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINThresholdGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Average Threshold in GiB

Type:	Number
Description:	Average Threshold of File Quota in GiB
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGThresholdGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Total Threshold in GB

Type:	Number
Description:	Total Threshold of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.TOTThresholdGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Maximum Threshold in GB

Type:	Number
Description:	Maximum Threshold of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MAXThresholdGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Threshold in GB
Type:	Number
Description:	Minimum Threshold of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.MINThresholdGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Threshold in GB
Type:	Number
Description:	Average Threshold of File Quota in GB
Select equivalent:	SH_SE_NAS_Quota_Capacity.AVGThresholdGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DailyOLAP-FileQuotaCapacity
Description:	

Object:	Total File Hard Limit
Type:	Number
Description:	Total File hard limit of File Quota
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTFileHardLimit)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Hard Limit
Type:	Number
Description:	Maximum File hard limit of File Quota
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXFileHardLimit)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Hard Limit
Type:	Number
Description:	Minimum File hard limit of File Quota
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINFileHardLimit)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Hard Limit
Type:	Number
Description:	Average File hard limit of File Quota
Select equivalent:	avg(SD_SE_NAS_Quota_Capacity.AVGFileHardLimit)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total File Soft Limit
Type:	Number
Description:	Total File soft limit of File Quota
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTFileSoftLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Soft Limit
Type:	Number
Description:	Maximum File soft limit of File Quota
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXFileSoftLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Soft Limit
Type:	Number
Description:	Minimum File soft limit of File Quota
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINFileSoftLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Soft Limit
Type:	Number
Description:	Average File soft limit of File Quota
Select equivalent:	avg(SD_SE_NAS_Quota_Capacity.AVGFileSoftLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total File Usage
Type:	Number
Description:	Total File usage of File Quota
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTFileUsage)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Usage
Type:	Number
Description:	Maximum File usage of File Quota
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXFileUsage)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Usage
Type:	Number
Description:	Minimum File usage of File Quota
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINFileUsage)

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average File Usage
Type: Number
Description: Average File usage of File Quota
Select equivalent: avg(SD_SE_NAS_Quota_Capacity.AVGFileUsage)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Hard Limit in GiB
Type: Number
Description: Total Space hard limit of File Quota in GiB
Select equivalent: sum(SD_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Space Hard Limit in GiB
Type: Number
Description: Maximum Space hard limit of File Quota in GiB
Select equivalent: max(SD_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Hard Limit in GiB
Type:	Number
Description:	Minimum Space hard limit of File Quota in GiB
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINSpaceHardLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Hard Limit in GiB
Type:	Number
Description:	Average Space hard limit of File Quota in GiB
Select equivalent:	avg(SD_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Hard Limit in GB
Type:	Number
Description:	Total Space hard limit of File Quota in GB
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Hard Limit in GB
Type:	Number
Description:	Maximum Space hard limit of File Quota in GB
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Hard Limit in GB
Type:	Number
Description:	Minimum Space hard limit of File Quota in GB
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINSpaceHardLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Hard Limit in GB
Type:	Number
Description:	Average Space hard limit of File Quota in GB
Select equivalent:	avg(SD_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Soft Limit in GiB
Type:	Number

Description:	Total Space soft limit of File Quota in GiB
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Soft Limit in GiB
Type:	Number
Description:	Maximum Space soft limit of File Quota in GiB
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Soft Limit in GiB
Type:	Number
Description:	Minimum Space soft limit of File Quota in GiB
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Soft Limit in GiB
Type:	Number
Description:	Average Space soft limit of File Quota in GiB
Select equivalent:	avg(SD_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Soft Limit in GB
Type:	Number
Description:	Total Space soft limit of File Quota in GB
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Soft Limit in GB
Type:	Number
Description:	Maximum Space soft limit of File Quota in GB
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Soft Limit in GB
Type:	Number
Description:	Minimum Space soft limit of File Quota in GB
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Soft Limit in GB
Type:	Number
Description:	Average Space soft limit of File Quota in GB
Select equivalent:	avg(SD_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Usage in GiB
Type:	Number
Description:	Total Space usage of File Quota in GiB
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTSpaceUsageGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Usage in GiB
Type:	Number
Description:	Maximum Space usage of File Quota in GiB
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXSpaceUsageGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Usage in GiB
Type:	Number
Description:	Minimum Space usage of File Quota in GiB
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINSpaceUsageGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Usage in GiB
Type:	Number
Description:	Average Space usage of File Quota in GiB
Select equivalent:	avg(SD_SE_NAS_Quota_Capacity.AVGSpaceUsageGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Usage in GB
Type:	Number
Description:	Total Space usage of File Quota in GB
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTSpaceUsageGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Usage in GB
Type:	Number
Description:	Maximum Space usage of File Quota in GB
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXSpaceUsageGB)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Space Usage in GB
Type: Number
Description: Minimum Space usage of File Quota in GB
Select equivalent: min(SD_SE_NAS_Quota_Capacity.MINSpaceUsageGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Space Usage in GB
Type: Number
Description: Average Space usage of File Quota in GB
Select equivalent: avg(SD_SE_NAS_Quota_Capacity.AVGSpaceUsageGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Threshold in GiB
Type: Number
Description: Total Threshold of File Quota in GiB
Select equivalent: sum(SD_SE_NAS_Quota_Capacity.TOTThresholdGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Threshold in GiB
Type:	Number
Description:	Maximum Threshold of File Quota in GiB
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXThresholdGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Threshold in GiB
Type:	Number
Description:	Minimum Threshold of File Quota in GiB
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINThresholdGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Threshold in GiB
Type:	Number
Description:	Average Threshold of File Quota in GiB
Select equivalent:	avg(SD_SE_NAS_Quota_Capacity.AVGThresholdGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Threshold in GB
Type:	Number
Description:	Total Threshold of File Quota in GB
Select equivalent:	sum(SD_SE_NAS_Quota_Capacity.TOTThresholdGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Threshold in GB
Type:	Number
Description:	Maximum Threshold of File Quota in GB
Select equivalent:	max(SD_SE_NAS_Quota_Capacity.MAXThresholdGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Threshold in GB
Type:	Number
Description:	Minimum Threshold of File Quota in GB
Select equivalent:	min(SD_SE_NAS_Quota_Capacity.MINThresholdGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Threshold in GB
Type:	Number

Description: Average Threshold of File Quota in GB
Select equivalent: avg(SD_SE_NAS_Quota_Capacity.AVGThresholdGB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: HourlyOLAP-FileQuotaCapacity
Description:

Object: Total File Hard Limit
Type: Number
Description: Total File hard limit of File Quota
Select equivalent: sum(SH_SE_NAS_Quota_Capacity.TOTFileHardLimit)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum File Hard Limit
Type: Number
Description: Maximum File hard limit of File Quota
Select equivalent: max(SH_SE_NAS_Quota_Capacity.MAXFileHardLimit)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum File Hard Limit
Type: Number
Description: Minimum File hard limit of File Quota

Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINFileHardLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Hard Limit
Type:	Number
Description:	Average File hard limit of File Quota
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGFileHardLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total File Soft Limit
Type:	Number
Description:	Total File soft limit of File Quota
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTFileSoftLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum File Soft Limit
Type:	Number
Description:	Maximum File soft limit of File Quota
Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXFileSoftLimit)
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum File Soft Limit
Type:	Number
Description:	Minimum File soft limit of File Quota
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINFileSoftLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average File Soft Limit
Type:	Number
Description:	Average File soft limit of File Quota
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGFileSoftLimit)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total File Usage
Type:	Number
Description:	Total File usage of File Quota
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTFileUsage)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Maximum File Usage
Type: Number
Description: Maximum File usage of File Quota
Select equivalent: max(SH_SE_NAS_Quota_Capacity.MAXFileUsage)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum File Usage
Type: Number
Description: Minimum File usage of File Quota
Select equivalent: min(SH_SE_NAS_Quota_Capacity.MINFileUsage)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average File Usage
Type: Number
Description: Average File usage of File Quota
Select equivalent: avg(SH_SE_NAS_Quota_Capacity.AVGFileUsage)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Space Hard Limit in GiB

Type:	Number
Description:	Total Space hard limit of File Quota in GiB
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Hard Limit in GiB
Type:	Number
Description:	Maximum Space hard limit of File Quota in GiB
Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Hard Limit in GiB
Type:	Number
Description:	Minimum Space hard limit of File Quota in GiB
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINSpaceHardLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Hard Limit in GiB
Type:	Number
Description:	Average Space hard limit of File Quota in GiB
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Hard Limit in GB
Type:	Number
Description:	Total Space hard limit of File Quota in GB
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTSpaceHardLimitGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Hard Limit in GB
Type:	Number
Description:	Maximum Space hard limit of File Quota in GB
Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXSpaceHardLimitGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Hard Limit in GB
Type:	Number
Description:	Minimum Space hard limit of File Quota in GB
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINSpaceHardLimitGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Hard Limit in GB
Type:	Number
Description:	Average Space hard limit of File Quota in GB
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGSpaceHardLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Soft Limit in GiB
Type:	Number
Description:	Total Space soft limit of File Quota in GiB
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Soft Limit in GiB
Type:	Number
Description:	Maximum Space soft limit of File Quota in GiB
Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Soft Limit in GiB
Type:	Number
Description:	Minimum Space soft limit of File Quota in GiB
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Soft Limit in GiB
Type:	Number
Description:	Average Space soft limit of File Quota in GiB
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Soft Limit in GB
Type:	Number
Description:	Total Space soft limit of File Quota in GB
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTSpaceSoftLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Soft Limit in GB
Type:	Number
Description:	Maximum Space soft limit of File Quota in GB

Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXSpaceSoftLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Soft Limit in GB
Type:	Number
Description:	Minimum Space soft limit of File Quota in GB
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINSpaceSoftLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Soft Limit in GB
Type:	Number
Description:	Average Space soft limit of File Quota in GB
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGSpaceSoftLimitGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space Usage in GiB
Type:	Number
Description:	Total Space usage of File Quota in GiB
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTSpaceUsageGiB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Usage in GiB
Type:	Number
Description:	Maximum Space usage of File Quota in GiB
Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXSpaceUsageGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Usage in GiB
Type:	Number
Description:	Minimum Space usage of File Quota in GiB
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINSpaceUsageGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Usage in GiB
Type:	Number
Description:	Average Space usage of File Quota in GiB
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGSpaceUsageGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Total Space Usage in GB
Type:	Number
Description:	Total Space usage of File Quota in GB
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTSpaceUsageGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Space Usage in GB
Type:	Number
Description:	Maximum Space usage of File Quota in GB
Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXSpaceUsageGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Space Usage in GB
Type:	Number
Description:	Minimum Space usage of File Quota in GB
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINSpaceUsageGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Space Usage in GB

Type:	Number
Description:	Average Space usage of File Quota in GB
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGSpaceUsageGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Threshold in GiB
Type:	Number
Description:	Total Threshold of File Quota in GiB
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTThresholdGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Threshold in GiB
Type:	Number
Description:	Maximum Threshold of File Quota in GiB
Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXThresholdGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Threshold in GiB
Type:	Number
Description:	Minimum Threshold of File Quota in GiB
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINThresholdGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Threshold in GiB
Type:	Number
Description:	Average Threshold of File Quota in GiB
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGThresholdGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Threshold in GB
Type:	Number
Description:	Total Threshold of File Quota in GB
Select equivalent:	sum(SH_SE_NAS_Quota_Capacity.TOTThresholdGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Threshold in GB
Type:	Number
Description:	Maximum Threshold of File Quota in GB
Select equivalent:	max(SH_SE_NAS_Quota_Capacity.MAXThresholdGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Threshold in GB
Type:	Number
Description:	Minimum Threshold of File Quota in GB
Select equivalent:	min(SH_SE_NAS_Quota_Capacity.MINThresholdGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Threshold in GB
Type:	Number
Description:	Average Threshold of File Quota in GB
Select equivalent:	avg(SH_SE_NAS_Quota_Capacity.AVGThresholdGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	File System Node Capacity Statistics
Description:	File System Node Capacity Statistics

No objects

Class:	NASSystemNode(File System Node Capacity Statistics)
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server

Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	6aj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	6ak, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	6al, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6am, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6an, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6ao, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6ap, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6aq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6ar, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	6as, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Group Path
List of values:	6at, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Group Path
List of values:	6au, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	

Qualification:	dimension
List of values:	6av, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Element Name
List of values:	6aw, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	6ax, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	6ay, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	6b0, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System

Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6b1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6b2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6b3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6b4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6b5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6b6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	6b7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6b8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6b9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6ba, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character

Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6be, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bk, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6br, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	6bu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6bx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6by, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6c0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6c1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 6c2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Processor Name
Type: Character
Description: Name of the processor
Select equivalent: K_SE_NAS_Processor.ProcessorName
Where equivalent:

Qualification: dimension
List of values: 6c3, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 6c4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Processor UUID
Type: Character
Description: UUID of the processor
Select equivalent: K_SE_NAS_Processor.ProcessorUUID
Where equivalent:

Qualification: dimension
List of values: 6c5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Element UUID
Type: Character
Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 6c6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: FileSystemNode(File System Node Capacity Statistics)
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 4ia, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 4ib, editable, manual refresh, exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	5rc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	5rd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	4ic, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character

Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4id, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ie, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4if, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System

Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ig, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ih, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ii, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	4ij, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ik, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4il, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4im, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4in, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Domain
Type: Character
Description: Domain of the Storage System
Select equivalent: K_SE_StorageSystem.Domain
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4io, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Over Subscribed Capacity
Type: Character
Description: Over Subscribed Capacity
Select equivalent: K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ip, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Requested Capacity

Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4iq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ir, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4is, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4it, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4iu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4iv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4iw, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ix, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4iy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System

Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	4j7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4j9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ja, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of w
hen the storage system wa
s last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4jb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4jc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4jd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4je, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Processor Name
Type:	Character
Description:	Name of the processor
Select equivalent:	K_SE_NAS_Processor.ProcessorName
Where equivalent:	
Qualification:	dimension
List of values:	4jf, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	4jg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Processor UUID
Type:	Character
Description:	UUID of the processor
Select equivalent:	K_SE_NAS_Processor.ProcessorUUID
Where equivalent:	

Qualification: dimension
List of values: 4jh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Raw File System Node Capacity Statistics
Description:

Object: FreeHDD in GiB
Type: Number
Description: FreeHDD of File system node in GiB
Select equivalent: SR_SE_NAS_SystemNode_Capacity.FreeHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: FreeHDD in GB
Type: Number
Description: FreeHDD of File system node in GB
Select equivalent: SR_SE_NAS_SystemNode_Capacity.FreeHDDGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: FreeSSD in GiB
Type: Number
Description: FreeSSD of File system node in GiB
Select equivalent: SR_SE_NAS_SystemNode_Capacity.FreeSSDGiB
Where equivalent:

Qualification: measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	FreeSSD in GB
Type:	Number
Description:	FreeSSD of File system node in GB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.FreeSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	TotalHDD in GiB
Type:	Number
Description:	TotalHDD of File system node in GiB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.TotalHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	TotalHDD in GB
Type:	Number
Description:	TotalHDD of File system node in GB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.TotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	TotalSSD in GiB
Type:	Number
Description:	TotalSSD of File system node in GiB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.TotalSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	TotalSSD in GB
Type:	Number
Description:	TotalSSD of File system node in GB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.TotalSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	UsedHDD in GiB
Type:	Number
Description:	UsedHDD of File system node in GiB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.UsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	UsedHDD in GB

Type:	Number
Description:	UsedHDD of File system node in GB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.UsedHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	UsedSSD in GiB
Type:	Number
Description:	UsedSSD of File system node in GiB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.UsedSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	UsedSSD in GB
Type:	Number
Description:	UsedSSD of File system node in GB
Select equivalent:	SR_SE_NAS_SystemNode_Capacity.UsedSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DATETIME(File System Node Capacity Statistics)
Description:	

Object:	Year
Type:	Number

Description:	Year
Select equivalent:	DATETIME.TIME_YEAR_NUMBER
Where equivalent:	
Qualification:	dimension
List of values:	4ji, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month
Type:	Character
Description:	Month Name first Three Characters
Select equivalent:	(SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:	
Qualification:	dimension
List of values:	4jj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month Name
Type:	Character
Description:	Month Name
Select equivalent:	DATETIME.TIME_MONTH_NAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Month
List of values:	4jk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day
Type:	Number
Description:	Day
Select equivalent:	DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:	
Qualification:	dimension
List of values:	4jl, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day Name
Type: Character
Description: Day Name
Select equivalent: DATETIME.TIME_DAY_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Day
List of values: 4jm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour
Type: Number
Description: Hour
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: dimension
List of values: 4jn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Id
Type: Number
Description: Hour Id
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 4jo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Time Hour Description
Type:	Character
Description:	Time Hour Description
Select equivalent:	DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:	
Qualification:	detail
Associated dimension name:	Hour
List of values:	4jp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Full Date
Type:	Date
Description:	Full Date
Select equivalent:	DATETIME.TIME_FULL_DATE
Where equivalent:	
Qualification:	dimension
List of values:	4jq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Holiday
Type:	Character
Description:	Time Is Holiday
Select equivalent:	DATETIME.TIME_IS_HOLIDAY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Full Date
List of values:	4jr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Weekday
Type:	Character
Description:	Time Is Weekday
Select equivalent:	DATETIME.TIME_IS_WEEKDAY
Where equivalent:	

Qualification:	detail
Associated dimension name:	Full Date
List of values:	4js, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Boundary
Type:	Number
Description:	Hour Boundary
Select equivalent:	DATETIME.HOUR_BOUNDARY
Where equivalent:	

Qualification:	dimension
List of values:	4jt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Day Boundary
Type:	Number
Description:	Day Boundary
Select equivalent:	DATETIME.DAY_BOUNDARY
Where equivalent:	

Qualification:	dimension
List of values:	4ju, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Week Boundary
Type:	Number
Description:	Week Boundary
Select equivalent:	DATETIME.WEEK_BOUNDARY
Where equivalent:	

Qualification:	dimension
List of values:	4jv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Month Boundary
Type:	Number
Description:	Month Boundary
Select equivalent:	DATETIME.MONTH_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	4jw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Year Boundary
Type:	Number
Description:	Year Boundary
Select equivalent:	DATETIME.YEAR_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	4jx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Daily File SystemNode Capacity Statistics
Description:	

Object:	Total FreeHDD in GiB
Type:	Number
Description:	Total FreeHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTFreeHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeHDD in GiB

Type:	Number
Description:	Maximum FreeHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXFreeHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeHDD in GiB
Type:	Number
Description:	Minimum FreeHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINFreeHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeHDD in GiB
Type:	Number
Description:	Average FreeHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGFreeHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeHDD in GB
Type:	Number
Description:	Total FreeHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTFreeHDDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeHDD in GB
Type:	Number
Description:	Maximum FreeHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXFreeHDDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeHDD in GB
Type:	Number
Description:	Minimum FreeHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINFreeHDDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeHDD in GB
Type:	Number
Description:	Average FreeHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGFreeHDDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeSSD in GiB
Type:	Number
Description:	Total FreeSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTFreeSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeSSD in GiB
Type:	Number
Description:	Maximum FreeSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXFreeSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeSSD in GiB
Type:	Number
Description:	Minimum FreeSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINFreeSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeSSD in GiB
Type:	Number
Description:	Average FreeSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGFreeSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeSSD in GB
Type:	Number
Description:	Total FreeSSD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTFreeSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeSSD in GB
Type:	Number
Description:	Maximum FreeSSD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXFreeSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeSSD in GB
Type:	Number
Description:	Minimum FreeSSD of File system node in GB

Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINFreeSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeSSD in GB
Type:	Number
Description:	Average FreeSSD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGFreeSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalHDD in GiB
Type:	Number
Description:	Total TotalHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTTotalHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalHDD in GiB
Type:	Number
Description:	Maximum TotalHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXTotalHDDGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalHDD in GiB
Type:	Number
Description:	Minimum TotalHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINTotalHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalHDD in GiB
Type:	Number
Description:	Average TotalHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGTotalHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalHDD in GB
Type:	Number
Description:	Total TotalHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTTotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Maximum TotalHDD in GB
Type:	Number
Description:	Maximum TotalHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXTotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalHDD in GB
Type:	Number
Description:	Minimum TotalHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINTotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalHDD in GB
Type:	Number
Description:	Average TotalHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGTotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalSSD in GiB

Type:	Number
Description:	Total TotalSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTTotalSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalSSD in GiB
Type:	Number
Description:	Maximum TotalSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXTotalSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalSSD in GiB
Type:	Number
Description:	Minimum TotalSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINTotalSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalSSD in GiB
Type:	Number
Description:	Average TotalSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGTotalSSDGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalSSD in GB
Type:	Number
Description:	Total TotalSSD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTTotalSSDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalSSD in GB
Type:	Number
Description:	Maximum TotalSSD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXTotalSSDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalSSD in GB
Type:	Number
Description:	Minimum TotalSSD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINTotalSSDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalSSD in GB
Type:	Number
Description:	Average TotalSSD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGTotalSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedHDD in GiB
Type:	Number
Description:	Total UsedHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTUsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedHDD in GiB
Type:	Number
Description:	Maximum UsedHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXUsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedHDD in GiB
Type:	Number
Description:	Minimum UsedHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINUsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedHDD in GiB
Type:	Number
Description:	Average UsedHDD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGUsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedHDD in GB
Type:	Number
Description:	Total UsedHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTUsedHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedHDD in GB
Type:	Number
Description:	Maximum UsedHDD of File system node in GB

Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXUsedHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedHDD in GB
Type:	Number
Description:	Minimum UsedHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINUsedHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedHDD in GB
Type:	Number
Description:	Average UsedHDD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGUsedHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedSSD in GiB
Type:	Number
Description:	Total UsedSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.TOTUsedSSDGiB
Where equivalent:	
Qualification:	measure

Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedSSD in GiB
Type:	Number
Description:	Maximum UsedSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MAXUsedSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedSSD in GiB
Type:	Number
Description:	Minimum UsedSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.MINUsedSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedSSD in GiB
Type:	Number
Description:	Average UsedSSD of File system node in GiB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGUsedSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Total UsedSSD in GB
Type: Number
Description: Total UsedSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.TOTUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UsedSSD in GB
Type: Number
Description: Maximum UsedSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MAXUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UsedSSD in GB
Type: Number
Description: Minimum UsedSSD of File system node in GB
Select equivalent: SD_SE_NAS_SystemNode_Capacity.MINUsedSSDGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedSSD in GB

Type:	Number
Description:	Average UsedSSD of File system node in GB
Select equivalent:	SD_SE_NAS_SystemNode_Capacity.AVGUsedSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class: Hourly File SystemNode Capacity Statistics
Description:

Object: Total FreeHDD in GiB

Type:	Number
Description:	Total FreeHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTFreeHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Maximum FreeHDD in GiB

Type:	Number
Description:	Maximum FreeHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXFreeHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Minimum FreeHDD in GiB

Type:	Number

Description:	Minimum FreeHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINFreeHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeHDD in GiB
Type:	Number
Description:	Average FreeHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGFreeHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeHDD in GB
Type:	Number
Description:	Total FreeHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTFreeHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeHDD in GB
Type:	Number
Description:	Maximum FreeHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXFreeHDDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeHDD in GB
Type:	Number
Description:	Minimum FreeHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINFreeHDDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeHDD in GB
Type:	Number
Description:	Average FreeHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGFreeHDDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeSSD in GiB
Type:	Number
Description:	Total FreeSSD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTFreeSSDGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeSSD in GiB
Type:	Number
Description:	Maximum FreeSSD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXFreeSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeSSD in GiB
Type:	Number
Description:	Minimum FreeSSD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINFreeSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeSSD in GiB
Type:	Number
Description:	Average FreeSSD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGFreeSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeSSD in GB
Type:	Number
Description:	Total FreeSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTFreeSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeSSD in GB
Type:	Number
Description:	Maximum FreeSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXFreeSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeSSD in GB
Type:	Number
Description:	Minimum FreeSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINFreeSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeSSD in GB
Type:	Number
Description:	Average FreeSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGFreeSSDGB

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total TotalHDD in GiB
Type: Number
Description: Total TotalHDD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.TOTTotalHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalHDD in GiB
Type: Number
Description: Maximum TotalHDD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MAXTotalHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum TotalHDD in GiB
Type: Number
Description: Minimum TotalHDD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MINTotalHDDGiB
Where equivalent:

Qualification: measure
Aggregate function: Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalHDD in GiB
Type:	Number
Description:	Average TotalHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGTotalHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalHDD in GB
Type:	Number
Description:	Total TotalHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTTotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalHDD in GB
Type:	Number
Description:	Maximum TotalHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXTotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalHDD in GB
Type:	Number
Description:	Minimum TotalHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINTotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalHDD in GB
Type:	Number
Description:	Average TotalHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGTotalHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalSSD in GiB
Type:	Number
Description:	Total TotalSSD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTTotalSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalSSD in GiB
Type:	Number

Description: Maximum TotalSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MAXTotalSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum TotalSSD in GiB
Type: Number
Description: Minimum TotalSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MINTotalSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average TotalSSD in GiB
Type: Number
Description: Average TotalSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.AVGTotalSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total TotalSSD in GB
Type: Number
Description: Total TotalSSD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.TOTTotalSSDGB
Where equivalent:

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalSSD in GB
Type:	Number
Description:	Maximum TotalSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXTotalSSDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalSSD in GB
Type:	Number
Description:	Minimum TotalSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINTotalSSDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalSSD in GB
Type:	Number
Description:	Average TotalSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGTotalSSDGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedHDD in GiB
Type:	Number
Description:	Total UsedHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTUsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedHDD in GiB
Type:	Number
Description:	Maximum UsedHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXUsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedHDD in GiB
Type:	Number
Description:	Minimum UsedHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINUsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedHDD in GiB
Type:	Number
Description:	Average UsedHDD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGUsedHDDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedHDD in GB
Type:	Number
Description:	Total UsedHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTUsedHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedHDD in GB
Type:	Number
Description:	Maximum UsedHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXUsedHDDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedHDD in GB
Type:	Number
Description:	Minimum UsedHDD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINUsedHDDGB

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedHDD in GB
Type: Number
Description: Average UsedHDD of File system node in GB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.AVGUsedHDDGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UsedSSD in GiB
Type: Number
Description: Total UsedSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.TOTUsedSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum UsedSSD in GiB
Type: Number
Description: Maximum UsedSSD of File system node in GiB
Select equivalent: SH_SE_NAS_SystemNode_Capacity.MAXUsedSSDGiB
Where equivalent:

Qualification: measure
Aggregate function: Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedSSD in GiB
Type:	Number
Description:	Minimum UsedSSD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINUsedSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedSSD in GiB
Type:	Number
Description:	Average UsedSSD of File system node in GiB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGUsedSSDGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedSSD in GB
Type:	Number
Description:	Total UsedSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.TOTUsedSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedSSD in GB
Type:	Number
Description:	Maximum UsedSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MAXUsedSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedSSD in GB
Type:	Number
Description:	Minimum UsedSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.MINUsedSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedSSD in GB
Type:	Number
Description:	Average UsedSSD of File system node in GB
Select equivalent:	SH_SE_NAS_SystemNode_Capacity.AVGUsedSSDGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DailyOLAP-FileSystemNodeCapacity
Description:	

Object:	Total FreeHDD in GiB
Type:	Number
Description:	Total FreeHDD of File system node in GiB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTFreeHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeHDD in GiB
Type:	Number
Description:	Maximum FreeHDD of File system node in GiB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXFreeHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeHDD in GiB
Type:	Number
Description:	Minimum FreeHDD of File system node in GiB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINFreeHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeHDD in GiB
Type:	Number
Description:	Average FreeHDD of File system node in GiB

Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGFreeHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeHDD in GB
Type:	Number
Description:	Total FreeHDD of File system node in GB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTFreeHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeHDD in GB
Type:	Number
Description:	Maximum FreeHDD of File system node in GB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXFreeHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeHDD in GB
Type:	Number
Description:	Minimum FreeHDD of File system node in GB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINFreeHDDGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeHDD in GB
Type:	Number
Description:	Average FreeHDD of File system node in GB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGFreeHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeSSD in GiB
Type:	Number
Description:	Total FreeSSD of File system node in GiB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTFreeSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeSSD in GiB
Type:	Number
Description:	Maximum FreeSSD of File system node in GiB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXFreeSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Minimum FreeSSD in GiB
Type: Number
Description: Minimum FreeSSD of File system node in GiB
Select equivalent: min(SD_SE_NAS_SystemNode_Capacity.MINFreeSSDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average FreeSSD in GiB
Type: Number
Description: Average FreeSSD of File system node in GiB
Select equivalent: avg(SD_SE_NAS_SystemNode_Capacity.AVGFreeSSDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total FreeSSD in GB
Type: Number
Description: Total FreeSSD of File system node in GB
Select equivalent: sum(SD_SE_NAS_SystemNode_Capacity.TOTFreeSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum FreeSSD in GB

Type:	Number
Description:	Maximum FreeSSD of File system node in GB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXFreeSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeSSD in GB
Type:	Number
Description:	Minimum FreeSSD of File system node in GB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINFreeSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeSSD in GB
Type:	Number
Description:	Average FreeSSD of File system node in GB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGFreeSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalHDD in GiB
Type:	Number
Description:	Total TotalHDD of File system node in GiB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTTotalHDDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalHDD in GiB
Type:	Number
Description:	Maximum TotalHDD of File system node in GiB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXTotalHDDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalHDD in GiB
Type:	Number
Description:	Minimum TotalHDD of File system node in GiB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINTotalHDDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalHDD in GiB
Type:	Number
Description:	Average TotalHDD of File system node in GiB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGTotalHDDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalHDD in GB
Type:	Number
Description:	Total TotalHDD of File system node in GB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTTotalHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalHDD in GB
Type:	Number
Description:	Maximum TotalHDD of File system node in GB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXTotalHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalHDD in GB
Type:	Number
Description:	Minimum TotalHDD of File system node in GB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINTotalHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalHDD in GB
Type:	Number
Description:	Average TotalHDD of File system node in GB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGTotalHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalSSD in GiB
Type:	Number
Description:	Total TotalSSD of File system node in GiB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTTotalSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalSSD in GiB
Type:	Number
Description:	Maximum TotalSSD of File system node in GiB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXTotalSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalSSD in GiB
Type:	Number
Description:	Minimum TotalSSD of File system node in GiB

Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINTotalSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalSSD in GiB
Type:	Number
Description:	Average TotalSSD of File system node in GiB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGTotalSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalSSD in GB
Type:	Number
Description:	Total TotalSSD of File system node in GB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTTotalSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalSSD in GB
Type:	Number
Description:	Maximum TotalSSD of File system node in GB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXTotalSSDGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalSSD in GB
Type:	Number
Description:	Minimum TotalSSD of File system node in GB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINTotalSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalSSD in GB
Type:	Number
Description:	Average TotalSSD of File system node in GB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGTotalSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedHDD in GiB
Type:	Number
Description:	Total UsedHDD of File system node in GiB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTUsedHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Maximum UsedHDD in GiB
Type: Number
Description: Maximum UsedHDD of File system node in GiB
Select equivalent: max(SD_SE_NAS_SystemNode_Capacity.MAXUsedHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum UsedHDD in GiB
Type: Number
Description: Minimum UsedHDD of File system node in GiB
Select equivalent: min(SD_SE_NAS_SystemNode_Capacity.MINUsedHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average UsedHDD in GiB
Type: Number
Description: Average UsedHDD of File system node in GiB
Select equivalent: avg(SD_SE_NAS_SystemNode_Capacity.AVGUsedHDDGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total UsedHDD in GB

Type:	Number
Description:	Total UsedHDD of File system node in GB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTUsedHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedHDD in GB
Type:	Number
Description:	Maximum UsedHDD of File system node in GB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXUsedHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedHDD in GB
Type:	Number
Description:	Minimum UsedHDD of File system node in GB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINUsedHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedHDD in GB
Type:	Number
Description:	Average UsedHDD of File system node in GB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGUsedHDDGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedSSD in GiB
Type:	Number
Description:	Total UsedSSD of File system node in GiB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTUsedSSDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedSSD in GiB
Type:	Number
Description:	Maximum UsedSSD of File system node in GiB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXUsedSSDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedSSD in GiB
Type:	Number
Description:	Minimum UsedSSD of File system node in GiB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINUsedSSDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedSSD in GiB
Type:	Number
Description:	Average UsedSSD of File system node in GiB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGUsedSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedSSD in GB
Type:	Number
Description:	Total UsedSSD of File system node in GB
Select equivalent:	sum(SD_SE_NAS_SystemNode_Capacity.TOTUsedSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedSSD in GB
Type:	Number
Description:	Maximum UsedSSD of File system node in GB
Select equivalent:	max(SD_SE_NAS_SystemNode_Capacity.MAXUsedSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedSSD in GB
Type:	Number
Description:	Minimum UsedSSD of File system node in GB
Select equivalent:	min(SD_SE_NAS_SystemNode_Capacity.MINUsedSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedSSD in GB
Type:	Number
Description:	Average UsedSSD of File system node in GB
Select equivalent:	avg(SD_SE_NAS_SystemNode_Capacity.AVGUsedSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	HourlyOLAP-FileSystemNodeCapacity
Description:	

Object:	Total FreeHDD in GiB
Type:	Number
Description:	Total FreeHDD of File system node in GiB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTFreeHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeHDD in GiB
Type:	Number
Description:	Maximum FreeHDD of File system node in GiB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXFreeHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeHDD in GiB
Type:	Number
Description:	Minimum FreeHDD of File system node in GiB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINFreeHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeHDD in GiB
Type:	Number
Description:	Average FreeHDD of File system node in GiB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGFreeHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeHDD in GB
Type:	Number
Description:	Total FreeHDD of File system node in GB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTFreeHDDGB)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum FreeHDD in GB
Type: Number
Description: Maximum FreeHDD of File system node in GB
Select equivalent: max(SH_SE_NAS_SystemNode_Capacity.MAXFreeHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum FreeHDD in GB
Type: Number
Description: Minimum FreeHDD of File system node in GB
Select equivalent: min(SH_SE_NAS_SystemNode_Capacity.MINFreeHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average FreeHDD in GB
Type: Number
Description: Average FreeHDD of File system node in GB
Select equivalent: avg(SH_SE_NAS_SystemNode_Capacity.AVGFreeHDDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeSSD in GiB
Type:	Number
Description:	Total FreeSSD of File system node in GiB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTFreeSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeSSD in GiB
Type:	Number
Description:	Maximum FreeSSD of File system node in GiB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXFreeSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeSSD in GiB
Type:	Number
Description:	Minimum FreeSSD of File system node in GiB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINFreeSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeSSD in GiB
Type:	Number
Description:	Average FreeSSD of File system node in GiB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGFreeSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total FreeSSD in GB
Type:	Number
Description:	Total FreeSSD of File system node in GB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTFreeSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum FreeSSD in GB
Type:	Number
Description:	Maximum FreeSSD of File system node in GB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXFreeSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum FreeSSD in GB
Type:	Number

Description:	Minimum FreeSSD of File system node in GB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINFreeSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average FreeSSD in GB
Type:	Number
Description:	Average FreeSSD of File system node in GB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGFreeSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalHDD in GiB
Type:	Number
Description:	Total TotalHDD of File system node in GiB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTTotalHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalHDD in GiB
Type:	Number
Description:	Maximum TotalHDD of File system node in GiB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXTotalHDDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalHDD in GiB
Type:	Number
Description:	Minimum TotalHDD of File system node in GiB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINTotalHDDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalHDD in GiB
Type:	Number
Description:	Average TotalHDD of File system node in GiB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGTotalHDDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalHDD in GB
Type:	Number
Description:	Total TotalHDD of File system node in GB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTTotalHDDGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalHDD in GB
Type:	Number
Description:	Maximum TotalHDD of File system node in GB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXTotalHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalHDD in GB
Type:	Number
Description:	Minimum TotalHDD of File system node in GB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINTotalHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalHDD in GB
Type:	Number
Description:	Average TotalHDD of File system node in GB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGTotalHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total TotalSSD in GiB
Type:	Number
Description:	Total TotalSSD of File system node in GiB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTTotalSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum TotalSSD in GiB
Type:	Number
Description:	Maximum TotalSSD of File system node in GiB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXTotalSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum TotalSSD in GiB
Type:	Number
Description:	Minimum TotalSSD of File system node in GiB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINTotalSSDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalSSD in GiB
Type:	Number
Description:	Average TotalSSD of File system node in GiB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGTotalSSDGiB)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total TotalSSD in GB
Type: Number
Description: Total TotalSSD of File system node in GB
Select equivalent: sum(SH_SE_NAS_SystemNode_Capacity.TOTTotalSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum TotalSSD in GB
Type: Number
Description: Maximum TotalSSD of File system node in GB
Select equivalent: max(SH_SE_NAS_SystemNode_Capacity.MAXTotalSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum TotalSSD in GB
Type: Number
Description: Minimum TotalSSD of File system node in GB
Select equivalent: min(SH_SE_NAS_SystemNode_Capacity.MINTotalSSDGB)
Where equivalent:

Qualification: measure
Aggregate function: Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average TotalSSD in GB
Type:	Number
Description:	Average TotalSSD of File system node in GB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGTotalSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedHDD in GiB
Type:	Number
Description:	Total UsedHDD of File system node in GiB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTUsedHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedHDD in GiB
Type:	Number
Description:	Maximum UsedHDD of File system node in GiB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXUsedHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedHDD in GiB
Type:	Number
Description:	Minimum UsedHDD of File system node in GiB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINUsedHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedHDD in GiB
Type:	Number
Description:	Average UsedHDD of File system node in GiB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGUsedHDDGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedHDD in GB
Type:	Number
Description:	Total UsedHDD of File system node in GB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTUsedHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedHDD in GB
Type:	Number

Description:	Maximum UsedHDD of File system node in GB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXUsedHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedHDD in GB
Type:	Number
Description:	Minimum UsedHDD of File system node in GB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINUsedHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedHDD in GB
Type:	Number
Description:	Average UsedHDD of File system node in GB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGUsedHDDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedSSD in GiB
Type:	Number
Description:	Total UsedSSD of File system node in GiB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTUsedSSDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedSSD in GiB
Type:	Number
Description:	Maximum UsedSSD of File system node in GiB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXUsedSSDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedSSD in GiB
Type:	Number
Description:	Minimum UsedSSD of File system node in GiB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINUsedSSDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedSSD in GiB
Type:	Number
Description:	Average UsedSSD of File system node in GiB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGUsedSSDGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total UsedSSD in GB
Type:	Number
Description:	Total UsedSSD of File system node in GB
Select equivalent:	sum(SH_SE_NAS_SystemNode_Capacity.TOTUsedSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum UsedSSD in GB
Type:	Number
Description:	Maximum UsedSSD of File system node in GB
Select equivalent:	max(SH_SE_NAS_SystemNode_Capacity.MAXUsedSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum UsedSSD in GB
Type:	Number
Description:	Minimum UsedSSD of File system node in GB
Select equivalent:	min(SH_SE_NAS_SystemNode_Capacity.MINUsedSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average UsedSSD in GB
Type:	Number
Description:	Average UsedSSD of File system node in GB
Select equivalent:	avg(SH_SE_NAS_SystemNode_Capacity.AVGUsedSSDGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	File Snapshot Capacity Statistics
Description:	File Snapshot Capacity Statistics

No objects

Class:	NASSnapshot(File Snapshot Capacity Statistics)
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	5cb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	5cc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	5qc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5qe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5qg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata

Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5qi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5qk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5qm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail

Associated dimension name:	Node Group Name
List of values:	5qo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	

Qualification:	dimension
List of values:	5qq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Group Path
List of values:	5qs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Group Path
List of values:	5qu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5qw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	5qy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	
Qualification:	dimension
List of values:	5cd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model

Where equivalent:

Qualification:	dimension
List of values:	5ce, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	

Qualification:	dimension
List of values:	5cf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	

Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	5ch, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System IP Address
Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ci, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ck, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: hidden

Object: Storage System SerialNumber
Type: Character
Description: Serial Number of the Storage System
Select equivalent: K_SE_StorageSystem.SerialNumber
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Status
Type: Character
Description: Operational status of the Storage System
Select equivalent: K_SE_StorageSystem.StorageSystemStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Reset Capability?
Type: Character
Description: Has Reset Capability (flag)
Select equivalent: K_SE_StorageSystem.HasResetCapability
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5cn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Advanced Retention Management?

Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5co, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	64l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5ct, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cs, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5d0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5cy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System

Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5d2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5d1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5d4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	5d3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5d6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5d5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5d8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: hidden

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5d7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Power Management
Type: Character
Description: Power Management
Select equivalent: K_SE_StorageSystem.PowerManagement
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5da, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Parent UUID
Type: Character
Description: Parent UUID for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentUUID
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5d9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Primary Owner Name

Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	64n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	5db, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	64r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System

Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 64p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 64v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 64t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Name
Type: Character
Description: Primary Owner Name of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:

Qualification: detail

Associated dimension name: Storage System Name
List of values: 5dc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 64x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5dh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5dg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: Management URL
Type: Character
Description: Management URL of the Storage System
Select equivalent: K_SE_StorageSystem.ManagementURL
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5df, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Last Contacted Timestamp
Type: Date
Description: Shows the time stamp of w
hen the storage system wa
s last contacted
Select equivalent: K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5de, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Primary Owner Contact
Type: Character
Description: Primary Owner Contact of Storage System
Select equivalent: K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 5dd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object:	File Logical Volume
Type:	Character
Description:	File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:	
Qualification:	dimension
List of values:	5di, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	LVDescription
Type:	Character
Description:	Description about File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates whether a logical volume is thinly provisioned or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Model Type
Type:	Character
Description:	Represents whether the vo lume is 'Logical Disk' or '

	File System' or 'LUN'
Select equivalent:	K_SE_NAS_LogicalVolume.ModelType
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Block Size (Bytes)
Type:	Number
Description:	Block Size in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.Blocksize
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Number Of Blocks
Type:	Number
Description:	Number Of Blocks
Select equivalent:	K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Consumable Blocks (Bytes)
Type:	Number
Description:	Consumable Blocks in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5do, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Cluster Shared?
Type:	Character
Description:	Indicates whether a logical volume is cluster shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Device ID
Type:	Character
Description:	Device ID
Select equivalent:	K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Share ID
Type:	Character
Description:	Share ID
Select equivalent:	K_SE_NAS_LogicalVolume.ShareID
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dr, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Shared?
Type:	Character
Description:	Indicates whether a logical volume is shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsShared
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5ds, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	File System Type
Type:	Character
Description:	File System Type
Select equivalent:	K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Name of the Share
Type:	Character
Description:	Name of the share
Select equivalent:	K_SE_NAS_LogicalVolume.ShareName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5du, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Share System Name
Type:	Character
Description:	Share System Name
Select equivalent:	K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	5dv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Snapshot Name
Type:	Character
Description:	Name of the File Snapshot
Select equivalent:	K_SE_NAS_Snapshot.SNAPSHOTNAME
Where equivalent:	
Qualification:	dimension
List of values:	5dw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Snapshot Status
Type:	Character
Description:	Status of File Snapshot
Select equivalent:	K_SE_NAS_Snapshot.STATUS
Where equivalent:	
Qualification:	detail
Associated dimension name:	Snapshot Name
List of values:	5dx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Snapshot File System Type
Type:	Character
Description:	Type of the file system of Snapshot
Select equivalent:	K_SE_NAS_Snapshot.FILESYSTEMTYPE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Snapshot Name
List of values:	5dy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	SnapshotID
Type:	Character
Description:	SnapshotID
Select equivalent:	K_SE_NAS_Snapshot.SNAPSHOTID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Snapshot Name
List of values:	5e0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent File Volume Name
Type:	Character
Description:	Name of the parent File Volume
Select equivalent:	K_SE_NAS_Snapshot.PARENTNASVOLUMENAME
Where equivalent:	

Qualification:	detail
Associated dimension name:	Snapshot Name
List of values:	5e1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Snapshot Description
Type:	Character
Description:	Description of the File Snapshot
Select equivalent:	K_SE_NAS_Snapshot.DESCRIPTION
Where equivalent:	

Qualification:	detail
Associated dimension name:	Snapshot Name
List of values:	5e2, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	5e3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Logical Volume UUID
Type:	Character
Description:	UUID of the File logical volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:	
Qualification:	dimension
List of values:	5e4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Snapshot UUID
Type:	Character
Description:	UUID of the File Snapshot
Select equivalent:	K_SE_NAS_Snapshot.SNAPSHOTUUID
Where equivalent:	
Qualification:	dimension
List of values:	5e5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element UUID
Type:	Character

Description: UUID of the Element
Select equivalent: K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:

Qualification: dimension
List of values: 5r1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileSnapshot(File Snapshot Capacity Statistics)
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 53d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 53e, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Node Group Name
Type: Character
Description: Name of the Node Group
Select equivalent: K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:

Qualification:	dimension
List of values:	5mf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5mh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5mj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	5ml, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Custom Field 4
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5mn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Custom Field 5
Type: Character
Description: Custom Filed is free container of storing metadata
Select equivalent: K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5mp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ngroup Snapshot Time
Type: Date
Description: Ngroup Snapshot Time
Select equivalent: K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:

Qualification: detail
Associated dimension name: Node Group Name
List of values: 5mr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Group Path

Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	5mt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5mv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	5mx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	

Qualification:	dimension
List of values:	5n0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	

Qualification:	detail
Associated dimension name:	Element Name
List of values:	5n2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor
Where equivalent:	

Qualification:	dimension
List of values:	53f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	

Qualification:	dimension
List of values:	53g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	53h, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC
Select equivalent:	K_SE_StorageSystem.DiscoveryStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System IP Address

Type:	Character
Description:	IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.IPAddress
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System DNS
Type:	Character
Description:	DNS name of the Storage System
Select equivalent:	K_SE_StorageSystem.DNSName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53q, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names

Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	53y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	540, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail

Associated dimension name:	Storage System Name
List of values:	541, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	542, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	543, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	544, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Family
Type: Character
Description: Family of the Storage System
Select equivalent: K_SE_StorageSystem.Family
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 545, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hardware Version
Type: Character
Description: Hardware Version of the Storage System
Select equivalent: K_SE_StorageSystem.HardwareVersion
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 546, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Identifying Descriptions
Type: Character
Description: Identifying Descriptions for the Storage System
Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 547, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Other Identifying Info

Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	548, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	549, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	54a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	54b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	54c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	54d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	54e, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	54f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	54g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	54h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Custom Name
Type: Character
Description: Custom Name of the Storage System
Select equivalent: K_SE_StorageSystem.CustomName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Object Type
Type: Character
Description: Object Type
Select equivalent: K_SE_StorageSystem.ObjectType
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 54j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Logical Volume
Type: Character
Description: File Logical Volume
Select equivalent: K_SE_NAS_LogicalVolume.LogicalVolumeName
Where equivalent:

Qualification: dimension
List of values: 54k, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: LVDescription
Type: Character

Description:	Description about File Logical Volume
Select equivalent:	K_SE_NAS_LogicalVolume.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates whether a logical volume is thinly provisioned or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsThinlyProvisioned
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model Type
Type:	Character
Description:	Represents whether the vo lume is 'Logical Disk' or ' File System' or 'LUN'
Select equivalent:	K_SE_NAS_LogicalVolume.ModelType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size (Bytes)
Type:	Number
Description:	Block Size in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.Blocksize

Where equivalent:

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Number Of Blocks
Type:	Number
Description:	Number Of Blocks
Select equivalent:	K_SE_NAS_LogicalVolume.NumberOfBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks (Bytes)
Type:	Number
Description:	Consumable Blocks in Bytes
Select equivalent:	K_SE_NAS_LogicalVolume.ConsumableBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Cluster Shared?
Type:	Character
Description:	Indicates whether a logical volume is cluster shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsClusterShared
Where equivalent:	

Qualification:	detail
Associated dimension name:	File Logical Volume

List of values:	54r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Device ID
Type:	Character
Description:	Device ID
Select equivalent:	K_SE_NAS_LogicalVolume.DeviceID
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share ID
Type:	Character
Description:	Share ID
Select equivalent:	K_SE_NAS_LogicalVolume.ShareID
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Shared?
Type:	Character
Description:	Indicates whether a logical volume is shared or not
Select equivalent:	K_SE_NAS_LogicalVolume.IsShared
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File System Type
Type:	Character
Description:	File System Type
Select equivalent:	K_SE_NAS_LogicalVolume.FileSystemType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Name of the Share
Type:	Character
Description:	Name of the share
Select equivalent:	K_SE_NAS_LogicalVolume.ShareName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Share System Name
Type:	Character
Description:	Share System Name
Select equivalent:	K_SE_NAS_LogicalVolume.ShareSystemName
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Logical Volume
List of values:	54x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Snapshot Name
Type:	Character

Description:	Name of the File Snapshot
Select equivalent:	K_SE_NAS_Snapshot.SNAPSHOTNAME
Where equivalent:	
Qualification:	dimension
List of values:	54y, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Snapshot Status
Type:	Character
Description:	Status of File Snapshot
Select equivalent:	K_SE_NAS_Snapshot.STATUS
Where equivalent:	
Qualification:	detail
Associated dimension name:	Snapshot Name
List of values:	550, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Snapshot File System Type
Type:	Character
Description:	Type of the file system of Snapshot
Select equivalent:	K_SE_NAS_Snapshot.FILESYSTEMTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Snapshot Name
List of values:	551, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	SnapshotID
Type:	Character
Description:	SnapshotID
Select equivalent:	K_SE_NAS_Snapshot.SNAPSHOTID
Where equivalent:	
Qualification:	detail

Associated dimension name: Snapshot Name
List of values: 552, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent File Volume Name
Type: Character
Description: Name of the parent File Volume
Select equivalent: K_SE_NAS_Snapshot.PARENTNASVOLUMENAME
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 553, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Snapshot Description
Type: Character
Description: Description of the File Snapshot
Select equivalent: K_SE_NAS_Snapshot.DESCRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Snapshot Name
List of values: 554, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System UUID
Type: Character
Description: UUID of the Storage System
Select equivalent: K_SE_StorageSystem.UUID
Where equivalent:

Qualification: dimension
List of values: 555, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Logical Volume UUID
Type:	Character
Description:	UUID of the File logical volume
Select equivalent:	K_SE_NAS_LogicalVolume.LogicalVolumeUUID
Where equivalent:	
Qualification:	dimension
List of values:	556, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Snapshot UUID
Type:	Character
Description:	UUID of the File Snapshot
Select equivalent:	K_SE_NAS_Snapshot.SNAPSHOTUUID
Where equivalent:	
Qualification:	dimension
List of values:	557, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	5nw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Raw File Snapshot Capacity Statistics
Description:	

Object:	Cumulative % of Total Blocks
Type:	Number

Description:	Cumulative percentage of total blocks
Select equivalent:	SR_SE_NAS_Snapshot_Capacity.CumPercentOfTotalBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cumulative % of Used Blocks
Type:	Number
Description:	Cumulative percentage of used blocks
Select equivalent:	SR_SE_NAS_Snapshot_Capacity.CumPercentOfUsedBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cumulative Total in GiB
Type:	Number
Description:	Cumulative total in GiB
Select equivalent:	SR_SE_NAS_Snapshot_Capacity.CumTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cumulative Total in GB
Type:	Number
Description:	Cumulative total in GB
Select equivalent:	SR_SE_NAS_Snapshot_Capacity.CumTotalGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	% of Total Blocks
Type:	Number
Description:	Percentage of total blocks
Select equivalent:	SR_SE_NAS_Snapshot_Capacity.PercentOfTotalBlocks
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	% of Used Blocks
Type:	Number
Description:	Percentage of used blocks
Select equivalent:	SR_SE_NAS_Snapshot_Capacity.PercentOfUsedBlocks
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total in GiB
Type:	Number
Description:	Total in GiB
Select equivalent:	SR_SE_NAS_Snapshot_Capacity.TotalGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used: in result, in condition, in sort
Object status: show

Object: Total in GB
Type: Number
Description: Total in GB
Select equivalent: SR_SE_NAS_Snapshot_Capacity.TotalGB
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: DATETIME(File Snapshot Capacity Statistics)
Description:

Object: Year
Type: Number
Description: Year
Select equivalent: DATETIME.TIME_YEAR_NUMBER
Where equivalent:

Qualification: dimension
List of values: 558, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month
Type: Character
Description: Month Name first Three Characters
Select equivalent: (SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:

Qualification: dimension
List of values: 559, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Month Name
Type:	Character
Description:	Month Name
Select equivalent:	DATETIME.TIME_MONTH_NAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Month
List of values:	55a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day
Type:	Number
Description:	Day
Select equivalent:	DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:	
Qualification:	dimension
List of values:	55b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Day Name
Type:	Character
Description:	Day Name
Select equivalent:	DATETIME.TIME_DAY_NAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Day
List of values:	55c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour
Type:	Number
Description:	Hour
Select equivalent:	DATETIME.TIME_HOUR_ID

Where equivalent:

Qualification: dimension
List of values: 55d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Id
Type: Number
Description: Hour Id
Select equivalent: DATETIME.TIME_HOUR_ID
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 55e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Hour Description
Type: Character
Description: Time Hour Description
Select equivalent: DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:

Qualification: detail
Associated dimension name: Hour
List of values: 55f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Full Date
Type: Date
Description: Full Date
Select equivalent: DATETIME.TIME_FULL_DATE
Where equivalent:

Qualification: dimension
List of values: 55g, editable, manual refresh, not exportable
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Holiday
Type:	Character
Description:	Time Is Holiday
Select equivalent:	DATETIME.TIME_IS_HOLIDAY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Full Date
List of values:	55h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Is Weekday
Type:	Character
Description:	Time Is Weekday
Select equivalent:	DATETIME.TIME_IS_WEEKDAY
Where equivalent:	
Qualification:	detail
Associated dimension name:	Full Date
List of values:	55i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Boundary
Type:	Number
Description:	Hour Boundary
Select equivalent:	DATETIME.HOUR_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	55j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Day Boundary

Type:	Number
Description:	Day Boundary
Select equivalent:	DATETIME.DAY_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	55k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Week Boundary
Type:	Number
Description:	Week Boundary
Select equivalent:	DATETIME.WEEK_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	55l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Month Boundary
Type:	Number
Description:	Month Boundary
Select equivalent:	DATETIME.MONTH_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	55m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Year Boundary
Type:	Number
Description:	Year Boundary
Select equivalent:	DATETIME.YEAR_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	55n, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Daily File Snapshot Capacity Statistics
Description:

Object: Maximum Cumulative % of Total Blocks
Type: Number
Description: Maximum Cumulative percentage of total blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MAXCumPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative % of Total Blocks
Type: Number
Description: Minimum Cumulative percentage of total blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MINCumPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Cumulative % of Used Blocks
Type: Number
Description: Maximum Cumulative percentage of used blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MAXCumPercentOfUsedBlocks
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative % of Used Blocks
Type:	Number
Description:	Minimum Cumulative percentage of used blocks
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MINCumPercentOfUsedBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Cumulative Total in GiB
Type:	Number
Description:	Total Cumulative total in GiB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.TOTCumTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Cumulative Total in GiB
Type:	Number
Description:	Maximum Cumulative total in GiB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MAXCumTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative Total in GiB
Type:	Number
Description:	Minimum Cumulative total in GiB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MINCumTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Cumulative Total in GiB
Type:	Number
Description:	Average Cumulative total in GiB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.AVGCumTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Cumulative Total in GB
Type:	Number
Description:	Total Cumulative total in GB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.TOTCumTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Cumulative Total in GB
Type:	Number
Description:	Maximum Cumulative total in GB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MAXCumTotalGB

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative Total in GB
Type: Number
Description: Minimum Cumulative total in GB
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MINCumTotalGB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Cumulative Total in GB
Type: Number
Description: Average Cumulative total in GB
Select equivalent: SD_SE_NAS_Snapshot_Capacity.AVGCumTotalGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum % of Total Blocks
Type: Number
Description: Maximum Percentage of total blocks
Select equivalent: SD_SE_NAS_Snapshot_Capacity.MAXPercentOfTotalBlocks
Where equivalent:

Qualification: measure
Aggregate function: Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum % of Total Blocks
Type:	Number
Description:	Minimum Percentage of total blocks
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MINPercentOfTotalBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum % of Used Blocks
Type:	Number
Description:	Maximum Percentage of used blocks
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MAXPercentOfUsedBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum % of Used Blocks
Type:	Number
Description:	Minimum Percentage of used blocks
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MINPercentOfUsedBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total in GiB
Type:	Number
Description:	Total of Total in GiB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.TOTTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total in GiB
Type:	Number
Description:	Maximum of Total in GiB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MAXTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total in GiB
Type:	Number
Description:	Minimum of Total in GiB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MINTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total in GiB
Type:	Number

Description:	Average Total in GiB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.AVGTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total in GB
Type:	Number
Description:	Total of Total in GB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.TOTTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total in GB
Type:	Number
Description:	Maximum of Total in GB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MAXTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total in GB
Type:	Number
Description:	Minimum of Total in GB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.MINTotalGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total in GB
Type:	Number
Description:	Average of Total in GB
Select equivalent:	SD_SE_NAS_Snapshot_Capacity.AVGTotalGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Hourly File Snapshot Capacity Statistics
Description:	

Object:	Maximum Cumulative % of Total Blocks
Type:	Number
Description:	Maximum Cumulative percentage of total blocks
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MAXCumPercentOfTotalBlocks
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative % of Total Blocks
Type:	Number
Description:	Minimum Cumulative percentage of total blocks
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MINCumPercentOfTotalBlocks
Where equivalent:	

Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Cumulative % of Used Blocks
Type:	Number
Description:	Maximum Cumulative percentage of used blocks
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MAXCumPercentOfUsedBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative % of Used Blocks
Type:	Number
Description:	Minimum Cumulative percentage of used blocks
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MINCumPercentOfUsedBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Cumulative Total in GiB
Type:	Number
Description:	Total Cumulative total in GiB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.TOTCumTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Maximum Cumulative Total in GiB
Type: Number
Description: Maximum Cumulative total in GiB
Select equivalent: SH_SE_NAS_Snapshot_Capacity.MAXCumTotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative Total in GiB
Type: Number
Description: Minimum Cumulative total in GiB
Select equivalent: SH_SE_NAS_Snapshot_Capacity.MINCumTotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Cumulative Total in GiB
Type: Number
Description: Average Cumulative total in GiB
Select equivalent: SH_SE_NAS_Snapshot_Capacity.AVGCumTotalGiB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Cumulative Total in GB

Type:	Number
Description:	Total Cumulative total in GB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.TOTCumTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Cumulative Total in GB
Type:	Number
Description:	Maximum Cumulative total in GB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MAXCumTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative Total in GB
Type:	Number
Description:	Minimum Cumulative total in GB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MINCumTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Cumulative Total in GB
Type:	Number
Description:	Average Cumulative total in GB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.AVGCumTotalGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum % of Total Blocks
Type:	Number
Description:	Maximum Percentage of total blocks
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MAXPercentOfTotalBlocks
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum % of Total Blocks
Type:	Number
Description:	Minimum Percentage of total blocks
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MINPercentOfTotalBlocks
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum % of Used Blocks
Type:	Number
Description:	Maximum Percentage of used blocks
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MAXPercentOfUsedBlocks
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum % of Used Blocks
Type:	Number
Description:	Minimum Percentage of used blocks
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MINPercentOfUsedBlocks
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total in GiB
Type:	Number
Description:	Total of Total in GiB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.TOTTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total in GiB
Type:	Number
Description:	Maximum of Total in GiB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MAXTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total in GiB
Type:	Number
Description:	Minimum of Total in GiB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MINTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total in GiB
Type:	Number
Description:	Average Total in GiB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.AVGTotalGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total in GB
Type:	Number
Description:	Total of Total in GB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.TOTTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total in GB
Type:	Number
Description:	Maximum of Total in GB

Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MAXTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total in GB
Type:	Number
Description:	Minimum of Total in GB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.MINTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total in GB
Type:	Number
Description:	Average of Total in GB
Select equivalent:	SH_SE_NAS_Snapshot_Capacity.AVGTotalGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DailyOLAP-FileSnapshotCapacity
Description:	

Object:	Maximum Cumulative % of Total Blocks
Type:	Number
Description:	Maximum Cumulative percentage of total blocks
Select equivalent:	max(SD_SE_NAS_Snapshot_Capacity.MAXCumPercentOfTotalBlocks)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative % of Total Blocks
Type: Number
Description: Minimum Cumulative percentage of total blocks
Select equivalent: min(SD_SE_NAS_Snapshot_Capacity.MINCumPercentOfTotalBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Cumulative % of Used Blocks
Type: Number
Description: Maximum Cumulative percentage of used blocks
Select equivalent: max(SD_SE_NAS_Snapshot_Capacity.MAXCumPercentOfUsedBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative % of Used Blocks
Type: Number
Description: Minimum Cumulative percentage of used blocks
Select equivalent: min(SD_SE_NAS_Snapshot_Capacity.MINCumPercentOfUsedBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Min

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Cumulative Total in GiB
Type:	Number
Description:	Total Cumulative total in GiB
Select equivalent:	sum(SD_SE_NAS_Snapshot_Capacity.TOTCumTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Cumulative Total in GiB
Type:	Number
Description:	Maximum Cumulative total in GiB
Select equivalent:	max(SD_SE_NAS_Snapshot_Capacity.MAXCumTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative Total in GiB
Type:	Number
Description:	Minimum Cumulative total in GiB
Select equivalent:	min(SD_SE_NAS_Snapshot_Capacity.MINCumTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Cumulative Total in GiB
Type:	Number
Description:	Average Cumulative total in GiB
Select equivalent:	avg(SD_SE_NAS_Snapshot_Capacity.AVGCumTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Cumulative Total in GB
Type:	Number
Description:	Total Cumulative total in GB
Select equivalent:	sum(SD_SE_NAS_Snapshot_Capacity.TOTCumTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Cumulative Total in GB
Type:	Number
Description:	Maximum Cumulative total in GB
Select equivalent:	max(SD_SE_NAS_Snapshot_Capacity.MAXCumTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative Total in GB
Type:	Number

Description:	Minimum Cumulative total in GB
Select equivalent:	min(SD_SE_NAS_Snapshot_Capacity.MINCumTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Cumulative Total in GB
Type:	Number
Description:	Average Cumulative total in GB
Select equivalent:	avg(SD_SE_NAS_Snapshot_Capacity.AVGCumTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum % of Total Blocks
Type:	Number
Description:	Maximum Percentage of total blocks
Select equivalent:	max(SD_SE_NAS_Snapshot_Capacity.MAXPercentOfTotalBlocks)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum % of Total Blocks
Type:	Number
Description:	Minimum Percentage of total blocks
Select equivalent:	min(SD_SE_NAS_Snapshot_Capacity.MINPercentOfTotalBlocks)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum % of Used Blocks
Type:	Number
Description:	Maximum Percentage of used blocks
Select equivalent:	max(SD_SE_NAS_Snapshot_Capacity.MAXPercentOfUsedBlocks)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum % of Used Blocks
Type:	Number
Description:	Minimum Percentage of used blocks
Select equivalent:	min(SD_SE_NAS_Snapshot_Capacity.MINPercentOfUsedBlocks)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total in GiB
Type:	Number
Description:	Total of Total in GiB
Select equivalent:	sum(SD_SE_NAS_Snapshot_Capacity.TOTTotalGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total in GiB
Type:	Number
Description:	Maximum of Total in GiB
Select equivalent:	max(SD_SE_NAS_Snapshot_Capacity.MAXTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total in GiB
Type:	Number
Description:	Minimum of Total in GiB
Select equivalent:	min(SD_SE_NAS_Snapshot_Capacity.MINTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total in GiB
Type:	Number
Description:	Average Total in GiB
Select equivalent:	avg(SD_SE_NAS_Snapshot_Capacity.AVGTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total in GB
Type:	Number
Description:	Total of Total in GB
Select equivalent:	sum(SD_SE_NAS_Snapshot_Capacity.TOTTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total in GB
Type:	Number
Description:	Maximum of Total in GB
Select equivalent:	max(SD_SE_NAS_Snapshot_Capacity.MAXTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total in GB
Type:	Number
Description:	Minimum of Total in GB
Select equivalent:	min(SD_SE_NAS_Snapshot_Capacity.MINTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total in GB
Type:	Number
Description:	Average of Total in GB
Select equivalent:	avg(SD_SE_NAS_Snapshot_Capacity.AVGTotalGB)

Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: HourlyOLAP-FileSnapshotCapacity
Description:

Object: Maximum Cumulative % of Total Blocks
Type: Number
Description: Maximum Cumulative percentage of total blocks
Select equivalent: max(SH_SE_NAS_Snapshot_Capacity.MAXCumPercentOfTotalBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Cumulative % of Total Blocks
Type: Number
Description: Minimum Cumulative percentage of total blocks
Select equivalent: min(SH_SE_NAS_Snapshot_Capacity.MINCumPercentOfTotalBlocks)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Cumulative % of Used Blocks
Type: Number
Description: Maximum Cumulative percentage of used blocks
Select equivalent: max(SH_SE_NAS_Snapshot_Capacity.MAXCumPercentOfUsedBlocks)
Where equivalent:

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative % of Used Blocks
Type:	Number
Description:	Minimum Cumulative percentage of used blocks
Select equivalent:	min(SH_SE_NAS_Snapshot_Capacity.MINCumPercentOfUsedBlocks)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Cumulative Total in GiB
Type:	Number
Description:	Total Cumulative total in GiB
Select equivalent:	sum(SH_SE_NAS_Snapshot_Capacity.TOTCumTotalGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Cumulative Total in GiB
Type:	Number
Description:	Maximum Cumulative total in GiB
Select equivalent:	max(SH_SE_NAS_Snapshot_Capacity.MAXCumTotalGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative Total in GiB
Type:	Number
Description:	Minimum Cumulative total in GiB
Select equivalent:	min(SH_SE_NAS_Snapshot_Capacity.MINCumTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Cumulative Total in GiB
Type:	Number
Description:	Average Cumulative total in GiB
Select equivalent:	avg(SH_SE_NAS_Snapshot_Capacity.AVGCumTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Cumulative Total in GB
Type:	Number
Description:	Total Cumulative total in GB
Select equivalent:	sum(SH_SE_NAS_Snapshot_Capacity.TOTCumTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Cumulative Total in GB
Type:	Number
Description:	Maximum Cumulative total in GB
Select equivalent:	max(SH_SE_NAS_Snapshot_Capacity.MAXCumTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Cumulative Total in GB
Type:	Number
Description:	Minimum Cumulative total in GB
Select equivalent:	min(SH_SE_NAS_Snapshot_Capacity.MINCumTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Cumulative Total in GB
Type:	Number
Description:	Average Cumulative total in GB
Select equivalent:	avg(SH_SE_NAS_Snapshot_Capacity.AVGCumTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum % of Total Blocks
Type:	Number
Description:	Maximum Percentage of total blocks

Select equivalent:	max(SH_SE_NAS_Snapshot_Capacity.MAXPercentOfTotalBlocks)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum % of Total Blocks
Type:	Number
Description:	Minimum Percentage of total blocks
Select equivalent:	min(SH_SE_NAS_Snapshot_Capacity.MINPercentOfTotalBlocks)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum % of Used Blocks
Type:	Number
Description:	Maximum Percentage of used blocks
Select equivalent:	max(SH_SE_NAS_Snapshot_Capacity.MAXPercentOfUsedBlocks)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum % of Used Blocks
Type:	Number
Description:	Minimum Percentage of used blocks
Select equivalent:	min(SH_SE_NAS_Snapshot_Capacity.MINPercentOfUsedBlocks)
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total in GiB
Type:	Number
Description:	Total of Total in GiB
Select equivalent:	sum(SH_SE_NAS_Snapshot_Capacity.TOTTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total in GiB
Type:	Number
Description:	Maximum of Total in GiB
Select equivalent:	max(SH_SE_NAS_Snapshot_Capacity.MAXTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total in GiB
Type:	Number
Description:	Minimum of Total in GiB
Select equivalent:	min(SH_SE_NAS_Snapshot_Capacity.MINTotalGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Average of Total in GiB
Type: Number
Description: Average Total in GiB
Select equivalent: avg(SH_SE_NAS_Snapshot_Capacity.AVGTotalGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of Total in GB
Type: Number
Description: Total of Total in GB
Select equivalent: sum(SH_SE_NAS_Snapshot_Capacity.TOTTotalGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of Total in GB
Type: Number
Description: Maximum of Total in GB
Select equivalent: max(SH_SE_NAS_Snapshot_Capacity.MAXTotalGB)
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum of Total in GB

Type:	Number
Description:	Minimum of Total in GB
Select equivalent:	min(SH_SE_NAS_Snapshot_Capacity.MINTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total in GB
Type:	Number
Description:	Average of Total in GB
Select equivalent:	avg(SH_SE_NAS_Snapshot_Capacity.AVGTotalGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	File Extent Capacity Statistics
Description:	File Extent Capacity Statistics

No objects

Class:	NASExtent(File Extent Capacity Statistics)
Description:	

Object:	SOM Source Name
Type:	Character
Description:	Name of the source SOM server
Select equivalent:	K_SE_StorageSystem.SEiSourceName
Where equivalent:	
Qualification:	dimension
List of values:	6c7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Tenant Name
Type:	Character
Description:	Tenant Name
Select equivalent:	K_SE_StorageSystem.TenantName
Where equivalent:	
Qualification:	dimension
List of values:	6c8, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Name
Type:	Character
Description:	Name of the Node Group
Select equivalent:	K_SE_NODEGROUPS.NODEGROUPNAME
Where equivalent:	
Qualification:	dimension
List of values:	6c9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 1
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6ca, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 2
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED2

Where equivalent:

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6cb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 3
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED3
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6cc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 4
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED4
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6cd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Custom Field 5
Type:	Character
Description:	Custom Filed is free container of storing metadata
Select equivalent:	K_SE_NODEGROUPS.CUSTOMFILED5
Where equivalent:	

Qualification:	detail
Associated dimension name:	Node Group Name

List of values:	6ce, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Ngroup Snapshot Time
Type:	Date
Description:	Ngroup Snapshot Time
Select equivalent:	K_SE_NODEGROUPS.SNAPSHOTTIME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Node Group Name
List of values:	6cf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Group Path
Type:	Character
Description:	Group Path of the group Hierarchy
Select equivalent:	K_SE_NGROUP_PATH.GROUPPATH
Where equivalent:	
Qualification:	dimension
List of values:	6cg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Node Group Level
Type:	Character
Description:	Level of the Node Group
Select equivalent:	K_SE_NGROUP_PATH.NODEGROUPLEVEL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	6ch, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Group Name
Type:	Character
Description:	Name of the Parent Node Group
Select equivalent:	K_SE_NGROUP_PATH.PARENTGROUPNAME
Where equivalent:	
Qualification:	detail
Associated dimension name:	Group Path
List of values:	6ci, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Name
Type:	Character
Description:	Name of the Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTNAME
Where equivalent:	
Qualification:	dimension
List of values:	6cj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element Type
Type:	Character
Description:	Type of Element
Select equivalent:	K_SE_NGROUPNODES.ELEMENTTYPE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Element Name
List of values:	6ck, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Vendor
Type:	Character
Description:	Storage system vendor name
Select equivalent:	K_SE_StorageSystem.Vendor

Where equivalent:

Qualification:	dimension
List of values:	6cl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	

Qualification:	dimension
List of values:	6cm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	

Qualification:	dimension
List of values:	6cn, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6co, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Storage System Discovery Status
Type: Character
Description: The discovery status of th
e storage system such as
CREATED, CONTACTED, MISS
ING, GENERIC
Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 6cp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 6cq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 6cr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Storage System WWN
Type:	Character
Description:	World Wide Number of the Storage System
Select equivalent:	K_SE_StorageSystem.WWN
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6cs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6ct, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6cu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Reset Capability?
Type:	Character

Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6cv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Advanced Retention Management?
Type:	Character
Description:	Has Advanced Retention Management (flag)
Select equivalent:	K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6cw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Cache Block Size
Type:	Number
Description:	Cache Block Size
Select equivalent:	K_SE_StorageSystem.CacheBlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6cx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Has Compliance Mode?
Type:	Character
Description:	Has Compliance Mode (flag)
Select equivalent:	K_SE_StorageSystem.HasComplianceMode
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6cy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Domain
Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d2, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6d9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6da, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6db, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values:	6dc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System
Select equivalent:	K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6dd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Other Identifying Info
Type:	Character
Description:	Other Identifying Info for the Storage System
Select equivalent:	K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6de, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Provider Tag
Type:	Character
Description:	Provider Tag of the Storage System
Select equivalent:	K_SE_StorageSystem.ProviderTag
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6df, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent Name
Type:	Character
Description:	Parent Name for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6dg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6dh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6di, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Roles
Type:	Character

Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6dj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6dk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6dl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp

Where equivalent:

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6dm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6dn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	6do, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name

List of values: 6dp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent Name
Type: Character
Description: Name of the File extent
Select equivalent: K_SE_NAS_Extent.NASExtentName
Where equivalent:

Qualification: dimension
List of values: 6dq, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent Vendor
Type: Character
Description: Vendor name of the File Extent
Select equivalent: K_SE_NAS_Extent.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 6dr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: File Extent Description
Type: Character
Description: File Extent description
Select equivalent: K_SE_NAS_Extent.NASExtentDescription
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 6ds, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Access Type
Type:	Character
Description:	File Extent access type
Select equivalent:	K_SE_NAS_Extent.AccessType
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	6dt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Size in Bytes
Type:	Number
Description:	Block size in bytes
Select equivalent:	K_SE_NAS_Extent.BlkSizeinBytes
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	6du, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	# of Blocks
Type:	Number
Description:	Number of blocks
Select equivalent:	K_SE_NAS_Extent.NumberOfBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	6dv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Consumable Blocks
Type:	Number
Description:	Number of consumable blocks

Select equivalent:	K_SE_NAS_Extent.ConsumableBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	6dw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	6dx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	File Extent UUID
Type:	Character
Description:	UUID of the File Extent
Select equivalent:	K_SE_NAS_Extent.NASExtentUUID
Where equivalent:	
Qualification:	dimension
List of values:	6dy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Element UUID
Type:	Character
Description:	UUID of the Element
Select equivalent:	K_SE_NODEELEMENTS.ELEMENTUUID
Where equivalent:	
Qualification:	dimension
List of values:	6e0, editable, manual refresh, not exportable
Security access level:	0

Can be used: in result, in condition, in sort
Object status: show

Class: FileExtent(File Extent Capacity Statistics)
Description:

Object: SOM Source Name
Type: Character
Description: Name of the source SOM server
Select equivalent: K_SE_StorageSystem.SEiSourceName
Where equivalent:

Qualification: dimension
List of values: 4xj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Tenant Name
Type: Character
Description: Tenant Name
Select equivalent: K_SE_StorageSystem.TenantName
Where equivalent:

Qualification: dimension
List of values: 4xk, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Vendor
Type: Character
Description: Storage system vendor name
Select equivalent: K_SE_StorageSystem.Vendor
Where equivalent:

Qualification: dimension
List of values: 4xl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object:	Model
Type:	Character
Description:	Storage System Model Number
Select equivalent:	K_SE_StorageSystem.Model
Where equivalent:	
Qualification:	dimension
List of values:	4xm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Name
Type:	Character
Description:	Name of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemName
Where equivalent:	
Qualification:	dimension
List of values:	4xn, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Description
Type:	Character
Description:	Description about Storage System
Select equivalent:	K_SE_StorageSystem.Description
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4xo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Discovery Status
Type:	Character
Description:	The discovery status of th e storage system such as CREATED, CONTACTED, MISS ING, GENERIC

Select equivalent: K_SE_StorageSystem.DiscoveryStatus
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System IP Address
Type: Character
Description: IP Address of the Storage System
Select equivalent: K_SE_StorageSystem.IPAddress
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System DNS
Type: Character
Description: DNS name of the Storage System
Select equivalent: K_SE_StorageSystem.DNSName
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Storage System WWN
Type: Character
Description: World Wide Number of the Storage System
Select equivalent: K_SE_StorageSystem.WWN
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	4xs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System SerialNumber
Type:	Character
Description:	Serial Number of the Storage System
Select equivalent:	K_SE_StorageSystem.SerialNumber
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4xt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System Status
Type:	Character
Description:	Operational status of the Storage System
Select equivalent:	K_SE_StorageSystem.StorageSystemStatus
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4xu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Has Reset Capability?
Type:	Character
Description:	Has Reset Capability (flag)
Select equivalent:	K_SE_StorageSystem.HasResetCapability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4xv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: hidden

Object: Has Advanced Retention Management?
Type: Character
Description: Has Advanced Retention Management (flag)
Select equivalent: K_SE_StorageSystem.HasAdvRetentionMgmt
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Cache Block Size
Type: Number
Description: Cache Block Size
Select equivalent: K_SE_StorageSystem.CacheBlockSize
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Has Compliance Mode?
Type: Character
Description: Has Compliance Mode (flag)
Select equivalent: K_SE_StorageSystem.HasComplianceMode
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4xy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Domain

Type:	Character
Description:	Domain of the Storage System
Select equivalent:	K_SE_StorageSystem.Domain
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Over Subscribed Capacity
Type:	Character
Description:	Over Subscribed Capacity
Select equivalent:	K_SE_StorageSystem.OverSubscribedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Requested Capacity
Type:	Character
Description:	Requested Capacity
Select equivalent:	K_SE_StorageSystem.RequestedCapacity
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Is Manageable?
Type:	Character
Description:	Is Manageable
Select equivalent:	K_SE_StorageSystem.IsManageable
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Maximum Volume Name Length
Type:	Character
Description:	Maximum allowed length for Volume Names
Select equivalent:	K_SE_StorageSystem.MaxVolumeNameLength
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication IP
Type:	Character
Description:	Replication IP Address of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationIP
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Pools
Type:	Character
Description:	Replication Pools of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationPools
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y6, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Replication Status
Type:	Character
Description:	Replication Status of the Storage System
Select equivalent:	K_SE_StorageSystem.ReplicationStatus
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage On Access
Type:	Character
Description:	Storage On Access (flag)
Select equivalent:	K_SE_StorageSystem.StorageOnAccess
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Business Cost
Type:	Number
Description:	Business Cost of the Storage System
Select equivalent:	K_SE_StorageSystem.BusinessCost
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4y9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	DKC Microcode Version
Type:	Character
Description:	DKC Microcode Version of the Storage System
Select equivalent:	K_SE_StorageSystem.DKCMicrocodeVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ya, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Family
Type:	Character
Description:	Family of the Storage System
Select equivalent:	K_SE_StorageSystem.Family
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Hardware Version
Type:	Character
Description:	Hardware Version of the Storage System
Select equivalent:	K_SE_StorageSystem.HardwareVersion
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Identifying Descriptions
Type:	Character
Description:	Identifying Descriptions for the Storage System

Select equivalent: K_SE_StorageSystem.IdentifyingDescriptions
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4yd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Other Identifying Info
Type: Character
Description: Other Identifying Info for the Storage System
Select equivalent: K_SE_StorageSystem.OtherIdentifyingInfo
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4ye, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Provider Tag
Type: Character
Description: Provider Tag of the Storage System
Select equivalent: K_SE_StorageSystem.ProviderTag
Where equivalent:

Qualification: detail
Associated dimension name: Storage System Name
List of values: 4yf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Parent Name
Type: Character
Description: Parent Name for a File System Node/Virtual Server
Select equivalent: K_SE_StorageSystem.ParentName
Where equivalent:

Qualification: detail

Associated dimension name:	Storage System Name
List of values:	4yg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent UUID
Type:	Character
Description:	Parent UUID for a File System Node/Virtual Server
Select equivalent:	K_SE_StorageSystem.ParentUUID
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Power Management
Type:	Character
Description:	Power Management
Select equivalent:	K_SE_StorageSystem.PowerManagement
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Roles
Type:	Character
Description:	Roles of the Storage System
Select equivalent:	K_SE_StorageSystem.Roles
Where equivalent:	

Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	hidden

Object:	Primary Owner Name
Type:	Character
Description:	Primary Owner Name of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Primary Owner Contact
Type:	Character
Description:	Primary Owner Contact of Storage System
Select equivalent:	K_SE_StorageSystem.PrimaryOwnerContact
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Last Contacted Timestamp
Type:	Date
Description:	Shows the time stamp of w hen the storage system wa s last contacted
Select equivalent:	K_SE_StorageSystem.LastContactedTimestamp
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4ym, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Management URL
Type:	Character
Description:	Management URL of the Storage System
Select equivalent:	K_SE_StorageSystem.ManagementURL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Custom Name
Type:	Character
Description:	Custom Name of the Storage System
Select equivalent:	K_SE_StorageSystem.CustomName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Object Type
Type:	Character
Description:	Object Type
Select equivalent:	K_SE_StorageSystem.ObjectType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Storage System Name
List of values:	4yp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	File Extent Name
Type:	Character
Description:	Name of the File extent

Select equivalent: K_SE_NAS_Extent.NASExtentName
Where equivalent:

Qualification: dimension
List of values: 4yq, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: File Extent Vendor
Type: Character
Description: Vendor name of the File Extent
Select equivalent: K_SE_NAS_Extent.Vendor
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 4yr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: File Extent Description
Type: Character
Description: File Extent description
Select equivalent: K_SE_NAS_Extent.NASExtentDescription
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name
List of values: 4ys, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Access Type
Type: Character
Description: File Extent access type
Select equivalent: K_SE_NAS_Extent.AccessType
Where equivalent:

Qualification: detail
Associated dimension name: File Extent Name

List of values:	4yt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Block Size in Bytes
Type:	Number
Description:	Block size in bytes
Select equivalent:	K_SE_NAS_Extent.BlkSizeinBytes
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	4yu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	# of Blocks
Type:	Number
Description:	Number of blocks
Select equivalent:	K_SE_NAS_Extent.NumberOfBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	4yv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Consumable Blocks
Type:	Number
Description:	Number of consumable blocks
Select equivalent:	K_SE_NAS_Extent.ConsumableBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	File Extent Name
List of values:	4yw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage System UUID
Type:	Character
Description:	UUID of the Storage System
Select equivalent:	K_SE_StorageSystem.UUID
Where equivalent:	
Qualification:	dimension
List of values:	4yx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	File Extent UUID
Type:	Character
Description:	UUID of the File Extent
Select equivalent:	K_SE_NAS_Extent.NASExtentUUID
Where equivalent:	
Qualification:	dimension
List of values:	4yy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Class:	Raw File Extent Capacity Statistics
Description:	

Object:	Available Space in GiB
Type:	Number
Description:	Available space of the File Extent in GiB
Select equivalent:	SR_SE_NAS_Extent_Capacity.AvailableSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Available Space in GB

Type:	Number
Description:	Available space of the File Extent in GB
Select equivalent:	SR_SE_NAS_Extent_Capacity.AvailableSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space in GiB
Type:	Number
Description:	Total space of the File Extent in GiB
Select equivalent:	SR_SE_NAS_Extent_Capacity.TotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Space in GB
Type:	Number
Description:	Total space of the File Extent in GB
Select equivalent:	SR_SE_NAS_Extent_Capacity.TotalSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Space in GiB
Type:	Number
Description:	Used space of the File Extent in GiB
Select equivalent:	SR_SE_NAS_Extent_Capacity.UsedSpaceGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Space in GB
Type:	Number
Description:	Used space of the File Extent in GB
Select equivalent:	SR_SE_NAS_Extent_Capacity.UsedSpaceGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DATETIME(File Extent Capacity Statistics)
Description:	

Object:	Year
Type:	Number
Description:	Year
Select equivalent:	DATETIME.TIME_YEAR_NUMBER
Where equivalent:	

Qualification:	dimension
List of values:	500, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Month
Type:	Character
Description:	Month Name first Three Characters
Select equivalent:	(SUBSTR(DATETIME.TIME_MONTH_NAME,1,3))
Where equivalent:	

Qualification:	dimension

List of values: 501, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Month Name
Type: Character
Description: Month Name
Select equivalent: DATETIME.TIME_MONTH_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Month
List of values: 502, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day
Type: Number
Description: Day
Select equivalent: DATETIME.TIME_DAY_MONTH_NUMBER
Where equivalent:

Qualification: dimension
List of values: 503, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Day Name
Type: Character
Description: Day Name
Select equivalent: DATETIME.TIME_DAY_NAME
Where equivalent:

Qualification: detail
Associated dimension name: Day
List of values: 504, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	Hour
Type:	Number
Description:	Hour
Select equivalent:	DATETIME.TIME_HOUR_ID
Where equivalent:	
Qualification:	dimension
List of values:	505, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Hour Id
Type:	Number
Description:	Hour Id
Select equivalent:	DATETIME.TIME_HOUR_ID
Where equivalent:	
Qualification:	detail
Associated dimension name:	Hour
List of values:	506, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Time Hour Description
Type:	Character
Description:	Time Hour Description
Select equivalent:	DATETIME.TIME_HOUR_DESCRIPTION
Where equivalent:	
Qualification:	detail
Associated dimension name:	Hour
List of values:	507, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Full Date
Type:	Date
Description:	Full Date
Select equivalent:	DATETIME.TIME_FULL_DATE

Where equivalent:

Qualification: dimension
List of values: 508, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Is Holiday
Type: Character
Description: Time Is Holiday
Select equivalent: DATETIME.TIME_IS_HOLIDAY
Where equivalent:

Qualification: detail
Associated dimension name: Full Date
List of values: 509, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Time Is Weekday
Type: Character
Description: Time Is Weekday
Select equivalent: DATETIME.TIME_IS_WEEKDAY
Where equivalent:

Qualification: detail
Associated dimension name: Full Date
List of values: 50a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Hour Boundary
Type: Number
Description: Hour Boundary
Select equivalent: DATETIME.HOUR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 50b, editable, manual refresh, not exportable
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Day Boundary
Type:	Number
Description:	Day Boundary
Select equivalent:	DATETIME.DAY_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	50c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Week Boundary
Type:	Number
Description:	Week Boundary
Select equivalent:	DATETIME.WEEK_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	50d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Month Boundary
Type:	Number
Description:	Month Boundary
Select equivalent:	DATETIME.MONTH_BOUNDARY
Where equivalent:	
Qualification:	dimension
List of values:	50e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Year Boundary
Type:	Number
Description:	Year Boundary

Select equivalent: DATETIME.YEAR_BOUNDARY
Where equivalent:

Qualification: dimension
List of values: 50f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Daily File Extent Capacity Statistics
Description:

Object: Total Available Space in GiB
Type: Number
Description: Total Available space of the File Extent in GiB
Select equivalent: SD_SE_NAS_Extent_Capacity.TOTAvailableSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Available Space in GiB
Type: Number
Description: Maximum Available space of the File Extent in GiB
Select equivalent: SD_SE_NAS_Extent_Capacity.MAXAvailableSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Available Space in GiB
Type: Number
Description: Minimum Available space of the File Extent in GiB
Select equivalent: SD_SE_NAS_Extent_Capacity.MINAvailableSpaceGiB
Where equivalent:

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Space in GiB
Type:	Number
Description:	Average Available space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.AVGAvailableSpaceGiB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space in GB
Type:	Number
Description:	Total Available space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.TOTAvailableSpaceGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Space in GB
Type:	Number
Description:	Maximum Available space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MAXAvailableSpaceGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Space in GB
Type:	Number
Description:	Minimum Available space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MINAvailableSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Space in GB
Type:	Number
Description:	Average Available space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.AVGAvailableSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total Space in GiB
Type:	Number
Description:	Total of Total space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.TOTTotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total Space in GiB
Type:	Number
Description:	Maximum of Total space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MAXTotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total Space in GiB
Type:	Number
Description:	Minimum of Total space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MINTotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total Space in GiB
Type:	Number
Description:	Average of Total space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.AVGTotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total Space in GB
Type:	Number
Description:	Total of Total space of the File Extent in GB

Select equivalent:	SD_SE_NAS_Extent_Capacity.TOTTotalSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total Space in GB
Type:	Number
Description:	Maximum of Total space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MAXTotalSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total Space in GB
Type:	Number
Description:	Minimum of Total space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MINTotalSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total Space in GB
Type:	Number
Description:	Average of Total space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.AVGTotalSpaceGB
Where equivalent:	
Qualification:	measure

Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Space in GiB
Type:	Number
Description:	Total Used space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.TOTUsedSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Space in GiB
Type:	Number
Description:	Maximum Used space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MAXUsedSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Space in GiB
Type:	Number
Description:	Minimum Used space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MINUsedSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show

Object:	Average Used Space in GiB
Type:	Number
Description:	Average Used space of the File Extent in GiB
Select equivalent:	SD_SE_NAS_Extent_Capacity.AVGUsedSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Space in GB
Type:	Number
Description:	Total Used space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.TOTUsedSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Space in GB
Type:	Number
Description:	Maximum Used space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MAXUsedSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Space in GB

Type:	Number
Description:	Minimum Used space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.MINUsedSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Space in GB
Type:	Number
Description:	Average Used space of the File Extent in GB
Select equivalent:	SD_SE_NAS_Extent_Capacity.AVGUsedSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Hourly File Extent Capacity Statistics
Description:	

Object:	Total Available Space in GiB
Type:	Number
Description:	Total Available space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.TOTAvailableSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Space in GiB
Type:	Number

Description:	Maximum Available space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MAXAvailableSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Space in GiB
Type:	Number
Description:	Minimum Available space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MINAvailableSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Space in GiB
Type:	Number
Description:	Average Available space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.AVGAvailableSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space in GB
Type:	Number
Description:	Total Available space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.TOTAvailableSpaceGB
Where equivalent:	

Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Space in GB
Type:	Number
Description:	Maximum Available space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MAXAvailableSpaceGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Space in GB
Type:	Number
Description:	Minimum Available space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MINAvailableSpaceGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Space in GB
Type:	Number
Description:	Average Available space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.AVGAvailableSpaceGB
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total Space in GiB
Type:	Number
Description:	Total of Total space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.TOTTotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total Space in GiB
Type:	Number
Description:	Maximum of Total space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MAXTotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total Space in GiB
Type:	Number
Description:	Minimum of Total space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MINTotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total Space in GiB
Type:	Number
Description:	Average of Total space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.AVGTotalSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total Space in GB
Type:	Number
Description:	Total of Total space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.TOTTotalSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total Space in GB
Type:	Number
Description:	Maximum of Total space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MAXTotalSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total Space in GB
Type:	Number
Description:	Minimum of Total space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MINTotalSpaceGB

Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of Total Space in GB
Type: Number
Description: Average of Total space of the File Extent in GB
Select equivalent: SH_SE_NAS_Extent_Capacity.AVGTotalSpaceGB
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total Used Space in GiB
Type: Number
Description: Total Used space of the File Extent in GiB
Select equivalent: SH_SE_NAS_Extent_Capacity.TOTUsedSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum Used Space in GiB
Type: Number
Description: Maximum Used space of the File Extent in GiB
Select equivalent: SH_SE_NAS_Extent_Capacity.MAXUsedSpaceGiB
Where equivalent:

Qualification: measure
Aggregate function: Max

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Space in GiB
Type:	Number
Description:	Minimum Used space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MINUsedSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Space in GiB
Type:	Number
Description:	Average Used space of the File Extent in GiB
Select equivalent:	SH_SE_NAS_Extent_Capacity.AVGUsedSpaceGiB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Space in GB
Type:	Number
Description:	Total Used space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.TOTUsedSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Space in GB
Type:	Number
Description:	Maximum Used space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MAXUsedSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Space in GB
Type:	Number
Description:	Minimum Used space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.MINUsedSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Space in GB
Type:	Number
Description:	Average Used space of the File Extent in GB
Select equivalent:	SH_SE_NAS_Extent_Capacity.AVGUsedSpaceGB
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	DailyOLAP-FileExtentCapacity
Description:	

Object:	Total Available Space in GiB
Type:	Number
Description:	Total Available space of the File Extent in GiB
Select equivalent:	sum(SD_SE_NAS_Extent_Capacity.TOTAvailableSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Space in GiB
Type:	Number
Description:	Maximum Available space of the File Extent in GiB
Select equivalent:	max(SD_SE_NAS_Extent_Capacity.MAXAvailableSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Space in GiB
Type:	Number
Description:	Minimum Available space of the File Extent in GiB
Select equivalent:	min(SD_SE_NAS_Extent_Capacity.MINAvailableSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Space in GiB
Type:	Number
Description:	Average Available space of the File Extent in GiB

Select equivalent:	avg(SD_SE_NAS_Extent_Capacity.AVGAvailableSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space in GB
Type:	Number
Description:	Total Available space of the File Extent in GB
Select equivalent:	sum(SD_SE_NAS_Extent_Capacity.TOTAvailableSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Space in GB
Type:	Number
Description:	Maximum Available space of the File Extent in GB
Select equivalent:	max(SD_SE_NAS_Extent_Capacity.MAXAvailableSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Space in GB
Type:	Number
Description:	Minimum Available space of the File Extent in GB
Select equivalent:	min(SD_SE_NAS_Extent_Capacity.MINAvailableSpaceGB)
Where equivalent:	
Qualification:	measure

Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Space in GB
Type:	Number
Description:	Average Available space of the File Extent in GB
Select equivalent:	avg(SD_SE_NAS_Extent_Capacity.AVGAvailableSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total Space in GiB
Type:	Number
Description:	Total of Total space of the File Extent in GiB
Select equivalent:	sum(SD_SE_NAS_Extent_Capacity.TOTTotalSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total Space in GiB
Type:	Number
Description:	Maximum of Total space of the File Extent in GiB
Select equivalent:	max(SD_SE_NAS_Extent_Capacity.MAXTotalSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Minimum of Total Space in GiB
Type: Number
Description: Minimum of Total space of the File Extent in GiB
Select equivalent: min(SD_SE_NAS_Extent_Capacity.MINTotalSpaceGiB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average of Total Space in GiB
Type: Number
Description: Average of Total space of the File Extent in GiB
Select equivalent: avg(SD_SE_NAS_Extent_Capacity.AVGTotalSpaceGiB)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of Total Space in GB
Type: Number
Description: Total of Total space of the File Extent in GB
Select equivalent: sum(SD_SE_NAS_Extent_Capacity.TOTTotalSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Maximum of Total Space in GB

Type:	Number
Description:	Maximum of Total space of the File Extent in GB
Select equivalent:	max(SD_SE_NAS_Extent_Capacity.MAXTotalSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total Space in GB
Type:	Number
Description:	Minimum of Total space of the File Extent in GB
Select equivalent:	min(SD_SE_NAS_Extent_Capacity.MINTotalSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total Space in GB
Type:	Number
Description:	Average of Total space of the File Extent in GB
Select equivalent:	avg(SD_SE_NAS_Extent_Capacity.AVGTotalSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Space in GiB
Type:	Number
Description:	Total Used space of the File Extent in GiB
Select equivalent:	sum(SD_SE_NAS_Extent_Capacity.TOTUsedSpaceGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Space in GiB
Type:	Number
Description:	Maximum Used space of the File Extent in GiB
Select equivalent:	max(SD_SE_NAS_Extent_Capacity.MAXUsedSpaceGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Space in GiB
Type:	Number
Description:	Minimum Used space of the File Extent in GiB
Select equivalent:	min(SD_SE_NAS_Extent_Capacity.MINUsedSpaceGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Space in GiB
Type:	Number
Description:	Average Used space of the File Extent in GiB
Select equivalent:	avg(SD_SE_NAS_Extent_Capacity.AVGUsedSpaceGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Average
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Space in GB
Type:	Number
Description:	Total Used space of the File Extent in GB
Select equivalent:	sum(SD_SE_NAS_Extent_Capacity.TOTUsedSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Space in GB
Type:	Number
Description:	Maximum Used space of the File Extent in GB
Select equivalent:	max(SD_SE_NAS_Extent_Capacity.MAXUsedSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Space in GB
Type:	Number
Description:	Minimum Used space of the File Extent in GB
Select equivalent:	min(SD_SE_NAS_Extent_Capacity.MINUsedSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Space in GB
Type:	Number
Description:	Average Used space of the File Extent in GB
Select equivalent:	avg(SD_SE_NAS_Extent_Capacity.AVGUsedSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Average
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	HourlyOLAP-FileExtentCapacity
Description:	

Object:	Total Available Space in GiB
Type:	Number
Description:	Total Available space of the File Extent in GiB
Select equivalent:	sum(SH_SE_NAS_Extent_Capacity.TOTAvailableSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Space in GiB
Type:	Number
Description:	Maximum Available space of the File Extent in GiB
Select equivalent:	max(SH_SE_NAS_Extent_Capacity.MAXAvailableSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Available Space in GiB
Type:	Number
Description:	Minimum Available space of the File Extent in GiB
Select equivalent:	min(SH_SE_NAS_Extent_Capacity.MINAvailableSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Available Space in GiB
Type:	Number
Description:	Average Available space of the File Extent in GiB
Select equivalent:	avg(SH_SE_NAS_Extent_Capacity.AVGAvailableSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Available Space in GB
Type:	Number
Description:	Total Available space of the File Extent in GB
Select equivalent:	sum(SH_SE_NAS_Extent_Capacity.TOTAvailableSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Available Space in GB
Type:	Number
Description:	Maximum Available space of the File Extent in GB
Select equivalent:	max(SH_SE_NAS_Extent_Capacity.MAXAvailableSpaceGB)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Minimum Available Space in GB
Type: Number
Description: Minimum Available space of the File Extent in GB
Select equivalent: min(SH_SE_NAS_Extent_Capacity.MINAvailableSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Min
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Average Available Space in GB
Type: Number
Description: Average Available space of the File Extent in GB
Select equivalent: avg(SH_SE_NAS_Extent_Capacity.AVGAvailableSpaceGB)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Total of Total Space in GiB
Type: Number
Description: Total of Total space of the File Extent in GiB
Select equivalent: sum(SH_SE_NAS_Extent_Capacity.TOTTotalSpaceGiB)
Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total Space in GiB
Type:	Number
Description:	Maximum of Total space of the File Extent in GiB
Select equivalent:	max(SH_SE_NAS_Extent_Capacity.MAXTotalSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total Space in GiB
Type:	Number
Description:	Minimum of Total space of the File Extent in GiB
Select equivalent:	min(SH_SE_NAS_Extent_Capacity.MINTotalSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total Space in GiB
Type:	Number
Description:	Average of Total space of the File Extent in GiB
Select equivalent:	avg(SH_SE_NAS_Extent_Capacity.AVGTotalSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total of Total Space in GB
Type:	Number
Description:	Total of Total space of the File Extent in GB
Select equivalent:	sum(SH_SE_NAS_Extent_Capacity.TOTTotalSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum of Total Space in GB
Type:	Number
Description:	Maximum of Total space of the File Extent in GB
Select equivalent:	max(SH_SE_NAS_Extent_Capacity.MAXTotalSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum of Total Space in GB
Type:	Number
Description:	Minimum of Total space of the File Extent in GB
Select equivalent:	min(SH_SE_NAS_Extent_Capacity.MINTotalSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average of Total Space in GB
Type:	Number

Description:	Average of Total space of the File Extent in GB
Select equivalent:	avg(SH_SE_NAS_Extent_Capacity.AVGTotalSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Space in GiB
Type:	Number
Description:	Total Used space of the File Extent in GiB
Select equivalent:	sum(SH_SE_NAS_Extent_Capacity.TOTUsedSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Space in GiB
Type:	Number
Description:	Maximum Used space of the File Extent in GiB
Select equivalent:	max(SH_SE_NAS_Extent_Capacity.MAXUsedSpaceGiB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Space in GiB
Type:	Number
Description:	Minimum Used space of the File Extent in GiB
Select equivalent:	min(SH_SE_NAS_Extent_Capacity.MINUsedSpaceGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Space in GiB
Type:	Number
Description:	Average Used space of the File Extent in GiB
Select equivalent:	avg(SH_SE_NAS_Extent_Capacity.AVGUsedSpaceGiB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Total Used Space in GB
Type:	Number
Description:	Total Used space of the File Extent in GB
Select equivalent:	sum(SH_SE_NAS_Extent_Capacity.TOTUsedSpaceGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Maximum Used Space in GB
Type:	Number
Description:	Maximum Used space of the File Extent in GB
Select equivalent:	max(SH_SE_NAS_Extent_Capacity.MAXUsedSpaceGB)
Where equivalent:	

Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Minimum Used Space in GB
Type:	Number
Description:	Minimum Used space of the File Extent in GB
Select equivalent:	min(SH_SE_NAS_Extent_Capacity.MINUsedSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Average Used Space in GB
Type:	Number
Description:	Average Used space of the File Extent in GB
Select equivalent:	avg(SH_SE_NAS_Extent_Capacity.AVGUsedSpaceGB)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	Supplemental
Description:	

No objects

Class:	Date Time Period
Description:	

Object:	SHRDate
Type:	Date
Description:	SHR Date
Select equivalent:	Date(SHRDate.SHRDate)
Where equivalent:	

Qualification:	dimension
List of values:	22l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Full Date-Hourly
Type:	Date
Description:	Full Date
Select equivalent:	DATETIME.TIME_FULL_DATE
Where equivalent:	DATETIME.HOUR_BOUNDARY=1
Qualification:	dimension
List of values:	22m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Date Range
Type:	Character
Description:	Date Range
Select equivalent:	DATETIMERANGE.DATE_RANGE
Where equivalent:	
Qualification:	dimension
List of values:	22n, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Start Date
Type:	Date
Description:	Date Min Range
Select equivalent:	DATETIMERANGE.DATE_RANGE_MIN
Where equivalent:	
Qualification:	dimension
List of values:	22o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	End Date
Type:	Date
Description:	Date Max Range
Select equivalent:	DATETIMERANGE.DATE_RANGE_MAX
Where equivalent:	
Qualification:	dimension
List of values:	22p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Full Date-Daily
Type:	Date
Description:	Full Date
Select equivalent:	DATETIME.TIME_FULL_DATE
Where equivalent:	DATETIME.DAY_BOUNDARY=1
Qualification:	dimension
List of values:	22q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Full Date-Min
Type:	Date
Description:	Full Date
Select equivalent:	Min(DATETIME.TIME_FULL_DATE)
Where equivalent:	
Qualification:	measure
Aggregate function:	Min
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Full Date-Max
Type:	Date
Description:	Full Date
Select equivalent:	Max(DATETIME.TIME_FULL_DATE)
Where equivalent:	
Qualification:	measure

Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: StorageSystem
Description:

Object: StorageSystem Key
Type: Number
Description:

Select equivalent: K_SE_StorageSystem.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: StoragePool
Description:

Object: StoragePool Key
Type: Number
Description:

Select equivalent: K_SE_Storage_Pool.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileLogicalVolume
Description:

Object: FileLogicalVolume Key
Type: Number

Description:

Select equivalent: K_SE_NAS_LogicalVolume.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileQuota
Description:

Object: FileQuota Key
Type: Number
Description:

Select equivalent: K_SE_NAS_Quota.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileSystemNode
Description:

Object: FileSystemNode Key
Type: Number
Description:

Select equivalent: K_SE_NAS_Processor.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileSnapshot

Description:

Object: FileSnapshot Key
Type: Number
Description:

Select equivalent: K_SE_NAS_Snapshot.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: FileExtent
Description:

Object: FileExtent Key
Type: Number
Description:

Select equivalent: K_SE_NAS_Extent.dsi_key_id
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: SublunTiers
Description:

Object: Block Pool Name
Type: Character
Description: Block Pool Name
Select equivalent: K_SE_Storage_Pool.SANPoolName
Where equivalent:

Qualification: dimension
List of values: 6e2, editable, manual refresh, not exportable
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Block Pool Description
Type:	Character
Description:	Description about Block Pool
Select equivalent:	K_SE_Storage_Pool.SANPoolDescription
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6e3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Parent Pool Name
Type:	Character
Description:	Parent Pool Name
Select equivalent:	K_SE_Storage_Pool.ParentPoolName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6e4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Total Available Space (GB)
Type:	Number
Description:	Total Available Space in GB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6e5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Total Available Space (GiB)
Type:	Number
Description:	Total Available Space in GiB
Select equivalent:	K_SE_Storage_Pool.TotalAvailableSpaceGiB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6e6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage Capability Name
Type:	Character
Description:	Storage Capability Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6e7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage Capability Common Name
Type:	Character
Description:	Storage Capability Common Name
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityCommonName
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6e8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Storage Capability Description
Type:	Character
Description:	Storage Capability Description
Select equivalent:	K_SE_Storage_Pool.StorageCapabilityDescription

Where equivalent:

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6e9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	No Single Point Of Failure
Type:	Character
Description:	No Single Point Of Failure
Select equivalent:	K_SE_Storage_Pool.NoSinglePtOfFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6ea, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Default No Single Point Of Failure
Type:	Character
Description:	Default No Single Point Of Failure
Select equivalent:	K_SE_Storage_Pool.DefaultNoSinglePtOfFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6eb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Min Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy
Select equivalent:	K_SE_Storage_Pool.MinDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name

List of values:	6ec, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Max Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy
Select equivalent:	K_SE_Storage_Pool.MaxDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6ed, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy
Select equivalent:	K_SE_Storage_Pool.DefaultDataRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6ee, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Min Spindle Redundancy
Type:	Number
Description:	Minimum Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.MinSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6ef, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Max Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.MaxSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6eg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Default Spindle Redundancy
Type:	Number
Description:	Default Spindle Redundancy
Select equivalent:	K_SE_Storage_Pool.DefaultSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6eh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Min Delta Reservation
Type:	Number
Description:	Minimum Delta Reservation
Select equivalent:	K_SE_Storage_Pool.MinDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6ei, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Max Delta Reservation
Type:	Number

Description: Maximum Delta Reservation
Select equivalent: K_SE_Storage_Pool.MaxDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 6ej, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Default Delta Reservation
Type: Number
Description: Default Delta Reservation
Select equivalent: K_SE_Storage_Pool.DefaultDeltaReservation
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 6ek, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Space Limit (GB)
Type: Number
Description: Space Limit in GB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGB
Where equivalent:

Qualification: detail
Associated dimension name: Block Pool Name
List of values: 6el, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: Space Limit (GiB)
Type: Number
Description: Space Limit in GiB
Select equivalent: K_SE_Storage_Pool.SpaceLimitGiB
Where equivalent:

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6em, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Space Limit Determination
Type:	Number
Description:	Space Limit Determination
Select equivalent:	K_SE_Storage_Pool.SpaceLimitDetermination
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6en, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Composition
Type:	Character
Description:	Shows type of pool like Internal, External, Hybrid ....
Select equivalent:	K_SE_Storage_Pool.Composition
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Pool Name
List of values:	6eo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object:	Block Pool Type
Type:	Character
Description:	Block Pool type - Primordi al, Concrete, Open, Mainfr ame, Snapshot, Reserved, Parent concrete ...
Select equivalent:	K_SE_Storage_Pool.SANPoolType
Where equivalent:	

Qualification:	detail

Associated dimension name: Block Pool Name
List of values: 6ep, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Class: Sunlun Volumes
Description:

Object: Block Volume Name
Type: Character
Description: Name of the Block Volume
Select equivalent: K_SE_Sublun_Volume.SANVolumeName
Where equivalent:

Qualification: dimension
List of values: 6h1, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: OID
Type: Character
Description: Unique Identifier for Block Volume
Select equivalent: K_SE_Sublun_Volume.OID
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 6h2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Volume Device ID
Type: Character
Description: Block Volume Device ID
Select equivalent: K_SE_Sublun_Volume.VolumeDeviceId
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 6h3, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Access Type
Type:	Character
Description:	Block Volume Access Type
Select equivalent:	K_SE_Sublun_Volume.AccessType
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6h4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Block Size in Bytes
Type:	Number
Description:	Block Volume Block Size in Bytes
Select equivalent:	K_SE_Sublun_Volume.BlockSize
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6h5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Number of Blocks
Type:	Number
Description:	Number of blocks in Block Volume
Select equivalent:	K_SE_Sublun_Volume.NumberOfBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6h6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Size Bytes
Type:	Number
Description:	Source Block Volume Size in Bytes
Select equivalent:	K_SE_Sublun_Volume.VolumeSizeBytes
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6h7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumable Blocks
Type:	Number
Description:	Number of consumable blocks in Block Volume
Select equivalent:	K_SE_Sublun_Volume.ConsumableBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6h8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Consumed Blocks
Type:	Number
Description:	Actual consumed physical space of the volume. Note : This object only applica ble for Block systems that support Thin Provisioning
Select equivalent:	K_SE_Sublun_Volume.ConsumedBlocks
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6h9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Is Thinly Provisioned?
Type:	Character
Description:	Indicates Whether Block Volume is Thinly Provisioned or not
Select equivalent:	K_SE_Sublun_Volume.IsThinlyProvisioned
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6ha, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (Bytes)
Type:	Number
Description:	Raw Space in Bytes that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Sublun_Volume.RawSpace
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Raw Space (GB)
Type:	Number
Description:	Raw Space in GB that is consumed by the Block volume from the underlying Block extents
Select equivalent:	K_SE_Sublun_Volume.RawSpaceGB
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: Raw Space (GiB)
Type: Number
Description: Raw Space in GiB that is c
onsumed by the Block volu
me from the underlying Bl
ock extents
Select equivalent: K_SE_Sublun_Volume.RawSpaceGiB
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 6hd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: RAID Type
Type: Character
Description: RAID Type - A String repre
sentation of the RAID leve
l and configuration of the
underlying Block extent(s
) that the volume is based
on. E.g. 'RAID5(7D+1P)'.
Select equivalent: K_SE_Sublun_Volume.RaidType
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 6he, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sequential Access?
Type: Character
Description: Indicates whether sequential access or not
Select equivalent: K_SE_Sublun_Volume.SeqAccess
Where equivalent:

Qualification: detail

Associated dimension name:	Block Volume Name
List of values:	6hf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Availability
Type:	Character
Description:	Whether Block Volume is Available
Select equivalent:	K_SE_Sublun_Volume.Availability
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Status Information
Type:	Character
Description:	Block Volume Status Information
Select equivalent:	K_SE_Sublun_Volume.StatusInfo
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Type
Type:	Character
Description:	Volume Type - {'Open','Ma inframe','Mainframe Mappe d' - Volume known to be m apped from FINCON or ESCO N port. EFile - Volume kno wn to be mapped through a File port}
Select equivalent:	K_SE_Sublun_Volume.VolumeType
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Purpose
Type:	Character
Description:	Volume Purpose represents the Block Volume Emulation type for supported Block Arrays
Select equivalent:	K_SE_Sublun_Volume.VolumePurpose
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Single Point of Failure
Type:	Number
Description:	Default Single Point of Failure for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolDfltSnglPtofFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume No Single Point of Failure
Type:	Character
Description:	No Single Point of Failure for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolNoSinglePointofFailure
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Data Redundancy
Type:	Number
Description:	Minimum Data Redundancy for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolMinDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Data Redundancy
Type:	Number
Description:	Maximum Data Redundancy for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolMaxDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Data Redundancy
Type:	Number
Description:	Default Data Redundancy for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolDefaultDataRedundancy
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6ho, editable, manual refresh, not exportable
Security access level:	0

Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Spindle Redundancy
Type:	Number
Description:	Minimum Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolMinSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hp, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Spindle Redundancy
Type:	Number
Description:	Maximum Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolMaxSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Default Spindle Redundancy
Type:	Number
Description:	Default Spindle Redundancy for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolDefaultSpindleRedundancy
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Minimum Delta Reservation
Type:	Number
Description:	Minimum Delta Reservation for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolMinDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hs, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Volume Maximum Delta Reservation
Type:	Number
Description:	Maximum Delta Reservation for Block Volume
Select equivalent:	K_SE_Sublun_Volume.VolMaxDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6ht, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Default Delta Reservation
Type:	Number
Description:	Default Delta Reservation for Block Volume
Select equivalent:	K_SE_Sublun_Volume.DefaultDeltaReservation
Where equivalent:	
Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Blocks
Type:	Number
Description:	Actual Number of Blocks
Select equivalent:	K_SE_Sublun_Volume.ActualBlocks

Where equivalent:

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Used Blocks
Type:	Number
Description:	Number of Used Blocks
Select equivalent:	K_SE_Sublun_Volume.UsedBlocks
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Controller Name
Type:	Character
Description:	Controller Name
Select equivalent:	K_SE_Sublun_Volume.ControllerName
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name
List of values:	6hx, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Block Volume Composition
Type:	Character
Description:	Shows type of volume like Internal, External, Hybrid...
Select equivalent:	K_SE_Sublun_Volume.Composition
Where equivalent:	

Qualification:	detail
Associated dimension name:	Block Volume Name

List of values: 6hy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume Description
Type: Character
Description: Block Volume Description
Select equivalent: K_SE_Sublun_Volume.Description
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 6i0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Storage Capabilities
Type: Character
Description: Storage Capabilities
Select equivalent: K_SE_Sublun_Volume.StorageCapabilities
Where equivalent:

Qualification: detail
Associated dimension name: Block Volume Name
List of values: 6i1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Block Volume UUID
Type: Character
Description: UUID of the Block Volume
Select equivalent: K_SE_Sublun_Volume.SANVolumeUUID
Where equivalent:

Qualification: dimension
List of values: 6i4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: isDeleted Components
Description:

No objects

Conditions

Class: Block System Extents
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Extents Associated with Disks
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Volumes
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block Backend Storage System
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Host Security Group
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System SCSI Controllers
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Processors
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Fiber Channel Ports
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Block System Replication
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: File System Extents Associated with Disks
Description:

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: File System Volumes
Description:

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: File Network Interface
Description:

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: File System Replication
Description:

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: File QTree
Description:

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: File Shares
Description:

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: Sublun Tiers
Description:

SublunTiers
Description:
Where Equivalent:charindex('Symmetrix VMAX', K_SE_StorageSystem.Model) > 0

Class: File System Extents
Description:

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: Storage System Capacity Statistics
Description: Storage System Capacity Statistics

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: Raw Storage System Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Stor
age System Capacity Statistics)\Full Dat
e) in (Select max(SR_SE_StorageSystemC
apacity.ta_period) from SR_SE_StorageSy
stemCapacity, K_SE_StorageSystem K WHE
RE SR_SE_StorageSystemCapacity.dsi_key
_id_ = K.dsi_key_id and K.dsi_key_id=@
Select(StorageSystem\StorageSystem Key
) Group By K.dsi_key_id)

Class: Hourly Storage System Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Stor
age System Capacity Statistics)\Full Dat
e) in (Select max(SH_SE_StorageSystemC
apacity.ta_period) from SH_SE_StorageSy
stemCapacity, K_SE_StorageSystem K WHE
RE SH_SE_StorageSystemCapacity.dsi_key
_id_ = K.dsi_key_id and K.dsi_key_id=@
Select(StorageSystem\StorageSystem Key
) Group By K.dsi_key_id)

Class: Daily Storage System Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Stor
age System Capacity Statistics)\Full Dat
e) in (Select max(SD_SE_StorageSystemC
apacity.ta_period) from SD_SE_StorageSy
stemCapacity, K_SE_StorageSystem K WHE
RE SD_SE_StorageSystemCapacity.dsi_key
_id_ = K.dsi_key_id and K.dsi_key_id=@
Select(StorageSystem\StorageSystem Key
) Group By K.dsi_key_id)

Class: HourlyOLAP-Storage System Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Stor
age System Capacity Statistics)\Full Dat
e) in (Select max(SH_SE_StorageSystemC
apacity.ta_period) from SH_SE_StorageSy
stemCapacity, K_SE_StorageSystem K WHE
RE SH_SE_StorageSystemCapacity.dsi_key
_id_ = K.dsi_key_id and K.dsi_key_id=@
Select(StorageSystem\StorageSystem Key
) Group By K.dsi_key_id)

Class: DailyOLAP-Storage System Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display Storage System Capacity Metrics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Stor
age System Capacity Statistics)\Full Dat
e) in (Select max(SD_SE_StorageSystemC
apacity.ta_period) from SD_SE_StorageSy
stemCapacity, K_SE_StorageSystem K WHE
RE SD_SE_StorageSystemCapacity.dsi_key
_id_ = K.dsi_key_id and K.dsi_key_id=@

Select(StorageSystem\StorageSystem Key
) Group By K.dsi_key_id)

Class:	Storage System Capacity - Forecast
Description:	

Latest Collection Time
Description:Filters data to display Stor
age System Capacity Forecast informatio
n for the latest collection time ONLY, w
hich displays accurate forecast values.
Where Equivalent:F_SD42_SE_StorageSys_
Capacity.ta_period = (Select MIN(Res.ta
_period) from F_SD42_SE_StorageSys_Cap
acity Res where Res.ta_period >= DATE(
getSHRdate()) AND Res.dsi_key_id_ = F_
SD42_SE_StorageSys_Capacity.dsi_key_id
_)

Class:	File Logical Volume Capacity Statistics
Description:	File Logical Volume Capacity Statistics

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class:	Raw File Logical Volume Capacity Statistics
Description:	

Latest Collection Time
Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Logical Volume Capacity Statistics)\Ful
l Date) in (Select max(SR_SE_NAS_LogiVo
lume_Capacity.ta_period) from SR_SE_NA
S_LogiVolume_Capacity, K_SE_NAS_Logica
lVolume K WHERE SR_SE_NAS_LogiVolume_
Capacity.dsi_key_id_ = K.dsi_key_id and
K.dsi_key_id=@Select(FileLogicalVolum
e\FileLogicalVolume Key) Group By K.dsi
_key_id)

Class:	Daily File Logical Volume Capacity Statistics
Description:	

Latest Collection Time
Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Logical Volume Capacity Statistics)\Ful
l Date) in (Select max(SD_SE_NAS_LogiV
olume_Capacity.ta_period) from SD_SE_N
AS_LogiVolume_Capacity, K_SE_NAS_Logic
alVolume K WHERE SD_SE_NAS_LogiVolume
_Capacity.dsi_key_id_ = K.dsi_key_id an
d K.dsi_key_id=@Select(FileLogicalVolu
me\FileLogicalVolume Key) Group By K.ds
i_key_id)

Class: Hourly File Logical Volume Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Logical Volume Capacity Statistics)\Ful
l Date) in (Select max(SH_SE_NAS_LogiV
olume_Capacity.ta_period) from SH_SE_N
AS_LogiVolume_Capacity, K_SE_NAS_Logic
alVolume K WHERE SH_SE_NAS_LogiVolume
_Capacity.dsi_key_id_ = K.dsi_key_id an
d K.dsi_key_id=@Select(FileLogicalVolu
me\FileLogicalVolume Key) Group By K.ds
i_key_id)

Class: DailyOLAP-FileLogicalVolumeCapacity
Description:

Latest Collection Time
Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Logical Volume Capacity Statistics)\Ful
l Date) in (Select max(SD_SE_NAS_LogiV
olume_Capacity.ta_period) from SD_SE_N
AS_LogiVolume_Capacity, K_SE_NAS_Logic
alVolume K WHERE SD_SE_NAS_LogiVolume
_Capacity.dsi_key_id_ = K.dsi_key_id an
d K.dsi_key_id=@Select(FileLogicalVolu

me\FileLogicalVolume Key) Group By K.ds
i_key_id)

Class:	HourlyOLAP-FileLogicalVolumeCapacity
Description:	

Latest Collection Time
Description:Filters data to display NAS Logical Volume Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Logical Volume Capacity Statistics)\Ful
l Date) in (Select max(SH_SE_NAS_LogiV
olume_Capacity.ta_period) from SH_SE_N
AS_LogiVolume_Capacity, K_SE_NAS_Logic
alVolume K WHERE SH_SE_NAS_LogiVolume
_Capacity.dsi_key_id_ = K.dsi_key_id an
d K.dsi_key_id=@Select(FileLogicalVolu
me\FileLogicalVolume Key) Group By K.ds
i_key_id)

Class:	Block Pool Capacity Statistics
Description:	Block Pool Capacity Statistics

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class:	Hourly Block Pool Capacity Statistics
Description:	

Latest Collection Time
Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i
n (Select max(SH_SE_Storage_Pool_Capac
ity.ta_period) from SH_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SH
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id)

Class:	Raw Block Pool Capacity Statistics
Description:	

Latest Collection Time
Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i
n (Select max(SR_SE_Storage_Pool_Capac
ity.ta_period) from SR_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SR
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id)

Class: HourlyOLAP-Block Pool Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i
n (Select max(SH_SE_Storage_Pool_Capac
ity.ta_period) from SH_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SH
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id)

Class: Daily Block Pool Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i
n (Select max(SD_SE_Storage_Pool_Capac
ity.ta_period) from SD_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SD
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id)

Class: DailyOLAP-Block Pool Capacity Statistics

Description:

Latest Collection Time

Description:Filters data to display Storage Pool Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(Bloc
k Pool Capacity Statistics)\Full Date) i
n (Select max(SD_SE_Storage_Pool_Capac
ity.ta_period) from SD_SE_Storage_Pool_
Capacity, K_SE_Storage_Pool K WHERE SD
_SE_Storage_Pool_Capacity.dsi_key_id_
= K.dsi_key_id and K.dsi_key_id=@Selec
t(StoragePool\StoragePool Key) Group By
K.dsi_key_id)

Class: File Quota Capacity Statistics
Description: File Quota Capacity Statistics

Is NAS System?

Description:

Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: Raw File Quota Capacity Statistics
Description:

Latest Collection Time

Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SR_SE_NAS_Quota_Capacity
.ta_period) from SR_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SR_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

Class: Daily File Quota Capacity Statistics
Description:

Latest Collection Time

Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SD_SE_NAS_Quota_Capacity

.ta_period) from SD_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SD_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

Class: Hourly File Quota Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SH_SE_NAS_Quota_Capacity
.ta_period) from SH_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SH_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

Class: DailyOLAP-FileQuotaCapacity
Description:

Latest Collection Time
Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SD_SE_NAS_Quota_Capacity
.ta_period) from SD_SE_NAS_Quota_Capac
ity, K_SE_NAS_Quota K WHERE SD_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

Class: HourlyOLAP-FileQuotaCapacity
Description:

Latest Collection Time
Description:Filters data to display NAS Quota Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Quota Capacity Statistics)\Full Date) i
n (Select max(SH_SE_NAS_Quota_Capacity
.ta_period) from SH_SE_NAS_Quota_Capac

ity, K_SE_NAS_Quota K WHERE SH_SE_NAS
_Quota_Capacity.dsi_key_id_ = K.dsi_key
_id and K.dsi_key_id=@Select(FileQuota
\FileQuota Key) Group By K.dsi_key_id)

Class:	File System Node Capacity Statistics
Description:	File System Node Capacity Statistics

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class:	Raw File System Node Capacity Statistics
Description:	

Latest Collection Time
Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SR_SE_NAS_SystemNo
de_Capacity.ta_period) from SR_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SR_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

Class:	Daily File SystemNode Capacity Statistics
Description:	

Latest Collection Time
Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SD_SE_NAS_SystemNo
de_Capacity.ta_period) from SD_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SD_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

Class:	Hourly File SystemNode Capacity Statistics
Description:	

Latest Collection Time
Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SH_SE_NAS_SystemNo
de_Capacity.ta_period) from SH_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SH_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

Class: DailyOLAP-FileSystemNodeCapacity
Description:

Latest Collection Time
Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SD_SE_NAS_SystemNo
de_Capacity.ta_period) from SD_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SD_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

Class: HourlyOLAP-FileSystemNodeCapacity
Description:

Latest Collection Time
Description:Filters data to display NAS System Node Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
System Node Capacity Statistics)\Full D
ate) in (Select max(SH_SE_NAS_SystemNo
de_Capacity.ta_period) from SH_SE_NAS_
SystemNode_Capacity, K_SE_NAS_Processo
r K WHERE SH_SE_NAS_SystemNode_Capaci
ty.dsi_key_id_ = K.dsi_key_id and K.ds
i_key_id=@Select(FileSystemNode\FileSys
temNode Key) Group By K.dsi_key_id)

Class: File Snapshot Capacity Statistics
Description: File Snapshot Capacity Statistics

Is NAS System?
Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: Raw File Snapshot Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SR_SE_NAS_Snapshot_Ca
pacity.ta_period) from SR_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHER
E SR_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

Class: Daily File Snapshot Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SD_SE_NAS_Snapshot_Ca
pacity.ta_period) from SD_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHER
E SD_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

Class: Hourly File Snapshot Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.

Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SH_SE_NAS_Snapshot_Ca
pacity.ta_period) from SH_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHER
E SH_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

Class:	DailyOLAP-FileSnapshotCapacity
Description:	

Latest Collection Time
Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SD_SE_NAS_Snapshot_Ca
pacity.ta_period) from SD_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHER
E SD_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

Class:	HourlyOLAP-FileSnapshotCapacity
Description:	

Latest Collection Time
Description:Filters data to display NAS Snapshot Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Snapshot Capacity Statistics)\Full Date
) in (Select max(SH_SE_NAS_Snapshot_Ca
pacity.ta_period) from SH_SE_NAS_Snaps
hot_Capacity, K_SE_NAS_Snapshot K WHER
E SH_SE_NAS_Snapshot_Capacity.dsi_key_
id_ = K.dsi_key_id and K.dsi_key_id=@S
elect(FileSnapshot\FileSnapshot Key) Gr
oup By K.dsi_key_id)

Class:	File Extent Capacity Statistics
Description:	File Extent Capacity Statistics

Is NAS System?

Description:
Where Equivalent:K_SE_StorageSystem.HasFile='True'

Class: Raw File Extent Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SR_SE_NAS_Extent_Capaci
ty.ta_period) from SR_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SR_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

Class: Daily File Extent Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SD_SE_NAS_Extent_Capaci
ty.ta_period) from SD_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SD_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

Class: Hourly File Extent Capacity Statistics
Description:

Latest Collection Time
Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SH_SE_NAS_Extent_Capaci
ty.ta_period) from SH_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SH_SE_

NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

Class: DailyOLAP-FileExtentCapacity
Description:

Latest Collection Time
Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SD_SE_NAS_Extent_Capaci
ty.ta_period) from SD_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SD_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

Class: HourlyOLAP-FileExtentCapacity
Description:

Latest Collection Time
Description:Filters data to display NAS Extent Capacity Statistics for the latest collection time ONLY.
Where Equivalent:@Select(DATETIME(File
Extent Capacity Statistics)\Full Date)
in (Select max(SH_SE_NAS_Extent_Capaci
ty.ta_period) from SH_SE_NAS_Extent_Ca
pacity, K_SE_NAS_Extent K WHERE SH_SE_
NAS_Extent_Capacity.dsi_key_id_ = K.dsi
_key_id and K.dsi_key_id=@Select(FileE
xtent\FileExtent Key) Group By K.dsi_ke
y_id)

Class: Date Time Period
Description:

Gap Filter
Description:Used to fill the values for the missing date ranges
Where Equivalent:DATETIME.TIME_FULL_D
ATE < convert(date,cast(Year(getSHRDat
e())+1 as char(4))+ '-01-01')

Use Custom Range
Description:Use Custom Range Filter List of Values for Date Range Prompt
Where Equivalent:@Variable('Select Date Range')='Use Custom Range'

DateTimeRange
Description:Date Time Range Filter Prompt with Various List of Values for Time Period
Where Equivalent:DATETIMERANGE.DATE_R
ANGE = @Prompt('Select Date Range','A',
{'Current Month','Last Month','Last 3 Mo
nths','Use Custom Range'},mono,constrai
ned,persistent,{'Current Month'})

Class: Sunlun Volumes
Description:

Is SAN System?
Description:
Where Equivalent:K_SE_StorageSystem.HasBlock='True'

Class: isDeleted Components
Description:

Exclude Deleted Storage Systems
Description:
Where Equivalent:case when K_SE_Storag
eSystem.isdeleted is null then 2 else K_
SE_StorageSystem.isdeleted end <>1

Exclude Deleted Storage Disk Drives
Description:
Where Equivalent:case when K_SE_Storag
e_DiskDrive.isdeleted is null then 2 els
e K_SE_Storage_DiskDrive.isdeleted end
<>1

Exclude Deleted Storage Extents
Description:
Where Equivalent:case when K_SE_Storag
e_Extent.isdeleted is null then 2 else K
_SE_Storage_Extent.isdeleted end <> 1

Exclude Deleted Storage Pools
Description:

Where Equivalent:case when K_SE_Storag
e_Pool.isdeleted is null then 2 else K_S
E_Storage_Pool.isdeleted end <>1

Exclude Deleted Storage Volumes
Description:
Where Equivalent:case when K_SE_Storag
e_Volume.isdeleted is null then 2 else K
_SE_Storage_Volume.isdeleted end <> 1

Exclude Deleted Storage SCSI controllers
Description:
Where Equivalent:case when K_SE_Storag
e_SCSIController.isdeleted is null then
2 else K_SE_Storage_SCSIController.isde
leted end <> 1

Exclude Deleted Storage Processors
Description:
Where Equivalent:case when K_SE_Storag
e_Processor.isdeleted is null then 2 els
e K_SE_Storage_Processor.isdeleted end
<> 1

Exclude Deleted Storage Ports
Description:
Where Equivalent:case when K_SE_Storag
e_Port.isdeleted is null then 2 else K_S
E_Storage_Port.isdeleted end <> 1

Exclude Deleted Backend Storage System
Description:
Where Equivalent:case when K_SE_BACKEN
D_STORAGESYSTEM.isdeleted is null then
2 else K_SE_BACKEND_STORAGESYSTEM.is
deleted end <> 1

Exclude Deleted Storage Replication
Description:
Where Equivalent:case when K_SE_Storag
e_Replication.isdeleted is null then 2 e
lse K_SE_Storage_Replication.isdeleted
end <> 1

Exclude Deleted File Logical Volumes
Description:

Where Equivalent:case when K_SE_NAS_Lo
gicalVolume.isdeleted is null then 2 els
e K_SE_NAS_LogicalVolume.isdeleted end
<> 1

Exclude Deleted File Replication
Description:
Where Equivalent:case when K_SE_NAS_Re
plication.isdeleted is null then 2 else
K_SE_NAS_Replication.isdeleted end <>
1

Exclude Deleted File Network Interfaces
Description:
Where Equivalent:case when K_SE_NAS_Ne
twork_Interface.isdeleted is null then 2
else K_SE_NAS_Network_Interface.isdele
ted end <> 1

Exclude Deleted File Extents
Description:
Where Equivalent:case when K_SE_NAS_Extent.isdeleted is null then 2 else K_SE_NAS_Extent.isdeleted end <> 1

Exclude Deleted File Volumes
Description:
Where Equivalent:case when K_SE_NAS_Vo
lume.isdeleted is null then 2 else K_SE_
NAS_Volume.isdeleted end <> 1

Exclude Deleted File Processors
Description:
Where Equivalent:case when K_SE_NAS_Pr
ocessor.isdeleted is null then 2 else K_
SE_NAS_Processor.isdeleted end <> 1

Exclude Deleted File Qtrees
Description:
Where Equivalent:case when K_SE_NAS_QT
rees.isdeleted is null then 2 else K_SE_
NAS_QTrees.isdeleted end <> 1

Exclude Deleted File Shares
Description:
Where Equivalent:case when K_SE_NAS_Sh
ares.isdeleted is null then 2 else K_SE_
NAS_Shares.isdeleted end <> 1

Exclude Deleted File Quotas
Description:
Where Equivalent:case when K_SE_NAS_Quota.isdeleted is null then 2 else K_SE_NAS_Quota.isdeleted end <> 1

Exclude Deleted File Snapshots
Description:
Where Equivalent:case when K_SE_NAS_Sn
apshot.isdeleted is null then 2 else K_S
E_NAS_Snapshot.isdeleted end <> 1

Exclude Deleted Storage Tiers
Description:
Where Equivalent:case when K_SE_Storag
e_Tier.isdeleted is null then 2 else K_S
E_Storage_Tier.isdeleted end <> 1

Exclude Deleted Sublun StorageGroup
Description:
Where Equivalent:case when K_SE_Sublun
_StorageGroup.isdeleted is null then 2 e
lse K_SE_Sublun_StorageGroup.isdeleted
end <> 1

Exclude Deleted Sublun Policy
Description:
Where Equivalent:case when K_SE_Sublun
Policy.isdeleted is null then 2 else K
SE_Sublun_Policy.isdeleted end <> 1

Exclude Deleted Sublun Tier
Description:
Where Equivalent:case when K_SE_Sublun
_Tier.isdeleted is null then 2 else K_SE
_Sublun_Tier.isdeleted end <> 1

Hierarchies

MA_GEN_HIE_DATETIMEHierarchy(DATETIME(Storage System Capacity Statistics))
DATETIME(Storage System Capacity Statistics)/Year
DATETIME(Storage System Capacity Statistics)/Month
DATETIME(Storage System Capacity Statistics)/Day
DATETIME(Storage System Capacity Statistics)/Hour
MA_GEN_HIE_DATETIMEHierarchy(DATETIME(Block Pool Capacity Statistics))
DATETIME(Block Pool Capacity Statistics)/Year

DATETIME(Block Pool Capacity Statistics)/Month
DATETIME(Block Pool Capacity Statistics)/Day
DATETIME(Block Pool Capacity Statistics)/Hour
MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File Logical Volume Capacity Statistics))
DATETIME(File Logical Volume Capacity Statistics)/Year
DATETIME(File Logical Volume Capacity Statistics)/Month
DATETIME(File Logical Volume Capacity Statistics)/Day
DATETIME(File Logical Volume Capacity Statistics)/Hour
MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File System Node Capacity Statistics))
DATETIME(File System Node Capacity Statistics)/Year
DATETIME(File System Node Capacity Statistics)/Month
DATETIME(File System Node Capacity Statistics)/Day
DATETIME(File System Node Capacity Statistics)/Hour
MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File Quota Capacity Statistics))
DATETIME(File Quota Capacity Statistics)/Year
DATETIME(File Quota Capacity Statistics)/Month
DATETIME(File Quota Capacity Statistics)/Day
DATETIME(File Quota Capacity Statistics)/Hour
MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File Extent Capacity Statistics))
DATETIME(File Extent Capacity Statistics)/Year
DATETIME(File Extent Capacity Statistics)/Month
DATETIME(File Extent Capacity Statistics)/Day
DATETIME(File Extent Capacity Statistics)/Hour
MA_GEN_HIE_DATETIMEHierarchy(DATETIME(File Snapshot Capacity Statistics))
DATETIME(File Snapshot Capacity Statistics)/Year
DATETIME(File Snapshot Capacity Statistics)/Month
DATETIME(File Snapshot Capacity Statistics)/Day
DATETIME(File Snapshot Capacity Statistics)/Hour
MA_CUST_HIE_SOM Tenant Storage System Hierarchy(StorageSystem(Storage System Capacity Statistics))
StorageSystem(Storage System Capacity Statistics)/SOM Source Name
StorageSystem(Storage System Capacity Statistics)/Tenant Name
StorageSystem(Storage System Capacity Statistics)/Vendor
StorageSystem(Storage System Capacity Statistics)/Model
StorageSystem(Storage System Capacity Statistics)/Storage System Name
MA_CUST_HIE_SOM Tenant Block Pool Hierarchy(SANPool(Block Pool Capacity Statistics))
BlockPool(Block Pool Capacity Statistics)/SOM Source Name
BlockPool(Block Pool Capacity Statistics)/Tenant Name
BlockPool(Block Pool Capacity Statistics)/Vendor
BlockPool(Block Pool Capacity Statistics)/Model
BlockPool(Block Pool Capacity Statistics)/Storage System Name
BlockPool(Block Pool Capacity Statistics)/Block Pool Name
MA_CUST_HIE_File Logical Volume Hierarchy(NAS Logical Volume(File Logical Volume Capacity Statistics))
File Logical Volume(File Logical Volume Capacity Statistics)/SOM Source Name
File Logical Volume(File Logical Volume Capacity Statistics)/Tenant Name
File Logical Volume(File Logical Volume Capacity Statistics)/Vendor
File Logical Volume(File Logical Volume Capacity Statistics)/Model

File Logical Volume(File Logical Volume Capacity Statistics)/Storage System Name
File Logical Volume(File Logical Volume Capacity Statistics)/File Logical Volume
MA_CUST_HIE_File System Node Hierarchy(NASSystemNode(File System Node Capacity Statistics))
FileSystemNode(File System Node Capacity Statistics)/SOM Source Name
FileSystemNode(File System Node Capacity Statistics)/Tenant Name
FileSystemNode(File System Node Capacity Statistics)/Vendor
FileSystemNode(File System Node Capacity Statistics)/Model
FileSystemNode(File System Node Capacity Statistics)/Storage System Name
FileSystemNode(File System Node Capacity Statistics)/Processor Name
MA_CUST_HIE_File Quota Hierarchy(NASQuotas(File Quota Capacity Statistics))
FileQuotas(File Quota Capacity Statistics)/SOM Source Name
FileQuotas(File Quota Capacity Statistics)/Tenant Name
FileQuotas(File Quota Capacity Statistics)/Vendor
FileQuotas(File Quota Capacity Statistics)/Model
FileQuotas(File Quota Capacity Statistics)/Storage System Name
FileQuotas(File Quota Capacity Statistics)/File Logical Volume
FileQuotas(File Quota Capacity Statistics)/Quota Name
MA_CUST_HIE_File Extent Hierarchy(NASExtent(File Extent Capacity Statistics))
FileExtent(File Extent Capacity Statistics)/SOM Source Name
FileExtent(File Extent Capacity Statistics)/Tenant Name
FileExtent(File Extent Capacity Statistics)/Vendor
FileExtent(File Extent Capacity Statistics)/Model
FileExtent(File Extent Capacity Statistics)/Storage System Name
FileExtent(File Extent Capacity Statistics)/File Extent Name
MA_CUST_HIE_File Snapshot Hierarchy(NASSnapshot(File Snapshot Capacity Statistics))
FileSnapshot(File Snapshot Capacity Statistics)/SOM Source Name
FileSnapshot(File Snapshot Capacity Statistics)/Tenant Name
FileSnapshot(File Snapshot Capacity Statistics)/Vendor
FileSnapshot(File Snapshot Capacity Statistics)/Model
FileSnapshot(File Snapshot Capacity Statistics)/Storage System Name
FileSnapshot(File Snapshot Capacity Statistics)/File Logical Volume
FileSnapshot(File Snapshot Capacity Statistics)/Snapshot Name

Context List

MA_GEN_CONT_SR_SE_NAS_Quota_Capacity
MA_CUST_CONT_NAS_NetworkInterface
MA_CUST_CONT_SANExtents
MA_CUST_CONT_BackendStorage
MA_GEN_CONT_SD_SE_NAS_LogiVolume_Capacity
MA_GEN_CONT_SH_SE_Storage_Pool_Capacity
MA_CUST_CONT_NASExtents
MA_CUST_CONT_NAS_Processor
MA_GEN_CONT_SR_SE_NAS_LogiVolume_Capacity
MA_GEN_CONT_SH_SE_NAS_Snapshot_Capacity
MA_GEN_CONT_SD_SE_NAS_SystemNode_Capacity

MA_CUST_CONT_NAS_LogicalVolume
MA_GEN_CONT_SR_SE_NAS_SystemNode_Capacity
MA_CUST_CONT_SAN_Volume
MA_CUST_CONT_NAS_QTrees
MA_GEN_CONT_SH_SE_StorageSystemCapacity
MA_GEN_CONT_F_SD42_SE_StoragePool_Capacity
MA_GEN_CONT_SD_SE_NAS_Extent_Capacity
MA_CUST_CONT_NAS_Replication
MA_GEN_CONT_SR_SE_Storage_Pool_Capacity
MA_GEN_CONT_SD_SE_Storage_Pool_Capacity
MA_GEN_CONT_SR_SE_NAS_Extent_Capacity
MA_GEN_CONT_SR_SE_NAS_Snapshot_Capacity
MA_GEN_CONT_SD_SE_NAS_Quota_Capacity
MA_GEN_CONT_SD_SE_NAS_Snapshot_Capacity
MA_GEN_CONT_SD_SE_StorageSystemCapacity
MA_GEN_CONT_SR_SE_StorageSystemCapacity
MA_CUST_CONT_FCPorts
MA_GEN_CONT_SH_SE_NAS_LogiVolume_Capacity
MA_CUST_CONT_StorageTiers
MA_GEN_CONT_F_SD42_SE_StorageSys_Capacity
MA_CUST_CONT_SCSIController
MA_CUST_CONT_SubLunTiering
MA_GEN_CONT_SH_SE_NAS_SystemNode_Capacity
MA_CUST_CONT_StorageReplication
MA_GEN_CONT_SH_SE_NAS_Extent_Capacity
MA_GEN_CONT_SH_SE_NAS_Quota_Capacity
MA_CUST_CONT_NASVolumes

We appreciate your feedback!

If you have comments about this document, you can contact the documentation team by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on Content Pack for Storage Systems Universe Reference, June 2015 (Storage Operations Manager 10.01)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to storage-management-doc-feedback@hp.com.