Asset Manager

Software Version: 9.63

Windows® and Linux® operating systems

Physical Data Models

Document Release Date: April 2017

Software Release Date: April 2017

Hewlett Packard Enterprise

Legal Notices

Warranty

The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from Hewlett Packard Enterprise required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© 1994 - 2017 Hewlett Packard Enterprise Development LP

Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

This product includes an interface of the 'zlib' general purpose compression library, which is Copyright © 1995-2002 Jean-loup Gailly and Mark Adler.

Documentation Updates

To check for recent updates or to verify that you are using the most recent edition of a document, go to: https://softwaresupport.hpe.com/.

This site requires that you register for an HP Passport and to sign in. To register for an HP Passport ID, click **Register** on the HPE Software Support site or click **Create an Account** on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HPE sales representative for details.

Support

Visit the HPE Software Support site at: https://softwaresupport.hpe.com/.

Most of the support areas require that you register as an HP Passport user and to sign in. Many also require a support contract. To register for an HP Passport ID, click **Register** on the HPE Support site or click **Create an Account** on the HP Passport login page.

To find more information about access levels, go to: https://softwaresupport.hpe.com/web/softwaresupport/access-levels.

HPE Software Solutions Now accesses the HPSW Solution and Integration Portal website. This site enables you to explore HPE Product Solutions to meet your business needs, includes a full list of Integrations between HPE Products, as well as a listing of ITIL Processes. The URL for this website is https://softwaresupport.hpe.com/km/KM01702731.

Contents

Chapter 1: Overview 5
Tables 6
Links 7
1-1 links 9
1-n and n-1 links 9
n-n links 9
Chapter 2: Portfolio 11
Models 12
Portfolio items 13
Assets 14
Assets linked to the procurement cycle 15
IT equipment 16
Cluster 17
Resource pool 17
Telephones 18
Ports and connections 18
Work Orders 19
Projects 20
Stocks 21
Software Installations 22
Cost Centers 23
Chapter 3: Procurement cycle 24
Procurement cycle 24
Purchase requests 25
Orders 26
Receptions 27
Invoices 28
Assets to be returned 29
Chapter 4: Contracts 30
Contracts 31

Chapter 5: Helpdesk 32
Helpdesk 33
Chapter 6: Financials 34
Budget and expenses 34
Chargebacks 35
Taxes 36
Chapter 7: Cable and Circuit 37
Cables and cable devices 38
Color codes 39
Label rules 40
Pair/conductor types 41
Cable duties 42
Slots 43
Topologies 44
Topology groups 45
Termination-field configurations 46
Cable links 47
Chapter 8: Administration 48
Access to the database 49
Workflows 50
Data health check 51
Chapter 9: Organization 52
Employees and Departments 53
Chapter 10: Catalog 54
Catalog 55
SAM 56
SAM 56
Send documentation feedback 57

Chapter 1: Overview

This guide presents diagrams that correspond to the physical data models in Asset Manager.

Each of these diagrams contains one or more tables used by the modules in Asset Manager.

Tables 6
Links 7

Tables

Each of the tables represented in this guide is identified by its SQL name.

Examples:

- The Portfolio items table uses the SQL name **amPortfolio**.
- The Assets table uses the SQL name **amAsset**.
- The Locations table uses the SQL name **amLocation**.
- The Employees and departments table uses the SQL name **amEmplDept**.

The most important tables in each diagram are shown as the largest.

Examples:

- The Assets table (**amAsset**) in the "Assets" diagram on page 14.
- The Cables table (**amCable**) in the "Cables and cable devices" diagram on page 38.
- The Taxes table (**amTax**) in the "Taxes" diagram on page 36.

Links

1-1 links 9
1-n and n-1 links 9
n-n links 9

There are three types of links between tables:

- 1-1 links
- 1-n and n-1 links
- n-n links

Each of the links represented in this guide is identified by its SQL name.

Examples:

- The link going from the Portfolio items table (**amPortfolio**) to the Employees and departments table (**amEmplDept**) has the SQL name **User**.
- The link going from the Employees and departments table (**amEmplDept**) to the Portfolio items table (**amPortfolio**) has the SQL name **ItemsUsed**.

> **Note:** The SQL name of a link assumes that one of the linked tables is the source table and the other is the destination table. Thus, the **User** link between the source table (**amPortfolio**) indicates that the link points to the user record of the destination table (**amEmplDept**). It's reverse link, though, is named **ItemsUsed**. This link points to the records of the assets used by a given user. In this case, the source table is that of Employees and departments and the destination table is that of portfolio items.

In an effort not to overload our diagrams, reverse links are not represented. The choice of a link and its reverse link is arbitrary. If you want to find out what the SQL name of a reverse link is:

1. Launch Asset Manager Application Designer.
2. Open your database description.
3. Select the table of your choice.
4. Click .

5. Select a link.
6. The SQL name of its reverse link is indicated in the **Reverse link** field.

1-1 links

This kind of link means that:

- One record in the source table is linked to one record in the destination table.

Example: The **Asset** link between the Computers table (**amComputer**) and the Assets table (**amAsset**) in the "IT equipment" diagram on page 16. This link indicates that only one computer record can be linked to only one asset record.

1-n and n-1 links

A 1-n link means that:

- One record from the source table can be linked to several records in the destination table.
- Several records in the destination table can be linked to one record in the source table.

Example: The **Rents** link between the Contracts table (**amContracts**) and the Contract rents (**amCntrRent**) table in the "Contracts" diagram on page 31. This link indicates that one contract record can be linked to several contract rent records.

A n-1 link means that:

- Several records in the source table can be linked to one record in the destination table.
- One record in the destination table can be linked to several records in the source table.

Example: The **Model** link between the Assets table (**amAsset**) and the Models table (**amModel**) in the "Models" diagram on page 12. This link indicates that several asset records can correspond to the same model record.

n-n links

This type of link means that:

- Several records in the source table can be linked to several records in the destination table.

Example: The **FuncRights** link between the User profiles table (**amProfile**) and the Functional rights table (**amFuncRight**) in the Access to the database diagram on page 49. This link indicates that an asset record can be linked to several functional right records and that a functional right record can be linked to several user profile records.

Chapter 2: Portfolio

This chapter presents diagrams of the following physical data models:

Models 12
Portfolio items 13
Assets 14
Assets linked to the procurement cycle 15
IT equipment 16
Cluster 17
Resource pool 17
Telephones 18
Ports and connections 18
Work Orders 19
Projects 20
Stocks 21
Software Installations 22
Cost Centers 23

Models


amNature
INatureId
amPort
IPortId
amSlotType
ISlotTypeId
amLabelRule
ILabelRuleId
amTermFldCfgRole
ITermFldCfgRoleId
amTopologyDet
ITopologyDetId
amProdClassCode
IProdClassCodeId
amModelSlot
IModelSlotId
amModelPair
IModelPairId
amLicType
ILicTypeId
amUnit
IUnitId
amCatRef
ICatRefId
amCatProduct
ICatProductId
amEntitlement
IEntitlId
amRequest
IReqId
amFieldAdjustTempl
IFldAdjustTemplId
amReqLine
IReqLineId
amWorkCalendar
IWorkCalendarId
amDeprScheme
IDeprSchId
amCostCategory
ICostCatId
amSoftLicCounter
ICountId
amModel
IModelId
amColorCode
IColorCodeId
amSoftInstall
ISoftInstId
amAdjustment
IAdjustId
amModelSoftInfo
IModelSoftId
amInventModel
IInventModelId
amLocation
ILocaId
amCable
ICableId
amTraining
ITrainingId
amWorkOrder
IWorkOrderId
amContract
ICntrId
amPortfolio
IPortfolioItemId
amAsset
IAstId
amStockRule
IStockRuleId
amProblemClass
IPbClassId
amSeverity
ISeverityId
Nature
Ports
LabelRule
SlotType
TopologyDet
ProdClassCode
ModelSlots
TermFldConfRole
DefCatRef
Pairs
UseUnit
CatProducts
LicType
ReqLine
CompatModels2
Entitlement
FieldAdjustTempls
WOCalendar
StdRequests
DeprScheme
SoftCounters
CompSoftInstalls
CostCategory
LicenseSoftInfos
ProblemClasses
Severity
InventModel
ColorCode
DSLLocation
Cable
Trainings
Adjustments
WorkOrders
Contracts
StockRules
PortfolioItems
Assets
Assets

Portfolio items



Assets


amLabelRule
ILabelRuleId
amClientResource
IClientResourceId
amCableLink
ILinkId
amEntitlement
IEntitlId
amNature
INatureId
Nature
amModel
IModelId
amWorkOrder
IWorkOrderId
amAstProjDesc
IAstProjDescId
amSeverity
ISeverityId
amTicket
ITicketId
Model
LabelRule
SystemOfs
WorkOrders
AstProjDescs
Severity
Tickets
amSlot
ISlotId
AssetSlots
amPortfolio
IPortfolioItemId
Model
Links
RelEntitAssets
amDeprScheme
IDeprSchId
amDownTimePeriod
IDownId
DeprScheme
Portfolioitems
AmAsset
IAstId
amExpenseLine
IExpLineId
PortfolioItem
DownTimePeriods
ExpenseLines
FixedAssets
amPort
IPortId
TargetPorts
Ports
amFixedAsset
IFixedAstId
TraceHist
AstCntrDescs
ProdReservs
Supplier
Lessor
SlaContract
Backup
AcquContract
Pins
amReservation
IResaId
LicenseContract
MaintContract
Severity
AstCntrDescs
Rents
LoansSel
LicType
Device
amAstCntrDesc
IAstCntrDescId
amContract
ICntrId
amAssetRent
IAssetRentId
amDevicePin
IDevicePinId
amSeverity
ISeverityId
amTraceHistory
ITraceHistId
amLoan
ILoanId
amCompany
ICpyId
amLicType
ILicTypeId
amTermFldDevice
ITermFldDevId

Assets linked to the procurement cycle



IT equipment



Cluster



Resource pool



Telephones



Ports and connections



Work Orders


amPortfolio
IPortfolioItemId
amItemReceived
IItemReceivedId
amCMTargetTask
ICMTargetTaskId
amContract
ICntrId
amContact
IContactId
amCompany
ICpyId
amPOrdLine
IPOrdLineId
amCostCategory
ICostCatId
amModel
IModelId
amLocation
ILocaId
amWorkOrder
IWorkOrderId
amEmplGroup
IGroupId
amCostCenter
ICostId
amAsset
IAstId
amAstProjDesc
IAstProjDescId
amSoftInstall
ISoftInstId
amEmplDept
IEmplDeptId
amReqLine
IReqLineId
amCable
ICableId
amProjTraceOut
IProjTraceOutId
amInvoiceLine
IInvLineId
amBudgCenter
IBudgCntrId
amRequest
IReqId
amProject
IProjId
amExpenseLine
IExpLineId
amReceiptLine
IRecptLineId
ItemsReceived
WorkOrders
ConsUses
OrdLines
ProjBienWorkOrders
SoftInstalls
ProjCable
ProjTraceOut
Requests
ReqLines
CoutBudgCntr
BudgCntrSuperv
ProjsSuperv
ProjBudgCntr
SubProjects
ExpenseLines

Projects


See the "Work Orders" model for further details of work order processing
See the "Budget & expenses" model for further details of project financials
amWorkOrder
lWorkOrderId
amEmplGroup
lGroupId
amCostCenter
lCostId
ExpenseLines
WorkOrders
CoutBudgCntr
amEmplDept
lEmplDeptId
CoutBudgCntr
amExpenseLine
lExpLineId
amReqLine
lReqLineId
WorkOrders
ReqLines
amBudgCenter
lBudgCntrId
ReqLines
ProjsSuperv
amBudget
lBudgId
amRequest
lReqId
Budgets
Assets
SubProjects
amProject
lProjId
ProjBudgCntr
ExpenseLines
CntrProjDescs
AstProjDescs
ProjectCables
EmplProjDescs
amAstProjDesc
lAstProjDescId
amCntrProjDesc
lCntrProjDescId
ProjsSuperv
amProjCable
lProjCableId
amProjTraceOut
lProjTraceOutId
amEmplProjDesc
lEmplProjId
AstProjDescs
amAsset
lAstId

Stocks


ParentModelInvent
Model
See the Catalog model for more details
amInventModel
lInventModelId
amBrand
lBrandId
InventModels
amCatalog
lCatalogId
RespCat
amAsset
lAstId
ProdReservs
amCatProduct
lCatProductId
CatRefs
amEmplDept
lEmplDeptId
PortfolioItem
amPortfolio
lPortfolioItemId
amReservation
lResaId
Reservation
Assets
CatalogRefs
amCatRef
lCatRefId
PortfolioItems
CatProducts
amPOrder
lPOrdId
POrders
amModel
lModelId
ModelCatRef
Superv
ProdReservs
POrdLines
StockRules
amStockRule
lStockRuleId
Rules
amStock
lStockId
POrdLines
amPOrdLine
lPOrdLineId
StockRule
amLocation
lLocaId
Location
ReceiptLines
amReceiptLine
lRecptLineId
ReceiptLines
ReqLine
Request
ReqCostCat
ReqCost
Recipts
amReceipt
lRecptId
InvLine
amReqLine
lReqLineId
amRequest
lReqId
amCostCategory
lCostCatId
amCostCenter
lCostId
amInvoiceLine
lInvLineId

Software Installations



Cost Centers



Chapter 3: Procurement cycle

This chapter presents diagrams of the following physical data models:

Procurement cycle 24

Purchase requests 25

Orders 26

Receptions 27

Invoices 28

Assets to be returned 29

Procurement cycle



Purchase requests



Orders


CostCenter
Stock
amPCard
IPCardId
amContact
IContactId
amCostCenter
ICostId
amStock
IStockId
amRequest
IReqId
amCostCategory
ICostCatId
amCatRef
ICatRefId
amTaxFormula
ITaxFormId
amTaxJuris
ITaxJurisId
amWorkOrder
IWorkOrderId
Contact
CostCenter
CostCategory
CatalogRef
TaxFormula
PCard
Stock
Request
TaxJuris
WorkOrders
BlanketPOCntr
amPOrder
IReqId
amPOrdLine
IReqLineId
AcquContract
CostCategory
POrdLines
BlanketPOCntrsDef
BillAddress
InitReqLine
Parent
Supplier
ShiptoContact
BilledDept
RelReqLines
ReceiptLines
ItemsReceived
ProdReservs
Assets
BillContact
Purchaser
amContract
ICntrId
amCompany
ICpyId
amEmplDept
IEmplDeptId
amLocation
ILocaId
amReqLine
IReqLineId
amReceiptLine
IReceptLineId
amItemReceived
IItemReceivedId
amReservation
IResaId
amAsset
IAstId
Contracts
AcquContract

Receptions


amStock
lStockId
amAdjustment
lAdjustId
amCable
lCableId
amWorkOrder
lWorkOrderId
amCatRef
lCatRefId
amInvoiceLine
lInvLineId
amPOrdLine
lPOrdLineId
Stock
Adjustments
Cables
WorkOrders
CatalogRef
InvLine
POrdLine
amReceipt
lRecptd
amReceiptLine
lRecptLineId
amTraining
lTrainingId
Trainings
Receipt
ReturnLines
Carrier
Supplier
Assets
Contracts
ItemsReceived
ProdReservs
amCompany
lCpyId
amAsset
lAstId
amContract
lCntrId
amItemReceived
lItemReceivedId
amReservation
lResaId

Invoices


amCompany
lCpyId
amContact
lContactId
amCatRef
lCatRefId
amReceiptLine
lReceptLineId
amWorkOrder
lWorkOrderId
Supplier
Contact
CatalogRef
ReceptLine
CreditNote
amInvoice
lInvId
InvoiceLines
amInvoiceLine
lInvLineId
WorkOrders
amAsset
lAstId
Assets
CreditNote
TaxFormula
WorkOrders
Contracts
TaxJuris
amWorkOrder
lWorkOrderId
amContract
lCntrId
amTaxJuris
lTaxJurisId
amTaxFormula
lTaxFormId

Assets to be returned



Chapter 4: Contracts

This chapter presents the diagram of the following physical data model:

Contracts 31

Contracts


amAssetRent
IAssetRentId
amThirdParty
IThirdPartyId
amAdjustment
IAdjustId
Adjustments
AssetRents
ThirdParties
amCntrRent
ICntrRentId
Rents
CntrProjDescs
amCntrProjDesc
ICntrProjDescId
amRequest
IReqId
amAstCntrDesc
IAstCntrDescId
AstCntrDescs
ReqsAcqu
ReqsBlanketPO
amCntrEmpl
ICntrEmpId
Users
amExpenseLine
IExpLineId
ExpenseLines
Lessor
POrdersBlanketPO
amPOrder
IPOrdId
POrdersAcqu
amCompany
ICpyId
SuppliersBlanketPO
Company
Assignee
amContract
ICntrId
DefPOrder
amInvoiceLine
IInvLineId
InvoiceLine
amEmplDept
IEmplDeptId
CntrCnct
BillContact
InsurCnct
TechCnct
Supervisor
LossValRule
amLossValRule
ILossValRuleId
Rates
amLossValRate
IRateId
amLocation
ILocaId
NotifAddress
BillAddress
LossValLines
amLossValLine
ILossValLineId
LossValRate
amSloLine
ISloLineId
SloLines
Model
amModel
IModelId
POrdLine
ItemsReceived
amItemReceived
IItemReceivedId
amPOrdLine
IPOrdLineId
OrdLineBlanketPO
POrdLinesAcqu
SlaContract
amLoan
ILoanId
Loans
CntrCounters
Catalog
CostCenter
MaintAssets
LeasedAssets
amSoftLicCounter
ICountId
amCostCenter
ICostId
Condition
StdCondSet
Licenses
amAsset
IAstId
amStdCondSets
ISetId
amStdConditions
IStdCondId
StdCondSets
amCatalog
ICatalogId
amConditions
IConditionsId
Usedby
See the Assets linked to Procurement model

Chapter 5: Helpdesk

This chapter presents the diagram of the following physical data model:

Helpdesk 33

Helpdesk


amSeverity
ISeverityId
amProblemClass
IPbClassId
amComment
ICommentId
amEmplDept
IEmplDeptId
amEmplGroup
IGroupId
amAsset
IAstId
amRequest
IReqId
amTicket
ITicketId
amWorkOrder
IWorkOrderId
amDownTimePeriod
IDownId
amTicketHistLine
IHistLineId
amEscSchLevel
IEscSchLevelId
amExpenseLine
IExpLineId
amEscalScheme
IEscSchId
amKnowlBase
IKnowlBaseId
amDecisionTree
IDTNodeId
Severity
EscalSchemes
KnowlBaseSol
KnowlBaseDesc
EmplGroups
Description
Assignee
EmplGroup
Solution
Contact
Request
Asset
ProblemClass
ProblemClasses
StandardSol
DownTimePeriods
WorkOrders
SubTickets
SuspReason
AlarmsTriggered
TicketHistLines
ExpenseLines
Levels
DecTreeNode
EscalScheme
Questions

Chapter 6: Financials

This chapter presents diagrams of the following physical data models:

Budget and expenses 34

Chargebacks 35

Taxes 36

Budget and expenses



Chargebacks



Taxes


amLocation
lLocaId
TaxJuris
amTaxJuris
amTaxJuris
amCompany
lCpyId
TaxJuris
TaxRates
amTaxRate
lRateId
TaxType
amTaxType
lTaxTypeId
TaxJuris
TaxJuris
TaxJuris
TaxJuris
TaxJuris
amAssetRent
lAssetRentId
amReqLine
lReqLineId
amCntrRent
lCntrRentId
amInvoiceLine
lInvLineId
amPOrdLine
lPOrdLineId
TaxFormula
TaxFormula
TaxFormula
TaxFormula
TaxFormula
amTaxFormula
lTaxFormId

Chapter 7: Cable and Circuit

This chapter presents diagrams of the following physical data models:

Cables and cable devices 38

Color codes 39

Label rules 40

Pair/conductor types 41

Cable duties 42

Slots 43

Topologies 44

Topology groups 45

Termination-field configurations 46

Cable links 47

Cables and cable devices



Color codes


ColorDetail
amColorCode
IColorCodeId
CabCnxType
amCabCnxType
ICabCnxTypeId
CnxPinMaps
amCnxPinMap
ICnxPinMapId
CnxPinMap
amColorDet
IColorDetId
Model
amModel
IModelId
Pairs
amModelPair
IModelPairId
ModelPair
Cable
amCable
ICableId
Pairs
amCablePair
ICabPairId
Pair

Label rules


Link
Link
amTopologyDet
ITopologyDetId
TopologyDet
amCableLink
ILinkId
Link
amTermFldConfig
ITermFldCfgId
TermFldConfig
TerminationField
amCableBundle
IBundleId
Bundle
amLabelRule
ILabelRuleId
amPort
IPortId
Port
amTermField
ITermFieldId
Pair
TermFieldDevices
amCablePair
ICabPairId
Pair
Bundles
amDevicePin
IDevicePinId
DevPins
amTermFldDevice
ITermFldDevId
Model
Ports
Pairs
amCable
ICableId
Cable
Device
Assets
amAsset
IAstId
amModel
IModelId
Assets
Cable

Pair/conductor types



Cable duties



Slots


amTermField
lTermFieldId
TermFieldDevices
amPortfolio
lPortfolioItemId
amTermFldDevice
lTermFldDevId
Portfolioitem
Slot
Portfolioitems
Device
amSlot
lSlotId
amAsset
lAstId
amPort
lPortId
Slot
AssetSlots
Ports
Model
Link
amSlotType
lSlotTypeId
amModelSlot
lModelSlotId
amModel
lModelId
amCableLink
lLinkId
ModelSlot
ModelSlots
SlotTypeModels

Topologies


amTopologyGroup
lTopologyGroupId
TopoGrpDetail
amTopoGroupDet
lTopoGrpDetId
TopoGrpDetail
amTopology
lTopologyId
Detail
amTopologyDet
lTopologyDetId
amCabCnxType
lCabCnxTypeId
TopologyDet
TopologyDet
amCabPairType
lCabPairTypeId
ModelPort
amLabelRule
lLabelRuleId
TopologyDet
TopologyDet
ModelPair
ModelPort
Model
amModel
lModelId
amModelPair
lModelPairId
Pairs
Pair
amModelPort
lModelPortId
Ports
Topology
Assets
Cable
amDevicePin
lDevicePinId
Pins
amAsset
lAstId
amCable
lCableId
Pairs
amCablePair
lCabPairId
Port
DevPin
amPort
lPortId
Ports
Bundles
amCableBundle
lBundleId
Pair
amCableDuty
lDutyId
Bundle
Port
ModelPort

Topology groups



Termination-field configurations



Cable links


amCableBundle
IBundleId
amCable
ICableId
amCableLink
ILinkId
amAsset
IAstId
amPort
IPortId
amCablePair
ICabPairId
amDevicePin
IDevicePinId
amTraceHistory
ITraceHistId
amTraceOp
ITraceOpId
amTraceOutput
ITraceOutputId
amCableDuty
IDutyId
amProject
IProjId
amProjTraceOut
IProjTraceOutId
amWorkOrder
IWorkOrderId
Bundle
Bundles
Link
Port
Ports
Pair
Pairs
Pins
DevPin
TraceHist
SubLinks
UserTraceOp
HostTraceOp
SubTraces
TraceOps
TraceOut
Project
ProjectTraces
ProjTraceOut
WorkOrders

Chapter 8: Administration

This chapter presents the diagram of the following physical data models:

Access to the database 49

Workflows 50

Data health check 51

Access to the database



Workflows


amWfTransition
ITransId
amWfOrgRole
IOrgRoleId
amEmplGroup
IGroupId
amEmplDept
IEmplDeptId
amWfSyncPoint
ISyncPtId
amWfActivAlarm
IActivAlarmId
amWfInstance
IWfInstanceId
amWfWorkItem
IWorkItemId
amWfScheme
IWfSchId
amAction
IActionId
amWfActivity
IActivId
amWfSysActiv
ISysActivId
amWfOccurEvent
IOccurEvtId
amWfEvent
IEvtId
amWorkCalendar
IWorkCalendarId
amWfUserChoice
IUserChoiceId
amWkEvtScript
IScriptId
WfTransitions
WfOrgRoles
EmplGroups
WfSchemes
WfSyncPoints
WfInstances
WfActivAlarms
WfWorkItems
WfActivities
WfActions
SrcTransitions
WfActivitiesNotif
WfSysActivs
WfOccurEvents
WfEvents
TargetOccurEvents
WfUserChoices
WkEvtScript
TargetTransitions
Key Entities
Workflow Design Entities
Workflow Execution Entities

Data health check



Chapter 9: Organization

This chapter presents the diagram of the following physical data model:

Employees and Departments 53

Employees and Departments



Chapter 10: Catalog

This chapter presents the diagram of the following physical data model:

Catalog 55

Catalog


CatalogRefs
PriceScript
RefScript
CatScriptData
Receptline
POrdLines
InvLine
CatProduct
ReqLine
ModelRefCat
ClassCode
Catrefs
amCatRef
ICatRefId
amCatRefScript
ICatRefScrId
amCatScriptData
ICatDataId
amReceiptLine
IReceptLineId
amPOrdLine
IPOrdLineId
amInvoiceLine
IInvLineId
amReqLine
IReqLineId
amCatProduct
ICatProductId
amModel
IModelId
amProdClassCode
IProdClassCodeId
CatScriptData
amCatProduct
ICatProductId
Parent
Brand
OptionGroup
Purchunit
Model
amCatalog
ICatalogId
Manager
Contract
CatRefs
Clients
DefSuppCat
Distributors
Contact
Currency
amBrand
IBrandId
amProdOption
IProdOptId
amUnit
IUnitId
amModel
IModelId
amEmplDept
IEmplDeptId
amContract
ICntrId
amCatalogRef
ICatRefId
amCompany
ICpyId
amContact
IContactId
amCurrency
ICurId

SAM

This chapter presents the diagram of the following physical data model:

SAM 56

SAM



Send documentation feedback

If you have comments about this document, you can contact the documentation team by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on Physical Data Models (Asset Manager 9.63)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to ovdoc-ITSM@hpe.com.

We appreciate your feedback!