

HP ServiceCenter/Service Manager

For the UNIX, Linux and Windows operating systems

Software Version: 1.1

HP OpenView Operations for UNIX Node Bank and Outage Integration Guide

Manufacturing Part Number: none

Document Release Date: October 2012

Software Release Date: October 2012



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 2012 Hewlett-Packard Development Company, L.P.

Trademark Notices

Java is a registered trademark of Oracle and/or its affiliates.

Microsoft® is a U.S. registered trademark of Microsoft Corporation.

Oracle® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

UNIX® is a registered trademark of The Open Group.

Windows® is a U.S. registered trademark of Microsoft Corporation.

Documentation Updates

This guide's title page contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.

Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition, visit the following URL:

ovweb.external.hp.com/lpe/doc_serv/

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

You can visit the HP Software support web site at:

<http://support.openview.hp.com/support.jsp>

HP Software online support provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract.

To find more information about access levels and HP Passport, go to:

http://support.openview.hp.com/new_access_levels.jsp

Table of Contents

1	Introduction to this Guide	8
	Introduction	8
	Audience	8
	What you should know before reading this guide	8
2	Concepts – Node Bank and Outage Integration	9
	Overview.....	9
	Node Bank Integration	9
	Outage Integration.....	9
	Node Bank Integration.....	10
	Fields imported into the ServiceCenter/Service Manager -CMDB.....	11
	Outage Integration	12
	Outage Integration Process	14
3	System Specifications and Requirements.....	18
	Supported Platforms	18
	Supported versions of SC/SM and OpenView Operations.....	18
	Prerequisites.....	18
4	Installing Node Bank and Outage Integration	20
	Node Bank Integration.....	20
	Packaging	20
	Installation	20
	List of Installation Files	21
	Outage Integration	21
	Packaging	21
	Installation	21
	List of Installation Files	22
5	Configuring Node Bank and Outage Integration	24
	Configure Node Bank Integration	24
	Import the unload file into ServiceCenter/Service Manager.....	24
	Add two fields to the SC/SM device attributes.....	24
	Configure Connect-It for Node Bank Integration	26
	Configure Outage Integration.....	42
	Import the unload file into ServiceCenter.....	42

Manually configure existing ServiceCenter or Service Manager files and objects	43
Configure the upload process on each OVO Management Server	49
Schedule the Extraction and Upload Processes on each OVO Management Server	50
Configure Connect-It for Outage Integration.....	56
6 Customizing Node Bank Integration.....	65
Document Mappings in Mapping Nodes to SC	65
Basic scripts used in the mappings.....	66
Adding attribute mappings	68
7 OVO Outage Guide for ServiceCenter or Service Manager Operators	74
Managed Nodes	74
OVO Outages in Change Management	75
OVO Outage Administration	82
Operator Records.....	82
Scheduled OVO Outage record clean up.....	82
Archiving OVO Data using Page table	83
The slamodulecontrol table	84
Change Management	85
Change Task.....	86
Configuration Example.....	86
Appendix A – Installing an Oracle Client.....	87
Overview	87
Configuring Oracle Net.....	98
Appendix B – Node Bank Installation Files.....	99
Location of Install and Data Folders	99
List of Installed Files	99
Appendix C – Outage Installation Files.....	101
Location of Install and Data Files.....	101
Appendix D – Configuring the OVO Outage Table Clean-up Schedule	105
Schedule record	105
Configuring records for cleanup.....	105
Configuring the Repeat Interval.....	106
Appendix E – Configuring the slamodulecontrol Table.....	107
Change Management	108
Change Task.....	108
Configuration Example.....	109

1 Introduction to this Guide

Introduction

This guide explains how to install and configure Node Bank and Outage integrations between HP Service Manager versions 7.11, 9.21, 9.30 and HP OpenView Operations for UNIX version 8.x. The aim of the guide is to provide you with enough information to install, configure, and troubleshoot these integrations.

Audience

This guide is written for ServiceCenter/Service Manager (SC/SM) consultants who wish to integrate SC/SM with OVO for UNIX or Linux in order to arrange for outages that are planned in the context of a change process.

Other potential readers include:

- OpenView Architects
- OpenView Designers
- OpenView Developers
- OpenView Project Managers
- OpenView Program Managers
- OpenView General R&D Managers
- OpenView Information Engineers

What you should know before reading this guide

To install and configure the integration you should have a good knowledge of the following:

- ServiceCenter (SC)/Service Manager (SM)
- HP OpenView Operations

A working knowledge of the following is needed:

- Oracle RDBMS
- UNIX Operating System
- Connect-It, a tool that provides capabilities to exchange data between two data stores.

2 Concepts – Node Bank and Outage Integration

Overview

This HP OpenView Operations for UNIX (OVO for UNIX) – ServiceCenter/Service Manager (SC/SM) integration can be divided into two areas, Node Bank Integration and Outage Integration.

The Integration can be used in environments with one Management Server but also in Manager-of-Manager (MoM) environments with multiple Management Servers.

Node Bank Integration

The Node Bank Integration synchronizes data in the ServiceCenter/Service Manager Configuration Manager database (SC CMDB) with the Node Bank information kept on the available OVO for UNIX Management Servers. This synchronization is designed to take place in a short time span on a regular basis. Synchronization starts with wiping the registration of Management Servers related to Nodes in the CMDB. After that, Node Bank information from each Management Server is transferred into the CMDB. At the end of a complete cycle, all information in the CMDB is up-to-date.

The synchronization is executed by means of Connect-It scenarios. The first scenario to run in a synchronization cycle removes the registration of Management Servers with Nodes in the CMDB, using ServiceCenter/Service Manager Web Services. After that, a scenario is run for each Management Server, connecting to the underlying database and transferring the relevant data into the CMDB by means of the ServiceCenter/Service Manager Web Services.

Additionally, the Node Bank Integration scenario copies Message Group data from the OVO for UNIX Management Servers to the SC/SM Database, so they can be used by the Outage integration as filtering conditions.

Outage Integration

OVO for UNIX must be made aware of outages planned in the context of a change process. During the specified outage periods, OVO for UNIX will interpret events detected on systems and will accordingly suppress or only log the corresponding messages. Messages that comply to the outage descriptions sent to OVO will not be escalated to the incident management process.

The Outage Integration uses the Node Bank information to identify Configuration Items (CIs) as nodes managed by OVO for UNIX, and uses a wizard to configure OVO for UNIX outages that are then sent to and uploaded onto the appropriate OVO for UNIX Management Server.

Node Bank Integration

The first step in a SC/SM – OVO for UNIX integration is to synchronize the SC/SM CMDB with the OVO for UNIX node bank. Once synchronization is complete, SC/SM can identify CIs as nodes managed by OVO for UNIX, and validate that the CIs are suitable for sending outage notifications to OVO for UNIX. This synchronization is executed on a regular basis (by default) in order to keep the CMDB in line with the changing IT environment. The logical architecture of this process is shown in the diagram below.


Each complete run of the Node Bank integration starts with a Connect-It scenario that:

- Wipes the information on OVO Management Servers stored with the Node data in the SC/SM CMDB.
- Changes the Node type to ‘OVO node being synchronized’ for each ‘device’ that is managed by OVO.

Next, a Connect-It scenario is run for each Management Server. This scenario connects to the Oracle database underlying the OVO Management Server and to SC/SM in order to complete the following tasks:

- Collect Node Bank information and pass this data via a SC/SM Web Services Connector to the “device” table in SC. Some additional fields need to be added to the device table; this procedure is described in the [Installing Node Bank and Outage Integration](#).
- Copy Message Group information from the OVO for UNIX Management Server into “SC Global Lists” for use with the OVO-Outage integration.

The user is supplied with two default Connect-It Node Bank Scenarios, one for the preliminary actions, and one that passes data into SC. The second scenario can be copied and configured with the appropriate SC/SM and OVO for UNIX Management Server information. This should be done for each OVO for UNIX Management Server involved in the Node Bank integration, resulting in a scenario being defined for each Management Server. These procedures are described in detail in [Installing Node Bank and Outage Integration](#).



Node Bank Integration – Logical Architecture

Fields imported into the ServiceCenter/Service Manager -CMDB

By default, the following fields will be imported into the SC/SM CMDB.

Managed node data

The following data is extracted from the OVO for UNIX database:

- Fully Qualified Domain Name (FQDN) of the managed node
- IP address of the managed node
- Management servers of the managed node
- Node type of the managed node

You can add additional fields by editing the mapping Connectors.

Message group data


The values of the message group attribute are extracted from the OVO for UNIX database. Customers can add or modify message groups in OVO. The Node Bank Integration copies the new message groups to SC/SM. The default attributes are:

Backup	Certificate	Database	HA	Hardware	Job
Misc	NetWare	Network	OS	OpC	Output
Performance	SNMP	SSP	Security		

Outage Integration

Similar to the Node Bank Integration process, Outage Integration also uses a Connect-It scenario to copy data. In this case the scenario copies outage information, contained in the `ovooutage` table in SC/SM to an intermediate table stored in an Oracle database accessible by the Connect-It Server and all OVO for UNIX Management Servers (usually but not necessarily the Oracle database of (one of) the OVO Management Servers is used). When this is completed, a Java program, running on all the OVO for UNIX Management Servers, connects to the intermediate table, copies the outage information into an “outage” file on the Management Servers, checks if its syntax is correct for processing by the OVO for UNIX Management Server, and uploads it onto the OVO for UNIX Management Server.


The logical architecture of this process is shown in the diagram below. Steps 1, 2 and 3 below provide more detail on sections of the process.



Outage Integration - Logical Architecture

Outage Integration Process


Step 1: Create an Outage Table Record in SM



Adding outage information in SM

The Outage Integration process is designed to allow users add outages to change processes. A wizard that can be run from within a change creates outages on CIs associated with the change. The outage information is stored in the ovooutage table in the SC/SM database.

Step 2: Copy Outage Table Contents to Intermediate Table




Copying outage information to an intermediate table

A Connect-It scenario is scheduled to connect via a SC/SM Web Service connector to the `ovoooutage` table and copy the contents of this table to the intermediate `sc_outage` table. You can configure the location of this intermediate table during installation and configuration (in the diagram it is located in a database on the OVO Management server but it could be located in any arbitrary Oracle database). On completion of the copy process, the Connect-It scenario changes the status of the Connect-It record in the `sc_outage_status` table. This table plays a part in synchronizing the Java process on the OVO for UNIX Management Servers with the Connect-It process on the Connect-It server. See [Schedule the Extraction and Upload Processes](#)

- ▶ A predefined SC/SM Operator named “ovo” is supplied, which is set to use the Universal Time Coordinated (UTC) time zone. This helps to ensure that the outage date and time information conforms to the UTC time zone.

Step 3: Process Intermediate Table on OVO for UNIX Management Server



Processing the intermediate table in the OVO/U Management Server

On the individual OVO for UNIX Management Servers, the outage shell script is scheduled to run using the UNIX crontab scheduler. The script, shown as 'A' in the diagram, first checks if the Connect-It scenario has run – if its status is finished the script will run. The Java program called by the script makes a list of all nodes managed by the OVO for UNIX Management Server it is running on, and then extracts information on all relevant outages from the `sc_outage` (intermediate) table, in order to write it into the outage file on the OVO for UNIX Management Server. The `opcmonchk -outage` command is then used to check the syntax of the newly updated outage file; the `opccfgout -update` command is called to force the message manager to upload the new file.

Modifying the OVO Outage file

OVO for UNIX keeps all information regarding outage periods in one file, which contains the entire configuration. When OVO is instructed to read its outage template, it regards this as the whole set of outage information and removes any and all outage data it contained before. Therefore, the content of the outage template file is not under the exclusive control of the

Outage Integration, as the administrator of OVO may need to configure outage information that falls outside the scope of what the integration with SC/SM offers.

To prevent the outage integration from disturbing sections of the outage template file that it is not responsible for, it delimits the sections it considers under its control with special comment codes. It is important that these delimiters are not removed when the outage template is edited manually.

Over time, the outage information configured in OVO's template will keep growing if outdated information is never cleaned up. Therefore, each time that the Outage integration runs, the first step it takes after reading the outage template file is to look for sections that contain information that has become useless. When the Outage integration rewrites the outage template file, these so-called obsoleted sections will be excluded from the updated template.

The Outage integration considers a subsection obsolete when one of the following rules apply:

1. The section contains an end-time that is more than 24 hours in the past compared to the current time on the OVO/U management server.
2. The section contains information on the current change that is being processed.

The second rule prevents that updates to outage information in SC/SM creates multiple entries in the outage template file. In other words, simply deleting any template information that is related to the current update from the original outage template will ensure that the data in the outage template file has a one-to-one relation to the changes in SC.

3 System Specifications and Requirements

Supported Platforms

The following platforms are supported:

Windows
Solaris
Linux
HP-UX



The Connect-It user interfaces run on a Windows platform only. If you want to configure the scenarios and/or modify the mapping you need to do this on a Windows platform.

Supported versions of SC/SM and OpenView Operations

The Node Bank and Outage Integrations support ServiceCenter 6.1.3, 6.2 or Service Manager 7.x and later version on any platform that is supported by ServiceCenter or Service Manager (Windows, Linux, HP-UX, and Solaris). ServiceCenter running on the P4 database or on an Oracle database is supported.

The Node Bank and Outage Integrations support OVO 8.x on any platform that is supported by OVO (HP-UX, Linux and Solaris).

Prerequisites

Outage Integration

- To install and configure the Outage Integration, you must first install and configure the Node Bank Integration.
- The UNIX part of the Outage Integration needs a Java Runtime Environment (JRE) version 1.4 or higher.
- The UNIX part of the Outage Integration needs the Oracle utility `sqlplus`. Usually `sqlplus` is installed on the OVO for UNIX management server. If not, then install the Oracle Client software as described in [Appendix A](#).

General Prerequisites

- Connect-It software should be installed before scenarios can be configured and run. Refer to the relevant Connect-It documentation for information on installing the product. The machine running Connect-It is referred to as the Connect-It server.
- Within Connect-It, the integrations use the ServiceCenter or Service Manager Web Service connector, the Oracle database connector, the XML connector, and the Data generator connector.

- For the Oracle database connector, the Oracle client software must be first installed on the Connect-It server. The Oracle client installation procedure is described in [Appendix A](#). Connect-It must use the native Oracle database driver to connect to the Oracle database.
- For SM a legacy listener must be started. Refer to HP Service Manager Installation Guide -> A Legacy Integrations

4 Installing Node Bank and Outage Integration

► To install the Node Bank and Outage integration, you must have administrator rights on Windows platforms, or be a root user on UNIX platforms.

Node Bank Integration

Packaging

The files that constitute the Node Bank Integration are packaged in a self-extracting zip file for Windows.

The package naming convention is `HpScNodeBank-MM.mm.bbb-Windows.exe`. In this convention:

- MM refers to the major version number
- mm refers to the minor version number
- bbb refers to the build number

For example:

`HpScNodeBank-01.00.016-Windows.exe` for the Windows platform. The executable is a self-extracting zip file.

Installation

1. Copy the install package to the Connect-It server where you want to install the integration.
2. Unzip or extract the package.

For a Windows platform, run the self-extracting zip file. By default the files are installed in the `C:\Program Files\HP OpenView` directory. If OpenView products are already installed on the same server but in another directory, then install the Node Bank Integration in this directory. If Node Bank integration is the first HP OpenView product on your install machine, you can select the install folder.

3. A ServiceCenter or Service Manager unload file forms part of the install package and must be imported into ServiceCenter or Service Manager using a ServiceCenter or Service Manager client. If a ServiceCenter or Service Manager client is not installed on the Connect-It server, copy the unload file `sc-nb-messagegroup.unl` to a host running a ServiceCenter or Service Manager client, or copy and unzip the installation package on the ServiceCenter or Service Manager client machine.

List of Installation Files

For a list of files included in the node bank installation package, and the location of the installed files, see [Appendix B](#).

Outage Integration

Packaging

The Outage Integration consists of a Windows part and a UNIX part. The files that constitute the Outage Integration are packaged in a zip file for Windows and a GNU zipped tar file for UNIX.

The package naming convention is `HpScOutage-MM.mm.bbb-PP.zz`. In this convention:

- MM refers to the major version number
- mm refers to the minor version number
- bbb refers to the build number
- PP refers to the platform
- zz refers to the extension of the zipped file.

For example:

`HpScOutage-01.00.016-Windows.exe` for the Windows platform. The executable is a self-extracting zip file.

`HpScOutage-01.00.16-UNIX.tar.gz` for all UNIX-based platforms.

Installation

1. Copy the Windows install package to the Connect-It server where you want to install the integration.
2. Copy the UNIX install package to each OVO for UNIX management server where you want to install the integration.
3. Unzip or extract the packages.

For a Windows platform, run the self-extracting zip file. By default the files are installed in the `C:\Program Files\HP OpenView` directory. If OpenView products are already installed on the same server but in another directory, then install the Node Bank Integration in this directory. If Node Bank integration is the first HP OpenView product on your install machine, you can select the install folder.

For HP-UX, Linux or Solaris platforms, uncompress and extract the gz file using the following command:

```
# gunzip -c HpScOutage-01.00.16-UNIX.tar.gz | tar -xvf -
```

The files are installed in the `/opt/OV` and `/var/opt/OV` directories. You cannot select another install directory.

4. A ServiceCenter or Service Manager unload file forms part of the install package and must be imported into ServiceCenter or Service Manager using a ServiceCenter or Service Manager client. The unload file is shipped with the Windows package. If a ServiceCenter or Service Manager client is not installed on the Connect-It server, copy the unload file sc-outage6.1.unl or sc-outage6.2.unl depending on the version of ServiceCenter or Service Manager you are using to a host running a ServiceCenter or Service Manager client, or copy and unzip the installation package on the ServiceCenter or Service Manager client machine.

List of Installation Files

For a list of files included in the outage installation package, and the location of the installed files, see [Appendix C](#).

5 Configuring Node Bank and Outage Integration

Configure Node Bank Integration

This consists of the following activities:

1. Importing the unload file into ServiceCenter/Service Manager
2. Adding two fields to the SM device file
3. Modifying the existing WSDL configuration for device table
4. Configuring the Connect-It scenarios

Each of these activities is discussed below.

Import the unload file into ServiceCenter/Service Manager

1. Ensure that the unload file, which is included in the installation package (see [Appendix B](#)), is accessible from the SC/SM client.
2. Start the ServiceCenter/ Service Manager client.
3. Go to **Database Manager**.
4. Select **Import/Load**.
5. Navigate to the <InstallDir>/newconfig/conf/sc or <InstallDir>/newconfig/conf/sm directory.
6. Select the `sc-nb-messagegroup.unl` file for ServiceCenter and `sm-nb-messagegroup.unl` for Service Manager.
7. Start the import by clicking Load Foreground (F1)

Add two fields to the SC/SM device attributes

Data on the OVO managed nodes are stored in the device `dbdict` file. This file contains attributes of generic CIs. You must create two new attributes, `ovo.management.server` and `ovo.node.type`. The first attribute, `ovo.management.server`, will contain a list of OVO management servers that manage this node. The attribute `ovo.node.type` will be used to indicate if the node is a managed node or a management server. Note that the attribute names contain the leading string “ovo” to indicate that they are used for the OVO for UNIX Integration. The details are shown in the tables below.

On ServiceCenter

OVO Management Server Array

Name	ovo.management.server
Type	Array
Caption	ovo.management.server
Include in API	true
Field name API	ManagementServer

OVO Node Type

Name	ovo.node.type
Type	Text
Caption	OVO Node Type
Include in API	true
Field name API	NodeType

On Service Manager

OVO Management Server Array

Name	ovo.management.server
Type	Array
Caption	ovo.management.server

OVO Node Type

Name	ovo.node.type
Type	Text
Caption	OVO Node Type

The permitted values for this attribute are: “OVO Managed Node” and “OVO Management Server”.

- ▶ When the Connect-It scenarios are running, the value of the field is first set to “OVO node being synchronized”

Editing the existing WSDL configuration for device table

On ServiceCenter:

The integration uses **network.address**, an existing attribute of the device table, to store the IP address of the managed node. The network address must be published as a Web Service. The field name in the API must be IPAddress. The details are shown in the table below.

Name	network.address
Type	Text
Caption	network.address
Include in API	true
Field name API	IPAddress

On Service Manager:

1. Click "WSDL Configuration" from Menu Navigation -> Tailoring
2. Fill "device" in Name field and "ConfigurationManagement" in "Service name" field. Click "Search".
3. Click "Fields" tab.
4. Expose fields as below:

Field	Caption
ovo.management.server	ManagementServer
ovo.node.type	NodeType
network.address	IPAddress

Configure Connect-It for Node Bank Integration


This section describes the following topics related to Connect-It components for Node Bank integration:

- Configuring the standard scenarios **sm-nb-clean** and **sm-nb** from the Service Console
- How to configure the Connect-It schedule from the Service Console

- How to create a Windows service for executing the scenarios from the Service Console
- Handling multiple OVO management servers
- Information on Logging – what and where

About the Service Console

The Service Console is a graphical tool for managing services that implement a Connect-It scenario. The console is installed as part of the Connect-It installation on a Windows machine. Using the console you can define, configure, and schedule a scenario, and then install and start a Windows service to implement the scenario. This section discusses how to use the console to configure, schedule and run the Node Bank integration.



Configure the Standard Scenarios

The Node Bank integration consists of two scenarios, **sm-nb-clean** and **sm-nb**. This section describes how to configure, schedule and start sm-nb-clean and sm-nb.

sm-nb-clean

This scenario clears the management server information and sets the node type to `OVO node being synchronized` for all OVO managed nodes in the ServiceCenter or Service Manager CMDB. In a set of scenarios, this scenario is always the first to run. It prepares the Service Center data for updates that will reflect the current Node Bank situation.

sm-nb

This scenario synchronizes the devices registered in the Service Center database with information from the OVO Node Bank. More than one version of this scenario can be run, generally one for each OVO Management Server.

Running the scenarios

The scenarios should be executed within a relatively short time interval. During this interval, the data in ServiceCenter or Service Manager are not complete, so it is important to keep it as short as possible.

The `sc-nb-clean` scenario must be run before running the other scenarios. The `sc-nb-clean` scenario deletes the data used to indicate to which management server each node is linked. Then, for each OVO Management Server in turn, a copy of the `sc-nb` scenario is run. The scenario synchronizes other data on the nodes, and adds the name of the management server to the list of management servers for each node known to the server. After all copies of the `sc-nb` scenario have run, the data are synchronized and all relations between nodes and management servers are registered in ServiceCenter or Service Manager as they currently exist.

Both scenarios are placed in the `<DataDir>\conf\sc` directory, where `DataDir` usually refers to `C:\Program Files\HP OpenView\data`.


Configure the sm-nb-clean scenario

1. First create a new service for the Service Console: open the Service Console and click the **New** button.

In the Service Console screen that appears, enter values for the fields shown below.


Service	Enter a name for the Windows service you want to create, for example <code>sc-nb-clean</code> . This will generate a service called Connect-IT service (sm-nb-clean) .
Scenario	Enter the scenario file to use, normally <code>C:\Program Files\HP OpenView\data\conf\sm\sm-nb-clean.scn</code>
Log file	Enter a location for the Connect-It log. The suggested location is <code>C:\Program Files\HP OpenView\data\log\sm-nb-clean.log</code> . This is not the value that appears automatically when you enter a value in the Service field.

2. Click the **Create** button. You can now configure, schedule, install and start the service, in this order.



Configure the Connector

3. Click the **Configure** button to display a list of scenario connectors, as shown in the screen below.
4. You only need to configure the **HP ServiceCenter/Service Manager Web Service – clearing OVO data** connector. Place your cursor on this connector and click the **Configure connector** button.



5. In the first screen (**Name and Describe the connector**), enter a name and an optional description and click **Next**.

6. In the second screen (**Define the connection parameters**) shown below, enter the following values:

Server name	Replace the myServiceCenterServer string with the fully qualified domain name of the ServiceCenter or Service Manager server. If this server does not use the default port 12670 to run the ServiceCenter or Service Manager Web Services, enter the appropriate number.
Service Name	'Configuration Management'
Login	Enter a valid ServiceCenter or Service Manager account name to replace the myServiceCenterLogin string.
Password	Enter the password for the ServiceCenter or Service Manager account (if any).

The screenshot shows a wizard window titled "Wizard: 'Configure the connector'". The main heading is "Define the connection parameters". On the left is a decorative graphic of a globe. The main area contains the following text and fields:


- Instruction: "Enter the WebServices parameters of the server. The 'Server name' field is composed of the name or IP address and the server port, and uses this format: 'name:port'."
- Field: "Server name" with value "myServiceCenterServer:12670"
- Field: "Context path" (empty dropdown)
- Field: "Service name" with value "ConfigurationManagement"
- Section: "Test the connection" with a "Test" button.
- Section: "Complete the user and password fields."
- Field: "Login" with value "myServiceCenterLogin"
- Field: "Password" (empty)

At the bottom are navigation buttons: "< Previous", "Next >", "Finish", and "Cancel".


7. Click the **Test** button to test the connection. If the test is successful, click the **Finish** button to finalize it. In the Connector configuration screen that reappears, click the **Validate** button to conclude the scenario configuration.

Scheduling

8. Once you have configured the connector, the **Scheduling** button in the Service Console screen is available. Click this button to display the **Edit Scheduling** screen. Click the **Edit Schedulers** button.



9. In the **Scheduler editor** screen, select the **Cleaning** schedule. This is pre-set to run every night at midnight, which can be adjusted. Ensure that you save any changes you make.
10. Click the **Close** button, and click the **Validate** to check the editor changes.
11. Close the **Edit scheduling** window.




Configure the sm-nb scenario

You define this scenario in the same way the sc-nb-clean scenario was defined.

1. Click the **New** button and enter data in the fields listed below.

Service	Enter a name for the Windows service you want to create, for example sc-nb. This will generate a service called Connect-IT service (sc-nb) .
Scenario	Enter the scenario file to use, normally C:\Program Files\HP OpenView\data\conf\sc\sc-nb.scn
Log file	Enter a location for the Connect-It log. The suggested location is C:\Program Files\HP OpenView\data\log\sc-nb.log. This is not the value that appears automatically when you enter a value in the Service field.

2. When you click **Configure**, a longer list of connectors appears. Four of these need to be configured.



3. The **OVO Node Bank** connector is configured on the third screen of its wizard. Enter values according to the following table.

Server	Replace the placeholder 'myOracleNetAliasFor OVODatabase' with the Net Service Name for the OVO database server. This is (one of) the Net Service Name(s) defined in the <i>Net Configuration Assistant</i> .
User	Replace the placeholder 'myOracleUserNameFor OVODatabase' with the user name for the Oracle account holding the OVO data (generally opc_op)
Password	Enter the password related to the user name given above.

4. Click the **Test** button to test connection, and when successful, finalize it with a click on the **Finish** button.



5. Configure the **HP OpenView ServiceCenter Web Services – insert or update Nodes** connector. The procedure is exactly identical to the connection described for the *OpenView ServiceCenter/Service Manager Web Service – clearing OVO data* connector.



6. Configure the **HP OpenView ServiceCenter Web Services – insert Message Groups**. Use values as given below (the only difference with the previous connector is in the **Service Name**).


Server name	Replace the myServiceCenterServer string with the fully qualified domain name of the ServiceCenter or Service Manager server. If this server does not use the default port 12670 to run the ServiceCenter or Service Manager Web Services, enter the appropriate number.
Service Name	'OVO'

Login	Enter a valid ServiceCenter or Service Manager account name to replace the myServiceCenterLogin string.
Password	Enter the password for the ServiceCenter or Service Manager account (if any).

7. Finally, you configure the **ServiceCenter/Service Manager existence check** connector on the second screen of the wizard. Use values as specified in the table below. Use values as given below.

Server name	Replace the myServiceManagerServer string with the fully qualified domain name of the ServiceCenter or Service Manager server. If this server does not use the default port 12670 to run the ServiceCenter or Service Manager Web Services, enter the appropriate number.
Login	Enter a valid ServiceCenter or Service Manager account name to replace the myServiceCenterLogin string.
Password	Enter the password for the ServiceCenter or Service Manager account (if any).

8. **Test** this connection, **Validate** the connector configuration, and return to the Service Console's main screen.



Scheduling


From a technical perspective, scheduling for this scenario is identical to scheduling the **sc-nb-clean** scenario. When installed, the scenario is scheduled to run every night at five minutes past midnight. When

configuring this scenario, make sure the sc-nb-clean scenario will have finished before the sc-nb scenario starts.

Create and start services

The Service Console now looks similar to that shown below. Two services have been defined, but these have not yet been created as Windows services, nor have they started executing.

To create a Windows service, select the service and click the **Install** button. Connect-It creates a service for the selected Service. It will be named Connect-It service (<service name>, so clicking the **Install** button in this example will create the service **Connect-It service (sc-nb)**. The services you create are Windows services that can be monitored and managed through the services interface of the Windows operating system.



Once the service has been created, ensure that it starts automatically when your machine the Connect-It server boots up. Do this by making it an Automatic service in the Windows services interface. Once installed, the service can also be started and stopped from the Service Console by clicking the **Start** button or **Stop** button. To remove the service, click the **Uninstall** button.

Configure Multiple OVO Management Servers

When more than one OVO Management Server is involved in an integration, a separate copy of the sc-nb scenario must be run for each Management

Server. To do this, configure one scenario completely and then make copies of this scenario. In doing so, a major part of the configuration work (configuration of three ServiceCenter or Service Manager connectors) can be reused.


A working integration consists of several scenarios running in close succession. First, the sc-nb-clean scenario is run. This deletes the data that indicate to which management servers each node is linked from the ServiceCenter or Service Manager CMDB. This scenario also changes the Node Type field in Service Center to read “OVO node being synchronized”, thus indicating that integration is running. Then, copies of the sc-nb scenario, created for each management server, are run in succession. These scenarios update the information in ServiceCenter or Service Manager on the nodes known to the management server, including the management server name. After all copies have run, all management servers related to a given node are registered in ServiceCenter or Service Manager as they are at that point in time.

It is advised to make sure that the different scenarios do not run at the same time. There is a distinct possibility that one node will be affected by more than one scenario, as it may be known to multiple management servers. All nodes managed by OVO will certainly be affected by the sc-nb-clean scenario. This is typically a situation in which concurrency problems may occur, leading to lost updates, for example.

To avoid scenarios running simultaneously, one should be aware of the time needed to run each scenario. The scenarios should then be configured to run consecutively.

Copy scenario files

For each OVO Management Server, copy the original scenario file and its accompanying initialization file. These files are located in the <DataDir>/conf/sc directory, normally C:\Program Files\HP OpenView\data\conf\cs. Note that the sc-nb.cfg and sc-nb.bas files must remain in their original location, or the new scenario will not work. These files are shared by all scenarios.



For convenience and to avoid errors, you should rename the files by adding the name of the OVO management server to the file name. For example, if the hostnames of your OVO Management Servers are merlin.mydomain.com and arthur.mydomain.com, assign the names `sc-nb-merlin.scn` and `sc-nb-arthur.scn` to the scenario files, and `sc-nb-merlin.ini` and `sc-nb-arthur.ini` to the initialization files,

This is also a good moment to create additional directories for each scenario's log files. The scenarios can thus write their log files to separate directories. This avoids potential confusion as to the origin of the log files. The preferred naming of these directories is the name of the OVO management server. So in the above example the directories `C:\Program Files\HP OpenView\data\log\arthur` and `C:\Program Files\HP OpenView\data\log\merlin` would be created.


Configure the copied scenarios

The screenshot of the Service Console above shows the two example scenarios already added. Services have been added in the same way as they were defined for the standard scenarios. Assuming the original scenario had already been configured, the copied scenarios need only minor adjustments.

OVO Node Bank

Make sure the **OVO Node Bank** database connector is *configured* to use the database associated with the proper OVO management server. In the third screen of its wizard, type the Net Service Name for the OVO database server

in the Server field, and the user name and password for the Oracle account holding the OVO data in the 'User' and 'Password' fields.




Click the **Test** button to ensure that the connection parameters are correct. Finalize the configuration by clicking the **Finish** button.

XML

The **XML** connector must be configured to write the log files for each connector to the separate directory for which it was created. This directory must be specified on the fourth screen of this connector's wizard.

After these two changes, **Validate** the connector configuration, and return to the Service Console main screen.



Scheduling

Scheduling these scenarios is done in the same way as for the other scenarios. Make sure that each scenario runs in its own timeframe, thus avoiding possible concurrency issues. A close inspection of the Connect-It logs for the scenarios makes clear how much time is required by each scenario for a full run. Scheduling can be based on this data.

If we assume the following times (minutes, seconds) for each scenario:

sc-nb-clean takes 2' 25" to run

sc-nb-arthur takes 4' 33" to run

sc-nb-merlin takes 6' 13" to run

Obviously, sc-nb-clean can remain scheduled to run at midnight. If we allow for an adequate time-interval, sc-nb-arthur can be started at 00.05 a.m. and sc-nb-merlin at 00.15 a.m. This allows for a generous measure of change before concurrency would become a problem, and at the same time it ensures that the synchronization process will be finished by 00.25 AM. Based on this schedule, ServiceCenter or Service Manager operators can be warned that the information on OVO management servers listed with a device may not be entirely reliable between midnight and 00.30 AM.

Create and start services

Once all services are properly scheduled, these can be installed as Windows services and started as described above.

Log files

Service log

As each service executes, status and error messages are written to the Connect-It log file. This file is created in the location defined in the Service Console for each service. The logs contain general information about each execution of the Connect-It scenario, including whether it has run successfully or not. The log file includes information on the following types of errors:

- Mandatory files that are missing or damaged
- Incorrectly configured connectors
- Mapping errors
- Document Type Definition errors

2007/04/11 11:05:0.164	3	2	Document(s) produced ignored: 14
2007/04/11 11:05:0.164	4	4	CreateDevice: 7
2007/04/11 11:05:0.180	4	4	UpdateDevice: 7

f
 Apart from these general points, the Connect-It log will also report on any information retrieved from the OVO database and not transferred to ServiceCenter, because it already exists or because it has not changed. These nodes and message groups will be recognized in entries similar to the extract shown below.

Note that the number of node-related documents ignored may be higher than the number of documents produced by the OVO Node Bank connector. This is because each document is evaluated twice, once to see whether an insert should be done, and a second time to see whether existing data should be updated. As message group data is only inserted, and never updated, these are only evaluated once.

Insert/update xml logs

Each time a scenario is executed, information on the inserts and updates that were performed is logged in XML format. By default these log files are located in C:\Program Files\HP OpenView\data\log, but a different location can be specified with the configuration for the XML connector. These log files are named as follows:

- sc-nb-NewNodeResultxxx.xml (node inserts)
- sc-nb-UpdateNodeResultxxx.xml (node updates)
- sc-nb-MessageGroupResultxxx.xml (message groups).

Here, 'xxx' refers to a sequence number that will be incremented each time a file is generated.

Be aware that new instances of these log files are not created every time a scenario is run – this only happens when inserts and/or updates are performed, in other words when at least one document is actually processed. As the Connect-It log shows the numbers of documents that were processed, it indicates whether the log files exist.

An example of the xml files is shown here. In this file, each <DeviceResponse> tag contains data on one OVO node being transferred. The values are:

Name	The machine name or the message group name, which is used as a key
Status	SUCCESS or FAILURE for each node
Message	May provide additional information
Zero, one or more DetailMessage	Provides more detailed error information.

entries	
---------	--

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<DeviceResponseList>
  <DeviceResponse>
    <Message>Success</Message>
    <Status>SUCCESS</Status>
    <Name>merlin.mydomain.com</Name>
    <Messages>
      <DetailMessage>
        <Message>CI record updated.</Message>
      </DetailMessage>
    </Messages>
  </DeviceResponse>
</DeviceResponseList>
```

Configure Outage Integration

This section describes the activities listed below.

1. Import the ServiceCenter/Service Manager unload file into Service Manager.
2. Manually configure existing files and objects in Service Manager. This consists of the following tasks:
 - Add two new outage fields to the `dbdict` file.
 - Create new outage fields in any required device formats or subformats.
 - Add alias fields in the `cm3r` and `cm3t` files.
 - Add new link lines for Change and Change Task.
 - Amend the `cm.view` State record.
 - Add new Tab and Sub-form to Change and Change Task formats.
 - Add a new tab to the related records Tab.
 - Add a subform to the Change or Change Task formats.

In addition, the following administrative tasks are described in [Appendix D](#) and [Appendix E](#):

- How to configure the OVO Outage table clean-up schedule
 - How to configure the `slamodulecontrol` table
3. Configure the upload process on each OVO Management Server.
 4. Schedule the Extraction and Upload Processes.
 5. Configure the Connect-It scenario for outage integration.

Import the unload file into ServiceCenter

The procedure is as follows:


1. Ensure that the ServiceCenter or Service Manager unload file included in the installation package for Windows is accessible from the ServiceCenter or Service Manager client.
2. Start the ServiceCenter or Service Manager client.
3. Go to **Database Manager**.
4. Select **Import/Load**.
5. Navigate to the `<InstallDir>/newconf/conf/sc` directory.
6. Select the correct unload file for the ServiceCenter or Service Manager version you are using. Select unload file `sc-outage6.1.unl` for SC 6.1, `sc-outage6.2.unl` for SC 6.2 or `sm-outage7.x.unl` for all versions of SM.
7. Start the import by clicking Load Foreground (F1)

The error messages shown in the screen below will appear when you load the unload file, but can be ignored. The error messages result from related

information between certain objects being loaded in a different order, that is, the message appears before the display screen is loaded. The message is displayed because the display options are loaded before the display screen, and cannot therefore reference the display screen.



The following error message relates to SC v6.2 or SM unload only



In this case the contact record is loaded before the operator record, and at that point cannot relate to the operator record. Once the operator record loads, the two records are synchronized.

Manually configure existing ServiceCenter or Service Manager files and objects

Add Outage-related fields to Device File

Add two fields (attributes) `ovo.node.type` and `ovo.management.server` to the `dbdict` file. This procedure is described in the section on Node Bank integration. See [Adding Fields to device file](#).

Add Outage-related fields to Formats or Subformats

Add the new OVO Outage-related fields from the device table (described in [Adding Fields to device file](#)) to any required formats/subformats, for example to `device.computer.info`. This depends on the formats used by the client.

Computer Information			
Machine Name:	<input type="text"/>	Bios ID:	<input type="text"/>
IP Address:	<input type="text"/>	Bios Manufacturer:	<input type="text"/>
IPx Address:	<input type="text"/>	Bios Model:	<input type="text"/>
MAC Address:	<input type="text"/>	Power:	<input type="text"/>
Subnet Mask:	<input type="text"/>	Total Disc Capacity (Gb):	<input type="text"/>
Default Gateway:	<input type="text"/>	Free Disc Capacity (Gb):	<input type="text"/>
OS Name:	<input type="text"/>	Agent Port:	<input type="text"/>
OS Manufacturer:	<input type="text"/>	Agent Password:	<input type="text"/>
OS Version:	<input type="text"/>	OVO Node Type:	<input type="text"/>
		OVO Management Server:	<input type="text"/>

Add alias fields in the cm3r and cm3t files

These fields are required for linking the OVO Outage Sub-form to the Change and Task forms.

1. Type `dbdict` from the ServiceCenter or Service Manager command line.
2. Enter `cm3r` in the File Name field and click Search.
3. Position your cursor on the number field and click Edit.
4. Click Create Alias and enter `number.vj.ovo` as alias.
5. Repeat this procedure for `cm3t`. The entry details are shown below.

The screenshot shows a dialog box titled "field.window" with a "Tools" bar containing "OK", "Cancel", "Previous", and "Next" buttons. A message box states "Alias created. You may modify the name if necessary." Below this, the details of the alias are displayed:

Name:	<input type="text" value="number.vj.ovo"/>	Structure:	header
Type:	<input type="text" value="character"/>	Level:	2
		Index:	1

A "Create Alias" button is located at the bottom right of the dialog box.

Change

Filename: `cm3r`

Add an alias for the number field with the following name and type:

Name: `number.vj.ovo`

Type: `Character`

Change Task

Filename: cm3t

Add an alias for the number field with the following name and type:

Name: number.vj.ovo

Type: Character

Add two link lines for Change and Change Task



Perform the procedure described below twice – for the Link records for Change (**Link: cm3r**) and for Change Task (**Link: cm3t**).

In the Change and Task formats, the OVO Outage records are displayed in the Sub-form on the Related Records Tab. This Link change makes it possible to open the OVO Outage record when it is double clicked from the Sub-form list

First new link line

1. Enter link from the command line.
2. Enter the name of the link (cm3r or cm3t) and click **Search**.
3. Scroll to the end of the Source Field Names column.
4. Click **Add**.
5. Add the first new link line. The input is shown below.

Source Field Name: number.vj.ovo

Target File: ovooutage

Target Field Name: source.number

Add query:

Comments: VJ ONLY

number.vj.ovo	ovooutage	source.number	VJ ONLY
ovo.id	ovooutage	ovo.id	\$query

6. Save the record and click **Select Line** for the link structure for the new line.
7. Add the following information and save.

Expressions: \$fill.skip=true

Field (From/Source):	File (To/Target):	Format (To/Target):	Field (To/Target):
number.vj.ovo	ovooutage		source.number
Comment:	VJ ONLY		
Query:			
QBE Format:		Structured Array Name:	
<input type="checkbox"/> Expressions <input type="checkbox"/> Javascript			
<pre>\$fill.skip=true</pre>			

Second new link line:

8. Add the second new link line. The input is shown below.

Source Field Name: ovo.id
 Target File: ovooutage
 Target Field Name: ovo.id
 Add query: \$query

number.vj.ovo	ovooutage	source.number	VJ ONLY
ovo.id	ovooutage	ovo.id	\$query

9. Save the record and click **Select Line** for the link structure for the new line.

10. Add the information below and save.

Expressions: \$query="ovo.id=\" \" + cursor.field.contents() + \" \"

\$query= "ovo.id=cursor.field.contents()"

Field (From/Source):	File (To/Target):	Format (To/Target):	Field (To/Target):
ovo.id	ovooutage		ovo.id
Comment:			
Query:	\$query		
QBE Format:		Structured Array Name:	
<input type="checkbox"/> Expressions <input type="checkbox"/> Javascript			
<pre>\$query="ovo.id=cursor.field.contents()"</pre>			

Amend the cm.view State record

1. Enter doc from the ServiceCenter or Service Manager command line.
2. Select the States icon from the list displayed.
3. On the State Definition form, enter the values shown below.

State: cm.view
 Display Action: ovooutageadd
 Process: ovo.outage.add

Condition: true

Save First: true

State Definition

State:	cm.view
Display Screen:	cm.view.display  
Initialization Process:	cm.update  
Format:	view.default in \$L.phase
Input Condition (view state only):	


Non-base methods			
Display Action	Process Name	Condition	Save First
approvedocumentint	cm.km.approveint	true	
retiredocument	cm.km.retire	true	
revertdocument	cm.km.revert	true	
transferdocownership	cm.km.transfer	true	
editdocument	cm.km.edit	true	true
km.addfeedback	cm.km.addfeedback	true	
km.delfeedback	cm.km.delfeedback	true	
km.loadfbtext	cm.km.loadfbtext	true	
approvedocumentext	cm.km.approveext	true	
kmsearch	kmmappedsearch	true	
nextkmpphase	cm.km.next.phase	true	true
fillkowner	cm.km.select.owner	true	
fillkassignee	cm.km.select.assignee	true	
unowned	cm.km.unowned	true	
assignedtome	cm.km.assignedtome	true	
ovooutageadd	ovo.outage.add	true	true

Add new Tab and Sub-form to Change and Change Task formats

► The Change and Task Formats requiring this Sub-form are dependent on the format used by the client.

The unload file contains an example format (cm3r.ovo.default.g) on which the OVO Outage Tab is displayed.

On the required forms, for example cm3r.plan.default.g, add a new Tab to show related OVO Outage records.



8. Enter the following values for the subformat properties.

Format: `ovooutage.vj`
(This is a Sub-form included in the unload file)
Virtual Join: `TRUE`
Display Blank: `FALSE`
Display Using Table: `TRUE`
Input: `number.vj.ovo`

9. Click **OK** to save the format.

This concludes the manual configuration of ServiceCenter/Service Manager.

Configure the upload process on each OVO Management Server

From the `/opt/OV/bin` directory, run the setup shell script `ovsc-setup.sh`. The script does the following:

- Creates the configuration files required by the SC-OVO/U Outage integration
- Creates the intermediate outage tables `sc_outage` and `sc_outage_status` in the Oracle database (usually but not necessarily the Oracle database of (one of) the OVO Management Server)
- Registers the OVO Management Server in the `sc_outage_status` table

The `ovsc-setup.sh` script prompts the user for input related to the following areas:

- The locally installed Oracle environment
- How to connect to the Oracle database that will hold the intermediate outage tables
- How to connect to the Oracle database used by the OVO Management Server

Run the `ovsc-setup.sh` script on each OVO Management Server participating in the Outage integration.

Schedule the Extraction and Upload Processes on each OVO Management Server

The extraction process on the Connect-It server is scheduled using the Connect-It built-in scheduler. For information on scheduling the outage scenario on the Connect-It server, see [Configuring the outage scenario](#).

The upload processes on the OVO Management Servers are scheduled using the crontab utility supplied with all UNIX-based operating systems. For more information on scheduling the upload processes, see the section on [Schedules on UNIX](#). The crontab scheduler must be configured on each OVO Management Server.

The schedules for the extraction on the Connect-It server and for the upload processes on the OVO Management Servers must be accurately timed to ensure that they don't run simultaneously. Incorrectly scheduled processes will result in unnecessary server load.

The frequency of processes or the time interval between the processes depends on latency that is still acceptable between the definition of the outage in SC/SM and the effect in OVO. For example, if changes or change tasks are defined well in advance, a frequency of synchronization of 1 per hour will be sufficient. One should schedule the extraction process on the Connect-It server to occur just before the upload processes on the OVO for UNIX management servers will run. The duration of the upload processes can be viewed using the `ovsc.sh` command line utility. Enter `ovsc.sh -status` from the command line.

An example of the output of the `ovsc.sh -status` command is shown below.

Management server	Status	Last run	Duration
Connect-It server	Finished	01-06-2007 10:00:00	00:01:12
ovoserver1.mydomain.com	Finished	01-06-2007 10:04:14	00:00:13
ovoserver2.mydomain.com	Running	01-06-2007 10:05:27	00:00:00
ovoserver3.mydomain.com	Ready to run	01-06-2007 09:06:15	00:00:14
ovoserver4.mydomain.com	Ready to run	01-06-2007 09:07:09	00:00:08

The example shows the extraction process on the Connect-It server run at 10:00 and took 1 minute and 12 seconds. The upload processes on the 4 OVO management servers are scheduled to run every hour at 4, 5, 6 and 7 minutes past 10:00.

Background information about scheduling the extraction and upload processes

The extraction process of the Outage Integration runs on the Connect-It server whereas the upload process runs on the OVO for UNIX Management Servers. All processes need to be synchronized, i.e. the extraction processes and the upload process are not allowed to run simultaneously. During the update of the intermediate `sc_outage` table by Connect-It the upload process is not allowed to read the table to prevent data inconsistency.

All processes run on separate hosts and must notify each other about their running or finished task. The communication is performed through the database that holds the `sc_outage_status` table. This table is used to keep both processes informed about the status of each other.

The table `sc_outage_status` contains the following columns:

Column	Type
MGMTSERVER	VARCHAR2(80)
STATUS	VARCHAR2(12)
LASTRUN	DATE
DURATION	VARCHAR2(8)

Each OVO for UNIX Management Server is represented by one record in the table. There is also a record for the host that runs the Connect-It process. The `mgmtserver` column contains the hostname of the OOV for UNIX management server or the Connect-It server. The value of the `mgmtserver` column of the record that represents the Connect-It server is 'Connect-It server'.

The status column contains the current status of the process running on the management server. The values of the status column are:

- Ready to run – The process is ready to run
- Running – The process is currently running
- Finished – The process has finished
- Failed – The process has failed
- Stopped – The process doesn't participate in the process flow

The column `lastrun` contains the date and time the process has run for the last time. The column `duration` contains the time elapsed between the start and the end of the process.

The process flow is as follows. The extraction process runs at scheduled intervals on the Connect-It server. Next the upload processes run on each OVO management server. Only when all upload processes have finished the extraction process runs again.

The process flow is implemented as follows. The extraction process is scheduled using the built-in scheduler of Connect-It. The upload processes are scheduled using the scheduler of the Operating System.

When the extraction process starts to run it first checks if no upload processes are running on the OVO Management Servers. It does so by checking the status column of the record in the `sc-outage_status` table that represents the Connect-It server. If the status is 'Ready to run' then it changes the status to 'Running' and starts to run. If the status is anything else then it just exits and will start at the next scheduled run. Once the extraction process has finished it changes its status to 'Finished'.

When an upload process starts to run on an OVO management server it first checks the status of the extraction process by checking the status column of the Connect-It server record. If the status is 'Finished' then it changes the status of its record to 'Running' and starts to run. If the status is anything else then it just exits and will start at the next scheduled run. Once the extraction process has finished it changes its status column to 'Finished'. It then checks the status of the upload processes of the other OVO Management Servers. If all of them are 'Finished' then it changes the statuses of all management servers including the status of the Connect-It server to 'Ready to run'.

When the upload process on an OVO management server cannot run, for example when the server is down or disconnected from the network, then this could cause a standstill of the whole synchronization process. Therefore, this management server must be removed from the list of participating servers by setting the value of the status to 'Stop' for this management server. This is a manual action and can be performed on any OVO management server with the command `ovsc.sh -stop <mgmtserver>`. To add the server to the list of participating servers the status must be set to 'Ready to run'. This can be done by issuing the command `ovsc.sh -start <mgmtserver>`.

When the upload process on an OVO/U management server fails, for example when the OVO database is not accessible, then the value of status is set to 'Failed'. However, the server will continue to participate in the synchronization process. With the next scheduled cycle of the failed last upload process the status of the failed server is set to 'Finished' upon successful completion of the process.

Collisions of the upload process on the same OVO Management Server, that is when two or more processes are running simultaneously, are prevented by using a lock file. When the process starts it looks for the lock file. If the lock file exists the process exits immediately. If the lock file does not exist it is created. Just before the process has finished it removes the lock file. By default the lock file is `sc_outage.lock` and is located in the directory `$DATADIR/tmp`.

The command line interface `ovsc.sh` allows you to view or modify the status of the processes in the `sc_outage_status` table. Additionally `ovsc.sh` allows you to view the contents of the `sc_outage` table that holds the outage data extracted from ServiceCenter or Service Manager. `ovsc.sh` accepts the following parameters:

Parameters	Description
<code>-help</code>	Show detailed help
<code>-version</code>	Show the version of the <code>ovsc.sh</code> command
<code>-status</code>	Show the status of the processes on all servers
<code>-start [<OVO Management Server>]</code>	Set the status of the specified OVO Management Server to 'Ready to run'. When the OVO Management Server is omitted the local server is used.

<code>-stop [<OVO Management Server>]</code>	Set the status of the specified OVO Management Server to 'Stopped'. When the OVO Management Server is omitted the local server is used.
<code>-register [<OVO Management Server>]</code>	Insert a record for the specified OVO Management Server in the <code>sc_outage_table</code> . When the OVO Management Server is omitted the local server is used.
<code>-unregister [<OVO Management Server>]</code>	Delete a record for the specified OVO Management Server from the <code>sc_outage_table</code> . When the OVO Management Server is omitted the local server is used.
<code>-outage</code>	Show the outage information that is retrieved from ServiceCenter and stored in the intermediate <code>sc-outage</code> table.
<code>-outagedetail <OVO id ></code>	Show detailed information of a given outage. The OVO id of the outage record is mandatory and can be found using the outage command

Example output of the command `ovsc.sh -outage`:

OVO id	Node	Start time	End time	Operation
OV01	mngdnodeA.mydomain.com	02-06-2007 02:00	03-06-2007 23:00	SUPPRESS
OV02	mngdnodeA.mydomain.com	02-06-2007 17:00	02-06-2007 22:00	SUPPRESS
OV03	mngdnodeBmydomain.com	02-06-2007 01:00	02-06-2007 03:00	LOGONLY
OV04	mngdnodeB.mydomain.com	02-06-2007 01:00	02-06-2007 03:00	SUPPRESS
OV05	mngdnodeC.mydomain.com	02-06-2007 00:00	09-06-2007 00:00	SUPPRESS

Example output of the command `ovsc.sh -outagedetail OV01`:

```

OVO id           : OV01
Table           : cm3r
Reference       : C14
Node           : mngdnodeA.mydomain.com
IP address      : 12.34.56.78
Down start time : 02-06-2007 02:00
Down end time   : 03-06-2007 23:00
Message operation: SUPPRESS
Severity        :
Message group   : Database
Message type    :
Outage object   :

```

Status variable :
Application : Oracle
Service name :
Outage text :

CI validation on OVO Management Server

This section describes how to configure ci validation.

When `ovsc-outage.sh` starts to run, it will retrieve outage information from immediate table for all nodes, and then validate nodes in OVO db. It will ignore this outage information if this node is not in OVO node bank. If you want to turn off this validation, add a parameter in `sc-outage.conf`, which is located in `/var/opt/OV/conf/sc`.

Add this parameter “`ci_validation_marker`” in OVO section.

```
[OVO]
```

```
ci_validation_marker = false
```

By default, this validation is performed.

Schedules on UNIX

This section describes how to configure the upload schedules using UNIX crontab.

The entries in a crontab file are lines, each of which contains six fields. The fields are separated by spaces or tabs. The format of each line is as follows:

```
minute hour monthday month weekday command
```

The first five fields are integer patterns that specify when the sixth field, command, should be executed. The permitted range of values for each field is shown below.

Field	Used to represent...	Permitted Values
Minute	The minute of the hour	0-59
Hour	The hour of the day	0-23
Monthday	The day of the month	1-31
Month	The month of the year	1-12
Weekday	The day of the week	0-6 (0=Sunday)

[More information about crontab can be found in the man pages.](#)

Crontab Schedule Examples

Run the outage synchronization every hour on the hour:

```
0 * * * * /opt/OV/bin/ovsc-outage.sh
```

Run the outage synchronization every 6 hours:

```
0 0,6,12,18 * * * /opt/OV/bin/ovsc-outage.sh
```

Run the outage synchronization once a day at 1 AM:

```
0 1 * * * /opt/OV/bin/ovsc-outage.sh
```

The file `sc-outage.cronjob`, located in the `/var/opt/OV/conf/sc` directory, contains a number of examples. Comment out the schedule you want to use and then run the `crontab` command to activate the schedule. Do not overwrite existing schedules.

To check for existing schedules, enter `# crontab -l`. If no schedules exist then issue the following command:

```
# crontab /var/opt/OV/conf/sc/sc-outage.cronjob
```


If schedules exist, then edit these by entering `# crontab -e`. Add the entry for the SC/SM outage using one of the examples from the `sc-outage.cronjob` file.



Configure Connect-It for Outage Integration

The Service Console

The Service Console is a graphical tool for managing services that implement a Connect-It scenario. The console is installed as part of the Connect-It installation on a Windows machine. Using the console you can define, configure, and schedule a scenario, and then install and start a Windows service to implement the scenario. This section discusses how to use the console to configure, schedule, and run the Outage integration.




Configuring the outage scenario

This section describes how to configure, schedule and start the outage scenario.

The sc-outage scenario transfers data in the `ovooutage` table defined in ServiceCenter or Service Manager to an intermediate `sc_outage` table defined in the Oracle database on an OVO Management Server.

The scenario is located in the `data\conf\sc` directory relative to HP OpenView install directory. Normally the install directory is `C:\Program Files\HP OpenView\data\conf\sc`.





1. Create a new service for the Service Console. Open the Service Console and click the **New** button.
2. In the Service Console screen that appears, enter values for the fields shown below.

Service	Enter a name for the Windows service you want to create, for example sc-outage. This will generate a service called Connect-IT service (sc-outage) .
Scenario	Enter the scenario file to use, normally C:\Program Files\HP OpenView\data\conf\sc\sc-outage.scn
Log file	Enter a location for the Connect-It log. The suggested location is C:\Program Files\HP OpenView\data\log\sc-outage.log. This is not the value that appears automatically when you enter a value in the Service field.

3. Click the **Create** button. You can now configure, schedule, install, and start the service, in this order.


Configuration

4. Click the **Configure** button to display a list of scenario connectors, as shown in the screen below. Five of these need to be configured; their configuration will be described here. In order to do the actual configuration, select the connector and click the **Configure connector** button.




5. First configure the **OpenView ServiceCenter Web Service** connector. The values to be adjusted are on the second screen of the configuration wizard. In the second screen (**Define the connection parameters**) shown below, enter the following values:

Server name	Replace the myServiceCenterServer string with the fully qualified domain name of the ServiceCenter or Service Manager server. If this server does not use the default port 12670 to run the ServiceCenter or Service Manager Web Services, enter the appropriate number.
Service Name	'OVO'
Login	Use the default account 'ovo' or enter a valid ServiceCenter or Service Manager account. Ensure that you take the time zone issues associated with the ovo account into consideration.
Password	Enter the password for the ServiceCenter or Service Manager account (if any).



6. Click the **Test** button to test the connection. If the test is successful, click the **Finish** button to finalize it.
7. There are four connectors that are linked to the database underlying OVO Unix. These tables are named as follows:
 - **OVO Unix intermediate**
 - **OVO UNIX Status Determination**
 - **OVO Unix Src**
 - **OVO Unix Destination.**
 - The configuration for these connectors is identical, and is performed on the third screen of the wizard. Enter values according to the following table.

Server	Replace the placeholder 'myOracleNetAliasFor OVODatabase' with the Net Service Name for the OVO database server. This is (one of) the Net Service Name(s) defined in the Net Configuration Assistant .
User	Replace the placeholder 'myOracleUserNameFor OVODatabase' with the user name for the Oracle account holding the OVO data (generally opc_op)
Password	Enter the password related to the user name given above.




8. Click the **Test** button to test connection, and when successful, finalize it with a click on the **Finish** button.
9. In the Connector configuration window that reappears, click the **Validate** button to finish configuring the scenario.

Scheduling

10. Once you have configured the connector, the **Scheduling** button in the Service Console screen is now available. Click this button to display the [Edit Scheduling](#) screen. Click the **Edit Schedulers** button.
11. In the Scheduler editor screen, select the outage schedule. This is pre-set to run every five minutes, and can be adjusted. Ensure that you save any changes you make.

The schedules for extraction on the Connect-It server and for upload processes on the OVO Management Servers must be accurately timed to ensure that they never run simultaneously. See [Scheduling the Extraction and Upload Processes](#).


12. Click the **Close** button, and click **Validate** to check the editor changes.
13. Close the **Edit scheduling** window.



Create and start a service

The Service Console now looks similar to that shown below. A service has been defined, but no corresponding Windows service has yet been created, nor has it started executing.

To create a Windows service, place your cursor on the service and click the **Install** button. Connect-It creates a service for the selected Service. It will be named Connect-It service (<service name>), so clicking the **Install** button in this example will create the service Connect-It service (sc_outage). The services you create are Windows services that can be monitored and managed through the services interface of the Windows operating system.



Once the service has been created, you can ensure that it starts automatically when the Connect-It server boots up. Do this by making it an Automatic service in the Windows services interface. Once installed, the service can also be started and stopped from the Service Console by clicking the **Start** button or **Stop** button. To remove the service, click the **Uninstall** button.


6 Customizing Node Bank Integration

The sc-nb scenario, as it is delivered, provides for a limited amount of data to be synchronized between the OVO Node Bank and the CMDB in ServiceCenter or Service Manager. The attributes to be synchronized are defined in two mappings, defined on the Mapping Nodes to SC/SM connector. The mappings, especially the one for updates, use several Basic scripts to achieve functionality that transcends simple attribute-to-attribute mappings.

Document Mappings in Mapping Nodes to SC

There is a mapping for inserts (destination is CreateDevice) and a mapping for updates (destination is UpdateDevice). The mappings take the documents from the OVO Node Bank database (document type OPC_NODES) and transform them into documents that are consumed by the CreateDevice and UpdateDevice methods in the **OpenView ServiceCenter Web Service – insert or update Nodes**.

It is possible to add more attributes to these mappings, thereby extending the range of attributes that is synchronized. This is done within the Connect-It Scenario Builder. Choose **Edit a mapping** and then double-click the appropriate mapping, or click on the new icon shown in the screen below. Adjusting a simple mapping is then a matter of clicking, dragging, and dropping. Often, a Basic script has to be edited as well.



The attributes for the devices are shown in the Model→Instance section of the screen below, under “Device”. The attribute mapping on columns in the OVO Unix tables, and the Basic scripts used, are shown in the table at the end of this section. In the Basic scripts, some global functions (`formatIP()` and `nodeType()`) are called; these are defined in the `sc-nb.bas` file.

Please note that the `ConfigurationItemType` attribute is only set in the mapping for `CreateDevice`. The value is hard coded to read “computer” so it

When needed (basically for every row retrieved from the OVO database), a document is opened programmatically as a `queryObject` by the `pifNewQueryFromFmtName()` function. This uses the connector and document type names as parameters, and a filter. The `returnCode` variable then registers the result of retrieving the single row (`pifQueryNext()` function). A test on the 'returnCode' reveals whether the document exists. This information is then used to determine how to proceed.

The exact test executed is determined by the filter. This can be a simple existence check, as used in the Create Device mapping, but it can also be a check whether the values found in the Service Center database differ from those read from the OVO database, as used in the Create Device mapping. The filter itself is a simple String value, with a syntax very similar to a SQL "where" clause.

The device document type is used for this kind of checking in two scripts:

In the **CreateDevice** mapping it just checks whether a given device exists in ServiceCenter or Service Manager. The filter is created by two lines of code:

```
machineName = [OPC_NODE_NAMES.NODE_NAME]
filter = "logical.name = " & chr(34) & machineName & chr(34)
```

If the device already exists, the function `PifIgnoreDocumentMapping()` is called to assure it is not created a second time in ServiceCenter.

In the **UpdateDevice** mapping a more elaborate check is performed. In this case the existence of a device with identical values on mapped attributes (when comparing the value in the OVO database with the one in ServiceCenter) is ascertained. In the default mapping this is limited to the node type and the IP address. The creation of the filter is a bit more verbose in this case:

```
MgmtServer = [OPC_MGMTSV_CONFIG.OPC_NODE_NAMES.NODE_NAME]
ovoNodeType = nodeType(machineName, MgmtServer)
rawIp = [OPC_NODE_NAMES.IP_ADDRESS]
ipAddress = formatIp(rawIp)
filter = filter & " and ovo.node.type = " & chr(34) & ovoNodeType
& chr(34)& " and network.address = " & chr(34) & ipAddress &
chr(34)
```

The decision whether an actual update must be performed, should also take into account the values for the 'Management Server' attribute. This is described in the next section.

Working with array values

The ManagementServer attribute is an Array value. This has implications for the way it must be treated in the Basic scripts.

The way an array value is exposed differs between the ServiceCenter or Service Manager connector and the ServiceCenter or Service Manager Web Services connector. In the ServiceCenter or Service Manager connector, and hence in the device document type' it is a 'Long text' attribute, in the ServiceCenter or Service Manager Web Services connector, and hence in the Create Device and Update Device document types, it is a collection. In the Basic scripts that deal with the ManagementServer attribute, it is read as a String value and written as a collection of strings.

The values in the ManagementServer array are read from the device document, in which it is the ovo.management.server attribute. This attribute, like any other that is used in the Basic scripts, must explicitly be made available in the document. The result of the `pifQueryGetStringVal()` function is a string containing the values in the array separated by linefeed characters (ASCII character 10). The `CountValues()` function plays a useful role in determining the number of elements in the array. The `ExtractValue()` allows for an easy extraction of the individual values from this string. Once these are extracted, they are used for two purposes:

At the level of the **UpdateDevice** mapping, the Basic script checks if the extracted value is the same as was found for the interfacing Management Server. If this is the case, there is no need to add a value to the array.

The script defined for the ManagementServer attribute rebuilds the array of values from the string retrieved from the device document. For each value found, an element is added to a newly-built array, using the `PifSetStringVal()` function with a counter to indicate the element involved. This function is also used to add the interfacing Management Server as the final array element.

Adding attribute mappings

One can add a mapping by simply linking a column in the OVO database to an attribute in the Web Services definition. This is done in the central panel of the screen shown above. In some cases the two values can easily be mapped, in other cases (depending on the functional requirements) some Basic programming may be required.

After this linking operation, a newly mapped attribute should be added to the filter defined in the Basic script at the UpdateDevice level. Normally, only the definition of the filter must be changed. When more complicated data types are being used, additional programming may be required, comparable to what was described in relation to the array values.

Service Center Attribute	OVO-U column name	Basic script
ConfigurationItem	[OPC_NODE_NAMES.NODE_NAME]	
ConfigurationItemType		retVal = "computer"
IPAddress		retVal = formatIp([OPC_NODE_NAMES.IP_ADDRESS])
NodeType (insert)		retVal = nodeType([OPC_NODE_NAMES.NODE_NAME], [OPC_MGMTSV_CONFIG.OPC_NODE_NAMES.NODE_NAME])
NodeType (update)		<pre> Dim machineName as String Dim iErr as Integer Dim filter as String Dim queryObject as long Dim counter as Integer Dim tableValue as String machineName = [OPC_MGMTSV_CONFIG.OPC_NODE_NAMES.NODE_NAME] filter = "logical.name = " & chr(34) & machineName & chr(34) queryObject = pifNewQueryFromFmtName("ServiceCenter existence check", "device" , filter) iErr = pifQueryNext(queryObject) tableValue = trim(pifQueryGetStringVal(queryObject, "'ovo.node.type'")) & chr(10) iErr = pifQueryClose(queryObject) If (tableValue = "OVO Management Server") Then retVal = tableValue Else retVal = nodeType([OPC_NODE_NAMES.NODE_NAME], [OPC_MGMTSV_CONFIG.OPC_NODE_NAMES.NODE_NAME]) End If </pre>
ManagementServer (insert)		<pre> Dim iErr as Integer iErr = PifSetStringVal("CreateDeviceRequest.model.instance.ManagementServer.ManagementServer(0)", [OPC_MGMTSV_CONFIG.OPC_NODE_NAMES.NODE_NAME]) </pre>

ManagementServer (update)	<pre> Dim nodeName as String Dim mgmtServer as String Dim iErr as Integer Dim filter as String Dim queryObject as long Dim counter as Integer Dim tableValue as String Dim arraySize as Integer Dim arrayValue as String Dim addNode as Integer counter = 0 addNode = 1 nodeName = [OPC_NODE_NAMES.NODE_NAME] mgmtServer = [OPC_MGMTSV_CONFIG.OPC_NODE_NAMES.NODE_NAME] filter = "logical.name = " & chr(34) & nodeName & chr(34) queryObject = pifNewQueryFromFmtName("ServiceCenter existence check", "device" , filter) iErr = pifQueryNext(queryObject) tableValue = trim(pifQueryGetStringVal(queryObject, "'ovo.management.server'")) & chr(10) iErr = pifQueryClose(queryObject) arraySize = CountValues(tableValue, chr(10)) Do While (counter < arraySize) arrayValue = ExtractValue(tableValue, chr(10)) If (trim(arrayValue) <> "") Then If (trim(arrayValue) = trim(mgmtServer)) Then addNode = 0 End If iErr = PifSetStringVal("UpdateDeviceRequest.model.instance.ManagementServer.ManagementServer (" + Str(counter) + ")", trim(arrayValue)) counter = counter + 1 End If Loop If (addNode = 1) Then </pre>
------------------------------	---

		<pre> iErr = PifSetStringVal("UpdateDeviceRequest.model.instance.ManagementServer.ManagementServer (" + Str(counter) + ")", mgmtServer) End If retVal = iErr </pre>
--	--	---

Mapping name	Mapping level basic script
Create Device	<pre> dim machineName as String dim filter as String dim queryObject as long dim returnCode as long dim sink as long machineName = [OPC_NODE_NAMES.NODE_NAME] filter = "logical.name = " & chr(34) & machineName & chr(34) queryObject = pifNewQueryFromFmtName("ServiceCenter existence check", "device" , filter) returnCode = pifQueryNext(queryObject) sink = pifQueryClose(queryObject) If returnCode = 0 Then PifIgnoreDocumentMapping("") End If </pre>
Update Device	<pre> dim machineName as String dim filter as String dim queryObject as long dim returnCode as long dim sink as long dim mgmtServer as String dim ovoNodeType as String dim rawIp as long dim ipAddress as String dim tableValue as String dim arrayValue as String dim arraySize as Integer </pre>

```

dim counter as Integer
machineName = [OPC_NODE_NAMES.NODE_NAME]
filter = "logical.name = " & chr(34) & machineName & chr(34)
queryObject = pifNewQueryFromFmtName("ServiceCenter existence check", "device" , filter)
returnCode = pifQueryNext(queryObject)
sink = pifQueryClose(queryObject)

If returnCode <> 0 Then
    PifIgnoreDocumentMapping("")
Else
    MgmtServer = [OPC_MGMTSV_CONFIG.OPC_NODE_NAMES.NODE_NAME]
    ovoNodeType = nodeType(machineName, MgmtServer)
    rawIp = [OPC_NODE_NAMES.IP_ADDRESS]
    ipAddress = formatIp(rawIp)
    filter = filter & " and ovo.node.type = " & chr(34) & ovoNodeType & chr(34) & " and
network.address = " & chr(34) & ipAddress & chr(34)
    queryObject = pifNewQueryFromFmtName("ServiceCenter existence check", "device" , filter)
    returnCode = pifQueryNext(queryObject)
    If returnCode = 0 Then
        counter = 0
        returnCode = 1
        tableValue = trim(pifQueryGetStringVal(queryObject, "'ovo.management.server'")) & chr(10)
        arraySize = CountValues(tableValue, chr(10))
        Do While (counter < arraySize)
            arrayValue = ExtractValue(tableValue, chr(10))
            If (trim(arrayValue) = trim(mgmtServer)) Then
                returnCode = 0
            End If
            counter = counter + 1
        Loop
    End if
    sink = pifQueryClose(queryObject)
End If

if returnCode = 0 Then
    PifIgnoreDocumentMapping("")
End If

```



7 OVO Outage Guide for ServiceCenter or Service Manager Operators

This section explains how to create new OVO Outages from Change Management for CIs that are Managed nodes. It is written primarily for ServiceCenter or Service Manager operators.

 All operators who wish to add, update, or create OVO Outage records must have the OVOAdmin capability word added to their operator record.

Managed Nodes

The device table contains information which indicates whether a CI is a Managed Node. The screen below shows data in Managed Node fields, which means that this CI is valid for OVO Outages.



The screenshot shows a web-based form for configuring a Computer. The form is divided into two main sections: Ownership and Computer Information. The Ownership section includes fields for Configuration Item (BobPC), Subtype (Desktop), Asset Tag, Network Name (PeregrineMain), Domain (PS_SD), Assignment, Serial Number (12345678), Part Number (212), Manufacturer (Compaq), Model (p500), Status (Warehouse), Department (Customer Support), Cost Center, Service Contract (General Support), Incident Category (tbd), Priority (1 - Priority One), and checkboxes for Pending Change?, Critical CI?, and System Down?. The Computer Information section includes fields for Machine Name, IP Address, IPx Address, MAC Address, Subnet Mask, Default Gateway, OS Name, OS Manufacturer, OS Version, Bios ID, Bios Manufacturer, Bios Model, Power, Total Disc Capacity (Gb), Free Disc Capacity (Gb), Agent Port (1738), Agent Password, OVO Node Type (Managed Node Example), and OVO Management Server (Server 1 Example).

Ownership	
Configuration Item:	BobPC
Subtype:	Desktop
Asset Tag:	
Network Name:	PeregrineMain
Domain:	PS_SD
Assignment:	
Serial Number:	12345678
Part Number:	212
Manufacturer:	Compaq
Model:	p500
Status:	Warehouse
Department:	Customer Support
Cost Center:	
Service Contract:	General Support
Incident Category:	tbd
Priority:	1 - Priority One
<input type="checkbox"/> Pending Change?	
<input type="checkbox"/> Critical CI?	
<input type="checkbox"/> System Down?	Efficiency: <input type="text"/>

Computer Information	
Machine Name:	
IP Address:	
IPx Address:	
MAC Address:	
Subnet Mask:	
Default Gateway:	
OS Name:	
OS Manufacturer:	
OS Version:	
Bios ID:	
Bios Manufacturer:	
Bios Model:	
Power:	
Total Disc Capacity (Gb):	
Free Disc Capacity (Gb):	
Agent Port:	1738
Agent Password:	
OVO Node Type:	Managed Node Example
OVO Management Server:	Server 1 Example

Adding OVO Outage

When you click the **Add Ovo Outage** button, the OVO Outage Information wizard is launched, based on the following conditions:

- Outage records for the CI(s) for this Change record have not been created
- The Scheduled Downtime Start and End dates entered are valid
- The associated CIs are Managed Nodes

A screen similar to the one shown below appears. It contains information copied from the Change record and the device table.

Skip Mass Add

OVO Outage Information

Please enter the required OVO Outage Information to be processed

ovooutage

ID:	<input type="text"/>	Application:	<input type="text"/>
Configuration Item:	<input type="text" value="AdamPC"/>	Message Group:	<input type="text"/>
IP Address:	<input type="text" value="196.76.209.131"/>	Message Operation:	<input type="text" value="SUPPRESS"/>
Outage Start:	<input type="text" value="05/15/07 00:00:00"/>	Message Severity:	<input type="text"/>
Outage End:	<input type="text" value="05/22/07 00:00:00"/>	MessageType:	<input type="text"/>
Source File:	<input type="text" value="cm3r"/>	Object:	<input type="text"/>
Source Reference:	<input type="text" value="C14"/>	Service Name:	<input type="text"/>
Returned Message:	<input type="text"/>	Status:	<input type="text"/>
		Text:	<input type="text"/>

< Previous Next > Finish Cancel

To skip a record, click the **Skip** button.

- Enter additional information on the CI currently displayed. Click the **Next** button to save the Outage and display the next CI record.
- Click the **Mass Add** button if all the optional information applies to all CI Outages for the Change record.

If dates are not entered in the Change record before the wizard is run, data must be entered for these fields for each CI.

If OVO Outages for CIs Already Exist

If you try to add existing OVO Outages from the Change for CIs, the following message appears:

Change No.:	C14	Ext. Project Ref.:	
Category:	RFC - Advanced	Planned Start:	05/09/02 00:00:00
Subcategory:	Security Changes	Planned End:	05/10/02 00:00:00
Phase:	2.plan		

<p>Coordinator</p> <p>Name:</p> <p>Department:</p> <p>Phone:</p>		<p>EMS ADMIN 1</p> <p>EMS ADMIN</p> <p>481-5150</p>
<p>General</p> <p>Risk Assessment: 2 - Some Risk</p> <p>Impact Assessment: 3 - Multiple Users</p> <p>Urgency: 3 - Average</p> <p>Priority: 3 - Average</p> <p>Status: initial</p> <p>Approval Status: pending</p> <p>Alert Stage:</p>		<p>Scheduled Downtime</p> <p>Start: 05/15/07 00:00:00</p> <p>End: 05/22/07 00:00:00</p> <p><input type="checkbox"/> Configuration Item(s) Down?</p>

Viewing OVO Outages created for CIs in Change Record for Add/Update/Delete

Use the OVO Outage wizard to create first time Outage records for CIs.

To create new Outages, open the existing OVO Outage records for the CI, enter the new information add the new record.

To update OVO Outage records, access the records in the same way, make the amendments and save the record.

To access the OVO Outage records for adding, updating or deleting, use the **Related Records** tab on the Change Record. A new **OVO Outage** tab should be added to the Change Forms that are used on the client's system.

Change No.:	C14	Ext. Project Ref.:	<input type="text"/>
Category:	RFC - Advanced	Planned Start:	05/09/02 00:00:00
Subcategory:	Security Changes	Planned End:	05/10/02 00:00:00
Phase:	2.plan		

General	Descript...	Contact	Plan	Estimate	Associat...	Approvals	Tasks	Attachm...	Related ...	Workflow
Incidents	Interactions	Quotes	Known Errors	OVO Outage						

Outage Start	Outage End	ID	Affected CI	Returned Message	Message Type
05/29/07 00:00:00...	05/31/07 00:00:00...	OVO4	AdamPC		
05/29/07 00:00:00...	05/31/07 00:00:00...	OVO5	AdamPC		
05/17/07 00:00:00...	05/24/07 00:00:00...	OVO3	AdamPC		
05/15/07 00:00:00...	05/22/07 00:00:00...	OVO1	AdamPC		
05/15/07 00:00:00...	05/22/07 00:00:00...	OVO2	BobPC		

OVO Outages in Change Management for Change Tasks

OVO Outages created in Change Task follow the same process as Change Task and use the same wizard.

- ▶ In ServiceCenter or Service Manager Out of the Box, the CIs from the Change record are all passed into the Change Task. This means that all the Managed Nodes that are in the Change record are passed to the Change Task (these may not be displayed in the Task form).

When a CI is associated with a Task and the Operator creates OVO Outages from the wizard, the CIs in the Related Change record are also presented if any valid CIs exist.

This can be controlled in the `slamodule` table, depending on the Client process for managing CI information between Change and Change Tasks. The CI Fields in the Change Task `cm3t` table can be edited to determine where CI information is stored.

Adding OVO Outage

The **Add OvoOutage** button is available when the Change Task record has been saved.

The Operator adds the CI associated with the Task and clicks **Add Ovo Outage**, and the wizard runs as in Change.

Task No.: **T16** Planned Start: 05/06/02 08:00:00
 Category: plan. 1/2.task Planned End: 05/06/02 17:00:00
 Phase: plan. 1/2

General Description Estimate **Associated CI** Approvals OVO Outage

Configuration Item: **BOBPC**
 Type: computer
 Network: PeregrineMain
 Status: Warehouse
 Y2K Status:
 Vendor: Internal
 Vendor ID: INT
 Serial No.: 12345678
 Cost Center:

Location
 Name: BLDG2
 Code: dm2
 Building:
 Floor:
 Room:

Adding, Updating, or Deleting OVO Outage records related to Change Tasks

OVO Outages in Change Tasks can be reviewed in the OVO Outage Tab.

- You access the Outage records to Add new Outages for CIs added, or to update existing records in the same way as for Change Management Changes.

Task No.: **T16** Planned Start: 05/06/02 08:00:00
 Category: plan. 1/2.task Planned End: 05/06/02 17:00:00
 Phase: plan. 1/2

General Description Estimate Associated CI Approvals **OVO Outage**

Outage Start	Outage End	ID	Affected CI	Returned Message	Message Type
05/15/07 00:00:00	05/16/07 00:00:00...	OVO7	BobPC		

The line query shown above, `outage.end<tod()`, can be amended if the client only wishes to remove OVO Outage records where the Outage end date has passed 10 days ago. The query would then be set to `outage.end<tod()-'10 00:00:00'`.

Configuring the Repeat Interval of the Schedule

The client can also set the frequency of execution for this schedule record. The Repeat Interval is defaulted to run the schedule daily for OVO Outages.

schedule: 2571060

Name:	background purge/archive	Class:	report
Schedule ID:	2571060	Expiration:	05/11/07 06:58:04
Number:	3	Scheduled Class:	report
Status:	rescheduled	Action Time:	05/10/07 06:58:27

Description
 Javascript
 Strings
 Numbers
 Booleans / Times
 Stacked Queries

Description

Schedule for cleaning up the ovooutage table records. The Repeat Interval can be amended and the query in the "Strings Tab" can be configured to remove records form a set time.

Repeat Interval

1 00:00:00

Monthly

Quarterly

Semi-Annually

Annually

Problem Status:
 Application: pa.main.appl.bg
 Query:

Archiving OVO Data using Page table

All history of OVO Outages for Add and Updates are added to an OVO Outage Page table (`ovooutagepage`). This copies all new OVO Outages and all updates made to these outages into a separate table that can be used for reporting. The client should decide how long this table can exist before it is deleted, as it can grow to a large size.

OvoId	SourceFile	SourceNumber	OutageStart	OutageEnd	LogicalName	Page	PagelistFormat
OVO1	cm3r	C14	05/15/07 00:00:00	05/22/07 00:00:00	AdamPC	0	wizard-ovooutage.page
OVO1	cm3r	C14	05/15/07 00:00:00	05/22/07 00:00:00	AdamPC	1	ovooutage
OVO1	cm3r	C14	05/15/07 00:00:00	05/22/07 00:00:00	AdamPC	2	ovooutage
OVO1	cm3r	C14	05/15/07 00:00:00	05/22/07 00:00:00	AdamPC	3	ovooutage
OVO2	cm3r	C14	05/15/07 00:00:00	05/22/07 00:00:00	BobPC	0	wizard-ovooutage.page
OVO3	cm3r	C14	05/17/07 00:00:00	05/24/07 00:00:00	AdamPC	0	ovooutage
OVO4	cm3r	C14	05/29/07 00:00:00	05/31/07 00:00:00	AdamPC	0	ovooutage
OVO5	cm3r	C14	05/29/07 00:00:00	05/31/07 00:00:00	AdamPC	0	ovooutage
OVO6	cm3t	T16	05/15/07 00:00:00	05/16/07 00:00:00	AdamPC	0	wizard-ovooutage.page
OVO7	cm3t	T16	05/15/07 00:00:00	05/16/07 00:00:00	BobPC	0	wizard-ovooutage.page

The slamodulecontrol table

The OVO Outage wizard Utility uses the `slamodulecontrol` table to determine the fields used to store CI information, and Outage Start and End dates in the Change (`cm3r`) table and Change Task (`cm3t`) table.

To keep the wizard generic between modules, the field names stored in the `slamodulecontrol` table allow the customer to configure the fields in the file where they wish to store specific information.

In the Availability Information Section of the `slamodulecontrol` record, the client can define the fields to use in file for the following:

CI Fields	The wizard identifies the fields in the file that the client chooses to store CI information in the record.
Outage Start Field	The wizard identifies the fields in the file that the client chooses to store the Outage Start Date field.
Outage End Field	The wizard identifies the fields in the file that the client chooses to store the Outage End Date field.

SLA Integration Information

Table Name:

Enable SLAs in this application

Run in Foreground

Response Time Objectives

Availability Objectives

Record ID Field:

SLA ID Field:

Start Time Field:

End Time Field:

Customer Field:

Technician Field:

Active Condition:

Response Time Information

Response State Field:

Use Phases

Standard Alerts
SLA - 50%
SLA - 75%

Availability Information

CI Fields:

Outage Condition:

Outage Start Field:

Outage End Field:

Auto Post Outage Information

Spread Outages

In the Out of the Box system the fields used are defined in the `slamodulecontrol` table (the above example shows the `cm3r` table).

Change Management

Table Name	cm3r
CI Fields	middle,logical.name middle,assets
Outage Start Field	middle,down.start
Outage End Field	middle,down.end

Change Task

Table Name	cm3t
CI Fields	middle,logical.name middle,asset
Outage Start Field	middle,down.start
Outage End Field	middle,down.end

Configuration Example


In the Out of the Box system, when a Change Task is created, the asset array field receives the values from the assets array field from the Change record the Task was created from. This means that when you “Add” an OVO Outage record for the CI in the Task record from the wizard, it also presents the CIs (if any) in the related Change record. If a client only wishes to have OVO Outages created in Change Task for the CI associated in the Change Task and not include the CIs from the Change, the slamodulecontrol record for cm3t table can be configured to exclude the middle,asset field by removing it from the CI Fields array list. Similarly, new fields can be added if the client requires them.



Appendix A – Installing an Oracle Client

Overview


This section describes how to install the Oracle client software required for use with Connect-It. A minimal installation is described.

1. Download the software from the [Oracle Site](#) (you may need to create an account to do this). A long list of operating systems appears on Oracle’s download page. Choose the one that applies, and you will be presented with a list of download options. Choose the “download client software” option.
2. After downloading and unpacking the software, a `setup.exe` file (Windows) or a `runInstaller` file (UNIX) will start the Oracle Universal Installer. Follow the screen prints below as closely as possible. The example below uses the 10.2.0.1.0 version of the software.








3. Feel free to select any value on this screen. As a minimum select each of the following:
 - Oracle JDBC/THIN interfaces 10.2.0.10
 - Oracle Call Interface (OCI) 10.2.0.10
 - Oracle Net 10.2.0.10




- Next, some checking is performed, and the following screen appears. Correct any shortcomings, if these are found.






- The summary screen displays more items than you may expect based on your previous selections. This is normal. Click **Install** to start the installation.








- The Net Configuration Assistant now starts. Its screens may be hidden behind other screens, so if nothing appears, minimize each screen, one at a time. The Assistant will prompt you for information on the database supporting OVO for UNIX. Ensure that you have this information to hand, for example by asking an OVO and/or a database administrator.






- ▶ The service name is used to distinguish the Oracle database and its processes. The service name has been assigned at database creation and defaults to 'openview'.







7. Testing is always recommended at this stage of the configuration. If the screen below displays a message other than the one shown here, correct the issues indicated.








- ▶ The name entered here is a logical name, used on the local machine for the connection to the OVO for UNIX database. A descriptive name is highly recommended.







8. After you have run the Net Configuration Assistant, close the Universal Installer. Click the **Finish** button to confirm.



Configuring Oracle Net

While configuring the Connect-It connector for the Oracle driver you need to specify the server. Here, “server” refers to the Net Service Name that is required to connect to the OVO Oracle database. During the Oracle Net configuration (described as part of the Oracle Client installation in [Appendix A](#)), the Net Service Name is defined, and is saved in the `tnsnames.ora` file located in the `network/admin` directory of the Oracle home directory. A snippet from `tnsnames.ora` is show below.

```
MYOVOSERVER =
  (DESCRIPTION =
    (ADDRESS = (PROTOCOL = TCP)(HOST = myovoserver.mydomain.com)(PORT = 1521))
    (CONNECT_DATA =
      (SERVER = DEDICATED)
      (SERVICE_NAME = openview)
    )
  )
```

Here, `MYOVOSERVER` is the Net Service Name entered by the user. Replace `myovoserver.mydomain.com` with the FQDN of the server that runs the Oracle database of OVO. The default name of the Oracle instance of the OVO database is `openview`.

Appendix B – Node Bank Installation Files

This appendix contains information on the following:

- Where the install and data directories are located
- A list of install files, their location in the install directories and a description of the function of each file
- Notes on how to restore default versions of files

Location of Install and Data Folders

Windows <InstallDir>=C:\Program Files\HP OpenView,
 <DataDir>= C:\Program Files\HP OpenView\Data.



By default the files are installed in the C:\Program Files\HP OpenView directory. If OpenView products are already installed on the same server but in another directory, then install the Node Bank Integration in this directory. If Node Bank integration is the first HP OpenView product on your install machine, you can select the install folder.

UNIX <InstallDir>=/opt/OV
 <DataDir>=/var/opt/OV

List of Installed Files

File Name and Location	Contents
<InstallDir>/newconfig/conf/sc/sc-nb.scn	Scenario file for Connect-It, transfers data from OVO to SC
<InstallDir>/newconfig/conf/sc/sc-nb.ini	Configuration file for Connect-It
<InstallDir>/newconfig/conf/sc/sc-nb.cfg	Configuration file for Connect-It containing information on table joins
<InstallDir>/newconfig/conf/sc/sc-nb.bas	Basic language file containing global functions
<InstallDir>/newconfig/conf/sc/sc-nb-clean.scn	Scenario file for Connect-It, initializes synchronization in SC/SM CMDB
<InstallDir>/newconfig/conf/sc/sc-nb-clean.ini	Configuration file for Connect-It
<InstallDir>/newconfig/conf/sc/sc-nb-response.dtd	Definition file for XML documents used in error reporting

<InstallDir>/newconfig/conf/sc/sc-nb-messagegroup.unl	ServiceCenter unload file for creating the following: ovomessagegroup table Web Services Data Policy global list for message groups
<p>Copies of Files</p> <p>The files in the <DataDir>conf/sc/ directory are copies of the files in the <InstallDir>/newconfig/conf/sc directory. These are listed below.</p> <p>The files in DataDir are used during runtime. They will be adjusted to the customer environment. If you wish to restore the original files, copy the files from InstallDir to DataDir.</p>	
<DataDir>/conf/sc/sc-nb.ini	Copy of the file in the InstallDir
<DataDir>/conf/sc/sc-nb.cfg	Copy of the file in the InstallDir
<DataDir>/conf/sc/sc-nb.bas	Copy of the file in the InstallDir
<DataDir>/conf/sc/sc-nb-clean.ini	Copy of the file in the InstallDir
<DataDir>/conf/sc/sc-nb-response.dtd	Copy of the file in the InstallDir
<DataDir>/conf/sc/sc-nb-messagegroup.unl	Copy of the file in the InstallDir
<DataDir>/conf/sc/sc-nb.scn	Copy of the file in the InstallDir. Will be adjusted for the customer environment
<DataDir>/conf/sc/sc-nb-clean.scn	Copy of the file in the InstallDir. Will be adjusted for the customer environment

Appendix C – Outage Installation Files

This appendix contains information on the following:

- Where the install and data directories are located
- A list of install files and a description of the function of each file
- Notes on how to restore default versions of files

Location of Install and Data Files

Windows <InstallDir>=C:\Program Files\HP OpenView,
 <DataDir>= C:\Program Files\HP OpenView\Data.



By default the files are installed in the C:\Program Files\HP OpenView directory. If OpenView products are already installed on the same server but in another directory, then install the Node Bank Integration in this directory. If Node Bank integration is the first HP OpenView product on your install machine, you can select the install folder.

UNIX <InstallDir>=/opt/OV
 <DataDir>=/var/opt/OV

Files Installed on the Connect-It server

The following files are installed on the Connect-It server:

File Name and Location	Contents
<InstallDir>/newconfig/conf/sm/sm-outage.scn	Scenario file for Connect-It. Extracts data from SC/SM and stores it in the intermediate Oracle table sc_outage.
<InstallDir>/newconfig/conf/sc/sc-outage6.1.unl	ServiceCenter unload file for creating the following for SC 6.1.3: <ul style="list-style-type: none">• the global list for message group• the global list for message severity• the global list for message operation• the form cm3r.ovo.outage to enter or modify outage data• the table ovooutage• the data policy for the ovooutage table• the web services definitions for the ovooutage table.
<InstallDir>/newconfig/conf/sc/sc-outage6.2.unl	ServiceCenter unload file for creating the

	<p>following for SC 6.2:</p> <ul style="list-style-type: none"> • the global list for message group • the global list for message severity • the global list for message operation • the form cm3r.ovo.outage to enter or modify outage data • the table ovooutage • the data policy for the ovooutage table. • the web services definitions for the ovooutage table
<InstallDir>/newconfig/conf/sm/sm-outage7.x.unl	<p>Service Manager unload file for creating the following for SM:</p> <ul style="list-style-type: none"> • the global list for message group • the global list for message severity • the global list for message operation • the form cm3r.ovo.outage to enter or modify outage data • the table ovooutage • the data policy for the ovooutage table. • the web services definitions for the ovooutage table
<p>Copies of Files</p> <p>The files in the <DataDir>conf/sc/ directory are copies of the files in the <InstallDir>/newconfig/conf/sc directory. These are listed below.</p> <p>The files in DataDir are used during runtime. They will be adjusted to the customer environment. If you wish to restore the original files, copy the files from InstallDir to DataDir.</p>	
<DataDir>/conf/sc/sc-outage.scn	Copy of the file in the InstallDir. Will be adjusted for the customer environment

Files installed on the OVO Management Servers

The following files are installed on the OVO management server(s):

Location	Contents
<InstallDir>/bin/ovsc-setup.sh	This is a configuration shell script that must be run after installing the SC-OVO integration. The script creates configuration files in the <DataDir>/conf/sc subdirectory

	based on the sample files located in the <InstallDir>/newconfig/conf/sc directory. It also creates the intermediate outage tables sc_outage and sc_outage_status in the Oracle database.
<InstallDir>/bin/ovsc-outage.sh	A shell script that is called periodically by crontab. The script checks if the upload process may run. When run it reads the outage data from the intermediate sc_outage table, creates an outage file, and uploads the outage data to OVO.
<InstallDir>/bin/ovsc.sh	A shell script that shows status information or details of the upload process. The script is also used to view outage information stored in the sc_outage table for upload to OVO. It is also used to manipulate the sc_outage_status table.
<InstallDir>/java/sc-outage.jar	Java Archive file that contains the Integration Java classes. This jar file is used by the ovsc-outage.sh script.
<InstallDir>/java/ojdbc14.jar	Java Archive file that contains Java classes of the Oracle JDBC driver.
<InstallDir>/newconfig/conf/SC/sc-outage.conf	A configuration file used by the ovsc-setup.sh configuration script to create the <DataDir>/conf/SC/sc-outage.conf file.
<InstallDir>/newconfig/conf/SC/sc-outage.cronjob	This file contains examples of crontab entries to schedule the outage process on the OVO Management Servers.
<DataDir>/conf/sc/sc-outage.cronjob	Copy of the file in the InstallDir, will be adjusted for the customer environment.

Files created during the setup process

The following files are created during setup:

<DataDir>/conf/sc/sc-outage.conf	Configuration file created by ovsc-setup.sh. The file contains configuration data for the ovsc-outage.sh and ovsc.sh shell scripts.
----------------------------------	---

Files created at runtime

The following files are created at runtime.

Location	Contents
----------	----------

<DataDir>/log/sm-outage.log	A log file created by <code>ovsc-outage.sh</code> containing information on the upload process and/or warning and error messages concerning the upload process.
<DataDir>/tmp/sm-outage.lck	A lock file created by <code>ovsc-outage.sh</code> to prevent concurrent runs of the outage process. The file is removed after the process has finished.
<DataDir>/tmp/sm-outage.tmp	A temporary file created by <code>ovsc-outage.sh</code> that contains intermediate results for further processing. The file is deleted once the process has finished.

Configuring the Repeat Interval

The client can also set a frequency of execution for the schedule record. The Repeat Interval is defaulted to run the schedule daily for OVO Outages.

schedule: 2571060

Name:	background purge/archive	Class:	report
Schedule ID:	2571060	Expiration:	05/11/07 06:58:04
Number:	3	Scheduled Class:	report
Status:	rescheduled	Action Time:	05/10/07 06:58:27

◆ Description ◆ Javascript ◆ Strings ◆ Numbers ◆ Booleans / Times ◆ Stacked Queries

Description

Schedule for cleaning up the ovooutage table records. The Repeat Interval can be amended and the query in the "Strings Tab" can be configured to remove records form a set time.

Repeat Interval

1 00:00:00

Monthly

Quarterly

Semi-Annually

Annually

Problem Status:	
Application:	pa.main.appl.bg
Query:	

Appendix E – Configuring the slamodulecontrol Table

The OVO Outage wizard Utility uses the `slamodulecontrol` table to determine the fields used to store CI information and Outage Start and End dates in the Change (`cm3r`) and Change Task (`cm3t`) tables. To keep the wizard generic between modules, the customer can configure field names in the `slamodulecontrol` table in order to store specific information.

In the Availability Information Section of the `slamodulecontrol` record, the client can define the fields to use in file for the following:

CI Fields The wizard identifies the fields in the file that the client chooses to store CI information in the record.

Outage Start Field The wizard identifies the fields in the file that the client chooses to store the Outage Start Date field.

Outage End Field The wizard identifies the fields in the file that the client chooses to store the Outage End Date field.

SLA Integration Information

Table Name:

Enable SLAs in this application

Run in Foreground

Response Time Objectives

Availability Objectives

Record ID Field:

SLA ID Field:

Start Time Field:

End Time Field:

Customer Field:

Technician Field:

Active Condition:

Response Time Information

Response State Field:

Use Phases

Standard Alerts
SLA - 50%
SLA - 75%

Availability Information

CI Fields:

Outage Condition:

Outage Start Field:

Outage End Field:

Auto Post Outage Information

Spread Outages

In the Out of the Box system the fields used are defined in the `slamodulecontrol` table (the example above shows the `cm3r` table).

Change Management

Table Name: `cm3r`

CI Fields: `middle,logical.name`
`middle,assets`

Outage Start Field: `middle,down.start`

Outage End Field: `middle,down.end`

Change Task

Table Name: `cm3t`

CI Fields: `middle,logical.name`

`middle,asset`

Outage Start Field: `middle,down.start`

Outage End Field: `middle,down.end`

Configuration Example

In the Out of the Box system, when a Change Task is created, the `asset` array field receives the values from the `assets` array field in the Change record from which the Task was created. This means that when you add an OVO Outage record for the CI in the Task record from the wizard, it also presents the CIs (if any) in the related Change record. If a client only wishes to have OVO Outages created in Change Task for the associated CI in the Change Task, and does not wish to include the CIs from the Change, the `slamodulecontrol` record for `cm3t` can be configured to exclude the field `middle,asset` by removing it from the `CI Fields` array list. Similarly, new fields can be added if required by the client.