

HP SiteScope

for the Windows, Solaris, and Linux operating systems

Software Version: 11.21

Monitors and Metrics



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 2005 - 2012 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® and Acrobat® are trademarks of Adobe Systems Incorporated.

Intel®, Pentium®, and Intel® Xeon® are trademarks of Intel Corporation in the U.S. and other countries.

iPod is a trademark of Apple Computer, Inc.

Java is a registered trademark of Oracle and/or its affiliates.

Microsoft®, Windows®, Windows NT®, and Windows® XP are U.S registered trademarks of Microsoft Corporation.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

UNIX® is a registered trademark of The Open Group.

Acknowledgements

This product includes software developed by the Apache Software Foundation (www.apache.org/).

This product includes software developed by the JDOM Project (<http://www.jdom.org/>).

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to:

<http://h20230.www2.hp.com/selfsolve/manuals>

This site requires that you register for an HP Passport and sign-in. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

Or click the **New users - please register** link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

HP Software Support

Visit the HP Software support web site at: **www.hp.com/go/hpsoftwaresupport**

The web site provides contact information and details about the products, services, and support that HP Software & Solutions offers. It provides customer self-solve capabilities, and is a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage a support contract
- Look up HP support contracts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

To find more information about access levels, go to: **http://h20230.www2.hp.com/new_access_levels.jsp**

Contents

Introduction	5
Common Monitors - Quick Reference	6
Operating System Monitors.....	10
Application Monitors.....	14
Web Server Monitors	15
Application Servers/Middleware.....	26
ERP Monitors	70
CRM Monitors.....	74
Streaming Media Server Monitors	82
Database Monitors.....	85
Network Devices and Services Monitors	102
Advanced Monitors	105
Server Monitors	107
URL Monitors	111
EMS (Integration) Monitors	114
Web Services/SOA.....	115
Solution Templates.....	116
Host Operating Systems	116
HP Quality Center	116
HP Service Manager.....	116
JBoss Application Server	116
Microsoft Active Directory	116
Microsoft Exchange.....	116
Microsoft IIS	117
Microsoft Lync Server.....	117
Microsoft .NET.....	117
Microsoft SharePoint.....	117
Microsoft SQL Server	117
Oracle Database.....	117
SAP Application Server	117
Siebel	118
VMware Capacity Management.....	118
WebLogic Application Server	118
WebSphere Application Server	118

Introduction

This document is a collection of information for all SiteScope monitors and their respective counters or metrics. The document lists all metrics that can be configured per monitor as well as versions of applications or operating systems that are supported. It should also be noted that for some applications such as databases, “instance” metrics (for example, individual database table spaces) are available but not listed in this document.

The metrics and supported versions listed here are based on the latest version of SiteScope. While most metrics and versions should be supported in previous versions, there may be some unsupported situations. Also, this is a living document and will be updated as new functionality or changes take place.

Note: HP is not responsible for information relating to third-party applications.

Common Monitors - Quick Reference

Operating System Monitors	Version
Microsoft Windows Resources Monitor / Dynamic Microsoft Windows Resources Monitor Microsoft Windows Services State Monitor	XP Pro, NT 4.0, 2000, 2003, 2008, 2008 R2, Windows Vista, Windows 7 XP Pro, NT 4.0, 2000, 2003, 2008, 2008 R2, Windows Vista, Windows 7 XP Pro, NT 4.0, 2000, 2003, 2008, 2008 R2
UNIX Resources Monitor	Solaris 2.7, 2.8, 2.9, 5.10, 7, 8, 9, 10, and 10u8-11 RedHat 7.x, 8.x, 9.x, Redhat Enterprise Linux 3.x, 4.x, 5.2, 5.4, 5.5, 5.8, 6.0, 6.1 AS and ES. HP-UX 11iv1 (B.11.11) on HP 9000 series. The following versions were successfully tested: <ul style="list-style-type: none"> • HP-UX B.11.11 U 9000/800 4030070275 unlimited-user license • HP-UX B.11.31 U ia64 4005705783 unlimited-user license • HP-UX 11i v3 AIX 5.2, 5.3, 6.1, 7.0
Solaris Zones Monitor	Solaris 10 update 7 5/09
<p>Note:</p> <ul style="list-style-type: none"> - Other Windows and UNIX monitors are available such as the Windows Perfmon monitor and the individual CPU, memory, disk, etc. monitors. For Windows, the same operating systems are supported as noted above. For UNIX, the individual monitors can work on any type of UNIX that supports SSH or telnet. For Linux, RedHat is the only one that has been tested but individual monitors should also work on any version that supports SSH or telnet. - Windows Server 2008 remote servers are not supported if User Account Control (UAC) is enabled. -Solaris zones monitor officially supports only Solaris 10 update 7, since this is the release it was tested on, but it may also work on other Solaris 10 releases. 	

HP SiteScope Monitors and Metrics

Application/Device Monitor	Platform (Platforms on which the Applications run on)	Version
Amazon Web Services	All	2009-11-30
Apache Web Server	All	1.3.9, 1.3.12, 2.0.x, 2.2
BroadVision	All	5.5, 6.0
Check Point Firewall	All	4.1 NG
Cisco Works	All	2000 and later
Citrix XenApp / Presentation Server	Windows	1.0 – 4.5, XenApp 4.6, 5.0, 6.0
COM+	Windows	2000, 2003, 2008, 2008 R2
DB2 8.x	All operating systems with a supported JDBC driver and DB2 snapshot feature	8.x
F5 Big-IP	Not Applicable (sits on its own hardware)	4.0
HP iLO	HP iLO technology was developed for HP ProLiant servers. For supported platforms, see http://h18013.www1.hp.com/products/servers/management/remotemgmt.html	2, 3
HP NonStop Resources Monitor HP NonStop Event Log	HP NonStop	All G-Series, H-Series, and J-Series NonStop RVUs
KVM	Linux	Linux #29-Ubuntu SMP 3.0.0-16-generic
MacroMedia ColdFusion	Windows	4.5.x, 9
Microsoft ASP Server	Windows	4.0, 2000
Microsoft Hyper-V	Windows	Microsoft Hyper-V Server 2008 R2 (stand-alone product) Microsoft Windows Server 2008 R2 (Hyper-V role enabled) Microsoft Windows Server 2008 (Hyper-V role enabled)
Microsoft IIS	Windows	4.0, 5.0 6.0, 7.0, 7.5, Windows Server 2008 R2, Windows 7
Microsoft A/V Conferencing Server	Windows	Microsoft Lync Server 2010
Microsoft Archiving Server	Windows	Microsoft Lync Server 2010
Microsoft Director Server	Windows	Microsoft Lync Server 2010
Microsoft Edge Server	Windows	Microsoft Lync Server 2010
Microsoft Front End Server	Windows	Microsoft Lync Server 2010
Microsoft Mediation Server	Windows	Microsoft Lync Server 2010

HP SiteScope Monitors and Metrics

Microsoft Monitoring and CDR Server	Windows	Microsoft Lync Server 2010
Microsoft Registrar Server	Windows	Microsoft Lync Server 2010
Microsoft SQL Server	Windows	6.5, 7.1, 2000, 2005, 2008, 2008 R2
Microsoft Windows Media Player	Windows	7.x, 9.x, 10.x, 11.0, 12
Microsoft Windows Media Server	Windows	All via perfmon
Microsoft Exchange Server 2007	Windows	2007 (8.0) + PowerShell v1.0 2010 + PowerShell v2.0
Oracle 9i Application Server	All	9iAS
Oracle 10g Application Server	All	10g, 10g R3
Oracle Database	All	8i, 9i, 10g, 11i, 11g R2 (11.2.0.1)
Real One /Real Media Player	Windows	RealOne 2.x Real Media Player 7.x, 8.x, 9.x, 10.x
Real One /Real Media Server	Windows	All via perfmon
SAP CCMS	Windows NT 4.0, Windows 2000, Linux and Solaris	SAP R/3 4.6B, R/3 4.6C, R/3 4.7E SAP ECC5, ECC6
SAP Performance	All	SAP R/3 4.6B, R/3 4.6C, R/3 4.7E SAP ECC5, ECC6
SAP Java Web Application	Windows NT 4.0, Windows 2000, Linux and Solaris	Web Application Server 6.40 Web Application Server 7.00 SAP Enterprise Portal 5.0, 6.0 and 7.0
Siebel Server Manager	Windows and all Unix	6.3, 7.03, 7.04, 7.5.2, 7.5.3, 7.7, 8.0, 8.1
Siebel Web Server	Windows and all Unix	6.3, 7.03, 7.04, 7.5.2, 7.5.3, 7.7, 8.0, 8.1
SunOne Web Server	All	6.x, 7.0
Sybase Database	All	11.0, 11.5, 11.92, 12.x, 15.5
TUXEDO	Windows	6.5, 7.1, 8.0, 8.1, 9.0, 9.1
VMware Datastore	Virtual Center - Microsoft® Windows 2000, Microsoft® Windows XP Professional and Microsoft® Windows Server 2003, Microsoft® Windows Server 2008	VMware vCenter Server 4.0, 4.1, 5.0
VMware Host CPU	Virtual Center - Microsoft® Windows 2000, Microsoft® Windows XP Professional and Microsoft® Windows Server 2003, Microsoft® Windows Server 2008 ESX server – own OS	VMware VirtualCenter 2.x
VMware Host Memory		VMware ESX 3.x, 4.0, 4.1
VMware Host Network		VMware ESXi 3.5, 4.0, 5.0
VMware Host State		VMware ESX 2.5 via VirtualCenter 2.x
VMware Host Storage		VMware ESX 3.x via VirtualCenter 3.x VMware vCenter Server 4.0, 4.1, 5.0
VMware Performance	Virtual Center - Microsoft® Windows 2000, Microsoft® Windows XP Professional, Microsoft® Windows Server 2003, Microsoft® Windows Server 2008	VMware VirtualCenter 2.x VMware ESX 3.x, 4.0, 4.1 VMware ESXi 3.5, 4.0, 5.0 VMware ESX 2.5 via

HP SiteScope Monitors and Metrics

	ESX server – own OS	VirtualCenter 2.x VMware ESX 3.x via VirtualCenter 3.x VMware vCenter Server 4.0, 4.1, 5.0
<u>WebLogic</u>	All	6.0, 7.0, 8.x, 9.x, 10.0-10.3,11g
<u>WebSphere Application Server</u>	Windows, Unix, and z/OS	5.x, 6.0x, 6.1x, 7.0x, 8.0x
<u>WebSphere MQ</u>	All	5.2, 5.3, 5.3.1, 6.0, 6.1x 7.0, 7.0.1, 7.0.1.3

Operating System Monitors

NOTE: In addition to or in place of the monitors below, individual server monitors listed in the “server monitors” section can be used.

	Versions Supported	Platforms Supported	Metrics
HP NonStop Resources Monitor	All G-Series, H-Series, and J-Series NonStop RVUs		<p>CPU</p> <ul style="list-style-type: none"> • PROCESSBUSYTIME • INTERRUPT TIME • IDLE TIME <p>Memory</p> <ul style="list-style-type: none"> • ALLOCS (per sec) • DISKREADS (per sec) • DISKWRITES (per sec) • FAULTS (per sec) • FREE (16KB pages) • FREEMIN (16KB pages) • FREEQUOTA (16KB pages) • FREERED (16KB pages) • LOCKED (16KB pages) • LOCKED (KSEG0) (16KB pages) • MUTEXCRAX (per sec) • NONMUTEXCRAX (per sec) • PHYSCL (16KB pages) • REDBUSY (per sec) • REDHIT (per sec) • REDTASK (per sec) • SWAPBL (16KB pages) • UNDUMPED (16KB pages)
Microsoft Windows Resources Monitor	XP Pro, NT 4.0, 2000, 2003, 2008, 2008 R2, Windows Vista, Windows 7		<p>Any Perfmon counter. Commonly monitored counters include:</p> <p>System</p> <ul style="list-style-type: none"> • % Total Processor Time • File Data Operations/sec • Processor Queue Length • Total Interrupts/sec <p>Processor</p> <ul style="list-style-type: none"> • % Processor Time <p>Objects</p> <ul style="list-style-type: none"> • Threads <p>Process</p> <ul style="list-style-type: none"> • Private Bytes

HP SiteScope Monitors and Metrics

			<p>Physical Disk</p> <ul style="list-style-type: none"> • % Disk Time <p>Memory</p> <ul style="list-style-type: none"> • Page Faults/sec • Pages/sec • Pool Nonpaged Bytes
Microsoft Windows Perfmon Monitor	XP Pro, NT 4.0, 2000 and 2003, 2008		<p>Any Perfmon counter. Commonly monitored counters include:</p> <p>System</p> <ul style="list-style-type: none"> • % Total Processor Time • File Data Operations/sec • Processor Queue Length • Total Interrupts/sec <p>Processor</p> <ul style="list-style-type: none"> • % Processor Time <p>Objects</p> <ul style="list-style-type: none"> • Threads <p>Process</p> <ul style="list-style-type: none"> • Private Bytes <p>Physical Disk</p> <ul style="list-style-type: none"> • % Disk Time <p>Memory</p> <ul style="list-style-type: none"> • Page Faults/sec • Pages/sec • Pool Nonpaged Bytes
Microsoft Windows Services State Monitor	XP Pro, NT 4.0, 2000 and 2003, 2008, 2008 R2		<p>Capabilities include monitoring of:</p> <ul style="list-style-type: none"> • Services added • Services changed to not running • Services changed to running • Services currently not running • Services currently running • Services deleted • Services last running • Number of services added • Number changed to not running • Number of services currently not running • Number of services currently running • Number of services deleted

HP SiteScope Monitors and Metrics

<p>UNIX Resources Monitor</p>	<p>Solaris 2.7, 2.8, 2.9, 5.10, 7, 8, 9, 10, and 10u8-11</p> <p>RedHat 7.x, 8.x, 9.x, Redhat Enterprise Linux 3.x, 4.x, 5.2, 5.4, 5.5, 5.8, 6.0, 6.1 AS and ES are supported.</p> <p>HP-UX 11iv1 (B.11.11) on HP 9000 series: HP-UX B.11.11 U 9000/800 4030070275 unlimited-user license HP-UX B.11.31 U ia64 4005705783 unlimited-user license HP-UX 11i v3</p> <p>AIX 5.2, 5.3, 6.1, 7.0</p>		<p>Commonly monitored objects include:</p> <ul style="list-style-type: none"> • Block device activity • Buffer activity • CPU utilization • Cache stats • Console keyboard • Console mouse • Disk errors • Disk partition • File access system routines • File systems • Inode cache • Kernel network stats • Kernal memory allocation (KMA) activities • Load average • Memory • Message and semaphore activities • NFS client • NFS server • Network interface • Paging activity • Physical disk • Process • Processor • Processor info • Queue length • RPC client • RPC server • Status of process and inode file tables • System info • System calls
<p>Solaris Zones Monitor</p>	<p>Solaris 10 update 7 5/09</p>		<p><u>Per- Zone counters:</u></p> <p>cpu</p> <ul style="list-style-type: none"> • %usageOfMachineCpu • %usageOfPoolCpu <p>The following 4 counters are only in non-global zones:</p> <ul style="list-style-type: none"> • %usr • %sys • %idle • %wio <p>mem</p> <ul style="list-style-type: none"> • mbRss • mbSize • %memory

			<p>file system (for each file system in the zone)</p> <ul style="list-style-type: none"> • kbUsed • kbAvail • %capacity <p>net (for each logical network interface in the zone)</p> <ul style="list-style-type: none"> • inputPackets • outputPackets <p><u>Physical machine counters:</u></p> <p>cpu</p> <ul style="list-style-type: none"> • %usr • %sys • %idle • %wio <p>mem</p> <ul style="list-style-type: none"> • kbFreeMemory • kbAvailableVirtualMemory • kbPageInPerSecond • kbPageOutPerSecond • <p>device (for each device in the machine)</p> <ul style="list-style-type: none"> • readsPerSecond • writesPerSecond • kbReadPerSecond • kbWrittenPerSecond • <p>net (for each physical network interface in the machine)</p> <ul style="list-style-type: none"> • inputPackets • outputPackets • errInputPackets • errOutputPackets • collis • %networkErrs • %collisofOpkts • %errsOfIpkts
--	--	--	---

Application Monitors

<p>Web Servers Apache e-Business Transaction Microsoft IIS Microsoft Active Server Pages SunOne Web Server</p> <p>Media Servers Microsoft Windows Media Player Microsoft Windows Media Server Real One Media Player Real Media Player Real One Media Server Real Media Server Microsoft Archiving Server Microsoft A/V Conferencing Server Microsoft Director Server Microsoft Edge Server Microsoft Front End Server Microsoft Mediation Server Microsoft Monitoring and CDR Server Microsoft Registrar Server</p>	<p>Application Servers/ Middleware BroadVision Citrix XenApp / Presentation Server COM+ JMX MacroMedia Coldfusion Oracle 10g Application Server Tuxedo WebLogic WebSphere Application Server WebSphere MQ</p> <p>ERP SAPGUI SAP CCMS</p> <p>CRM Siebel Server Siebel Web Server Siebel Log File</p>	<p>Databases DB2 8.x and 9.x Microsoft SQL Oracle Sybase</p> <p>Virtualization/Cloud Amazon Web Services HAProxy Microsoft Hyper-V Solaris Zones VMware Host CPU VMware Host Memory VMware Host Network VMware Host State VMware Host Storage VMware Virtual Center/ESX server VMware Datastore</p>
---	--	---

Web Server Monitors

App.	Versions supported	Platforms Supported	Metrics
Apache	1.3.9, 1.3.12, 2.0.x, 2.2	All	<p>Counters for server-status?auto</p> <ul style="list-style-type: none"> • Total Accesses • Total kBytes • CPUload • Uptime • ReqPerSec • BytesPerSec • BytesPerReq • BusyWorkers • IdleWorkers <p>Counters for server-status?refresh=30</p> <ul style="list-style-type: none"> • Server Version • Server Built • Current Time • Restart Time • Parent Server Generation • Server uptime • Total accesses • Total Traffic • CPU Usage • CPU load • requests/sec • B/second • B/request • requests currently being processed • idle workers
e-Business Transaction			<ul style="list-style-type: none"> • % items OK • % items in error • % items in warning • items OK • items checked • items in error • items in warning • na name of the items in warning me of the items in error
Microsoft IIS	4.0, 5.0 6.0, 7.0, 7.5, Windows Server 2008 R2, Windows 7	Windows	<ul style="list-style-type: none"> • Web Service – Anonymous Users/sec • Web Service – Bytes Received/sec • Web Service – Bytes Sent/sec • Web Service – Bytes Total/sec • Web Service – CGI Requests/sec • Web Service – Connection Attempts/sec • Web Service – Copy Requests/sec • Web Service – Current Anonymous Users • Web Service – Current Blocked Async I/O Requests

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Web Service – Current CAL count for authenticated users • Web Service – Current CAL count for SSL connections • Web Service – Current CGI Requests • Web Service – Current Connections • Web Service – Current ISAPI Extension Requests • Web Service – Current NonAnonymous Users • Web Service – Delete Requests/sec • Web Service – Files Received/sec • Web Service – Files Sent/sec • Web Service – Files/sec • Web Service – Get Requests/sec • Web Service – Head Requests/sec • Web Service – ISAPI Extension Requests/sec • Web Service – Lock Requests/sec • Web Service – Locked Errors/sec • Web Service – Logon Attempts/sec • Web Service – Maximum Anonymous Users • Web Service – Maximum CAL count for authenticated users • Web Service – Maximum CAL count for SSL connections • Web Service – Maximum CGI Requests • Web Service – Maximum Connections • Web Service – Maximum ISAPI Extension Requests • Web Service – Maximum NonAnonymous Users • Web Service – Measured Async I/O Bandwidth Usage • Web Service – Mkol Requests/sec • Web Service – Move Requests/sec • Web Service – NonAnonymous Users/sec • Web Service – Not Found Errors/sec • Web Service – Options Requests/sec • Web Service – Other Request Methods/sec • Web Service – Post Requests/sec • Web Service – Propfind Requests/sec • Web Service – Proppatch Requests/sec • Web Service – Put Requests/sec • Web Service – Search Requests/sec • Web Service – Service Uptime • Web Service – Total Allowed Async I/O Requests • Web Service – Total Anonymous Users • Web Service – Total Blocked Async I/O Requests • Web Service – Total CGI Requests • Web Service – Total Connection Attempts (all instances) • Web Service – Total Copy Requests • Web Service – Total count of failed CAL requests for authenticated users • Web Service – Total count of failed CAL requests for SSL connections • Web Service – Total Delete Requests • Web Service – Total Files Received • Web Service – Total Files Sent • Web Service – Total Files Transferred
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• Web Service – Total Get Requests• Web Service – Total Head Requests• Web Service – Total ISAPI Extension Requests• Web Service – Total Lock Requests• Web Service – Total Locked Errors• Web Service – Total Logon Attempts• Web Service – Total Method Requests• Web Service – Total Method Requests/sec• Web Service – Total Mkol Requests• Web Service – Total Move Requests• Web Service – Total NonAnonymous Users• Web Service – Total Not Found Errors• Web Service – Total Options Requests• Web Service – Total Other Request Methods• Web Service – Total Post Requests• Web Service – Total Propfind Requests• Web Service – Total Proppatch Requests• Web Service – Total Put Requests• Web Service – Total Rejected Async I/O Requests• Web Service – Total Search Requests• Web Service – Total Trace Requests• Web Service – Total Unlock Requests• Web Service – Trace Requests/sec• Web Service – Unlock Requests/sec
--	--	--	---

HP SiteScope Monitors and Metrics

<p>Microsoft Active Server Pages</p>	<p>4.0, 2000</p>	<p>Windows</p>	<ul style="list-style-type: none"> • Active Server Pages – Debugging Requests • Active Server Pages – Errors During Script Runtime • Active Server Pages – Errors From ASP Preprocessor • Active Server Pages – Errors From Script Compilers • Active Server Pages – Errors/Sec • Active Server Pages – Request Bytes In Total • Active Server Pages – Request Bytes Out Total • Active Server Pages – Request Execution Time • Active Server Pages – Request Wait Time • Active Server Pages – Requests Disconnected • Active Server Pages – Requests Executing • Active Server Pages – Requests Failed Total • Active Server Pages – Requests Not Authorized • Active Server Pages – Requests Not Found • Active Server Pages – Requests Queued • Active Server Pages – Requests Rejected • Active Server Pages – Requests Succeeded • Active Server Pages – Requests Timed Out • Active Server Pages – Requests Total • Active Server Pages – Requests/Sec • Active Server Pages – Script Engines Cached • Active Server Pages – Session Duration • Active Server Pages – Sessions Current • Active Server Pages – Sessions Timed Out • Active Server Pages – Sessions Total • Active Server Pages – Template Cache Hit Rate • Active Server Pages – Template Notifications • Active Server Pages – Templates Cached • Active Server Pages – Transactions Aborted • Active Server Pages – Transactions Committed • Active Server Pages – Transactions Pending • Active Server Pages – Transactions Total • Active Server Pages – Transactions/Sec
<p>Microsoft Archiving Server</p>	<p>Microsoft Lync Server 2010</p>	<p>Windows</p>	<p>Archiving Server - Process Memory statistics monitoring policy</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Archiving Server - Process CPU statistics monitoring policy</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Director Server - Process Memory statistics monitoring policy</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Director Server - Process CPU statistics monitoring policy</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count

HP SiteScope Monitors and Metrics

			<p>Replicator - Process Memory statistics monitoring policy</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Replicator Server - Process CPU statistics monitoring policy</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count
Microsoft A/V Conferencing Server	Microsoft Lync Server 2010	Windows	<p>A/V Server - Process Memory statistics monitoring policy</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>A/V Server - Process CPU statistics monitoring policy</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count
Microsoft Director Server	Microsoft Lync Server 2010	Windows	<p>Director Server - Process Memory statistics monitoring policy</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Director Server - Process CPU statistics monitoring policy</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Replicator - Process Memory statistics monitoring policy</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Replicator Server - Process CPU statistics monitoring policy</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count
Microsoft Edge Server	Microsoft Lync Server 2010	Windows	<p>Audio/Video authentication Service - Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Audio/Video authentication Service - Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Audio/Video Conferencing Service - Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Audio/Video Conferencing service (group) – Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec

HP SiteScope Monitors and Metrics

			<p>Access Edge service (group) – Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Access Edge service (group) – Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>WebConferencing edge service (group) – Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Web conferencing edge service (group) – Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec
Microsoft Front End Server	Microsoft Lync Server 2010	Windows	<p>Front End server - Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Front End server - Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>WebConferencing server - Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Web conferencing server - Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>IM Conferencing server - Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>IM Conferencing server - Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec
Microsoft Mediation Server	Microsoft Lync Server 2010	Windows	<p>Mediation Server - Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Mediation server - Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec

HP SiteScope Monitors and Metrics

<p>Microsoft Monitoring Server</p>	<p>Microsoft Lync Server 2010</p>	<p>Windows</p>	<p>CDR - Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>CDR - Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Monitoring Server - Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Monitoring Server (group) – Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Replicator (group) – Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Replicator (group) – Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec
<p>Microsoft Registrar Server</p>	<p>Microsoft Lync Server 2010</p>	<p>Windows</p>	<p>Registrar Server (group) – Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Registrar server (group) – Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec <p>Replicator Server (group) – Process CPU statistics</p> <ul style="list-style-type: none"> • % Processor Time • Thread Count <p>Replicator server (group) – Process Memory statistics</p> <ul style="list-style-type: none"> • Working Set • Private Bytes • Page Faults/sec

<p>Solaris Zones</p>	<p>Solaris 10 update 7 (5/09) operating systems</p>	<p>All</p>	<p>Per-Zone counters:</p> <ul style="list-style-type: none"> • usageOfMachineCpu – Usage (in %) of total cpu on the machine • %usageOfPoolCpu – Usage (in %) of total cpu in the zone pool <p>Non-Global Zones:</p> <ul style="list-style-type: none"> • %usr – Portion of time spent in user mode by the processors in this zone’s pool (or in the default pool if no pool is used) • Sys – Portion of time spent in system mode by the processors in this zone’s pool (or in the default pool if no pool is used) • %idle – Portion of time spent idle (but not waiting for block IO) by the processors in this zone’s pool (or in the default pool if no pool is used) • %wio – Portion of time spent idle with some process waiting for block IO by the processors in this zone’s pool (or in the default pool if no pool is used) • mbRss – Memory resident set size in MB • mbSize – Total of virtual memory size in MB • %memory – Percentage of memory used • inputPackets – Num of input packets on this logical interface that were received successfully • outputPackets – Num of output packets on this logical interface that were transmitted successfully • kbUsed – KB used on this file system • kbAvail – KB available on this file system • %capacity – Percentage of used space out of total capacity on this file system <p>Physical Machine counters:</p> <ul style="list-style-type: none"> • %usr – Portion of time spent in user mode by all the processors on this system • Sys – Portion of time spent in system mode by all the processors on this system • %idle – Portion of time spent idle (but not waiting for block IO) by all the processors on this system • %wio – Portion of time spent idle with some process waiting for block IO by all the processors on this system • inputPackets – Num of input packets on this physical interface that were received successfully • outputPackets – Num of output packets on this physical interface that were transmitted successfully • errInputPackets – Num of input packets with errors on this physical interface • errOutputPackets – Num of failed attempts made to transmit a package on this physical interface • collis – Num of failed attempts to transmit a package on this physical interface that have been prevented by another machine trying to transmit at the same time • %networkErrs – Percentage of packets in errs out of all packets on this physical interface
-----------------------------	---	------------	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • %collisofOpkts – Percentage of collisions out of packets transmitted successfully on this physical interface • %errsOfIpkts – Percentage of error input packets out of packets received correctly on this physical interface • readsPerSecond – Reads per second on this device • writesPerSecond – Writes per second on this device • kbReadPerSecond – KB read per second on this device • kbWrittenPerSecond – KB written per second on this device • kbFreeMemory – Free memory in KB • kbAvailableVirtualMemory – Sum (in KB) of free RAM and free disk swap space not reserved by processes or the kernel • kbPageInPerSecond – KB Paged-in per second • kbPageOutPerSecond – KB Paged-out per second <p>Pool counters:</p> <ul style="list-style-type: none"> • %used – Percentage of pool resource in use
SunOne Web Server	6.x, 7.0	All	<ul style="list-style-type: none"> • versionMajor • versionMinor • enabled <p>server</p> <p>id</p> <p>versionServer</p> <p>timeStarted</p> <p>secondsRunning</p> <p>ticksPerSecond</p> <p>maxProcs</p> <p>maxThreads</p> <p>maxVirtualServers</p> <p>flagProfilingEnabled</p> <p>flagVirtualServerOverflow</p> <p>connection-queue</p> <p> id</p> <p>thread-pool</p> <p> id</p> <p> name</p> <p>process</p> <p> pid</p> <p> mode</p> <p> timeStarted</p> <p> countConfigurations</p> <p> connection-queue-bucket</p> <p> connection-queue</p> <p> countTotalConnections</p> <p> countQueued</p> <p> peakQueued</p> <p> maxQueued</p> <p> countOverflows</p> <p> countTotalQueued</p> <p> ticksTotalQueued</p> <p> thread-pool-bucket</p> <p> thread-pool</p> <p> countThreadsIdle</p>

HP SiteScope Monitors and Metrics

			<p> countThreads maxThreads countQueued peakQueued maxQueued dns-bucket flagCacheEnabled countCacheEntries maxCacheEntries countCacheHits countCacheMisses flagAsyncEnabled countAsyncNameLookups countAsyncAddrLookups countAsyncLookupsInProgress keepalive-bucket countConnections maxConnections countHits countFlushes countRefusals countTimeouts secondsTimeout cache-bucket flagEnabled secondsMaxAge countEntries maxEntries countOpenEntries maxOpenEntries sizeHeapCache maxHeapCacheSize sizeMmapCache maxMmapCacheSize countHits countMisses countInfoHits countInfoMisses countContentHits countContentMisses virtual-server id mode hosts interfaces request-bucket method uri countRequests countBytesReceived countBytesTransmitted rateBytesTransmitted maxByteTransmissionRate countOpenConnections maxOpenConnections count2xx </p>
--	--	--	--

HP SiteScope Monitors and Metrics

			<p>count3xx count4xx count5xx countOther count200 count302 count304 count400 count401 count403 count404 count503</p> <p>Derived Counters process/% File info cache hits process/% Cache heap utilization process/% Cache memory utilization process/% File content cache hits process/% DNS cache utilization process/% Idle threads process/% File cache hits process/% DNS cache misses process/% Cache table utilization process/% DNS cache hits</p>
--	--	--	--

Application Servers/Middleware

App.	Versions supported	Platforms Supported	Metrics
BroadVision	4.1, 5.x, 6.0	All	<p>BV_SRV_CTRL</p> <ul style="list-style-type: none"> • BVLOG • SHUTDOWN <p>BV_SRV_STAT</p> <ul style="list-style-type: none"> • CPU • IDL • LWP • RSS • STIME • SYS • USR • VSZ <p>NS_STAT</p> <ul style="list-style-type: none"> • BIND • LIST • NEW • REBND • RSOLV • UNBND <p>BV_DB_STAT</p> <ul style="list-style-type: none"> • DELETE • INSERT • SELECT • SPROC • UPDATE <p>BV_CACHE_STAT</p> <ul style="list-style-type: none"> • BV_GDBQUERY_CACHE-HIT • BV_GDBQUERY_CACHE-MAX • BV_GDBQUERY_CACHE-MISS • BV_GDBQUERY_CACHE-SIZE • BV_GDBQUERY_CACHE-SWAP • BV_QUERY_CACHE-HIT • BV_QUERY_CACHE-MAX • BV_QUERY_CACHE-MISS • BV_QUERY_CACHE-SIZE • BV_QUERY_CACHE-SWAP • CNT-AD-HIT • CNT-AD-MAX • CNT-AD-MISS • CNT-AD-SIZE • CNT-AD-SWAP

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• CNT-ALERTSCHED-HIT• CNT-ALERTSCHED-MAX• CNT-ALERTSCHED-MISS• CNT-ALERTSCHED-SIZE• CNT-ALERTSCHED-SWAP• CNT-CATEGORY_CONTENT-HIT• CNT-CATEGORY_CONTENT-MAX• CNT-CATEGORY_CONTENT-MISS• CNT-CATEGORY_CONTENT-SIZE• CNT-CATEGORY_CONTENT-SWAP• CNT-DF_GROUP-HIT• CNT-DF_GROUP-MAX• CNT-DF_GROUP-MISS• CNT-DF_GROUP-SIZE• CNT-DF_GROUP-SWAP• CNT-DF_MESSAGE-HIT• CNT-DF_MESSAGE-MAX• CNT-DF_MESSAGE-MISS• CNT-DF_MESSAGE-SIZE• CNT-DF_MESSAGE-SWAP• CNT-EDITORIAL-HIT• CNT-EDITORIAL-MAX• CNT-EDITORIAL-MISS• CNT-EDITORIAL-SIZE• CNT-EDITORIAL-SWAP• CNT-EXT_FIN_PRODUCT-HIT• CNT-EXT_FIN_PRODUCT-MAX• CNT-EXT_FIN_PRODUCT-MISS• CNT-EXT_FIN_PRODUCT-SIZE• CNT-EXT_FIN_PRODUCT-SWAP• CNT-INCENTIVE-HIT• CNT-INCENTIVE-MAX• CNT-INCENTIVE-MISS• CNT-INCENTIVE-SIZE• CNT-INCENTIVE-SWAP• CNT-MSGSCHEM-HIT• CNT-MSGSCHEM-MAX• CNT-MSGSCHEM-MISS• CNT-MSGSCHEM-SIZE• CNT-MSGSCHEM-SWAP• CNT-MSGSCRIPT-HIT• CNT-MSGSCRIPT-MAX• CNT-MSGSCRIPT-MISS• CNT-MSGSCRIPT-SIZE• CNT-MSGSCRIPT-SWAP• CNT-PRODUCT-HIT• CNT-PRODUCT-MAX• CNT-PRODUCT-MISS• CNT-PRODUCT-SIZE• CNT-PRODUCT-SWAP• CNT-QUERY-HIT• CNT-QUERY-MAX• CNT-QUERY-MISS
--	--	--	---

			<ul style="list-style-type: none"> • CNT-QUERY-SIZE • CNT-QUERY-SWAP • CNT-SCRIPT-HIT • CNT-SCRIPT-MAX • CNT-SCRIPT-MISS • CNT-SCRIPT-SIZE • CNT-SCRIPT-SWAP • CNT-SECURITIES-HIT • CNT-SECURITIES-MAX • CNT-SECURITIES-MISS • CNT-SECURITIES-SIZE • CNT-SECURITIES-SWAP • CNT-TEMPLATE-HIT • CNT-TEMPLATE-MAX • CNT-TEMPLATE-MISS • CNT-TEMPLATE-SIZE • CNT-TEMPLATE-SWAP • PARENTCATEGORYCACHE-HIT • PARENTCATEGORYCACHE-MAX • PARENTCATEGORYCACHE-MISS • PARENTCATEGORYCACHE-SIZE • PARENTCATEGORYCACHE-SWAP <p>BV_SMGR_CTRL</p> <ul style="list-style-type: none"> • DRAIN <p>JS_SCRIPT_CTRL</p> <ul style="list-style-type: none"> • CACHE • DUMP • FLUSH • METER • TRACE <p>JS_SCRIPT_STAT</p> <ul style="list-style-type: none"> • ALLOC • CTX • ERROR • FAIL • JSPERR • RELEASE • STOP • SUCC • SYNTAX <p>BV_SMGR_STAT</p> <ul style="list-style-type: none"> • CGI • CONN • IdIQ • JOB • MODE • Q_0 • Q_1 • Q_10
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Q_11 • Q_12 • Q_13 • Q_14 • Q_15 • Q_2 • Q_3 • Q_4 • Q_5 • Q_6 • Q_7 • Q_8 • Q_9 • SESS • THR <ul style="list-style-type: none"> • <p>BV_SMGR_QOS</p> <ul style="list-style-type: none"> • ADMIN_CT • DEF_P • NEW_P • P_WEIGHT • REWARD_P1 • REWARD_P2 • REWARD_P3 • REWARD_P4 • REWARD_P5
<p>COM+ <i>(see installation notes at the bottom of the right column)</i></p>	<p>COM+ applications</p>	<p>Windows 2000, 2003, 2008, 2008 R2</p>	<p>Application Level</p> <ul style="list-style-type: none"> • Activation • Authenticate • Authenticate Failed • Shutdown • Thread Start • Thread Terminate • Work Enque • Work Reject <p>Transaction Level</p> <ul style="list-style-type: none"> • Transaction Aborted • Transaction Commit • Transaction Duration • Transaction Prepared • Transaction Start <p>Object Level (per object)</p> <ul style="list-style-type: none"> • Disable Commit • Enable Commit • Object Activate • Object Create • Object Deactivate • Object Destroy • Object LifeTime

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Set Abort • Set Complete <p>Method Level (per method)</p> <ul style="list-style-type: none"> • Method Duration • Method Exception • Method Failed • Method Frequency <p>** This monitor requires a COM+ probe that must be installed on each production system to be monitored. The probe can be downloaded from the HP Customer Support site.</p> <p>** This monitor also requires an optional license key that must be entered in the "Option Licenses" box on the SiteScope "General Preferences" page.</p>
Macromedia ColdFusion	4.5x, 9	Windows	<ul style="list-style-type: none"> • Avg DB Time (msec) • Avg Queue Time (msec) • Avg Req Time (msec) • Bytes In / Sec • Bytes Out / Sec • Cache Pops / Sec • DB Hits / Sec • Page Hits / Sec • Queued Requests • Running Requests • Timed Out Requests

HP SiteScope Monitors and Metrics

Amazon Web Services	2009-11-30	All	EC2 Metrics <ul style="list-style-type: none"> • CPUUtilization • NetworkIn • NetworkOut • DiskWriteOps • DiskReadBytes • DiskReadOps • DiskWriteBytes
HAProxy	All platforms	<ul style="list-style-type: none"> •Linux 2.4 on x86, x86_64, Alpha, SPARC, MIPS, PARISC •Linux 2.6 on x86, x86_64, ARM (ixp425), PPC64 •Solaris 8/9 on UltraSPARC 2 and 3 •Solaris 10 on Opteron and UltraSPARC •FreeBSD 4.10 - 8 on x86 •OpenBSD 3.1 to - current on i386, amd64, macppc, alpha, sparc64 and VAX (check the ports) 	
Microsoft Hyper-V	Microsoft Hyper-V Server 2008 R2 (stand-alone product) Microsoft Windows Server 2008 R2 (Hyper-V role enabled) Microsoft Windows Server 2008 (Hyper-V role enabled)	Windows	Hyper-V Hypervisor <ul style="list-style-type: none"> • Logical Processors • Monitored Notifications • Partitions • Total Pages • Virtual Processors Hyper-V Hypervisor Logical Processor <ul style="list-style-type: none"> • % C1 Time • % C2 Time • % C3 Time • % Guest Run Time • % Hypervisor Run Time • % Idle Time • % Total Run Time • C1 Transitions/sec • C2 Transitions/sec • C3 Transitions/sec • Context Switches/sec • Hardware Interrupts/sec • Inter-Processor Interrupts Sent/sec

			<ul style="list-style-type: none"> • Inter-Processor Interrupts/sec • Monitor Transition Cost • Scheduler Interrupts/sec • Timer Interrupts/sec • Total Interrupts/sec <p>Hyper-V Hypervisor Root Partition</p> <ul style="list-style-type: none"> • 1G GPA pages • 2M GPA pages • 4K GPA pages • Address Spaces • Deposited Pages • GPA Pages • GPA Space Modifications/sec • Recommended Virtual TLB Size • Virtual Processors • Virtual TLB Flush Entireties/sec • Virtual TLB Pages <p>Hyper-V Hypervisor Root Virtual Processor</p> <ul style="list-style-type: none"> • % Guest Run Time • % Hypervisor Run Time • % Total Run Time • APIC EOI Accesses/sec • APIC IPIs Sent/sec • APIC MMIO Accesses/sec • APIC Self IPIs Sent/sec • APIC TPR Accesses/sec • Address Domain Flushes/sec • Address Space Evictions/sec • Address Space Flushes/sec • Address Space Switches/sec • CPUID Instructions Cost • CPUID Instructions/sec • Control Register Accesses Cost • Control Register Accesses/sec • Debug Register Accesses Cost • Debug Register Accesses/sec • Emulated Instructions Cost • Emulated Instructions/sec • External Interrupts Cost • External Interrupts/sec • GPA Space Hypercalls/sec • Global GVA Range Flushes/sec • Guest Page Table Maps/sec • HLT Instructions Cost
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • HLT Instructions/sec • Hypercalls Cost • Hypercalls/sec • IO Instructions Cost • IO Instructions/sec • IO Intercept Messages/sec • Large Page TLB Fills/sec • Local Flushed GVA Ranges/sec • Logical Processor Hypercalls/sec • Logical Processor Migrations/sec • Long Spin Wait Hypercalls/sec • MSR Accesses Cost • MSR Accesses/sec • MWAIT Instructions Cost • MWAIT Instructions/sec • Memory Intercept Messages/sec • Other Hypercalls/sec • Other Intercepts Cost • Other Intercepts/sec • Other Messages/sec • Page Fault Intercepts Cost • Page Fault Intercepts/sec • Page Invalidations Cost • Page Invalidations/sec • Page Table Allocations/sec • Page Table Evictions/sec • Page Table Reclamations/sec • Page Table Resets/sec • Page Table Validations/sec • Page Table Write Intercepts/sec • Pending Interrupts Cost • Pending Interrupts/sec • Reflected Guest Page Faults/sec • Small Page TLB Fills/sec • Synthetic Interrupt Hypercalls/sec • Synthetic Interrupts/sec • Total Intercepts Cost • Total Intercepts/sec • Total Messages/sec • Virtual Interrupt Hypercalls/sec • Virtual Interrupts/sec • Virtual MMU Hypercalls/sec • Virtual Processor Hypercalls/sec <p>Hyper-V Hypervisor Virtual Processor</p> <ul style="list-style-type: none"> • % Guest Run Time
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • % Hypervisor Run Time • % Total Run Time • APIC EOI Accesses/sec • APIC IPIs Sent/sec • APIC MMIO Accesses/sec • APIC Self IPIs Sent/sec • APIC TPR Accesses/sec • Address Domain Flushes/sec • Address Space Evictions/sec • Address Space Flushes/sec • Address Space Switches/sec • CPUID Instructions Cost • CPUID Instructions/sec • Control Register Accesses Cost • Control Register Accesses/sec • Debug Register Accesses Cost • Debug Register Accesses/sec • Emulated Instructions Cost • Emulated Instructions/sec • External Interrupts Cost • External Interrupts/sec • GPA Space Hypercalls/sec • Global GVA Range Flushes/sec • Guest Page Table Maps/sec • HLT Instructions Cost • HLT Instructions/sec • Hypercalls Cost • Hypercalls/sec • IO Instructions Cost • IO Instructions/sec • IO Intercept Messages/sec • Large Page TLB Fills/sec • Local Flushed GVA Ranges/sec • Logical Processor Hypercalls/sec • Logical Processor Migrations/sec • Long Spin Wait Hypercalls/sec • MSR Accesses Cost • MSR Accesses/sec • MWAIT Instructions Cost • MWAIT Instructions/sec • Memory Intercept Messages/sec • Other Hypercalls/sec • Other Intercepts Cost • Other Intercepts/sec • Other Messages/sec • Page Fault Intercepts Cost
--	--	--	---

			<ul style="list-style-type: none"> • Page Fault Intercepts/sec • Page Invalidation Cost • Page Invalidation/sec • Page Table Allocations/sec • Page Table Evictions/sec • Page Table Reclamations/sec • Page Table Resets/sec • Page Table Validations/sec • Page Table Write Intercepts/sec • Pending Interrupts Cost • Pending Interrupts/sec • Reflected Guest Page Faults/sec • Small Page TLB Fills/sec • Synthetic Interrupt Hypercalls/sec • Synthetic Interrupts/sec • Total Intercepts Cost • Total Intercepts/sec • Total Messages/sec • Virtual Interrupt Hypercalls/sec • Virtual Interrupts/sec • Virtual MMU Hypercalls/sec • Virtual Processor Hypercalls/sec <p>Hyper-V Task Manager Detail</p> <ul style="list-style-type: none"> • Add Resources Virtual Machine Tasks Completed • Add Resources Virtual Machine Tasks Recent Time • Add Resources Virtual Machine Tasks in Progress • Apply Snapshot Virtual Machine Tasks Completed • Apply Snapshot Virtual Machine Tasks Recent Time • Apply Snapshot Virtual Machine Tasks in Progress • Clone Virtual Machine Tasks Completed • Clone Virtual Machine Tasks Recent Time • Clone Virtual Machine Tasks in Progress • Create VSS Snapshot Set Tasks Completed • Create VSS Snapshot Set Tasks Recent Time • Create VSS Snapshot Set Tasks in Progress • Define Virtual Machine Tasks Completed • Define Virtual Machine Tasks Recent Time • Define Virtual Machine Tasks in Progress • Destroy Snapshot Virtual Machine Tasks Completed • Destroy Snapshot Virtual Machine Tasks Recent Time • Destroy Snapshot Virtual Machine Tasks in Progress • Destroy Virtual Machine Tasks Completed • Destroy Virtual Machine Tasks Recent Time • Destroy Virtual Machine Tasks in Progress
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Export Virtual Machine Tasks Completed • Export Virtual Machine Tasks Recent Time • Export Virtual Machine Tasks in Progress • Import Virtual Machine Tasks Completed • Import Virtual Machine Tasks Recent Time • Import Virtual Machine Tasks in Progress • Merge Disk Tasks Completed • Merge Disk Tasks Recent Time • Merge Disk Tasks in Progress • Migrate Virtual Machine Tasks Completed • Migrate Virtual Machine Tasks Recent Time • Migrate Virtual Machine Tasks in Progress • Modify Resources Virtual Machine Tasks Completed • Modify Resources Virtual Machine Tasks Recent Time • Modify Resources Virtual Machine Tasks in Progress • Modify Service Settings Tasks Completed • Modify Service Settings Tasks Recent Time • Modify Service Settings Tasks in Progress • Modify Virtual Machine Tasks Completed • Modify Virtual Machine Tasks Recent Time • Modify Virtual Machine Tasks in Progress • Pause Virtual Machine Tasks Completed • Pause Virtual Machine Tasks Recent Time • Pause Virtual Machine Tasks in Progress • Remove Resources Virtual Machine Tasks Completed • Remove Resources Virtual Machine Tasks Recent Time • Remove Resources Virtual Machine Tasks in Progress • Reset Virtual Machine Tasks Completed • Reset Virtual Machine Tasks Recent Time • Reset Virtual Machine Tasks in Progress • Restore Virtual Machine Tasks Completed • Restore Virtual Machine Tasks Recent Time • Restore Virtual Machine Tasks in Progress • Resume Virtual Machine Tasks Completed • Resume Virtual Machine Tasks Recent Time • Resume Virtual Machine Tasks in Progress • Save Virtual Machine Tasks Completed • Save Virtual Machine Tasks Recent Time • Save Virtual Machine Tasks in Progress • Shutdown Virtual Machine Tasks Completed • Shutdown Virtual Machine Tasks Recent Time • Shutdown Virtual Machine Tasks in Progress
--	--	--	---

			<ul style="list-style-type: none"> • Snapshot Virtual Machine Tasks Completed • Snapshot Virtual Machine Tasks Recent Time • Snapshot Virtual Machine Tasks in Progress • Start Virtual Machine Tasks Completed • Start Virtual Machine Tasks Recent Time • Start Virtual Machine Tasks in Progress • Waiting to Start Virtual Machine Tasks Completed • Waiting to Start Virtual Machine Tasks Recent Time • Waiting to Start Virtual Machine Tasks in Progress <p>Hyper-V VM Vid Numa Node</p> <ul style="list-style-type: none"> • PageCount • ProcessorCount <p>Hyper-V VM Vid Partition</p> <ul style="list-style-type: none"> • Physical Pages Allocated • Preferred NUMA Node Index • Remote Physical Pages <p>Hyper-V Virtual IDE Controller</p> <ul style="list-style-type: none"> • Read Bytes/sec • Read Sectors/sec • Write Bytes/sec • Written Sectors/sec <p>Hyper-V Virtual Machine Bus</p> <ul style="list-style-type: none"> • Interrupts Received • Interrupts Sent • Throttle Events <p>Hyper-V Virtual Machine Health Summary</p> <ul style="list-style-type: none"> • Health Critical • Health Ok <p>Hyper-V Virtual Machine Summary</p> <ul style="list-style-type: none"> • Applying Snapshot • Deleting • Deleting Saved State • Deleting Snapshot • Exporting • Merging Disks • Paused • Pausing • Resetting • Resuming • Running
--	--	--	--

			<ul style="list-style-type: none"> • Saved • Saving • Starting • Stopping • Taking Snapshot • Turned Off • Waiting to Start <p>Hyper-V Virtual Network Adapter</p> <ul style="list-style-type: none"> • Broadcast Packets Received/sec • Broadcast Packets Sent/sec • Bytes Received/sec • Bytes Sent/sec • Bytes/sec • Directed Packets Received/sec • Directed Packets Sent/sec • Multicast Packets Received/sec • Multicast Packets Sent/sec • Packets Received/sec • Packets Sent/sec • Packets/sec <p>Hyper-V Virtual Storage Device</p> <ul style="list-style-type: none"> • Error Count • Flush Count • Read Bytes/sec • Read Count • Write Bytes/sec • Write Count <p>Hyper-V Virtual Switch</p> <ul style="list-style-type: none"> • Broadcast Packets Received/sec • Broadcast Packets Sent/sec • Bytes Received/sec • Bytes Sent/sec • Bytes/sec • Directed Packets Received/sec • Directed Packets Sent/sec • Learned Mac Addresses • Learned Mac Addresses/sec • Multicast Packets Received/sec • Multicast Packets Sent/sec • Packets Flooded • Packets Flooded/sec • Packets Received/sec • Packets Sent/sec
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Packets/sec • Purged Mac Addresses • Purged Mac Addresses/sec <p>Hyper-V Virtual Switch Port</p> <ul style="list-style-type: none"> • Broadcast Packets Received/sec • Broadcast Packets Sent/sec • Bytes Received/sec • Bytes Sent/sec • Bytes/sec • Directed Packets Received/sec • Directed Packets Sent/sec • Multicast Packets Received/sec • Multicast Packets Sent/sec • Packets Received/sec • Packets Sent/sec • Packets/sec • Broadcast Packets Received/sec • Broadcast Packets Sent/sec • Bytes Received/sec • Bytes Sent/sec • Bytes/sec • Directed Packets Received/sec • Directed Packets Sent/sec • Multicast Packets Received/sec • Multicast Packets Sent/sec • Packets Received/sec • Packets Sent/sec • Packets/sec • Broadcast Packets Received/sec • Broadcast Packets Sent/sec • Bytes Received/sec • Bytes Sent/sec • Bytes/sec • Directed Packets Received/sec • Directed Packets Sent/sec • Multicast Packets Received/sec • Multicast Packets Sent/sec • Packets Received/sec • Packets Sent/sec • Packets/sec
<p>WebLogic Server <i>(These metrics vary depending on what application is installed. Metrics listed are</i></p>	5.x	All	<ul style="list-style-type: none"> • CPIndex • CPType • HeapUsedPct • JDBCCurrentInUse • JDBCCurrentPoolSize • JDBCHighaterWait • JDBCHighwaterConnect

HP SiteScope Monitors and Metrics

<p><i>examples but not comprehensive).</i></p>			<ul style="list-style-type: none"> • JDBCInitCapacity • JDBCMaxCapacity • JBDBTotalConn • ListenAdminOK • ListenPort • ListenState • LoginEnabled • MaxHEapSpace • NumEJBBeansDeployed • NumEJBDeployment • QueueLength • QueueThroughput • ServerState
<p>WebLogic Server <i>(These metrics vary depending on what application is installed. Metrics listed are examples but not comprehensive).</i></p>	<p>6.x, 7.x</p>	<p>All</p>	<p>Log Broadcaster Runtime</p> <ul style="list-style-type: none"> • MessagesLogged <p>Server Runtime</p> <ul style="list-style-type: none"> • ConnectionPoolCurrentCount • ConnectionPoolsTotalCount • Connector Service Runtime • Execute Queue Runtime • ExecuteThreadCurrentIdleCount • PendingRequestCurrentCount • PendingRequestOldestTime • ServicedRequestTotalCount <p>JMS Runtime</p> <ul style="list-style-type: none"> • ConnectionsCurrentCount • JMSServersCurrentCount • JMSServersHighCount • JMSServersTotalCount • ConnectionsHighCount • ConnectionsTotalCount <p>JTA Runtime</p> <ul style="list-style-type: none"> • SecondsActiveTotalCount • TransactionRolledBackTotalCount • TransactionHeuristicsTotalCount • TransactionRolledBackSystemTotalCount • TransactionRolledBackAppTotalCount • TransactionAbandonedTotalCount • TransactionTotalCount • TransactionRolledBackTimeoutTotalCount • ActiveTransactionsTotalCount • TransactionCommittedTotalCount • TransactionRolledBackResourceTotalCount <p>JVM Runtime</p> <ul style="list-style-type: none"> • HeapFreeCurrent • HeapSizeCurrent <p>Time Service Runtime:Time Event Generator</p> <ul style="list-style-type: none"> • ExceptionCount

			<ul style="list-style-type: none"> • ExecutionsPerMinute • ExecutionCount • ScheduledTriggerCount <p>WLEC Connection Service Runtime</p> <ul style="list-style-type: none"> • ConnectionPoolCount <p>Web App Component Runtime</p> <ul style="list-style-type: none"> • Activation Time • Admin Server Listen Port • Listen Port • Open Sessions Current Count • Open Sessions HighCount • Open Sockets Current Count • Restarts Total Count • Sessions Opened Total Count • Sockets Opened Total Count <p>Servlet Runtime (includes ability to monitor JSPs, classes, HTTP client information, etc.)</p> <ul style="list-style-type: none"> • PoolMaxCapacity • ExecutionTimeLow • ReloadTotalCount • ExecutionTimeHigh • ExecutionTimeTotal • InvocationTotalCount • ExecutionTimeAverage <p>Server Security Runtime</p> <ul style="list-style-type: none"> • InvalidLoginAttemptsTotalCount • InvalidLoginUsersHighCount • LockedUsersCurrentCount • LoginAttemptsWhileLockedTotalCount • UnlockedUsersTotalCount • UserLockoutTotalCount
<p>Tuxedo</p>	<p>6.5, 7.1, 8.0, 8.1, 9.0, 9.1</p>	<p>Windows</p>	<p>Server</p> <ul style="list-style-type: none"> • Requests per second • Workload per second <p>Machine</p> <ul style="list-style-type: none"> • Workload completed per second • Workload initiated per second <p>Queue</p> <ul style="list-style-type: none"> • Bytes on queue • Messages on queue <p>Workstation Handler (WSH)</p> <ul style="list-style-type: none"> • Bytes received per second • Bytes sent per second • Messages received per second • Messages sent per second • Number of queue blocks per second

HP SiteScope Monitors and Metrics

<p>Citrix XenApp / Presentation Server</p>	<p>1.0-4.5, XenApp 4.6, 5.0, 6.0</p>	<p>Windows</p>	<ul style="list-style-type: none"> • Terminal Services <ul style="list-style-type: none"> ○ Total Sessions ○ Active Sessions ○ Inactive Sessions • Terminal Services Session <ul style="list-style-type: none"> ○ Console <ul style="list-style-type: none"> • % Processor Time • % User Time • % Privileged Time • Virtual Bytes Peak • Virtual Bytes • Page Faults/sec • Working Set Peak • Working Set • Page File Bytes Peak • Page File Bytes • Private Bytes • Thread Count • Pool Paged Bytes • Pool Nonpaged Bytes • Handle Count • InputWdBytes • Input WdFrames • Input WaitForOutBuf • Input Frames • Input Bytes • Input Compressed Bytes • Input Compress Flushes • Input Errors • Input Timeouts • Input Async Frame Error • Input Async Overrun • Input Async Overflow • Input Async Parity Error • Input Transport Errors • Output WdBytes • OutputWdFrames • Output WaitForOutBuf • Output Frames • Output Bytes • Output Compressed Bytes • Output Compress Flushes • Output Errors • Output Timeouts • Output Async Frame Error • Output Async Overrun • Output Async Overflow • Output Async Parity Error • Output Transport Errors • Total WdBytes • Total WdFrames • Total WaitForOutBuf
---	--------------------------------------	----------------	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• Total Frames• Total Bytes• Total Compressed Bytes• Total Compress Flushes• Total Errors• Total Timeouts• Total Async Frame Error• Total Async Overrun• Total Async Overflow• Total Async Parity Error• Total Transport Errors• Total Protocol Cache Reads• Total Protocol Cache Hits• Total Protocol Cache Hit Ratio• Protocol Bitmap Cache Reads• Protocol Bitmap Cache Hits• Protocol Bitmap Cache Hit Ratio• Protocol Glyph Cache Reads• Protocol Glyph Cache Hits• Protocol Glyph Cache Hit Ratio• Protocol Brush Cache Reads• Protocol Brush Cache Hits• Protocol Brush Cache Hit Ratio• Protocol Save Screen Bitmap Cache Reads• Protocol Save Screen Bitmap Cache Hits• Protocol Save Screen Cache Hit Ratio• Input Compression Ratio• Output Compression Ratio• Total Compression Ratio
--	--	--	---

HP SiteScope Monitors and Metrics

<p>WebSphere Application Server <i>(These metrics vary depending on what application is installed. Metrics listed are examples but not comprehensive).</i></p>	<p>5.x, 6.0x, 6.1x, 7.0x, 8.0x</p>	<p>Windows, Unix and z/OS</p>	<p>EJBs</p> <p>Methods</p> <ul style="list-style-type: none"> • Mean • methodCalls • methodRt (Statistical) • Num • Sum of Squares • Total <p>Concurrent Actives (Load)</p> <ul style="list-style-type: none"> • Current Value • Integral • Mean • Time Since Create <p>Concurrent Lives (Load)</p> <ul style="list-style-type: none"> • Current Value • Integral • Mean • Time Since Create <p>Active Methods (Load)</p> <ul style="list-style-type: none"> • Current Value • Integral • Mean • Time Since Create <p>Pool Size (Load)</p> <ul style="list-style-type: none"> • Current Value • Integral • Mean • Time Since Create <p>Avg Method Rt (Statistical)</p> <ul style="list-style-type: none"> • Mean • Num • Sum of Squares • Total <p>Avg Create Time (Statistical)</p> <ul style="list-style-type: none"> • Mean • Num • Sum of Squares • Total <p>Avg Remove Time (Statistical)</p> <ul style="list-style-type: none"> • Mean • Num • Sum of Squares • Total <p>Avg Drain Size (Statistical)</p> <ul style="list-style-type: none"> • activates • creates
--	------------------------------------	-------------------------------	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• destroys• drainsFromPool• getsFound• getsFromPool• instantiates• loads• Mean• Num• passivates• removes• returnsDiscarded• returnsToPool• stores• Sum of Squares• Total• totalMethodCalls <p>Connection Pools</p> <ul style="list-style-type: none">• Faults• Num Allocates• Num Creates• Num Destroys• Num Returns• Prep Stmt Cache Discards <p>Pool Size (Load)</p> <ul style="list-style-type: none">• Mean• Time Since Create• Integral• Current Value <p>Concurrent Waiters (Load)</p> <ul style="list-style-type: none">• Mean• Time Since Create• Integral• Current Value <p>Percent Used (Load)</p> <ul style="list-style-type: none">• Mean• Time Since Create• Integral• Current Value <p>Percent Maxed (Load)</p> <ul style="list-style-type: none">• Mean• Time Since Create• Integral• Current Value <p>Avg Wait Time (Statistical)</p> <ul style="list-style-type: none">• Mean• Num• Sum of Squares
--	--	--	--

			<ul style="list-style-type: none"> • Total <p>JVM Runtime</p> <ul style="list-style-type: none"> • freeMemory • totalMemory • usedMemory <p>Servlet Sessions</p> <ul style="list-style-type: none"> • Created Sessions • Invalidated Sessions <p>Active Sessions (Load)</p> <ul style="list-style-type: none"> • Mean • Time Since Create • Integral • Current Value <p>Live Sessions (Load)</p> <ul style="list-style-type: none"> • Mean • Time Since Create • Integral • Current Value <p>Session Life Time (Statistical)</p> <ul style="list-style-type: none"> • Mean • Num • Sum of Squares • Total <p>Thread Pools</p> <ul style="list-style-type: none"> • Thread Creates • Thread Destroys <p>Active Threads (Load)</p> <ul style="list-style-type: none"> • Mean • Time Since Create • Integral • Current Value <p>Pool Size (Load)</p> <ul style="list-style-type: none"> • Mean • Time Since Create • Integral • Current Value <p>Percent Maxed (Load)</p> <ul style="list-style-type: none"> • Mean • Time Since Create • Integral • Current Value <p>Transaction Module</p> <ul style="list-style-type: none"> • Global Trans Begun • Global Trans Involved
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• Local Trans Begun• Num Optimization• Global Trans Committed• Local Trans Committed• Global Trans Rolled Back• Local Trans Rolled Back• Global Trans Timeout• Local Trans Timeout <p>Active Global Trans (Load)</p> <ul style="list-style-type: none">• Mean• Time Since Create• Integral• Current Value <p>Active Local Trans (Load)</p> <ul style="list-style-type: none">• Mean• Time Since Create• Integral• Current Value <p>Global Tran Duration (Statistical)</p> <ul style="list-style-type: none">• Mean• Num• Sum of Squares• Total <p>Local Tran Duration (Statistical)</p> <ul style="list-style-type: none">• Mean• Num• Sum of Squares• Total <p>Global Before Completion Duration (Statistical)</p> <ul style="list-style-type: none">• Mean• Num• Sum of Squares• Total <p>Global Prepare Duration (Statistical)</p> <ul style="list-style-type: none">• Mean• Num• Sum of Squares• Total <p>Global Commit Duration (Statistical)</p> <ul style="list-style-type: none">• Mean• Num• Sum of Squares• Total <p>Local Before Completion Duration (Statistical)</p> <ul style="list-style-type: none">• Mean• Num
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Sum of Squares • Total <p>Local Commit Duration (Statistical)</p> <ul style="list-style-type: none"> • Mean • Num • Sum of Squares • Total <p>Web App</p> <p>Servlets</p> <ul style="list-style-type: none"> • Total Requests • Num Errors • Num Loaded Servlets • Num Reloads <p>Concurrent Requests (Load)</p> <ul style="list-style-type: none"> • Mean • Time Since Create • Integral • Current Value <p>Response Time (Statistical)</p> <ul style="list-style-type: none"> • Mean • Num • Sum of Squares • Total <p>InvokerServlet</p> <ul style="list-style-type: none"> • concurrentRequests (Load) • Current Value • Integral • Mean • Mean • Num • numErrors • responseTime (Statistical) • Sum of Squares • Time Since Create • Total • totalRequests <p>JSP_1.1_Processor</p> <ul style="list-style-type: none"> • concurrentRequests (Load) • Current Value • Integral • Mean • Mean • Num • numErrors • responseTime (Statistical) • Sum of Squares • Time Since Create
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Total • totalRequests
<p>WebSphere MQ (see installation notes at the bottom of the right column)</p>	<p>5.2, 5.3, 5.3.1, 6.0, 7.0, 7.0.1, 7.0.1.3</p>	<p>All</p>	<p>Queues</p> <ul style="list-style-type: none"> • Current Queue Depth • Queue Open Input Count • Queue Open Output Count • Event: Queue Depth High • Event: Queue Depth Low • Event: Queue Full • Event: Queue Service Interval High • Event: Queue Service Interval Ok <p>Channels</p> <ul style="list-style-type: none"> • Channel Bytes Received • Channel Bytes Sent • Channel Status • Channel Time Between Sends • No. of Channel Buffers Sent • No. of Channel Buffers Received • No. of Channel Messages Transferred • Event: Channel Activated • Event: Channel Not Activated • Event: Channel Started • Event: Channel Stopped • Event: Channel Stopped by User <p>** This monitor requires IBM MQ SupportPacs to be downloaded from the IBM Web site and installed on the same machine where the SiteScope server is running:</p> <p>MQC7: WebSphere MQ 7.0 V7.0 Clients (when monitoring using WebSphere MQ 7.0 libraries). Click here to go to the IBM Web site for this support package.</p> <ul style="list-style-type: none"> • com.ibm.mq.commonservices.jar • com.ibm.mq.headers.jar • com.ibm.mq.jar • com.ibm.mq.jmqi.jar • connector.jar <p>MS0B: WebSphere MQ Java classes for PCF. Click here to go to the IBM Web site for this support package.</p> <ul style="list-style-type: none"> • com.ibm.mq.jar • connector.jar • For PCF(depends on WebSphere MQ version): <ul style="list-style-type: none"> ○ com.ibm.mq.pcf.jar – for versions below 6.x ○ pcf.jar - for WebSphere MQ 6.x and above <p>** This monitor also requires an optional license key that must be entered in the “Option Licenses” box on the SiteScope “General Preferences” page.</p>

HP SiteScope Monitors and Metrics

<p>JMX <i>(These metrics vary depending on what application is monitored).</i></p>	<p>Any JSR-160 (remote JMX) compliant application should work:</p> <p>WebLogic 9.x, 10.0, 10.3, 11g (10.3.1-10.3.5) Apache Tomcat 5.0, 5.5, 6.0 Oracle 10.1.3gAS JBoss 4.0.3, 4.2, 5.0, 5.1, 6.0 Sun Glassfish Enterprise Server 2.1 and 3.1</p>	<p>Any OS that supports an application with JSR-160 compliance.</p>	<p>Metrics vary by target application.</p>
<p>Oracle 9i Application Server <i>(These metrics vary depending on what application is installed. Metrics listed are examples but not comprehensive).</i></p>	<p>9iAS</p>	<p>All</p>	<p>Interface: HTTP</p> <ul style="list-style-type: none"> • Active Sessions(max) • Active Sessions(now) • Apology Pages Served(Network Error - number this second) • Apology Pages Served(Network Error - total) • Apology Pages Served(Site Busy - number this second) • Apology Pages Served(Site Busy - total) • Application Web Server Backlog(max) • Application Web Server Backlog(now) • Completed Requests(avg/sec) • Completed Requests(max/sec) • Completed Requests(number/sec) • Completed Requests(total) • Latency(avg since start) • Latency(avg this interval) • Load(max) • Load(now) • Up/Down Time(up/down)
<p>Oracle 10g Application Server</p>	<p>10g, 10g R3</p>	<p>All</p>	<p>Oracle HTTP Server Metrics</p> <ul style="list-style-type: none"> • connection.active • connection.avg • connection.maxTime • connection.minTime • connection.time • handle.active • handle.avg • handle.maxTime • handle.minTime • handle.time • request.active • request.avg • request.completed • request.maxTime • request.minTime

			<ul style="list-style-type: none"> • request.time <p>JVM Metrics</p> <ul style="list-style-type: none"> • activeThreadGroups.value • activeThreadGroups.minValue • activeThreadGroups.maxValue • activeThreads.value • activeThreads.minValue • activeThreads.maxValue • upTime.value • freeMemory.value • freeMemory.minValue • freeMemory.maxValue • totalMemory.value • totalMemory.minValue • totalMemory.maxValue <p>JDBC Metrics</p> <ul style="list-style-type: none"> • ConnectionCloseCount.count • ConnectionCreate.active • ConnectionCreate.avg • ConnectionCreate.completed • ConnectionCreate.maxTime • ConnectionCreate.minTime • ConnectionCreate.time • ConnectionOpenCount.count <p>OC4J Metrics</p> <p>Web Module</p> <ul style="list-style-type: none"> • parseRequest.active • parseRequest.avg • parseRequest.completed • parseRequest.maxActive • parseRequest.maxTime • parseRequest.minTime • parseRequest.time • processRequest.active • processRequest.avg • processRequest.completed • processRequest.maxActive • processRequest.maxTime • processRequest.minTime • processRequest.time • resolveContext.active • resolveContext.avg • resolveContext.completed • resolveContext.maxActive • resolveContext.maxTime • resolveContext.minTime • resolveContext.time <p>Web Context</p> <ul style="list-style-type: none"> • resolveServlet.time
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • resolveServlet.completed • resolveServlet.minTime • resolveServlet.maxTime • resolveServlet.avg • sessionActivation.active • sessionActivation.time • sessionActivation.completed • sessionActivation.minTime • sessionActivation.maxTime • sessionActivation.avg • service.time • service.completed • service.minTime • service.maxTime • service.avg • service.active <p>Servlet</p> <ul style="list-style-type: none"> • service.active • service.avg • service.completed • service.maxActive • service.maxTime • service.minTime • service.time <p>JSP Runtime</p> <ul style="list-style-type: none"> • processRequest.time • processRequest.completed • processRequest.minTime • processRequest.maxTime • processRequest.avg • processRequest.active <p>JSP Name</p> <ul style="list-style-type: none"> • activeInstances.value • availableInstances.value • service.active • service.avg • service.completed • service.maxTime • service.minTime • service.time <p>Session Bean</p> <ul style="list-style-type: none"> • session-type.value • transaction-type.value <p>EJB Bean</p> <ul style="list-style-type: none"> • transaction-type.value • session-type.value • bean-type.value • exclusive-write-access.value
--	--	--	--

			<ul style="list-style-type: none"> • isolation.value • persistence-type.value <p>EJB Method</p> <ul style="list-style-type: none"> • client.active • client.avg • client.completed • client.maxActive • client.maxTime • client.minTime • client.time •.ejbPostCreate.active •.ejbPostCreate.avg •.ejbPostCreate.completed •.ejbPostCreate.maxTime •.ejbPostCreate.minTime •.ejbPostCreate.time • trans-attribute.value • wrapper.active • wrapper.avg • wrapper.completed • wrapper.maxActive • wrapper.maxTime • wrapper.minTime • wrapper.time <p>OPMN Info</p> <ul style="list-style-type: none"> • default_application_log.value • ias_cluster.value • ias_instance.value • jms_log.value • oc4j_instance.value • oc4j_island.value • opmn_group.value • opmn_sequence.value • rmi_log.value • server_log.value <p>JMS</p> <ul style="list-style-type: none"> • JMSStats • JMSRequestHandlerStats • JMSConnectionStats • JMSSessionStats • JMSMessageProducerStats • JMSMessageBrowserStats • JMSMessageConsumerStats • JMSDurableSubscriberStats • JMSDestinationStats • JMSTemporaryDestinationStats • JMSStoreStats • JMSPersistenceStats <p>JMS Stats Metric</p>
--	--	--	--

			<ul style="list-style-type: none"> • address.value • connections.count • host.value • oc4j.jms.computeMsgsize.value • oc4j.jms.debug.value • oc4j.jms.doGc.value • oc4j.jms.expirationInterval • oc4j.jms.forceRecovery.value • oc4j.jms.intraSession.value • oc4j.jms.j2ee14.value • oc4j.jms.lazySync.value • oc4j.jms.listenerAttempts. • oc4j.jms.maxOpenFiles.value • oc4j.jms.messagePoll.value • oc4j.jms.noDms.value • oc4j.jms.pagingThreshold. • oc4j.jms.saveAllExpired.val • oc4j.jms.serverPoll.value • oc4j.jms.socketBufsize.val • oc4j.jms.usePersistence.val • oc4j.jms.useSockets.value • oc4j.jms.useUUID.value • port.value • requestHandlers.count • startTime.value • taskManagerInterval.value • method-name <p>JMS Request Handler Stats</p> <ul style="list-style-type: none"> • address.value • connectionID.value • host.value • port.value • startTime.value <p>JMS Connection Stats</p> <ul style="list-style-type: none"> • address.value • clientID.value • domain.value • exceptionListener.value • host.value • isLocal.value • isXA.value • port.value • startTime.value • user.value • method-name <p>JMS Session Stats</p> <ul style="list-style-type: none"> • acknowledgeMode.value • domain.value • isXA.value • sessionListener.value
--	--	--	--

			<ul style="list-style-type: none"> • startTime.value • transacted.value • txid.value • xid.value • method-name <p>JMS Message Producer Stats</p> <ul style="list-style-type: none"> • deliveryMode.value • destination.value • disableMessageID.value • disableMessageTimestamp.value • domain.value • priority.value • startTime.value • timeToLive.value • method-name <p>JMS Message Browser Stats</p> <ul style="list-style-type: none"> • destination.value • selector.value • startTime.value • method-name <p>JMS Message Consumer Stats</p> <ul style="list-style-type: none"> • destination.value • domain.value • messageListener.value • name.value • noLocal.value • selector.value • startTime.value • method-name <p>JMS Durable Subscription Stats</p> <ul style="list-style-type: none"> • clientID.value • destination.value • isActive.value • name.value • noLocal.value • selector.value <p>JMS Destination Stats</p> <ul style="list-style-type: none"> • domain.value • name.value • locations.value • method-name <p>JMS Temporary Destination Stats</p> <ul style="list-style-type: none"> • connectionID.value • domain.value • method-name <p>JMS Store Stats</p>
--	--	--	--

			<ul style="list-style-type: none"> • destination.value • messageCount.value • messageDequeued.count • messageDiscarded.count • messageEnqueued.count • messageExpired.count • messagePagedIn.count • messagePagedOut.count • messageRecovered.count • pendingMessageCount.value • storeSize.value • method-name <p>JMS Persistence Stats</p> <ul style="list-style-type: none"> • destination.value • holePageCount.value • isOpen.value • lastUsed.value • persistenceFile.value • usedPageCount.value • method-name <p>Taskmanager</p> <ul style="list-style-type: none"> • interval.value • run().active • run().avg • run().completed • run().maxActive • run().maxTime • run().minTime • run().time <p>mod_plsql Metrics</p> <p>Session Cache</p> <ul style="list-style-type: none"> • cacheStatus.value • newMisses.count • staleMisses.count • hits.count • requests.count <p>Content Cache</p> <ul style="list-style-type: none"> • cacheStatus.value • newMisses.count • staleMisses.count • hits.count • requests.count <p>SQLExceptionGroups</p> <ul style="list-style-type: none"> • lastErrorDate.value • lastErrorRequest.value • lastErrorText.value • error.count
--	--	--	---

			<p>LastNSQLErrors</p> <ul style="list-style-type: none"> • errorDate.value • errorRequest.value • errorText.value <p>NonSSOConnectionPool</p> <ul style="list-style-type: none"> • connFetch.maxTime • connFetch.minTime • connFetch.avg • connFetch.active • connFetch.time • connFetch.completed • newMisses.count • staleMisses.count • hits.count <p>RequestOwnerConnectionPool</p> <ul style="list-style-type: none"> • connFetch.maxTime • connFetch.minTime • connFetch.avg • connFetch.active • connFetch.time • connFetch.completed • newMisses.count • staleMisses.count • hits.count <p>SuperUserConnectionPool</p> <ul style="list-style-type: none"> • connFetch.maxTime • connFetch.minTime • connFetch.avg • connFetch.active • connFetch.time • connFetch.completed • newMisses.count • staleMisses.count • hits.count <p>Portal Metrics</p> <p>Witness/PageEngine</p> <ul style="list-style-type: none"> • pageRequests.value • cacheEnabled.value • cachePageHits.value • cachePageRequests.value • pageMetadataWaitTimeAvg.value • pageMetadataWaitTimeAvg.count • pageMetadataWaitTime.value • pageMetadataWaitTime.count • pageMetadataWaitTime.minValue
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • pageMetadataWaitTime.maxValue • pageElapsedTimeAvg.value • pageElapsedTimeAvg.count • pageElapsedTime.value • pageElapsedTime.count • pageElapsedTime.minValue • pageElapsedTime.maxValue • pageMetadataFetchTimeAvg.value • pageMetadataFetchTimeAvg.count • pageMetadataFetchTime.value • pageMetadataFetchTime.count • pageMetadataFetchTime.minValue • pageMetadataFetchTime.maxValue • queueTimeout.value • queueStayAvg.value • queueStayAvg.count • queueStay.value • queueStay.count • queueStay.minValue • queueStay.maxValue • queueLengthAvg.value • queueLengthAvg.count • queueLength.value • queueLength.count • queueLength.minValue • queueLength.maxValue <p>Witness/PageUrl</p> <ul style="list-style-type: none"> • lastResponseDate.value • lastResponseCode.value • cacheHits.value • httpXXX.value • executeTime.maxTime • executeTime.minTime • executeTime.avg • executeTime.active • executeTime.time • connFetch.completed <p>WitnessLoginUrl</p> <ul style="list-style-type: none"> • lastResponseDate.value • lastResponseCode.value • cacheHits.value • httpXXX.value • executeTime.maxTime • executeTime.minTime • executeTime.avg • executeTime.active • executeTime.time • connFetch.completed <p>WitnessVersionUrl</p> <ul style="list-style-type: none"> • lastResponseDate.value
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • lastResponseCode.value • cacheHits.value • httpXXX.value • executeTime.maxTime • executeTime.minTime • executeTime.avg • executeTime.active • executeTime.time • connFetch.completed <p>WitnessXSLUrl</p> <ul style="list-style-type: none"> • lastResponseDate.value • lastResponseCode.value • cacheHits.value • httpXXX.value • executeTime.maxTime • executeTime.minTime • executeTime.avg • executeTime.active • executeTime.time • connFetch.completed <p>WitnessPlsqlDad-provider</p> <ul style="list-style-type: none"> • cacheHits.value • offline.value • httpXXX.value • executeTime.maxTime • executeTime.minTime • executeTime.avg • executeTime.active • executeTime.time • connFetch.completed <p>WitnessPlsqlDad-providerPortlet</p> <ul style="list-style-type: none"> • lastResponseDate.value • lastResponseCode.value • cacheHits.value • httpXXX.value • executeTime.maxTime • executeTime.minTime • executeTime.avg • executeTime.active • executeTime.time • connFetch.completed <p>WitnessWebDad-provider</p> <ul style="list-style-type: none"> • cacheHits.value • offline.value • httpXXX.value • executeTime.maxTime • executeTime.minTime • executeTime.avg • executeTime.active
--	--	--	---

			<ul style="list-style-type: none"> • executeTime.time • connFetch.completed <p>WitnessWebDad-providerPorlet</p> <ul style="list-style-type: none"> • lastResponseDate.value • lastResponseCode.value • cacheHits.value • httpXXX.value • executeTime.maxTime • executeTime.minTime • executeTime.avg • executeTime.active • executeTime.time • connFetch.completed <p>JServ Metrics</p> <p>Overall Jserv</p> <ul style="list-style-type: none"> • port.value • readRequest.active • readRequest.avg • readRequest.maxTime • readRequest.minTime • readRequest.completed • readRequest.time • maxConnections.value • activeConnections.maxValue • activeConnections.value • idlePeriod.maxTime • idlePeriod.minTime • idlePeriod.completed • idlePeriod.time • host.value • maxBacklog.value <p>Jserv Zone</p> <ul style="list-style-type: none"> • checkReload.active • checkReload.avg • checkReload.maxTime • checkReload.minTime • checkReload.completed • checkReload.time • activeSessions.value • readSession.count • writeSession.count • loadFailed.count <p>Jserv Servlet</p> <ul style="list-style-type: none"> • processRequest.active • processRequest.avg • processRequest.maxTime • processRequest.minTime • processRequest.completed
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • processRequest.time • serviceRequest.active • serviceRequest.avg • serviceRequest.maxTime • serviceRequest.minTime • serviceRequest.completed • serviceRequest.time • loadServlet.avg • loadServlet.maxTime • loadServlet.minTime • loadServlet.completed • loadServlet.time • loadServletClasses.active • loadServletClasses.avg • loadServletClasses.maxTime • loadServletClasses.minTime • loadServletClasses.completed • loadServletClasses.time • loadServlet.avg • createSession.active • createSession.avg • createSession.maxTime • createSession.minTime • createSession.completed • createSession.time • maxSTMInstances.value • activeSTMInstances.maxValue • activeSTMInstances.value <p>Jserv JSP</p> <ul style="list-style-type: none"> • processRequest.active • processRequest.avg • processRequest.maxTime • processRequest.minTime • processRequest.completed • processRequest.time • serviceRequest.active • serviceRequest.avg • serviceRequest.maxTime • serviceRequest.minTime • serviceRequest.completed • serviceRequest.time • loadServlet.avg • loadServlet.maxTime • loadServlet.minTime • loadServlet.completed • loadServlet.time • loadServletClasses.active • loadServletClasses.avg • loadServletClasses.maxTime • loadServletClasses.minTime • loadServletClasses.completed • loadServletClasses.time
--	--	--	--

			<ul style="list-style-type: none"> • loadServlet.avg • createSession.active • createSession.avg • createSession.maxTime • createSession.minTime • createSession.completed • createSession.time • maxSTMInstances.value • activeSTMInstances.maxValue • activeSTMInstances.value <p>Oracle Process Manager/Notification Server Metrics</p> <p>OPMN_PM Metrics</p> <ul style="list-style-type: none"> • jobWorkerQueue.value • lReq.count • procDeath.count • procDeathReplace.count • reqFail.count • reqPartialSucc.count • reqSucc.count • rReq.count • workerThread.value <p>OPMN_HOST_STATISTICS Metrics</p> <ul style="list-style-type: none"> • cpuidle.value • freePhysicalMem.value • numProcessors.value • timestamp.value • totalPhysicalMem.value <p>OPMN_IAS_INSTANCE Metrics</p> <ul style="list-style-type: none"> • iasCluster.value <p>OPMN_PROCESS_TYPE Metrics</p> <ul style="list-style-type: none"> • moduleId.value <p>OPMN_PROCESS_SET Metrics</p> <ul style="list-style-type: none"> • numProcConf.value • reqFail.count • reqPartialSucc.count • reqSucc.count • restartOnDeath.value <p>OPMN_PROCESS Metrics</p> <ul style="list-style-type: none"> • cpuTime.value • heapSize.value • iasCluster.value • iasInstance.value • indexInSet.value • memoryUsed.value • pid.value • privateMemory.value
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• sharedMemory.value• startTime.value• status.value• type.value• uid.value• upTime.value <p>OPMN_CONNECT Metrics</p> <ul style="list-style-type: none">• desc.value• host.value• port.value <p>OPMN_ONS Metrics</p> <ul style="list-style-type: none">• notifProcessed.value• notifProcessQueue.value• notifReceived.value• notifReceiveQueue.value• workerThread.value <p>OPMN_ONS_LOCAL_PORT Metrics</p> <ul style="list-style-type: none">• desc.value• host.value• port.value <p>OPMN_ONS_REMOTE_PORT Metrics</p> <ul style="list-style-type: none">• desc.value• host.value• port.value <p>OPMN_ONS_REQUEST_PORT Metrics</p> <ul style="list-style-type: none">• desc.value• host.value• port.value
--	--	--	---

HP SiteScope Monitors and Metrics

<p>VMware Performance</p>	<p>VMware VirtualCenter 2.x</p> <p>VMware ESX 3.x, 4.0, 4.1</p> <p>VMware ESX 2.5 via VirtualCenter 2.x</p> <p>VMware ESX 3.x via VirtualCenter 3.x</p> <p>VMware vCenter Server 4.0, 4.1, 5.0</p> <p>VMware ESXi 3.5, 4.0, 5.0</p>	<p>Virtual Center - Microsoft Windows 2000, Microsoft Windows XP Professional, and Microsoft Windows Server 2003, Microsoft Windows Server 2008 ESX server – own OS</p>	<p>CPU Usage (Group: cpu)</p> <ul style="list-style-type: none"> • usage • usagemhz • system • wait • ready • extra • used • guaranteed • reservedCapacity <p>CPU Utilization for Resources (Group: rescpu)</p> <ul style="list-style-type: none"> • actav1 • actav5 • actav15 • actpk1 • actpk5 • actpk15 • runav1 • runav5 • runav15 • runpk1 • runpk5 • runpk15 • maxLimited1 • maxLimited5 • maxLimited15 • sampleCount • samplePeriod <p>Memory Performance (Group: mem)</p> <ul style="list-style-type: none"> • usage • vmmemctl • active • granted • shared • zero • unreserved • swapunreserved • swapused • sharedcommon • heap • heapfree • state • swapped • swaptarget • swapin • swapout • vmmemctltarget • consumed • overhead • reservedCapacity <p>Network Performance (Group: net)</p> <ul style="list-style-type: none"> • usage • transmitted
----------------------------------	---	---	--

			<ul style="list-style-type: none"> • received • packetRx • packetTx <p>Disk Performance (Group: disk)</p> <ul style="list-style-type: none"> • usage • read • write • numberRead • numberWrite <p>System Performance (Group: sys)</p> <ul style="list-style-type: none"> • uptime • resourceCpuUsage • heartbeat <p>Cluster Services Metrics (Group: clusterServices)</p> <ul style="list-style-type: none"> • cpufairness • memfairness • effectivecpu • effectivemem • failover <p>Resource Pools State Metrics (Group: Resource Pools /state)</p> <ul style="list-style-type: none"> • name • config.memoryAllocation.reservation • config.memoryAllocation.limit • config.cpuAllocation.reservation • config.cpuAllocation.limit • config.cpuAllocation.shares.shares <p>Host State Metrics (Group: Host System/state)</p> <ul style="list-style-type: none"> • runtime.connectionState • runtime.in runtime.inMaintenanceMode • summary.config.product.fullName • hardware.systemInfo.model • hardware.memorySize • summary.hardware.numCpuCores • summary.hardware.cpuMhz • hardware.cpuPkg.description • config.network.pnic.linkSpeed.speedMb • systemResources.config.cpuAllocation.reservation • systemResources.config.cpuAllocation.limit • systemResources.config.cpuAllocation.shares.shares • systemResources.config.memoryAllocation.reservation • systemResources.config.memoryAllocation.limit • summary.hardware.uuid • summary.config.name • summary.hardware.numNics • <p>Virtual Machine State Metrics (Group: VirtualMachine/state)</p> <ul style="list-style-type: none"> • runtime.powerState • guest.guestFamily • guest.guestFullName
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• guest.guestId• guest.guestState• guest.ipAddress• guest.hostName• guest.toolsVersion• config.hardware.memoryMB• config.hardware.numCPU• config.cpuAllocation.reservation• config.cpuAllocation.limit• config.cpuAllocation.shares.shares• config.memoryAllocation.reservation• config.memoryAllocation.limit• config.uuid• config.name
--	--	--	---

HP SiteScope Monitors and Metrics

<p>VMware Host CPU</p>	<p>VMware VirtualCenter 2.x VMware ESX 3.x, 4.0, 4.1 VMware ESXi 3.5, 4.0, 5.0 VMware ESX 2.5 via VirtualCenter 2.x VMware ESX 3.x via VirtualCenter 3.x VMware vCenter Server 4.0, 4.1, 5.0</p>	<p>Virtual Center - Microsoft Windows 2000, Microsoft Windows XP Professional, and Microsoft Windows Server 2003, Microsoft Windows Server 2008 ESX server – own OS</p>	<ul style="list-style-type: none"> • /./HostSystem/cpu/idle.summation\{.*\} • /./HostSystem/cpu/reservedCapacity.average\{.\} • /./HostSystem/cpu/usage.average\{.*\} • /./HostSystem/cpu/usagemhz.average\{.\} • /./HostSystem/cpu/used.summation\{.*\} • /./VirtualMachine/.*/cpu/ready.summation\{.*\} • /./VirtualMachine/.*/cpu/swapwait.summation\{.*\} • /./VirtualMachine/.*/cpu/system.summation\{.*\} • /./VirtualMachine/.*/cpu/usage.average\{.\} • /./VirtualMachine/.*/cpu/usagemhz.average\{.*\} • /./VirtualMachine/.*/cpu/used.summation\{.*\} • /./VirtualMachine/.*/cpu/wait.summation\{.*\} • /./VirtualMachine/.*/usageToReservationRelation/ • /./VirtualMachine/.*/usageToLimitRelation/
<p>VMware Host Memory</p>	<p>VMware VirtualCenter 2.x VMware ESX 3.x, 4.0, 4.1 VMware ESXi 3.5, 4.0, 5.0 VMware ESX 2.5 via VirtualCenter 2.x VMware ESX 3.x via VirtualCenter 3.x VMware vCenter Server 4.0, 4.1, 5.0</p>	<p>Virtual Center - Microsoft Windows 2000, Microsoft Windows XP Professional, and Microsoft Windows Server 2003, Microsoft Windows Server 2008 ESX server – own OS</p>	<ul style="list-style-type: none"> • /./HostSystem/mem/active.average\{.\} • /./HostSystem/mem/consumed.average\{.\} • /./HostSystem/mem/granted.average\{.\} • /./HostSystem/mem/heap.average\{.\} • /./HostSystem/mem/heapfree.average\{.\} • /./HostSystem/mem/overhead.average\{.\} • /./HostSystem/mem/reservedCapacity.average\{.\} • /./HostSystem/mem/shared.average\{.\} • /./HostSystem/mem/sharedcommon.average\{.\} • /./HostSystem/mem/state.latest\{.\} • /./HostSystem/mem/swapin.average\{.\} • /./HostSystem/mem/swapinRate.average\{.\} • /./HostSystem/mem/swapout.average\{.\} • /./HostSystem/mem/swapoutRate.average\{.\} • /./HostSystem/mem/swapused.average\{.\} • /./HostSystem/mem/sysUsage.average\{.\} • /./HostSystem/mem/unreservedaverage\{.\} • /./HostSystem/mem/usage.average\{.\} • /./HostSystem/mem/vmmemctl.average\{.\} • /./HostSystem/mem/zero.average\{.\} • /./VirtualMachine/.*/mem/active.average\{.\} • /./VirtualMachine/.*/mem/consumed.average\{.\} • /./VirtualMachine/.*/mem/granted.average\{.\} • /./VirtualMachine/.*/mem/overhead.average\{.\} • /./VirtualMachine/.*/mem/shared.average\{.\} • /./VirtualMachine/.*/mem/swapin.average\{.\} • /./VirtualMachine/.*/mem/swapinRate.average\{.\} • /./VirtualMachine/.*/mem/swapout.average\{.\} • /./VirtualMachine/.*/mem/swapoutRate.average\{.\} • /./VirtualMachine/.*/mem/swapped.average\{.\} • /./VirtualMachine/.*/mem/swaptarget.average\{.\} • /./VirtualMachine/.*/mem/usage.average\{.\} • /./VirtualMachine/.*/mem/vmmemctl.average\{.\} • /./VirtualMachine/.*/mem/vmmemctltarget.average\{.\} • /./VirtualMachine/.*/mem/zero.average\{.\} • /./VirtualMachine/.*/usageToReservationRelation/ • /./VirtualMachine/.*/usageToLimitRelation/ • /./VirtualMachine/.*/usageOfESXMemory/ • /./VirtualMachine/.*/missingBalloonSizeTillTarget/

HP SiteScope Monitors and Metrics

VMware Host Network	VMware VirtualCenter 2.x VMware ESX 3.x, 4.0, 4.1 VMware ESXi 3.5, 4.0, 5.0 VMware ESX 2.5 via VirtualCenter 2.x VMware ESX 3.x via VirtualCenter 3.x VMware vCenter Server 4.0, 4.1, 5.0	Virtual Center - Microsoft Windows 2000, Microsoft Windows XP Professional, and Microsoft Windows Server 2003 ESX server – own OS	<ul style="list-style-type: none"> • <code>./HostSystem/net/droppedRx.summation\[*\]</code> • <code>./HostSystem/net/droppedTx.summation\[*\]</code> • <code>./HostSystem/net/packetsRx.summation\[*\]</code> • <code>./HostSystem/net/packetsTx.summation\[*\]</code> • <code>./HostSystem/net/received.average\[*\]</code> • <code>./HostSystem/net/transmitted.average\[*\]</code> • <code>./HostSystem/net/usage.average\[*\]</code> • <code>./VirtualMachine./net/packetsRx.summation\[*\]</code> • <code>./VirtualMachine./net/packetsTx.summation\[*\]</code> • <code>./VirtualMachine./net/received.average\[*\]</code> • <code>./VirtualMachine./net/transmitted.average\[*\]</code> • <code>./VirtualMachine./net/usage.average\[*\]</code>
VMware Host State	VMware VirtualCenter 2.x VMware ESX 3.x, 4.0, 4.1 VMware ESXi 3.5, 4.0, 5.0 VMware ESX 2.5 via VirtualCenter 2.x VMware ESX 3.x via VirtualCenter 3.x VMware vCenter Server 4.0, 4.1, 5.0	Virtual Center - Microsoft Windows 2000, Microsoft Windows XP Professional, and Microsoft Windows Server 2003 ESX server – own OS	<ul style="list-style-type: none"> • <code>./HostSystem/state/runtime.connectionState/</code> • <code>./HostSystem/state/runtime.inMaintenanceMode/</code> • <code>./HostSystem/state/hostSystem.fullName/</code> • <code>./HostSystem/state/hardware.systemInfo.model/</code> • <code>./HostSystem/state/hardware.memorySize/</code> • <code>./HostSystem/state/summary.hardware.numCpuCores/</code> • <code>./HostSystem/state/summary.hardware.cpuMhz/</code> • <code>./HostSystem/state/hardware.cpuPkg.description/</code> • <code>./HostSystem/state/config.network.pnic.linkSpeed.speedMb/</code> • <code>./HostSystem/state/systemResources.config.cpuAllocation.reservation/</code> • <code>./HostSystem/state/systemResources.config.cpuAllocation.limit/</code> • <code>./HostSystem/state/systemResources.config.cpuAllocation.shares.shares/</code> • <code>./HostSystem/state/systemResources.config.memoryAllocation.reservation/</code> • <code>./HostSystem/state/systemResources.config.memoryAllocation.limit/</code> • <code>./HostSystem/state/summary.hardware.uuid/</code> • <code>./HostSystem/state/summary.config.name/</code> • <code>./HostSystem/state/summary.hardware.numNics/</code> • <code>./HostSystem/sys/uptime.latest\[/]</code> • <code>./VirtualMachine./state/ runtime.powerState/</code> • <code>./VirtualMachine./state/ guestinfo.guestFamily/</code> • <code>./VirtualMachine./state/ guestinfo.guestFullName/</code> • <code>./VirtualMachine./state/ guestinfo.guestId/</code> • <code>./VirtualMachine./state/ guestinfo.guestState/</code> • <code>./VirtualMachine./state/ guestinfo.ipAddress/</code> • <code>./VirtualMachine./state/ guestinfo.toolsVersion/</code> • <code>./VirtualMachine./state/ guest.hostName/</code> • <code>./VirtualMachine./state/config.hardware.memoryMB/</code> • <code>./VirtualMachine./state/ config.hardware.numCPU/</code> • <code>./VirtualMachine./state/config.cpuAllocation.reservation/</code> • <code>./VirtualMachine./state/ config.cpuAllocation.limit/</code> • <code>./VirtualMachine./state/config.cpuAllocation.shares.shares/</code>

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • <code>./VirtualMachine./state/config.memoryAllocation.reservation/</code> • <code>./VirtualMachine./state/config.memoryAllocation.limit/</code> • <code>./VirtualMachine./state/config.uuid/</code> • <code>./VirtualMachine./state/config.name/</code> • <code>./VirtualMachine./sys/uptime.latest\[/code></code>
VMware Host Storage	<p>VMware VirtualCenter 2.x VMware ESX 3.x, 4.0, 4.1 VMware ESXi 3.5, 4.0, 5.0 VMware ESX 2.5 via VirtualCenter 2.x VMware ESX 3.x via VirtualCenter 3.x VMware vCenter Server 4.0, 4.1, 5.0</p>	<p>Virtual Center - Microsoft Windows 2000, Microsoft Windows XP Professional, and Microsoft Windows Server 2003 ESX server – own OS</p>	<ul style="list-style-type: none"> • <code>./HostSystem/disk/busResets.summation\[/code></code> • <code>./HostSystem/disk/commands.summation\[/code></code> • <code>./HostSystem/disk/commandsAborted.summation\[/code></code> • <code>./HostSystem/disk/deviceLatency.average\[/code></code> • <code>./HostSystem/disk/deviceReadLatency.average\[/code></code> • <code>./HostSystem/disk/deviceWriteLatency.average\[/code></code> • <code>./HostSystem/disk/kernelLatency.average\[/code></code> • <code>./HostSystem/disk/kernelReadLatency.average\[/code></code> • <code>./HostSystem/disk/kernelWriteLatency.average\[/code></code> • <code>./HostSystem/disk/maxTotalLatency.latest[/code]</code> • <code>./HostSystem/disk/numberRead.summation\[/code></code> • <code>./HostSystem/disk/numberWrite.summation\[/code></code> • <code>./HostSystem/disk/queueLatency.average\[/code></code> • <code>./HostSystem/disk/queueReadLatency.average\[/code></code> • <code>./HostSystem/disk/queueWriteLatency.average\[/code></code> • <code>./HostSystem/disk/read.average\[/code]</code> • <code>./HostSystem/disk/totalLatency.average\[/code]</code> • <code>./HostSystem/disk/totalReadLatency.average\[/code]</code> • <code>./HostSystem/disk/totalWriteLatency.average\[/code]</code> • <code>./HostSystem/disk/usage[/code]</code> • <code>./HostSystem/disk/write.average\[/code]</code> • <code>./VirtualMachine./disk/busResets.summation\[/code></code> • <code>./VirtualMachine./disk/commands.summation\[/code></code> • <code>./VirtualMachine./disk/commandsAborted.summation\[/code]</code> • <code>./VirtualMachine./disk/numberRead.summation\[/code]</code> • <code>./VirtualMachine./disk/numberWrite.summation\[/code]</code> • <code>./VirtualMachine./disk/read.average\[/code]</code> • <code>./VirtualMachine./disk/usage.average[/code]</code> • <code>./VirtualMachine./disk/write.average\[/code]</code>
VMware Datastore	<p>VMware vCenter Server 4.0, 4.1, 5.0</p>	<p>Virtual Center - Microsoft Windows 2000, Microsoft Windows XP Professional, and Microsoft Windows Server 2003</p>	<ul style="list-style-type: none"> • Datastore: name , accessible , capacity, freeSpace, freeSpace in %, url, snapshots size • Virtual Disk snapshot: capacity, path • Virtual Disk: capacity, pathm type, usage

ERP Monitors

App.	Versions supported	Platforms Supported	Metrics
<p>SAP Performance</p>	<p>SAP R/3 4.6B, R/3 4.6C, R/3 4.7E SAP ECC5, ECC6</p> <p>** This monitor requires that the SAP Java Connector (SAP JCo 2.1.5+) be downloaded and installed on the same server as where SiteScope is running. This connector is available at http://www.service.sap.com/connectors which requires a valid Service Marketplace login to access the site.</p> <p>Click on "SAP Java Connector", "Tools and Services".</p> <p>** This monitor also requires an optional license key that must be entered in the "Option Licenses" box on the SiteScope "General Preferences" page.</p>	<p>Windows NT 4.0, Windows 2000, Linux and Solaris</p>	<p>Database performance (Oracle)</p> <ul style="list-style-type: none"> • Calls - Parses • Calls - Reads / User calls • Calls - Recursive calls • Calls - User calls • Calls - User/Recursive calls • Calls - commits • Calls - rollbacks • Data buffer - Buffer busy waits • Data buffer - Buffer wait time s • Data buffer - Physical reads • Data buffer – Quality • Data buffer – Reads • Data buffer - Size kb • Data buffer - writes • Log buffer - Alloc fault rate • Log buffer - Allocation retries • Log buffer - Entries • Log buffer - Log files (in use) • Log buffer - Redo log waits • Log buffer - Size kb • Redo logging - Latching times • Redo logging - Mb written • Redo logging - OS-Blocks written • Redo logging - Write times • Redo logging - Writes • Shared Pool - DD-Cache quality • Shared Pool - SQL Area get ratio • Shared Pool - Size kb • Shared Pool – pin ratio % • Shared Pool - reloads/pins • Sorts - Disk • Sorts - Memory • Sorts - Rows sorted • Table scans & fetches - Fetch by row id • Table scans & fetches - Long table scans • Table scans & fetches - Short table scans • Table scans & fetches - by continued row • Time statistics - Busy wait times • Time statistics - CPU count • Time statistics - CPU times • Time statistics - CPU usage % • Time statistics - Sessions busy % • Time statistics - Time/User call ms

			<p>Database performance (MSSQL)</p> <ul style="list-style-type: none"> • Memory Usage/Current memory kb • Memory Usage/Maximum memory kb • Memory Usage/Procedure cache kb • Memory Usage/Procedure cache hit ratio % • Memory Usage/Total SQL connections • Memory Usage/Free pages • Memory Usage/Data cache size kb • Memory Usage/Data cache hit ratio % • Space Usage/Total data size Mb • Space Usage/Free Space Mb • Space Usage/Total log size Mb • Space Usage/Free space Mb • Server Engine/CPU busy s • Server Engine/CPU idle s • Server Engine/IO busy s • Server Engine/Physical reads • Server Engine/Physical writes • Server Engine/Physical errors • SQL Requests/SQL batches • SQL Requests/Read ahead pages • SQL Requests/Request buffer pages • SQL Requests/Request buffer reads • SQL Requests/Request buffer writes • SQL Requests/Full table/index scans • SQL Requests/Index range scans • SQL Requests/Index searches • SQL Requests/Probe scans • SQL Requests/Lazy write • Workload/CPU Time • Workload/Dialog steps • Workload/Average CPU time • Workload/Av. RFC+CPIC time • Workload/Av. response time • Workload/Average wait time • Workload/Average load time • Workload/Av. Roll i+w time • Workload/Av. DB req. time • Workload/Av. enqueue time • Workload/Database requests • Workload/DB Calls: Direct reads • Workload/DB Calls: Sequential reads • Workload/DB Calls: Changes • Workload/Time per DB request • Workload/Time per Req.: Direct reads • Workload/Time per Req.: Sequential reads • Workload/Time per Req.: Changes and commits • Workload/Roll-in time • Workload/Roll-out time • Workload/Roll wait time • Workload/Roll-ins • Workload/Roll-outs
--	--	--	--

HP SiteScope Monitors and Metrics

			<p>Workload</p> <ul style="list-style-type: none"> • Av. DB req. time • Av. enqueue time • Av. response time • Av. RFC+CPIC time • Av. Roll i+w time • Average bytes req. • Average CPU time • Average load time • Average wait time • CPU Time • Database calls • Database requests • DB Calls: Changes • DB Calls: Direct reads • DB Calls: Sequential reads • Dialog steps • Roll wait time • Roll-in time • Roll-ins • Roll-out time • Roll-outs • Time per DB request • Time per Req.: Changes and commits • Time per Req.: Direct reads • Time per Req.: Sequential reads
<p>SAP CCMS <i>(see installation notes at the bottom of the right column)</i></p>	<p>SAP R/3 4.6B, R/3 4.6C, R/3 4.7E SAP ECC5, ECC6</p>	<p>Windows NT 4.0, Windows 2000, Linux and Solaris</p>	<p>See: http://help.sap.com/saphelp_nw04/helpdata/en/6b/e14d3bf5d70c30e10000000a11402f/content.htm</p> <p>** This monitor requires that the SAP Java Connector (SAP JCo 2.1.5+) is downloaded and installed on the same server as where SiteScope is running. This connector is available at http://www.service.sap.com/connectors (a valid Service Marketplace login is required to access the site).</p> <p>Click "SAP Java Connector", "Tools and Services".</p> <p>** This monitor also requires an optional license key that must be entered in the "Option Licenses" box on the SiteScope "General Preferences" page.</p>

HP SiteScope Monitors and Metrics

<p>SAP CCMS Alert (see installation notes at the bottom of the right column)</p>	<p>SAP R/3 4.6B, R/3 4.6C, R/3 4.7E SAP ECC5, ECC6</p>	<p>Windows NT 4.0, Windows 2000, Linux and Solaris</p>	<p>See http://help.sap.com/saphelp_nw04/helpdata/en/6b/e14d3bf5d70c30e10000000a11402f/content.htm</p> <p>** This monitor requires that the SAP Java Connector (SAP JCo 2.1.5+) is downloaded and installed on the same server as where SiteScope is running. This connector is available at http://www.service.sap.com/connectors (a valid Service Marketplace login is required to access the site). Click "SAP Java Connector", "Tools and Services".</p> <p>** This monitor also requires an optional license key that must be entered in the "Option Licenses" box on the SiteScope "General Preferences" page.</p>
<p>SAP Java Web Application (see installation notes at the bottom of the right column)</p>	<p>Web Application Server 6.40 Web Application Server 7.00 SAP Enterprise Portal 5.0, 6.0 and 7.0</p>	<p>Windows NT 4.0, Windows 2000, Linux and Solaris</p>	<p>Metrics for the monitor received dynamically from SAP Java Web Application server.</p> <p>**The SAP Java Web Application Server monitor uses SAP JMX Connector libraries to connect to SAP J2EE cluster. A user must have the appropriate license granted by SAP to receive and use these libraries.</p> <p>** This monitor also requires an optional license key that must be entered in the "Option Licenses" box on the SiteScope "General Preferences" page.</p>

CRM Monitors

App.	Versions supported	Platforms Supported	Metrics
Siebel Application Monitor	7.03, 7.04, 7.5.3, 7.7, 8.0, 8.1	Windows and all Unix	<p>Siebel Server Stats</p> <ul style="list-style-type: none"> • Average Connect Time • Average Reply Size • Average Request Size • Average Requests Per Session • Average Response Time • Average Think Time • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Num of DBConn Retries • Num of DLRbk Retries • Num of Exhausted Retries • Number of Sleeps • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Object Manager Errors • Reply Messages • Request Messages • Sleep Time • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Tests Attempted • Tests Failed • Tests Successful • Total Reply Size • Total Request Size • Total Response Time • Total Tasks • Total Think Time <p>Component Stats</p> <p>Call Center Object Manager</p> <ul style="list-style-type: none"> • Average Connect Time • Average Reply Size • Average Request Size • Average Requests Per Session • Average Response Time • Average Think Time

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Number of Sleeps • Object Manager Errors • Reply Messages • Request Messages • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Sleep Time • Total Reply Size • Total Request Size • Total Response Time • Total Tasks • Total Think Time <p>File System Manager</p> <ul style="list-style-type: none"> • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Num of DBConn Retries • Num of DLRbk Retries • Num of Exhausted Retries • Number of Sleeps • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Sleep Time • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Total Tasks <p>Sales Object Manager</p> <ul style="list-style-type: none"> • Average Connect Time • Average Reply Size • Average Request Size • Average Requests Per Session • Average Response Time • Average Think Time • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Number of Sleeps • Object Manager Errors • Reply Messages • Request Messages • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Sleep Time • Total Reply Size • Total Request Size • Total Response Time • Total Tasks • Total Think Time <p>Server Manager</p> <ul style="list-style-type: none"> • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Number of Sleeps • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Sleep Time • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Total Tasks <p>Server Request Broker</p> <ul style="list-style-type: none"> • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Num of DBConn Retries • Num of DLRbk Retries • Num of Exhausted Retries • Number of Sleeps • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Sleep Time • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Total Tasks <p>Server Request Processor</p>
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Num of DBConn Retries • Num of DLRbk Retries • Num of Exhausted Retries • Number of Sleeps • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Sleep Time • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Total Tasks <p>Service Object Manager</p> <ul style="list-style-type: none"> • Average Connect Time • Average Reply Size • Average Request Size • Average Requests Per Session • Average Response Time • Average Think Time • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Number of Sleeps • Object Manager Errors • Reply Messages • Request Messages • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Sleep Time • Total Reply Size • Total Request Size • Total Response Time • Total Tasks • Total Think Time <p>eService Object Manager</p> <ul style="list-style-type: none"> • Average Connect Time • Average Reply Size • Average Request Size • Average Requests Per Session • Average Response Time
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Average Think Time • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Number of Sleeps • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Object Manager Errors • Reply Messages • Request Messages • Sleep Time • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Total Reply Size • Total Request Size • Total Response Time • Total Tasks • Total Think Time <p>eTraining Object Manager</p> <ul style="list-style-type: none"> • Average Connect Time • Average Reply Size • Average Request Size • Average Requests Per Session • Average Response Time • Average Think Time • Avg SQL Execute Time • Avg SQL Fetch Time • Avg SQL Parse Time • CPU Time • Elapsed Time • Number of SQL Executes • Number of SQL Fetches • Number of SQL Parses • Number of Sleeps • Object Manager Errors • Reply Messages • Request Messages • SQL Execute Time • SQL Fetch Time • SQL Parse Time • Sleep Time • Total Reply Size • Total Request Size • Total Response Time • Total Tasks • Total Think Time <p>Component Objects</p>
--	--	--	--

			<p>Call Center Object Manager</p> <ul style="list-style-type: none"> • CP_ACTV_MTS Component • CP_DISP_RUN_STATE • CP_MAX_MTS • CP_MAX_TASK <p>File System Manager</p> <ul style="list-style-type: none"> • CP_ACTV_MTS Component • CP_DISP_RUN_STATE • CP_MAX_MTS • CP_MAX_TASK <p>Sales Object Manager</p> <ul style="list-style-type: none"> • CP_ACTV_MTS Component • CP_DISP_RUN_STATE • CP_MAX_MTS • CP_MAX_TASK <p>Server Manager</p> <ul style="list-style-type: none"> • CP_ACTV_MTS Component • CP_DISP_RUN_STATE • CP_MAX_MTS • CP_MAX_TASK <p>Server Request Broker</p> <ul style="list-style-type: none"> • CP_ACTV_MTS Component • CP_DISP_RUN_STATE • CP_MAX_MTS • CP_MAX_TASK <p>Server Request Processor</p> <ul style="list-style-type: none"> • CP_ACTV_MTS Component • CP_DISP_RUN_STATE • CP_MAX_MTS • CP_MAX_TASK <p>Service Object Manager</p> <ul style="list-style-type: none"> • CP_ACTV_MTS Component • CP_DISP_RUN_STATE • CP_MAX_MTS • CP_MAX_TASK <p>eService Object Manager</p> <ul style="list-style-type: none"> • CP_ACTV_MTS Component • CP_DISP_RUN_STATE • CP_MAX_MTS • CP_MAX_TASK <p>eTraining Object Manager</p> <ul style="list-style-type: none"> • CP_MAX_TASK • CP_ACTV_MTS Component • CP_MAX_MTS
--	--	--	---

HP SiteScope Monitors and Metrics

<p>Siebel Web Server</p>	<p>7.03, 7.04, 7.5.3, 7.7, 8.0, 8.1</p>	<p>Windows and Unix</p>	<ul style="list-style-type: none"> • CP_DISP_RUN_STATE <p><u>System Stats</u></p> <p>Anonymous sessions requested from the pool</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>Open Session Time</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>Anon Session Available</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>Close Session Time</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>Request Time</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>Anon Session Removed</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>Response Time</p> <ul style="list-style-type: none"> • Frequency mean
---------------------------------	---	-------------------------	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>Anonymous sessions returns to the pool</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p><u>Applications</u></p> <p>/sales/Session Lifespan</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>/sales/</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>/callcenter/</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value <p>/callcenter/Session Lifespan</p> <ul style="list-style-type: none"> • Frequency mean • Frequency stddev • General Stats count • General Stats mean • General Stats stddev • Value
Siebel Log File	7.03, 7.04, 7.5.3, 7.7, 8.0, 8.1	Windows and Unix	<p>The Siebel Log File Monitor watches for log file entries added to a group of log files by looking for entries containing a specific event type or subtype. Use this page to add the monitor or edit the monitor's properties.</p> <ul style="list-style-type: none"> • matchCcount – number of events matched by regexp

Streaming Media Server Monitors

App.	Versions supported	Platforms Supported	Metrics
Real One Media Player Real Media Player	2.0 7.x, 8.x, 9.x, 10.x	Windows	<ul style="list-style-type: none"> • bandwidth • buffering congestion num • buffering congestion time • buffering num • buffering seek num • buffering seek time • buffering time • first frame time • late packets • live pause num • live pause time • lost packets • network performance • recovered packets • stream quality
Real One Media Server Real Media Server	All via perfmon	Windows	<ul style="list-style-type: none"> • Encoder Connections • HTTP Clients • Monitor Connections • Multicast Connections • PNA Clients • RTSP Clients • Splitter Connections • TCP Connections • Total Bandwidth • Total Clients • UDP Clients

HP SiteScope Monitors and Metrics

Microsoft Windows Media Player	7.x, 9.x, 10.x, 11.0	Windows	<ul style="list-style-type: none"> • buffering count • buffering time • interrupts • packet quality • packets lost • packets recovered • ratio bandwidth • recommended bandwidth • recommended duration • sampling rate • stream count • stream max • stream min • stream rate • time quality
Microsoft Windows Media Server	All via perfmon	Windows	<p>Windows Media Station Service</p> <ul style="list-style-type: none"> • Controllers • Stations • Streams <p>Windows Media Unicast Service</p> <ul style="list-style-type: none"> • Active Live Unicast Streams • Active Streams • Active TCP Streams • Active UDP Streams • Aggregate Read Rate • Aggregate Send Rate • Allocated Bandwidth • Authentication Requests • Authentications Denied • Authorization Requests • Authorizations Refused • Connected Clients • Connection Rate • HTTP Streams • HTTP Streams Reading Header • HTTP Streams Streaming Body • Late Reads • Pending Connections • Plugin Errors -- • Plugin Events • Scheduling Rate • Stream Errors • Stream Terminations • UDP Resend Requests • UDP Resends Sent

HP SiteScope Monitors and Metrics

Microsoft Exchange Server 2007	2007 (8.0) + PowerShell v1.0 2010 + PowerShell v2.0	Windows	<ul style="list-style-type: none">• MAPI Connectivity/Result• MAPI Connectivity/Latency• Mail Flow/TestMailflowResult• Mail Flow/MessageLatencyTime• Exchange Search/ResultFound• Exchange Search/SearchTime• OWA Connectivity/Result• OWA Connectivity/Latency• Web Services Connectivity/CreteItem/Result• Web Services Connectivity/CreteItem/Latency• Web Services Connectivity/Deleteltem/Result• Web Services Connectivity/Deleteltem/Latency• Web Services Connectivity/GetFolder/Result• Web Services Connectivity/GetFolder/Latency• Web Services Connectivity/SyncFolderItems/Result• Web Services Connectivity/SyncFolderItems/Latency
---------------------------------------	--	---------	--

Database Monitors

App.	Versions supported	Platforms Supported	Metrics
Oracle JDBC	8i, 9i, 10g, 11g	All platforms	<p>V\$SYSSTAT and V\$SESSTAT supported using JDBC driver.</p> <ul style="list-style-type: none"> • active txn count during cleanout • background checkpoints completed • background checkpoints started • background timeouts • branch node splits • buffer is not pinned count • buffer is pinned count • bytes received via SQL*Net from client • bytes received via SQL*Net from dblink • bytes sent via SQL*Net to client • bytes sent via SQL*Net to dblink • Cached Commit SCN referenced • calls to get snapshot scn: kcmgss • calls to kcmgas • calls to kcmgcs • calls to kcmgrs • change write time • cleanout - number of ktugct calls • cleanouts and rollbacks - consistent read gets • cleanouts only - consistent read gets • cluster key scan block gets • cluster key scans • cold recycle reads • commit cleanout failures: block lost • commit cleanout failures: buffer being written • commit cleanout failures: callback failure • commit cleanout failures: cannot pin • commit cleanout failures: hot backup in progress • commit cleanout failures: write disabled • commit cleanouts • commit cleanouts successfully completed • Commit SCN cached • commit txn count during cleanout • consistent changes • consistent gets • consistent gets - examination • CPU used by this session • CPU used when call started • CR blocks created • current blocks converted for CR • cursor authentications

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • data blocks consistent reads - undo records applied • db block changes • db block gets • DBWR buffers scanned • DBWR checkpoint buffers written • DBWR checkpoints • DBWR cross instance writes • DBWR free buffers found • DBWR fusion writes • DBWR lru scans • DBWR make free requests • DBWR revisited being-written buffer • DBWR summed scan depth • DBWR transaction table writes • DBWR undo block writes • DDL statements parallelized • deferred (CURRENT) block cleanout applications • deferred CUR cleanouts (index blocks) • DFO trees parallelized • dirty buffers inspected • DML statements parallelized • enqueue conversions • enqueue deadlocks • enqueue releases • enqueue requests • enqueue timeouts • enqueue waits • exchange deadlocks • execute count • free buffer inspected • free buffer requested • gcs messages sent • ges messages sent • global cache blocks corrupt • global cache blocks lost • global cache claim blocks lost • global cache convert time • global cache convert timeouts • global cache converts • global cache cr block build time • global cache cr block flush time • global cache cr block receive time • global cache cr block send time • global cache cr blocks received • global cache cr blocks served • global cache current block flush time • global cache current block pin time • global cache current block receive time • global cache current block send time • global cache current blocks received • global cache current blocks served • global cache defers • global cache freelist waits
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • global cache get time • global cache gets • global cache prepare failures • global cache skip prepare failures • global lock async converts • global lock async gets • global lock convert time • global lock get time • global lock releases • global lock sync converts • global lock sync gets • hot buffers moved to head of LRU • immediate (CR) block cleanout applications • immediate (CURRENT) block cleanout applications • immediate CR cleanouts (index blocks) • index fast full scans (direct read) • index fast full scans (full) • index fast full scans (rowid ranges) • index fetch by key • index scans kdixs1 • instance recovery database freeze count • kcmccs called get current scn • kcmgss read scn without going to GES • kcmgss waited for batching • leaf node 90-10 splits • leaf node splits • logons cumulative • logons current • messages received • messages sent • native hash arithmetic execute • native hash arithmetic fail • next scns gotten without going to GES • no buffer to keep pinned count • no work - consistent read gets • number of map misses • number of map operations • opened cursors cumulative • opened cursors current • opens of replaced files • opens requiring cache replacement • OS All other sleep time • OS Chars read and written • OS Data page fault sleep time • OS Input blocks • OS Involuntary context switches • OS Kernel page fault sleep time • OS Major page faults • OS Messages received • OS Messages sent • OS Minor page faults • OS Other system trap CPU time • OS Output blocks
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• OS Process heap size• OS Process stack size• OS Signals received• OS Swaps• OS System call CPU time• OS System calls• OS Text page fault sleep time• OS User level CPU time• OS User lock wait sleep time• OS Voluntary context switches• OS Wait-cpu (latency) time• OTC commit optimization attempts• OTC commit optimization failure - setup• OTC commit optimization hits• Parallel operations downgraded 1 to 25 pct• Parallel operations downgraded 25 to 50 pct• Parallel operations downgraded 50 to 75 pct• Parallel operations downgraded 75 to 99 pct• Parallel operations downgraded to serial• Parallel operations not downgraded• parse count (failures)• parse count (hard)• parse count (total)• parse time cpu• parse time elapsed• physical reads• physical reads direct• physical reads direct (lob)• physical writes• physical writes direct• physical writes direct (lob)• physical writes non checkpoint• pinned buffers inspected• prefetch clients - 16k• prefetch clients - 2k• prefetch clients - 32k• prefetch clients - 4k• prefetch clients - 8k• prefetch clients - default• prefetch clients - keep• prefetch clients - recycle• prefetched blocks• prefetched blocks aged out before use• process last non-idle time• PX local messages rcv'd• PX local messages sent• PX remote messages rcv'd• PX remote messages sent• queries parallelized• recovery array read time• recovery array reads• recovery blocks read• recursive calls
--	--	--	---

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • recursive cpu usage • redo blocks written • redo buffer allocation retries • redo entries • redo log space requests • redo log space wait time • redo log switch interrupts • redo ordering marks • redo size • redo synch time • redo synch writes • redo wastage • redo write time • redo writer latching time • redo writes • remote instance undo block writes • remote instance undo header writes • rollback changes - undo records applied • rollbacks only - consistent read gets • RowCR - row contention • RowCR attempts • RowCR hits • rows fetched via callback • serializable aborts • session connect time • session cursor cache count • session cursor cache hits • session logical reads • session pga memory • session pga memory max • session stored procedure space • session uga memory • session uga memory max • shared hash latch upgrades - no wait • shared hash latch upgrades - wait • sorts (disk) • sorts (memory) • sorts (rows) • SQL*Net roundtrips to/from client • SQL*Net roundtrips to/from dblink • summed dirty queue length • switch current to new buffer • table fetch by rowid • table fetch continued row • table lookup prefetch client count • table scan blocks gotten • table scan rows gotten • table scans (cache partitions) • table scans (direct read) • table scans (long tables) • table scans (rowid ranges) • table scans (short tables) • total file opens
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• total number of slots• transaction lock background get time• transaction lock background gets• transaction lock foreground requests• transaction lock foreground wait time• transaction rollbacks• transaction tables consistent read rollbacks• transaction tables consistent reads - undo records applied• Unnecessary process cleanup for SCN batching• user calls• user commits• user rollbacks• workarea executions - multipass• workarea executions - onepass• workarea executions - optimal• workarea memory allocated• write clones created in background• write clones created in foreground
--	--	--	--

<p>Microsoft SQL Server</p>	<p>6.5, 7.1, 2000, 2005, 2008, 2008 R2</p>	<p>Windows</p>	<p>SQLServer:Access Methods</p> <ul style="list-style-type: none"> • AU cleanup batches/sec • AU cleanups/sec • By-reference Lob Create Count • By-reference Lob Use Count • Count Lob Readahead • Count Pull In Row • Count Push Off Row • Deferred dropped AUs • Deferred Dropped rowsets • Dropped rowset cleanups/sec • Dropped rowsets skipped/sec • Extent Deallocations/sec • Extents Allocated/sec • Forwarded Records/sec • FreeSpace Page Fetches/sec • FreeSpace Scans/sec • Full Scans/sec • Index Searches/sec • LobHandle Destroy Count • LobSS Provider Create Count • LobSS Provider Destroy Count • LobSS Provider Truncation Count • Mixed page allocations/sec • Page Deallocations/sec • Page Splits/sec • Pages Allocated/sec • Probe Scans/sec • Range Scans/ • Scan Point Revalidations • Skipped Ghosted Records/sec • Table Lock Escalations/sec • Used leaf page cookie • Used tree page cookie • Workfiles Created/sec • Worktables Created/sec • Worktables From Cache Ratio <p>SQLServer:Backup Device</p> <ul style="list-style-type: none"> • Device Throughput Bytes/sec <p>SQLServer:Buffer Manager</p> <ul style="list-style-type: none"> • AWE lookup maps/sec • AWE stolen maps/sec • AWE unmap calls/sec • AWE unmap pages/sec • AWE write maps/sec • Buffer cache hit ratio • Checkpoint pages/sec • Database pages • Free list stalls/sec
------------------------------------	--	----------------	---

			<ul style="list-style-type: none"> • Free pages • Lazy writes/sec • Page life expectancy • Page lookups/sec • Page reads/sec • Page writes/sec • Readahead pages/sec • Reserved pages • Stolen pages • Target pages • Total pages <p>SQLServer:Buffer Partition</p> <ul style="list-style-type: none"> • Free list empty/sec – 0 • Free list empty/sec -- 1 • Free list requests/sec -- 0 • Free list requests/sec -- 1 • Free pages -- 0 • Free pages – 1 <p>SQLServer:CLR</p> <ul style="list-style-type: none"> • CLR Execution <p>SQLServer:Cursor Manager by Type <i>(_Total/API Cursor/TSQL Global Cursor/TSQL Local Cursor)</i></p> <ul style="list-style-type: none"> • Active cursors • Cache Hit Ratio • Cached Cursor Counts • Cursor Cache Use Counts/sec • Cursor memory usage • Cursor Requests/sec • Cursor worktable usage • Number of active cursor plans <p>SQLServer:Cursor Manager Total</p> <ul style="list-style-type: none"> • Async population count • Cursor conversion rate • Cursor flushes <p>SQLServer:Database Mirroring</p> <ul style="list-style-type: none"> • Bytes Received/sec • Bytes Sent/sec • Log Bytes Received/sec • Log Bytes Sent/sec • Log Send Queue KB • Pages Sent/sec • Receives/sec • Redo Bytes/sec • Redo Queue KB • Send/Receive Ack Time • Sends/sec • Transaction Delay
--	--	--	---

			<p>SQLServer:Databases <i>(Total/<per database>)</i></p> <ul style="list-style-type: none"> • Active Transactions • Backup/Restore Throughput/sec • Bulk Copy Rows/sec • Bulk Copy Throughput/sec • Data File(s) Size (KB) • DBCC Logical Scan Bytes/sec • Log Bytes Flushed/sec • Log Cache Hit Ratio • Log Cache Reads/sec • Log File(s) Size (KB) • Log File(s) Used Size (KB) • Log Flush Wait Time • Log Flush Waits/sec • Log Flushes/sec • Log Growths • Log Shrinks • Log Truncations • Percent Log Used • Repl. Pending Xacts • Repl. Trans. Rate • Shrink Data Movement Bytes/sec • Transactions/sec <p>SQLServer:Exec Statistics <i>(Average execution time (ms)/Cumulative execution time (ms) per second/Execs in progress/Execs started per second)</i></p> <ul style="list-style-type: none"> • Distributed Query • DTC calls • Extended Procedures • OLEDB calls <p>SQLServer:General Statistics</p> <ul style="list-style-type: none"> • Active Temp Tables • Event Notifications Delayed Drop • HTTP Authenticated Requests • Logical Connections • Logins/sec • Logouts/sec • Mars Deadlocks • Non-atomic yield rate • Processes blocked • SOAP Empty Requests • SOAP Method Invocations • SOAP Session Initiate Requests • SOAP Session Terminate Requests • SOAP SQL Requests • SOAP WSDL Requests • SQL Trace IO Provider Lock Waits • Temp Tables Creation Rate
--	--	--	---

			<ul style="list-style-type: none"> • Temp Tables For Destruction • Trace Event Notification Queue • Transactions • User Connections <p>SQLServer:Latches</p> <ul style="list-style-type: none"> • Average Latch Wait Time (ms) • Latch Waits/sec • Number of SuperLatches • SuperLatch Demotions/sec • SuperLatch Promotions/sec • Total Latch Wait Time (ms) <p>SQLServer:Locks <i>(_ Total/AllocUnit/Application/Database/Extent/File/HoBT /Key/Metadata/Object/Page/RID)</i></p> <ul style="list-style-type: none"> • Average Wait Time (ms) -- _Total • Average Wait Time (ms) -- Database • Average Wait Time (ms) -- Extent • Average Wait Time (ms) -- Key • Average Wait Time (ms) -- Page • Average Wait Time (ms) -- RID • Average Wait Time (ms) -- Table • Lock Requests/sec -- _Total • Lock Requests/sec -- Database • Lock Requests/sec -- Extent • Lock Requests/sec -- Key • Lock Requests/sec -- Page • Lock Requests/sec -- RID • Lock Requests/sec -- Table • Lock Timeouts/sec -- _Total • Lock Timeouts/sec -- Database • Lock Timeouts/sec -- Extent • Lock Timeouts/sec -- Key • Lock Timeouts/sec -- Page • Lock Timeouts/sec -- RID • Lock Timeouts/sec -- Table • Lock Wait Time (ms) -- _Total • Lock Wait Time (ms) -- Database • Lock Wait Time (ms) -- Extent • Lock Wait Time (ms) -- Key • Lock Wait Time (ms) -- Page • Lock Wait Time (ms) -- RID • Lock Wait Time (ms) -- Table • Lock Waits/sec -- _Total • Lock Waits/sec -- Database • Lock Waits/sec -- Extent • Lock Waits/sec -- Key • Lock Waits/sec -- Page • Lock Waits/sec -- RID • Lock Waits/sec -- Table • Number of Deadlocks/sec -- _Total • Number of Deadlocks/sec -- Database
--	--	--	---

			<ul style="list-style-type: none"> • Number of Deadlocks/sec -- Extent • Number of Deadlocks/sec -- Key • Number of Deadlocks/sec -- Page • Number of Deadlocks/sec -- RID • Number of Deadlocks/sec -- Table <p>SQLServer:Memory Manager</p> <ul style="list-style-type: none"> • Connection Memory (KB) • Granted Workspace Memory (KB) • Lock Blocks • Lock Blocks Allocated • Lock Memory (KB) • Lock Owner Blocks • Lock Owner Blocks Allocated • Maximum Workspace Memory (KB) • Memory Grants Outstanding • Memory Grants Pending • Optimizer Memory (KB) • SQL Cache Memory (KB) • Target Server Memory(KB) • Total Server Memory (KB) <p>SQLServer:Plan Cache <i>(Total/Bound Trees/Extended Stored Procedures/Object Plans/SQL Plans/Temporary Tables & Table Variables)</i></p> <ul style="list-style-type: none"> • Cache Hit Ratio • Cache Object Counts • Cache Objects in use • Cache Pages <p>SQLServer:Replication</p> <ul style="list-style-type: none"> • Agents Running • Dist • Logreader • Snapshot <p>SQLServer:SQL Errors <i>(Total/DB Offline Errors/Info Errors/Kill Connection Errors/User Errors)</i></p> <ul style="list-style-type: none"> • Errors/sec <p>SQLServer:SQL Statistics</p> <ul style="list-style-type: none"> • Auto-Param Attempts/sec • Batch Requests/sec • Failed Auto-Params/sec • Forced Parameterizations/sec • Safe Auto-Params/sec • SQL Attention rate • SQL Compilations/sec • SQL Re-Compilations/sec • Unsafe Auto-Params/sec <p>SQLServer:Transactions</p> <ul style="list-style-type: none"> • Free Space in tempdb (KB)
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • Longest Transaction Running Time • NonSnapshot Version Transactions • Snapshot Transactions • Transactions • Update conflict ratio • Update Snapshot Transactions • Version Cleanup rate (KB/s) • Version Generation rate (KB/s) • Version Store Size (KB) • Version Store unit count • Version Store unit creation • Version Store unit truncation <p>SQLServer:User Settable <i>(User counter 1/User counter 2/User counter 3/User counter 4/User counter 5/User counter 6/User counter 7/User counter 8/User counter 9/User counter 10)</i></p> <ul style="list-style-type: none"> • Query <p>SQLServer:Wait Statistics <i>(Average wait time (ms)/Cumulative wait time (ms) per second/Waits in progress/Waits started per second)</i></p> <ul style="list-style-type: none"> • Lock waits • Log buffer waits • Log write waits • Memory grant queue waits • Network IO waits • Non-Page latch waits • Page IO latch waits • Page latch waits • Thread-safe memory objects waits • Transaction ownership waits • Wait for the worker • Workspace synchronization waits
--	--	--	--

<p>Sybase Database</p>	<p>11.0, 11.5, 11.92, 12.x, 15.5</p>		<p>Application No Counters Currently Available</p> <p>Cache</p> <ul style="list-style-type: none"> • % Hits • Pages from disk(read) • Pages from disk(read)/sec • Pages write • Pages write/sec • Pages(Read) • Pages(Read)/sec <p>Disk</p> <ul style="list-style-type: none"> • Master • Reads • Reads/sec • Writes • Writes/sec • Waits • Waits/sec • Grants • Grants/sec <p>Engine</p> <ul style="list-style-type: none"> • CPU time • Logical pages(Read) • Logical pages(Read)/sec • Pages from disk(Read) • Pages from disk(Read)/sec • Pages stored • Pages stored/sec • Server is busy(%) <p>Lock</p> <ul style="list-style-type: none"> • % Requests • Granted after wait • Granted after wait/sec • Granted immediately • Granted immediately/sec • Locks count • Locks count/sec • Not granted • Not granted/sec • Wait time(avg) <p>Memory Manager</p> <ul style="list-style-type: none"> • Cache size <p>Network</p> <ul style="list-style-type: none"> • Average packet size(Read) • Average packet size(Send)
-------------------------------	--------------------------------------	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• Network bytes(Read)• Network bytes(Read)/sec• Network bytes(Send)• Network bytes(Send)/sec• Network Packets(Read)• Network Packets(Read)/sec• Network Packets(Send)• Network Packets(Send)/sec <p>Process</p> <ul style="list-style-type: none">• % Cache Hit• % Processor Time (process)• Locks/sec• Pages (write) <p>SqlSrvr</p> <ul style="list-style-type: none">• % Processor Time(server)• Deadlocks• Locks/sec• Transactions <p>Stored procedures</p> <ul style="list-style-type: none">• Avg. Duration (sampling period)• Avg. Duration (session)• Executed (sampling period)• Executed (session) <p>Transaction</p> <ul style="list-style-type: none">• Inserts• Inserts/sec• Rows(deleted)• Rows(deleted)/sec• Transactions• Transactions/sec• Updates• Updates in place• Updates in place/sec• Updates/sec
--	--	--	--

HP SiteScope Monitors and Metrics

<p>DB2 8.x and 9.x</p>	<p>8.x, 9.x</p>	<p>All operating systems with a supported JDBC driver and the DB2 Snapshot feature.</p>	<ul style="list-style-type: none"> • acc_curs_blk • active_sorts • agents_created_empty_pool • agents_from_pool • agents_registered • agents_stolen • agents_waiting_on_token • appl_section_inserts • appl_section_lookups • appls_cur_cons • appls_in_db2 • binds_precompiles • cat_cache_heap_full • cat_cache_inserts • cat_cache_lookups • cat_cache_overflows • comm_private_mem • commit_sql_stmts • con_local_databases • ddl_sql_stmts • deadlocks • direct_read_reqs • direct_read_time • direct_reads • direct_write_reqs • direct_write_time • direct_writes • dynamic_sql_stmts • failed_sql_stmts • files_closed • hash_join_overflows • hash_join_small_overflows • idle_agents • inactive_gw_agents • int_auto_rebinds • int_commits • int_deadlock_rollback • int_rollback • int_rows_deleted • int_rows_inserted • int_rows_inserted rows_deleted • int_rows_updated • local_cons • local_cons_in_exec • lock_escals • lock_list_in_use • lock_timeouts • lock_wait_time • lock_waits • lock_waits locks_held • locks_held • locks_waiting
-------------------------------	-----------------	---	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• log_reads• log_writes• num_assoc_agents• num_gw_conn_switches• open_loc_curs• open_loc_curs_blk• open_rem_curs• open_rem_curs_blk• piped_sorts_accepted• piped_sorts_requested• pkg_cache_inserts• pkg_cache_lookups• pkg_cache_lookups_direct_reads• pkg_cache_num_overflows• pool_async_data_read_reqs• pool_async_data_reads• pool_async_data_writes• pool_async_index_reads• pool_async_index_writes• pool_async_read_time• pool_async_write_time• pool_data_from_estore• pool_data_l_reads• pool_data_p_reads• pool_data_to_estore• pool_data_writes• pool_drty_pg_steal_clns_sort_overflows• pool_drty_pg_thrsh_clns• pool_index_from_estore• pool_index_l_reads• pool_index_p_reads• pool_index_to_estore• pool_index_writes• pool_lsn_gap_clns• pool_read_time• pool_write_time• post_threshold_sorts• prefetch_wait_time• rej_curs_blk• rem_cons_in• rem_cons_in_exec• rollback_sql_stmts• rows_deleted• rows_inserted• rows_read• rows_selected• rows_updated• rows_written• sec_logs_allocated• select_sql_stmts• sort_heap_allocated• sort_overflows• static_sql_stmts
--	--	--	--

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none">• total_hash_joins• total_hash_loops• total_log_used• total_sec_cons• total_sort_time• total_sorts• uid_sql_stmts• uow_lock_wait_time• uow_log_space_used• x_lock_escals
--	--	--	---

Network Devices and Services Monitors

Firewall Servers			
App.	Versions supported	Platforms Supported	Metrics
Check Point Firewall-1	4.1 NG	All	<ul style="list-style-type: none"> • Dropped • Logged • Major • Minor • ModuleState • PointEvent • Product • Rejected
Load Balancers and Networking			
App.	Versions supported	Platforms Supported	Metrics
F5 BigIP	4.0	Not applicable	F5 systems <ul style="list-style-type: none"> • active • bitsin • bitsinHi32 • bitsout • bitsoutHi32 • concur • conmax • contot • cpuTemperature • droppedin • droppedout • fanSpeed • gatewayFailsafe • ifaddress • ifaddressTable • interface • loadbal • loadbalMode • loadBalTrap • member • memoryTotal • memoryUsed • mirrorenabled • nat • ndaddr • nodePing • nodeTimeout • pktsin • pktsinHi32 • pktsout • pktsoutHi32

HP SiteScope Monitors and Metrics

			<ul style="list-style-type: none"> • pool • poolMember • portdeny • resetcounters • snat • snatConnLimit • snatTCPIdeTimeout • snatUDPIdeTimeout • sslProxy • sslProxyEntry • sslProxyTable • unitId • uptime • vaddress • virtualAddress • virtualServer • vport • watchDogArmed <p>F5 DNS</p> <ul style="list-style-type: none"> • cache • dataCenters • globals • hosts • lbDnsServs • lbDomains • lbRouters • summary
Cisco Works	2000	All Platforms	<p>SNMP data including the following categories and all of their metrics</p> <ul style="list-style-type: none"> • applConformance • applTable • assocTable • at • egp • egpNeighTable • host • icmp • interfaces • ip • rdbmsConformance • rdbmsObjects • snmp • system • tcp • udp

HP SiteScope Monitors and Metrics

Network Services			
App.	Versions supported	Platforms Supported	Metrics
Network Bandwidth	NA	Any device that supports an IF-MIB.	<ul style="list-style-type: none"> • Bytes in • Bytes out • Packet in • Packets out • Incoming discarded packets • Outgoing discarded packets • Incoming packets in error • Outgoing packets in error • Out queue length • % bandwidth utilization
SNMP	1.0, 2.0 3.0 md5 authentication	All Platforms	Any value available via SNMP MIBs for the device. <ul style="list-style-type: none"> • content match • status • value
SNMP by MIB	1.0, 2.0 3.0 md5 authentication	All Platforms	Any value available via SNMP MIBs for the device.
SNMP Trap	1.0, 2.0, 3.0	All Platforms	Receive SNMP traps for specific values
Formula (Bandwidth) Composite	NA	All	Performs an arithmetic calculation between two SNMP metrics (i.e. network bandwidth).
Ping	NA	NA	Host availability
DNS	NA	NA	Server accepting requests Address for specific name can be found
Port	NA	NA	Supports both TCP and UDP (UDP requires additional configuration) Connection to port Connection time
FTP	NA	All Platforms	Includes ability to do content matching and compare a file to last known contents, compare a file to saved contents (and reset) as well as the following: GET file transfer time GET file transfer rate PUT file transfer time PUT file transfer rate
Mail (SMTP)	NA	All Platforms	Round trip – email delivery time Send time Reciece time Contant match on received email
MAPI	Microsoft Exchange 2003 and 2007, Outlook 2007	Windows	Round trip – email delivery time

Advanced Monitors

App.	Versions supported	Platforms Supported	Metrics
Composite	NA	All	Number and percentage of items in the specified monitors and/or groups currently reporting an error, warning, or OK status. * Helpful for creating complex monitor alert logic
Database Query	Any database with a valid JDBC driver that supports SQL queries.	All	Varies by database. Used primarily for checking database status and response time via a query. Can be used to gather metrics via SQL queries but does not have the power and flexibility of the Database Counter monitor (see below). * This monitor can be used to monitor DB2 on a mainframe as long as the appropriate JDBC listener is running on the mainframe.
Database Counter	Any database with a valid JDBC driver that supports SQL queries.	All	Varies by database. This monitor provides support for calculating deltas and rates between monitor runs and monitoring of multiple counters with a single monitor instance.
Directory	NA	All Platforms	<ul style="list-style-type: none"> • # of files • Total disk space used
File	NA	All Platforms	<ul style="list-style-type: none"> • content match • file age • size • status
LDAP	NA	All Platforms	<ul style="list-style-type: none"> • Retrieve first entry(s) • Simple Query • False Query • Advanced Query • Authentication • Content verification
Link Check	NA	NA	Checks internal and external links on a site
Log File	NA	NA	Alerts on matching text (eg error messages) <ul style="list-style-type: none"> • Lines • lines/min • matches • matches/min • value • value2 • value3 • value4
Microsoft Windows Dial-up	NA	NA	Confirms connection

HP SiteScope Monitors and Metrics

Microsoft Windows Event Log	NA	NA	Provides alerts on new entries to the Windows events logs including the application, security, system and custom logs.
News (NNTP server)	NA	NA	<ul style="list-style-type: none"> • number of articles • round trip time • status
Radius	NA	NA	Authentication request <ul style="list-style-type: none"> • match value • round trip time • status
Script	NA	NA	One of the most versatile SiteScope monitors. Can be used to execute scripts, pass parameters, read script output and perform content matches. Can function either locally or on a remote system.
XML Metrics	NA	NA	The XML Metrics Monitor operates like many other browsable monitors: it gathers information from a source, organizes it into a browsable tree structure, and allows the user to choose which items in the tree should be monitored. It works by requesting an XML file that is accessible by an URL. The XML metrics must be in a format where each metric is a separate, unique entity in the tree/leaf format. An optional XSL facility can help with formatting.

Server Monitors

App.	Versions supported	Platforms Supported	Metrics
CPU	NA	Windows, Unix, Linux	Measures CPU utilization
DHCP	NA	Windows, Unix, Linux	Measures if an IP address can be received
Disk Space	NA	Windows, Unix, Linux	Measures the percentage of disk space used

<p>HP iLO</p>	<p>2 and 3</p>	<p>HP iLO technology was developed for HP ProLiant servers. For supported platforms, see http://h18013.www1.hp.com/products/servers/management/re motemgmt.html</p>	<p>The list of counters depends on the monitored system, and can differ significantly from system to system. Below is a sample set of counters that are available:</p> <ul style="list-style-type: none"> • system1/firmware1/date • system1/firmware1/version • system1/cpu1/cachememory1 • system1/cpu1/cachememory2 • system1/cpu1/cachememory3 • system1/cpu1/speed • system1/memory1/location • system1/memory1/size • system1/memory1/speed • system1/slot1/type • system1/slot1/width • system1/fan1/DesiredSpeed • system1/fan1/DeviceID • system1/fan1/ElementName • system1/fan1/HealthState • system1/fan1/OperationalStatus • system1/fan1/VariableSpeed • system1/sensor1 : temp1/CurrentReading • system1/sensor1 : temp1/DeviceID • system1/sensor1 : temp1/ElementName • system1/sensor1 : temp1/HealthState • system1/sensor1 : temp1/OperationalStatus • system1/sensor1 : temp1/RateUnits • system1/sensor1 : temp1/SensorType • system1/sensor1 : temp1/oemhp_CautionValue • system1/sensor1 : temp1/oemhp_CriticalValue • system1/powersupply1/ElementName • system1/powersupply1/HealthState • system1/powersupply1/OperationalStatus • system1/properties/enabledstate • system1/properties/name • system1/properties/number • system1/properties/oemhp_powerreg • system1/properties/oemhp_pwracap • system1/properties/oemhp_pwrmode • system1/properties/oemhp_server_name • system1/properties/processor_number • system1/properties/pstate_number
---------------	----------------	--	---

HP SiteScope Monitors and Metrics

HP NonStop Event Log	All G-Series, H-Series, and J-Series NonStop RVUs	NonStop	<ul style="list-style-type: none"> • match count – number of events matched by regexp • records examined – number of events received from NonStop according to filter settings of monitor • matches/min – matches rate • records/min – records rate
IPMI	Any server with IPMI 1.5 support. HP and Dell servers tested in-house.	Windows, Linux	Measures various hardware metrics even if the operating system is unresponsive. The list of available counters is vendor dependant and usually includes CPU and system temperature, system fans RPM, CPU and system voltage and more.
Memory	NA	Windows, Unix, Linux	Measures physical and virtual memory usage: <ul style="list-style-type: none"> • physical memory used % • physical memory MB free • virtual memory used % (previously percent used) • virtual memory MB free (previously MB free) • Pages/sec
Memcached Statistics	NA	Windows, Unix, Linux	Measures a memcached server response to a remote stats request, and stores the values returned in the response to a successful stats request: Stats (number of connections, bytes in/out, etc): <ul style="list-style-type: none"> • pid • uptime • time • version • pointer_size • curr_items • total_items • bytes • curr_connections • total_connections • connection_structures • cmd_get • cmd_set • get_hits • get_misses • evictions • bytes_read • bytes_written • limit_maxbytes • threads stats slabs (Memory statistics): <ul style="list-style-type: none"> • active_slabs • total_malloced
Network	NA	Windows, Unix, Linux	<ul style="list-style-type: none"> • Packet errors • Throughput • Active connections

HP SiteScope Monitors and Metrics

Service	NA	Windows, Unix, Linux	Monitors services or processes locally or on remote systems. Monitors Windows services and processes and processes on Unix/Linux systems. Can be used to verify that specific services such as the following are running: Web server Mail FTP News Gopher Telnet
Web Server	NA	Windows, Unix, Linux	Measures Web Server Logs Hits Bytes Errors hits per minute bytes per minute

URL Monitors

App.	Versions supported	Platforms Supported	Metrics
URL	Supports Web pages created in HTTP versions 1.0 and 1.1	NA	<p>The SiteScope URL Monitor is one of the most versatile and powerful Web monitoring tools available to Webmasters. Its core function is to attempt to reach a specified Web page to verify that it can be retrieved, but it can also be used to do the following:</p> <ul style="list-style-type: none"> Check secure pages using SSL, 128 bit SSL, and client certificates Check for specific content on the retrieved Web page Check the Web page for change Check for specific error messages Check the Web page for a value Retrieve detailed download information Check XML
URL Content	Supports Web pages created in HTTP versions 1.0 and 1.1	NA	<p>The SiteScope URL Content Monitor is a specialized variation of the URL Monitor that can match up to ten different values from the content of a specified URL. The matched values are displayed with the status of the monitor in the monitor group table and written to the monitor log. Below are the counters that are available:</p> <ul style="list-style-type: none"> • age (seconds) • certificate expiration days remaining • connect time (milliseconds) • content match • deviation percentage (connect time %) • deviation percentage (dns time %) • deviation percentage (download time %) • deviation percentage (response time %) • deviation percentage (roundtrip time %) • dns time (milliseconds) • download time (milliseconds) • overall status • response time (milliseconds) • roundtrip time (milliseconds) • size (bytes) • status • total errors (errors)
URL List	Supports Web pages created in HTTP versions 1.0 and 1.1	NA	<p>The SiteScope URL List Monitor is used to check a large list of URLs. This monitor is commonly used by web hosting providers to measure the availability and performance of their customer's web sites.</p>

HP SiteScope Monitors and Metrics

URL Sequence	Supports Web pages created in HTTP versions 1.0 and 1.1	NA	<p>The SiteScope URL Sequence Monitor simulates a user's access across several pages. This is particularly useful for monitoring and testing multi-page e-commerce transactions and other interactive online applications. Below are the counters that are available:</p> <ul style="list-style-type: none">• Certificate Expiration Days Remaining• content match• round trip time• status• step connect time (for steps 1-10)• step dns time (for steps 1-10)• step download time (for steps 1-10)• step response time (for steps 1-10)• step round trip time (for steps 1-10)• total errors
---------------------	---	----	---

HP SiteScope Monitors and Metrics

<p>Web Script</p>	<p>Supports scripts created in HP Virtual User Generator (VuGen) version 9.51 and earlier.</p>	<p>Web (Click and Script) Protocol Web (HTTP/HTML) Protocol</p>	<p>Each time the Web Script Monitor runs the VuGen script, it returns the transaction breakdown and performance data. The VuGen script also includes content match functionality, enabling you to check images, texts, links, and other areas of the Web site.</p> <p>In addition, the monitor's reported data can include the following measurements:</p> <ul style="list-style-type: none"> • The amount of time needed to establish an initial connection with the Web server performing the transaction. • The amount of time taken to establish an SSL connection for HTTPS connections. • The time in milliseconds for the transaction to be run. • Whether the transaction passed or failed to connect and perform its required steps. • Number of pages accessed when running the transaction. • Number of errors that occurred during the transaction run. <p>The monitor can provide early indicators of the following performance issues:</p> <ul style="list-style-type: none"> • Excessive connection or retry times. • Slow DNS resolution or other problems with the DNS server. • Problems along the network or whether the server is responsive to requests. • Delays or failures in secured or authorized connections. • Overall network quality. • Web server delays.
--------------------------	--	---	--

EMS (Integration) Monitors

App.	Versions supported	Platforms Supported	Metrics
Technology SNMP Trap Integration	SNMP traps version 1 and 2	NA	This monitor enables integration of alerts from other EMS systems to SiteScope using SNMP traps. In order for achieving that, one should configure the EMS system to send snmp traps to SiteScope on each alert. The monitor will produce event (using the config file) from each matched trap.
Netscout	nGenius Performance manager product	NA	This monitor enables integration of alerts from Netscout nGenius Performance manager product to SiteScope.
Technology Web Service Integration	NA	NA	This monitor enables integration of alerts from other EMS systems to SiteScope using soap. In order for achieving that, one should implement client which will call SiteScope web service API to report events/metrics. The monitor will produce event (using the config file) from each matched call.
Technology Database Integration	Any database server that supports one of the JDBC drivers supplied with SiteScope or any third party JDBC driver that is placed in SiteScope's java libraries directory.	NA	This monitor retrieves data from any EMS database according to an SQL query configured by the user and is able to report that data to BSM as metrics or events depending on configuration files that is applied.
Technology Log File Integration		NA	The Technology Log File Integration Monitor is useful for automatically extracting data from log files and sending the data to BSM. For example, you can use this monitor to forward information from HP Network Node Manager to BSM.

Web Services/SOA

App.	Versions supported	Platforms Supported	Metrics
UDDI	UDDI 2.0 servers	NA	Availability and round trip response time.
Web Service	WSDL 1.1, 2.0 SOAP 1.1, 1.2	NA	Status and response time of SOAP over HTTP web services. Status values can be any of the following: <ul style="list-style-type: none"> • OK • unknown host name • unable to reach server • unable to connect to server • timed out reading • content match error • document moved • unauthorized • forbidden • not found • proxy authentication required • server error • not implemented • server busy

Solution Templates

Host Operating Systems

App.	Versions supported	Platforms Supported
Microsoft Windows Solaris AIX Linux	XP Pro, NT 4.0, 2000, 2003, 2008 Solaris 9, 10 AIX 5.2, 5.3 RedHat 7.x, 8.x, 9.x, Redhat Enterprise Linux 3.x, 4.x, 5.2, 5.4, 5.5 AS and ES are supported.	Windows All All All

HP Quality Center

App.	Versions supported	Platforms Supported
HP Quality Center Application Server	9.2 10.0	Windows and UNIX
HP QTP License Server	7.1.0	Windows and all UNIX
HP Quality Center Server License Server	9.2 10.0	Windows and all UNIX

HP Service Manager

App.	Versions supported	Platforms Supported
HP Service Manager	Service Manager 7.11	Windows and UNIX

JBoss Application Server

App.	Versions supported	Platforms Supported
JBoss Application Server	4.x, 5.x	All

Microsoft Active Directory

App.	Versions supported	Platforms Supported
Microsoft Active Directory	Windows Server 2000 Windows Server 2003 Windows Server 2008 R2	Windows

Microsoft Exchange

App.	Versions supported	Platforms Supported
Microsoft Exchange	Exchange 5.5 Exchange 2000 Exchange 2003	All

HP SiteScope Monitors and Metrics

	Exchange 2007 Exchange 2010	
--	--------------------------------	--

Microsoft IIS

App.	Versions supported	Platforms Supported
Microsoft IIS	IIS 6.0 (2003) IIS 7.x	Windows

Microsoft Lync Server

App.	Versions supported	Platforms Supported
Microsoft Lync Server	Microsoft Lync Server 2010 (Microsoft A/V Conferencing Server, Microsoft Archiving Server, Microsoft Director Server, Microsoft Edge Server, Microsoft Front End Server, Microsoft Mediation Server, Microsoft Monitoring and CDR Server, Microsoft Registrar Server)	Windows

Microsoft .NET

App.	Versions supported	Platforms Supported
.NET CLR Data	1.x, 2.x	Windows
ASP.NET	1.x, 2.x	Windows
ASP.NET Applications	1.x, 2.x	Windows

Microsoft SharePoint

App.	Versions supported	Platforms Supported
Microsoft SharePoint	SharePoint 2010	Windows

Microsoft SQL Server

App.	Versions supported	Platforms Supported
Microsoft SQL Server	SQL Server 2005, 2008, 2008 R2	Windows

Oracle Database

App.	Versions supported	Platforms Supported
Oracle Database	9i, 10g, 11g	Windows, Unix and Linux

SAP Application Server

App.	Versions supported	Platforms Supported
SAP Application Server	SAP R/3 4.5B and above	Windows NT 4.0, Windows 2000, Linux and Solaris

Siebel

App.	Versions supported	Platforms Supported
Siebel Application Server	6.3, 7.03, 7.04, 7.5.2, 7.5.3, 7.7, 8.0, 8.1	Windows and Unix
Siebel Gateway Server	6.3, 7.03, 7.04, 7.5.2, 7.5.3, 7.7, 8.0, 8.1	Windows and all Unix
Siebel Web Server	6.3, 7.03, 7.04, 7.5.2, 7.5.3, 7.7, 8.0, 8.1	Windows and all Unix

VMware Capacity Management

App.	Versions supported	Platforms Supported
VMware Host	VMware VirtualCenter 2.x VMware ESX 3.x, 4.0, 4.1 VMware ESXi 3.5, 4.0, 5.0 VMware ESX 2.5 via VirtualCenter 2.x VMware ESX 3.x via VirtualCenter 3.x VMware vCenter Server 4.0, 4.1, 5.0	Virtual Center - Microsoft® Windows 2000, Microsoft® Windows XP Professional and Microsoft® Windows Server 2003 ESX server – own OS

WebLogic Application Server

App.	Versions supported	Platforms Supported
WebLogic <i>(Metrics may vary depending on what is installed on the app server).</i> <i>Requires separate purchase and license key to enable.</i>	6.x, 7.x, 8.x, 9.1, 9.2, 10.0	All

WebSphere Application Server

App.	Versions supported	Platforms Supported
WebSphere <i>(Metrics may vary depending on what is installed on the app server).</i> <i>Requires separate purchase and license key to enable.</i>	5.x, 6.x, 7.x, 8.x	All