

# HP Connect-It

For the Windows®, Linux®, and UNIX® operating systems

Software Version: 9.53

## TCM Integration

Document Release Date: December 2013

Software Release Date: December 2013



## Legal Notices

### Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notice

© Copyright 1994 - 2013 Hewlett-Packard Development Company, L.P.

### Trademark Notices

Adobe®, Adobe logo®, Acrobat®, and Acrobat Logo® are trademarks of Adobe Systems Incorporated.

Corel® and Corel logo® are trademarks or registered trademarks of Corel Corporation or Corel Corporation Limited.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Microsoft®, Windows®, Windows NT®, Windows XP®, Windows Vista®, Windows 7®, and Windows Mobile® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

## Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to: <http://h20230.www2.hp.com/selfsolve/manuals>

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to: <http://h20229.www2.hp.com/passport-registration.html>

Or click the **New users - please register** link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

## Support

Visit the HP Software Support Online web site at: <http://www.hp.com/go/hpsoftwaresupport>

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

To find more information about access levels, go to:

[http://h20230.www2.hp.com/new\\_access\\_levels.jsp](http://h20230.www2.hp.com/new_access_levels.jsp)

**HP Software Solutions Now** accesses the HPSW Solution and Integration Portal Web site. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of Integrations between HP Products, as well as a listing of ITIL Processes. The URL for this Web site is

<http://h20230.www2.hp.com/sc/solutions/index.jsp>

# Contents

Contents .....	3
Chapter 1: Overview .....	4
Scope and intended audience .....	4
Required versions .....	4
Chapter 2: Preparing the integration .....	5
Modifying the Computers table (amComputer) .....	5
Creating additional fields .....	5
Creating additional links .....	6
Creating an additional page .....	7
Modifying the detail screens .....	8
Creating a wizard .....	9
Modifying user rights .....	11
Creating the parent model for the TCM Packages models .....	12
Chapter 3: Integration test .....	13
Scenario configuration .....	13
Distribution scenario (di_tcmac.scn) .....	13
Inventory scenario (tcmac.scn) .....	14
Software import scenario (sp_tcmac.scn) .....	15
Update scenario (up_tcmac.scn) .....	15
Chapter 4: Executing a scenario .....	16
Inventory scenario (tcmac.scn) .....	16
Software import scenario (sp_tcmac.scn) .....	17
Distribution scenario (di_tcmac.scn) .....	17
Update scenario (up_tcmac.scn) .....	18
We appreciate your feedback! .....	20

# Chapter 1: Overview

This guide covers the main points of integration between Tivoli Configuration Manager and Asset Manager. For a more detailed or specific description of the integration, scenario, or customization, refer to the Tivoli Configuration Manager and/or Asset Manager User's Guides.

This chapter includes:

Scope and intended audience .....	4
Required versions .....	4

## Scope and intended audience

This guide and all the associated documents were originally written for internal use at HP, in particular for the Research and Development Marketing departments to improve production extension and integration.

For this reason, it does not fulfill the requirements of a proper user's guide and is provided with Connect-It for technical support for the integration process. Hewlett-Packard Development Company, L.P. reserves the right to extend the functional content of this document for future versions of Connect-It.

## Required versions

This integration project is compatible with the following software versions:

Software	Version
Tivoli Configuration Manager	4.2
Asset Manager	4.1 or higher
Connect-It	3.2.1 or higher

Make sure this software is correctly installed and configured on your system before going any further.

# Chapter 2: Preparing the integration

This chapter details the preliminary steps to accomplish before testing integration of both products.

**Caution:** Before making any modification to your Asset Manager database, we highly recommend making a full backup.

This chapter includes:

- Modifying the Computers table (amComputer) ..... 5
- Creating a wizard ..... 9
- Modifying user rights ..... 11
- Creating the parent model for the TCM Packages models ..... 12

## Modifying the Computers table (amComputer)

In this step, we are going to modify the structure of the **amComputer** to add, in particular, the fields required by the integration process. To do this, execute Asset Manager Database Administrator and select **amComputer** from the list of tables.

### Creating additional fields

We are going to create two extra fields in the **amComputer** table:

1. **DistributionID**
2. **seTCMCurrentState**

To create the **DistributionID** field:

1. Select the **Display/ Fields** menu,
2. Click **New**,
3. Populated the fields in the window that is displayed with the information contained in the following table:

Field	Value
SQL name	DistributionId
Label	DistributionId

Field	Value
Description	Tivoli Distribution ID
Type	Text

4. Set the **Size** field in the **General** tab to **32**.

To create the **seTCMCurrentState** field:

1. Select the **Display/ Fields** menu,
2. Click **New**,
3. Populated the fields in the window that is displayed with the information contained in the following table:

Field	Value
SQL name	seTCMCurrentState
Label	TCM Current State
Description	TCM Current State
Type	System itemized list

4. Set the **Format** field in the **General** tab to the following value:

```
No Distribution|0|Distribution request performed in AssetCenter|1|Distribution  
on request sent to TCM|2|Distribution pending|3|Distribution successful|4|Di  
stribution failed|5
```

## Creating additional links

To create the **TCMErrMsg** link:

1. Select the Computers table (**amComputer**) from the list of tables,
2. Select the **Display/ Links** menu,
3. Click **New**,
4. Populated the fields in the window that is displayed with the information contained in the following table:

Field	Value
Link type	Own1
Source	
Table	amComputer
SQL name	TCMErrMsg
Label	TCM Error Message
Description	TCM Error Message
Destination	
Table	amComment
SQL name	TCMComment
Label	TCMComment
Description	TCMComment

## Creating an additional page

To create the **PgDistribution** page:

1. Select the Computers table (**amComputer**) from the list of tables,
2. Select the **Display/ Pages** menu,
3. Click **New**,
4. Populate the fields in the **General** tab with the information contained in the following table:

Field	Value
SQL name	PgDistribution
Label	Distribution
Description	Distribution
Domain	Portfolio

5. Click **Create**,


6. Select the **Content** tab and add the fields and links created previously in the following order: **DistributionId**, **seTCMCurrentState** and finally **TCMErrMsg**,
7. Select the **Display/ Screens** menu,
8. Select the **sysamComputer** screen
9. Click the **Pages** tab and add the new page to the detail pages (↕ button) .
10. Click **Modify**.

## Modifying the detail screens

We are going to modify two new detail screens for the **amComputer** table:


1. The screen with SQL name **sysamComputer**
2. The screen with SQL name **sysamComputerDa**

To do this:

1. Select the Computers table (**amComputer**) from the list of tables,
2. Select the **Display/ Details** menu. This list includes the two screen mentioned previously,
3. Select the screen with SQL name **sysamComputer**, then perform the following operations:
  - Click the **Buttons** tab,
  - Click  and edit each item of information concerning the new button using the information contained in the following table:

Field	Value
Name	TCMDist
Text	&TCM Dist.
Description	Tivoli Distribution
Associated action	A:TCM_Package_Distribution
Relevance	(Script)  RetVal = ([seTCMCurrentState] = 0 OR [seTCMCurrentState] > 3)



- Click the **Pages** tab and add the **PgDistribution** page created earlier.
  - Confirm your modifications.
4. Select the screen with SQL name **sysamComputerDa**, then perform the following operations:
- Click the **Buttons** tab,
  - Click  and edit each item of information concerning the new button using the information contained in the following table:

Field	Value
Name	TCMDistDA
Text	&TCM Dist.
Description	Tivoli Distribution
Associated action	A:TCM_Package_Distribution
Relevance	(Script)  RetVal = ([seTCMCurrentState] = 0 OR [seTCMCurrentState] > 3)

- Click the **Pages** tab and add the **PgDistribution** page created earlier.
- Confirm your modifications.


## Creating a wizard

For this step, we are going to connect to the Asset Manager database as the connector. We will now create a new wizard for integration:

1. Select the **Tools/ Actions/ Edit** menu,
2. Click **New**,
3. Select **Wizard** as the **Type** of the new action and enter the information given in the following table:

Field	Value
Name	Package Distribution
Context	amComputer

Type	Wizard
SQL name	TCM_Package_Distribution
Domain	/Portfolio/
Nature	TCM
Author	Admin

4. Select the **Wizard** tab, then click the  icon and replace the lines of text with the following program:

```
{ GLOBAL =
  Dim strMsgInProgress As String
}
NAME = "tcmpackdist"
TITLE = "TCM Package distribution"
TRANSITION = ""
VERSION = "3264"
{ START START
  { DO =
    strMsgInProgress="TCM delivery already in progress,Please try later"
  }
  TO = "PAGE1"
}
{ PAGE PAGE1
  TITLE =RetVal="TCM Package distribution on " & [Name]
  { LABEL ERRMSG
    CAPTION =RetVal="<b><center>" & strMsgInProgress & "</center></b>"
    VISIBLE =RetVal=([seTCMCurrentState] > 0 AND [seTCMCurrentState] < 6)
  }
  { DBLISTBOX dbTCMInstall
    COLNAME = "Name"
    FILTER = "Parent.Barcode='TCMPACKAGE'"
    LABEL = "TCM Packages list"
    MANDATORY = 1
    READONLY =RetVal=([seTCMCurrentState] > 0 AND [seTCMCurrentState] < 4)
    TABLE = "amModel"
    TREE = 0
    VALUE = "-1"
  }
}
{ FINISH FINISH
  { DO =
    if [seTCMCurrentState] = 0 OR ([seTCMCurrentState] >= 4)Then
      Dim strModelName As String, lErr As Long
      Dim hr As Long
```

```
hr=amGetRecordFromMainId("amComputer", [lComputerId])
lErr=amSetFieldLongValue(hr, "seTCMCurrentState", 1)
lErr=amSetFieldStrValue(hr, "DistributionId", "")
lErr=amSetFieldStrValue(hr, "TCMErrMsg.memComment", " ")
lErr=amUpdateRecord(hr)
lErr = AmReleaseHandle(hr)

hr = AmCreateRecord("amOutputEvent")

strModelName = amDbGetString("SELECT Name FROM amModel WHERE lModelId=" &{
PAGE1.dbTCMInstall})
lErr = AmSetFieldStrValue(hr, "Category", "TCM" )
lErr = AmSetFieldStrValue(hr, "memMessage", CHR(34) & "@" & strModelName
& CHR(34) & " @" & [Name])
lErr = AmInsertRecord(hr)
if lErr = 0 Then
    amlog("Order to deploy " & strModelName & " on " & [Name] & " sent.")
else
    amlog("Problem during event creation. Deployment not submitted")
end if
lErr = AmReleaseHandle(hr)
lErr = amProgress(100)
else
    amlog(strMsgInProgress)
    amLog("Distribution Id being installed: " & [DistributionId] & " Current s
tate: " & [seTCMCurrentState])
    end if
}
SUMMARY = 1
}
```

## Modifying user rights

We are now going to modify the user rights on the **amComputer** table to take into account the new fields and links just created. To do this:

1. Select the **Administration/ User rights** menu,
2. For each user right associated with a login connecting to the database in the context of the integration, you must specify the user rights for the fields and links created previously (**DistributionId**, **seTCMCurrentState** and **TCMErrMsg**). We recommend granting full rights (read, insert, and update) for these fields.

## Creating the parent model for the TCM Packages models

Perform the following steps:

1. Select the **Portfolio/ Models** menu,
2. Create a new model with the information contained in the following table:

Field	Value
Name	TCM Packages
Brand	IBM
Barcode	TCMPACKAGE
Nature	Software installation (optional)
Sub-model of	Software installation (optional)

**Note:** Connect-It will store the TCM packages on this model.

The database is now ready for integration.

# Chapter 3: Integration test

The following scenarios are provided with Connect-It for the integration of Asset Manager with Tivoli Configuration Manager:

- A standard inventory scenario, **tcmac.scn**, available in one of the following directories:
  - **scenario\tivoli\tcm\tcm42ac41**, for integration with Asset Manager 4.1.x or 4.2.x.
  - **scenario\tivoli\tcm\tcm42ac43**, for integration with Asset Manager 4.3.x.
- software distribution scenarios for integration with Asset Manager 4.3.x, located in the **scenario\tivoli\tcm\_sd\tcmsd42ac43** directory

The following is a brief description of the different scenarios:

- **tcmac.scn**: This scenario imports inventory and software installation data.
- **di\_tcmsdac.scn**: When a software installation request is made in Asset Manager, an event is saved in the Output Events table in Asset Manager. This scenario reads these events and executes the TCM software installation command.
- **sp\_tcmsdac.scn**: This scenario imports the software packages defined in Tivoli Configuration Manager.
- **up\_tcmsdac.scn**: This scenario propagates the information concerning the status of software installations in progress to Asset Manager.

**Note:** Before testing the integration, make sure all the steps in the previous chapter have been properly carried out.

This chapter includes:

Scenario configuration .....	13
------------------------------	----

## Scenario configuration

### Distribution scenario (di\_tcmac.scn)

**Caution:**

- This scenario must be executed on a TRM server.
- This scenario must be executed on a computer on which Asset Manager is "visible": Database layer installed, Asset Manager installed locally and configured to connect to the database.

Load the **di\_tcmac.scn** scenario located in the following sub-folder of the Connect-It installation folder:

```
scenario\tivoli\tcm_sd\tcmsd42ac43
```

Execute the following steps:

1. Right-click the **Asset Manager** connector.
2. Select **Configurer le connecteur**. Connect-It start the connector configuration wizard.
3. Click **Next** and configure the connection to the Asset Manager database; Populate the **Connection**, **Login** and **Password** fields.
4. Click **Finish**.

If you are running Connect-It on Unix, you must update the shell script provided with Connect-It:

1. Click the mapping box, and then select the **Mappings** tab.
2. Select the mapping and double-click it to edit it.
3. Modify the mapping script of the **Name** sub-element of the **Command** element to set it to the following value:

```
scenario\tivoli\tcm_sd\tcmsd42ac43\tcm.sh
```

## Inventory scenario (tcmac.scn)

### Caution:

- This scenario must be executed on a TRM server.
- This scenario must be executed on a computer on which Asset Manager is "visible": Database layer installed, Asset Manager installed locally and configured to connect to the database.

Load the **tcmac.scn** scenario located in the sub-directory corresponding to the version of Asset Manager you are using.

Execute the following steps:

1. Right-click the **Tivoli Configuration Manager** connector.
2. Select **Configurer le connecteur**. Connect-It start the connector configuration wizard.
3. Click **Next** twice and configure the connection to the Asset Manager database; Populate the **ODBC data source**, **Login** and **Password** fields.

4. Click **Tester** to test the connection.
5. Click **Finish**.

**Note:** Configure the **Asset Manager** as for the distribution scenario.

## Software import scenario (sp\_tcmac.scn)

**Caution:**

- This scenario must be executed on a TRM server.
- This scenario must be executed on a computer on which Asset Manager is "visible": Database layer installed, Asset Manager installed locally and configured to connect to the database.

Load the **sp\_tcmac.scn** scenario located in the following sub-folder of the Connect-It installation folder:

```
scenario\tivoli\tcm_sd\tcmsd42ac43
```

Configure the **Asset Manager** and **Tivoli Configuration Manager** connectors as for the inventory scenario.

## Update scenario (up\_tcmac.scn)

**Caution:**

- This scenario recovers the data from the DIST\_STATE table located the MDist2 server.
- This scenario must be executed on a computer on which Asset Manager is "visible": Database layer installed, Asset Manager installed locally and configured to connect to the database.

Load the **up\_tcmac.scn** scenario located in the following sub-folder of the Connect-It installation folder:

```
scenario\tivoli\tcm_sd\tcmsd42ac43
```

Configure the **Asset Manager** and **Tivoli Configuration Manager** connectors as for the inventory scenario.

# Chapter 4: Executing a scenario

This chapter provides information on the different scenarios that you can execute in the context of the integration of Asset Manager and Tivoli Configuration Manager.

This chapter includes:

- Inventory scenario (tcmac.scn) .....16
- Software import scenario (sp\_tcmac.scn) ..... 17
- Distribution scenario (di\_tcmac.scn) ..... 17
- Update scenario (up\_tcmac.scn) ..... 18

## Inventory scenario (tcmac.scn)

1. Load the **tcmac.scn** scenario located in the sub-directory corresponding to the version of Asset Manager you are using.
2. Start production by clicking [▶](#).

**Note:** Only the inventory information is processed by this scenario.

3. If no errors occur, the Asset Manager database is populated with the information on the computers. The following table details the tables (and the fields and links) impacted by executing this scenario.

Application concerned	Table, Field or Link concerned	Read	Write
Asset Manager			
	amComputer.Name		X
	amModel.Name		X
	amModel.Nature.Code		X
	amModel.Parent.BarCode		X
Tivoli Configuration Manager			
	COMPUTER/TME_OBJECT_ID	X	
	COMPUTER/TME_OBJECT_LABEL	X	



## Software import scenario (sp\_tcmac.scn)

1. Load the scenario **sp\_tcmac.scn** located in the following sub-folder of the Connect-It installation folder:  

```
scenario\tivoli\tcm_sd\tcmsd42ac43
```
2. Start production by clicking ▶.
3. If no errors occur, the Asset Manager database is populated with the information on the software. The following table details the tables (and the fields and links) impacted by executing this scenario.

Application concerned	Table, Field or Link concerned	Read	Write
Asset Manager			
	amComputer.Name		X
	amModel.Name		X
	amModel.Nature.Code		X
	amModel.Parent.BarCode		X
Tivoli Configuration Manager			
	SD_PACKAGES/SWARE_NAME	X	
	SD_PACKAGES/SWARE_VERS	X	

## Distribution scenario (di\_tcmac.scn)


1. Load the scenario **di\_tcmac.scn** located in the following sub-folder of the Connect-It installation folder:  

```
scenario\tivoli\tcm_sd\tcmsd42ac43
```
2. Start production by clicking ▶.
3. If no errors occur, the software installation request is sent to Tivoli Configuration Manager. The following table details the tables (and the fields and links) impacted by executing this scenario.

Application concerned	Table, Field or Link concerned	Read	Write
Asset Manager			

Application concerned	Table, Field or Link concerned	Read	Write
	amOutputEvent.memMessage	X	
	amComputer.DistributionId		X
	amComputer.Name	X	
	amComputer.seTCMCurrentState		X

The following diagram details of the workflow of the process:



Connect-It executes the following command:

```
winstsp -u y @Softpackage @Endpoint
```

with the following values for the parameters:

- **Softpackage:** amOutputEvent.memMessage
- **Endpoint:** amComputer.Name

**Note:** The **-u y** option is used. The package is installed in reversible mode. Thus, if ever a problem is encountered, the installation can be cancelled.

## Update scenario (up\_tcmac.scn)

1. Load the **up\_tcmac.scn** scenario located in the following sub-folder of the Connect-It installation folder:  

```
scenario\tivoli\tcm_sd\tcmsd42ac43
```
2. Start production by clicking ▶.
3. If no errors occur, the status of the software installation as shown in Tivoli Configuration Manager is propagated to Asset Manager. The following table details the tables (and fields and links) impacted by executing this scenario.

Application concerned	Table, Field or Link concerned	Read	Write
Tivoli Configuration Manager			
	DIST_STATE/COMPLET_COUNT	X	
	DIST_STATE/WAITING_COUNT	X	
	DIST_STATE/FAILED_COUNT	X	
Asset Manager			
	amComputer.DistributionId	X	
	amComputer.Name	X	
	amComputer.seTCMCurrentState		X

Possible values for the **amComputer.seTCMCurrentState** field:

Status	Meaning
No Distribution	An Asset Manager has made a software-distribution request.
Distribution request performed in Asset Manager	An Asset Manager user has made a software distribution request but the <b>di_tcmac.scn</b> scenario has not yet intercepted the request.
Distribution request sent to TCM	The <b>di_tcmac.scn</b> scenario has intercepted the request sent by Asset Manager and launch the command:  <code>winstsp -u y @Softpackage @Endpoint</code>
Distribution pending	The <b>up_tcmac.scn</b> scenario has intercepted the status sent by Tivoli Configuration Manager and updated the value of <b>DIST_STATE/WAITING_COUNT</b> to <b>TRUE</b> .
Distribution successful	The <b>up_tcmac.scn</b> scenario has intercepted the status sent by Tivoli Configuration Manager and updated the value of <b>DIST_STATE/COMPLET_COUNT</b> to <b>TRUE</b> .
Distribution failed	The <b>up_tcmac.scn</b> scenario has intercepted the status sent by Tivoli Configuration Manager and updated the value of <b>DIST_STATE/FAILED_COUNT</b> to <b>TRUE</b> .

## We appreciate your feedback!

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

**Feedback on TCM Integration (Connect-It 9.53)**

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to [connectit\\_support@groups.hp.com](mailto:connectit_support@groups.hp.com).