HP System Health

For the Windows and Linux operating systems

Software Version: 9.23

Using System Health

Document Release Date: December 2013

Software Release Date: December 2013



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license

Copyright Notice

© Copyright 2005-2013 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® and Acrobat® are trademarks of Adobe Systems Incorporated.

Intel®. Pentium®, and Intel® Xeon® are trademarks of Intel Corporation in the U.S. and other countries.

iPod is a trademark of Apple Computer, Inc.

Java is a registered trademark of Oracle and/or its affiliates.

Microsoft®, Windows®, Windows NT®, and Windows® XP are U.S registered trademarks of Microsoft Corporation.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

UNIX® is a registered trademark of The Open Group.

Acknowledgements

This product includes software developed by the Apache Software Foundation (http://www.apache.org/).

This product includes software developed by the JDOM Project (http://www.jdom.org/).

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to: http://h20230.www2.hp.com/selfsolve/manuals

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to: http://h20229.www2.hp.com/passport-registration.html
Or click the New users - please register link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

PDF Version of Online Help

This document is a PDF version of the online help. This PDF file is provided so you can easily print multiple topics from the help information or read the online help in

Support

Visit the HP Software Support Online web site at: http://www.hp.com/go/hpsoftwaresupport

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

http://h20229.www2.hp.com/passport-registration.html

To find more information about access levels, go to:

http://h20230.www2.hp.com/new_access_levels.jsp

HP Software Solutions Now accesses the HPSW Solution and Integration Portal Web site. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of Integrations between HP Products, as well as a listing of ITIL Processes. The URL for this Web site is http://h20230.www2.hp.com/sc/solutions/index.jsp

Contents

Contents	4
HP System Health Overview	6
Chapter 1: Setting Up System Health	7
Installing System Health	7
Creating Remote Connections to Servers	11
Remote Servers Setup Page	13
Remote Databases Setup Page	14
Recipients Setup Page	16
Connecting System Health to BSM	16
Synchronizing System Health	18
Uninstalling System Health	19
Chapter 2: Accessing System Health	20
Chapter 3: Configuring a Backup Server	22
Chapter 4: Monitoring BSM with System Health	25
Using the Dashboard Page	25
Using the Capacity Meter Page	36
Using the Inventory Page	37
BSM Components	38
Chapter 5: Adding Monitors to System Health	40
Chapter 6: Managing BSM Processes	42
Chapter 7: Reassigning Services	45
Learn About	45
Task	46
UI Description	47
Chapter 8: System Health Reports	48
Quick Reports	48
UI Descriptions	49
Log Files	49

Chapter 9: HP CLIP Integration	54
Chapter 10: Troubleshooting and Limitations	56
Appendix: System Health Monitors	57
Machine Hardware Monitors	57
Database Monitors	59
BSM Server Monitors	59
Gateway Server Monitors	71
Data Processing Server Monitors	86
BPI Server Monitors	107
Data Collectors	112
We appreciate your feedback!	118

HP System Health Overview

System Health uses the SiteScope monitoring system to enable you to monitor the servers, databases, and data collectors running as part of your BSM system.

This guide includes the following topics:

- "Setting Up System Health" on page 7. Describes how to set up System Health, including deploying System Health and creating remote connections to servers, and synchronizing System Health.
- "Accessing System Health" on page 20. Describes how to access System Health.
- "Configuring a Backup Server" on page 22. Describes how to reconfigure a backup server, in case the server machine is not functioning properly or requires downtime for servicing.
- "Monitoring BSM with System Health" on page 25. Describes how to monitor the performance of the servers, databases, and data collectors running as part of your BSM system, and how to navigate the System Health user interface.
- "Adding Monitors to System Health" on page 40. Describes how to add monitors to System Health and view the overall health of the BSM system in one place.
- "Managing BSM Processes" on page 42. Describes how to start or stop various BSM processes.
- "Reassigning Services" on page 45. Describes how to move services from one server to another of the same type, in case the server machine is not functioning properly or requires downtime for servicing.
- "System Health Reports" on page 48. Describes how to view information on components and monitors in a variety of formats.
- "HP CLIP Integration" on page 54. Describes the Closed Loop Incident Process (CLIP), an
 integrated solution that brings together HP offerings for BSM, HP Service Manager, HP
 Universal CMDB, and HP Operations Orchestration.
- "Troubleshooting and Limitations" on page 56
- "Appendix: System Health Monitors" on page 57. Descriptions of System Health and BSM monitors, and the effect on BSM and troubleshooting information if there is a problem with these monitors.

Chapter 1: Setting Up System Health

Setting up System Health includes the following steps:

- 1. "Installing System Health" below. This section includes:
 - Installing System Health in a secured environment
 - Securing the JMX Channel used for BSM communication
- 2. "Creating Remote Connections to Servers" on page 11. This section includes:
 - Creating remote connectivity to the BSM servers and databases for full monitoring by System Health
 - Configuring recipients to receive predefined System Health email alerts
- 3. "Connecting System Health to BSM" on page 16.
- "Synchronizing System Health" on page 18. After accessing System Health for the first time, you should synchronize System Health to reconfigure the connection of all system monitors to the servers.
- 5. "Uninstalling System Health" on page 19. To upgrade to a new version of System Health, you must first uninstall the current version, then install the new version.

Installing System Health

Before installing System Health, you must ensure that the Gateway server and the Management database are up and running. System Health must be installed in the same domain as BSM, and any firewalls must be open.

Learn About

Upgrading System Health

To upgrade to the latest version of System Health, you must uninstall the existing version and install the latest version. For details on uninstalling, see "Uninstalling System Health" on page 19.

System requirements

For system requirements, see the BSM System Requirements and Support Matrixes Guide.

Smart card enforcement

If you plan to enable smart card enforcement in BSM, we recommend that you install System Health on the BSM Gateway server.

Where to install System Health

You install System Health on one of the following:

- A standalone machine with access to BSM (recommended so that System Health continues to run if BSM servers are down).
- The BSM Gateway server (should be done only if a standalone machine is not available or if smart card enforcement is enabled in BSM).

Tasks

How to install System Health

- 1. Uninstall the existing version of System Health from your machine.
- Run the System Health installation according to your operating system from the System
 Health installation disk or from the Software Patches Site
 (support.openview.hp.com/selfsolve/patches).

For Windows:

Enter the location from which you are installing System Health according to your operating system and architecture, followed by **SystemHealth_9.23_setup.exe**.

For Linux:

- a. Log into the server as user root.
- b. Move to the directory where the installation files can be found according to your operating system and architecture.
- c. Run the script ./SystemHealth_9.23_setup.bin.

Note: Installation in console mode is not supported.

If the Installer detects any anti-virus program running on your system, it prompts you to
examine the warnings before you continue with the installation. Read the warnings, if any, that
appear in the Application requirement check warnings screen and follow the instructions as
described in the screen.

Click **Continue** to continue with the installation.

- 4. In the Language Preferences screen, select your language preference and click OK.
- If an installation configuration file was found, the Installer Configuration screen appears.
 Click Yes if you want to use the values in the configuration file for this installation. Otherwise, click No.
- If the installer was unable to locate the MEDIA package for this installation, the Locate MEDIA images screen appears. Browse to the MEDIA packages path and click Next.


- 7. In the Introduction (Install) screen that opens, click Next.
- To install System Health, you must accept the terms of the license agreement by clicking Next.
- 9. In the **Folder Destination** screen, enter the path to the folder in which to install System Health.
- 10. The **Install Checks** screen opens and runs verification checks. After the free disk space verification is complete, click **Next**.

If the free disk space verification is not successful, free up disk space (for example, by using the Windows Disk Cleanup utility) and repeat this step.

11. In the Pre-Install Summary screen, click Install.

The Installer selects and installs the required System Health software components. The installation progress of each software component appears on your screen during installation.

- 12. After installing the System Health components, the Introduction screen of the System Health Configuration Wizard opens. Click **Next**.
- 13. The Settings page of the System Health Configuration Wizard opens.



Enter the required configuration information and click **Next**:

■ **Port.** The System Health port number. Accept the default port number of 18080, or choose another port that is free. If the port number is already in use, an error message appears.

 HP BSM Server machine. The fully qualified domain name (FQDN) of the BSM Gateway server without the protocol name (http or https). For example, <server_name>.<domain_ name>.

Note: If you are connecting System Health to an environment with a Load Balancer, enter the hostname of the BSM Gateway server, not the Load Balancer.

- **Service name.** The name of the System Health service. If the machine has a previous version of System Health installed, enter another name for the System Health service. The default service name is HP SystemHealth.
- Use local system account. By default, System Health is installed to run as a Local System account. This account has extensive privileges on the local computer, and has access to most system objects. When System Health is running under a Local System account, it attempts to connect to remote servers using the name of the server.
- Use this account. Select to change the user account of the System Health service. You can set the System Health service to log on as a user with domain administration privileges. This gives System Health access privileges to monitor server data within the domain. Enter an account and password (and confirm the password) that can access the remote servers. If System Health is installed to run as a custom user account, the account used must have Log on as a service rights.

The JMX Encrypt data setup page opens.

- 14. On the JMX Encrypt data setup page, you can enter the login and password for the JMX Server, the JMX HTTP Server, and the URL Server.
- 15. Click **Next**. The OMi Integration page opens.
- On the OMi Integration page, complete the following information and click Next:
 - Enable OMi Integration. Click to enable viewing all problematic events.
 - **Secure Environment.** Click if you are working in a secure environment (i.e., with an OMi server; not a BSM or System Health server).
 - OMi Server Name. The HP BSM Server machine you configured in the Settings page appears here. If you are using a different server, enter the fully qualified domain name (FQDN) of the server without the protocol name (http or https). For example, <server_ name>.<domain_name>.
 - **Username** and **Password**. Enter the username and password of the user who has privileges on the OMi server.
- 17. The Summary screen opens.

Summary

HP SystemHealth will be configured with the following settings

SystemHealth service name: HP SystemHealth SystemHealth user interface port: 18080

SystemHealth OMi: Enable

Check that the information is correct and click **Next** to continue, or **Back** to return to previous screens to change your selections.

- 18. In the Done screen, click **Finish** to close the System Health Configuration Wizard.
- 19. When the installation finishes, the Installation Complete window opens displaying a summary of the installation paths used and the installation status.

If the installation was not successful, review the installation log file for errors. Click the **View log file** link in the **Installation Complete** window to view the log file in a web browser.

For more information about the installed packages, click the **Details** tab.

Click **Done** to close the installation program.

If the installation program determines that the server must be restarted, it prompts you to restart the server.

How to install System Health in a secured environment

- 1. Complete the instructions in "How to install System Health" on page 8.
- 2. Run the **SiteScope Hardening Tool**. For instructions, see "Using the SiteScope Hardening Tool" in the HP SiteScope Deployment Guide.
- 3. In a text editor, open the file **SiteScope/Tomcat/Conf/Server.xml**.
- Locate Connector Port = "8443".
- 5. Change the port number to an unused port number.

How to secure the JMX Channel used for BSM communication

System Health uses JMX monitors and JMX calls to collect information from the BSM system it is monitoring. The JMX channel in BSM can be protected by configuring a user name and password (see the section on Securing JMX-RMI Channel Used for Internal BSM Communications in the BSM Hardening Guide). Those credentials also need to be provided to System Health.

Creating Remote Connections to Servers

This section describes how to:

- Create remote connectivity to the BSM servers and databases for full monitoring by System Health
- Configure recipients to receive predefined System Health email alerts

Learn About

What happens if I do not create remote connectivity for a server?

If you do not enter remote connectivity for a server, System Health retrieves information only for monitors that do not require credential authorization to access the BSM servers.

Tasks

How to create remote connections to servers

1. Open the System Health Setup Wizard.

The System Health Setup Wizard opens automatically the first time you access System Health on a machine running BSM.

You can access the System Health Setup Wizard on future occasions by performing a synchronization of System Health. For details, see "Synchronizing System Health" on page 18.

To open the System Health Setup Wizard from within BSM, select **Admin > Platform > Setup and Maintenance > System Health**.

Using the System Health Setup Wizard, you enter credentials which are then used by System Health to access BSM servers and databases, and specify recipients who will receive System Health email alerts.

- 2. Enter the required information in the System Health Setup Wizard in the following Wizard pages:
 - "Remote Servers Setup Page" on the next page
 - "Remote Databases Setup Page" on page 14
 - "Recipients Setup Page" on page 16

Note:

- The user whose login name is entered must have the appropriate permission level for the monitors to run on the server.
- Another user cannot access the System Health interface while you are configuring the System Health Setup Wizard.

UI Description

System Health Setup Wizard

The System Health Setup Wizard contains the following pages:

- "Remote Servers Setup Page" below
- "Remote Databases Setup Page" on the next page
- "Recipients Setup Page" on page 16

The left pane of the System Health Setup Wizard indicates the page of the wizard on which you are currently working.

When creating remote connections through the System Health Setup Wizard, a colored icon indicates the connection status.

The following table describes each color and its status:

Status	Description
S	Indicates that the credentials entered are sufficient for all of the monitors to access the BSM servers.
a	Indicates that remote connectivity to the selected server has failed for one of the following reasons:
	The permissions level of the user entered in the wizard is not sufficient for the monitors to retrieve information from the specified server.
	The user entered in the wizard does not exist on the BSM machine running on the specified server.
	A mistake has been made in the user credentials entered in the wizard.
6	Indicates that no attempt has been made to establish remote connectivity to the specified server.

Remote Servers Setup Page

This wizard page enables you to create a remote connection to BSM servers for System Health to monitor.

This wizard page is part of the System Health Setup Wizard. General information about this wizard is available at "System Health Setup Wizard" above.

User interface elements are described below:

UI Element (A-Z)	Description
<u>@</u>	Displays descriptions of the remote connection details fields. Click again to hide descriptions.
<u>₹</u> 6	Click to select all, clear all, or invert your selection in the server list.
Apply	Applies the remote connection configurations for the selected servers.
Encoding	The encoding used by the server.
	Example: Cp1252, UTF-8, WMI
Login	The login name to be used for establishing remote connectivity between the monitors and the specified servers.
	The user whose login name is entered must have the appropriate permission level for the monitors to run on the server.
	The format for entering information into this cell is DOMAINNAME\login .
Method	The method of communication for connecting to the BSM components.
	Example: NetBIOS, SSH
OS Type	The Operating System running on the server.
	Example: Windows, UNIX
	Note: This field is visible only if System Health does not identify an operating system on the server.
Password	The password of the login name to be used for establishing remote connectivity with the specified servers.
	The user whose password is entered must have the appropriate permission level for the monitors to run on the server.

Remote Databases Setup Page

This wizard page enables you to create a remote connection to databases for System Health to monitor.

This page is part of the System Health Setup Wizard. General information about this wizard is available at "System Health Setup Wizard" on the previous page.

User interface elements are described below:

UI Element (A-Z)	Description
<u>@</u>	Displays descriptions of the Remote connection details fields. Click again to hide descriptions.
<u>&</u> 8	Click to select all, clear all, or invert your selection in the server list.
Apply	Applies configurations for the selected database.
Encoding	Indicate the encoding used by the server running the database.
	Example: Cp1252, UTF-8
Initialize Shell Environment	(Optional) Enter any shell commands to be executed at the beginning of the session. Separate multiple commands with a semicolon (;). This option specifies shell commands to be executed on the remote machine directly after a Telnet or SSH session has been initiated.
Login	The login name used to access the operating system running on the server on which the database is installed.
	Note: The format for entering information into this cell is DOMAINNAME\login.
Login Prompt	The prompt output when the system is waiting for the login to be entered.
	Default: login:
Method	The method of communication between System Health and the database.
	Example: NetBIOS, SSH
Operating System	The Operating System running on the server.
	Example: Windows, UNIX
	Note: This field is only visible if System Health does not identify an operating system on the server.
Password	The password used to access the operating system running on the server on which the database is installed.
Password Prompt	The prompt output when the system is waiting for the password to be entered.
	Default: password:
Prompt	The prompt output when the remote system is ready to handle a command.
	Default: #

UI Element (A-Z)	Description
Secondary Prompt	The secondary prompts if the telnet connection to the remote server causes the remote server to prompt for more information about the connection. Separate multiple prompt string with commas (,).
Secondary Response	The responses to any secondary prompts required to establish connections with this remote server. Separate multiple responses with commas (,).

Recipients Setup Page

This wizard page enables you to configure recipients to receive predefined System Health alerts through email.

This page is part of the System Health Setup Wizard. General information about this wizard is available at "System Health Setup Wizard" on page 13.

User interface elements are described below:

UI Element (A-Z)	Description
@	Displays descriptions of the Recipient Details fields. Click again to hide descriptions.
<recipients pane=""></recipients>	Displays a list of recipients configured to receive predefined System Health alerts through email. Click the recipient's name to edit their details. Click Add new recipient to configure a new recipient.
BSM Databases	Select to receive alerts on the status of BSM Databases.
BSM servers, services, and applications	Select to receive alerts on status of BSM servers, services, and applications.
Create	Adds the configured recipient to the recipient list pane.
Email	The recipient's email address.
Mediators	Select to receive alerts on status of BSM Mediators and Load Balancers.
Name	The recipient's name.

Connecting System Health to BSM

How to connect System Health to BSM

To enable BSM to connect to System Health, you must perform the following steps once:

- 1. Log in to your BSM machine. For details, see the section on logging in to BSM in the BSM Platform Administration Guide in the BSM Help.
- Select Admin > Platform > Setup and Maintenance > Infrastructure Settings, choose
 Foundations, select System Health, and locate the URL entry in the System Health URL
 table. Modify the value to the following URL:

http://<machine name>:<port number>/SiteScope/SH/Main.do

where:

<machine name> = The machine System Health is installed on.

<port number> = 18080 by default, or you can choose any port that is free. This should be the port that is defined as the connector port.

Note: If connecting System Health to BSM in a secured environment, change **http** to **https**.

3. Click Save to register the URL for accessing System Health in BSM.

Note: To access System Health from BSM, see "Accessing System Health" on page 20.

How to connect System Health to BSM in a secured environment

To connect System Health to BSM in a secured environment, you must connect directly to the BSM Gateway server, not the reverse proxy. You must then:

- 1. Click the SiteScope link at the top left corner of the System Health interface. SiteScope opens.
- 2. Configure SiteScope to connect to the BSM server. For details, see "Configuring SiteScope to Connect to a BSM Server That Requires a Client Certificate" in the HP SiteScope Deployment Guide.
- Configure the topology discovery agent in SiteScope to report topology to the BSM server. For details, see "Configuring the Topology Discovery Agent in SiteScope When BSM Server Requires a Client" in the HP SiteScope Deployment Guide.

Note: The HP SiteScope Deployment Guide is available from the HP SSO Product Manuals site at http://h20230.www2.hp.com/selfsolve/manuals.

When installing System Health in a secured environment, note the following:

- On the System Health Dashboard, Reverse Proxy components appear in the left pane, together with the Load Balancer components, called mediators.
- The WDE URL monitor appears red until you enter the monitor's username and password in

SiteScope.

- When accessing System Health from within BSM, you must enter a username and password to view the System Health interface. For more details, see "How to accessSystem Health from within BSM" on page 21.
- If you connect System Health to BSM using the secured Gateway server, the following URLbased monitors do not work because their URLs use the HTTP protocol, not the HTTPS protocol:
 - Web Data Entry Availability
 - BSM Application Server Response

To enable these monitors to work:

- Click the SiteScope link at the top left corner of the System Health interface. SiteScope opens.
- b. In the monitor tree in the left pane of the SiteScope interface, click the monitor name.
- c. Open the URL Monitor Settings panel in the Properties tab.
- d. In the URL field under Main Settings, replace http with https and save the change. For example, replace the monitor URL http://ourcompany.com/SiteScope/services with https://ourcompany.com/SiteScope/services.

Synchronizing System Health

Synchronization resets the configuration of selected components of the System Health configuration, including all monitors and their status. If no specific component is selected, the entire System Health configuration is reset.

You can synchronize System Health after accessing System Health for the first time. You must then reconfigure the connection of all system monitors to the servers.

How to synchronize System Health

- 1. Click **Full Model Synchronization** on the toolbar located above the Dashboard page and the Inventory page. The System Health Setup Wizard opens.
- Using the System Health Setup Wizard, you must reconfigure the connection of all system monitors to the servers. For details on creating remote connections to BSM servers, see "Creating Remote Connections to Servers" on page 11.

Note: If a BSM component is down while synchronization is performed, System Health may not configure the full monitoring solution onto these components. To avoid this, ensure that all components are up and running during the System Health Setup Wizard configuration, and

while performing synchronization.

How to refresh a component status and retrieve its current status

To refresh a selected component and retrieves its current status without running the component's monitors, click **Refresh Statuses** on the toolbar located above the Dashboard page or the Inventory page.

Uninstalling System Health

To upgrade to a new version of System Health, you must first uninstall the current version.

How to uninstall System Health on a Windows Platform

On the machine from which you are uninstalling System Health:

- Go to Start > All Programs > HP System Health > Uninstall HP System Health. The Uninstall or change a program dialog box opens.
- Follow the displayed instructions in the dialog box to complete uninstalling System Health.

How to uninstall System Health on a Linux Platform

For System Health running on Linux platforms, the System Health installation includes a script to uninstall the System Health software from your machine. If you are unable to run the script, you can delete the System Health files and directories manually.

- Log in to the machine on which System Health is running using the account authorized to execute scripts in the System Health directory. Normally, this is the account under which System Health is running.
- Stop System Health by running the stop shell script included in the <install_ path>/System_Health directory. An example command line to run the script is:

```
./opt/HP/SiteScope/stop
```

A message is displayed indicating that System Health is stopped.

- 3. Run the uninstall script in the **<install_path>/SiteScope/Uninstall/SystemHealth** directory. Examples of command lines to run the script are:
 - ./opt/HP/SiteScope/Uninstall/SystemHealth/setup.bin or ./opt/HP/SiteScope/Uninstall/SystemHealth/setup.bin -i console

At any point during the uninstall procedure, you can cancel the uninstallation by clicking **Cancel**, or CTRL+C in console mode.

Chapter 2: Accessing System Health

You can access System Health:

- Directly, through a web browser using the syntax: http://<server_name>.<domain_name>:<System Health Server port number>/, where <server_name> is the name of the Gateway or dedicated server that System Health is deployed on, depending on the type of deployment you are using. For details, see "How to access System Health directly" below.
- As an application embedded in BSM, after configuring the appropriate URL in the Infrastructure Settings section of Platform Administration. For details, see "How to accessSystem Health from within BSM" on the next page.

The System Health application can be accessed only by users with Superuser or Administrator permissions.

Note: If you are accessing System Health for the first time, see "Synchronizing System Health" on page 18.

How to access System Health directly

1. Enter the following link into your browser window:

http://<machine name>:<port number>

Where:

<machine name> = The machine System Health is installed on.

<port number> = 18080 by default, or you can choose any port that is free. This should be the port that is defined as the connector port.

Note: If connecting System Health to BSM in a secured environment, change **http** to **https**.

It can take several minutes for the System Health application to appear on your screen.

- 2. If connecting to System Health in an unsecured environment, enter your login name and password in the appropriate boxes to log into System Health.
 - Initial access can be gained using the following default login parameters:

Login Name = systemhealth, Password = systemhealth

Administrator level access can be gained using the following default login parameters:

Login Name = administrator, Password = syshealthadmin

It is recommended that you change the password immediately to prevent unauthorized entry. To change the password, click the **Change Password** link on the System Health login page.

Note: After changing your password on the System Health login page, you must enter your System Health username and password when accessing System Health in BSM. After you have done this, BSM does not require you to re-enter this information to access System Health until the next time your password is changed on the System Health login screen.

If connecting to System Health in a secured environment, System Health searches for your
certificate and checks if you are a valid System Health user. If it cannot find your certificate or
if you are not a valid System Health user, an error message is displayed.

How to accessSystem Health from within BSM

- 1. Log in to your BSM machine. For details, see the section on logging in to BSM in the BSM Platform Administration Guide in the BSM Help.
- Select Admin > Platform > Setup and Maintenance > System Health to access the System Health interface.

If you logged in to BSM using a certificate, System Health retrieves the certificate and checks if you are a valid System Health user. If you are not a valid user, the following message appears:

The user is not a valid System Health user. Please contact your system administrator.

Your active key password is saved for 30 minutes from the time you last logged in. If more than 30 minutes has passed, you will need to reenter your active key password.

3. To log out of System Health, click **Logout**. In a secured environment, a message appears requesting that you close the browser.

Chapter 3: Configuring a Backup Server

System Health enables you to configure a backup server in case the server machine is not functioning properly or requires downtime for servicing.

Learn About

Can I define an external machine as a backup server

You cannot define an external machine, such as a CMDB, as a backup server.

Tasks


How to configure a backup server

1. Click **Backup Server Configuration** on the toolbar located above the Dashboard page or the Inventory page. The Backup Server Setup window opens.

Note: This button is enabled only if more than one server of the same type is configured in your BSM environment.

- 2. In the left pane, select a backup server (to be used when the original server is down).
- 3. In the right pane, select a server to be backed up.
- 4. Select the **Enable Automatic Failover** check box to activate your backup server selection.
- 5. Click **Execute** to register your backup server. The **Operation Status** window indicates whether or not the operation succeeded.

Example: In the following image, when server lab255 is down, it is backed-up by server lab217:



How to monitor service reassignments

You can monitor service reassignments using System Health, or in the hac-manager JMX. The relevant logs are:

- <HPBSM root directory>\log\EJBContainer\hac-locator.log. Contains the location changes for each service.
- < HPBSM root directory>\log\EJBContainer\hac-launcher.log. Contains information about the relevant services for the process, and errors in case the service fails to start.

UI Descriptions

Backup Server Setup window

User interface elements are described below:

UI Element (A-Z)	Description
Enable Automatic Failover	Select to activate the selected server as the backup server.
Execute	Defines the selected server as the backup server.
Operation Status	Displays the status of the performed operation.
Select Backed-up Servers	Select the servers to be backed up.
Select Backup Server	Select the backup server.

Chapter 4: Monitoring BSM with System Health


You can monitor the performance of the servers, databases, and data collectors running as part of your BSM system and view the results using the following UI elements:

- "Using the Dashboard Page" below
- "Using the Capacity Meter Page" on page 36
- "Using the Inventory Page" on page 37

Using the Dashboard Page

You can monitor BSM using the System Health Dashboard page. This page contains views of BSM components and their status, including information on the properties and monitors associated with the components. For a list of BSM components, see "BSM Components" on page 38.

The Dashboard page is the default display when you access System Health:



To access

The Dashboard page appears when you access System Health. To access the System Health user interface, see "Accessing System Health" on page 20.

Tasks

How to see and disable obsolete hosts

You may see obsolete hosts that are no longer running BSM. To disable these obsolete hosts:

- Browse to the URL http://<Gateway Server machine name>.< domain_ name>/topaz/systemConsole/displayBACHosts.do
- 2. Disable all obsolete hosts.

How to enable or disable a monitor

After you have drilled down to a specific monitor in the Monitors area, you can:

- Enable the monitor. In the Monitor area toolbar, click Enable Monitor ...
- Disable the monitor. In the Monitor area toolbar, click Disable Monitor

How to run a monitor

To run the monitor immediately, instead of waiting for it to run according to its schedule, click Run

Monitor in the Monitors area toolbar.

How to open a monitor's parent component in the System Health Dashboard

Double-click a group in the Monitors area.

How to make the General area appear

Select a server on the Dashboard page.

How to make the Data Collector Details area appear

Select a data collector on the Dashboard page.

UI Descriptions

Toolbar

The toolbar is located above the Dashboard page and the Inventory page. It includes:

- "Dashboard customization buttons" below
- "Action buttons" on page 29
- "Information buttons" on page 29
- "Synchronization buttons" on page 30

Dashboard customization buttons

The Dashboard customization buttons enable you to customize the appearance of the components on the Dashboard page.

Note: These buttons appear only on the System Health Dashboard, not appear on the Inventory page.

User interface elements are described below:

UI Element	Description
k	Select. Enables you to select a component on the left pane of the Dashboard page.
	Note: This button is selected by default upon entering the Dashboard page.
ED)	Pan. Pans the left pane of the Dashboard page.
Eq.	Zoom. Zooms on a specific area of the left pane of the Dashboard page.
	You zoom by holding down the left click button on your mouse. Move the mouse down to zoom in; move the mouse up to zoom out.
*	Navigation. Enables navigating between components of the Dashboard page.
	You click the Navigation button and then click a line connecting two components or subcomponents. Depending on where on the line you click, the cursor navigates to either the original or endpoint component, whichever is further.
8	Fit. Fits all open components and subcomponents into the visible area.

UI Element	Description
\$	Undo. Undoes your previous action and goes back to the previous display on the left pane of the Dashboard page.
	Note: This button is enabled only if you have generated more than one view on the left pane of the Dashboard page.
⅌	Redo. Redoes an action that has been undone with the Undo button .
	Note: This button is enabled only if you have generated more than one view on the Dashboard page, and are not currently resting on the most recent view.
Ĭ7	Realign. Realigns components on the left pane of the Dashboard page, so that the components are aligned in their original order, which is (left to right):
	■ Databases
	■ Servers
	■ Load Balancers (if deployed)
	■ Data Collectors
4 8	Rearrange. Returns the left pane of the Dashboard page to its default view. This includes closing open components and realigning component boxes to their original state.
ą	Overview. Displays an overview map of all the component boxes on the left pane of the Dashboard page.
	The Overview Map appears in a separate window, with blue lines denoting the boundaries of the left pane of the Dashboard page.
	Note: You cannot perform other functions on the Dashboard page while the Overview Map is open.

Action buttons

These buttons enable you to perform actions on the BSM components monitored by System Health.

User interface elements are described below:

UI Element	Description
E-3	Service Manager. Opens the Service Manager dialog box. This option enables you to reassign backend services running on BSM Data Processing servers. For details, see "Reassigning Services" on page 45.
	Note: To enable this button, you must have more than one server of the same type configured in your BSM environment.
	Backup Server Configuration. Used to define a backup server, in case the current server is not functioning properly or requires downtime for servicing. For details, see "Configuring a Backup Server" on page 22.
	Note: To enable this button, you must have more than one server of the same type configured in your BSM environment.
% 1	Process Manager. Stops or starts processes on selected servers, for maintenance purposes or in case these processes display a problematic status on the Dashboard page or the Inventory page. For details, see "Managing BSM Processes" on page 42.

Information buttons

These buttons enable you to retrieve information on the BSM components monitored by System Health.

User interface elements are described below:

UI Element	Description
	Quick Report. Generates a Quick Report on data collected over the past 24 hours for the selected component. For details on Quick Reports, see "Quick Reports" on page 48.
(\$1) (6:1)	Export to CSV. Exports a report detailing the current status of the System Health monitors and BSM components to a .csv file. For details, see "System Health Reports" on page 48.
(m)	Grab Log Files. Generates a .zip file containing the log files of a specific server. For details, see "Log Files" on page 49.
	Note: To enable this button, you must select a server component on the left pane of the Dashboard page.

• Synchronization buttons

These buttons enable you to synchronize the status and model of the BSM components monitored by System Health. For more detail about synchronization, see "Synchronizing System Health" on page 18.

User interface elements are described below:

UI Element	Description
Ф	Refresh Statuses. Refreshes the selected component and retrieves its current status, without running the component's monitors.
₩	Full Model Synchronization. Resets the configuration of the selected component, including resetting of all monitors and their status. For details, see "Synchronizing System Health" on page 18.

Left pane

The left pane of the Dashboard page includes the following:

- **Database** components appear to the left of this pane.
- Server components appear to the right of the database components.
- Load balancer components (if deployed) appear to the right of the server components.


Note: When System Health is deployed in a secured environment, reverse proxy components appear with the load balancer components.

• Data collector components appear on the right side of this pane.

For a full list of BSM components, see "BSM Components" on page 38.

Monitors area

The Monitors area displays information on the monitors running on the component selected on the Dashboard page.



The monitor groups in the Monitors area correspond to the components contained in the highlighted component in the left pane of the Dashboard page. Additional information on individual monitors appears in the Monitors area. User interface elements are described below:

UI Element (A-Z)	Description
©	Enable Monitor. Reactivates the selected monitor's schedule.
U	Disable Monitor. Disables the selected monitor.

UI Element (A-Z)	Description
<u>©</u>	Run Monitor. Runs the selected monitor immediately. The monitor must first be enabled for you to use this option.
P P	Expands the list of monitors to list all monitors and measurements for that object. This is the default view.
	Collapses the list of monitors to display only the monitors and hide the monitor measurements.
e _e	Reload Tree. Refreshes the list of monitors to display the latest status for the monitors.
—	An individual monitor that is running on the selected component.
	A group of monitors that are running on the selected component.
Last Updated	Indicates the last time that the monitor ran.
Monitor Details	Contains the following fields:
Details	Description. Describes the selected monitor.
	Additional Information. Displays a text string result of the selected monitor's output.
	Value. Displays a numerical result of the selected monitor's output.
	Note: Not all fields are displayed for every monitor.
Monitor/Group Name	The name of the monitor or group of monitors running on the component selected in the left pane.
Status	Indicates the monitor or monitor group's status, displayed as a colored ball icon. For details on these icons, see "Component status and descriptions" on the next page.

General area

The General area displays information about the properties associated with the server selected in the left pane of the Dashboard page. User interface elements are described below:

UI Element (A-Z)	Description
Property Name	Lists the properties associated with the selected component, such as:
	IP Address
	Build number
	Operating system type
Value	Lists the value of the specified property.

Data collector components

User interface elements are described below:

UI Element (A-Z)	Description
BPMs	Displays the status of the Business Process Monitor (BPM) data collectors. Since BPM has the option to monitor different agents, all BPM instances are displayed as separate entities, with a separate status for each instance.
	If more than one BPM data collector is connected, you can drill down on the BPM node to see how many BPM data collectors are connected and the health of each BPM.
Discovery Probes	Displays the status of the Discovery Probes.
RUM Engines	Displays the status of the Real User Monitor engines.
SiteScopes	Displays the status of the SiteScopes.

Component status and descriptions

You can view the status of the components monitored by System Health based on their color on the Dashboard page.

The color of all component outlines reflects the lowest functioning level subcomponent or monitor contained in the component, known as the **worst child rule**. The exception to this rule is the gray outlined components, which do not automatically cause their parent components to be outlined in gray.

The following table displays a sample icon and a description of its outlined color and status, as displayed on the Dashboard page:

Color	Status
Server Monitors	Green indicates that the component and all of its subcomponents are working properly
•	(status is good).

Color	Status
off own	Red indicates that a critical problem exists in the component, in one of its subcomponents, or both (status is error).
	It is recommended that you drill down in the component to identify its specific problematic monitors.
General Monitors	Yellow indicates one of the following:
€ i	A non-critical problem exists either in the component, in one or more of its subcomponents, or both.
	The component's monitors are unable to connect with the server (status is warning).
Alerts Engine	Gray indicates that there is no data available for the monitors and no monitors are
@	currently scheduled to run for the component.
	Displayed if the monitors have not yet run.
Processes	A jagged blue outline, together with the component's status color, represents the currently highlighted component.

Note: After deploying System Health, the monitor colors appear gradually as each monitor runs according to its schedule.

Database components

Database components are described below:

UI Element	Description
RTSM Database	A central repository for configuration information.
Management Database	Stores system-wide and management-related metadata for the BSM environment.
History Database	Used for storage of data, over time, of the RTSM configuration items (CIs).
Profile Database	Stores raw and aggregated measurement data obtained from the BSM data collectors.

Icons and buttons

The component icons and buttons on the left of the Dashboard page are described below:

UI Element	Description
•	Expands the component and displays its subcomponents.
	Important: You must select Cursor on the Dashboard toolbar to operate the Expand button.
	Hides the subcomponents contained within the selected component.
	Important: You must select the Cursor on the Dashboard toolbar to operate the Hide button.
	Database server
	Database
9	Gateway Server
	Data Processing Server
30	Group of processes
	Group of server monitors
	Bus component
33	Logical group
	Example: Alerts Engine
	Application
	Example: Service Health
**	Group of applications
-	Service
	Example: Service Level Management Engine
	Group of Business Process Monitor data collectors

UI Element	Description
6	Group of SiteScopes
((0)	Group of Discovery Probes
brd.	Group of Real User Monitor data collectors
•	Indicates the flow of data.
	Note: Click Navigation and then click anywhere on an arrow line to find the arrow's destination or origin.

Using the Capacity Meter Page

You can monitor the capacities of BSM applications in System Health using the Capacity Meter page. The Capacity Meter page displays BSM metrics data, for example, the number of active TQLs in RTSM, and the number of currently running SLAs.

To access the Capacity Meter page, in the System Health user interface, click the Capacity Meter tab. To access the System Health user interface, see "Accessing System Health" on page 20.

The Capacity Meter page consists of tiles which display the metrics data in both graphic and numerical format.

Each tile includes:


- Metric description. Describes the metric in BSM whose data appears in the tile. To see more
 details about the metric description, click the tile. The details appear under the metric
 description.
- Machine name. The name of the machine which System Health is monitoring.
- **Gauge.** Displays the metrics data relevant to the metric description of the tile. The gauge is color-coded. To see a legend which explains the color-coding scheme for that tile, click the tile. The legend appears under the metric description details.

Note: The metrics data thresholds in the Capacity Meter tab come from the Excel sheet named **BSM_9_Deployment_and_Capacities.xls** in your BSM installation media. For more details about this Excel sheet, see "Using the Capacity Calculator" in the BSM Planning Guide.

Using the Inventory Page

You can view information on the Gateway Server and Data Processing Server components and their subcomponents, in table format, using the Inventory tab.

The Inventory page enables you to compare the performance of the subcomponents and monitors on multiple servers by presenting their statuses in a single, flat view, rather than in the hierarchical view of the Dashboard page.



To access

In the System Health user interface, click the Inventory tab. To access System Health, see "Accessing System Health" on page 20.

Learn About

Component and monitor status

The component and monitor status is indicated on the Inventory page tables by colored icons. For details on the colored icons, see "Component status and descriptions" on page 33.

UI Descriptions

Toolbar

The toolbar is located above the Inventory page. It includes the following buttons:

- "Action buttons" on page 29. Perform actions and management operations on the BSM components.
- "Information buttons" on page 29. Retrieve information on the components monitored by System Health.
- "Synchronization buttons" on page 30. Synchronize the status and model of the components.

Gateway Machines area

Displays the status of the various components and subcomponents running on the BSM Gateway

machines.

Details on the selected subcomponent appear in the <Subcomponent Name> Details area.

Note: The cell names are identical to the corresponding component or subcomponent displayed on the Dashboard page.

Processing Machines area

Displays the status of the various components and subcomponents running on the BSM Data Processing machines.

Details on the selected subcomponent appear in the <Subcomponent Name> Details area.

Note: The cell names are identical to the corresponding component or subcomponent displayed on the System Health Dashboard.

<Subcomponent Name> Details area

Displays information about the specific component or subcomponent selected in the Gateway Machines area or the Processing Machines area.

The Monitor Details area provides additional information on the monitors selected in the <Subcomponent Name> Details area.

The status of the subcomponent and its monitors are indicated by a either a colored icon, or, where applicable, a numerical value in the color indicating its status.

Note: The cell headings correspond to the monitors running on the selected component.

BSM Components

The System Health interface displays the following components:

- Data Collectors. These include:
 - BPMs.
 - RUM Engines.
 - SiteScopes.
- Discovery Probes.
- **BSM Servers.** Server components are displayed on both the System Health Dashboard and the Inventory tab. Servers include:
 - Gateway Machines.

- Data Processing Machines.
- Load Balancing Machines.
- Business Process Insight Machines.
- Databases.
- Reverse Proxy Server. Displayed only when System Health is configured in a secure environment. For details on reverse proxies, see the BSM Hardening Guide.

Chapter 5: Adding Monitors to System Health

You can add monitors to System Health and view the overall health of the BSM system in one place. You can do this by creating a new template, and adding monitors and alerts to the template. You also need to add the template to the **<HPBSM>\conf\sh\staticResources\templates.xml** file to avoid the newly-created monitors being deleted after a Full Model Synchronization.

Note:

- We recommend that you do not modify the original System Health templates, because this may cause problems if you need to upgrade System Health.
- We recommend that you create templates outside of the System Health template container to avoid losing these changes should you need to redeploy the template.

How to add monitors to System Health

Note: This task describes how to add to System Health monitors that are not deleted after a synchronization.

1. Prerequisites

For template monitors to appear correctly in System Health, they must be created directly under a template entity, instead of in a template group (the default setting). In SiteScope:

- a. Click Preferences > Infrastructure Preferences > Template Settings.
- Select the Allow creation of template monitors directly under template entity check box.
- c. Click Restart SiteScope.

2. Create a monitoring template

a. In SiteScope, open the **Templates** context, and create a template container and a template in the template tree.

Note: We do not recommended that you create the template in the System Health template container, since any template changes are lost if the System Health template needs to be redeployed.

b. Select the monitor instances you want to add to the template, and enter values for the monitor properties. If you are using template variables, use the same System Health parameters that are supplied to the template deployment on runtime. For example, if the

monitor requires a host name, you can enter %SH MACHINE NAME in the Server box.

c. Create monitor alerts, if required.

3. Add the template to the templates.xml file

To prevent monitors and alerts being deleted from System Health after a synchronization, perform the following:

- a. Open the <HPBSM>\conf\sh\staticResources\templates.xml file.
- b. Find the node and component type under which you want to deploy the template, and enter the template name. You can check in the SiteScope monitor tree for the group name mapped to the component type.

Example:

To deploy a template named MyCPUTemplate containing a CPU monitor to the Server monitors group, add the template name under the SERVERS node and component type name (Physical is the name of the group mapping in SiteScope).

c. Save the changes you make to the templates.xml file.

4. Perform a synchronization of System Health

See "Synchronizing System Health" on page 18.

Chapter 6: Managing BSM Processes

You can stop or start processes on specific servers in case these processes display a problematic status on the System Health Dashboard or Inventory pages, or the processes require maintenance. You stop or start processes using the Process Manager dialog box.

Note: You can select multiple processes to start or stop in the Process Manager dialog box.

Learn About

BSM Processes

The following table displays the processes that run on the BSM servers:

UI Element (A-Z)	Description
bpi_ process_	Manages process definitions, which you create using the BPI Modeler, to monitor IT operational resources defined within the RTSM.
repository	Process name: BPI Process Repository
data_	Enables transferring of data from a previous version of BSM to a newer version.
upgrade	Process name: DataUpgrade
dbloader	Runs the component on the server which loads the data into the database.
	Process name: mercury_db_loader
domain_	Configures and monitors the bus process cluster in BSM machines.
manager	Process name: DomainManager
Idap	Runs queries and modifications for directory services.
	Process name: slapd
mercuryAS	Runs the JBoss application server, which provides access to all BSM applications.
	Process name: MercuryAS
message_ broker	Enables the transference of a message from the formal messaging protocol of the sending machine to the formal messaging protocol of the receiving machine.
	Process name: MessageBroker
offline_	Runs the engine which controls the offline components of the BSM system.
engine	Process name: mercury_offline_engine

UI Element (A-Z)	Description
online_ engine	Runs the engine which controls the online components of the BSM system. Process name: mercury_online_engine
pmanager	Runs the Partition Manager to create new or purge old partitions in the profile database, as necessary. Process name: mercury_pm
RTSM Process	Runs on the RTSM database that stores all the configuration item data. It does not always run, depending on your BSM deployment. Process name: RTSM
schedulergw	Enables scheduling tasks to be continually run on the Gateway Server. Process name: schedulergw
schedulerpr	Enables scheduling tasks to be continually run on the Data Processing. Process name: schedulerpr
WDE	Runs the Web Data Entry component of the Gateway Server, which receives data from all registered data collectors and publishes the data to all BSM engines. Process name: mercury_wde

Task

How to stop or start BSM processes

Click **Process Manager** on the toolbar located above the Dashboard or Inventory pages. The Process Manager dialog box opens. For further details, see "Process Manager dialog box" below.

UI Descriptions

Process Manager dialog box

User interface elements are described below:

UI Element (A-Z)	Description
°>	Indicates that the selected process is running.
9	Indicates that the selected process was started and is not yet running.

UI Element (A-Z)	Description
o _m	Indicates that the selected process was stopped.
	Indicates that the selected process is currently being stopped.
Lo	Indicates that the selected process was launched.
?•	Indicates that the selected process's status is unknown.
Operation Status	Displays the status of the performed operation.
Refresh	Refreshes process statuses.
	Note: A stopped process appears in red.
Select Process(es)	Select the process you want to stop or start.
Select Server	Select the server on which you want to start or stop processes.
Start	Starts the selected processes.
Start All	Starts all of the processes in the Select Process(es) window.
Stop	Stops the selected processes.
Stop All	Stops all of the processes in the Select Process(es) window.

Chapter 7: Reassigning Services

You can reassign backend services running on BSM Data Processing servers. You may want to do this if a certain machine is not functioning properly, requires downtime for servicing, or is overloaded.

Note: Only an administrator can reassign services.

Learn About

Prerequisites

You can move services from a server only to another server of the same BSM type. The secondary machine must also be a Data Processing server. You cannot move services (such as RTSM) from or to an external machine.

Downtime during reassignment

The reassignment process can take up to 25 minutes, at which point the system is in downtime. To ensure that data is not lost during downtime, you should preconfigure a specific Data Processing server to automatically fail over to a specific back up machine. For details, see "Configuring a Backup Server" on page 22.

Note: When automatic failover moves processes to the backup machine, it may move only part of a service group, causing System Health to display the same service group on two different servers.

Service reassignment flow table

There are several theoretical scenarios for reassigning services among machines, depending on the type of deployment with which BSM servers are configured.

The table below illustrates these scenarios by indicating the paths along which services can be reassigned.


	To Full Data Processing Server (Backup server in recommended deployment)	To Modeling Data Processing Server	To Online Data Processing Server	To Offline Data Processing Server
From Full Data Processing Server	Yes Note: This is the recommended server deployment	Yes - for modeling services	Yes - for online services	Yes - for offline services

	To Full Data Processing Server (Backup server in recommended deployment)	To Modeling Data Processing Server	To Online Data Processing Server	To Offline Data Processing Server
From Modeling Data Processing Server	Yes	Yes	No	No
From Online Data Processing Server	Yes	No	Yes	No
From Offline Data Processing Server	Yes	No	No	Yes

Task

How to reassign services to another Data Processing server

1. Click **Service Manager** on the toolbar located above the Dashboard page or the Inventory page. The Service Manager dialog box opens.



- 2. In the Select Source Machine area, select the machine that you want to move services from.
- 3. In the Select Operation area, select the operation you want to perform.
- 4. In the Select Target Machine area, select the machine you want to move services to.
- 5. Click **Execute**. The Operation Status area indicates whether or not the operation request was sent successfully.

UI Description

Service Manager dialog box

User interface elements are described below:

UI Element (A-Z)	Description
Execute	Moves the indicated customer services from one server to another.
Operation Status	Displays the status of the performed operation.
Select Operation	Select the type of service you want to move.
Select Source Machine	Select the machine from which you want to move the services.
Select Target Machine	Select the machine to which you want to move the services.

Chapter 8: System Health Reports

System Health enables you to view and export the following reports information on BSM components and monitors:

- Quick Reports. Receives a Quick Report on data collected over the past 24 hours for the selected component. For more details about the Quick Report format, see "Quick Reports" below.
- Export to CSV. Exports a report containing the current status of the System Health monitors and BSM components to a .csv file. To export a report to a .csv file, in the toolbar located above the Dashboard page or the Inventory page, click Export to CSV
- Log files. Log files containing information on specific components in a variety of formats. For more details about log files, see "Log Files" on the next page.

Quick Reports

Quick Reports display information gathered over the past 24 hours on the monitors deployed on selected components.

Table Format Error List Close Window Warning List Close Window Good List				
Summary for Multiple Mo	onitors			
(information from 8:58 AM 7/9/07 to 12:18 PM	17/9/07)			
Uptime Summary				
Name	Uptime %	Error %	Warning %	Last
Durable Subscriber Group	94.73	0	5.27	good
Monitor Broker Group	94.73	0	5.27	good
Monitor Subscriber Group	94.73	0	5.27	good
Monitor Container Group	94.73	0	5.27	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\mercury_online_engine	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\mercury_offline_engine	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\mercury_data_upgrade	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\mam	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\mercury_upgrade_wizard	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\cmdb	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\common	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\mercury_wde	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\data_marking	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\PlainJava	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\EJB	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\mercury_pm	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\Servlets	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\bus	100	0	0	good
Log Level for D\$\HPBAC\conf\core\Tools\log4j\mercury_db_loader	100	0	0	good
Out of Memory in log	100	0	0	good
Logged in Users	94.73	0	5.27	good

Learn About

See User Reports in the Using SiteScope Guide in the SiteScope Help.

Task

How to generate a Quick Report

Click **Quick Report** on the toolbar located above the Dashboard page or the Inventory page.

UI Descriptions


Quick Report window

User interface elements are described below:

UI Element (A-Z)	Description
<graphs></graphs>	Displays the monitor groups' output in graph format.
Error List	Displays the monitor runs that retrieved an error status, based on the thresholds configured for the monitor.
Good List	Displays the monitor runs that retrieved a good status, based on the thresholds configured for the monitor.
Measurement Summary Table	Displays measurement data for each of the BSM monitors.
Table Format	Displays the monitor groups' output in table format.
Uptime Summary Table	Displays the percentage of uptime each BSM monitor experienced over the indicated time period.
Warning List	Displays the monitor runs that retrieved a warning status, based on the thresholds configured for the monitor.

Log Files

System Health enables you to view various log files associated with the components that System Health monitors in a variety of formats. You view these log files in the Log Manager page.



To access

Click the Log Manager tab in the System Health interface. The Log Manager page appears.

Learn About

Arrangement of logs

Logs are arranged hierarchically in log bundles. Nested under the log bundles are the machines in the BSM deployment that contain the individual log files.

Entities appearing in the log bundle tree

- Log bundles. Can contain any or all of the following:
 - Other log bundles
 - Machines
 - Logs (if there is no model configured on the Dashboard page), arranged by category.
- Machines. Contains a group of logs arranged by the machine they are located on. Machines are nested under the log bundles in the hierarchical tree.
- **Individual logs.** The individual log files monitoring the behavior of the monitored components. Logs are nested either under the log bundles, or the specific machines on which they are running.

Accessing server log files remotely

From the System Health interface, you can remotely retrieve the BSM servers' log files. On the server side, System Health collects the log files of the selected server and creates a .zip file containing the server's logs. The log file is then downloaded to the System Health side and information about the monitor status is added to the file.

Tasks

How to view a log file

Select a component in the Log Bundles pane on the Log Manager page and perform one of the following actions:

- Double-click.
- · Drag and drop it into the Main pane.

How to search for a string in a log file

In the Main pane of the Log Manager page, select any point in the pane and enter the string that you want to find.

How to retrieve a log

In the Time Frame pane, configure a time frame for which you want data to be retrieved.

- 1. Select one or more of the log bundles, machines, and log files in the Log Bundles pane. You can select any combination of components.
- 2. Download and save the selected logs by clicking **Save Output** in the Log Bundles pane.

For each log retrieval action that is performed, a separate tab opens in the Main pane displaying the logs contained in your selection. Tabs are numbered chronologically, according to the retrieval actions you perform. For details on the available functions in the Log Manager, see "Log Manager page" on the next page below.

How to remotely access server log file

- 1. From the **System Health** toolbar, click . The Collect Logs dialog box appears.
- 2. From the **Collect Logs** dialog box, select the servers from which you want to retrieve log files. If you select multiple servers, the logs are retrieved simultaneously.
- Click OK. A separate File Download dialog box appears for each server after the files are collected on that server's side.

Note: The process of collecting the files may take several minutes.

4. Open or save the downloaded files.

How to search the content of a set of logs

- 1. Save the output to a .txt file
- 2. Perform a search in the saved .txt file.

UI Descriptions

Log Manager page

User interface elements are described below:

UI Element (A-Z)	Description
(2)	Grab Log Files. Remotely accesses the BSM Servers and generates a .zip file containing the log files and monitor status of a specific server.
	Note: If you click the Grab Log Files icon while the operation is already in progress, a status message appears reporting that files are already being collected.
	Saves the selected log files.
	When selecting this button in the main frame, the currently displayed logs are saved.
	 When selecting this button on the Log Bundles pane, the selected entities are saved, without being displayed in the main frame. This option is useful if you are saving a large output of data, or if you want to perform a complex search on the data output.
	Indicates a log bundle or machine whose content has been collapsed or not expanded in the Log Bundles hierarchical tree.
	Note: This is the default view in the Log Bundles pane.
	Indicates a log bundle or machine whose content has been expanded in the Log Bundles hierarchical tree.
	Indicates a log file. You can view a log file in one of the following ways:
	Double-click the log file
	Drag and drop the log file into the main pane

UI Element (A-Z)	Description
<tab #=""></tab>	Indicates a selection of any combination of bundles, machines, or log files. The tabs are numbered chronologically, according to the number of retrieval actions you have performed.
	Note: The specific logs displayed in the tab are listed at the top of the pane. If more than 5 logs have been retrieved, the message, Assorted logs (more than 5) is displayed in place of the log list.
From	Select a date and time from which the log data is to begin being displayed.
То	Select a date and time until which the log data is to be displayed.

Chapter 9: HP CLIP Integration

Closed Loop Incident Process (CLIP) is an integrated solution that brings together HP offerings for BSM, HP Service Manager, HP Universal CMDB, and HP Operations Orchestration. CLIP helps IT organizations achieve their goals of IT efficiency, increased automation levels, and focus on the business.

How to integrate System Health with CLIP

- 1. In BSM, configure the System Health CLIP integration.
 - a. Select Admin > Platform > Setup and Maintenance > Infrastructure Settings.
 - b. Select Foundations.
 - c. Select **System Health**, and locate the **System Health CLIP Integration** entry in the System Health table.
 - d. Add the URL required to access the following (in the format http://<fully qualified host name>:<port>):
 - UCMDB Server login URL (default port is http://<ucmdb server>:8080)
 - OO Server WSDL URL (default port is http://<oo server>:8443)
 - Service Manager Server WSDL URL (default port is http://<sm web tier server>:13080)

Configure the following System Health monitors for the CLIP integration:

- CMS WSDL Monitor
- OO WSDL Monitor
- OPR event REST API URL Monitor

These monitors appear in red until you enter the monitor's user name and password in SiteScope. To do this:

- Log in to your System Health machine. For details, see "Accessing System Health" on page 20.
- b. In the toolbar located above the Dashboard page, click the **SiteScope** button to open the SiteScope application.
- c. In SiteScope, select Templates context > SystemHealth > CLIP > CMSMonitors
 > CMS WSDL Monitor. In the right pane, expand URL Monitor Settings.
- d. In the Authentication Settings area, select User user name and password, and enter a

user name and password for the monitor. Click Save.

- e. Repeat steps 3c and 3d for the following CLIP monitors:
 - OOMonitors > OO WSDL Monitor
 - OPRMonitors > OPR event REST API URL Monitor
- 3. Perform a synchronization in System Health.
 - a. In System Health, click **Full Model Synchronization** to synchronize the status and model of the components. For details about synchronization, see "Synchronizing System Health" on page 18.
 - b. The Remote Servers Setup Wizard opens. For each server in the left pane, enter the remote connection information in order for System Health to run all of the server's available monitors. For details, see "Creating Remote Connections to Servers" on page 11.

Chapter 10: Troubleshooting and Limitations

The following table illustrates potential problems that can occur on the System Health interface, and suggested solutions:

Problem	Solution
Interface does not display any BSM components	Click the Refresh button on your browser.
All components and monitors appear in gray	 Click Full Model Synchronization in the toolbar above the Dashboard page or Inventory page. The Full Model Synchronization button resets the System Health configuration and erases all of the monitors' history in BSM. For details, see "Synchronizing System Health" on page 18. Reconfigure System Health to create remote connections to the servers
Monitors do not appear on a component	which System Health monitors. For details, see "Creating Remote Connections to Servers" on page 11.
URL monitors fail	Check that the monitor's URL is correct (for example, port number, http/https, and credentials).
	For information about System Health monitors, see "Appendix: System Health Monitors" on page 57.
	For information about URL monitors, see URL Monitors in the HP SiteScope Monitor Reference in the SiteScope Help. You can access the SiteScope Help from the directory where your System Health is installed (System Health root directory>\sisdocs\doc_lib), or from a SiteScope server by selecting Help > SiteScope Help , and navigating to the Help page for the specific SiteScope monitor in the Monitor Reference guide.

For troubleshooting information about monitors, see "Appendix: System Health Monitors" on page 57.

Appendix: System Health Monitors

System Health uses SiteScope monitors to measure the performance of your components. Some of these monitors are available in the SiteScope application and some are configured specifically for System Health.

Monitors are displayed in the Monitors area, located in the right pane of the Dashboard page. For details on the Monitors area, see "Monitors area" on page 30.

For monitors available in the SiteScope application, see the HP SiteScope Monitor Reference in the SiteScope Help. You can access the SiteScope Help from:

- The directory where your System Health is installed (<System Health root directory>\sisdocs\doc_lib)
- A SiteScope server by selecting **Help** > **SiteScope Help**, and navigating to the Help page for the specific SiteScope monitor in the Monitor Reference guide.

This section contains descriptions and troubleshooting information for the monitors configured specifically for System Health:

- "Machine Hardware Monitors" below
- "Database Monitors" on page 59
- "BSM Server Monitors" on page 59
- "Gateway Server Monitors" on page 71
- "Data Processing Server Monitors" on page 86
- "BPI Server Monitors" on page 107
- "Data Collectors" on page 112

Machine Hardware Monitors

The following monitors monitor the hardware and databases (where indicated) on which the BSM applications run:

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Ping	Checks the availability of the host using the network. Runs on BSM and Database servers. If BSM includes a proxy server or load balancer, this monitor runs on the mediator or load	This monitor is in error when the host is inaccessible from the	Check to see if:The host is downThe network is down

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
	balancer. Included Measurements: Round Trip Time Loss Percentage Threshold Configured In: SiteScope (Ping monitor)	System Health server.	Network security prevents System Health from accessing the host (which means no monitoring can be done on this server)
Server Virtual Memory	Tracks how much virtual memory is currently in use on the server. Runs on BSM and Database servers. Threshold Configured In: SiteScope (Memory monitor)		If a server is running low on virtual memory, you can: Restart the server (this may provide a temporary fix) Upgrade the server's memory (might be required for a long term solution)
Server CPU	Tracks how much CPU is currently in use on the server. Runs on BSM and Database servers. Threshold Configured In: SiteScope (CPU monitor)		 Check which processes are running on the server See if any of the processes can be removed or moved to another server
Server Disk Space	Tracks how much disk space is currently in use on the hard disk drive where BSM is installed. Runs only on the server. Threshold Configured In: SiteScope (Disk Space monitor)		To free up disk space, you can: Delete unnecessary files on the server Remove installed programs that require a lot of space Upgrade the server disk to a larger hard drive

Database Monitors

The following monitors run on the database servers. There can be multiple databases running on a server, and there is a monitor instance for each database:

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
DB Statistics	Verifies that database statistics have been collected for all tables created more than 24 hours ago.	Poor database engine performance, incorrect execution plans used by the database optimizer, or a connection pool timeout ending the transaction.	Run statistics collection against BSM databases on a regular basis by creating a job, or have the product database administrator run it manually.
Database Connectivity	Verifies the connection between BSM and the database.	Failure in BSM to start up or run, no persistency data in the database, or the reports fail to run or contain no data.	 On the database side, check that the instance is up, and verify there are no database server errors, such as running out of storage, database corruption, or running out of connections. On the BSM side, check the network between the BSM client and the database server for issues such as network delays, firewall problems, IP/DNS resolution, and packet loss.

BSM Server Monitors

The following monitors run on the Gateway Server, the Data Processing server, or, if not otherwise indicated, both:

- "General Monitors" on the next page
- "Process Monitors" on page 61
- "Bus" on page 65
- "UCMDB/RTSM" on page 66
- "Modeling/Viewing System" on page 70

General Monitors

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Out of Memory in Log	Searches for unexpected behavior due to the server being out of memory, displayed as instances of Out of Memory in topaz_all.ejb.log. Threshold Configured In: SiteScope (Log File monitor)	Some data might not be available in Service Health and in reports, and some of the applications might not work.	 Check for other monitors in error when trying to resolve memory issues. Verify the BSM deployment and expected load using the BSM Capacity calculator. Based on information found in the other monitors, you might need to restart the Gateway Server or upgrade your hardware.
Nanny Manager Process	Monitors whether BSM server processes are up and running. Threshold Configured In: SiteScope (Service monitor)	If a process is down, the Nanny Manager Process monitor tries to start it automatically.	If the monitor cannot start the process, contact HP Software Support.
Log Level for <configuration directory></configuration 	Checks if any of the log files in the specified directory are configured to debug log level (that is, searches for the string loglevel=debug). Threshold Configured In: SiteScope (Log File monitor)	Debug log level affects the amount of output in the log which consumes more disk space and slows down the application.	Change the configuration back to loglevel=ERROR

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
BSM Application Server Response	Checks that the BSM Application server is responsive. Information goes straight to the application server and does not travel through the web server. This monitor runs only on the Gateway Server. Threshold Configured In: SiteScope (URL monitor)	BSM is not accessible if the application server is not responsive. Responsiveness issues with the BSM Application server are usually the symptom of other problems.	Check for monitors in error when trying to resolve application server response issues.
Web Server Status	Displays the current status of the web server indicating its availability.	BSM is unable to accept samples from the data collector or communicate with other servers. Applications may be unavailable.	 Try to find and resolve the problem on the web server. Restart the web server.

Process Monitors

For descriptions of the processes, see "Managing BSM Processes" on page 42.

The two JVM monitors listed in the table below monitor only the Java processes, which include:

- analytics_loader
- DataUpgrade
- mercury_db_loader
- mercury_offline_engine
- mercury_online_engine
- mercury_wde
- MercuryAS
- MessageBroker
- pi_engine
- pmanager
- RTSM

The <process name> monitor monitors both the Java and non-Java processes. For details on the processes, see "BSM Processes" on page 42.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
<pre><pre><pre><pre><pre>color of the color of the color</pre></pre></pre></pre></pre>	Monitors the memory measurements for a Java process. Included Measurements: • Heap Free. Displays the amount of Heap Free space in JVM.	Some data might BSM not be available in Service Health and in reports.	Verify the BSM deployment type, memory (RAM), and expected load (reported samples per second) using the BSM capacity calculator. This type of exception usually occurs if BSM is installed on hardware that has insufficient resources for the current load.
	Heap Free Memory. Displays the amount of Permanent Heap Free space in JVM.		

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
<pre><pre><pre><pre><pre>content</pre></pre></pre></pre></pre>	Monitors the threads measurements for a Java process. The process name is in the name of the monitor. Included Measurements: Dead Locked Threads. Number of deadlocked threads in the process.	Some data might not be available in Service Health and in reports.	Verify the BSM deployment type, memory (RAM), and expected load (reported samples per second) using the BSM capacity calculator. This type of exception usually occurs if BSM is installed on hardware that has insufficient resources for the current load.
<pre><pre><pre><pre><pre>ame></pre></pre></pre></pre></pre>	Verifies whether the <pre>cprocess</pre> name> process is running, its CPU, and virtual memory utilization. Uses the SiteScope Service monitor.	The effect on BSM depends on which process is running.	Verify the BSM deployment type, memory (RAM), and expected load (reported samples per second) using the BSM capacity calculator. This type of exception usually occurs if BSM is installed on hardware that has insufficient resources for the current load.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Baseline Engine Monitor	Monitors the baseline engine to indicate if baseline data is available and accurate. Included Measurements: • Delayed Tasks. Indicates whether there are baseline calculation tasks idle for 4 days or longer. • Failed Tasks. Indicates whether there are baseline calculation tasks idle for 4 days or longer.	Baseline data may be inaccurate (out of date) or not available at all. The consumers of baseline data (for example SHA) are therefore receiving inaccurate or insufficient data.	Check for error messages in the baseline engine logs (log\baseline_engine) and try to resolve the problem from the information provided.

Bus

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Subscriber Group	Monitors the number and size of messages waiting for regular subscribers.	If the number or size of messages waiting for processing is high, the bus may suffer from low performance. This may also cause out of memory exceptions.	Contact your system administrator if the message threshold is met.
	Threshold Configured In: Infrastructure Settings.		
	To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		
Broker Group	Monitors the overall measurements of the broker (bytes and number of messages). Threshold Configured In: Infrastructure Settings. To access, go to Admin	If the number or size of messages waiting for processing is high, the bus may suffer from low performance. This may also cause out of memory exceptions.	Contact your system administrator if the message threshold is met.
	> Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Durable Subscriber Group	Monitors the number and size of messages waiting for durable subscribers in the broker. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	If the number of messages waiting for durable subscribers is high, this affects the size and performance of the local database. The bus may suffer from low performance and may get stuck when the database files grow by more than a few gigabytes.	Contact your system administrator if the message threshold is met.

UCMDB/RTSM

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Model Objects Quota and Count	Compares current CI count with the CI quota. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	If the quota is exceeded, no more CIs and links can be added.	 Increase the CI quota Delete unnecessary CIs Refine the discovery process so it discovers less data

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
TQL Quota and Count	Compares current TQL count with the TQL quota. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	If the quota is exceeded, no new active TQLs can be added.	 Increase the quota Delete unnecessary TQLs
Oversized TQLs	Displays TQLs that are larger than the size permitted by the configured threshold. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	If the TQL result is larger than the threshold, the TQL is deactivated.	Change the TQL definition.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Availability and Performance	Checks system availability and response time. Included Measurements: Run AdHoc TQL. Checks how long the Run AdHoc TQL operation takes. Load ClassModel. Checks how long the Load ClassModel operation takes. If response time exceeds 2 seconds, monitor status changes to Warning. If response time exceeds 15 seconds, monitor status changes to Error.	System availability issues and slow response time affect BSM performance.	Check the log files, and try to resolve the problem from the information provided.
	Threshold Configured In: Infrastructure Settings.		
	To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
DB - Could not reset timeout because the object is not monitored	Searches for Couldn't reset timeout because the object isn't monitored in cmdb.log. Threshold Configured In: SiteScope (Log File monitor)	If this error is registered in the log file, there are problems in the database.	Contact your database administrator for assistance.
DB - Failed to borrow object from pool	Searches for Failed to borrow object from pool in cmdb.log. Threshold Configured In: SiteScope (Log File monitor)	If this error is registered in the log file, there are problems in the database.	Contact your database administrator for assistance.
DB - Failed to create a connection	Searches for Failed to create a connection for in cmdb.log. Threshold Configured In: SiteScope (Log File monitor)	If this error is registered in the log file, there are problems in the database.	Contact your database administrator for assistance.
Notification - Cannot Publish	Searches for cannot publish in cmdb.log. Threshold Configured In: SiteScope (Log File monitor)	There are no notifications about active TQLs or model updates, and BSM applications and Service Health are not notified about changes in topology (such as added hosts or business transactions).	Check the bus log file to determine what caused the problem.
Notification - Cannot get notifications from the BUS	Searches for error occurred during receive of JMS message in cmdb.log. Threshold Configured In: SiteScope (Log File monitor)	If this error is registered in the log file, there are no notifications about active TQLs or model updates, and BSM applications and Service Health are not notified about changes in topology (such as added hosts or business transactions). Troubleshooting:	Check the bus log file to determine what caused the problem.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Performance - Request Timeout	Searches for Request Timeout in cmdb.log. Threshold Configured In: SiteScope (Log File monitor)	If this error is registered in the log file, this error may indicate a general problem, or it may have been caused by a temporary issue such as running a large number of TQLs.	Check the log file to determine what caused the problem.

Modeling/Viewing System

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
All Symbols Quota and Count	Compares current symbols count with symbols quota. You can create a view on top of a TQL. Each element in the view tree is called a symbol. The quota is determined in the settings.	If the quota is exceeded, no new active views can be created.	Deactivate unnecessary views or increase the quota.
	Threshold Configured In: Infrastructure Settings.		
	To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		
Views Quota and	Compares current views count with views quota. Threshold Configured In: Infrastructure	If the quota is exceeded, no new views can	Deactivate unnecessary views or increase
Count	Settings.	be created.	the quota.
	To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		
Oversized Views	Checks for views that are larger than the threshold configured in Infrastructure Settings.	Oversized views are deactivated.	Change the view definition.
	Threshold Configured In: Infrastructure Settings.		
	To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		

Gateway Server Monitors

The following monitors run on the Gateway Server:

- "Data In/Web Data Entry" below
- "Data In/Loader" on page 74
- "Data In/Operations Management Gateway" on page 77
- "Data In/Analytics Loader" on page 78
- "Service Health Application" on page 81
- "Operations Management Application" on page 84
- "Portal Application" on page 84
- "System Availability Management Application" on page 85
- "Service Level Management Application" on page 85
- "Applications/BPI" on page 86

Data In/Web Data Entry

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Web Data Entry Status	Determines the overall status of the Web Data Entry component. Included Measurements: Bus Status. Determines Web Data Entry connection to the bus. Gateway Status. Determines Gateway availability. Failures to Publish. Indicates number of samples which failed to publish.	Samples arriving to Web Data Entry are discarded or are not published to the bus. This means there is no sample data in BSM. Problems with the bus result in the Web Data Entry component rejecting samples arriving from data collectors.	Check following logs that are located in the < HPBSM root directory>\log\mercury_wde\ directory: Wde.log Wde.all.log Restart BSM.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
	Output EPS. Determines the number of published samples per second.	Samples are rejected if the Gateway Server is unavailable.	
WDE Baseline Cache Monitor	Monitors the cache of the Baseline Engine, which determines whether or not baseline enrichment is available. Included Measurements: • Late Arrivals. Indicates if any samples arrived late; samples that arrive more than one hour late might not be enriched with baseline data. • Cache Time-frame. Indicates if the cache contains enough historical data to enable baseline enrichment • Last Refresh Status. Indicates if the most recent baseline cache refresh was successful.	All or some of the incoming samples are not enriched with baseline data. Consumers of baseline data (for example SHA) therefore receive inaccurate or insufficient data.	Check for error messages located in the <hpbsm directory="" root="">log\mercury_wde\ directory.</hpbsm>
Out of Memory Exception in Log	Searches for unexpected behavior, displayed as instances of the string OutofMemoryExceptionInLog in the wde.log file. This is caused by samples or buffers arriving to WDE with too much data. Uses the SiteScope Log File monitor.	Some data might not be available in the Service Health and in reports.	Verify the BSM deployment type, memory (RAM), and expected load (reported samples per second) using the BSM Capacity Calculator. This type of exception usually occurs if BSM is installed on hardware that has insufficient resources for the current load.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Class Not Found Exception in Log	Searches for unexpected behavior, displayed as instances of the string ClassNotFoundException in the wde.log file. This might be caused by a bug in the system or the incorrect probe version being connected to the BSM server. Uses the SiteScope Log File monitor.	Some data might not be available in the Service Health and in reports.	Make sure that the correct version of the probe is connected to the BSM server. If the correct probe version is being used, contact HP Software Support.
Web Data Entry Availability	Determines if Web Data Entry is up and running. Uses the SiteScope Log File monitor. The default port is 443 (for a secure HTTPS connection) or 80 (for a non-secure HTTP connection).	No data is arriving to BSM.	 Check following logs that are located in the HPBSM root directory>\log\mercury_wde\ directory: wde.log wde.all.log Restart BSM.

Data In/Loader

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Main Flow	Measures flow of data in component. Included Measurements: Number of Samples in Queues. Used to control memory usage of the loader. Bus Connection Status. Checks loader connectivity to the bus.	No data in the BSM database (the loader is unable to collect samples from the bus). Problems with the bus indicate no persistency data in the database, and the reports show no data Too many samples in queues indicate a backlog, or unavailability of the profile database	 Check the status of the bus. Contact your database/network administrator for assistance on connectivity to the profile database and database load.
EPS ratio in main flow	Enables you to evaluate the ratio of the average insert rate to the loader with the average data insert rate to the database from the loader. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings > Foundations > Loader.	A high EPS value may cause a delay in the data being written to the database, and increase the disk space being used by recovery persistency data files.	

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Connection to DB	Checks connection to the database from loader process.	Reports are displayed without data. This indicates that no data persisted in the database.	Check dbloader logs for the connectivity error, and contact your database administrator for assistance.
Average Insert Rate to DB (Recovery Flow)	Monitors the average insert rate to the database from the recovery persistency folder. A long insert rate indicates database performance problems.		Contact your database administrator for assistance.
	Threshold Configured In: Infrastructure Settings.		
	To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		
Out of Memory Exception in Log	Searches for the string Out of Memory in Loader.log . This is caused by samples or buffers arriving to the loader with too much data.	Some data might not be available in Service Health and reports.	Verify the BSM deployment type, memory (RAM), and expected load (reported samples per second) using the BSM Capacity Calculator. This type of exception usually
	Uses the SiteScope Log File monitor.		occurs if BSM is installed on hardware that has insufficient resources for the current load.
Class Not Found Exception in Log	Searches for errors in Loader.log. This might be caused by a bug in the system or the incorrect probe version being connected to the BSM server. Uses the SiteScope Log File monitor.	Some data might not be available in Service Health and reports.	Make sure that the correct version of the probe is connected to the BSM server. If the correct probe version is being used, contact HP Software Support.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Files in Queue in Recovery Persister	Displays the number of files in the longest queue in the recovery persister directory. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	No data is displayed in reports if too many files are in the recovery persistency queue. This can be caused by: • A high number of EPS • Slow database insert rate • Limited database availability	Contact your database/network administrator for assistance on connectivity to the profile database and database load.
Loader Number of Samples in Queues in Main Flow			
Loader Statistics Log Monitor	Searches for ERROR in C\$\HPBSM\log\analytics_ loader\LoaderStatistics.log		

Data In/Operations Management Gateway

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshoot ing
OPR Gateway	Searches for unexpected behavior, displayed as instances of ERROR, in \wde\opr-gateway.log. Threshold Configured In: SiteScope (Log File monitor)	Forwarding, receiving and synchronizin g events with third-party applications do not function correctly.	Check the log file, and try to resolve the problem from the error messages provided.
OPR Gateway Event Forward Failed	Indicates that the events forwarded to the connected server has failed.		
OPR Event Sync Adapter WDE	Searches for unexpected behavior, displayed as instances of ERROR, in \wde\opr-event-syncadapter.log. Threshold Configured In: SiteScope (Log File monitor)	Event flow to connected servers.	Check the log file, and try to resolve the problem from the error messages provided.
OPR SVCDiscSer ver	Searches for unexpected behavior, displayed as instances of ERROR, in \wde\opr-svcdiscserver.log. Threshold Configured In: SiteScope (Log File monitor)	Dynamic topology synchroniza tion does not function correctly.	Check the log file, and try to resolve the problem from the error messages provided.
OPR Event WDE	Searches for ERROR in C\$/HPBSM/log/wde/opr-event-ws.log.		
OPR Event EJB	Searches for ERROR in C\$/HPBSM/log/EJBContainer/opr-event-ws.log.		
OPR Wink	Searches for ERROR in C\$/HPBSM/log/wde/opr-wink.log.		

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshoot ing
OPR Response WDE	Searches for ERROR in C\$/HPBSM/log/wde/opr-ws-response.log.		
OPR Response EJB	Searches for ERROR in C\$/HPBSM/log/EJBContainer/opr-ws-response.log.		
OPR Webapp Event Cache DB Problem	Searches for Exception while initializing EventCache from DB in C\$/HPBSM/log/EJBContainer/opr-webapp.log. Indicates that event cache for the browser cannot be initialized due to a DB problem.		

Data In/Analytics Loader

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Main Flow	Measures flow of data in component. Included Measurements: Number of Samples in Queues. Used to control memory usage of the loader. Bus Connection Status. Checks loader connectivity to the bus.	No data in the BSM database (the loader is unable to collect samples from the bus). Problems with the bus indicate no persistency data in the database, and the reports show no data Too many samples in queues indicate a backlog, or unavailability of the profile database	 Check the status of the bus Contact your database/network administrator for assistance on connectivity to the profile database and database load

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Baseline Cache Monitor	Monitors the cache of the Baseline Engine, which determines whether or not baseline enrichment is available. Included Measurements: Late Arrivals. Indicates if any samples arrived late. Samples that arrive more than 1 hour late might not be enriched with baseline data. Cache Time-frame. Indicates if the cache contains enough historical data to enable baseline enrichment. Last Refresh Status. Indicates if the most recent baseline cache refresh was successful.	All or some of the incoming samples are not enriched with baseline data; the consumers of baseline data (for example SHA) are therefore receiving inaccurate or insufficient data.	Check for error messages in the Analytics Loader log files.
EPS ratio in main flow	Enables you to evaluate the ratio of the average insert rate to the loader with the average data insert rate to the database from the loader. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings > Foundations > Loader.	A high EPS value may cause a delay in the data being written to the database, and increase the disk space being used by recovery persistency data files.	

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Connection to DB	Checks connection to the database from loader process.	Reports are displayed without data. This indicates that no data persisted in the database.	Check dbloader logs for the connectivity error, and contact your database administrator for assistance.
Average Insert Rate to DB (Recovery Flow)	Monitors the average insert rate to the database from the recovery persistency folder. A long insert rate indicates database performance problems. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	Contact your database administrator for assistance.	
Files in Queue in Recovery Persister	Displays the number of files in the longest queue in the recovery persister directory. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	No data is displayed in reports if too many files are in the recovery persistency queue. This can be caused by: • A high number of EPS Slow database insert rate. • Limited database availability.	Contact your database/network administrator for assistance on connectivity to the profile database and database load.
Analytics Loader log monitor	Searches for unexpected behavior, displayed as instances of error.	Process does not function correctly.	Check the log file and try to resolve the problem from the error message provided.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Analytics Loader General log monitor	Searches for unexpected behavior, displayed as instances of error.	Process does not function correctly.	Check the log file and try to resolve the problem from the error message provided.
Analytics Cls	Shows the number of Analytics CIs	Some data may not be entered into the Analytics database.	Contact HP Software Support in case of error (99% occupied).
SHA Plugin	Shows the number of traced metrics.	For information only.	
Number of Samples in Queues in Main Flow			
Number of Metrics			

Service Health Application

Monitor Name	Description	Effect on BSM if there is a problem	Trouble- shooting
Service Health Admin	Searches for unexpected behavior, displayed as instances of ERROR, in bam.admin.log. Threshold Configured In: SiteScope (Log File monitor)	Service Health Administration may not function correctly. This could be caused by problems in Service Health Administration backend (for example, KPI administration, or Geographical Map administration, Service Health administration actions), if some administration configuration action failed or could not be performed.	

Monitor Name	Description	Effect on BSM if there is a problem	Trouble- shooting
Service Health Application	Searches for unexpected behavior, displayed as instances of ERROR, in bam.app.log. The log reports problems in the Service Health application user interface. Threshold Configured In: SiteScope (Log File monitor)	This may result in tabs not being available, or system logout.	Try to resolve the problem from the error messages reported in the Service Health application.
Service Health Application Front-end	Searches for unexpected behavior, displayed as instances of ERROR, in bam.app. frontend.log. The log reports problems in the Service Health application user interface. Threshold Configured In: SiteScope (Log File monitor)	This may result in tabs not being available, or system logout.	Try to resolve the problem from the error messages reported in the Service Health application.
Service Health Front-end Actions	Searches for unexpected behavior, displayed as instances of ERROR, in bam. actionbase.log. This log reports problems that impact the Service Health application. Threshold Configured In: SiteScope (Log File monitor)	This may result in tabs not being available, or system logout.	Check the log file, and try to resolve the problem from the error messages provided.
Service Health BLE Plug-in	Searches for unexpected behavior, displayed as instances of ERROR, in bam.ble.plugin.log. This indicates a problem in the Business Logic Engine online loading. Threshold Configured In: SiteScope (Log File monitor)		Check Service Health for visual errors. If you find any, contact HP Software Support.
Service Health Business Reports	Searches for unexpected behavior, displayed as instances of ERROR, in bzd.log. Threshold Configured In: SiteScope (Log File monitor)	Problems generating Service Health reports, such as KPI Summary Report and KPI Trend Report.	Check the reports for visual errors. If you find any, contact HP Software Support.

Monitor Name	Description	Effect on BSM if there is a problem	Trouble- shooting
Service Health Open API	Searches for unexpected behavior, displayed as instances of ERROR, in bam.open.api.log. Threshold Configured In: SiteScope (Log File monitor)	Errors in this log can impact the Service Health Ticker application and mobile console (handheld devices) users.	Verify that you are able to use the mobile console. No other action is required. An error might indicate a Ticker client trying to retrieve a view or CI that is no longer in the RTSM.
Service Health Context Menu UI	Searches for unexpected behavior, displayed as instances of ERROR, in context.menu.log. Threshold Configured In: SiteScope (Log File monitor)	Problems in Service Health repositories context menu or menu items (for example, when creating new menu items, editing context menus, or cloning context menus). Problems may also occur while creating or editing the context menu or menu items.	Check for visual errors. If you find any, contact HP Software Support.
Center High Availability	Searches for unexpected behavior, displayed as instances of ERROR, in bac.ha.centers.log. This log is for sticky sessions. Threshold Configured In: SiteScope (Log File monitor)	BSM goes down.	When one BSM goes down, you can use your data with another center. Check the log file, and try to resolve the problem from the information provided.

Operations Management Application

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
OPR Webapp	Searches for unexpected behavior, displayed as instances of ERROR, in \EJBContainer\ opr-webapp.log. Threshold Configured In: SiteScope (Log File monitor)	Operations Management Application UI does not function correctly.	Check the log file, and try to resolve the problem from the error messages provided.
OPR Webapp Event Cache Not Initialized	Indicates that the event cache is not initialized and therefore event browsing is not available.		
OPR Scripting Host	Searches for unexpected behavior, displayed as instances of ERROR, in \opr-scripting-host \opr-scripting-host.log. Threshold Configured In: SiteScope (Log File monitor)	Execution of customized scripts using the event processing interface.	Check the log file, and try to resolve the problem from the error messages provided.

Portal Application

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
My BAC (Legacy)	Searches for unexpected behavior, displayed as instances of ERROR, in portal.log. Threshold Configured In: SiteScope (Log File monitor)	This may impact on MyBSM, and indicates problems in configuration or failed administration operations.	 Check for any error messages in MyBSM, or for any missing portlets Check if the errors in the log reappear, or if this was a one time occurrence If you do not notice an impact, take no further action

System Availability Management Application

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
SAM Admin Fatal	Searches for unexpected behavior, displayed as instances of FATAL, in sam-admin.log. Threshold Configured In: SiteScope (Log File monitor)		Contact HP Software Support.
SAM Admin SiteScope Profiles on DB	Searches for unexpected behavior, displayed as instances of ERROR-Unable to get SiteScope profiles from DB, in sam-admin.log. Threshold Configured In: SiteScope (Log File monitor)	Unable to see the SiteScope profile in SAM Admin. This is probably a problem with the database or the profile ID.	Check database connectivity.
SAM Admin SiteScope Profiles List	Searches for unexpected behavior, displayed as instances of Failed to retrieve SiteScope profiles list, in sam-admin.log. Threshold Configured In: SiteScope (Log File monitor)	Unable to see the SiteScope profile in SAM Admin. This is probably a problem with the database or the profile ID.	Check database connectivity.

Service Level Management Application

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
SLM Logic	Searches for unexpected behavior, displayed as instances of unexpected result, in slm.rules.log. Errors in may be caused by corrupted calculations in the SLA. Threshold Configured In: SiteScope (Log File monitor)		Check that you are getting the expected results in the SLA reports.
SLM Data Access Layer	Searches for unexpected behavior, displayed as instances of unexpected result, in opt/HP/BSM/EJBContainer/slm_dal.ejb.log.		

Applications/BPI

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
BPI Application	Searches for ERROR in C\$\HPBSM\ log\EJBContainer\bpi.log.		
BPI Application queries	Searches for ERROR in C\$\HPBSM\log\ EJBContainer\bpiQueries.log.		

Data Processing Server Monitors

The following component monitors run on the Data Processing Server:

- "Alerts Engine" on the next page
- "Bus" on page 88
- "Database Services/Partition Manager" on page 89
- "Application Engines/Service Health Engine" on page 91
- "Application Engines/Service Level Management (SLM) Engine" on page 94
- "Application Engines/Reports DB Aggregator" on page 96
- "Modeling/RTSM" on page 98
- "Data Processing Server Monitors" above
- "KPI Enrichment Service Monitors" on page 98
- "Operations Management Monitors" on page 100
- "Rapid Anomaly Detection Engine Monitors" on page 103
- "Data Processing Server Monitors" above
- "Verticals Application" on page 105

Alerts Engine

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
BLE-BUS Connection Monitor	Monitors connection between the Business Logic Engine offline engine and the bus. This monitor is displayed as red if alerts are not sent.		Check for problems in other bus monitors and bus logs, and try to resolve the problem from the information provided.
queue/alert_ engine_alert	Measures the size of the queue between the Business Logic Engine and the Alerts Listener. This indicates the extent to which alert delivery is being delayed. Threshold Configured In: Infrastructure Settings (context alerts). To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		 Check the SMTP/SNMP configuration in the Infrastructure Settings. Check the Iog\alerts\alerts.ejb.log and the bus logs, and try to resolve the problem from the information provided.
queue/alert_ engine_ notification	Measures the size of the queue between the Alerts Listener and the Notification Listener. This indicates the extent to which alert delivery is being delayed. Threshold Configured In: Infrastructure Settings (context alerts). To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		 Check the SMTP/SNMP configuration in the Infrastructure Settings. Check the log\alerts\alerts.ejb.log and the bus logs, and try to resolve the problem from the information provided.
Alerts-OM Integration Monitor	Monitors creation of OM incidents for the Alerts-OM integration.		

Bus

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Monitor Subscriber Group	Monitors subscriber related measurements. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	If the number or size of messages waiting for processing is high, the bus may suffer from low performance. This may also cause out of memory exceptions.	Contact your system administrator if the message threshold is met.
Monitor Broker Group	Monitors the overall measurements of the broker (bytes and number of messages). Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	If the number or size of messages waiting for processing is high, the bus may suffer from low performance. This may also cause out of memory exceptions.	Contact your system administrator if the message threshold is met.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Durable Subscriber Group	Monitors the number and size of messages waiting for durable subscribers in the broker. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	If the number of messages waiting for durable subscribers is high, this affects the size and performance of the local database. The bus may suffer from low performance and may be stuck when the database files grow by more than a few gigabytes.	Contact your system administrator if the message threshold is met.

Database Services/Partition Manager

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Partition Timely Creation	Verifies that partitions are created according to partitioning policy. Note: This monitor is displayed as red for two hours after being connected.	Missing partition means that there is no persistency data in the system and the reports will be empty.	Check the following log files on the BSM Data Processing Server machine for the cause of the problem: • pmanager.log • pm_statistics.log

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Oversize d Partitions	Finds partitions with more than the allotted number of rows specified in threshold settings.	Low performanc e in the reports caused by	 Change or tune the Partition Manager policy according to the EPS default values in <hpbsm root<br="">directory>\conf\pmanager.propertie s file.</hpbsm>
	Threshold Configured In:	too many rows in data tables.	2. Restart the Partition Manager.
	<pre><hpbsm directory="" root="">\conf\ pmanager.propertie s, located on the Gateway Server.</hpbsm></pre>		
	You can edit these settings in the properties file:		
	MAX_ROWS_ PER_ PARTITION. The optimal number of rows per partition that Partition Manager strives to create.		
	WARN_ROWS_ PER_ PARTITION. The number of rows in the partition that generates a warning.		
	• ERROR_ROWS_ PER_ PARTITION. The number of rows in the partition that generates an error.		

Application Engines/Service Health Engine

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
BLE Online Monitor	Monitors Business Logic Engine online calculations. Included Measurements: Size of Model. Percentage of model size relative to the maximum capacity. DB Availability. Verifies connection to the database. Bus Connectivity. Verifies connection to the bus. Calculation Duration. Average calculation time. Threshold Configured In: Infrastructure Settings. To configure threshold: a. Navigate to Admin > Platform > Setup and Maintenance > Infrastructure Settings. b. Choose Foundations. c. Select Distributed Online Business Logic Engine - Supervisor. d. Modify Maximum	 Size of Model. If the model is too large, it causes performance problems, out of memory exceptions, and Service Health might not be available. Decrease the model to a supported size. You can also switch to a larger deployment (in case you are not using it already). DB Availability. If there is no connection to the database, persistency, repositories, and settings are affected. Ask your database/network administrator to check the database connection and/or any network issues. Bus Connectivity. If there is no connection to the bus, Business Logic Engine does not receive samples and is unable to send samples to the bus. Check the bus log file for the cause of the problem. Calculation Duration. Service Health responsiveness is affected if the calculation takes too long, since no requests from Service Health are processed during the calculation. Slow calculation might be caused by a large model, very high EPS, or if the log level is set to DEBUG. 	

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
	two consecutive model calculations.		
Service Health BLE Plug-in	Searches for unexpected behavior, displayed as instances of ERROR, in bam.ble.plugin.log.	Service Health cannot get status information from the online engine.	
	Threshold Configured In: SiteScope (Log File monitor)		
Service Health Rules	Searches for unexpected behavior during execution of Service Health rules, displayed as instances of ERROR, in bam.app.rules.log. Threshold Configured In: SiteScope (Log File monitor)	Indicator statuses might not be calculated, or might be calculated incorrectly. This is visible in the System Health application.	Check for the root cause of the problem in the log file.
Service Health Rules worker_1	Searches for ERROR in C\$\HPBSM\log\marble_worker_ 1\bam.app.rules.log.		
Service Health Rules worker_2			
Service Health Rules worker_3			

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Repositories	Searches for unexpected behavior in Service Health repositories, displayed as instances of ERROR, in repositories.log. Threshold Configured In: SiteScope (Log File monitor)	Effect on BSM: System Health or SLM repository entities might not be displayed correctly.	Check for the root cause of the problem in the log file.
BLE Connection to DB			
BLE Files in Queues in Recovery Persister			
BLE Number of Samples in Queues in Main Flow			
BLE EPS Ratio in Main Flow			
BLE Average Insert Rate in DB (Recovery Flow)			
BLE Main Flow			

Application Engines/Service Level Management (SLM) Engine

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
BLE Offline Tasks	Indicates whether the time taken to perform the SLM tasks took longer than the time allotted in Infrastructure Settings. Included Measurements: Delayed Tasks. Shows whether there are delayed or failed SLM calculation tasks. Cycle Time. Shows the percentage of the overall measurement period used to complete calculation of ongoing SLM tasks. Threshold Configured In: Infrastructure Settings. To configure threshold, navigate to Admin > Platform > Setup and Maintenance > Infrastructure Settings. Choose Foundations, select Offline Aggregator and modify Monitor Threshold for SLM Aggregator.	No data in the database for reports for the latest SLM calculation. This can result in slow database performance, task failure, invalid SLM configuration, database access problems, and RTSM access problems.	Check the following log files for the cause of the problem: NOAScheduler.log bambino.log BambinoStatistics.log offline.engine.all.log
BLE Offline Monitor	Monitors Business Logic Engine offline calculations. Included Measurements: DB Availability. Verifies connection to the database. Bus Connectivity. Verifies connection to the bus. Persistency. Indicates the number of failures in saving persistency data.	No data in the database for reports for the latest SLM calculation. This can result in no connection to the database, failure to connect to the bus, low calculations performance, and no memory space to calculate the SLA.	For low calculations performance, check the BambinoStatistics.log for bottlenecks. For no memory space to calculate the SLA: Check bambino.log and BambinoStatistics.log Increase memory for processes in the

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
	Max Task Duration. Displays the duration of the longest task over the time configured in Infrastructure Settings, indicating whether or not the SLM calculation is too slow. Data Stream Fuse Violations. Indicates performance problems due to the amount of data queried for SLM calculations. Threshold Configured In: Infrastructure Settings. To configure threshold, navigate to Admin > Platform > Setup and Maintenance > Infrastructure Settings. Choose Foundations, select Offline Business Logic Engine and modify Maximum number of rows that the Data Streamer can count.		mercury_offline_ engine_vm_ params.ini file and the fuse setting (BSM Admin Infrastructure settings UI). Limit the number of SLAs that are calculated simultaneously in Admin > Platform > Setup and Maintenance > Infrastructure Settings.

Application Engines/Reports DB Aggregator

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
DB Aggregator	Indicates whether the time to perform the DB Aggregation task took longer than the time configured in Infrastructure Settings. Included Measurements: Delayed Tasks. Displays whether delayed or failed tasks are found. Cycle Time. Shows the percentage of the overall measurement period used to complete aggregation calculations. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	No data in the database for reports using aggregation data. This can result in slow database performance, task failure, invalid SLM configuration, database access problems, and RTSM access problems.	Check the following log files for the cause of the problem: NOAScheduler.log bambino.log NOAStatistics.log offline.engine.all.log

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Validator	Responsible for the creation of DB Aggregation and SLM tasks. Included Measurements: Validation Time. Checks whether validation ran within the time frame defined in the Offline Aggregation settings. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	No data in the database for reports using aggregation data.	Check the following log files for the cause of the problem: • NOAValidator.log • offline.engine.all.log
Scheduler	Schedules when the DB Aggregator and SLM tasks are performed. Included Measurements: • Threads Alive. Checks for active threads in the offline aggregation scheduler.	No data in the database for reports using aggregation data. This can result in database and RTSM access problems.	Check the following log files for the cause of the problem: NOAScheduler.log bambino.log NOAStatistics.log offline.engine.all.log

Modeling/RTSM

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
CI Quota and Count	Compares current CI count with the CI quota. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	If the quota is exceeded, no more CIs and links can be added.	Increase the quota, delete unnecessary CIs, or refine the discovery process so it discovers less data.
Patterns result size monitor			
Performance Monitor			

KPI Enrichment Service Monitors

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
KES Availability	Monitors that Assignment Mechanism is up and running for each customer. For details, see the section on Assignments in the BSM Application Administration Guide.		If a Data Processing Server is running KES service for customers 1-3, the monitor will be deployed with three measurements: • KES Availability for customer 1 • KES Availability for customer 2
	Included Measurements: • KES Availability per customer		KES Availability for customer 3 Verify that KES service is running. Check the following log files in <hpbsm root<br="">directory>\log\EJBContainer for the cause of the problem:</hpbsm>

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
	The monitor measurements list is dynamic and determined according to the number of customers running Assignment Mechanism service on this Data Processing Server.		kes.server.logkes.manager.log
KES Content	Monitors that Assignment Mechanism content is valid: checks that there are no invalid SLM/Service Health KPI/HI assignments for each customer running Assignment Mechanism. Included Measurements SLM KES content per customer DASHBOARD KES content per customer The monitor measurements list is dynamic and determined according to the number of customers running KES service on this data processing server. For example, in a	If there is an invalid assignment in the SLM or Service Health application for a customer, the KPI/HI assignment is ignored by the assignment mechanism and KPIs/HIs may not be assigned for CIs. (In case of overriding invalid assignment, the overridden assignment HIs/KPIs is assigned to CIs instead.)	Locate the assignment and fix it according to validation error in the UI.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
	data processing server running KES service for customers 1-2, the monitor will be deployed with four measurements:		
	SLM KES content for customer 1		
	DASHBOARD KES content for customer 1		
	SLM KES content for customer 2		
	DASHBOARD KES content for customer 2		

Operations Management Monitors

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
OPR Backend Error	Searches for unexpected behavior, displayed as instances of ERROR, in \opr-backend\opr-backend.log. Threshold Configured In: SiteScope (Log File monitor)	Operations Management event processing (such as Topology-base event correlation, ETI resolution, CI resolution) does not function correctly.	Check the log file, and try to resolve the problem from the error messages provided.
OPR Backend Bus Problem	Indicates that there is a problem with the bus.		

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
OPR Backend CI Resolution Failed	Indicates that the CI resolution on an event has failed.		
OPR Backend No ETI Resolution	Indicates that no ETI resolution was possible provided ETI hint.		
OPR Backend Event Forward Failed	Indicates that the event cannot be forwarded to the target server.		
OPR Backend EventStore Error	Indicates that the event cannot be stored in the database.		
OPR CiResolver	Searches for unexpected behavior, displayed as instances of ERROR, in \opr-backend\opr-ciresolver.log. Threshold Configured In: SiteScope (Log File monitor)	Operations Management CI Resolver does not function correctly.	Check the log file, and try to resolve the problem from the error messages provided.
OPR Scripts	Searches for ERROR in C\$\HPBSM\log\opr-scripting-host\scripts.log.		
OPR Backend Boot	Searches for unexpected behavior, displayed as instances of ERROR, in opr-backend-boot.log. Threshold Configured In: SiteScope (Log File monitor)	Startup of the Operations Management OPR-Backend process does not function correctly.	Check the log file, and try to resolve the problem from the error messages provided.
OPR Backend Boot Out Of Memory	Indicates that these is not enough memory for opr-backend process to start up properly.		

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
OPR Backend Shutdown	Searches for unexpected behavior, displayed as instances of ERROR, in opr-backend_shutdown.log. Threshold Configured In: SiteScope (Log File monitor)	Shutdown of the Operations Management OPR-Backend process does not function correctly.	Check the log file, and try to resolve the problem from the error messages provided.
OPR Webapp Event Cache DB Problem	Searches for Exception while initializing EventCache from DB in C\$/HPBSM/log/EJBContainer/opr-webapp.log. Indicates that event cache for the browser cannot be initialized due to a DB problem.		
OPR Webapp Event Cache Not Initialized	Searches for Event Cache is not yet initialized. Try it later in the log C\$\BPBSM\log\ EJBContainer\opr- webapp.log. Indicates that the event cache is not initialized and therefore event browsing is not available.		
OPR Event Sync Adapter EJB	Searches for ERROR in C\$\HPBSM\log\EJBContainer\oprevent-sync-adapter.log.		
OPR Event Sync Adapter ScrHost	Searches for ERROR in C\$\HPBSM\log\opr-scripting-host\opr-event-sync-adapter.log.		
OPR Scripting Host	Searches for ERROR in C\$\HPBSM\log\opr-scripting- host\opr-scripting-host.log.		
OPR Webapp	Searches for ERROR in C\$\HPBSM\log\EJBContainer\oprwebapp.log.		

Rapid Anomaly Detection Engine Monitors

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
SHA Engine log monitor	Searches for unexpected behavior, displayed as instances of error.	Process does not function correctly.	Check the log file and try to resolve the problem from the error message provided.
SHA Engine Statistic s log monitor	Monitors the statistics for the pi_engine process.	Some data might not be available in SHA.	Verify the BSM deployment type, memory (RAM), and expected load (reported samples per second) using the BSM capacity calculator. This type of exception usually occurs if BSM is installed on hardware that has insufficient resources for the current load.
SHA Applica tion General log monitor	Searches for unexpected behavior, displayed as instances of error.	Process does not function correctly.	Check the log file and try to resolve the problem from the error message provided.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Service Health Analyze r Engine	Included Measurements: Cycle Time. Shows the percentage of the overall measurement period used to complete calculation. The default threshold is 66.7%. Delayed Tasks. Shows if there are delayed tasks. Worst Task Performance (for information only) Worst Method Performance (for information only) Open Anomalies (for information only) Traced Metrics. Shows number of traced metrics (for information only) Heartbeat. Time without SHA schema connection. Should be zero.	Stronger server is needed. A problem with the Heartbeat may cause an Analytics schema issue.	Possible causes of Heartbeat problems: The Analytics schema is out of space. The database administrator has changed the connection properties (for example, the password). Check these logs: CPS>/ <hpbsm>/log/pi_engine.log GW>/<hpbsm>/log/analytics_loader/loader.log PDPS>/<hpbsm>/log/pmanager/pmanager.log</hpbsm></hpbsm></hpbsm>

Verticals Application

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Verticals Core	Searches for unexpected behavior, displayed as instances of ERROR in vertical.ejb.log Threshold Configured In:SiteScope (Log File monitor)		Verify that Verticals are working correctly. Check the log file for error messages. You can ignore errors in the log file if: • Siebel diagnostic tools (SARM, Database Breakdown, Tasks, Processes) are not used. • Siebel diagnostic tools are used and reports can be generated. If Siebel diagnostic tools are being used and reports cannot be generated, errors in the log may indicate problems with time synchronization and connectivity between BSM, SiteScope, and Siebel servers.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
BAC for Siebel	Searches for unexpected behavior, displayed as instances of ERROR in siebel.ejb.log. Threshold Configured In:SiteScope (Log File monitor)	Verify that the Siebel solution is working correctly. Check the log file for error messages. You can ignore errors in the log file if: • Siebel diagnostic tools (SARM, Database Breakdown, Tasks, Processes) are not used. • Siebel diagnostic tools are used and reports can be generated. If Siebel diagnostic tools are being used and reports cannot be generated, errors in the log may indicate multiple problems in the flow of those tools, including data retrieval and processing.	
BAC for SAP	Searches for unexpected behavior, displayed as instances of ERROR in sap.ejb.log. Threshold Configured In:SiteScope (Log File monitor)		Verify that the SAP solution is working correctly.

BPI Server Monitors

The following component monitors run on the BPI Server:

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Data Samples Provider	Searches for [SEVERE ERROR] in bia_ bacdatasamples0_0.log. Threshold Configured In: SiteScope (Log File monitor)	BPI data samples might not be sent to BSM. Information in the BPI health page and Service Health is not updated, and the current status of Health Indicators and KPIs might be incorrect.	 Check the error message, and try to resolve the problem from the information provided. Check that the web data entry component of BSM is working correctly. Restart the BPI Server. If the problem persists, check with the BSM Administrator.
Notification Server	Searches for [SEVERE ERROR] in bia_ notify0_0.log. Threshold Configured In: SiteScope (Log File monitor)	BPI business process threshold violation notifications might not be sent to the users specified using BPI notification administration in BSM.	 Check the error message, and try to resolve the problem from the information provided. Check that the BPI notification mail server is configured correctly. Restart the BPI Server. If the problem persists, check with the BSM Administrator.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Servlet Engine	Searches for [SEVERE ERROR] in bia_ tomcat0_0.log. Threshold Configured In: SiteScope (Log File monitor)	The BPI landing pages, monitor definer, process repository explorer, and BPI notification might not function properly in BSM.	 Check the error message, and try to resolve the problem from the information provided Restart the BPI Server If the problem persists, check with the BSM Administrator
CI Status Poller	Searches for [SEVERE ERROR] in bia_ adaptor_framework0_0. log. Threshold Configured In: SiteScope (Log File monitor)	The CI status poller component in BPI might not be able to obtain the current status of business activities, resulting in the current status not being visible in the BPI health page. The blocked and impeded process instances count might also be incorrect.	 Check the error message, and try to resolve the problem from the information provided. Restart the BPI Server. If the problem persists, check with the BSM Administrator.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
JMS Business Event Handler	Searches for ERROR in Rolling_Adaptor_ BIAJMSEngineAdaptor.log. Threshold Configured In: SiteScope (Log File monitor)	BPI events that are being delivered using a JMS queue are not being processed. The data shown in the BPI application and the statuses of BPI KPIs and Health Indicators might be incorrect.	 Check the error message, and try to resolve the problem from the information provided. Check the configuration properties of the JMS Business Event Handler and that the BPI Impact Engine is started. Restart the BPI Server. If the problem persists, check with the BSM Administrator.
Process Repository	Searches for [SEVERE ERROR] in bia_ model_repository0_0. log. Threshold Configured In: SiteScope (Log File monitor)	The BPI Modeler might fail to load or is unable to correctly modify BPI definitions. The BPI health pages might also fail to display process maps.	 Check the error message, and try to resolve the problem from the information provided. Check that the BPI database configured for BSM is running correctly. Restart the BPI Server. If the problem persists, check with the BSM Administrator.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Monitor Engine	Searches for [SEVERE ERROR] in bia_ metric_engine0_0.log. Threshold Configured In: SiteScope (Log File monitor)	Effect on BSM: BPI Monitor statistics and the current status KPIs might be incorrect.	 Check the error message, and try to resolve the problem from the information provided. Check that the BPI instance database is running correctly. Restart the BPI Server. If the problem persists, check with the BSM Administrator.
Business Event Handler	Searches for ERROR in Rolling_Adaptor_ BIAEngine Adaptor.log. Effect on BSM: BPI events might not be processed, and the data displayed in the BPI application and the statuses of BPI KPIs might be incorrect. Threshold Configured In: SiteScope (Log File monitor)		 Check the error message, and try to resolve the problem from the information provided. Check the configuration properties of the Business Event Handler and that the BPI Impact Engine is started. Restart the BPI Server. If the problem persists, check with the BSM Administrator.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Web Services Provider	Searches for [SEVERE ERROR] in bia_ webservices0_0.log. Threshold Configured In: SiteScope (Log File monitor)	None	 Check the error message, and try to resolve the problem from the information provided. Check that the BPI instance database is running correctly. Restart the BPI Server. If the problem persists, check with the BSM Administrator.
Business Impact Engine	Searches for [SEVERE ERROR] in bia_ bce0_0.log. Threshold Configured In: SiteScope (Log File monitor)	Statistics for BPI processes and activities, and data shown in the BPI application and the statuses of BPI KPIs and health indicators might be incorrect.	
Admin Server	Searches for [SEVERE ERROR] in bia_ adminserver0_0.log. Threshold Configured In: SiteScope (Log File monitor)	Possibly unable to start or stop BPI components on the BPI server.	 Check the error message, and try to resolve the problem from the information provided. Restart the BPI Server. If the problem persists, check with the BSM Administrator.

Data Collectors

Following are the data collectors that run as part of BSM:

- "BPM Data Collector" on the next page
- "SiteScope Data Collector" on page 115
- "Discovery Probe Data Collector" on page 116
- "RUM Data Collector" on page 117

BPM Data Collector

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
BPM Last Ping Time	Reports how much time has passed since the last time BPM data collectors requested job updates from BSM. If BPM last ping time exceeds 5 minutes, monitor status changes to Warning. If BPM last ping time exceeds 20 minutes, monitor status changes to Error. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	BPM does not get configuration updates. If the other BPM monitor is also red, this indicates that BPM is unable to connect to or send a request to BSM, or that BPM is down. If this monitor is constantly red, the BPM is unable to retrieve configuration updates. If this monitor is sometimes green and sometimes red, the job poll interval configuration (BPM configuration) may be higher than 5 minutes.	If this monitor is not constantly red: Check the job poll interval in BPM, and reduce it if necessary. Increase the Error and Warning thresholds for BPM Last Ping Time in Infrastructure Settings. Check for connection errors in the BPM logs\workspace\ commcenter\commcenter.txt.

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
BPM Last Reported Data Time	Measures how much time has passed since the last time BPM data collectors sent samples to BSM. If this time exceeds 80 minutes, monitor status changes to Warning. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.	BPM samples are not entered into BSM. If the other BPM monitor is also red, this indicates that BPM is unable to connect to or send a request to BSM, or that BPM is down. If this monitor is constantly red, the BPM is unable to send samples to BSM.	 Check for connection errors in the BPM logs \workspace\agent1\data\data_depot.txt Increase the Warning threshold for BPM Last Reported Data Time in Infrastructure Settings.

SiteScope Data Collector

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
SiteScope status on <sitescope instance=""></sitescope>	Measures the overall status of the SiteScope data collector. Included Measurements: • Last Heartbeat. Indicates the time of the most recent sample received from SiteScope that indicates the basic availability (i.e., heartbeat) of the system. • Health Status. Indicates the status of the SiteScope Health group, and number of monitors in the group with error status. Note: Both measurements are monitored only if using SiteScope version 9.0 or later. If a previous version is installed, only the Last Heartbeat measurement is monitored. Threshold Configured In: Infrastructure Settings. To access, go to Admin > Platform > Setup and Maintenance > Infrastructure Settings and search under System Health or the applicable component application.		Last Heartbeat. Check that SiteScope is up and running. In SAM Admin, check the connection between BSM and SiteScope. Check the BSM status and that BSM components are running. Health Status. In SiteScope, check the SiteScope Health group, and check the SiteScope Progress Report (in SiteScope Progress Report (in SiteScope progress pages (in Server Statistics > General/Running Monitors tabs in SiteScope Health monitors in the Using SiteScope Guide in the SiteScope Help.

Discovery Probe Data Collector

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
Discovery Probe status on <discovery instance="" probe=""></discovery>	Receives discovery tasks from the server, dispatches them, and sends the results back to the CMDB through the server.	No new discovery data is entered into BSM. There is an indication of a problem is if the last report time is earlier than the scheduled discovery time.	Check that the discovery probe is running and connected to BSM.
	Included Measurements:		
	• Last Report Time. The most recent report time.		
	Amount of Reported Cls. The number of Cls reported by the probe.		
	Last Access Time. The most recent time the probe was accessed.		

RUM Data Collector

Monitor Name	Description	Effect on BSM if there is a problem	Troubleshooting
RUM Status on <rum Engine Instance Name></rum 	Displays the aggregated status of the Real User Monitor data collector. Included Measurements: RUM Engine. Aggregated status of the Real User Monitor engine monitors. RUM Probe IP. Aggregated status of the Real User Monitor probe with the specified IP address. Each probe has its own entry. Database. Aggregated status of Real User Monitor internal DB monitors. Samples to Business Service Management server. Aggregated status of the Real User Monitor samples sent to BSM. Threshold Configured In: Real User Monitor internal configuration.		If the Real User Monitor data collector's status is problematic, refer to the Real User Monitor web console for troubleshooting. For details, see Monitoring the Health of HP Real User Monitor Components in the Real User Monitor Administration Guide.

We appreciate your feedback!

If you have comments about this document, you can contact the documentation team by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on Using System Health (System Health 9.23)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to SW-doc@hp.com.