

HP Business Service Management

Software Version: 9.24

Windows and Linux operating systems

BSM System Requirements and Support Matrixes

Document Release Date: January 2015
Software Release Date: September 2014



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2005 - 2014 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® and Acrobat® are trademarks of Adobe Systems Incorporated.

AMD and the AMD Arrow symbol are trademarks of Advanced Micro Devices, Inc.

Google™ and Google Maps™ are trademarks of Google Inc.

Intel®, Itanium®, Pentium®, and Intel® Xeon® are trademarks of Intel Corporation in the U.S. and other countries.

Java is a registered trademark of Oracle and/or its affiliates.

Microsoft®, Windows®, Windows NT®, Windows® XP, and Windows Vista® are U.S. registered trademarks of Microsoft Corporation.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

UNIX® is a registered trademark of The Open Group.

Acknowledgements

This product includes software developed by the Apache Software Foundation (www.apache.org).

This product includes software developed by the JDOM Project (www.jdom.org).

This product includes software developed by the MX4J project (mx4j.sourceforge.net).

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to: <https://softwaresupport.hp.com/group/softwaresupport/search-result?keyword=>.

This site requires an HP Passport account. If you do not have one, click the **Create an account** button on the HP Passport Sign in page.

Support

Visit the HP Software Support web site at: <https://softwaresupport.hp.com>

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software Support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts

- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to <https://softwaresupport.hp.com> and click **Register**.

To find more information about access levels, go to: <https://softwaresupport.hp.com/web/software-support/access-levels>

HP Software Solutions & Integrations and Best Practices

Visit HP Software Solutions Now at <https://h20230.www2.hp.com/sc/solutions/index.jsp> to explore how the products in the HP Software catalog work together, exchange information, and solve business needs.

Visit the Cross Portfolio Best Practices Library at <https://hpln.hp.com/group/best-practices-hpsw> to access a wide variety of best practice documents and materials.

Chapter 1: Introduction

The BSM System Requirements and Support Matrixes document contains system requirement, support matrix, and software compatibility information for the BSM platform and the various HP components and software that work with BSM.

The information in this document can be used to aid in:

- planning BSM system architecture
- establishing hardware, operating system and other software requirements required to run BSM and its components
- understanding compatibility among the various components of BSM

This document contains information relating to all major BSM licensed components, including Operations Management (OMi), End User Management, System Availability Management, and Transaction Management.

Note: HP does not support server, database, browser, or other software versions that have been declared EOL (end-of-life) by their manufacturer.

Chapter 2: BSM System Requirements

This section contains:

HP BSM Servers	5
HP BSM Databases	9
Client Requirements for Viewing BSM	12
Server Environment Settings	14
HP BSM on Virtual Platforms	15
IPV6 Support	15

HP BSM Servers

Computer/ Processor	BSM requires that all CPU cores are 2.4 GHz or higher. Tip: As BSM performance is dependent upon processor speed, it is recommended to get the fastest possible processor speed to ensure proper performance.
---------------------	---

<p>Operating System</p>	<p>Windows:</p> <ul style="list-style-type: none"> • Windows Server 2012 Standard/Datacenter Editions (64-bit) * • Windows Server 2012 R2 Standard/Datacenter Editions (64-bit) * • Windows Server 2008 Enterprise Edition SP2 or later (64 bit) * • Windows Server 2008 Standard Edition SP2 or later (64 bit) * • Windows Server 2008 R2 Enterprise Edition SP1 or later (64 bit) * • Windows Server 2008 R2 Standard Edition SP1 or later (64 bit) * • Windows Server 2008 R2 Datacenter Edition SP1 or later (64 bit) * <p>* Note: User Access Control (UAC) must be disabled during the installation process. If you are running Windows Server 2008 SP2, User Access Control (UAC) must always be disabled.</p> <p>Linux:</p> <ul style="list-style-type: none"> • Red Hat Enterprise Linux 6.x (recommended 6.4 or 6.5), 5.3 or any later 5.x version (Intel x64 64 bit) • Oracle Linux (OEL) 6.x (recommended 6.4 or 6.5) or 5.5 (x86-64) <p>Note: Regardless of the operating system version, the entire Distribution (with OEM support) and the latest recommended Patch Cluster are required.</p> <p>BSM requires that your Linux deployment contain specific RPM files. For details, see "Required Linux RPM Files" on the next page.</p>
<p>Domain Name</p>	<p>Each BSM server must have a resolvable Fully Qualified Domain Name.</p> <p>To verify, run the commands hostname and nslookup. If either command returns an FQDN, your domain name is supported.</p>
<p>Web Server</p>	<p>Windows:</p> <ul style="list-style-type: none"> • Microsoft Internet Information Services (IIS) 7.0, 7.5, 8.0, 8.5 • Apache HTTP Server - requires use of Apache HTTP Server version adapted by HP for BSM and installed during the BSM server installation <p>Linux:</p> <p>Apache HTTP Server (adapted by HP for BSM and installed during the BSM server installation)</p>

Coexistence with other HP Components	<p>Coexistence of BSM servers with the following components has been tested and is supported:</p> <ul style="list-style-type: none"> • System Health: Coexistence is supported on Typical Deployment or Gateway Server, as long as the hardware resources assigned to each application comply with the application’s environment specifications. Note that coexistence of System Health and SiteScope on the same server is not supported. • SiteScope: Coexistence is supported on Typical Deployment, Gateway Server, or Data Processing Server when event integration is not being used and as long as the hardware resources assigned to each application comply with the application’s environment specifications. • Operations Agent: Coexistence is supported on Typical Deployment, Gateway Server, or Data Processing Server. For details on supported install sequences and required hotfixes and patches, see the BSM - Operations Manager Integration Guide. • Data Flow Probe: Coexistence is supported on Typical Deployment or Gateway Server.
Disk Space	Minimum: 40 GB

Required Linux RPM Files

Before installing BSM 9.20 followed by BSM 9.24 on Oracle Linux (OEL) or Red Hat Enterprise Linux operating systems for supported 5.x versions and 6.x versions, you must install the following RPM packages on all machines running BSM:

• glibc	• libXext
• glibc-common	• libXtst
• nss-softokn-freebl	• compat-libstdc++-33
• libXau	• libXrender
• libxcb	• libgcc
• libX11	• openssl098e
• compat-expat1	• rpm-devel

For supported 5.x versions of Oracle Linux (OEL) or Red Hat Enterprise Linux operating systems, you must install the following additional RPM packages on all machines running BSM:

• libXi	• apr-util	• unixODBC
• alsa-lib	• libuuid	• expat
• apr	• unixODBC	

To install the Linux RPM packages, refer to the BSM Installation Guide.

Memory and CPU Requirements

The following table lists the memory and CPU requirements according to some of the deployment scenarios available for BSM. To get the most accurate requirement information for your deployment, use the capacity calculator. You can access the capacity calculator on the SSO site:

http://support.openview.hp.com/selfsolve/document/KM00754741/binary/BSM_924_BSM_9_Deployment_and_Capacities.xls

Certified Deployment	Server Type	Memory (GB)	CPU Cores	Minimum Virtual Memory/ Swap Space (GB)
APM Basic	One machine	8	4	8
APM Advanced	Gateway	8	8	8
APM Advanced	DPS	19	8	8
OPS Basic	One machine	9	4	9
OPS Advanced	Gateway	9	8	8
OPS Advanced	DPS	20	8	8
BSM Full	Gateway	10	8	8
BSM Full	DPS	24	8	8

HP BSM Databases

Hardware Requirements

The following table describes the hardware (CPU and memory) requirements recommended for the HP BSM Oracle or Microsoft SQL database server:

Deployment	Number of Processors	Physical Memory
Standard	2 CPU cores	Minimum: 2G RAM Recommended: 4G RAM
Large	Minimum 4 CPU cores	Minimum: 4G RAM Recommended: 8G RAM and up

Although Business Process Insight and TransactionVision may use the same database server as BSM, it is possible to use a separate database server for these products if desired for scalability purposes.

For details on the criteria for standard and large deployments of HP BSM, see the *HP Business Service Management Database Guide PDF*.

Software Requirements - Oracle Server

The following table lists the Oracle servers supported for working with HP BSM.

Database Release - Version	System Type
Oracle 10.2 (10.2.0.5 or later component specific release number 10.2.0.X) Enterprise Edition	64 bit
Oracle 10.2 (10.2.0.5 or later component specific release number 10.2.0.X) RAC Enterprise Edition	64 bit
Oracle 11.2 (11g R2) Enterprise Edition	64 bit
Oracle 11.2 (11g R2) RAC Enterprise Edition	64 bit
Oracle 12c Enterprise Edition	64 bit
Oracle 12c RAC Enterprise Edition	64 bit

Note:

- It is strongly recommended to apply the latest critical Oracle patches per your operating system. For details, consult the Oracle documentation.
- Consult the Oracle documentation for supported platforms.
- The Oracle Partitioning option must be enabled.

Examples of Tested Deployments - Oracle Server

The following table details the deployment environments that were tested by HP.

Database Release		Operating System
Version	System Type	
Oracle 12c Enterprise Edition	64 bit	Linux Enterprise Edition RHEL 6.5
Oracle 12c RAC Enterprise Edition	64 bit	Linux Enterprise Edition RHEL 6.5
Oracle 11.2 (11g R2) Enterprise Edition	64 bit	Linux Enterprise Edition RHEL 5
Oracle 11.2 (11g R2) RAC Enterprise Edition	64 bit	Linux Enterprise Edition RHEL 5
Oracle 10.2.0.5 Enterprise Edition	64 bit	Linux Enterprise Edition RHEL 5
Oracle 12c Enterprise Edition	64 bit	Windows 2008 R2 Enterprise Edition
Oracle 11.2 (11g R2) Enterprise Edition	64 bit	Solaris 10

Software Requirements - Microsoft SQL Server

The following table describes the Microsoft SQL servers supported for working with BSM:

Database Release		
Version	System Type	Service Pack
Microsoft SQL Server 2012 Enterprise Edition - with failover clustering	64 BIT	1

Database Release		
Version	System Type	Service Pack
Microsoft SQL Server 2012 Enterprise Edition	64 BIT	1
Microsoft SQL Server 2008 R2 Enterprise Edition - with failover clustering	64 BIT	1,2
Microsoft SQL Server 2008 R2 Enterprise Edition	64 BIT	1,2
Microsoft SQL Server 2008 Enterprise Edition	32 BIT	2, 3
Microsoft SQL Server 2008 Enterprise Edition	64 BIT	2, 3

Notes:

- Only supported service packs should be installed. Patches newer than the installed service pack are also supported.
- Consult the Microsoft SQL Server documentation for supported platforms.
- Failover clustering is supported with all BSM databases. To configure failover clustering with BSM, in the Setup and Database Configuration Utility enter the cluster server name as the host name. No extra configuration is required.

Examples of Tested Deployments - Microsoft SQL Server

The following table details the deployment environments that were tested by HP.

Database Release			Operating System
Version	System Type	Service Pack	
Microsoft SQL Server 2012 Enterprise Edition - with failover clustering	64 bit	Service Pack 1	Windows 2012 Enterprise Edition (64-bit)
Microsoft SQL Server 2008 R2 Enterprise Edition	64 bit	Service Pack 1, Service Pack 2	Windows 2008 R2 Enterprise Edition Service Pack 1 (64-bit)
Microsoft SQL Server 2008 Enterprise Edition	32 bit	Service Pack 3	Windows 2008 Enterprise Edition Service Pack 2

Client Requirements for Viewing BSM

Display	Minimum: color palette setting of at least 256 colors Recommended: color palette setting of 32,000 colors
Resolution	1600x900 or higher (recommended) 1280x1024 (supported)
Supported Browsers	<ul style="list-style-type: none"> • Microsoft Internet Explorer (IE) 10.0 • Microsoft Internet Explorer (IE) 9.0 • Microsoft Internet Explorer (IE) 8.0 • Mozilla Firefox 24.x ESR <p>Note:</p> <ul style="list-style-type: none"> • If using IE, to achieve optimal viewing and application performance, it is recommended to use IE 10.0. • The browser must be set to accept third-party cookies and allow session cookies. • The browser must be set to enable JavaScript execution. • The browser must allow pop-ups from the BSM application. • Internet Explorer users must set browser caching to automatically check for newer versions of stored pages.
Flash Player	Adobe Flash 10.1. Later patches to this version may be supported, but may require a BSM patch.

Fonts	<p>The following fonts must be installed on client systems:</p> <ul style="list-style-type: none">• MS Gothic for Japanese locales• Gulim for Korean locales• SimSun for simplified Chinese locales• Arial for all other locales
Java Runtime Environment	<ul style="list-style-type: none">• Version 6 update 45• Version 7 update 51 (recommended) <p>Later updates to Version 7, when released, will be supported, but may require a BSM patch.</p> <p>Check the Application Performance Management (BAC / BSM) Support and News Forum (http://h30499.www3.hp.com/t5/Application-Perf-Mgmt-BAC-BSM/bd-p/itrc-875) for information.</p> <p>Note: You may not be able to view all BSM applets with an earlier version of Java and you will need to download the latest version from the Java download site (http://www.java.com/en/download/manual.jsp) and install it. You may also have to disable earlier versions after download.</p> <p>To verify/manage running Java versions in Internet Explorer: Select Tools > Internet Options > Programs > Manage add-ons > Toolbars and Extensions, and locate the Oracle section. After making any changes, close and reopen the browser.</p> <p>For details about how to verify the Java version in Mozilla Firefox, see the Mozilla Firefox documentation.</p>

Server Environment Settings

Time settings	<p>All BSM servers and database servers must have the same settings for the following:</p> <ul style="list-style-type: none"> • Time zone • Daylight Saving Time configuration • Java DST • Time
Name resolution	<p>The BSM servers must be able to resolve the names of the machines with which they must communicate. These include all the BSM servers, database servers, and data collectors.</p>
TCP	<p>Windows:</p> <p>It is highly recommended that you make the following change in your registry:</p> <p>For registry key MACHINE\SYSTEM\CurrentControlSet\Services\Tcpip\Parameters, create a new key TcpTimedWaitDelay (DWORD) and set the (Decimal) value to 60.</p> <p>If this is not done, there may be a problem with exhausting the available TCP resources because the time delay default value may be too long.</p> <p>Tip: It is recommended that you back up the registry before making any changes to it.</p>
Linux Resource Limits	<p>Resource limits (open files and max user processes) on Linux machines must be set to 30000 or higher. To verify the current resource limit settings on your Linux machine, run the command: ulimit -a. If the values returned are lower than 30000 for either open files or max user processes, change the settings to 30000 by executing the appropriate command:</p> <p>To set open files: ulimit -n 30000</p> <p>To set max user processes: ulimit -u 30000</p>

HP BSM on Virtual Platforms

The following general limitations and recommendations are applicable to an installation on a virtual machine:

- The following virtualization platforms are supported:
 - VMware ESX 3.x, 4.x, ESXi 5.x
 - Microsoft Hyper-V 2008 R2
 - Microsoft Hyper-V 2012 R2
- Performance of BSM on a virtual machine can be expected to be slower than in a regular installation.
- BSM capacities and performance will vary according to the various server resources, such as CPU, memory, and network bandwidth, allocated to BSM components.
- A Gigabit network card should be used.
- If you plan to run a database server containing HP BSM databases on a virtual machine, check with your database vendor for their support policies and performance implications.

Note: For details on data collector or other component requirements for installing on a virtual machine, refer to that component's documentation.

IPV6 Support

- **BSM** - All management information in BSM that represents an IP address can be either an IPv4 or IPv6 address, and the data is processed, stored, and displayed correctly in the product. BSM can be installed on dual-stack servers, but the network transport between many BSM components is limited to IPv4 routing and does not yet support IPv6 addresses.
- **Real User Monitor** - RUM can manage the IT infrastructure over IPv6 routing. RUM can monitor real-user network traffic in IPv6 networks.
- **SiteScope** - Various SiteScope monitors can connect to managed servers over IPv6.
- **Operations Agent** - The agent can grab IPv6 related SNMP traps and connect to WMI on IPv6 nodes, but the data is transported via IPv4 to the servers.

For additional details on the level of IPv6 support for different components, see the documentation for those components.

Chapter 3: Component Support and Compatibility

This section contains:

Business Process Monitor Matrixes	17
SiteScope 11.2x Matrixes	22
System Health Support	25
Real User Monitor Matrixes	25
HP Operations Manager (HPOM) and Agent Support	28
BSM 9.24 Performance Grapher Compatibility Matrix	31
BSM Connector Compatibility Matrix	31
Data Flow Probe Requirements	32
UCMDB Support Matrixes	36
Service Health Analyzer (SHA) Data Collector Matrixes	38
Diagnostics Compatibility Matrix	39
TransactionVision Matrixes	39
Business Process Insight Compatibility Matrix	40

Business Process Monitor Matrixes

Business Process Monitor 9.24 System Support Matrix

For complete BPM support information, see the BPM Deployment Guide and Release Notes.

Operating System	BPM	VuGen
Red Hat Enterprise Linux Version 6.3 or 6.4 (RHEL 6.3/4) – 32/64 bit versions	√	
Oracle Linux (OEL) 6.3 or 6.4 UEK (Unbreakable Enterprise Kernel) – 32/64 bit versions	√	
Microsoft Windows Server 2012 R2 (64 bit) Standard and Data Center Edition	√	√
Microsoft Windows Server 2008 R2 SP1 (64 bit) Standard/Enterprise Editions	√	√
Microsoft Windows 7 SP1 (32/64 bit)	√	√

Business Process Monitor Compatibility Matrix

For each BPM version, the latest supported HP Virtual User Generator (VuGen) version is mentioned. All previous versions, with the exception of VuGen 11.04, are also supported.

Note: BSM 9.01 is not supported.

Compatibility Matrix	HP Business Service Management 9.x	HP Business Availability Center 8.x
BPM 9.24 (LR Replay 12)	√ (Recommended)	√
BPM 9.23 (LR Replay 11.50 SP 2)	√ (Recommended)	√
BPM 9.22 (LR Replay 11.50 SP 1)	√ (Recommended)	√
BPM 9.13 (LR Replay 11 SP 3)	√ (Recommended)	√
BPM 9.03 (LR Replay 11 SP 3)	√ (Recommended)	√
BPM 9.02 (LR Replay 11 SP 1)	√ (Recommended)	√

Business Process Monitor-QuickTest Professional (QTP) /Unified Functional Testing (UFT) Compatibility Matrix

Compatibility Matrix	BPM 9.24	BPM 9.23	BPM 9.22
UFT 12	√	X	X
UFT 11.50 SP2	√	√	X
QTP 11.0 with patches 00944, 00994, and 00699	√	√	√

Business Process Monitor Protocol Support Matrix

The following table describes the BPM 9.24 supported protocols.

Protocol	Windows	Linux
.NET	√	X
Ajax - Click and Script	√	X
AJAX TruClient	√	X
Ajax TruClient Internet Explorer Note: Ajax TruClient for Internet Explorer cannot run on Windows Server 2008 SP2	√	X
C VUser	√	√
Citrix	√	X
COM/DCOM	√	X
CORBA-java	√	X
DB2 CLI	√	X
DNS	√	X
EJB	√	X
Flex	√	X
FTP	√	X
IMAP	√	X
Informix	√	X
acJada	√	X
JAVA over HTTP	√	X
JAVA Record\Replay	√	X
JMS	√	X
LDAP	√	X
MAPI (Microsoft Exchange)	√	X
Mobile App (HTML/HTTP),	√	√

Protocol	Windows	Linux
Mobile TruClient	√	X
MSSQL Server	√	X
Multi protocol Web	√	X
ODBC	√	X
Oracle (2-tier)	√	X
Oracle NCA	√	√
Oracle Web App 11i	√	√
POP 3	√	X
RDP	√	X
RMI-java	√	X
SAP Click and Script	√	X
SAP GUI	√	X
SAP Web	√	√
Siebel – Web	√	X
Siebel MSSQL	√	X
Siebel Oracle	√	X
Silverlight	√	X
SMTP	√	X
SOAP	√	X
Terminal Emulation [RTE]	√	X
Voice XML	√	X
WAP	√	X
Web [HTTP/HTML]	√	√
Windows sockets	√	X

Note:

Some of the protocols require the installation of additional software components and therefore are platform dependent.

BPM also supports all the protocols available through add-ins for the supported versions of QTP and UFT.

BPM/VuGen - Citrix Compatibility Matrix

Protocol	Program	Supported Client Version	Supported Server	Supported VuGen/BPM Versions
Citrix ICA	ICA+Nfuse	10.x	MPS 4.0, 4.5	LR 11.03 (BPM 9.13, 9.0x)
		11.x	XenApp 5.0	LR 11.03 (BPM 9.13, 9.0x)
		12.x	XenApp 6.0	LR 11.03 (BPM 9.13, 9.0x)
		13.x	XenApp 6.5	LR 11.51 (BPM 9.22)
		14.x	XenDesktop 5.5	LR 11.52 (BPM 9.23)
			XenDesktop 5.6	LR 11.52 (BPM 9.23) LR 12 (BPM 9.23, 9.24)
			XenDesktop 7.0 (including minor versions)	LR 12 (BPM 9.24)
			Citrix Access Gateway (with Receiver 13.x and above)	LR 11.51 (BPM 9.22 and later) Supports CAG for Citrix Client version 10.200 (or earlier) and Citrix Client version 13.x

SiteScope 11.2x Matrixes

SiteScope Compatibility Matrix

Compatibility Matrix	HP BSM 9.2x	HP BSM 9.1x	HP BSM 9.0x	HP BAC 8.x
SiteScope 11.2x	√ ¹	√	√	√
SiteScope 11.1x	√	√ ¹	√	√
SiteScope 11.0x	√	√	√ ¹	√
SiteScope 10.1x	X	√	√	√ ¹
SiteScope 10.00	X	X	X	√
SiteScope 9.5x	X	X	X	√
SiteScope 9.0x	X	X	X	√

¹Recommended

SiteScope 11.2x System Support Matrix

SiteScope – Operating Systems	Windows	<ul style="list-style-type: none"> • *Microsoft Windows Server 2003 SP2 Standard/Enterprise Edition (32/64-bit) • *Microsoft Windows Server 2003 R2 SP2 Enterprise Edition (32/64-bit) • Microsoft Windows Server 2008 SP1, SP2 Standard/Enterprise Edition (32/64-bit) • Microsoft Windows Server 2008 R2 SP1 Standard/Enterprise/Datacenter Edition (64-bit) • **Microsoft Windows Server 2012 Standard/Datacenter Edition (64-bit) • **Microsoft Windows Server 2012 R2 Standard Edition (64-bit) <p>Note:</p> <ul style="list-style-type: none"> • *Microsoft Windows Server 2003 support is deprecated and we plan to remove it in the next SiteScope release. • **A certified version of the HP Operations agent should be installed separately when installing SiteScope 11.23 or 11.24 on a Microsoft Windows Server 2012/2012 R2 environment, because the agent version bundled with SiteScope does not support this Windows platform. For the list of HP Operations Agent versions certified with SiteScope, refer to "HP Operations Agent Support Matrix" in the HP SiteScope Deployment Guide. For information on installing the HP Operations agent, refer to the HP Operations Agent Installation Guide available on the Product Manuals page. • Using VMware and Hyper-V virtual machines is supported for all the supported operating systems. • For better performance and stability, especially in a highly-loaded SiteScope environment, it is recommended to use physical hardware. • For VMware, VMware tools must be installed on the guest operating system.
--	---------	---

	Linux	<ul style="list-style-type: none"> • Oracle Linux (OEL) 6.2 - 6.5 (32-bit) • *Oracle Linux (OEL) 6.0, 6.1, 6.2 - 6.5** (64-bit) • *CentOS 6.2 (64-bit) • Red Hat ES/AS Linux 5.2, 5.4, 6.5 (32-bit) • Red Hat ES/AS Linux 5.5, 5.6, 5.7, 5.8 (32 or 64-bit) • Red Hat ES Linux 6.0-6.5 (6.0, 6.2, 6.4**, 6.5** are certified) (64-bit) <p>Note:</p> <ul style="list-style-type: none"> • *This environment must be manually configured before installing SiteScope. For details, see the SiteScope Deployment Guide. • **A certified version of the HP Operations agent should be installed separately when installing SiteScope 11.23 or 11.24 on an Oracle Enterprise Linux 6.5 (64-bit) environment or on a Red Hat ES/AS Linux 6.4/6.5 (64-bit) environment, because the agent version bundled with SiteScope does not support this Windows platform. For the list of HP Operations Agent versions certified with SiteScope, refer to "HP Operations Agent Support Matrix" in the HP SiteScope Deployment Guide. For information on installing the HP Operations agent, refer to the HP Operations Agent Installation Guide available on the Product Manuals page. • The Red Hat Linux 6.x server must be manually configured before installing the HP Operations agent. For details, see the SiteScope Deployment Guide. • Red Hat Linux 9 with Native POSIX Threading Library (NPTL) is not supported. • To be able to monitor CPU and memory usage on SiteScope or a remote server running on a Red Hat Linux environment, the sysstat package must be installed on the SiteScope server and on all remote servers being monitored (it is not included out-of-the-box). • When SiteScope is installed on Red Hat Linux, the SiteScope Server Health monitor requires valid output of <code>sar -W</code> and <code>sar -B</code> commands for the SwapIns/sec, SwapOuts/sec, PageIns/sec, and PageOuts/sec counters. If these commands do not work, no errors are thrown and these counters are shown as n/a. To enable them to run, edit the crontab by adding the command <code>"/usr/local/lib/sa/sadc -"</code> to run once a day.
--	-------	--

	Solaris	<ul style="list-style-type: none"> • Solaris 9 (32-bit) with latest recommended patch cluster • Solaris 10 (32 or 64-bit) with latest recommended patch cluster <p>Note: Running SiteScope on a Solaris platform is now deprecated. The next release is not planned to include a Solaris Installer.</p>
--	---------	--

System Health Support

BSM 9.24 uses System Health for BSM 9.24.

System Health for BSM 9.24 will only work with BSM 9.22, 9.23, and 9.24 and not with any earlier versions of BSM.

The supported operating systems for System Health are the same as those of [BSM](#).

Minimum system hardware requirements for System Health are the same as those for SiteScope 9.2x:

- Computer/Processor: 1 core / 2000 MHZ minimum
- Memory: 2 GB minimum
- Free Hard Disk Space: 10 GB

Real User Monitor Matrixes

Real User Monitor 9.24 System Support Matrix

Real User Monitor Sniffer Probe – Operating Systems	Windows	Microsoft Windows Server 2012 R2 (64 bit) Standard Edition Microsoft Windows Server 2008 SP2 (32/64 bit) Standard and Enterprise editions Microsoft Windows Server 2008 R2 (32/64 bit) Standard and Enterprise editions Microsoft Windows Server 2008 R2 SP1 (32/64 bit) Standard and Enterprise editions
	Linux	Red Hat Enterprise Linux Version 5.x (RHEL5) 64-bit and 32-bit versions Red Hat Enterprise Linux Version 6.x (RHEL6) 64-bit version

Real User Monitor Client Monitor Probe – Operating Systems	Windows	Microsoft Windows Server 2012 R2 (64 bit) Standard Edition Microsoft Windows Server 2008 SP2 (64 bit) Standard and Enterprise Editions Microsoft Windows Server 2008 R2 (64 bit) Standard and Enterprise Editions Microsoft Windows Server 2008 R2 SP1 (64 bit) Standard and Enterprise Editions
Real User Monitor Engine – Operating Systems	Windows	Microsoft Windows Server 2012 R2 (64 bit) Standard Edition Microsoft Windows Server 2008 SP2 (32/64 bit) Standard and Enterprise editions Microsoft Windows Server 2008 R2 (32/64 bit) Standard and Enterprise editions Microsoft Windows Server 2008 R2 SP1 (32/64 bit) Standard and Enterprise editions

Real User Monitor Supported Virtualized Environments

	Brand	Version
Real User Monitor 9.24 Probe	VMware ESX	3.x 4.x 5.x
Real User Monitor 9.24 Engine	VMware ESX	3.x 4.x 5.x

Real User Monitor Compatibility Matrix

Compatibility Matrix	BSM 9.24	BSM 9.23	BSM 9.22	BSM 9.21	BSM 9.20	BSM 9.13	BSM 9.12	BSM 9.10	BSM 9.0x	BAC 8.0x
RUM 9.24	√	√	√	√	√	√	√	√	X	X
RUM 9.23	X	√	√	√	√	√	√	√	X	X
RUM 9.22	X	X	√	√	√	√	√	√	X	X

Compatibility Matrix	BSM 9.24	BSM 9.23	BSM 9.22	BSM 9.21	BSM 9.20	BSM 9.13	BSM 9.12	BSM 9.10	BSM 9.0x	BAC 8.0x
RUM 9.21	X	X	X	√	√	√	√	√	X	X
RUM 9.20	X	X	X	X	√	√	√	√	X	X
RUM 9.13	X	X	X	X	X	√	√	√	X	X
RUM 9.12	X	X	X	X	X	X	√	√	X	X
RUM 9.10	X	X	X	X	X	X	X	√	X	X
RUM 9.02	X	X	X	X	X	X	X	X	√	X
RUM 9.01	X	X	X	X	X	X	X	X	√	X
RUM 9.00	X	X	X	X	X	X	X	X	√	X
RUM 8.0x	X	X	X	X	X	X	X	X	X	√

RUM Probe–RUM Engine Compatibility

- **RUM Sniffer Probe.** The RUM Sniffer Probe version must be the same as the RUM Engine version.
- **RUM Client Monitor Probe.** The RUM Client Monitor Probe version must be the same as the RUM Engine version.

HP Operations Manager (HPOM) and Agent Support

BSM 9.2x/HPOM Support Matrix

HPOM Product	Version	Required Patches and Agents
HP Operations Manager for Windows	8.16	Server Patch OMW_00090 or later Accessories Patch OMW_00092 or later HPOM Server Node: One of the following HP Operations Agent versions: <ul style="list-style-type: none"> • HP Operations Agent 11.02.011 or later
	9.00	HPOM Server Node: One of the following HP Operations Agent versions: <ul style="list-style-type: none"> • HP Operations Agent 11.02.011 or later
HP Operations Manager for UNIX or Linux	9.1x	PHSS_41692 or later for HPOM 9.10 for HP-UX OML_00034 or later for HPOM 9.10 for Linux ITOSOL_00748 or later for HPOM 9.10 for Solaris HPOM Server Node: One of the following HP Operations Agent versions: <ul style="list-style-type: none"> • HP Operations Agent 11.02.011 or later

If you are currently using HPOM for UNIX or HPOM for Windows in an HPOM manager of managers scenario you can use the following strategies to integrate information from these installations to BSM:

- **Topology Synchronization**

- With an OMi-ready SPI on HPOM, use Configuration Upload to transfer topology information to a supported version of HPOM. Then use Basic or Dynamic Topology Synchronization to synchronize with BSM.
- Use other discovery technologies such as HP Data Flow Management (formerly known as the HP Discovery and Dependency Mapping) using the Data Flow Probe.

- **Event Forwarding**

- Events may be sent from an HPOM system to a supported version of HPOM, and from there to BSM. Note that events can only be related to CIs and set ETIs if they contain corresponding information, and if the CIs exist in the RTSM.

BSM 9.2x/HP Operations Agent Support

The following versions of the HP Operations Agent (HPOA) can co-exist with BSM on the BSM server:

- **11.12 or higher**

Recommended HP Operations Agent version.

Note: If you are using an earlier version of the HP Operations Agent, see the following points for the required hotfixes.

- **11.11**

Caution: *Not supported in conjunction with HP Monitoring Automation.*

- **11.10 + Relevant Hotfix** (see below)

Caution: *Not supported in conjunction with HP Monitoring Automation.*

Note: If you are installing HPOA 11.10 after installing BSM, install the **QCCR1A149034** hotfix before installing HPOA 11.10.

For version 11.10 (Windows only), install the **QCCR1A147794** hotfix .

HP Operations Smart Plug-ins Supported with BSM 9.24

Note: To use Content Packs with HP Operations Smart Plug-ins (SPIs), you must install the corresponding SPI patches on the HP Operations Manager (HPOM) management server that is connected to BSM. Download the latest patches from the [HP Software Support Online](#) patches site.

Smart Plug-in
Microsoft Active Directory, version 06.10
Microsoft Active Directory, version 7.00
Microsoft Exchange Server, version 12.x
Microsoft Exchange Server, version 13.x
Microsoft Enterprise Server, version 08.02
Microsoft SQL Server, version 11.50
Microsoft SQL Server, version 12.00
Oracle Database, version 11.50
Oracle Database, version 12.00
WebLogic, version 06.10
WebLogic, version 07.00
WebSphere, version 7.00
Infrastructure, version 01.60
Infrastructure, version 02.x
Infrastructure, version 11.10
IIS SPI 6.05
SAP SPI 12.04

BSM 9.24 Performance Grapher Compatibility Matrix

Component	Supported Versions
HP Operations Agent	11, 11.01, 11.02, 11.03, 11.10, 11.11, 11.12, 11.3
HP Performance Agent	5
SiteScope	11.x
Business Process Monitor	All versions supported by BSM 9.2x
Real User Monitor	All versions supported by BSM 9.2x
HP Diagnostics	9.2x
BSM Connector	All versions supported by BSM 9.21 or later

BSM Connector Compatibility Matrix

	BSM Connector 9.2x	BSM Integration Adapter 9.1x	BSM Integration Adapter 9.0x
BSM 9.2x	√ ¹	√	√
BSM 9.1x	X	√ ¹	√
BSM 9.0x	X	√ ¹	√

¹ Recommended

Note: For additional compatibility information, see the "Limitations" section in the BSM Connector Release Notes.

Data Flow Probe Requirements

Data Flow Probe Compatibility

Data Flow Probe support for any given BSM release is limited to use of the version of the Probe that is associated with the version of BSM you are using.

Note: BSM 9.24 will only work with the version of the Data Flow Probe associated with the 9.24 release (this is the same version of the Data Flow Probe that was released with BSM 9.23 and BSM 9.22). Make sure to download and install the correct Probe from the Software Patches page. The Data Flow Probe 9.05 CUP 130 setup file is titled HPBSM924_DataFlowProbe_9.05CUP130.exe.

If you previously updated your BSM version to 9.22 or 9.23 and at that time updated your Data Flow Probe to the 9.22 or 9.23 Data Flow Probe (HPBSM922_DataFlowProbe_9.05CUP130.exe or HPBSM923_DataFlowProbe_9.05CUP130.exe), you do not need to install HPBSM924_DataFlowProbe_9.05CUP130.exe.

For major/minor releases (for example, 9.00 or 9.20), this file is available on the DVD that comes with the BSM media kit, or you can download it from the Software Updates page.

For minor-minor patch releases (for example, 9.13 or 9.23), you download this file from the Software Patches page. Make sure to select the latest probe that is associated with the BSM patch you are installing. To do so, in the Patches Search page on the [HP Software Support](#) web site, select Application Performance Management (BAC), the version of BSM you have, and the BAC - Data Flow Probe entry in the Areas box. Perform a search and make sure to select the latest probe associated with the BSM version.

The Software Updates and Software Patches pages can both be accessed from the [Downloads page](#) on the [HP Software Support](#) web site (<http://www.hp.com/go/hpssoftwaresupport>).

Data Flow Probe 9.05 System Support Matrixes

Hardware Requirements

Computer/processor	Windows/Linux Pentium IV 2.4 GHz or later processor Recommended: Dual Core
Memory	Windows/Linux: Minimum 1 GB RAM (Recommended: 2 GB RAM)

Memory swap file	<p>Windows: Minimum 2 GB RAM</p> <p>Linux: Minimum 1 GB RAM</p> <p>Note:</p> <ul style="list-style-type: none"> • The virtual memory for Windows should be at least double the size of the physical memory. • The Linux swap file size should be equal in size to the physical memory.
Free hard disk space	Windows/Linux: Minimum 4 GB (at least 4 GB for database software and data files) (Recommended: 20 GB hard disk)
Display	Windows/Linux: Color palette setting of at least 256 colors (32,000 colors recommended)

Software Requirements

Hardware Platform	OS Type	OS Version and Edition	Supported	Recommended
x86	Windows 2008	SP2, Standard/Enterprise editions, 32-bit	Yes	
x86-64	Windows 2008	SP2, Standard/Enterprise editions, 64-bit	Yes	Yes
x86-64	Windows 2008	R2 and R2 SP1, Standard/Enterprise editions, 64-bit	Yes	
x86	Windows 2003	SP2 and R2 SP2, Standard/Enterprise editions, 32-bit	Yes	
x86-64	Windows 2003	SP2 and R2 SP2, Standard/Enterprise editions, 64-bit	Yes	
x86-64	Red Hat Linux 5	Enterprise/Advanced, 64 bit	Yes	
	Windows 7	Professional/Enterprise	No	
	Windows 2000		No	

Supported Databases

Database	Version and Edition	Recommended	Comments
MySQL	5.1.46	Yes	This database comes bundled with the Probe installation.

Virtual Environment Requirements

Platform	OS Version and Edition	Supported	Recommended
VMware ESXi 5.0	<ul style="list-style-type: none"> Windows 2003 Standard/Enterprise editions SP2 and R2 SP2, 32/64-bit Windows 2008 Standard/Enterprise SP2, 32/64-bit and R2, 64-bit Red Hat Linux 5 Enterprise/Advanced, 64-bit 	Yes	
VMware ESX 4.0, 4.1	<ul style="list-style-type: none"> Windows 2003 Standard/Enterprise editions SP2 and R2 SP2, 32/64-bit Windows 2008 Standard/Enterprise SP2, 32/64-bit and R2, 64-bit Red Hat Linux 5 Enterprise/Advanced, 64-bit 	Yes	Yes
VMware ESX 3.x	<ul style="list-style-type: none"> Windows 2003 Standard/Enterprise editions SP2 and R2 SP2, 32/64-bit Windows 2008 Standard/Enterprise SP2, 32/64-bit and R2, 64-bit Red Hat Linux 5 Enterprise/Advanced, 64-bit 	Yes	
Microsoft Hyper-V Server 2008 R2 SP1	<ul style="list-style-type: none"> Windows 2003 Standard/Enterprise editions SP2 and R2 SP2, 32/64-bit Windows 2008 Standard/Enterprise SP2, 32/64-bit and R2, 64-bit 	Yes	
Pre ESX 3.5 (like 3.0.x versions)	<ul style="list-style-type: none"> May not provide adequate performance Does not support Windows 2008 or Windows 7 	No	

Platform	OS Version and Edition	Supported	Recommended
VMware ESXi 4.1 and earlier	All platforms	No	
Xen Hypervisor 3.x	All platforms	No	

UCMDB Support Matrixes

BSM-CMS Synchronization Integration Matrix

BSM version	Integration Type	HP UCMDB (CMS) version
BSM 9.00, 9.01, 9.1x	Population synchronization from HP UCMDB (CMS) to BSM	9.01 or later
BSM 9.2x	Population synchronization from HP UCMDB (CMS) to BSM	later than 9.01
BSM 9.22 or later	Push synchronization from HP UCMDB (CMS) to BSM	10.01 CUP 5 and up
BSM 9.00, 9.01, 9.1x	Population synchronization from BSM to HP UCMDB (CMS)	9.01 or later
BSM 9.2x	Population synchronization from BSM to HP UCMDB (CMS)	later than 9.01

BSM-BSM Synchronization Matrix

Target BSM version	Synchronization Type	Source BSM Version
BSM 9.0x, 9.1x	Population from source to target	BSM 9.01 and later
BSM 9.2x	Population from source to target	Later than BSM 9.01

UCMDB Content Pack Support in BSM 9.24

CP 11.13	CP 11.09	CP 11.05	CP 11.03.720
√ Default CP with BSM 9.24	√	√	√

Note:

CP 11.13 is installed when performing a clean installation of BSM 9.24 or when upgrading from any version earlier than BSM 9.20. If you previously installed any later content packs, they may remain intact after installing BSM 9.24.

When updating to BSM 9.24 from a running BSM 9.20, 9.21, 9.22, or 9.23 instance, the existing CP is not updated. We strongly recommend obtaining CP 11.09 from [HPLN](#) (requires HP Passport login).

Search for **DDM Content Pack 11 Update 13 Installer**. Review the associated release notes and installation instructions before installing.

Service Health Analyzer (SHA) Data Collector Matrixes

SHA Data Collector 9.20 System Requirements

SHA Data Collector	System Requirements
SHA Data Collector for NNMi	Installed on same server as NNM iSPI Performance for Metrics, no additional requirements
SHA Data Collector for Operation Agent/Performance Agent	Identical to BSM Server requirements and memory and CPU requirements , with the following exceptions: <ul style="list-style-type: none"> • Memory: 2 GB • CPU: 2 CPU cores. Minimum 2.4 GHz. • Virtual Memory/Swap Space: 2 GB <p>Note: SHA 9.20 cannot be installed on a machine on which Operation Agent 11.1 or later is already installed. Workaround: Uninstall Operation Agent, install SHA Data Collector, then reinstall Operation Agent.</p>

SHA Data Collector 9.20 Compatibility Matrixes (for BSM 9.2x)

SHA Data Collector for Operation Agent/Performance Agent

Component	Supported Versions
HPOM Operations Agent	11.0 and later
HPOM Performance Agent	5.0 and later

SHA Data Collector for Network Node Manager i

Component	Supported Versions
HP NNMi	9.20 and later

Diagnostics Compatibility Matrix

	BSM 9.2x	BSM 9.1x	BSM 9.0x	BAC 8.0x
HP Diagnostics 9.2x	√	√	√	√
HP Diagnostics 9.1x	√	√	√	√
HP Diagnostics 9.02	√	√	√	√
HP Diagnostics 9.00, 9.01	X	X	√	√
HP Diagnostics 8.0x	X	X	X	√

TransactionVision Matrixes

TransactionVision Processing Server Compatibility Matrix

BSM Version	TransactionVision Processing Server Version
BSM 9.24	TV 9.24

TransactionVision Processing Server and Agent Compatibility Matrix

TransactionVision Agent	Versions of Agent Compatible with 9.24 Processing Server	Versions of Processing Server Compatible with 9.24 Agent
HP Diagnostics/TransactionVision Java Agent	8.0x, 9.10, 9.12, 9.2x	Not applicable
HP Diagnostics/TransactionVision .NET Agent	8.0x, 9.10, 9.12, 9.2x	Not applicable
WebSphere MQ Agent	8.0x, 9.10, 9.2x	9.2x
DataPower Agent	9.02, 9.10, 9.2x	9.2x

TransactionVision Agent	Versions of Agent Compatible with 9.24 Processing Server	Versions of Processing Server Compatible with 9.24 Agent
CICS, WMQ Batch, WMQ CICS, WMQ IMS, and IMS Bridge Agents on z/OS	8.0x, 9.10, 9.2x	8.0x, 9.10, 9.2x
Tuxedo Agent	8.0x, 9.10, 9.2x	9.2x
NonStop TMF Agent	8.00, 9.10, 9.2x	9.2x

Note: If you require use of the 9.24 agent with an older Processing Server/Analyzer, contact HP TransactionVision Support for potential product compatibility/incompatibility details.

Business Process Insight Compatibility Matrix

	HP BSM 9.2x	HP BSM 9.1x	HP BAC 8.0x
Business Process Insight 9.2x	√	X	X
Business Process Insight 9.1x	X	√	X
Business Process Insight 8.0x (8.00, 8.01, 8.02, 8.04)	X	X	√

Chapter 4: Verticals Support Matrixes

Application Management for SAP Component Support Matrix

Application Management for SAP works with SiteScope 10.x and SiteScope 11.x.

SAP Version	Limitations
SAP R/3 4.6 SAP R/3 4.7	<ul style="list-style-type: none">• Service Health SAP reports do not have unified UI (QCCR1147923)• Configuration file page is not displayed through Service Health context menu (QCCR1147837)
ERP 2004 (ECC 5.0) ERP 2005 (ECC 6.0)	The following reports are not supported: <ul style="list-style-type: none">• Show Impacting SAP Transports• Show SAP Transport Impact• SAP Transaction Changes• SAP Transport Changes

Application Management for Siebel Component Support Matrix

Application Management for Siebel works with SiteScope10.x and SiteScope 11.x.

Siebel Version	Solaris Operating System Version for Siebel Servers	Windows Operating System Version for Siebel Servers	Other Operating System Version (on the Siebel Servers)
Siebel 7.5.3	Solaris 5.9 SARM on mixed environment not supported	Windows 2000	
Siebel 7.7	Solaris 9	Windows 2000	

Siebel Version	Solaris Operating System Version for Siebel Servers	Windows Operating System Version for Siebel Servers	Other Operating System Version (on the Siebel Servers)
Siebel 7.8 (to work with SARM you must use SARMA analyzer version 7.7)	Solaris 9	Windows 2000	
Siebel 8.0	Solaris 10	Windows 2003 Enterprise Edition Windows 2003 Datacenter edition	IBM AIX 5L version 5.3 HP-UX 11i V2 Red Hat Enterprise Linux 4 Oracle Linux (OEL) 4 Novell SUSE Linux Enterprise Server 9

Send Documentation Feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on BSM System Requirements and Support Matrixes (Business Service Management 9.24)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to SW-Doc@hp.com.

We appreciate your feedback!