


SA 10.0x Multimaster Details

Revision: 0.0

Web Services Data Access
Engine (WSDAE)

Web Services Data Access
Engine (WSDAE)



The Data Access Engine (DAE) operates in one of three modes:


- Central – (one per Multimaster Mesh) Handles Multimaster Mesh (MM) tasks.
- Primary – (one per SA Core) Installed with the Infrastructure Component bundle. Handles garbage collection, generates crypto, data access. Provides an XML-RPC interface to the Model Repository that simplifies interaction with various clients such as system data collection and monitoring agents on servers. .
- Secondary – (multiple per SA Core) Installed with the Slice Component bundle(s). Handles data access. Responsible for initiating health checks to each agent in the same core and generating crypto material.

SA 10.0x Deployment Architecture

Revision: 0.0

Legend:
 (<component name>
 <incoming_interface>:<port_number>
 *=public (all) interfaces
 0=private (loopback) interface
 (<interface>:<port>) = diagnostic port
 <interface>:<port> = configurable port #

Note: In multi-server installations there may be multiple instances of the Opsware Application Slice.



SA 10.0x Networking Requirements

Revision: 0.0

Legend:
 (component name)
 <incoming_interface>:<port_number>
 *=public (all) interfaces
 =private (loopback) interface
 (<interface>:<port>) = diagnostic port
 <interface>:<port> = configurable port #

Note: In multi-server installations there may be multiple instances of the Opsware Application Slice.

