

HP Data Protector 9.00 List of Implemented Enhancements and Resolved Issues

List of implemented enhancements and resolved issues

| Global ID | Summary |
|-------------|--|
| QCCR2A49005 | The IDB recovery results in a critical error: "Replacement of the Internal Database failed". |
| QCCR2A49469 | The Data Protector 8.0 "omnimigrate.pl" script fails if a space exists in the DPDATA path name. |
| QCCR2A49135 | The Data Protector 6.21 Microsoft SQL Server Integration backup session takes a long time to start. |
| QCCR2A49740 | Selection of the restore version is inconsistent in the Data Protector 8.0 Graphical User Interface (GUI). |
| QCCR2A49541 | The Data Protector 7.03 Graphical User Interface (GUI) ends abnormally while performing the "List of Sessions" report. |
| QCCR2A49478 | The Backup Media Agent (BMA) ends abnormally in SysWrite_SODA. |
| QCCR2A49334 | The "Apply Template" procedure does not work for integrations. |
| QCCR2A49673 | In the DP 8.0 Graphical User Interface (GUI), the session filter in the "Backup Specifications" field is too small. |
| QCCR2A49833 | Size of the restored file does not match the size of the backed-up file. |
| QCCR2A49820 | Instant recovery of SQL ZDB with P9500 ends unexpectedly. |
| QCCR2A49412 | The Virtual Environment Integration restore session fails with the following error: "Wrong datastore path format". |
| QCCR2A49875 | The media replication session ends abnormally without unloading the media in Data Protector 8.0. |
| QCCR2A49840 | The object copy session uses only one device. |
| QCCR2A50044 | Data Protector 7.0 is unable to start the StoreOnce software deduplication datastore. |
| QCCR2A49623 | The Data Protector 7.01 Graphical User Interface (GUI) ends abnormally in MoM during listing of objects. |
| QCCR2A49369 | Licenses are not available after the system restart. |
| QCCR2A50119 | Possible memory irregularities in the Volume Restore Disk Agent (VRDA). |
| QCCR2A50158 | Data Protector 7.03 has notifications and schedule issues for replication sessions. |
| QCCR2A50147 | The Data Protector 8.0 Database Session Manager (DBSM) on the Linux system fails with an error message. |
| QCCR2A49944 | During the IDB SMBF check, a lot of session message files are missing. |
| QCCR2A50091 | Data Protector 7.03 cannot back up files that have path names longer than 1024 characters. |

| Global ID | Summary |
|----------------------------|--|
| QCCR2A49966 | Data Protector Microsoft SharePoint Server 2007/2010/2013 integration |
| QCCR2A50162 | backup session ends abnormally. Unable to remove items from the StoreOnce devices. |
| QCCR2A50162 QCCR2A50232 | |
| QCCR2A30232 | Restore session fails with the following error: "Could not find datacenter". |
| QCCR2A50272 | The restore session fails with the following error: "Error: sharepoint_bar: The farm is unavailable". |
| QCCR2A49715 | After an upgrade to Data Protector 8.00, the Detail Catalog (DC) gets corrupted when using the non-migrated tapes. |
| QCCR2A50348 | The Volume Backup Disk Agent (VBDA) displays the following error: "Cannot read ACLs: (22 Invalid argument)". |
| QCCR2A50453 | Data Protector HP P9000 XP Agent (SSEA) displays the following error: "Mapping from character device file of disk to LDEV failed". |
| QCCR2A50227 | The Backup Catalog on Data Protector 8.0 is not displayed after a media copy from VLS to LTO. |
| QCCR2A50449 | After an upgrade to Data Protector 7.03, the session fails with the following error: "The creation of ISO image failed". |
| QCCR2A49655 | Scheduled reports do not work. |
| QCCR2A46934 | Query data is not found in the Data Protector Graphical User Interface (GUI). |
| QCCR2A50642 | The IDB backup session stops responding on Data Protector 8.0. |
| QCCR2A50468 | The LTO6 medium cannot be initialized though 2.5 TB is its native size. |
| QCCR2A50605 | The TBL database unpacking in Data Protector 8.1 fails when the string size is 0. |
| QCCR2A50688 | The "omnidbutil -remap_dcdir" command fails and thereafter the DCBF information is corrupted in the IDB. |
| QCCR2A50576 | The incremental backup session fails on NSS/OES. |
| QCCR2A50769 | Access to Data Protector 8.1 Graphical User Interface (GUI) is denied for users with special characters in the name. |
| QCCR2A50760 | The Data Protector 8.1 IDB is not correctly upgraded. |
| QCCR2A50349 | The catalog migration fails with the following error: "Cannot upgrade catalog of medium". |
| QCCR2A39081 | Oracle 11g on RHEL 6.1 Veritas cluster 5.1 support. |
| QCCR2A48578 | The "omnirpt -report obj_lastbackup" command does not report some of the VEagent objects. |
| QCCR2A49416 | The CSM locks to many target devices during the Data Protector 8.0 object copy session. |
| QCCR2A48841 | The backup session fails due to a disabled primary device in the mirroring devices. |
| QCCR2A49827 | When the first gateway server is down, the replictaion session does not switch to the second configured gateway server. |
| QCCR2A50476 | The backup sessions stop responding. |
| QCCR2A49603 | The output of the "omnidownload" command is not sorted correctly. |
| QCCR2A49284 | The original virtual machine is overwritten when the "Restore as" option is used. |
| QCCR2A48734 | The Data Protector Virtual Environment Integration component ends abnormally. |
| QCCR2A50149 | After an upgrade to Data Protector 8.0, a warning message is displayed during the daily maintenance checks. |
| QCCR2A50809 | After upgrading to Data Protector 8.0, the restore sessions are very slow. |
| QCCR2A50750 | The Novell Open Enterprise Server 11 SP1 backup session in Data Protector 8.1 |

| Global ID | Summary |
|-------------|--|
| | fails with a segmentation error. |
| QCCR2A50365 | A restore session fails with the following error: "Cannot write: (5 Access is denied.) => not restored". |
| QCCR2A51024 | After an upgrade from Data Protector 6.20, the folder restore is not possible. |
| QCCR2A50942 | The script "Mount.bat" does not start in the Data Protector Windows Cell Manager. |
| QCCR2A50868 | There are memory allocation issues during the object copy sessions. |
| QCCR2A48632 | Data Protector 7.03 fails due to the SCSI Reserve/Release barcode scan issue. |
| QCCR2A41587 | EMC SYMMETRIX VMAXE storage array support. |
| QCCR2A47238 | Enhancement request for SYMA to support new device special files. |
| QCCR2A51124 | The Data Protector 8.1 "omnib -rawdisk" command does not run. |
| QCCR2A51127 | vCenter 5.1 update 2 starts with a blank page. |
| QCCR2A46384 | In the Data Protector Graphical User Interface (GUI), add filters for the virtual machine name. |
| QCCR2A50891 | The Data Protector 8.0 "omnidbcheck -bf" command does not run correctly. |
| QCCR2A50817 | A standalone Media Agent or Disk Agent stops responding. |
| QCCR2A51086 | The Data Protector 8.1 Virtual Environment Integration backup session fails with the following error: "Exception Occurred while creating VM snapshot". |
| QCCR2A50745 | After upgrading to Data Protector 7.03, VBDA ignores the exclude list from the backup specification. |
| QCCR2A50983 | The Data Protector 8.0 restore session of German vowels fails on SUSE Linux Enterprise Server 11 with Novell Open Enterprise Server 11. |
| QCCR2A51125 | The Data Protector 7.03 Lotus integration cannot restore a backup on which the objects appear as failed. |
| QCCR2A51295 | The "Encrypted control communication" option does not function correctly on an HP-UX client. |
| QCCR2A51257 | An enhancement request to disable the "encrypted" checkbox for the StoreOnceSoftware store. |
| QCCR2A51154 | The restored files from deduplicated volumes to a different host are corrupted. |
| QCCR2A51033 | The ZDB SSE Agent backup session fails if the "SSEA_ATOMIC_SPLIT=1" omnirc option is used. |
| QCCR2A49880 | The configured Daily report is not executed correctly. |
| QCCR2A50399 | Objects with the "Completed/Errors" status are excluded from the object copy session. |
| QCCR2A51225 | The Data Protector "omniofflr" command reports the "Unknown option -dfmf." error. |
| QCCR2A50089 | The total "Store Data Size" does not match the size of the StoreOnce root directory. |
| QCCR2A51142 | The Data Protector Virtual Environment Integration (VEagent) template creation fails with the "details unknown" error. |
| QCCR2A51060 | The backup session fails with the following error: "The string was not recognized as a valid DateTime". |
| QCCR2A51465 | Upgrade to Data Protector 8.11 for the VMware Granular Recovery Extension agent fails. |
| QCCR2A50798 | The Data Protector 8.1 SAP HANA Appliance integration fails. |
| QCCR2A51498 | Upgrade to Data Protector 8.0 displays rejected lines from media.txt. |

| Global ID | Summary |
|-------------|---|
| QCCR2A51527 | Data Protector 8.1 incorrectly handles empty spaces in data paths. |
| QCCR2A51398 | Auto-registration of virtual machine fails. |
| QCCR2A50218 | An error occurs while running the Data Protector "omnidl" command. |
| QCCR2A50550 | The Data Protector Granular Recovery Extension for SharePoint Server installation fails on the German SharePoint environment. |
| QCCR2A51446 | When restoring a vApp, if a machine is backed up on a Windows XP storage, the restore fails with the following message: "handleDiskMetaData-Unknown". |
| QCCR2A51324 | Data Protector Virtual Environment Integration backup sessions fail with the following error: "Connection reset by peer". |
| QCCR2A51456 | The backup session fails with the following error: "Backup failed because unable to utilize CBT as it was required". |
| QCCR2A50434 | Upgrade to Data Protector 8.1 does not proceed. |
| QCCR2A51522 | The IDB upgrade to Data Protector 8.0, 8.01, or 8.1 fails and is missing the catalog information. |
| QCCR2A51318 | EADR on Linux systems fails with the update boot disk error. |
| QCCR2A51396 | The "omnikeytool -import CSVFile" command causes the kms.exe file to end abnormally. |
| QCCR2A47390 | Connection to the application agent (OB2BAR) backup disk agent (DA) is lost. |
| QCCR2A50673 | The Data Protector 8.0 Graphical User Interface (GUI) stops responding. |
| QCCR2A51239 | The Data Protector 7.03 Microsoft SQL Server integration backup session fails with the following error: "Session has failed". |
| QCCR2A51198 | The IDB backup session on Data Protector 8.1 fails if the NTFS mountpoint is used. |
| QCCR2A51234 | The Data Protector Session Manager fails to load or unload. |
| QCCR2A51214 | The "omnidbutil -mergemmdb" command fails if the hostname contains a special character. |
| QCCR2A51567 | The Data Protector 8.1 object copy session fails with the following error: "Specified device for the object not found". |
| QCCR2A51589 | The Data Protector 8.1 VEPA backup session reports a false warning message. |
| QCCR2A51726 | A mailbox cannot be enumerated during the restore session. |
| QCCR2A48803 | For verification sessions, the Session Flow report shows a Red bar under the Success column. |
| QCCR2A51243 | Data Protector 8.1 backup sessions do not start during the removal of a virtual machine snapshot. |
| QCCR2A51956 | Snaphot is not removed after the backup session completes. |
| QCCR2A50933 | Data Protector 7.03 backup session fails with the following error: "ASR information could not be collected". |
| QCCR2A51056 | Replication session stops responding. |
| QCCR2A52056 | The backup specification preview progress is missing in the Monitor context. |
| QCCR2A51415 | After upgrading to Data Protector 8.1 on a MOM environment, the IDB records related to tape are not migrated correctly. |
| QCCR2A52103 | The Virtual Environment Integration backup session fails after upgrading to the Data Protector 8.11 |
| QCCR2A51518 | Data Protector 8.01 client statistics reports display the integer overflow error. |
| QCCR2A52139 | Enabling user restrictions causes the RDS to end abnormally. |
| QCCR2A51776 | The EADR of SAP HANA appliance does not complete. |

| Global ID | Summary |
|-------------|---|
| QCCR2A52338 | The Data Protector 8.11 virtual machine restore session denies filter settings when a host or cluster is selected. |
| QCCR2A52438 | The Data Protector 8.01 "devbra" command does not list the EML drives under robotics. |
| QCCR2A52218 | The Data Protector 7.03 "omnicc" command reports incorrect number of licenses. |
| QCCR2A52308 | The virtual machine name is not displayed in the Object Latest Backup report. |
| QCCR2A52582 | The Data Protector 8.11 Graphical User Interface (GUI) does not list all virtual machines in the Restore context. |
| QCCR2A52585 | The Data Protector 8.11 Virtual Environment Integration backup session fails with the following error: "Exception Occurred while creating VM snapshot". |
| QCCR2A52943 | Cannot open device (Semaphores). |
| QCCR2A52941 | Logsense overflow on Solaris hosts. |
| QCCR2A52939 | SCSI reserve/release failing on Solaris. |
| QCCR2A52410 | Upgrading the catalog in Data Protector 8.1 and 8.11 fails. |
| QCCR2A52416 | Problems with the "omnimm -delete_unprotected_media" command on Data Protector 7.03. |