



## **HPE Data Protector 9.0x Device Support Matrix**

Version: 3.3

Date: January 2018

The latest Data Protector 9.0x support for storage devices consists of two matrices.

The first matrix presents Data Protector 9.0x compatibility with complete Hewlett Packard Enterprise Storage Area Network (SAN) environments. Every SAN environment listed in this matrix has been fully tested and is therefore highly recommended for high availability and mission-critical environments. These solutions provide customers 'one-stop shopping' and support for their SAN/FC environments with HP-UX, Windows, HP OpenVMS, Linux, Solaris and IBM AIX operating systems: [BURA Compatibility Matrix](#)

The second matrix is included in the document and provides a concise list of both media technology and backup devices from all manufactures and vendors that are certified and supported with Data Protector 9.0x. All media technologies and devices listed as supported with HP-UX, Windows, HP OpenVMS, Linux, Solaris and IBM AIX operating systems, are supported in both SAN/FC environments and in a direct SCSI-to-SCSI connection

**Note:** The compatibility matrices listed above are not the definitive list of SAN environments supported by Data Protector. These environments are those that have been fully tested and therefore are highly recommended. All media technologies and devices listed as supported with HP-UX, Windows, AIX, Linux, HP OpenVMS and Solaris with *HPE Data Protector 9.0x Device Support Matrix* are supported in a SAN environment. The SAN is transparent to Data Protector. All SAN hardware components (HBA, routers, hubs etc.) are supported with Data Protector if the hardware components within the SAN are supported by a vendor or a solution provider.

This matrix displays support for both Storage Area Network (SAN) environments and direct attached storage connections. All media technologies and devices listed as supported with HP-UX, Windows, IBM AIX, Linux, HP OpenVMS and Solaris are supported in both a SAN environment and in a direct attached storage connection. Data Protector supports only library and drive combinations supported by the hardware vendor.

The tables below list the media technology and backup devices that are certified and supported with Data Protector 9.0x. If both the media technology and the device/library are listed as supported upon the operating system on which it is to be connected, Data Protector 9.0x support exists.

For example, to employ a HPE Surestore 2/20 containing HPE LTO Ultrium drives with Data Protector 9.0x upon HP-UX, from checking the two tables below you will see that both the device and media technology are supported. Therefore, this is a supported Data Protector 9.0x configuration.

Although other devices may work with Data Protector 9.0x, Hewlett Packard Enterprise only supports those listed within this document.

Updates/changes to individual fields within the Matrix will be highlighted in **RED**.

Explanation of symbols used within the matrix:

✓ refers to full Hewlett Packard Enterprise support.

● refers to devices that have been qualified as interoperable in HP-UX environments and supported by Data Protector 9.0x. Please see the HPE web page "[third party mass storage devices](#)". Only certain combinations have been tested and added to the "third party mass storage devices" matrix, all combinations not listed in the "[third party mass storage devices](#)" matrix are supported through "referenced support" with Data Protector 9.0x.

☑ refers to "referenced support". Some combinations have been qualified as interoperable in HP-UX environments and supported by Data Protector 9.0x. Please see the HPE web page "third party mass storage devices". For all other combinations, "referenced support"

incorporates full Hewlett Packard Enterprise support for Data Protector 9.0x only. For any device-related issues, please contact the corresponding product vendor first.

In addition, consider the following:

- For all devices listed in tables below, please check the hardware I/O bus configuration with your device vendor to make sure your device also supports the I/O bus architecture.
- Windows Server 2003 StorPort port driver is supported with Windows Server 2003 SP1 class drivers. Windows Server 2003 tape and robotics class drivers need to be enabled. Microsoft recommends to update STORPORT.SYS in Windows Server 2003 SP1 (<http://support.microsoft.com/kb/916048/en-us>) and to update the tape class driver TAPE.SYS (<http://support.microsoft.com/kb/907418/en-us>). Windows Server 2003 with SP1 limits block sizes to 64kB during a tape transfer. This limitation may affect performance of high performance tape drives that use larger block sizes. Larger record sizes are recommended with Ultrium tape devices. In Data Protector larger block sizes are possible up to 1024 kB.
- Data Protector 8.10 and later versions support mixed media libraries. For further information, see the *HPE Data Protector Help*.
- Tape pool recycle management and a spare pool configuration is not supported when the tape library is populated with incompatible media from the same media type.
- The IBM AIX Media Agent supports drives only; library robotic must be connected to a system that supports a Data Protector Media Agent with robotics support, that is an HP-UX, Sun Solaris, Linux or a Windows system.
- On HP-UX libraries with more than one SCSI interface, the robotic control is not supported with EISA-SCSI card.
- STK ACSLS libraries are supported in HP-UX, Windows, Solaris SPARC, Linux, and IBM AIX Media Agents. However, it is possible for all other Data Protector Media Agents to control ACSLS robotics indirectly through the HP-UX, Windows, Solaris or IBM AIX Media Agent.

- ADIC DAS libraries are supported in HP-UX and AIX Media Agents. However, it is possible for all other Data Protector Media Agents to control DAS robotics indirectly through the HP-UX or IBM AIX Media Agent.
- Data Protector magazine support is available only with DDS and DLT tape drives.
- Some devices do not support SCSI auto-configuration and must be configured manually.
- Data Protector enables sharing of multi-drive libraries (libraries with more than one SCSI-II interface) between multiple systems and multiple cells, with robotic control running on an HP-UX, Windows, HP OpenVMS or Sun Solaris system.
- Library drives and robotics can be shared between multiple cells using the Manager-of-Managers server cell and CMMDB (Centralized Media Management Database).
- The library extension license is required for use of libraries with more than 60 slots.
- Magneto-optical WORM (Write Once Read Many) media are not supported by Data Protector. Although all magneto-optical drives do support magneto-optical WORM media, only the magneto-optical re-writable media are supported by Data Protector.
- Data Protector 9.0x supports STK VolSafe WORM media on all supported platforms with the STK9840 tape drive. HPE LTO WORM media are supported on HP-UX, Linux, Solaris and HP OpenVMS operating systems. Please note that a "Tape Alert [9]" error will occur on HP-UX 11.31 however, such error can be ignored and will be addressed in the next HP-UX 11.31 "stape" patch.
- It is recommended that no more than 512 drives and 1500 slots be configured for each logical library in Data Protector 9.0x.

#### What's New

Support for IBM Tape Library TS4500 on HP-UX and Windows

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	File Library Device <sup>25</sup>	'File'	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Standalone\Jukebox File Device	'File'	✓	✓	✓	✓	✓	✓	✓	✓	✓
	HPE Rewritable MO disk	'Optical'	✓	✓	✓	✓					
	HPE Rewritable UDO disk	'Optical'	✓	✓	✓	✓					
	DDS-2 SCSI	'DDS'	✓				✓	✓			✓ <sup>9</sup>
	DDS-3 SCSI	'DDS'	✓		✓		✓	✓	✓		
	DDS-4 SCSI	'DDS'	✓	✓	✓	✓	✓	✓	✓		
	DAT72 SCSI	'DDS'	✓	✓	✓	✓	✓	✓	✓	✓	
	DAT160 SCSI	'DDS'	✓	✓	✓	✓			✓	✓	
	DAT24 USB <sup>13</sup>	'DDS'			✓	✓			✓	✓	
	DAT40 USB <sup>13</sup>	'DDS'			✓	✓			✓	✓	
	DAT72 USB <sup>13</sup>	'DDS'			✓	✓	✓		✓	✓	
	DAT160 USB <sup>13</sup>	'DDS'			✓	✓			✓	✓	

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	DAT320 USB <sup>13</sup>	'DDS'			✓	✓			✓	✓	
	DAT320 USB <sup>13</sup> with AES encryption support	'DDS'			✓	✓			✓		
	DAT160 SAS	'DDS'		✓	✓	✓			✓	✓	
	DAT320 SAS	'DDS'		✓	✓	✓			✓	✓	
	DAT320 SAS with AES encryption support	'DDS'			✓	✓			✓		
	HPE DLT4000 SCSI	'DLT'	✓		✓		✓	✓	✓		
	HPE DLT7000 SCSI	'DLT'	✓		✓		✓	✓			✓
	HPE DLT8000 SCSI	'DLT'	✓	✓	✓	✓	✓	✓	✓		✓ <sup>9</sup>
	HPE DLT1 SCSI	'DLT'	✓		✓		✓	✓	✓		
	HPE DLT VS80 SCSI	'DLT'	✓	✓	✓	✓	✓	✓	✓		
	HPE DLT VS160	'DLT'	✓	✓	✓	✓	✓	✓	✓	✓	
	HPE DLT V-4 SCSI	'DLT'	☑	☑	✓	✓		✓	✓	✓	
	HPE DLT S4 SCSI	'DLT'	✓	✓	✓	✓			✓	✓	✓
	HPE SuperDLT 220 SCSI	'SuperDLT'	✓	✓	✓	✓	✓	✓	✓		✓ <sup>9</sup>

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	HPE SuperDLT 320 SCSI	'SuperDLT'	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE SuperDLT600 SCSI	"SuperDLT"	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 215 SCSI	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	
	HPE LTO Ultrium 230 SCSI	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 232 SCSI	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	
	HPE LTO Ultrium 448 SCSI	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	
	HPE LTO Ultrium 448 SAS	'LTO-Ultrium'		✓	✓	✓			✓	✓	
	HPE LTO Ultrium 448c SAS	'LTO-Ultrium'		✓	✓	✓	✓		✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 460 SCSI	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 920 SCSI	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 920c SAS	'LTO-Ultrium'		✓	✓	✓	✓		✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 920 SAS	'LTO-Ultrium'		✓	✓	✓	✓		✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 960 SCSI	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 1760 HH SAS	'LTO-Ultrium'		✓	✓	✓	✓		✓	✓	

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	HPE LTO Ultrium 1760 HH SCSI	'LTO-Ultrium'	✓	✓	✓	✓	✓		✓	✓	
	HPE LTO Ultrium 1840 (FC and SCSI)	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 1840 SCSI with AES Encryption Support.	'LTO-Ultrium'	✓	✓	✓	✓			✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE LTO Ultrium 1840 SAS	'LTO-Ultrium'		✓	✓	✓			✓	✓	
	HPE LTO Ultrium 1840 SAS with AES Encryption support	'LTO-Ultrium'		✓	✓	✓			✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE LTO Ultrium 3000 HH SAS	'LTO-Ultrium'		✓	✓	✓	✓		✓	✓	
	HPE LTO Ultrium 3000 FH SAS	'LTO-Ultrium'		✓	✓	✓	✓		✓	✓	
	HPE LTO Ultrium 3000 HH SAS with AES Encryption support	'LTO-Ultrium'		✓	✓	✓			✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE LTO Ultrium 3000 HH FC	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 3000 HH FC with AES Encryption support	'LTO-Ultrium'	✓	✓	✓	✓			✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE LTO Ultrium 3280 FH FC	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	HPE LTO Ultrium 3280 FH FC with AES Encryption support	'LTO-Ultrium'	✓	✓	✓	✓			✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE LTO Ultrium 3280 FH SAS	'LTO-Ultrium'		✓	✓	✓	✓		✓	✓	



New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	HPE LTO Ultrium 3280 FH SAS with AES Encryption support	'LTO-Ultrium'		✓	✓	✓			✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE Store Ever LTO-6 Ultrium 6650 FC	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	
	HPE Store Ever LTO-6 Ultrium 6250 FC HH	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	
	HPE Store Ever LTO-6 Ultrium 6650 SAS FH	'LTO-Ultrium'		✓	✓	✓			✓	✓	
	HPE Store Ever LTO-6 Ultrium 6250 SAS HH	'LTO-Ultrium'		✓	✓	✓			✓	✓	
	HPE Store Ever LTO-6 Ultrium 6650 FC FH with AES Encryption support	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE Store Ever LTO-6 Ultrium 6250 FC HH with AES Encryption support	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE Store Ever LTO-6 Ultrium 6650 SAS FH with AES Encryption support	'LTO-Ultrium'		✓	✓	✓			✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE Store Ever LTO-6 Ultrium 6250 SAS HH with AES Encryption support	'LTO-Ultrium'		✓	✓	✓			✓ <sup>19</sup>	✓ <sup>19</sup>	
	HPE StoreEver LTO-7 Ultrium 15750 Full-Height FC	'LTO-Ultrium'		✓		✓		✓		✓	✓
	HPE StoreEver LTO-7 Ultrium 15000 Half-Height FC	'LTO-Ultrium'		✓		✓		✓		✓	✓

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	HPE StoreEver LTO-7 Ultrium 15000 Half-Height SAS	'LTO-Ultrium'		✓		✓				✓	✓
	Benchmark ValuSmart Tape 80	'DLT'		✓	✓	✓	✓	✓			
	Benchmark ValuSmart Tape VS160	'DLT'		✓		✓		✓			
	Dell PowerVault LTO-3 -60	'LTO-Ultrium'			✓						
	IBM 3590B	'T3590'	☑					✓			
	IBM 3590E	'T3590'	☑		✓		✓	✓			
	IBM3590H	'T3590'			✓		✓	✓			
	IBM3592 TS1120	'T3592'	☑	☑	✓	✓	✓	✓	✓		
	IBM3592 TS1130	'T3592'	☑	☑	✓	✓	✓	✓	✓		
	IBM3592 TS1140	'T3592'	☑	☑	✓	✓	✓	✓	✓	✓	

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	IBM Ultrium 3580 LTO 1 (SCSI,FC)	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓		✓	✓			
	IBM Ultrium 3580 Ultrium 2 (SCSI,FC)	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓ <sup>9</sup>		✓ <sup>6</sup>	✓	✓		
	IBM Ultrium 3580 Ultrium 3 (SCSI,FC)	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓	✓	✓	
	IBM Ultrium 3580 Half High Ultrium 3 (SCSI,FC)	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓	✓	✓	
	IBM Ultrium 3580 LTO3 SAS Half Height	'LTO-Ultrium'		<input checked="" type="checkbox"/>	✓	✓	✓		✓	✓	
	IBM Ultrium 3580 LTO 4 SAS Half Height	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓	✓	✓	✓
	IBM Ultrium TS1040 LTO4 FC Full Height	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓	✓	✓	✓
	IBM Ultrium 3580 LTO4 SAS Full Height	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓	✓	✓	✓
	IBM Half Height LTO Gen 2 Tape Drive (25R0005)	'LTO-Ultrium'			✓				✓		
	IBM Ultrium TS1040 LTO4 with AES Encryption Support.	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓				✓ <sup>19</sup>	✓
	IBM TS2230 Half High LTO Gen 3 Tape Drive	'LTO-Ultrium'		<input checked="" type="checkbox"/>	✓	✓	✓		✓	✓	
	IBM TS2240 Half Height LTO Gen 4 Tape Drive	'LTO-Ultrium'		<input checked="" type="checkbox"/>	✓	✓	✓	✓	✓	✓	
	IBM TS2340 Full Height LTO Gen 4 Tape Drive	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓	✓	✓	✓

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	IBM Ultrium TS2340 Ultrium 4 with AES Encryption Support.	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/> <sup>19</sup>	<input checked="" type="checkbox"/>
	IBM Ultrium 3580 LTO5 SAS Half Height	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	IBM Ultrium 3580 LTO5 SAS Full Height	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	IBM TS2250 Half Height LTO Gen 5 Tape Drive	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	IBM TS2350 Full Height LTO Gen 5 Tape Drive	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	IBM Ultrium 3580 Half High Ultrium 5 FC	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	IBM Ultrium 3580 Full High Ultrium 5 FC (TS1050)	'LTO-Ultrium'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	IBM Ultrium 3580 Half High Ultrium 6 FC	'LTO-Ultrium'		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
	IBM Ultrium 3580 Full High Ultrium 6 FC	'LTO-Ultrium'		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
	IBM Ultrium 3580 Half Height 6 SAS	'LTO-Ultrium'			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	IBM Ultrium 3580 Full Height 6 SAS	'LTO-Ultrium'			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	IBM Ultrium 3580 Full Height LTO 7 FC (TS1070)	'LTO-Ultrium'		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> <sup>26</sup>	<input checked="" type="checkbox"/>
	IBM Ultrium 3580 Half Height LTO 7 SAS (TS2270)	'LTO-Ultrium'		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/> <sup>26</sup>	<input checked="" type="checkbox"/>

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	IBM Ultrium 3580 Half Height LTO 7 FC (TS8448)	'LTO-Ultrium'		✓		✓				✓ <sup>26</sup>	✓
	IBM Ultrium LTO6 HH 6	'LTO-Ultrium'				✓					
	IBM System Storage TS1060	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓	
	Certance (Seagate RSS) LTO Ultrium 1	'LTO-Ultrium'			✓	✓	✓	✓	✓	✓	
	Certance (Seagate RSS) LTO Ultrium 2	'LTO-Ultrium'				✓	✓			✓	
	Certance (Seagate RSS) LTO Ultrium 3	'LTO-Ultrium'				✓			✓	✓	
	Quantum DLT4000	'DLT'			✓		✓	✓			
	Quantum DLT7000	'DLT'			✓		✓	✓			
	Quantum DLT8000	'DLT'			✓	✓	✓	✓	✓		
	Quantum DLT VS160	'DLT'			✓		✓		✓		
	Quantum DLT V-4	'DLT'	☑	☑	✓	✓		✓	✓	✓	
	Quantum DLT S4	'DLT'	☑	✓	✓	✓	✓	✓	✓	✓	✓
	Quantum DAT72 SATA	'DAT'			✓	✓			✓	✓	
	Quantum DAT160	'SuperDLT'	✓	✓	✓	✓			✓	✓	

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Quantum SuperDLT 220	'SuperDLT'	<input checked="" type="checkbox"/>		✓	✓	✓	✓	✓		
	Quantum SuperDLT 320	'SuperDLT'	<input checked="" type="checkbox"/>		✓	✓	✓	✓	✓	✓	
	Quantum SuperDLT 600	'SuperDLT'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓	✓	✓	
	Quantum LTO-3 HH	'LTO-Ultrium'			✓	✓			✓	✓	✓
	Quantum LTO-4 HH	'LTO-Ultrium'							✓		
	Quantum LTO-5 HH	'LTO-Ultrium'			✓	✓			✓	✓	
	Quantum LTO-6 HH	'LTO-Ultrium'		✓	✓	✓		✓	✓	✓	
	STK4220	'T3480'	<input checked="" type="checkbox"/>								
	STK9490	'T3480'	<input checked="" type="checkbox"/>								
	STK3480/3490e	'T3480'	<input checked="" type="checkbox"/>								
	STK9840A	'T9840'	<input checked="" type="checkbox"/>		✓		✓	✓	✓		
	STK9840B	'T9840'	●		✓		✓	✓	✓		
	STK9840C	'T9840'	●		✓	✓	✓	✓	✓	✓	
	STK9840D	'T9840'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓				

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	STK9940A	'T9940'	<input checked="" type="checkbox"/>		✓						
	STK9940B	'T9940'	●	<input checked="" type="checkbox"/>	✓		✓	✓	✓		
	STK10000A	'T10000'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓		✓	
	STK10000B	'T10000'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓	✓	✓		✓	
	STK10000C	'T10000'	<input checked="" type="checkbox"/>			✓	✓			✓	
	STK10000D	'T10000'				✓				✓	
	Sun LTO 3 Half Height (HPE)	'LTO-Ultrium'	✓	✓	✓	✓	✓		✓	✓	✓ <sup>9</sup>
	AIT-1	'AIT'		✓		✓					
	AIT-2	'AIT'			✓			✓	✓		✓ <sup>9</sup>
	AIT-3	'AIT'	<input checked="" type="checkbox"/> <sup>11</sup>		✓	✓		✓	✓	✓	
	AIT-4	'AIT'	<input checked="" type="checkbox"/> <sup>11</sup>		✓	✓	✓	✓	✓	✓	
	AIT-5	'AIT'	<input checked="" type="checkbox"/> <sup>11</sup>		✓	✓	✓	✓	✓	✓	
	Super-AIT	'SAIT'	<input checked="" type="checkbox"/> <sup>11</sup>		✓	✓	✓		✓	✓	
	DTF-1	'DTF'	<input checked="" type="checkbox"/>		✓						

New	drive technology	configure with Data Protector media type	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	DTF-2	'DTF'	<input checked="" type="checkbox"/>		✓						
	Exabyte M2	'ExaByte'			✓						
	Exabyte VXA-3	'ExaByte'			✓						
	Compaq TZ86	'DLT'									✓ <sup>9</sup>
	Compaq TZ87	'DLT'									✓ <sup>9</sup>
	Compaq TZ88	'DLT'					✓	✓			✓ <sup>9</sup>
	Compaq TZ89	'DLT'			✓						✓ <sup>9</sup>
	Compaq TLZ04 4mm DAT	'DDS'									✓ <sup>9</sup>
	Compaq TLZ06 4mm DAT	'DDS'									✓ <sup>9</sup>
	Compaq TLZ09 4mm DAT	'DDS'									✓ <sup>9</sup>
	Spectra Logic RXT150		<input checked="" type="checkbox"/>		✓		✓				
	Tandberg 820LTO	'LTO'			✓		✓				
	Tandberg TS1600	'LTO'			✓						
	Tandberg 1640LTO	'LTO'			✓					✓	
	Tandberg HH LTO 2 SCSI	'LTO'	✓	✓	✓	✓	✓		✓	✓	





New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Optical library 80st	✓								
	Optical library 100st	✓								
	Optical library 165st	✓								
	Optical library 300st	✓								
	Optical library 20XT	✓								
	Optical library 20LT	✓								
	Optical library 40T	✓								
	Optical library 120T	✓								
	Optical library 200T	✓								
	Optical 2600fx standalone	✓								
	Optical Jukebox 40fx	✓		✓						
	Optical Jukebox 80fx	✓		✓						
	Optical Jukebox 160fx	✓		✓						
	Optical Jukebox 200fx	✓		✓						

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Optical Jukebox 330fx	✓		✓						
	Optical Jukebox 600fx	✓		✓						
	Optical 5200ex standalone	✓		✓						
	Optical Jukebox 80ex	✓								
	Optical Jukebox 125ex	✓								
	Optical Jukebox 160ex	✓								
	Optical Jukebox 320ex	✓								
	Optical Jukebox 400ex	✓								
	Optical Jukebox 660ex	✓								
	Optical Jukebox 1200ex	✓								
	Optical 9100mx standalone	✓	✓	✓	✓					
	Optical jukebox 220mx	✓		✓						
	Optical jukebox 300mx	✓		✓						
	Optical jukebox 600mx	✓		✓						

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Optical jukebox 700mx	✓		✓						
	Optical jukebox 1200mx	✓		✓						
	Optical jukebox 2200mx	✓		✓						
	Optical 30ux standalone	✓	✓	✓	✓					
	Optical Jukebox 700ux	✓	✓	✓	✓					
	Optical Jukebox 1000ux	✓	✓	✓	✓					
	Optical Jukebox 1100ux	✓	✓	✓	✓					
	Optical Jukebox 1900ux	✓	✓	✓	✓					
	Optical Jukebox 2300ux	✓	✓	✓	✓					
	Optical Jukebox 3800ux	✓	✓	✓	✓					
	Optical Jukebox 7100ux	✓	✓	✓	✓					
	DAT/DDS2 autoloader					✓	✓ <sup>3</sup>			
	DAT/DDS-2 autoloader (48AL)	✓				✓	✓ <sup>3</sup>			
	DAT/DDS-3 autoloader	✓		✓		✓	✓ <sup>3</sup>	✓		

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Surestore Tape 6000i/Eu					✓	✓			
	Surestore 12000e autoloader					✓	✓ <sup>3</sup>			
	Surestore T4i/e						✓ <sup>10</sup>			
	Surestore DAT8i/e/eU	✓				✓	✓			
	Surestore DAT24i/Eu	✓		✓		✓	✓	✓		
	Surestore DAT40e	✓	✓	✓	✓	✓	✓	✓		
	Surestore DAT40i	✓	✓	✓	✓	✓	✓	✓		
	Smart Storage DLT autoloader			✓		✓	✓ <sup>3</sup>			
	Surestore DLT40e/i	✓		✓		✓	✓	✓		
	Surestore DLT70e	✓		✓		✓	✓			✓ <sup>9</sup>
	Surestore DLT80e/i/r	✓	✓	✓	✓	✓	✓	✓		✓ <sup>9</sup>
	Surestore DLT 418 autoloader	✓		✓						
	Surestore 718 DLT autoloader	✓		✓						
	Surestore 818 DLT autoloader	✓		✓		✓	✓ <sup>10</sup>	✓		

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Surestore 1/15, 2/15 DLT library	✓		✓		✓	✓ <sup>10</sup>			
	Surestore 2/28 DLT library	✓		✓		✓	✓ <sup>10</sup>			
	Surestore 2/48, 4/48 DLT library	✓		✓		✓	✓ <sup>10</sup>	✓		
	Surestore 3/30 DLT library			✓			✓ <sup>10</sup>			
	Surestore 6/100 DLT library			✓			✓ <sup>10</sup>			
	Surestore 10/588 DLT library			✓			✓ <sup>10</sup>			
	DDS-2/DAT8 standalone	✓				✓	✓			
	Advanced DLT library	✓				✓	✓ <sup>10</sup>			
	DAT24 SCSI standalone	✓		✓		✓	✓	✓		
	DAT40 SCSI standalone	✓	✓	✓	✓	✓	✓	✓		
	Surestore DAT24x6i/e autoloader	✓		✓		✓	✓ <sup>3</sup>	✓		
	Surestore DAT40x6i/e autoloader	✓	✓	✓	✓	✓		✓		
	Smart Storage DDS-3 autoloader	✓		✓		✓	✓	✓		
	Smart Storage DDS-4 autoloader	✓		✓		✓		✓		

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Tape Array 5300	✓		✓		✓	✓	✓		
	Tape Array 5500	✓		✓		✓	✓	✓		
	Surestore 1/9 autoloader	✓		✓		✓	✓ <sup>10</sup>	✓		
	Surestore 1/20 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 2/20 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 2/40 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 4/40 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 2/60 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 4/60 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 6/60 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 6/80 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 8/80 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 6/100 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 4/100 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Surestore 10/100 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 6/120 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 6/140 tape library	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		
	Surestore 10/180 Inc. mixed media support	✓		✓		✓	✓ <sup>10</sup>	✓		
	Surestore 20/700 Inc. mixed media support	✓		✓		✓	✓ <sup>10</sup>	✓		
	DLT 40/80 standalone	✓		✓		✓	✓	✓		
	SDLT 220 standalone	✓	✓	✓	✓	✓	✓	✓		✓ <sup>9</sup>
	SDLT 320 standalone	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	SDLT 600 standalone	✓	✓	✓	✓	✓	✓	✓	✓	✓ <sup>9</sup>
	AIT 35/70			✓						
	AIT 50/100			✓			✓	✓		
	AIT 100/200			✓			✓			
	DAT 12/24			✓			✓			
	DAT 20/40			✓			✓			



New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	20/40 GB 8 Cassette Autoloader			✓						
	DAT40x6 Autoloader	✓		✓	✓	✓		✓		
	DAT72x6 Autoloader	✓	✓	✓	✓	✓		✓	✓	
	DAT72x10 Autoloader	✓	✓	✓	✓	✓		✓	✓	✓
	DLT1 1280 SuperLoader			✓						
	1/8 series tape autoloader with DLT VS80 tape drive	✓	✓	✓	✓	✓		✓	✓	
	1/8 series tape autoloader with Ultrium 230 tape drive	✓	✓	✓	✓	✓		✓	✓	
	1/8 series tape autoloader with Ultrium 232 tape drive	✓	✓	✓	✓	✓		✓	✓	
	1/8 series tape autoloader with Ultrium 448 tape drive	✓	✓	✓	✓	✓		✓	✓	
	1/8 series tape autoloader with Ultrium 460 tape drive	✓	✓	✓	✓	✓		✓	✓	
	1/8 series tape autoloader with Ultrium 960 tape drive	✓	✓	✓	✓			✓	✓	
	1/8 series tape autoloader with SDLT320 tape drive	✓	✓	✓	✓	✓		✓	✓	
	1/8 G2 series tape autoloader with Ultrium 232 tape drive	✓	✓	✓	✓			✓	✓	
	1/8 G2 series tape autoloader with Ultrium 448 tape drive	✓	✓	✓	✓			✓	✓	

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	1/8 G2 series tape autoloader with Ultrium 920 tape drive	✓	✓	✓	✓	✓		✓	✓	
	1/8 G2 series tape autoloader with Ultrium 1760 tape drive	✓	✓	✓	✓	✓		✓	✓	
	1/8 G2 series tape autoloader with Ultrium 3000 tape drives	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	StoreEver 1/8 G2 Tape Autoloader with Ultrium 6000 tape drives	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	HPE SSL1016 DLT1 tape autoloader	✓		✓						
	HPE SSL1016 SDLT320 tape autoloader	✓	✓	✓	✓	✓		✓		
	HPE SSL1016 LTO 460 tape autoloader	✓	✓	✓ <sup>7</sup>	✓	✓		✓		
	HPE SSL2020TL			✓		✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5026DLX	✓		✓		✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL2024	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE MSL4048	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE MSL5026SL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5026S2	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5026	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	HPE MSL5052SL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5052S2	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5052	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5030L1	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5030	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5060L1	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL5060	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE MSL6000	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE MSL6026	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE MSL6030	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE MSL6052	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE MSL6060	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE MSL6480		✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	HPE MSL8096/8048	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	HPE ESL9198SL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE ESL9198DLX	✓		✓		✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE ESL9198	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL9322S2	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL9322L1	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE ESL9322	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL9595SL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE ESL9595L1	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE ESL9595	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL9595S2	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL9326DX	✓		✓		✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE ESL9326SL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓		✓ <sup>9</sup>
	HPE ESL9326D	✓		✓		✓	✓ <sup>10</sup>			✓ <sup>9</sup>
	HPE ESL9326	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>

New	Hewlett Packard Enterprise Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	HPE ESL E-Series 286e	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL E-Series 322e	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL E-Series 630e	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL E-Series 712e	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE ESL G3	✓	✓	✓	✓	✓		✓	✓	
	HPE ESL E-Series with Crosslink mechanism	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	HPE EML E-Series 71e	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	HPE EML E-Series 103e	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	HPE EML E-Series 245e	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	HPE 6000 Virtual Library System with VLS Accelerated Deduplication <sup>16</sup>	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓
	HPE VLS 300 EVA Gateway	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	HPE VLS 9000 with VLS Accelerated Deduplication <sup>16</sup>	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	VLS 12000 EVA Gateway with VLS Accelerated Deduplication <sup>16</sup>	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	HPE VLS 9200 with VLS Accelerated Deduplication <sup>16</sup>	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	









New	HPE complementary products Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	QTM4500S DLT autoloader	✓							

New	Quantum (ADIC) Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	FastStor 2			✓		✓		✓	
	FastStor 7			✓					
	FastStor 22			✓					
	SCALAR 24	●	☑	✓					
	SCALAR 100	●	☑	✓			✓ <sup>10</sup>	✓	
	SCALAR 218					✓			
	SCALAR 228					✓			
	SCALAR 448					✓			
	SCALAR 458					✓			

New	Quantum (ADIC) Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	SCALAR 1000 AML/S with SCSI	<input checked="" type="checkbox"/>		✓		✓	✓ <sup>10</sup>		
	SCALAR 1000 AML/S with DAS <sup>2</sup>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓			✓		
	SCALAR 10K with SCSI	●	<input checked="" type="checkbox"/>	✓			✓ <sup>10</sup>		
	SCALAR 10K with DAS <sup>2</sup>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓			✓		
	AML/J <sup>2</sup>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				✓		
	AML/E <sup>2</sup>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				✓		
	AML/2 <sup>2</sup>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				✓		
	Pathlight VX-450 VTL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓					
	Pathlight VX-650 VTL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓					

New	Archive Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Archive Python 20/40 DAT			✓				✓	
	Archive Python 12/24 DAT			✓					

New	AWS Storage Gateway Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Gateway–virtual tape library (VTL)				✓				✓

New	BDT Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	ThinStor 1/8 Autoloader			✓		✓		✓	
	BDT FlexStor II Family			✓	✓				✓

	BDT MultiStak				✓				✓
--	---------------	--	--	--	---	--	--	--	---

New	Benchmark Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	ValuSmart Tape 640 Blade			✓		✓		✓	

New	Breece Hill Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Q70 Saguaro					✓			
	Q140 Saguaro					✓			
	Q210 Saguaro					✓			

New	Data Domain <sup>4</sup> model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	DDOS 4.7.3	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 4.8	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 4.9	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 5.0	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 5.1	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 5.2	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 5.3	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 5.4	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 5.5	☑ <sup>15</sup>	☑ <sup>15</sup>	✓	✓	✓	✓ <sup>10</sup>		✓
	DDOS 5.6		☑ <sup>15</sup>		✓	✓	✓ <sup>10</sup>		✓
	DDOS 5.7		☑ <sup>15</sup>		✓	✓	✓ <sup>10</sup>		✓

New	Decru model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	DATAFORT FC-Series	☑	☑	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	DATAFORT S-Series	✓	✓	✓	✓	✓		✓	✓

New	Dell model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Power Vault ML6000 Series	☑	☑	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	PowerVault TL2000				✓				

New	Certance/Seagate Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Seagate RSS (Certance) Scorpion 40			✓	✓			✓	✓

New	Certance/Seagate Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Seagate RSS (Certance) Viper 200 LTO (i/e) Standalone			✓	✓	✓	✓	✓	✓
	Seagate RSS (Certance) Viper 2000 Autoloader			✓					
	Certance (Seagate RSS) CD 40 (DDS-4)			✓					
	Certance (Seagate RSS) CD 72 (DAT72)			✓	✓			✓	
	Certance (Seagate RSS) CL 432 (DAT72)			✓	✓			✓	
	Certance (Seagate RSS) CDL 432 (DAT72)			✓	✓			✓	
	Certance (Seagate RSS) CL 200 (LTO Ultrium 1)			✓	✓	✓	✓	✓	✓
	Certance (Seagate RSS) CL 400 (LTO Ultrium 2)			✓	✓			✓	✓
	Certance (Seagate RSS) CL 800 (LTO Ultrium 3)				✓			✓	✓
	Certance (Seagate RSS) CLL 1600 LTO1 Autoloader			✓	✓			✓	✓
	Certance (Seagate RSS) CLL 3200 LTO2 Autoloader			✓	✓			✓	✓

New	EMC Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Disk Library 4000 Series VTL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	Disk Library 300/310 VTL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	Disk Library 700/710/720/740 VTL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	Disk Library 4100/4200/4300 VTL	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓

New	Exabyte Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	220			✓					
	440/480			✓					
	215M			✓					
	430			✓					
	221L					✓			
	224/448			✓					



New	ExaGrid Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	ExaGrid Appliance <sup>20</sup>	☑	☑	✓	✓	✓		✓	✓

New	FalconStor Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	VirtualTape Library	☑		✓					

New	Fujitsu Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	ETERNUS CS High End <sup>12</sup>	☑	☑	✓	✓	✓			✓
	ETERNUS CS800	☑	☑	✓	✓			✓	✓
	LT250	☑	☑	✓	✓				

New	Fujitsu Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	LT270	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓				
	LT270S2		<input checked="" type="checkbox"/>	✓	✓				
	ETERNUS LT20			✓	✓				
	ETERNUS LT20 S2			✓	✓				
	ETERNUS LT260				✓				✓
	ETERNUS LT270 S2		<input checked="" type="checkbox"/>	✓	✓				
	ETERNUS LT 40			✓	✓				
	ETERNUS LT 40 S2			✓	✓				
	ETERNUS LT60			✓	✓				
	ETERNUS LT60 S2			✓	✓				
	FSC FibreCAT TX 08			✓	✓				
	FibreCAT TX24			✓	✓				
	FibreCAT TX48			✓	✓				
	FibreCAT TX24 S2			✓	✓				

New	Fujitsu Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	FibreCAT TX48 S2			✓	✓				

New	GRAU Data Storage Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	INFINISTORE Tape Library/ Model XL	☑					✓ <sup>10</sup>		

New	Hitachi Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	L1/20 Tape Library	●	●	✓		✓	✓ <sup>10</sup>	✓	
	L2/20 Tape Library	●	●	✓		✓	✓ <sup>10</sup>	✓	
	L2/40 Tape Library	●	●	✓		✓	✓ <sup>10</sup>	✓	

New	Hitachi Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	L4/40 Tape Library	●	●	✓		✓	✓ <sup>10</sup>	✓	
	L2/80 Tape Library	●	●	✓		✓	✓ <sup>10</sup>	✓	
	L4/80 Tape Library	●	●	✓		✓	✓ <sup>10</sup>	✓	
	L6/80 Tape Library	●	●	✓		✓	✓ <sup>10</sup>	✓	
	L8/80 Tape Library	●	●	✓		✓	✓ <sup>10</sup>	✓	
	L20/300 Tape Library	☑	☑	✓	✓	✓	✓ <sup>10</sup>	✓	✓

New	IBM Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	IBM Magstar 3590B11	☑					✓		
	IBM Magstar 3590E11	☑				✓			
	IBM 3581 Ultrium Tape Autoloader	☑		✓		✓			
	IBM 3582 Ultrium Tape Library	●		✓					
	IBM 3583 Ultrium Tape Library	●		✓			✓ <sup>10</sup>		
	IBM 33614LX LTO3 Tape Library	☑	☑	✓	✓	✓		✓	✓
	TS2900 (3572) Tape Autoloader				✓				
	TS3100 (3573) Tape Library	☑	☑	✓	✓		✓ <sup>10</sup>		✓
	TS3200 (3573) Tape Library	☑	☑	✓	✓		✓ <sup>10</sup>		✓
	TS3310 (3576) Tape Library	☑	☑	✓			✓ <sup>10</sup>		✓
	TS3500 (3584) Tape Library	●	☑	✓	✓	✓	✓ <sup>10</sup>	✓ <sup>5</sup>	✓ <sup>5</sup>
	TS4500 Tape Library		✓ <sup>27</sup>		✓ <sup>27</sup>				
	3600 series			✓			✓ <sup>10</sup>		



	MKE DDS-4			✓					
New	NEC Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	iStorage T-Series T40	●	●	✓		✓	✓ <sup>10</sup>	✓	
	iStorage T-Series T80	●	●	✓		✓	✓ <sup>10</sup>	✓	
	iStorage T-Series T180	●	●	✓		✓	✓ <sup>10</sup>	✓	
	iStorage T-Series T700	●	●	✓		✓	✓ <sup>10</sup>	✓	
	DL0101H			✓					
	LL0101H			✓					
	T16A Tape Autoloader	☑	☑	✓		✓			
	T16A2 Tape Autoloader	☑	☑	✓		✓			
	T40A Tape Library	●	●	✓		✓			
	T40A2 Tape Library	☑	☑	✓	✓				
	T60A Tape Library		☑	✓	✓				
	T30A Tape Library		☑	✓	✓				
	LL009F Autoloader			✓	✓	✓			

New	NeoScale Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	CryptoStor Tape 700 Series	✓	✓	✓	✓			✓	✓

New	NetApp Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	NetApp VTL 300	✓	✓	✓	✓	✓			✓
	NetApp VTL 600	✓	✓	✓	✓	✓			✓
	NetApp VTL 700	✓	✓	✓	✓	✓			✓
	NetApp VTL 1200	✓	✓	✓	✓	✓			✓
	NetApp VTL 1400	✓	✓	✓	✓	✓			✓



New	Overland Data Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	PowerLoader Series			✓					
	LoaderXpress Series			✓					
	Neo 100s				✓				
	Neo 200s	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	Neo 200s 2 <sup>nd</sup> Generation	✓	✓	✓	✓		✓ <sup>10</sup>		✓
	Neo 400s	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	Neo 400s 2 <sup>nd</sup> Generation	✓	✓	✓	✓		✓ <sup>10</sup>		✓
	Neo Series 2000	✓		✓	✓		✓ <sup>10</sup>		
	Neo Series 2000e	✓		✓	✓		✓ <sup>10</sup>		
	Neo Series 4100	✓		✓	✓		✓ <sup>10</sup>		
	Neo Series 4100e	✓		✓	✓		✓ <sup>10</sup>		
	Neo Series 4200	✓		✓	✓		✓ <sup>10</sup>		
	Neo Series 4200e	✓		✓	✓		✓ <sup>10</sup>		
	Neo Series 4300	✓		✓	✓		✓ <sup>10</sup>		

New	Overland Data Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Neo Series 4300e	☑		✓	✓		✓ <sup>10</sup>		
	Neo Series 4400	☑		✓	✓		✓ <sup>10</sup>		
	Neo Series 4400e	☑		✓	✓		✓ <sup>10</sup>		
	Neo Series 8000	☑		✓	✓		✓ <sup>10</sup>		
	Neo Series 8000e	☑		✓	✓		✓ <sup>10</sup>		
	Neo Series T24				✓				
	Neo Series xl 60				✓				
	Reo Series 1000 VTL	☑		✓			✓ <sup>10</sup>		
	Reo Series 4000 VTL	☑		✓			✓ <sup>10</sup>		
	Reo Series 9000 VTL	☑		✓			✓ <sup>10</sup>		
	ARCvault 12			✓			✓ <sup>10</sup>		
	ARCvault 24			✓			✓ <sup>10</sup>		
	ARCvault 48			✓			✓ <sup>10</sup>		

New	Qualstar Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	TLS-4000 Series			✓	✓	✓	✓ <sup>10</sup>	✓	
	TLS-5000 Series			✓	✓	✓	✓ <sup>10</sup>		
	TLS-6000 Series			✓	✓	✓	✓ <sup>10</sup>	✓	
	TLS-8000 Series			✓	✓	✓	✓ <sup>10</sup>	✓	
	RLS-4000 Series			✓	✓		✓ <sup>10</sup>		
	RLS-5000 Series			✓	✓		✓ <sup>10</sup>		
	RLS-6000 Series			✓	✓		✓ <sup>10</sup>		
	RLS-8000 Series			✓	✓		✓ <sup>10</sup>		
	XLS-8000 Series	☑		✓	✓		✓ <sup>10</sup>		✓

New	Quantum Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	520 series 2/28	☑				✓				
	520 series 2/52	☑				✓				
	520 series 4/52	☑				✓				
	2640 series 9/88					✓				
	2640 series 6/176					✓				
	2640 series 3/264					✓				
	ATL PowerStor L200					✓	✓ <sup>10</sup>			
	ATL PowerStor L500					✓	✓ <sup>10</sup>			
	ATL P1000			✓		✓	✓ <sup>10</sup>			
	ATL P2000	☑	☑	✓		✓	✓ <sup>10</sup>			
	ATL 7100			✓		✓	✓ <sup>10</sup>			
	ATL P3000			✓		✓	✓ <sup>10</sup>			
	ATL P4000	●	●	✓		✓	✓ <sup>10</sup>			
	ATL P7000	●	●	✓		✓	✓ <sup>10</sup>			

New	Quantum Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	PX720	●	●	✓	✓		✓ <sup>10</sup>			
	ATL M1500			✓		✓	✓ <sup>10</sup>			
	ATL M1800			✓		✓	✓ <sup>10</sup>			
	ATL M2500			✓		✓	✓ <sup>10</sup>			
	ATL SuperLoader			✓						
	SuperLoader 3	☑	☑	✓	✓					
	ATL ValueLoader			✓						
	DX30 VTL	☑	☑	✓		✓				
	DX100 VTL	☑	☑	✓		✓				
	DX3000 VTL	☑	☑	✓		✓				
	DX5000 VTL	☑	☑	✓		✓				
	PX502	☑	☑	✓	✓	✓		✓	✓	
	PX506	☑	☑	✓	✓	✓		✓	✓	
	PX510	☑	☑	✓	✓	✓		✓	✓	

New	Quantum Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Scalar 50	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	Scalar i40-i80	✓	✓	✓	✓	✓		✓	✓	
	Scalar i500	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	Scalar i2000	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	Scalar i6000	✓	✓		✓	✓			✓	
	DXi3500		✓	✓				✓		
	DXi4701	✓	✓	✓	✓	✓ <sup>21</sup>		✓	✓	
	Dxi5500		✓	✓				✓		
	Dxi6500		✓	✓				✓	✓	
	Dxi6700	✓	✓	✓	✓			✓	✓	
	Dxi6701	✓	✓	✓	✓			✓	✓	
	Dxi6702	✓	✓	✓	✓			✓	✓	
	Dxi6802	✓	✓	✓	✓	✓ <sup>21</sup>		✓	✓	
	Dxi6900		✓		✓	✓			✓	

New	Quantum Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Dxi7500	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓			✓	✓	
	Dxi8500	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓			✓	✓	
	Dxi8500 2TB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓			✓	✓	
	Dxi8500 3TB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✓	✓			✓	✓	

  

New	SEPATON Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	S2100 VTL			✓						





New	SONY Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	Sony LIB-D81/A4	<input checked="" type="checkbox"/> <sup>11</sup>								
	Sony LIB-162/A4	<input checked="" type="checkbox"/> <sup>11</sup>								
	Sony LIB-81/A5	<input checked="" type="checkbox"/> <sup>11</sup>								
	Sony LIB-D81/A5	<input checked="" type="checkbox"/> <sup>11</sup>								
	Sony LIB-162/A5	<input checked="" type="checkbox"/> <sup>11</sup>								
	Sony Petasite DMS 80/150/8400	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>						
	Sony Petasite CSM-60			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		
	Sony Petasite CSM-100			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		
	Sony Petasite CSM-200			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		

New	Spectra Logic Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Spectra 20k			✓					
	Spectra 64k			✓					
	Spectra T50	✓		✓		✓			
	Spectra T50e	✓		✓		✓		✓	✓
	Spectra T-Finity	✓		✓		✓		✓	✓
	Spectra T120	✓		✓		✓		✓	✓
	Spectra T200	✓		✓		✓		✓	✓
	Spectra T380	✓		✓		✓		✓	✓
	Spectra T680	✓		✓		✓		✓	✓
	Spectra T950	✓		✓	✓	✓		✓	✓
	Spectra T24	✓		✓		✓			

New	StorageTek <sup>26</sup> Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	STK 280 scratch loader	☑							
	Lago LS/340 Datawheel					✓			
	Silo Model 4400 with ACSLS	☑	☑	✓	✓	✓	✓		
	Silo Model 9310 Powderhorn with ACSLS <sup>1</sup>	☑	☑	✓		✓	✓		
	Silo Model 9360 Wolfcreek	☑				✓	✓		
	STK9710 with SCSI	☑		✓		✓	✓ <sup>10</sup>		
	STK9710 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		
	STK 9714 with SCSI	☑		✓		✓	✓ <sup>10</sup>		
	STK 9714 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		
	STK 9730 with SCSI	☑		✓		✓	✓ <sup>10</sup>		
	STK 9730 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		
	STK 9738 library			✓			✓ <sup>10</sup>		
	STK9740 with SCSI	☑		✓		✓	✓ <sup>10</sup>		
	STK9740 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		

New	StorageTek <sup>26</sup> Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	STK L20	●	●	✓		✓	✓ <sup>10</sup>	✓	
	STK L40	●	●	✓		✓	✓ <sup>10</sup>	✓	
	STK L80	●	●	✓		✓	✓ <sup>10</sup>	✓	
	STK L180	●	●	✓	✓	✓	✓ <sup>10</sup>	✓	
	STK L180 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		
	STK L700	●	●	✓		✓	✓ <sup>10</sup>	✓	
	STK L700 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		
	STK L700E with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		
	STK L700E	●	●	✓		✓	✓ <sup>10</sup>	✓	
	STK L1400	☑	☑	✓		✓	✓ <sup>10</sup>	✓	
	STK L1400 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓ <sup>10</sup>		
	STK Silo Model L5500 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		
	STK SL500	●	●	✓	✓	✓	✓ <sup>10</sup>		
	STK SL500 with ACSLS <sup>1</sup>	●	●	✓	✓	✓	✓ <sup>10</sup>		

New	StorageTek <sup>26</sup> Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	STK SL150	☑	☑	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	STK SL150 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	SL500 ADI Bridged (SAS)			✓		✓			
	SL500 ADI Bridged (SAS) with ACSLS <sup>1</sup>			✓		✓			
	STK SL8500 with ACSLS <sup>1</sup>	☑	☑	✓	✓	✓	✓		✓
	SN6000	☑	☑	✓		✓			
	STK C2 Library	☑	☑	✓	✓				
	STK C4 Library	☑	☑	✓					
	SUN StorageTek VTL Plus 2.0	☑	☑	✓	✓	✓			✓
	SUN StorageTek VTL Prime	☑	☑	✓	✓	✓			✓
	SUN StorageTek VTL Plus	☑	☑	✓	✓	✓			
	Sun StorageTek SL24	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	Sun StorageTek SL48	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓
	Sun StorageTek SL3000 <sup>17</sup>	☑	☑		✓	✓			✓

New	StorageTek <sup>26</sup> Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	Sun StorageTek SL3000 with ACSLS <sup>1</sup>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>

New	Sun StorEdge Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	L8			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
	L9					<input checked="" type="checkbox"/>			
	L20					<input checked="" type="checkbox"/>			
	L25			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
	L100			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
	L180					<input checked="" type="checkbox"/>			
	L280					<input checked="" type="checkbox"/>			
	L700					<input checked="" type="checkbox"/>			
	L1000					<input checked="" type="checkbox"/>			

New	Sun StorEdge Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	L3500					✓			
	L11000					✓			
	L1400	☑	☑	✓		✓	✓ <sup>10</sup>	✓	
	L5500 with ACSLS <sup>1</sup>			✓		✓	✓		
	L6000 with ACSLS or Libstation <sup>1</sup>			✓		✓	✓		
	C4 Library	☑	☑	✓					

New	Tandberg Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	StorageLoader			✓		✓			
	StorageLibrary T10			✓					
	StorageLibrary T20			✓					
	StorageLibrary T24			✓	✓				✓

New	Tandberg Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)
	StorageLibrary T40		☑	✓	✓	✓		✓	✓
	StorageLibrary T40+		☑	✓	✓	✓		✓	✓
	StorageLibrary T80+		☑	✓	✓	✓		✓	✓
	StorageLibrary T120+			✓	✓	✓			✓
	StorageLibrary T160+			✓	✓	✓			✓
	StorageLibrary T48			✓					

New	H3C Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	H3C VTL 3.16.x, 3.15.x and 3.14.x	✓	✓	✓	✓	✓	✓	✓	✓	
	H3C CT108 Tape Autoloader with Ultrium 7	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	H3C CT108 Tape Autoloader with Ultrium 6	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	
	H3C CT108 Tape Autoloader with Ultrium 5	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	



New	H3C Model	HP-UX PA-RISC	HP-UX Itanium	Windows (32-bit)	Windows (64-bit)	Sun Solaris	IBM AIX	Linux (32-bit)	Linux (64-bit)	HP OpenVMS
	H3C CT224	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	H3C CT448	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	✓ <sup>9</sup>
	H3C CT7680	✓	✓	✓	✓	✓	✓ <sup>10</sup>	✓	✓	

<sup>1</sup> This device requires the ACSLS software from StorageTek. The following versions of ACSLS have been tested with Data Protector:

- 5.2
- 5.3
- 5.3.2
- 5.4
- 6.0
- 6.01
- 6.1
- 6.1.1
- 7.0
- 7.1
- 7.1.1
- 7.2
- 7.3
- 8.0.x
- 8.1.x
- 8.2.x
- 8.3

- 9.0.x

HPE support covers configuration and usage of ACSLS within Data Protector, but HPE provides no support for the ACSLS software. For the MVS-controlled libraries, the following versions have been tested:

- MVS 5.2.2
- Library Station 3.1.0, 4.0, 5.0
- Library Control Facility 3.1.0
- HSC 2.1.0

Note: To utilize ACSLS on Windows, StorageTek LibAttach software is a pre-requisite and must be purchased separately from StorageTek.

- <sup>2</sup> This device requires DAS software from Quantum (ADIC). We suggest to use the latest version DAS v3.12 with Data Protector. HPE support covers configuration and usage of DAS within Data Protector, but HPE provides no support for DAS software.
- <sup>3</sup> Library or autoloader supported only in stacker mode.
- <sup>4</sup> Refer to the Data Domain web link at <http://www.emc.com/products/family/data-domain-family.htm> to get details on the specific models. For Data Domain Boost integration, see the *HPE Data Protector Platform and Integration Support Matrix*.
- <sup>5</sup> To utilize IBM 3584 on Linux, the IBM device drivers are required. These can be obtained from the following web page: [http://www-1.ibm.com/support/all\\_download\\_drivers.html](http://www-1.ibm.com/support/all_download_drivers.html)
- <sup>6</sup> You need to add the line OB2SHORTSEEK=500 in the omnirc file.
- <sup>7</sup> Insight Storage Agent should be disabled when using the HPE SSL1016 tape autoloader with LTO 460 on Windows XP with the Adaptec U160 SCSI HBA.
- <sup>8</sup> TL895 option "Auto Drive Unload" needs to be enabled (which is not the default setting).
- <sup>9</sup> Minimum revision of SYS\$MKDRIVER required:  
VMS 7.3-1:  
image file identification: "X-12"  
image file build identification: "X9TD-0060030044"  
link date/time: 28-JAN-2004 14:33:50.53
- <sup>10</sup> The IBM AIX media agent supports drives only; the library robotic must be connected to a system that supports a Data Protector Media Agent with robotic support which supports the library (that is an HP-UX, Sun Solaris, Linux or Windows system).
- <sup>11</sup> To utilize Sony AIT and SAIT on HP-UX, the Sony device driver is required. The driver can be obtained from the following web page: <http://sony.storagesupport.com/ait/hpux.htm>

12 Emulations supported with the Fujitsu-Siemens CentricStor:

ETERNUS CS Tape Emulation	Drive Configured in Data Protector	Robot Control Emulation	Robotic Configured in Data Protector	HP-UX PA	HP-UX IA	Windows 2008 R2	Solaris SPARC	Suse Linux 64-bit	RedHat Linux 64-bit	AIX on Power
Generic SCSI-2	3480	DAS	DAS Library	✓						
Generic SCSI-2	3480	ACSL	ACSL Library	✓	✓		✓			
Generic SCSI-2	3480	SCSI	SCSI Library	✓	✓		✓	✓	✓	
Mammoth 2	Exabyte	DAS	DAS Library	✓	✓					
Mammoth 2	Exabyte	ACSL	ACSL Library							
Mammoth 2	Exabyte	SCSI	SCSI Library	✓	✓		✓	✓	✓	
STK9840B	9840	DAS	DAS Library	✓		✓				
STK9840B	9840	ACSL	ACSL Library	✓	✓	✓	✓			
STK9840B	9840	SCSI	SCSI Library	✓		✓	✓	✓	✓	
STK9840D	9840	DAS	DAS Library		✓	✓				
STK9840D	9840	ACSL	ACSL Library		✓	✓				
STK9840D	9840	SCSI	SCSI Library		✓	✓		✓		
IBM 3590 E1A	3590	DAS	DAS Library	✓	✓	✓				✓
IBM 3590 E1A	3590	ACSL	ACSL Library	✓		✓	✓			✓
IBM 3590 E1A	3590	SCSI	SCSI Library	✓		✓	✓	✓		✓
IBM Ultrium LTO2	LTO Ultrium	DAS	DAS Library	✓	✓					
IBM Ultrium LTO2	LTO Ultrium	ACSL	ACSL Library	✓	✓				✓	
IBM Ultrium LTO2	LTO Ultrium	SCSI	SCSI Library	✓	✓			✓	✓	
IBM Ultrium LTO4	LTO Ultrium	DAS	DAS Library		✓	✓				
IBM Ultrium LTO4	LTO Ultrium	ACSL	ACSL Library		✓	✓				
IBM Ultrium LTO4	LTO Ultrium	SCSI	SCSI Library		✓	✓		✓		

13 To utilize HPE USB devices on Windows, the HPE Mass Storage Driver (HPUSBMSC.SYS) driver is required.

14 When using iSCSI initiator software, only SUSE Linux Enterprise Server (SLES) 10 SP2 and SLES11 are supported.

15 The IBM LTO device driver is required. This can be obtained from the following URL: [http://www-1.ibm.com/support/all\\_download\\_drivers.html](http://www-1.ibm.com/support/all_download_drivers.html). Please

Note: The native operating system driver should be used for the library robotic. See the Data Domain Compatibility Matrix for further detail:

[https://support.datadomain.com/compat\\_matrix.php](https://support.datadomain.com/compat_matrix.php)

- <sup>16</sup> Minimum device firmware required for VLS Accelerated Deduplication: 3.4.0 for VLS 6200/6600/9000/12000 and 6.0.0.2 for VLS 9200/12200.
- <sup>17</sup> SL3000 AEM import/export slots is currently limited to 249 import/exports per job.
- <sup>18</sup> Supported only with SUSE Linux Enterprise Server (SLES) 10 SP2, SLES 11 and RHEL 5.4.
- <sup>19</sup> Details of supported Linux distributions for drive based encryption are available in the *HPE Data Protector 9.0x Platform and Integration Support Matrix*.
- <sup>20</sup> File devices created on the ExaGrid NAS appliances are supported.
- <sup>21</sup> Supported with patch bundle 8.11.
- Notes:
- For information on the Data Protector omnirc file, see the *HPE Data Protector Help*.
  - To utilize IBM LTO with AES Encryption support on HP-UX, the minimal IBM firmware version required is B711. This firmware can be obtained from the following web page : <http://www-933.ibm.com/support/fixcentral>
- <sup>22</sup> For information on the Catalyst integration, see the *HPE Data Protector 9.0x Platform and Integration Support Matrix*.
- <sup>23</sup> Supported with Fujitsu ETERNUS LT260 library model on Windows Server 2012 R2 Data Center.
- <sup>24</sup> Supports StoreOnce software version 3.16.x and earlier. For information on the StoreOnce Backup systems and features supported by this StoreOnce software version, see the [BURA Compatibility Matrix](#).
- <sup>25</sup> Deployment of a File Library utilizing a cloud gateway such as AWS Storage Gateway or NetApp AltaVault as storage is included.
- <sup>26</sup> SLES 12 is not supported with StorageTek with ACSLS.
- <sup>27</sup> **Native IBM drivers are required for use of this library. Robotic arm driver should not be installed. Cleaning Tape is not supported with this library.**