
HP Universal SLA Manager

Version 4.0



User Guide

Edition: 1.0

For the Linux and Windows Operating Systems

February 2014

© Copyright 2014 Hewlett-Packard Company

Legal Notices

Warranty

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

License Requirement and U.S. Government Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 2014 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe®, Acrobat® and PostScript® are trademarks of Adobe Systems Incorporated.

HP-UX Release 10.20 and later and HP-UX Release 11.00 and later (in both 32 and 64-bit configurations) on all HP 9000 computers are Open Group UNIX 95 branded products.

Java™ is a trademark of Oracle and/or its affiliates.

Microsoft®, Internet Explorer, Windows®, Windows Server®, and Windows NT® are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Oracle® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

UNIX® is a registered trademark of The Open Group.

X/Open® is a registered trademark, and the X device is a trademark of X/Open Company Ltd. in the UK and other countries.

Red Hat® is a registered trademark of the Red Hat Company.

Linux® is a registered trademark of Linus Torvalds in the U.S. and other countries.

Contents

Preface	10
Chapter 1 SLA Management: Principles and Concepts	14
1.1 Objectives of SLA Management	15
1.2 Relation of SLA and SLA Management	16
1.3 Types of Agreements	17
1.4 Service Level Agreement	17
1.4.1 Purpose of Service Level Agreement	18
1.4.2 Operational Level Agreement	18
1.5 Typical Customer Profiles	19
Chapter 2 USLAM Product Goals	20
2.1 Introduction	20
2.2 USLAM Operation Overview	21
2.3 The USLAM Workflow	22
2.3.1 Data Load	22
2.3.2 Enrichment	23
2.3.3 SLA Calculation	23
2.3.4 ETL	23
2.3.5 Reports	23
2.3.6 User Interfaces	24
Chapter 3 USLAM Concepts and Definitions	25
3.1 Overview Architecture	25
3.2 USLAM Model	26
3.2.1 Entities	27
3.2.2 Templates	30
3.2.3 Metadata	33
3.3 Agreement State and Lifecycle	34
3.4 Agreement Status	37
3.5 Business Impact Calculation	39
3.6 Exclusions	40
3.7 SLA Alerting	40
3.8 User Roles	41
Chapter 4 USLAM User Interface Overview	43
4.1 Logging in to the USLAM UI	43
4.2 Home page	45
4.3 Menu	46
4.4 Language Selector	47
4.5 Time zone Selector	47
4.6 User Information	47
4.7 Navigation Bar	47
4.8 Filter Management	48

4.8.1	Search Filter Panel	48
4.8.2	Creating a New Search Filter.....	49
4.8.3	Saving a New Search Filter	51
4.8.4	Loading a Search Filter.....	51
4.8.5	Deleting a Search Filter	52
4.9	Search Result.....	53
4.10	Columns Configuration	53
4.11	Date and Time Selector	54
4.12	Default Calculation Time zone	56
4.13	About Box.....	56
Chapter 5 Dashboard.....		59
5.1	Agreements Status Snapshot	59
5.2	Agreements Status Details	62
5.3	Visual time based analysis.....	64
5.4	Clause Status Data Records.....	66
5.5	Calculation Model	69
5.6	Service Component tree	70
5.7	Business Impact Snapshot	70
5.8	Business Impact Details.....	72
5.9	Business Impact Calculation Model	74
5.10	Alert Monitoring.....	75
5.11	Agreement Reports.....	76
Chapter 6 Contract Operations.....		77
6.1	Data Correction	77
6.1.1	Adjust Agreement Status	77
6.1.2	Adjust Business Impact	88
6.1.3	Manage Business Parameters.....	91
6.1.4	Set Business Parameters	94
6.1.5	Manage Exclusions.....	96
6.2	Contracts Reports	103
Chapter 7 Contract Administration		104
7.1	Agreement Manager	104
7.1.1	Browse Agreements.....	104
7.1.2	Agreement Viewer	110
7.1.3	Agreement Editor.....	112
7.1.4	Create New Agreement	114
7.2	Service Offerings Manager	126
7.2.1	Manage Service Offering	126
7.3	Contracts Reports	135
Chapter 8 Platform Administration.....		136
8.1	User Management	136
8.1.1	Manage users	137
8.1.2	Add a new user	139
8.1.3	Edit an existing user.....	140
8.1.4	Manage Implicit Filters	141
8.1.5	Activate / Deactivate Users.....	142
8.2	Platform Management.....	144
8.3	Dataload Status	147

8.4	Agreement Reports	148
Chapter 9	USLAM Reporting	149
9.1	Predefined dashboard and predefined reports	149
9.1.1	Achievement reports	154
9.1.2	Inventory reports	164
9.1.3	Contractual reports	167
9.1.4	Business impact analysis reports	173
9.1.5	Statistics reports	176
9.1.6	Audit and SLA administration reports	181
9.2	Customizing your USLAM Reporting	181
9.2.1	USLAM Universe overview	183
9.2.2	Example of customization	Error! Bookmark not defined.
9.3	USLAM End User portal functionality	187
9.4	Reports Publication	189

Figures

Figure 1: SLA Management context	16
Figure 2: Type of Agreements	17
Figure 3: USLAM Workflow	22
Figure 4: Simplified USLAM Architecture	25
Figure 5: USLAM Model (entities, Templates, Metadata)	27
Figure 6: Example of Service and its Service Components (VPN)	30
Figure 7: SLA Lifecycle	34
Figure 8: Login page	44
Figure 9: Home Page	45
Figure 10: USLAM Spinner Animation	46
Figure 11: Menu	46
Figure 12: Language Selector	47
Figure 13: Time zone Selector	47
Figure 14: User Information	47
Figure 15: Navigation Bar	48
Figure 16: Search Filter Panel	48
Figure 17: Filter Management - Simple Search	49
Figure 18: Filter Management - Advanced Search	49
Figure 19: Filter Management - Advanced applied filter	50
Figure 20: Save filter dialog box	51
Figure 21: Load filter dialog box	51
Figure 22: Delete filter dialog box	52
Figure 23: Search Result	53
Figure 24: Columns configuration dialog box	54
Figure 25: Date and Time Selector	54
Figure 26: Default Calculation Time zone	56
Figure 27: About Universal SLA Manager	57
Figure 28: Installation Details	57
Figure 29: Statistics	58
Figure 30: Agreements Status Snapshot	59
Figure 31: Agreement Status Snapshot – Risk and Trend Indicator	60
Figure 32: Agreements Status Snapshot - Actions menu	60
Figure 33: Agreements Status Details	62
Figure 34: Agreements Status Details - Actions menu	64
Figure 35: Visual time based analysis – Timeline	64
Figure 36: Visual time based analysis – Highlighting tool	65
Figure 37: Visual time based analysis – Filters by types	65
Figure 38: Visual time based analysis – Graphical filters	66
Figure 39: Clause status data records – Records table	67
Figure 40: Clause status data records – Tickets table	68
Figure 41: Calculation model	69
Figure 42: Business Impact Snapshot	71
Figure 43: Business Impact Snapshot - Actions menu	71
Figure 44: Business Impact Details	73
Figure 45: Business Impact Details - Actions menu	73
Figure 46: Business Impact Calculation Model	75
Figure 47: Alert Monitoring	75
Figure 48: Adjustment Agreements List	79
Figure 49: Adjustment Agreements List – Actions menu	83
Figure 50: Freeze Agreements Adjustment	83
Figure 51: Adjustment Agreements List – Add a comment	84

Figure 52: Adjustment Agreement Details	85
Figure 53: Adjustment Agreement Clauses – Actions menu	86
Figure 54: Adjustment Agreement Clauses – Adjust Clause Value	87
Figure 55: Adjustment Agreement Clauses – Approve Clause Value	88
Figure 56: Business Impact Adjustment	89
Figure 57: Business Impact Adjustment - Actions menu	89
Figure 58: Business Parameters Management	91
Figure 59: Business Parameters Management - Actions menu	91
Figure 60: Business Parameters Setting	95
Figure 61: Business Parameters Setting – Edit value	95
Figure 62: Time Period Exclusion	97
Figure 63: Time Period Exclusion - Remaining Duration	100
Figure 64: Exclusion Management	102
Figure 65: Exclusion Management - New Exclusion Period	103
Figure 66: Agreement Manager – Manage Agreements	104
Figure 67: Agreements Browser – Customer tooltip	108
Figure 68: Agreements Manager – SLA Lifecycle Management	109
Figure 69: Agreement Viewer	111
Figure 70: Agreements Editor – Add / Remove Items	113
Figure 71: Agreements Editor – Change/Clear Actions	113
Figure 72: Agreement Wizard	114
Figure 73: Agreement Wizard – Navigation Panel	115
Figure 74: Agreement Wizard – Agreement Form	116
Figure 75: Agreement Wizard – Service Definition Selection	117
Figure 76: Agreement Wizard – Service Offering Selection	119
Figure 77: Agreement Wizard – Service Offering Detail	119
Figure 78: Agreement Wizard – Service Selection	121
Figure 79: Agreement Wizard – Customer Selection	122
Figure 80: Agreement Wizard – Provider Selection	123
Figure 81: Agreement Wizard – Supplier Selection	124
Figure 82: Agreement Wizard – Finalize Agreement	125
Figure 83: Agreement Wizard – Multiple Creation	126
Figure 84: Service Offering Management	127
Figure 85: Service Offering Details	128
Figure 86: Service Offering Editor	129
Figure 87: Service Offering Editor – Matrix Business Impact Parameters	130
Figure 88: Service Offering Editor - Exclusion Reasons	130
Figure 89: Service Offering Clauses Configuration	132
Figure 90: Service Offering Clauses Editor	133
Figure 91: Implicit Filters Overview	137
Figure 92: User Management	138
Figure 93: User Management - Add a new user	139
Figure 94: User Management – Assign Implicit Filters	140
Figure 95: User Management – Edit an existing user	141
Figure 96: Create Implicit Filter (ex: Agreement Filter)	142
Figure 97: Implicit Filter Panel (ex: Agreement Filter)	142
Figure 98: User Management – User State lifecycle	142
Figure 99: User Management - Reactivate and Deactivate Users	143
Figure 100: Configuration Options – General options	144
Figure 101: Configuration Options – Display options	145
Figure 102: Configuration Options – Reporting options	145
Figure 103: Configuration Options – Security options	146
Figure 104: Dataload Status Snapshot	147
Figure 105: USLAM reporting - Reporting Login page	150
Figure 106: USLAM reporting - Reporting navigation window	150
Figure 107: USLAM reporting - Reporting document list	151
Figure 108: USLAM reporting - Public Folders	151
Figure 109: USLAM Reporting Dashboard	152
Figure 110: USLAM Reports Catalog	153
Figure 111: USLAM reporting - Achievements reports	154

Figure 112: USLAM reporting - 1 SLA, current reference period, delivered values against target	155
Figure 113: USLAM reporting - SLA details prompts	157
Figure 114: USLAM reporting - SLA details report: SLA properties	158
Figure 115: USLAM reporting - SLA details report: SLA Item properties	159
Figure 116: USLAM reporting - SLA details report: SLA item clause status and values	160
Figure 117: USLAM reporting - SLA details report: Incident clause details	161
Figure 118: USLAM reporting - SLA details report: Availability clause details	161
Figure 119: USLAM reporting - SLA details report: Collected data	162
Figure 120: USLAM reporting - SLA clause details report: left panel expand	163
Figure 121: USLAM reporting - SLA clause details report: Input Controls	164
Figure 122: USLAM reporting - Inventory reports	165
Figure 123: USLAM reporting - List of customers with SLAs for all their services	166
Figure 124: USLAM reporting - List of SLA for all customers ordered by activation time	167
Figure 125: USLAM reporting - Contractual reports	168
Figure 126: USLAM reporting - SLA contractual (compliance) report	169
Figure 127: USLAM reporting - SLA contractual (business impact) report	170
Figure 128: USLAM reporting - SLA contractual report (business impact details)	171
Figure 129: USLAM reporting - SLA contractual report (business impact details) – explanations	172
Figure 130: USLAM reporting - SLA contractual report (business rules details)	172
Figure 131: USLAM reporting - Business impact analysis reports	173
Figure 132: USLAM reporting – History of penalties over last 12 months	173
Figure 133: USLAM reporting - Credits due by Provider on current period	174
Figure 134: USLAM reporting - Top 5 customers with highest business impact	174
Figure 135: USLAM reporting – Business impact per SLA, OLA, and UC	176
Figure 136: USLAM reporting – Historical analysis reports	176
Figure 137: USLAM reporting – Number of breached SLA over last 12 periods	177
Figure 138: USLAM reporting – Distribution of item status over last 12 periods	177
Figure 139: USLAM reporting – Distribution of SLA clause status	178
Figure 140: USLAM reporting - All SLAs, last 12 periods, compliance status	179
Figure 141: USLAM reporting - All SLA Items, last 12 periods, compliance status	180
Figure 142: USLAM reporting - 1 SLA, last 12 periods, clauses values	180
Figure 143: USLAM reporting - Audit and SLA administration reports	181
Figure 144: USLAM reporting - Edit the dashboard	182
Figure 145: USLAM reporting - Create a new dashboard	182
Figure 146: USLAM reporting - Universe objects	183
Figure 147: USLAM reporting - Universe: business impact calculation model	185
Figure 148: USLAM reporting - Universe: SLA calculation	185
Figure 149: USLAM reporting - Universe: business impact calculation	185
Figure 150: USLAM reporting - Universe: predefined conditions	186
Figure 151: USLAM Report publisher	189

Preface

This document provides an introduction to general SLA Management, identifying the challenges that exist and how these challenges are addressed and resolved by the *HP Universal SLA Manager* (USLAM) and builds upon the introduction by explaining the user interface and the several features that are offered by the USLAM.

This User Guide is designed as an aid to the user of the *HP Universal SLA Manager* to take maximum benefit from its various features by effectively using the USLAM to achieve their business goals.

Intended Audience

This document is intended for the following HP USLAM users:

- USLAM end-user.
- USLAM Contract Administrator
- USLAM Contract Manager
- USLAM Platform Administrator
- USLAM Report Manager

Abbreviations and Acronyms

The following table describes the abbreviations and acronyms used in this document.

Abbreviation	Description
BIF	Business Impact Factor
BDTA	Business Day To Acknowledge
BDTR	Business Day To Resolve
BO	SAP Business Object
BO-DS	SAP Business Object Data Services
BSS	Business Support Systems
CMS	Central Management Server
CDTA	Calendar Day To Acknowledge
CDTR	Calendar Day To Resolve
CI	Configuration Item
ETL	Extract, Transform and Load
ID	Identifier
IT	Information Technology
ITIL	Information Technology Infrastructure Library

KPI	Key Performance Indicator
OLA	Operational Level Agreement
SA	Service Availability
SD	Service Definition
SCD	Service Component Definition
SCI	Service Component Instance
SCO	Service Clause Objective
SI	Service Instance
SCI	Service Component Instance
SLI	Service Level Indicator
SLA	Service Level Agreement
SLO	Service Level Objective
SLM	Service Level Management
SLR	Service Level Requirement
SLT	Service Level Template
SO	Service Offering
SNMP	Simple Network Management Protocol
SM	Service Manager
TAT	Total Activity Time
TMF	TeleManagement Forum (www.tmforum.org)
TTA	Time To Acknowledge
TTR	Time To Resolve
UPC	Underpinning Contract
USLAM	Universal Service Level Agreement Manager
XaaS	Everything as a Service

Associated Documents

A list of existing HP Universal SLA Manager documents is given below for your reference:




Document Title	Relevant Product
HP USLAM Installation & Configuration Guide	Universal SLA Manager
HP USLAM Administration Guide	Universal SLA Manager
HP USLAM User Guide	Universal SLA Manager
HP USLAM Modeling & Integration Guide (this guide is available on demand, please contact USLAM-Product-Management@hp.com)	Universal SLA Manager

Typographic Conventions

This document uses the following conventions to identify special information:

Convention	Information Type/Example
[] (square brackets)	Interface components requiring user actions e.g. Buttons. Ex: Click [Finish] to complete the Import wizard.
() [round brackets]	Supplementary information <i>Ex:</i> Configuration Item (CI).
Bold type	Fields names, menus, window pane names Ex of menus: Admin → Service Level Management → Repository.
<i>Italic</i> type	Important information and/or concepts. Ex: The output is an <i>.XML</i> file.

Symbols Used in this Guide

Symbols	Information
	Note Draws your attention to additional information about a software function/feature.
	Important Draws your attention to important information regarding the proper usage of a software function/feature.
	Caution Draws your attention to an important warning.

Support

Please visit our HP Software Support Online Web site at www.hp.com/go/hpsoftwaresupport for contact information, and details about HP Software products, services, and support.

The Software support area of the Software Web site includes the following:

- Downloadable documentation.
- Troubleshooting information.
- Patches and updates.
- Problem reporting.
- Training information.
- Support program information.

Chapter 1

SLA Management: Principles and Concepts

Service level agreements (SLA) have been used since late 1980s by fixed line telecom operators as part of their contracts with their corporate/business customers. Put simply, a service level agreement (SLA) is a negotiated agreement between two parties where one is the customer and the other is the service provider.

The practice of SLA management has spread such that internal departments in larger organization have adopted the idea of using service-level agreements with their "internal" customers — users in other departments within the same organization. This is particularly true for the internal IT departments of enterprises in many industries and markets.

Telecom operators have managed SLAs for long addressing multiple hundreds of thousands of contracts with their business customers, especially in the fixed line segment. Historically, SLA management was addressed as part of the Business Support Systems (BSS) scope and SLAs were calculated and reported upon in batch mode using home grown solutions and significant manual reconciliations tasks.

SLA management in the telecom vertical has evolved overtime, driven by different factors such as increased dependency of enterprise businesses on communications services, success of mobile services into the corporate segment, legal obligations associated with the opening of the telecom market, and the need to reduce the operational spending on SLAs.

In the early 1990s, other industries were driven toward putting SLAs in place. Early SLM initiatives succeeded only where the IT organization had ways of measuring, controlling and understanding the impact of those things that would disrupt the service (e.g., changes) and by setting correct user expectations. Over time, industry best practice evolved drastically to address the full picture. Businesses are more and more dependent upon their own IT organization to satisfy corporate governance objectives, deliver competitive advantage, and meet increasing customer demand for 24x7 services. In addition, the trend to outsource IT services has forced IT organization to prove their value to the business. IT departments are forced to demonstrate accountability, with business resources—in particular, they must improve competitive advantage by driving business effectiveness and efficiency.

As a result of this evolution, Communications Service Providers (CSPs) as well as IT departments have been looking at having better and more real-time control on the actual implementation and execution of services. This has created new requirements for Operations organizations in terms of

automating the SLA management business processes in terms of instantiating SLA contracts, getting near real time visibility on SLAs status, pro-actively detecting and solving SLA affecting issues, reporting on SLA achievements and calculating rebates and penalties in case of SLA violation.

Despite CSP and Enterprises were aiming at similar objectives, they have approached SLA management separately, driven by their respective industry reference standard and best practices. This has shaped the vendor landscape between OSS vendors providing SLA management for Network and Communication and Network Services, aligned on TeleManagement Forum [TMF] ([http:// www.tmforum.org](http://www.tmforum.org)), and IT management vendors providing Service Level Management capabilities aligned on IT Infrastructure Library (ITIL).

1.1 Objectives of SLA Management

Whether SLAs are sold by CSP or under the responsibility of an internal IT department within an enterprise, managing SLAs is about meeting the commitments made to a user (or set of users) for a given service (or set of services) at a certain price. In this respect, SLA management/Service level management has similar objectives whether services are IT business services, or CSP communications services and value added services:

- Develop service offers and SLAs that meet customer demand and can be delivered without technical and financial risk
- Manage the obligation between the service provider and the consumer of the service(s)
- Negotiate, sell and maintain services which comply to their associated Service Level Agreement (SLA)
- Implement the service and turn on SLA management capabilities to monitor and operate the service in accordance to the agreed levels of service
- Monitor the service achievements against the SLA in near real-time and anticipate conditions that would lead to the SLA violation
- Produce service/SLA reports for internal and external use
- Account/bill for the service, including the SLA breaches financials
- Provide visibility on metrics that can help improve the service
- Control the SLA change processes associated with service improvement and retirement.
- Business impact for Service Operation for easy and reliable cost management
- Manage financial risks through proactive penalty prediction.


At the same time, there are a number of fundamental differences between SLA management for IT enterprise services and CSP communication services in terms of:

- Nature of the services for which an SLA is defined: IT business services versus Communications services
- Approach being used to manage the SLA: levels of service provided to group of users (IT) versus SLA contracted with individual end users or entities
- Volumes of SLAs to be managed: typically up to one million and more for fixed line communication services versus thousands in IT

- Nature of the operational environment SLA management is integrated to: OSS & BSS versus IT Service Management
- Reference industry standards and best practices for service management, mainly TeleManagement Forum in Telecoms (TMF) and ITIL in IT.

The following figure gives an overview of the SLA management context in CSPs and Enterprises.

Figure 1: SLA Management context



As said in the introduction, these differences along with distinct industry standards driving the SLA management discipline have shaped the SLA management landscape with a segmented offering for CSP communication services on one side and IT enterprise services on the other side.

This is where the HP Universal SLA Manager (USLAM) comes in, which is a highly scalable SLA manager with generic and service agnostic core capabilities that can answer the needs of Communications as well as Enterprise Services SLAs. One key benefit of HP Universal SLA Manager for CMS Customers is to be able address the entire spectrum of CSP business services SLAs with the same solution. Additionally, it has the built-in scalability to meet high numbers in the managed IT services market.

1.2 Relation of SLA and SLA Management

SLA management is primarily about managing the obligation between a Service Provider (SP) and a Consumer of a service, and the compliance of the consumed service against the contractual levels of service. A service level agreement is a document which defines the relationship between two parties: the provider and the customer. It addresses a wide range of clauses such as service(s) to be delivered, price for the service, time to deliver the service, service performance, tracking and reporting, trouble resolution, exclusions, legal compliance, resolution of disputes, customer duties and responsibilities, financial terms in case the SLA is not met, termination of the service, force majeure, etc.

In this respect, managing an SLA is very different from measuring how a service performs. What need to be managed are the service level achievements against the SLA commitments including the financial consequences should the contractual terms not be met. For example, a service may have contractual commitments for the time to provision the service, service availability and performance during the service hours, service restoration times, exclusion clauses if the service unavailability is caused by the customer and rebates on monthly charges if the objectives are not met. Measuring the service performance is about measuring the time to provision the service, time to restore the service, the service availability and what are the values of the performance indicators. SLA management is about evaluating if the mean times to provision and restore the service are in the committed timelines and if the service availability and performance during the service hours meet the objectives set in the contract. It must take into account the exclusions (e.g. Force Majeure events, service unavailability caused by the customer, etc). If the contractual terms are not met, the SLA management must calculate the rebates that the customer may request credits and/or rebates on its monthly charges.

1.3 Types of Agreements

There are 3 types of agreements:

- **SLA** is an agreement between the service provider and one of its customers.
- **OLA** (Operational Level Agreement) is an agreement internal to the Service provider for instance between two internal supplying organizations.
- **UC** (Underpinning Contract) is an agreement with an external third party supplier to underpin SLA.

The following figure depicts the relationship between the different types of agreements.

Figure 2: Type of Agreements



1.4 Service Level Agreement

A Service Level Agreement (SLA) is a contract between the Service Provider and the customer that specifies the level of service expected during the contract duration. An SLA is defined as a set of clauses, each defining objectives against service health indicators during the agreed reference period.

Example of SLA clauses:

- A web site must be available 99.9% of the reference time period
- Subscribers must be able to connect to the application within 3 seconds for 99.0 % of the time during business hours and 6 seconds for 98 % and 0 % of the time during non-business hours

- Number of Service incidents (e.g. Trouble Tickets) must be < 5 within the reference period.



Reference Period is defined by the SLA, for example it can be the first day of a week or a month.

1.4.1 Purpose of Service Level Agreement

The purpose of any Service Level Agreement is to describe and define the following:

- What service(s) are being made available to what customers
- What levels of service or quality of service the customer should expect
- What period of time will the SLA cover
- What the costs are to provide those levels of service
- How the service will be delivered
- How the service provider will monitor or track and report on performance
- When the SLA will be reviewed and how to make changes to the SLA.

1.4.2 Operational Level Agreement

An OLA is an agreement with internal IT resources to satisfy clients SLA. OLAs are required to ensure that the SLA targets agreed between customer and IT provider can be delivered in practice. They describe each of the separate components of the overall service delivered to the customer, often with one OLA for each support group and a contract for each supplier.

1.5 Typical Customer Profiles

Profiles	SLA agreement needs
Fixed line communications services (fixed line, bandwidth, access services)	<ul style="list-style-type: none"> SLAs monitoring can be <u>requested by local regulations</u> Very high volumes of customer SLAs Few guaranteed metrics across service provisioning, service performance and restoration. Leverage service measurements from existing OSS (operational metrics) and BSS systems (process metrics)
Mobile corporate services (Mobile Data, fleet management, etc)	<ul style="list-style-type: none"> Lower volume of 3PP provider (retail / access / wholesale relationship) or customer SLAs Provisioning (type SIM card delivery), technical and restoration types of guarantees <i>example : Some company offers Business SLAs that include up to 36 technical KPIs, which are clearly defined, currently monitored and assessed on a regular basis and made available to customers in the form of a report</i> Leverage is <u>OSS and IT Management systems</u> or a mix of these (operational metrics) and BSS systems (process metrics).
Managed networks, enterprise services and hosted services (fixed, mobile, IT services)	<ul style="list-style-type: none"> Less contracts but each SLA can contain up to hundreds of clauses (KPIs). KPIs measure the efficiency of the IT management business processes as well as the performance of the delivered services. Number of SLA contracts is likely to increase dramatically in the short to midterm especially with the <u>take off of XaaS</u>. The systems which provide the service measurements needed to calculate the SLA compliance are predominantly IT Management systems (operational metrics) and BSS systems (process metrics).

Chapter 2

USLAM Product Goals

2.1 Introduction

For a service provider, HP Universal SLA Manager (USLAM) provides a comprehensive and powerful platform for the creation, calculation and reporting of all types of Service Level Agreements (SLAs), regardless of the underlying technical or business requirements of all parties.

HP Universal SLA Manager offers a complete and scalable SLA Management solution including:

- Services and SLAs design and repository
- Generic service models, service metrics and SLA clauses design and store capability.
- Automate creation, administration and reporting for high numbers of SLAs.
- Allows integration into existing environment / workflow for automated, secured and efficient dataload and synchronization
- High volume SLAs compliance calculation and reporting
- Business impact for Service Operation for easy and reliable cost management
- Manage financial risks through proactive penalty prediction.
- Data Collection framework for Data Records, Performance Metrics, Tickets and Exclusions
- Telco grade engines to compute real time SLA compliance status.
- Customer portal for end-user reports against contractual agreements and management analytics reports.
- Near real time monitoring of SLA clauses compliance with trending information.
- Root cause analysis available in web UI and Reporting, from SLA to individual downtimes and incidents.
- Support Service Improvement Plan process with SLA history related data and reports.
- Open and easy-to-use Business Objects Universe for developing any reports based on USLAM data model.
- Support a Data correction processing allowing adjustment and negotiation with customer for contractual report. It provides audit features like history and tracking.

2.2 USLAM Operation Overview

The USLAM allows SLAs to be monitored and reported upon and users are charged for the services they use. The business impact of SLA violations is quantified.

SLA monitoring consists in measuring and calculating in near-real time if the service meets the contracted levels of service, pro-actively detecting and alerting on potential and actual SLA breaches. The calculation takes in account conditions defined in the contract such as scheduled maintenance activities, office hours/non office hours, commitments, exclusions, etc. SLA monitoring collects raw indicators from different systems operational systems such as business process monitoring, provisioning and activation systems, performance management, fault management, trouble management/incident management, customer front desk, etc. These raw indicators are transformed into KPIs which are evaluated against the defined levels of service. The result of this evaluation is further aggregated over the SLA reference period to determine the compliance to the SLA.

SLA reporting consists in aggregating and reporting on the SLA compliance. These reports are both for internal use and viewable by end customers. Reports are pre-defined as well as user customizable and can be scheduled or on-demand. Reporting includes security mechanisms and user profile capabilities dealing with defining which information is visible to which user.

The reporting can also be tuned to provide SLA analytics data to provide tracking and analysis of the SLA trends for the purpose of SLA assessment and risk analysis.


Finally, the service must be billed to the customer/end user. In Telecoms (and in managed services), this is the responsibility of a billing system. The bill must take into account SLA penalties and/or credits resulting from SLA breaches. The calculation of the financial impact associated SLA breaches can be co-located with the calculation of the SLA compliance in the SLA management system. This is slightly different in IT where financial accounting is oriented towards costs, violation impact and cost transfer.

These SLA functions can be run for the service globally (whoever use the service) or for a specific individual/entity. The ability to provide these capabilities for an individual (or business entity) makes a tremendous difference in terms of processing granularity and volume of data to be processed.

2.3 The USLAM Workflow

The USLAM workflow consists of the following major tasks depicted in the figure below. These tasks are discussed in detail in the subsequent sections.

Figure 3: USLAM Workflow



2.3.1 Data Load

The USLAM platform provides a multi-purpose repository that is used to store the catalogue of all Service definitions, services sold, contracting parties, SLA templates and SLA sold.

The first stage of the USLAM workflow involves the loading of entities (called dataload), templates and metadata for the following objects required by the SLA repository.

- Calculation rules
- Raw data collectors
- Services definitions
- Customers
- Providers
- Suppliers
- Users, roles and their associated permissions

Service definitions specify the models (Service types, attributes mandatory or not; structure of the containment tree) the service instances have to be conformed to.

- Indicators definitions (Key Performance Indicators, Key Quality Indicator...)

Indicators are mainly defined by an identifier and the applicable collectors or calculation rules.

- Calendars (24x7, 10x5)
- Custom additional attributes required by the end user in addition to the standard attributes of an SLA.

A dedicated upload interface is available as the preferred way to import / export all objects from / to the USLAM repository and a Dataload Status Snapshot is available in the Platform administration user interface (see 8.2 Platform Management).

2.3.2 Enrichment

Enrichment processing service performs the attachment of the calculation objects and business rules to the Service so that SLAs calculation can be processed by the USLAM engines.

2.3.3 SLA Calculation

USLAM engines perform ongoing calculations and recalculation of all SLA metrics and applying all the calculation rules with their associated objectives to determinate statuses (clauses, SLA items and SLAs) for a reference period. Result of this calculation can be monitored by operators using Dashboard windows like the Agreement Status Snapshot (see 5.1 Agreements Status Snapshot) or the Clause Details Snapshot (see 5.2 Agreements Status Details)

2.3.4 ETL

ETL processing is dedicated to build the Datamart. The Datamart is an access layer to the database used for reporting and analysis (Dataware house). It will store and organize the historical data of the SLAs in order to optimize the production of reports.

2.3.5 Reports

The USLAM solution provides a comprehensive and dedicated Business Intelligence platform environment (provided by Business Objects) to support Customer Service functions in building, analysing and communicating various types of standard and customized operational and contractual SLA reports.

For pre-defined, standardized reports that need to be communicated automatically to interested groups, stakeholders or customers, the USLAM applications offer different mechanism to schedule and automate the production and communication of periodic SLA reports.

In general, the USLAM Reporting environment provides the foundation for all parties involved in the Service Level Management process to analyze the performance of the process, decide for Service Improvement plan and control the risks and financial impact of the Service Provider policy.



For more information about ETL and SLA Reports concepts and procedures, refer to Chapter 9 USLAM Reporting

2.3.6 User Interfaces

The ULAM solution offers 2 types of User Interfaces:

- A Web User interface that includes several modules allowing Service Level Managers to Sell, Monitor, Review and Report easily on SLAs.
- A new end user community portal called 'MyUSLAM'. This highly customizable portal embeds several USLAM portlets that can be used to build private or public business dashboards, extending business metrics visibility to business managers, end customers and partners.

2.3.6.1 Web User Interface

The ULAM Web UI provides several applications:

- Dashboard
- Contract Operations
- Contract Administration
- Platform Administration

Dashboard window allow monitoring of all active agreements and their status to detect any changes to anticipate SLA breaches by using available information to prioritize and assign the right group or function for the resolution of an incident.

Contract Operations window provides a powerful windows in charge of the data correction to adjust values and status on contractual report and their associated business impact.

Contract Administration window provides a powerful agreement manager to perform tasks like managing agreement and their lifecycle and Service Offerings.

Platform Administration window is dedicated to administrators in charge of the data loading process (status, browsing...), the end user management (creation, assignation of roles...) and general settings for the USLAM platform (security, display format...)

2.3.6.2 MyUSLAM portal and portlets

Although many concepts are common between the USLAM Web UI and the MyUSLAM portal, this user guide does not provide detailed documentation for the MyUSLAM portal. Please refer to MyUSLAM online documentation for details on how to use USLAM portlets. The portal's welcome page explains the main concepts, however, every portlet has its own help page available through the Help mode.

For more information on how to use the Liferay portal and its advanced features please refer to the Liferay User Guide (Using Liferay Portal 6.1).

Chapter 3


USLAM Concepts and Definitions

The following section presents the Universal SLA Manager concepts and explains the architecture and the simplified Model offered by the USLAM.

3.1 Overview Architecture

The USLAM solution consists of several integrated modules, each having a different set of functionality.

Figure 4: Simplified USLAM Architecture



These modules are listed below:

- **USLAM Services** that contains:
 - **SLA Repository Manager** in charge of the central repository that stores all objects like templates, definitions, services, customers and SLAs.
 - **USLAM Engines** in charge of the real-time SLA calculation, compliance assessment and SLA business impact calculations

- **USLAM collectors** in charge of the raw collection acquisition of data (data records, performance records, tickets and exclusions)
 - **USLAM Action executor** is a framework that can host any number of action executors. Standard SNMP and SMTP Action Executors are provided with the product.
- **USLAM Database** that contains:
 - **ETL** in charge of the Datamart that will store and organize the historical data of your SLA and order to optimize the production of reports. Powered by SAP Business Objects Data Services
 - **Collected Raw data** from collectors
 - **Repository and engine data.**
- **USLAM Reporting** offers a complete Reporting solution, including a predefined end-user SLA Intelligence Portal and a set of predefined standard reports (Operational, Contractual, Audit...). An open and easy-to-use BO universe design is provided to ease the production of customized reports. The package also includes a tool that can be scheduled for automatic publishing of contractual reports. Powered by SAP Business Objects Enterprise.
- **USLAM Web User Interface** is a comprehensive Web User Interface allowing the management and monitoring of SLAs, from an operational and business impact standpoint. It is also used to manage USLAM users and to monitor the result of the data load tools. It contains several applications:
 - **Dashboard** dedicated to monitor all active SLAs and their status to anticipate any compliance violation.
 - **Contract operations** window manage data correction to adjust values and status on contractual report and their associated business impact.
 - **Contract Administration** windows manage contracts and execute operations on agreements.
 - **Platform administration** to maintain the repository and manage users.

3.2 USLAM Model

USLAM Model offers **Entities**, **Templates** and **Metadata** objects. These objects are loaded by the USLAM Repository Manager and saved in the USLAM Database.

USLAM Entities are objects that are instantiated to support each individual agreement:

- Customer
- Provider
- Suppliers
- Services
- SLA (and SLA items)


USLAM Templates are objects that are used to simplify creation of SLAs by specifying the set of SLA clauses and the associated objectives that will be automatically applied to a SLA under creation when existing template is selected by the creator:

- Service Offering
- Service Level Template
- Calendars

USLAM Metadata objects are :

- Service Definition
- Service Level Requirement
- Business Rule

Figure 5: USLAM Model (entities, Templates, Metadata)



3.2.1 Entities

3.2.1.1 Service Level Agreement (SLA)

A Service Level Agreement (SLA) is a contract between the Service provider and a customer. It specifies the expected service level to be delivered during its term.

There is different type of Service Level Agreements:

- **SLA** is an agreement between the service provider and one of its customers.
- **OLA** (Operational Level Agreement) is an agreement internal to the Service provider for instance between two internal supplying organizations.
- **UPC** (Underpinning Contract) is an agreement with an external third party supplier to underpin SLA.

A SLA can specify the agreement either about one single service or about a set of services using a component of SLA called SLA Item. One SLA item is included in the SLA for each Service instance identified in the agreement between the customer and the provider. A SLA item refers this Service instance together with the Service Offering selected for it. A third party service supplier can also be specified when it is different from the service provider.

An SLA is defined a set of clauses, each one defining the objectives against service performance & health indicators during the agreed reference period. To ease the search of clauses in a huge volume, they are organized by domain and each domain have category. The UI usually display these clauses by domain and category (ex: Agreement Details...)

These clauses can be:

- service to be delivered
- time to deliver the service,
- service performance,
- tracking and reporting mechanisms
- exclusions, like Force majeure cases
- customer duties and responsibilities,
- financial terms (penalty) in case the SLA is violated.

Example of SLA clauses:

- A web site must be available 99.99% of the reference time period.
- The average response time of the MMS sending must be less than 2 seconds during the business hours.
- Number of Service incidents (e.g. Trouble Tickets) must be less than 5 within the reference period.

There are three types of clause:

- **Downtime**: Used to cumulate all the service or service element downtimes notified by the Service Level Status Change events during a reference period and then to calculate the Service Availability percentage before to check it compared to its Service Clause Objective (SCO).
- **Incident**: Used to count the number of incidents detected from a service or a service element during the reference period compared to the Service Clause Objective (SCO). Incident is a critical Service Level Status event without any duration.
- **Service Level Status**: Used to summarize a set of data measured during the reference period and compared to the assigned Service Level Objective (SLO).

For each type of the following compliance calculations, the relevant SLA clause defines an objective which must be met for the SLA to remain in compliance.

3.2.1.2 Customer

The Customer object contains the information required to identify and to contact the Subscriber of the Service.

A customer has the following attributes:

- identifier, name, description and alias
- Company name
- Organization name,
- Representative Contact name and email
- Main Contact information (name, email, phones)
- Address location including region and time zone
- Holiday Calendar (see 3.2.2.3.2 Holiday Calendar)
- Custom additional attributes required by the end user

3.2.1.3 Provider

The Provider object contains the information required to identify and to contact the Service Provider.

A provider has the following attributes:

- identifier, name, description and alias
- Company name
- Organization name,
- Representative Contact name and email
- Main Contact information (name, email, phones)
- Address location including region and time zone
- Holiday Calendar (see 3.2.2.3.2 Holiday Calendar)
- Custom additional attributes required by the end user

3.2.1.4 Supplier

A Supplier can be eventually assigned to a SLA item when the service is delivered by a third party provider. The Supplier object contains the information required to identify and to contact these third party provider of the associated Service.

A supplier has the following attributes:

- identifier, name, description and alias
- Company name
- Organization name,
- Representative Contact name and email
- Main Contact information (name, email, phones)
- Address location including region and time zone
- Holiday Calendar (see 3.2.2.3.2 Holiday Calendar)
- Custom additional attributes required by the end user

3.2.1.5 Service

A Service, meaning a Service Instance (SI), represents a Service provided to a customer. It contains a set of attributes that register its properties, and the tree of its underlying Service Component Instances (SCI) having themselves their own attributes. All these elements must be conformed to the referenced Service Definition and version.


A Service Instance must be registered with the USLAM repository prior to create a SLA against it.

Service represents any kind of services can be subject to be sold with a SLA like Telco Services, Data and Communication Services (Voice and Internet, Triple Play, Data Center) or Outsourcing Services (Incident management, Customer satisfaction, Security Management, Continuity Management, Change Management...)

Examples:

- A Leased Line between two cities with a given speed
- A Data Server identified by its location and unique address
- A VPN dedicated to a customer with multiple sites and inside each site a set of equipment and applications.

Figure 6: Example of Service and its Service Components (VPN)



The Services, meaning Service Instances must conform to the Service definition they refer to (see 3.2.3.1 Service Definition). The SLA Repository Manager will reject Service Instances during data load which are not conformed to their Service Definition or that references a non-existing Service Definition.

3.2.1.6 Users

The user object contains the information required to identify end user of the USLAM Web User Interface and to define access control to USLAM objects.

A user has the following attributes:

- name, display name, password and description
- Role
- Filter name used to define access control on USLAM objects.
- State of the user (active or inactive)

3.2.2 Templates

3.2.2.1 Service Offering

A Service Offering (sometimes called SLA template) describes an offering, including the SLA clauses & objectives against the delivered Service.

Associated to the Service Offering the Service Level Template specifies the Service Level Objectives (SLO) assigned to the indicators used to calculate the SLA clauses statuses.

A Service Offering specifies:

- All the SLA clauses & their objectives part of the offering
- The default contract duration

- The reference period recurrence: Weekly, Monthly or Quarterly. It is used by USLAM Calculation Engines to deduce the agreement status by calculating the polled events during this reference period.
- Depending on the reference period recurrence it is possible to define some additional parameters to specify when the reference periods actually start:
 - If recurrence is Weekly: the day of the week (ex: Monday, Tuesday...)
 - If recurrence is Monthly: the day of the month (1 to 31)
 - If recurrence is Quarterly: the month of the year (January, February...) and the day of the month (1 to 31)
- The calendar that declares the service hours. (ex: 24x7 or 10x5)
- The type of exclusions that will be allowed, like 'Force majeure' or 'Unplanned maintenance' and their optional maximum authorized duration in minutes for each type of exclusion. This duration can be 'infinite' for the 'Force majeure' type of exclusion.
- The validity period of the service offering. After this period, this template is obsolete.



Currently USLAM only supports **weekly, monthly** and **Quarterly** recurrences

Example of clauses for several level of Service Offering:

Service Offering	Premium	Standard
WIFI Performance	99.8% Based on Bandwidth > 1.8Mbps	99% Based on Bandwidth > 1.5Mbps
Internet Performance	99.8% Based on Bandwidth > 15Mbps	99% Based on Bandwidth > 10Mbps
VM Availability	99.8% Based on ping < 500ms	99% Based on ping < 500ms
VM Performance incidents	< 5 Based on ping < 500ms	< 10 Based on ping < 500ms

If the Service Offering has variable objectives depending on the attributes of the service (or service component) or on input data value, a composite object named conditional SLA clause objective can be used to design the Service Offering. A conditional SLA clause objective is composed by a list of simple SLA clause objectives and condition to select the actual simple SLA clause objective to apply.



The condition for the SLA clause objective selection is a groovy code that must be done by the Service Offering Designer.

A Service offering must in addition, set the values of the business impact (e.g. Service Level Credit) parameters for the business impact categories assigned by the underlying Service Level Requirement if there is such assignment that requires business impact parameter.

3.2.2.2 Service Level Template

Service Level Template is a template object which specifies the Service Level Objectives to be assigned to the underlying technical service performance & health indicators (such as Key Performance Indicators).

Service Offering and Service Level Template are tightly coupled. For each Service Offering, a Service Level Template needs to be created.

Service Offering provides a business perspective and the Service Level Template describe the engineering perspective.

Content of a Service Level Template depends on the Service structure as well as on the type of indicators that must be processed for that service.

A Service Level Objective (SLO) is assigned to an indicator to determine the service level status. This is done by comparison between the indicator value, the thresholds and the comparison operator specified in the SLO.

A SLO object contains a mandatory **Critical** threshold value and an optional **Major** threshold value. Each threshold value has a comparison operator: Less Than, Less Than Or Equal, Greater Than, Greater Than Or Equal.

In some cases the SLO assigned to an indicator might depend on the property of its service component (ex: the priority of a VPN site). In order to handle such cases, a composite object named conditional SLO refers to a set of simple SLO and a condition to select the simple SLO to apply.



The condition for the SLO selection is a groovy code that must be done by the Service Offering Designer.

3.2.2.3 Calendars

A calendar essentially defines the working and non-working times for a service, and must be considered before each SLA calculation.

USLAM support two types of calendars

- Service hour calendars
- Holiday calendars

Both determine the on-duty service time periods that must be applied to a given service or service element when assigned to a SLA item.

Unlike the exclusion periods that do not impact the Total Activity Time, the Service Hours calendar and the holiday calendar directly determine the **Total Activity Time** value.

The Total Activity Time is used to calculate the Service Availability percentage assigned to each SLA clause of type cumulated downtime.



Total activity time is sometimes called Agreed Service Time, a term defined by ITIL

3.2.2.3.1. Service Hour Calendar

The service hour (sometime also called business hour) defines the working and non-working times for a service under agreement. A service hour calendar is specified by setting the on-duty portions of each day in the week.

A service hour calendar also specifies if the holiday calendars have to be applied as off-duty periods or not.

The off-duty intervals defined by a service hour calendar are specified in the local time zone of the service.

The service hour calendar that must be applied to a Service is the calendar referenced by the Service Offering.



24x7 Service Hour calendar is predefined by USLAM, all other calendars have to be defined before being referenced by a Service Offering.

3.2.2.3.2. Holiday Calendar

A holiday calendar is associated to a country or to others criteria in the countries such as the religion specific holidays. It specifies the set of days which are off-duty for service elements in a given location. Holidays are applied only if this is requested by the service hour calendar setting.

3.2.3 Metadata

3.2.3.1 Service Definition

A Service Definition specifies the structure of a service model with the logical decomposition into service elements definition called Service Component Definition and the dependencies that exist between them.

Example: A Service Definition for Service VPN will specify Service Definition for Service Component Site and Routers.

3.2.3.2 Service Level Requirement

A Service Level Requirement is a metadata object that specifies all the calculation and business rules to be processed by USLAM engines to

compute the SLA compliance. These Calculation rules are assigned per Service and Service Components.

Service Level Requirements are used as input of the USLAM enrichment service that performs the attachment of the calculation objects and business rules to the Service so that SLAs can be processed by the USLAM engines.



This Service Level Requirement metadata is not really implicitly exposed on the USLAM User Interface.

3.2.3.3 Business rule

Business Rule are metadata that must be uploaded to USLAM repository to describe a new custom business rule that can be used to compute the SLA clauses designed in the Service Level Requirements.


There are 3 categories of custom business rule handled by USLAM:








- Calculation rule based on data record key performance indicator (KPI)
- Calculation rules based on business impact factor (BIF)
- Calculation rules based on service Level indicator (SLI)

3.3 Agreement State and Lifecycle

The following figure depicts the lifecycle of a typical SLA, showing all the possible states from the point an SLA is created till it is terminated. Description of each possible state of an SLA is given in the table that follows the figure.

Figure 7: SLA Lifecycle













State	Description
Under construction 	<p>The SLA has been created but is still under construction. No calculation will be performed in this state.</p> <p>Possible transitions:</p> <p><i>Request validation</i>: Update SLA state to <i>Waiting validation</i></p> <p><i>Schedule</i>: Update SLA state to <i>Scheduled</i></p> <p><i>Delete</i>: Remove this entity</p>
Waiting validation 	<p>The SLA needs to be manually validated by a user before being scheduled. No calculation will be performed in this state.</p> <p>Possible transitions:</p> <p><i>Request rework</i>: Update SLA state back to <i>Under Construction</i></p> <p><i>Validate</i>: Update SLA state to <i>Scheduled</i></p> <p><i>Delete</i>: Remove this entity</p>
Activation Scheduled 	<p>The SLA is ready to be taken into account by the Calculation Engine, which automatically updates the state to <i>Activated</i> as soon as the SLA Start Date is reached. No calculation will be performed in this state.</p> <p>Possible transitions:</p> <p><i>Request rework</i>: Update SLA state back to <i>Under Construction</i></p> <p><i>Delete</i>: Remove this entity</p>
Activated 	<p>The SLA is active and taken into account by the Calculation Engine.</p> <p>Possible transitions: SLA state automatically changes to <i>Terminated</i> at SLA end time.</p>
Terminated 	<p>The SLA is terminated. No calculation will be performed in this state.</p> <p>Possible transitions: SLA state can go back to <i>Activated</i> if the SLA end time is updated.</p>
Deleted 	<p>The SLA is deleted but can be restored. Calculations are no more performed by the Calculation Engine.</p> <p>Possible transitions:</p> <p><i>Restore</i>: Update SLA state back to <i>Under Construction</i></p>
Archived 	<p>The SLA is archived after termination. No calculation will be performed in this state.</p> <p>This is a final state; There is no possible transition to another state.</p>

3.4 Agreement Status













The agreement status represents the compliance status of an agreement as a whole and also the compliance status of the clauses contained in an agreement.

The Agreement Status is equal to the worst status of its SLA items and can be one of the following:

Status	Description
On Target 	An SLA is compliant if none of its SLA clauses are either Breach or At Risk .
At Risk High 	An SLA Status is At Risk High if none of its SLA clauses is violated but one or several are in close proximity of being violated
At Risk Medium 	An SLA Status is At Risk Medium if none of its SLA clauses is violated but one or several are in close proximity of being violated
At Risk Low 	An SLA Status is At Risk Low if none of its SLA clauses is violated but one or several are in close proximity of being violated
Breach 	An SLA is Breach if one of its SLA clauses is violated
On Target and Adjusted 	This agreement has the status On Target after a manual adjustment
Breach and Adjusted 	This agreement has the status Breach after a manual adjustment
At Risk High and Adjusted 	This agreement has the status At Risk High after a manual adjustment
At Risk Medium and Adjusted 	This agreement has the status At Risk Medium after a manual adjustment
At Risk Low and Adjusted 	This agreement has the status At Risk Low after a manual adjustment

The Item Status is equal to the worst status of its clauses and can be one of the following:

Status	Description
--------	-------------

On Target 	An SLA Item is compliant if none of its SLA clauses are either Breach or At Risk .
At Risk High 	An SLA Item Status is At Risk High if none of its SLA clauses is violated but one or several are in close proximity of being violated.
At Risk Medium 	An SLA Item Status is At Risk Medium if none of its SLA clauses is violated but one or several are in close proximity of being violated.
At Risk Low 	An SLA Item Status is At Risk Low if none of its SLA clauses is violated but one or several are in close proximity of being violated.
Breach 	An SLA Item is Breach if one of its SLA clauses is violated
On Target and Adjusted 	This SLA Item has the status On Target after a manual adjustment
At Risk High and Adjusted 	This SLA Item has the status At Risk High after a manual adjustment
At Risk Medium and Adjusted 	This SLA Item has the status At Risk Medium after a manual adjustment)
At Risk Low and Adjusted 	This SLA Item has the status At Risk Low after a manual adjustment
Breach and Adjusted 	This SLA Item has the status Breach after a manual adjustment
Exceed 	This SLA Item has the status Exceed
Exceed and Adjusted 	This SLA Item has the status Exceed after a manual adjustment



If the Agreement or Item Status has been adjusted manually during a data correction. Status Icons will have a small warning indicator 🚨

3.5 Business Impact Calculation

If the agreement clause objectives are not reached, it may result penalties to the customer. This penalty is calculated by an engine in charge of the impact named Business Impact Factor (BIF). On top of the agreement compliance processing, the Service Offering designer can optionally specify one or several business impact categories to be computed and published by USLAM platform.

Usual business impact of SLA is for instance the Service Level Credit the service provider must give to the customer when his SLA is not compliant during a reference period.

Example of service level credit agreement:

“Each site of a VPN service un-available during more than 99.8 % of the reference period will be credited to the subscriber with the value determined by the matrix below, and the maximum credit for all the sites will be 10% of the VPN service fee”.

VPN site Availability %		Credit (% of service fee)
From	To	
99.80	99.75	1
99.75	99.60	2
99.60	99.50	4
99.50	0	8

In order to allow the Service Offering designer to design his own business impacts, USLAM supports computation of Business Impact indicators called Business Impact Factor (BIF). A Business impact Factor can be assigned either to the SLA clause (ex: risk ratio that might be computed for each SLA clause) or to the SLA item.

The business impact parameter values can be modified reference period after reference period of an active SLA. Business Impact parameter can be a simple parameter, or a matrix, and it can be assigned globally to the SLA item, or to a SLA clause.

Several business impact rules can be defined for a SLA clause.

The business impact can be calculated for one reference period of the SLA or several consecutive reference periods. This period is called the business period.

3.6 Exclusions

Exclusion is a period of time which SLA Calculations should be excluded and will not have any impact the SLA Compliance.

Note: They are indicated in the SLA reports and seen in the Visual time based analysis window.

Example of usual exclusions:

- **Force Majeure:** It is an outage for which neither service provider nor the customer is responsible for damages or for delays or failures in performance resulting from acts or occurrences beyond their reasonable control (e.g. fire, war, explosion, etc.).
- **Maintenance:** Maintenance refers to upgrades or modifications of resources part of the service infrastructure. Maintenance may temporarily degrade the quality of delivered service, including the possibility of short-duration outages. Maintenance period generally does not lead to SLA degradation and penalty. We can have planned or unplanned (i.e. not scheduled) maintenance.

Exclusion has a name, a description and an optional maximum authorized duration in minutes for total duration in a reference period for this type of exclusion. If there is no maximum duration specified, there is no limit on the total exclusion duration for this exclusion reason type and the duration is seen as 'unlimited'.

A Service Offering defines a list of possible exclusion supported by this service offering.

For a given Service Offering, it can be specified that exclusions of a certain type will decrease or not the total activity time of the period (sometimes called "agreed service time").

A contract administrator can enter exclusions on multiple agreements on a specific reference period using the Time Period Exclusion window (see 6.1.5.1 Time Period Exclusion) or add a single exclusion on the current reference period using the Agreement Status Snapshot window (see 5.1 Agreements Status Snapshot)

3.7 SLA Alerting

By default USLAM is able to detect and notifies four types of Alerts:

- **The Service Level Compliance (SLC)** alerts to track any status change of any SLA, SLA item and SLA clause.
- **Time to Resolve (TTR)** alerts to track the status change when the indicator value crosses the Major threshold.
- **The Business Impact (BIF)** alerts to track events when a calculated BIF value crosses a defined threshold.
- **Exclusion creation/deletion** alerts to track events when exclusions are created/deleted

SLC and TTR alerts can be activated in the Service Level Requirement metadata (see 3.2.3.2 Service Level Requirement).
Thresholds for BIF alerts are defined per-SLA.

3.8 User Roles

The following table provides information about the roles that may be assigned to different users and a typical set of tasks that can be performed by each user role.

User Role	Description
None	This role does not grant any access to any USLAM module.
Operator	This role grants access to the Dashboard windows. An operator can monitor the Agreement Status Snapshot, display the Clause Status Details.
Business Operator	This role grants access to the business impacted Application workspace only
Platform Administrator	This role grants access to the Platform Administration Windows. A platform administrator can set and change platform settings.
User Administrator	This role grants access to the Platform Administration Windows. A platform administrator can manage end users.
Dataload Administrator	This role grants access to the Platform Administration Windows. A platform administrator can access to the Dataload Status Snapshot and check data loaded USLAM objects.
Contract Administrator	This role grants access to Contract Administrator window to manage contracts and their associated lifecycle and also manage service offerings.
Contract Adjustment Manager	This role grants access to the View and edition of Agreement clauses value and status adjustment.
Contract Approval Manager	This role grants access to the Approval of the Agreement clauses value and status adjustment.
Data Correction Manager	This role grants access to the Data Correction and the view and edition of exclusions.
Report Manager	This role grants access to the USLAM reports



User roles are defined in the USLAM Platform (see 8.1 User Management) but the user authentication can be delegated in an external way (for example using LDAP...)

The following table provides information about permission to access to USLAM UI windows by each user role.

USLAM V4	Business Operator	Operator	Platform administration	Dataload administration	Contract administration	Contract adjustment	Contract Approval	User administration	Data Correction Manager	Report Manager
Contract administration										
View Service Offerings					✓	✓				
Edit Service Offerings					✓					
Clone Service Offering					✓					
View SLA contracts	✓	✓			✓	✓				
Edit active SLAs (incl AEs)					✓					
Manage SLA lifecycle					✓					
Dashboard										
View SLA Status/SLA Clause status		✓								
Agreements Reports										✓
Business Impact monitoring	✓									
SLA events browser	✓	✓								
Contract Operations										
View exclusions	✓	✓				✓	✓		✓	
Create/Delete exclusions									✓	
View SLA adjustments		✓				✓	✓			
Create/Delete SLA adjustments						✓				
Approve SLA adjustments							✓			
View Business impact adjustment	✓					✓	✓			
View Business parameters	✓					✓	✓			
Create/Delete Business impact adjustment						✓				
Create/Update Business Parameters						✓				
Approve Business impact adjustment							✓			
Platform administration										
Set options			✓							
Users management								✓		
Dataload status				✓						

For more explanation about the End User Management, see 8.1 User Management to learn in detail how to create a new user and define restriction access to USLAM objects.

Chapter 4

USLAM User Interface Overview

4.1 Logging in to the USLAM UI

The USLAM graphical user interface can be accessed using a web browser (Microsoft Internet Explorer, Chrome or Firefox). You will need appropriate access credentials depending on your user role.

USLAM Web UI provides two user authentication modes:

- **Built-in:** In this mode, you have only two predefined users (This mode should only be used for testing or demonstration purposes. This is the default mode):
 - *Administrator*, which is granted with the several USLAM roles (Contract Approval Manager, Platform Administrator, Contract Administrator).
 - *Demo*, which is not assigned with any role.
- **LDAP:** Use this mode to connect USLAM Web UI to an external LDAP system. This mode requires additional configuration of the USLAM Web UI as described in the *HP USLAM Administration Guide*

Note: USLAM product install by default pre-defined set of user roles. An **Administrator** is allowed to access all features of the USLAM UI.


To login to the UI, you will be required to perform the following steps:

Open your web browser and enter the following URL to access the USLAM user interface.

```
http://<server address>:8080/sla-repository
```

The Universal SLA Manager window displays

Figure 8: Login page



Enter your user access credentials in the relevant text fields and then click **Sign in** to log in to the USLAM UI.




If you want to open several user sessions, please open multiple instances of your web browser. If you open a new tab instead of a new window, you will actually use the same session and this will have an impact on login/logout operations for all your tabs.

Therefore it is recommended to always use one web browser application for one user.

4.2 Home page

Once you login to the USLAM user interface, the **Home page** will display which is composed of the following elements:



This is main display area on the homepage and may consist of four tabs that group tasks per profile together:

- Dashboard
- Contract Operations
- Contract Administration
- Platform Administration



These tabs are only visible to user logged in with the right level of privileges
(See 3.8 User Roles)

Each time the user interface is loading, refreshing and waiting for a server update, you will see a spinner animation to indicate you have to wait.


Figure 10: USLAM Spinner Animation



4.3 Menu

You can access the same features as the homepage from the main menu. Menu is organized by profile operations and group by tasks.

Figure 11: Menu



Menu will only display features you are authorized to do based on your user role.

4.4 Language Selector

The USLAM GUI supports multiple languages (localization). You can select one of the following languages from the Language Selector control located at the top-right corner on the main menu bar:


Figure 12: Language Selector



4.5 Time zone Selector

The USLAM UI uses a time zone setting to display date time using the specified time zone. After changing the time zone, all the page will be dynamically apply this setting.

Figure 13: Time zone Selector



4.6 User Information

You can view the user credential of the logged in user on the top-right corner of the screen near the Logout operation.

Figure 14: User Information




The name display is the **Display Name** defined during the user creation on the End User Management page that can be different from the login name used to log in.

4.7 Navigation Bar

Each time you navigate into the USLAM application, a navigation bar appears and remind you where exactly you are in the USLAM UI.

You can easily navigate back clicking on the link.

Figure 15: Navigation Bar




Navigation Bar is hidden if you already are at the USLAM home page

4.8 Filter Management

The USLAM GUI offers a very robust *Search* feature which allows you to search for different entities. The mechanism used by the Search feature is uniform across the USLAM UI and is based on customized search filters. In the following sections, we will discuss an example of creating, saving, loading and deleting a search filter and using it to search for a required entity.

4.8.1 Search Filter Panel

Search Panel is a panel that the user can hide/show. It provides a filter area and search operation (Search / Reset), and give access to the Filter library (load, delete, save filters). It also has a expand/collapse toggle to swap the search filter mode from Simple to Advanced and provide several levels of search filters.



4.8.2 Creating a New Search Filter

4.8.2.1 Simple Search

An edit zone allows the end user to enter text and click Search to perform a global search on all the text criteria without specified on which attribute we want to search. This search will use automatically the list of pre-defined text criteria. This simple filter allows performing quick and simple search. You can use the expression 'OR' using the separator ';' (ex: SLA_1;SLA_2 will return all result containing "SLA_1" or "SLA_2")

Figure 17: Filter Management - Simple Search

The screenshot shows the 'Agreement search filter' window. It features a text input field with a dropdown arrow, a 'Search' button, and a row of buttons: 'Clear', 'Load...', 'Save', 'Save as...', and 'Delete...'. A blue callout box labeled 'Simple filter' points to the text input field.

4.8.2.2 Advanced Search

To create an advanced search, the user has to select from the drop-down menu, the desired attribute and then click [Add criteria]. You can select multiple attributes in this step, and all the criteria will have the 'AND' expression between them. String Criteria values support also the ; for the expression 'OR'.

Once you have selected the attributes, select the comparison operator for each of the selected attributes depending on the type of the criteria e.g. date, text, numeric etc.

Figure 18: Filter Management - Advanced Search

The screenshot shows the 'Agreement search filter' window in 'Advanced Filter' mode. It includes a 'List of supported criteria' callout pointing to a dropdown menu showing 'Administration State'. An 'Add criteria' button is highlighted with a callout 'Add new criteria'. Below, three criteria are listed, connected by 'and' (representing 'AND' logic): 'Administration State contains VPN', 'Start Date is between Jan 1, 2014 12:00 PM to Jan 31, 2014 12:00 PM', and 'Administration State is equal to Active'. A callout 'Multiple criteria applied with AND' points to the 'and' connectors. A 'Remove the selected criteria' callout points to a red 'X' icon next to the third criterion. The interface also includes 'Clear', 'Load...', 'Save', 'Save as...', and 'Delete...' buttons at the top, and a 'Search' button at the bottom.

Criteria Type	Available Operators	Value
Text	Is not defined Is equal to Is different from Contains Starts with Ends with	Text (can be separated by ; to support 'OR' expression)
Numeric	Is not defined Is equal to Is different from Contains Starts with Ends with	Numerical (can be separated by ; to support 'OR' expression)
Date / Time	Is not defined Is equal to Is different from Before After Is between Is outside the range	One or two Date according to the operator. A calendar control will be available to select graphically the right date/time.
Enumeration	Is not defined Is equal to Is different from Is either	List to select one or multiple pre-defined values.



When an advanced search is executed, the filter panel collapse to extend the search result panel and an icon  indicates that advanced search criteria are applied.

Figure 19: Filter Management - Advanced applied filter




4.8.3 Saving a New Search Filter

Once you have created a simple or advanced search filter (see 4.8.2 Creating a New Search Filter), you can save the filter to be able to reload it later.

Click to the **Save** button on the filter panel and the Save filter dialog box appears:

Figure 20: Save filter dialog box

A screenshot of the 'Save filter' dialog box. It has a title bar with the text 'Save filter' and a close button. Inside, there are two text input fields: 'Name' with the value 'LeasedLine SLAs' and 'Description' with the value 'Search all SLAs related to leased lines'. Below these fields is a checkbox labeled 'Set as default' which is checked. At the bottom right are two buttons: 'Save' and 'Cancel'.


Enter the **Name** and **Description** for the new search filter. You can also save this search filter as a default filter for you by clicking the **Set as default** check. Click [Save] to save the new search filter.

Make sure the name of the new filter is unique and does not already exist.

4.8.4 Loading a Search Filter

You can load an existing search filter clicking to the button **Load** in the filter panel and the Load filter dialog box appears:

Figure 21: Load filter dialog box

A screenshot of the 'Load filter' dialog box. It has a title bar with the text 'Load filter' and a close button. Inside, there is a list box containing two items: 'LeasedLine SLAs' (which is selected) and 'Breachd SLAs'. To the right of the list box are two buttons: 'Load' and 'Cancel'. Below these buttons are two checkboxes: 'Show all' and 'Set as default', both of which are unchecked. At the bottom of the dialog is a text input field containing the text 'Search all SLAs related to leased lines'.

Select an existing search filter from the list and then click **Load** to execute the selected search filter.


By default, you can only see the list of your personal filter, to select filter from another user, you need to set the check **Show all**.

You can also define this search filter as a default filter for you by clicking the **Set as default** check.

4.8.5 Deleting a Search Filter

You can delete an existing search filter clicking to the button **Delete** in the filter panel and the Delete filter dialog box appears:

Figure 22: Delete filter dialog box



Select an existing search filter from the list and then click **Delete** to delete the search filter from the list of saved filters.



A filter can only be deleted if it is not defined as the **default** filter. The filter cannot be deleted if it is used by another user.

4.9 Search Result

Search Result Panel is a table that contains the result of a search filter applied. All search result panel provides the same feature to ease the analysis of the result:

- Support icons and colors
- Sorting
- Custom visibility and order of columns
- Support huge volume of result with a pagination and customization page size.
- Tooltip in cells to help the user (description, summary information...)


Figure 23: Search Result

The screenshot shows a table titled "Agreement search results (15 items)". The table has columns: A, Agreement Name, Actions, Item Name, Customer, Provider, Supplier, Service, and Start date. The table contains 15 rows of data. Below the table is a pagination bar with "Number of agreements per page: 10" and a "Columns configuration" button.

Callouts explain the following features:

- Total number of elements matching the request:** Indicated by the text "Agreement search results (15 items)" above the table.
- Single sorting (ascending / descending):** Indicated by the "Start date" column header which includes a dropdown arrow.
- Search result list with customized columns (order and visibility):** Indicated by the "Columns configuration" button at the bottom right.
- Number of pages of result for the request. You can click on the number to go directly to the page. Controls allows you to navigate quickly to the First, Previous, Next, Last:** Indicated by the pagination bar at the bottom left.
- Size of the result page to display (Default is 10, Add or remove 5 using the selector):** Indicated by the "Number of agreements per page: 10" selector.
- Columns configuration:** Indicated by the "Columns configuration" button.

Header will display tooltips to describe short name column and let the user toggle the single sorting.


The button **Columns configuration**  displays a dialog box to order and set the visibility of each column. This setting is saved in the user preference and will be available the next time the user goes to the same page (see 4.10 Columns Configuration)



Some search result page will be automatically refreshed by timer. This timer will be customizable on the page.


Example: Agreement Status Snapshot...

4.10 Columns Configuration

You can configure the arrangement of the columns and also change which attributes are displayed in the search result table by clicking 

The Columns configuration window displays:

Figure 24: Columns configuration dialog box



Select the attributes that you want to display in the search results table, from the **Available columns** list, and then click **Add** to transfer the selected attributes to the **Selected columns** list. You can also add them all, remove or remove them all using the appropriate buttons.

Confirm button will save the setting in the user preference otherwise **Cancel** button will ignore any changes.

4.11 Date and Time Selector


Each time USLAM UI needs a date and/or time, the same widget is used. It allows you to enter directly the date/time or popup a calendar widget to ease the definition.



To define the date and the time with the calendar widget, you need to select the date first and close the calendar then open it again to click to the time to get a dialog box to set the time (hours, minutes).

Figure 25: Date and Time Selector






4.12 Default Calculation Time zone

The default calculation time zone is an USLAM parameter which is used by the USLAM engines when considering the Service Hours and Holidays for a given agreement when the Time zone has not been set in the Customer and/or Service and its components.

Figure 26: Default Calculation Time zone



This parameter must be set before creating any agreement to let the USLAM engine knows which time zone should be considered.

4.13 About Box

The menu **Help → About Universal SLA Manager** allow the user to know the detail of the USLAM product he is working with, and have access to a specific dialog box to describe the installation details (installed modules, version and patch level of these modules, and the installation directory) and statistics on the USLAM platform (active SLA, active clauses...)

Figure 27: About Universal SLA Manager




Figure 28: Installation Details

Installation details


Host name	Module name	Module version
HP-1000	Web UI	4.0-SNAPSHOT
HP-1000	Action Executor	4.0-SNAPSHOT
HP-1000	BIF Engine	4.0-SNAPSHOT
HP-1000	Common Collector SDK	4.0-SNAPSHOT
HP-1000	Event Collector	4.0-SNAPSHOT
HP-1000	KQI Engine	4.0-SNAPSHOT
HP-1000	Metric Collector	4.0-SNAPSHOT
HP-1000	Repository Manager	4.0-SNAPSHOT
HP-1000	SLA Engine	4.0-SNAPSHOT
HP-1000	Ticket Collector	4.0-SNAPSHOT
HP-1000	Ticket Engine	4.0-SNAPSHOT

USLAM Services is installed on host HP-1000 in directory: C:\Program Files\HP\USLAM

Reporting Server is installed on host HP-1000 on port 8080

Close

Figure 29: Statistics

A screenshot of a 'Statistics' window from a software application. The window has a title bar with the text 'Statistics' and a close button. It contains a table with two columns: 'Statistic' and 'Value'. The table lists various system metrics and their current values. At the bottom of the window, there are two buttons: 'Refresh' and 'Close'.

Statistic	Value
Active SLAs	10
Active SLA Clauses	1290
Declared Users	4
Logged Users	1
Collected tickets (since last cleanup)	922
Collected data records (since last cleanup)	7578
Collected critical performance metrics (since last cleanup)	35610
Last compliance value calculated on	Jan 29, 2014 9:53 AM
Last ticket collected on	Jan 29, 2014 9:52 AM
Last critical performance metric collected on	Jan 29, 2014 12:34 AM

Chapter 5

Dashboard

5.1 Agreements Status Snapshot



The Agreements Status Snapshot is a **real-time** window restricted to the user access right and dedicated to display the current administrative state and the predictive compliance status of the SLA clauses for all active agreements.

Operator will monitor agreements status using this window and can access to the Agreement Status Details window to get detailed status of all clauses for one selected agreement.

This window uses by default the current date/time to filter but it can be customized using a calendar widget and display current active agreement based on their reference period dates.

You can select your desired search criteria by defining a new filter or loading an existing one in the **Agreement search filter**. It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration).

Figure 30: Agreements Status Snapshot

The screenshot shows the 'Agreements Status Snapshot' window in the Universal SLA Manager. The interface includes a top navigation bar, a search filter section, and a table of agreement results. Callouts highlight the following features:

- Agreement Status (SLA / Sla Item)**: Points to the 'S' column in the table, which contains status icons.
- Administrative State**: Points to the 'IS' column in the table, which contains administrative state icons.
- List of customizable columns**: Points to the 'Actions' column in the table, which provides options for each row.
- Reference period and reference period selector**: Points to the 'Period start date' column in the table.
- The user can set the refresh period for the real-time display and manually refresh the window**: Points to the 'Refresh every (in seconds): 60' field and the refresh icon.

A	S	Agreement Name	IS	T	Actions	Item Name	Risk %	Customer	Provider	Supplier	Service	Period start date
		SLA CallCenter001 1			Actions	Call Center USA	97.22%	Green Cafe	Avis US	CCST US	Call Center - USA	Jan 25, 2014 1:00 AM
		SLA VPN Aggregation 01			Actions	VPN Italy	0%	Worldwide Phone Solution	Avis Italy	CCST Italy	VPN Aggregation 01	Jan 1, 2014 12:00 AM
		SLA VPN BIF Detailed Penalty 01			Actions	Florida VPN	0%	Worldwide Phone Solution	Avis US	CCST East US	VPN BIF detailed Florida	Jan 1, 2014 6:00 AM
		SLA VPN Business Impact 01			Actions	California VPN	0%	Worldwide Phone Solution	Avis US	CCST West US	VPN BIF detailed California	Jan 1, 2014 6:00 AM
		SLA VPN Data Selectors 01			Actions	VPN Portugal	0%	Worldwide Phone Solution	Avis Portugal	CCST Portugal	VPN Business Impact 01	Jan 1, 2014 1:00 AM
		SLA VPN Performance 01			Actions	Paris VPN	0%	Worldwide Phone Solution	Avis International	CCST Portugal	VPN DataSelectors	Jan 1, 2014 12:00 AM
		SLA VPN Ticket 01			Actions	VPN China	0%	Worldwide Phone Solution	Avis China	CCST China	VPN Perf1	Dec 31, 2013 5:00 PM
		USLAM Quarterly Defects Monitor			Actions	VPN Mexico	375%	Worldwide Phone Solution	Avis Hong Kong	CCST Mexico	VPN Ticket 01	Jan 1, 2014 7:00 AM
		USLAM Release Monitor			Actions	Defects Management	80% 45%	Product Management team	Continuous Integration Test team		Defects (for USLAMV4)	Nov 1, 2013 12:00 AM
					Actions	Code Quality					Code Quality (for USLAMV4)	Jan 1, 2014 12:00 AM

To change the duration between each information refresh, you can modify the number displayed in the **Refresh every (in seconds)** field. You also can force the refresh manually clicking to the icon.



The USLAM application calculates normalized indicators like a risk percentage and a breach estimate date for all types of SLAs. Together with a trend status that notifies a user a SLA keeps accumulating downtimes, those indicators helps operators sorting and organizing their activity based on the most impacting degraded SLAs.

Figure 31: Agreement Status Snapshot – Risk and Trend Indicator

A S		Agreement Name	IS	T	Actions	Risk %	W	Clause name: Site availability Estimated breach date: Jan 29, 2014 1:44 AM
		SLA VPN Ticket 01		↓	Actions ▼	448.03%	-12h 56min 48s / 3h 43min 12s	Worldwide Phone Sc
		SLA CallCenter001 1		↓	Actions ▼	97.22%	None	Green Cafe
		SLA VPN Aggregation 01		↓	Actions ▼	0%	None	Worldwide Phone Sc

Trend Indicator (T) indicates whether the worst clause is accumulating service degradation.

The status can be one of the following:

-  Indicates that there is no open incident impacting an agreement
-  Indicates that there is at least one open incident impacting an agreement

The column Actions allow the user to drop down an action menu to access to several tasks according to the user rights.

- View the clauses Details (see 5.2 Agreements Status Details)
- Manage exclusions (see 6.1.5.2 Exclusion Management)

Figure 32: Agreements Status Snapshot - Actions menu



The following table shows the column names and their descriptions:

Column Name	Description
Administration State (A)	Administration State of the agreement. It displays the current agreement state following the SLA lifecycle (see 3.3 “Agreement State and Lifecycle” above) You can view this information as a tooltip on the column header
Agreement Status (S)	Agreement Status You can view this information as a tooltip on the column header
Item Status (IS)	Agreement Item Status You can view this information as a tooltip on the column header
Trend Indicator (T)	Trend. Incident Status indicates whether the worst clause is accumulating service degradation.
Actions	Menu to select relevant operations that may be performed for an agreement.
SLA Id	Unique identifier for an agreement
Name	Name of the agreement
Item Name	Name of the agreement item
Customer	Customer for the agreement
Provider	Provider for the agreement
Supplier	Supplier for the agreement item
Service	Service for the agreement
Service offering	Service offering attached to an agreement
Worst clause info	Status information about the worst performing clause of an agreement (remaining value compare to its associated objective)
Risk ratio	Monitors the risk on the worst clause. 0% means no degradation, value $\geq 100\%$ means that breached thresholds has been crossed.
Service hours	Service hours agreed upon
Start date	Date and time when the agreement becomes effective
End date	Date and time when the agreement expires
Recurrence	Recurrence rate for an agreement
Period start date	Date and time when the current period has started for an agreement
Period end date	Date and time when the current period will be over for an agreement.
Contract Identifier	Identifier of the contract for an agreement.

5.2 Agreements Status Details

Agreements Status Details is only accessible from the Agreements Status Snapshot selecting **View Clause Details** in the action menu. It displays the current status, objectives and the compliance status of the SLA clauses for the selected agreement.

Figure 33: Agreements Status Details


SLA and SLA Item status (see 3.4 Agreement Status)

Recurrence and Reference Period dates

Clauses Details with objective, calculation values and estimation








The user can set the refresh period for the real-time display and manually refresh the window

Actions	Service component	Clause name	Objective	Value	Record Nb	Remaining value	Estimate	Weight
Actions	VPN Ticket 01	Ratio of Critical Time To Resolve the Incidents	< 0.2	0.75	4			
Actions	VPN Ticket 01	Mean Business Day To Acknowledge VPN tickets	< 2	0.31	2			
Actions	VPN Ticket 01	Critical Business Days To Acknowledge VPN tickets	< 2	1	--	1	1 / 2	
Actions	VPN Ticket 01	Mean Business Day To Resolve the Incidents	< 2	0.37	4			
Actions	VPN Ticket 01	Ratio of Critical Business Days To Resolve the Incidents	< 0.2	0.75	4			
Actions	VPN Ticket 01	Mean Calendar Day To Resolve the Incidents	< 2	1	4			
Actions	VPN Ticket 01	Mean Time To Resolve the Incidents	< 2	531	4			
Actions	VPN Ticket 01	Ratio of Critical Calendar Days To Resolve the Incidents	< 2	0	2			
Actions	VPN Ticket 01	Percentage of Critical Calendar Days To Resolve the Incidents	< 2	0	4			
Actions	VPN Ticket 01	Ratio of Critical Time To Acknowledge VPN tickets	< 0.2	0.5	2			

To change the duration between each information refresh, you can modify the number displayed in the **Refresh every (in seconds)** field. You also can force the refresh manually clicking to the icon .

You can also click **Done** to go back to the previous window.

The following table shows the column names and their descriptions:


Column Name	Description
S	Clause Status: On Target , At risk (High, Medium, low) or Breached You can view this information as a tooltip on the column header
Name	Name of the clause
Objective	Clause objective. It is the breach threshold of the monitored indicator with its operator and unit.
Value	Current value of the indicator depending of the clause type (availability, number of trouble ticket, record value)
Record Number	Number of samples used to compute the value. Only applicable for clause with the type Incident or Service Level Status.
Remaining Value (Time Left or Number Left)	Time left for a clause with the type Downtime, or the remaining number left of incident for clause with the type Incident
Estimate	Estimate value and breached date
Weight	Weight of the clause
Type	Clause Type : Downtime, Incident, Service Level Status
At risk when	At risk range with its operator and unit
Exceed when	Exceed threshold with its operator and unit
Category	Clause category (dedicated to organized clauses)
Domain	Clause domain (dedicated to organized clauses)
Summary	Provide a summary of several columns in a visual way with icon/values according to the clause type: <u>Downtime</u> : Availability  , Time Left  , Estimate  <u>Incident</u> : Incident number  , Estimate  <u>Service Level Status</u> : Value  , Counter (nb of samples) 

The column Actions allow the user to drop down an action menu to access to several tasks according to the user rights and the type of clause (Downtime, Incident, Service Level Status).

- View the Visual time based analysis (see 5.3 Visual time based analysis). Available only for clause of type Availability or Incident.

- View Data records details (see 5.4 Clause Status Data Records).
Available only for clause of type Service Level Status or Incident.


Figure 34: Agreements Status Details - Actions menu



5.3 Visual time based analysis

Visual time-based Analysis is only accessible from the Agreements Status details selecting in the action menu. It displays all objects involved in the agreement status and value presented in an interactive timeline representation. It is useful to correlate raw data objects and their impacts on the agreement status for the visible reference period.

Figure 35: Visual time based analysis – Timeline



This window is composed of:


- **Summary panel** to display agreement status and agreement item status and clause status and provide a link to access to the calculation model (see 5.5 Calculation Model)
- **Navigation bar** that allows the users to move quickly to the start or end of a reference period, and focus automatically to the last refresh or last computed status. The right part allows the users to move quickly to the next or previous page.
- **Timeline representation** that visually display raw data and their impacts on the agreement mixed with holidays, exclusions, services hours... Two bands are displayed with different scale :

- Detailed view (scale in hours). Mouse wheel supports zoom up to hour / 15 minutes / 5 minutes / 1 minute.
- Overview (scale is day). This band does not support zoom.

Both bands are interactive and the user can use the mouse to navigate to the right object or time to analyze. Clicking on a visible object will pop up a detailed window with all properties of the objects.


- **Highlighting tool** panel that allow coloring specific objects based on an entered text. Five different colors are available to ease analysis.

Figure 36: Visual time based analysis – Highlighting tool



- **Filtering by type** panel that drive the filter to apply at server side and reduce the volume of data to analyze on the timeline representation and speed up performance during analysis. These filters are based on the type of the objects (ticket, performance, downtimes, incidents...).

Figure 37: Visual time based analysis – Filters by types



- **Graphical filters** that allow the users to show or hide graphically objects based on criteria after applying a filter type. It allows filtering by time zone, calendars and holiday from a list of available combination. It is useful to correlate indicators and their associated raw data (ex: Ticket identifier will help to correlate ticket object and its impact like incident or downtime). It also

allows any free text search on objects to hide / show using operator “contains” or “not contains”.

Figure 38: Visual time based analysis – Graphical filters

[Show / hide objects \(Clear\)](#)

Calendar Timezone:Central European Time - Service Hours:8x5 - Holidays:China ▼

Indicators ([All](#) | [None](#)) ☒ ComponentAvailabilityHighUrgentSLI ☒ ComponentAvailabilityNbMediumSLI ☒ ComponentAvailabilitySLI

Resources ([All](#) | [None](#)) ☒ My USLAM

Ticket identifiers ([Clear](#))

and contains ([Clear](#))

and not contains ([Clear](#))

5.4 Clause Status Data Records

Clause status data records window is only accessible from the Agreements Status details selecting in the action menu. It displays in a data table all data records objects involved in the agreement status and value for a reference period. It is useful to understand the computed value and status for a clause with the type Service Level Status.

This window is composed of:

- **Summary panel** to display agreement status and agreement item status and clause status and provide a link to access to the calculation model (see 5.5 Calculation Model) and Service Component tree (see 5.6

Service Component tree).

- **Indicator selector** that allows selecting the Service Level indicator and displays its associated data records in the data records table.
- **Data records table** that provides through its headers, dynamic text filtering and sorting capabilities.

Figure 39: Clause status data records – Records table

The screenshot displays the 'Clause status data records' page in the HP Universal SLA Manager. The interface includes a navigation bar at the top with links like 'Dashboard', 'Contract operations', and 'Platform Administration'. Below the navigation bar, there are several status messages and a 'Weekly Reference period' selector. The main section is a table with columns for 'Data timestamp', 'Data identifier', 'AgentHandled', 'Service Level Indicator', and 'Target resource id'. The table contains multiple rows of data, including timestamps and identifiers for various SLA clauses. Callout boxes provide additional context: 'Click to access to the Service Component tree' points to a link in the header; 'Recurrence and Reference Period dates' points to date range selectors; 'Click to access to the calculation model' points to a link in the header; 'Service Level Indicator selector' points to a dropdown menu; 'List of customizable columns. Enter a text to apply a filter on this column.' points to the table headers; 'Click to access to the Columns configuration or reset the default columns visibility' points to a 'Reset' button; and 'Data record table' points to the main data rows.

You can also click **Done** to go back to the previous window. You can also access to the Calculation Model using a dedicated link (see 5.5 Calculation Model) and to the Service Component tree (see 5.6

Service Component tree).

Figure 40: Clause status data records – Tickets table

Click to access to the Service Component tree

Recurrence and Reference Period dates

Click to access to the calculation model

Service Level Indicator selector

List of customizable columns. Enter a text to apply a filter on this column.

Click to access to the Columns configuration or reset the default columns visibility

Data record table

Done

Ticket id	Open time	Resolved time	Business day to resolve	Severity	Summary
1989	Aug 2, 2013 2:00:00 AM	Aug 2, 2013 12:40:00 PM	256.5 days	Low	Some...
1990	Aug 2, 2013 2:00:00 AM	Aug 2, 2013 2:46:00 AM	256 days	Low	JMX Console uslam.indicators.ui shows blank page with Turkish characters
2094				Low	Issue/Error when trying to overwrite an user...
2261				Low	blf values in the business impact snapshot does...
2263				Medium	Service Offering Manager show duplicated SLO...
2266				Medium	NullPointerException during drilldown when n...
2288	Dec 18, 2012 1:00:00 AM	Jan 8, 2013 5:37:00 PM	15.95 days	Medium	BIF Calculation Model is not displayed correctly
2296	Dec 20, 2012 1:00:00 AM	Jan 8, 2013 10:47:00 AM	13.35 days	Medium	Risk ratio is displayed with US format and not Italian format
2326	Jan 16, 2013 1:00:00 AM	Feb 4, 2013 3:49:00 PM	13.73 days	Medium	Availability should be expressed as % in drilldown calculation model
2327	Jan 16, 2013 1:00:00 AM	Aug 2, 2013 4:12:00 PM	142.78 days	Low	the service model is shown in reverse order in drilldown timeline tooltip
2337	Jan 23, 2013 1:00:00 AM	Apr 3, 2013 10:43:00 AM	50.34 days	Medium	In the Select Service Offering step of creating new agreement page, the optional service offering li...
2338	Jan 23, 2013 1:00:00 AM	Feb 6, 2013 3:57:00 PM	10.74 days	Medium	For downtime sil from performance metrics, exclusion period and service hours are not taken into acc...
2348	Jan 25, 2013 1:00:00 AM	Feb 5, 2013 3:30:00 PM	7.69 days		Clause Drill Down displays SLSC downtimes not yet processed by SLAE
2350	Jan 28, 2013 1:00:00 AM	Feb 6, 2013 6:52:00 PM	8 days		Updating sla_impact_code of a ticket from 1 to 2, the downtime period caused by this ticket bef...
2352	Jan 28, 2013 1:00:00 AM	Jun 6, 2013 1:47:00 PM	93.5 days		for column Action is missing the messages catalog for Business Parameter Management window
2354	Jan 28, 2013 1:00:00 AM	Jan 28, 2013 4:45:00 PM	0.84 days	Low	Exception GUI in ClauseStatusDrilldownBean.getTimeLineEndDate(ClaudeStatusDrilldownBean.java:319)
2364	Feb 1, 2013 1:00:00 AM		258.64 days	Medium	Notify Timezone possible consistency issue when using the timeline in drilldown
2367	Feb 6, 2013 1:00:00 AM	Oct 26, 2013 3:26:00 AM	188 days	Medium	Alerts should display their level in the drilldown
2368	Feb 6, 2013 1:00:00 AM	Feb 7, 2013 11:21:00 AM	1.42 days	Medium	Add information about clause name in intermediate downtimes in drilldown
2369	Feb 6, 2013 1:00:00 AM	Apr 11, 2013 5:28:00 PM	46.93 days	Medium	Timeline drilldown is slow to appear when many CIs in database

You can also click **Done** to go back to the previous window. You can also access to the Calculation Model using a dedicated link (see 5.5 Calculation Model) and to the Service Component tree (see 5.6


Service Component tree).

By default, the data table displays only filled columns and hide empty columns to ease the reading and minimize the horizontal scrolling. It is possible to select visible or hidden columns using the columns configuration.

5.5 Calculation Model

Display the calculation model and their associated current values and statuses for one clause of the agreement item for the specified reference period. It displays all indicators (Service Level Indicators (SLIs) in a tree representation), list of clauses objectives, all Service Level Objectives (SLOs) and all indicators properties in an external window to ease the understanding and analysis on the Clause Status Drilldown window.

Figure 41: Calculation model



5.6 Service Component tree

Display the Service Component tree, starting from the Service Instance. It shows the Service structure (relationship between each Service Component) as well as the list of attributes for each Service Component whatever the level. Moreover it's possible to select another version of the same Service Instance in order to ease the comparison of 2 different versions (clicking on the new version will open a new window).

The screenshot displays the 'Service Component tree' for 'Service TC401VPN1v4 version 4'. The interface includes a header with the service name and version, a validity date of 'Jun 16, 2013 12:00:00 AM', and links for 'Previous' and '1 2 3 4' versions. A callout points to the version links, stating: 'Click to open the Service Component tree for other Service Instance version'. The tree structure shows a hierarchy: 'SD-TC401-VPN TC401VPN1v4' (Attributes) -> 'VPN Site TC401VPN1Site1' (Attributes) -> 'Application TC401VPN1Site1Appli1' (Attributes) -> 'Application TC401VPN1Site1Appli2' (Attributes) -> 'Equipment TC401VPN1Site1Eq1' (Attributes) -> 'Equipment TC401VPN1Site1Eq2' (Attributes) -> 'Equipment TC401VPN1Site1Eq3' (Attributes). A callout points to the 'Attributes' folder under 'VPN Site TC401VPN1Site1', stating: 'Expanded list of Service Component attributes'. Another callout points to the 'valid from' date, stating: 'Validity dates of the displayed Service version'. A 'Close' button is at the bottom left.

5.7 Business Impact Snapshot



The Business Impact Snapshot is a **real-time** window restricted to the user access right and dedicated to display the current business impact values for all or a set of active agreements.

Operator will monitor the business impact values using this window and can access to the Business Impact Details window to get detailed information on business impact calculated values.


This window uses by default the current date/time to filter but it can be customized using a calendar widget and display current active agreement based on their reference period dates.

You can select your desired search criteria by defining a new filter or loading an existing one in the **Business impact values search filter**. It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the column customization (see 4.10 Columns Configuration).

Figure 42: Business Impact Snapshot

The screenshot shows the 'Business impact snapshot' page in the Universal SLA Manager. It includes a search filter, a category selector, a table of business impact values, and a refresh period setting. Callouts highlight the following features:

- Business impact category selector:** A dropdown menu to select a category for the search results.
- List of customizable columns:** A list of columns that can be customized in the table view.
- Business impact values:** The main table displaying business impact data, including columns for Actions, Domain, Name, Agreement Name, Item Name, Clause, Service component, SLA \$, Impact \$, Period size, and Customer.
- Reference period and reference period selector:** A selector for the reference period and a button to select the reference period.
- The user can set the refresh period for the real-time display and manually refresh the window:** A field to set the refresh period (e.g., 60 seconds) and a manual refresh button.

To change the duration between each information refresh, you can modify the number displayed in the **Refresh every (in seconds)** field. You also can force the refresh manually clicking to the icon .

The column Actions allow the user to drop down an action menu to access to several tasks according to the user rights.

- View the Business Impact Details (see 5.8 Business Impact Details)

Figure 43: Business Impact Snapshot - Actions menu



The following table shows the column names and their descriptions:

Column Name	Description
Administration State (A)	Administration State of the agreement. It displays the current agreement state following the SLA lifecycle (see 3.3 Agreement State and Lifecycle) You can view this information as a tooltip on the column header
Business impact category	Category of the business impact.
Business impact domain	Domain of the business impact.
Business impact name	Name of the business impact

SLA \$	Business impact values for the agreement
Impact \$	Business impact value for a given clause level
Finalization date	Finalization date for the business period
Period size	Duration of the business period (ex: 12 months)
Actions	Menu to select relevant operations that may be performed for an agreement.
SLA Id	Unique identifier for an agreement
Name	Name of the agreement
Item Name	Name of the agreement item
Customer	Customer for the agreement
Provider	Provider for the agreement
Supplier	Supplier for the agreement item
Service definition	Service definition for the agreement
Service	Service for the agreement
Service offering	Service offering attached to an agreement
Service hours	Service hours agreed upon
Start date	Date and time when the agreement becomes effective
End date	Date and time when the agreement expires
Recurrence	Recurrence rate for an agreement
Period start date	Date and time when the current period has started for an agreement
Period end date	Date and time when the current period will be over for an agreement.
Contract Identifier	Identifier of the contract for an agreement.

5.8 Business Impact Details

Business Impact Details is only accessible from the Business Impact Snapshot selecting **View Details** in the action menu. It displays the current business impact values for the selected item.

Figure 44: Business Impact Details

The screenshot shows the 'Business impact details' page in the Universal SLA Manager. The page includes a sidebar with filters for Agreement, Contract ID, Agreement type, Customer, and Provider. The main area displays a table of business impact intermediate values for 'Total penalty'. Callouts highlight the 'Business impact details panel', 'Business impact search filter', 'List of customizable columns', 'Business impact search result', 'Business impact values', and 'The user can set the refresh period for the real-time display and manually refresh the window'.

Business impact details panel

Business impact search filter

List of customizable columns

Business impact search result

Business impact values

The user can set the refresh period for the real-time display and manually refresh the window

To change the duration between each information refresh, you can modify the number displayed in the **Refresh every (in seconds)** field.

You also can force the refresh manually clicking to the icon

The column Actions allow the user to drop down an action menu to access to several tasks according to the user rights.

- View or adjust the item clauses or clause (see 6.1.1.2 Adjustment Agreement Details)

Figure 45: Business Impact Details - Actions menu

The screenshot shows the 'Actions' menu in the Business Impact Details page. The menu is open, showing two options: 'View/Adjust item's clauses' and 'View/Adjust Clause'.

The following table shows the column names and their descriptions:

Column Name	Description
Business Impact Category	Category of the business impact.
Business Impact Domain	Domain of the business impact.
Business Impact name	Name of the business impact
Clause Domain	Domain of the clause

Clause Category	Category of the clause
Clause Name	Name of the clause
SLA \$	Business impact values for the agreement
Sla Item \$	Business impact values for the agreement item
Sla Clause \$	Business impact value for a given clause level
Calculated as	Calculation rule name
Is input for	Input for the calculation rule
Finalization date	Finalization date for the business period
Period size	Duration of the business period (ex: 12 months)
Actions	Menu to select relevant operations that may be performed for business impact values.
SLA Id	Unique identifier for an agreement
Name	Name of the agreement
Item Name	Name of the agreement item
Customer	Customer for the agreement
Provider	Provider for the agreement
Supplier	Supplier for the agreement item
Service Definition	Service definition for the agreement
Service	Service for the agreement
Service offering	Service offering attached to an agreement
Service hours	Service hours agreed upon
Start date	Date and time when the agreement becomes effective
End date	Date and time when the agreement expires
Recurrence	Recurrence rate for an agreement (Quarterly, Monthly, Weekly)
Period start date	Date and time when the current period has started for an agreement
Period end date	Date and time when the current period will be over for an agreement.

5.9 Business Impact Calculation Model

Display the tree of the business impact calculation model and their associated current values for agreement, agreement items and clauses the specified business period. It displays all calculation rules, parameters and values in an

external window to ease the understanding and analysis on the Business impact details window.

Figure 46: Business Impact Calculation Model

Business impact calculation model for 'Credit for SLA Item' (value = 0) Feb 1, 2014 1:00 AM → Mar 1, 2014 1:00 AM

- Credit for SLA Item** for SLA item 'VPN Portugal', calculated as 'sumPerBusinessPeriod'
 - Credit for Ticket Open clause** for SLA clause 'Site Tickets Opened', calculated as 'linearCredit'
 - Input SLA Clause 'Site Tickets Opened'
 - Input parameter 'ServiceFee'
 - Credit for Site availability clause** for SLA clause 'Site Availability', calculated as 'linearCredit'
 - Input SLA Clause 'Site Availability'
 - Input parameter 'ServiceFee'

Business impact calculation parameters

Parameter	Name	Value	For category	Item	Clause	Description
ServiceFee	Service fee	1000 \$	ServiceLevelCredit	VPN Portugal	--	Price of the service

Business period

Business impact calculation model for a given business period in a tree representation

Business impact calculation parameter and their properties and values

5.10 Alert Monitoring



The Alert Monitoring allows the user to analyze status changes on SLA, items and clauses as well as Business Impact values crossing a predefined limit, in his scope using filtering capabilities. This screen can be hidden by an administrator through the platform management options (see 8.2 Platform Management)

You can select your desired search criteria by defining a new filter or loading an existing one in the **Alert search filter**. It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration).

Universal SLA Manager Built-in administrator Logout

Dashboard Contract operations Contract administration Platform Administration Help

Alerts search filter

Search

Alerts search results (5,781 elements) Feb 4, 2014 10:50:56 AM

Type	Level	Detection time	New / Old Status	SLA Clause	SLA Item	SLA Clause Objective	Service Level Objective	Value	Customer	Supplier	Period start date	Period end date
Status change	SLA Clause	Feb 4, 2014 6:06 AM	Old / New Status	SLA VPN Ticket 01	VPN Mexico	criticalBDRTR_sli	criticalBDRTR	1	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM
Status change	Ticket KPI	Feb 4, 2014 6:06 AM		SLA VPN Ticket 01	VPN Mexico	criticalBDRTR_sli	BDRTR_slo	5h 06min	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM
Status change	SLA Clause	Feb 4, 2014 6:01 AM		SLA VPN Ticket 01	VPN Mexico	criticalTTRTR_sli	criticalTTRTR	1	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM
Status change	Ticket KPI	Feb 4, 2014 6:01 AM		SLA VPN Ticket 01	VPN Mexico	criticalTTRTR_sli	criticalTTRTR	5h 01min	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM
Status change	SLA Clause	Feb 4, 2014 3:26 AM		SLA VPN Ticket 01	VPN Mexico	PercentageOfCriticalBusinessDTA_sli	PercentageOfCriticalBusinessDTA	120.5	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM
Status change	SLA Clause	Feb 4, 2014 3:26 AM		SLA VPN Ticket 01	VPN Mexico	RatioOfCriticalBusinessDTA_sli	RatioOfCriticalBusinessDTA	0.5	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM
Status change	SLA Clause	Feb 4, 2014 3:26 AM		SLA VPN Ticket 01	VPN Mexico	criticalBDTA_sli	criticalBDTA	1	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM
Status change	Ticket KPI	Feb 4, 2014 3:26 AM		SLA VPN Ticket 01	VPN Mexico	criticalBDTA_sli	BDTA_slo	2h 26min	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM
Status change	SLA Clause	Feb 4, 2014 3:01 AM		SLA VPN Ticket 01	VPN Mexico	RatioOfCriticalTTA_sli	RatioOfCriticalTTA	0.5	Worldwide Phone Solution	CCST Mexico	Feb 1, 2014 7:00 AM	Mar 1, 2014 7:00 AM

List of customizable columns

Alert information for SLA / SLA Item / Clause

The user can set the refresh period for the real-time display and manually refresh the window

5.11 Agreement Reports



The Agreements reports allow the user to access to pre-defined standard reports with details about history and successive reference periods. It will launch Business Object Portal and requires authentication.

You can access to all your customized reports including all pre-defined USLAM reports (see Chapter 9 USLAM for detailed information)

Chapter 6

Contract Operations

6.1 Data Correction

6.1.1 Adjust Agreement Status



Sometime SLAs calculations are technically correct but a customer, a supplier or the service provider requests some changes. That kind of change has to go through a negotiation process and need to be approved before amended data can finally be reported and archived. In this scenario, data correction needs to be properly tracked and stored with detailed records as required by future possible audits.

USLAM solution supports this data adjustment for those SLA calculated values that need to be adjusted. The purpose of the **Adjust Agreement Status** is to provide a user interface to help users to adjust, capture the history of the adjusted values together with the audit information.

Adjustment and negotiation are done per agreement clauses (not agreement) on a reference period, and all actions are logged with comments, date and user name for audit purpose.



Adjustment tasks like adjust or approve are restricted based on user role assign to the end user. You may only are able to adjust and not approve the changes.

6.1.1.1 Adjustment Status Agreements

Adjustment Agreements List window is restricted to the right user access and allows the user to search agreements, and perform adjustment, manages the lifecycle of the negotiation process.

You can select your desired search criteria by defining a new filter or loading an existing one in the **Agreement search filter**. It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration).

Figure 48: Adjustment Agreements List

Agreement Adjustment State

List of customizable columns

Agreement Status
A tooltip indicates if the agreement already has adjustments.

Actions Menu

Date Navigation control to display associated agreement status (1 month back or forward)

Detailed description of the Adjustment State:

Adjustment State	Description
	<p>Frozen</p> <p>Adjustment is frozen and cannot be change anymore.</p>
	<p>Available</p> <p>Ready for adjustment. The end user can continue to make changes on clauses status and values.</p>

The following table shows the column names and their descriptions:


Column Name	Description
Actions	Click View to view details of an agreement. Click Edit to edit or complete or modify an agreement which is <i>Under Construction</i> Click Add comment to attach a comment about adjustment to the agreement.
Adjustment State (A)	Adjustment State of the agreement <i>The tooltip indicates what operation you can do on this agreement (adjust, approve...)</i>
Agreement Status (S)	Status of the agreement. <i>Note: A tooltip indicates if the agreement already has adjustments.</i>
Agreement Name	Name of an agreement
Comment	Comment about data correction entered by end user with the action Add comment .
Item Name	Name of the SLA Item. Component under the agreement.
Period start date	Date and time when the current period has started for an agreement
Period end date	Date and time when the current period will be over for an agreement.
Risk Ration (Risk %)	Monitors the risk on the worst clause. 0% means no degradation, value $\geq 100\%$ means that breached thresholds has been crossed
Contract Id	Optional identifier of global (e.g. corporate) contract this agreement is associated with. This is an informational data that could be used to search all the agreement created within the same global contract.
Agreement Chain Id	Optional information which can be used for instance to link one SLA to its underlying supporting OLA and underpinning contracts.
Agreement Type	Type of the agreement : SLA, OLA, or UC (see 1.3 Types of Agreements)
SLA Id	Unique identifier for an agreement
SLA Description	Agreement description of the agreement
SLA Item Description	Agreement description of the SLA item.

SLA Item Link Id	SLA Item Link Identifier used to link the item with other agreements (for example an OLA that would backup this item)
Customer	Customer description of the agreement
Customer Company	Company of the customer under the agreement
Customer Country	Country of the customer under the agreement
Customer Region	Region of the customer under the agreement
Customer Description	Description of the customer under the agreement
Customer Id	Identifier of the customer under the agreement
Customer Representative	Main contact for the customer under the agreement
Provider	Provider description under the agreement
Provider Company	Company of the Provider under the agreement
Provider Country	Country of the Provider under the agreement
Provider Region	Region of the Provider under the agreement
Provider Description	Description of the Provider under the agreement
Provider Id	Identifier of the Provider under the agreement
Provider Representative	Main contact for the Provider under the agreement
Supplier	Supplier description under the agreement
Supplier Company	Company of the Supplier under the agreement
Supplier Country	Country of the Supplier under the agreement
Supplier Region	Region of the Supplier under the agreement
Supplier Description	Description of the Supplier under the agreement
Supplier Id	Identifier of the Supplier under the agreement
Supplier Representative	Main contact for the Supplier under the agreement
Service	Service description under the agreement

Service Country	Country of the provided service under the agreement
Service Region	Region of the provided service under the agreement
Service Description	Description for the Service under the agreement
Service Definition	Service Definition of the provided service under the agreement
Service Definition Identifier	Identifier of the Service Definition of the provided service under the agreement
Service Definition Description	Description for the Service Definition of the provided service under the agreement
Service Offering	Service offering attached to an agreement
Service Offering Id	Service offering identifier attached to an agreement
Service Offering Description	Service offering description attached to an agreement
Service Hours	Service hours is the working and non-working times for a service under agreement
Service Hours Id	Service hours identifier of the provided service
Service Hours Description	Description for the Service Hours of the provided service under the agreement
Recurrence	Recurrence rate for an agreement (Quarterly, Monthly, Weekly)
Start date	Date and time when the agreement becomes effective
End date	Date and time when the agreement expires
Validation required	Indicates whether a validation is always required before scheduling the activation of an SLA
Creation warning	Indicates whether a problem occurred during the creation of an SLA by the data load tool.
Last modification	Displays the date and time of the latest modification made to an agreement
Modified by	Displays information about the origin of the latest modification made to an agreement

The column Actions allow the user to drop down an action menu to access to several tasks according to the user rights.

Figure 49: Adjustment Agreements List – Actions menu



6.1.1.1.1. View / adjust clauses

Select **View / adjust clauses** to navigate to the **Adjustment Agreement Clauses** (see 6.1.1.2 Adjustment Agreement Details) to view the adjustment on this agreement and make new changes.

6.1.1.1.2. Freeze

Select **Freeze** to navigate to popup a dialog box to finalize all the adjustment and the negotiation process.

Figure 50: Freeze Agreements Adjustment

Freeze agreement adjustment

Agreement SLA CallCenter001 1

Reference period Jan 25, 2014 1:00 AM → Feb 1, 2014 1:00 AM

Comment This adjustment has been agreed by customer. We can consider it as final !

Warning: Once frozen no more adjustment can be done on any clause of this agreement's item. This action cannot be undone.

Apply **Cancel**



After a **freeze** operation, an agreement (frozen state frozen) cannot be adjust anymore. The action cannot be undone.

Note that the calculation still running after the freeze.

6.1.1.1.3. Add a comment

Select **Add comment** to add or edit additional information about changes done on this agreement. This comment is dedicated to the report and can be seen as an executive summary for the customer.

Only one comment is allowed, if there is already a comment, it will be display in edition to be completed.

Figure 51: Adjustment Agreements List – Add a comment

The screenshot shows a dialog box titled "Add a comment" with a close button in the top right corner. The dialog contains the following fields:

- Agreement:** SLA CallCenter001 1
- Reference period:** Jan 18, 2014 1:00 AM → Jan 25, 2014 1:00 AM
- Comment:** A text area containing the text "New SLA Status negotiated and agreed with my customer for the reference period Jan 2014".

At the bottom of the dialog are two buttons: "Apply" and "Cancel".

Three callout boxes provide additional information:

- One pointing to the "Agreement" field: "Remind the name and the reference period of the agreement"
- One pointing to the "Comment" text area: "Enter comment to give more details on the data correction"
- One pointing to the "Apply" and "Cancel" buttons: "Click **Apply** to validate and save the comment or **Cancel** to close and lose this comment."

6.1.1.2 Adjustment Agreement Details

Adjustment Agreement Details window is dedicated to make adjustment on agreement clause and ease the negotiation process with your customer.

Its access is restricted based on the user role and allows to search clauses, and perform adjustment, manages the lifecycle of the negotiation process.

It is composed of a SLA panel, a business impact panel, SLA Items panel where you can explicitly select the SLA items and a Clauses panel where you can search specific agreement clause. You can select your desired search criteria by defining a new filter or loading an existing one in the **Clauses search filter**. It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration).

Figure 52: Adjustment Agreement Details

SLA detail, including its reference period

Agreement's Business impact values

SLA Item's Business impact values

Adjustment information

- Objective, Value
- Base Reference Value
- Adjusted Value
- Adjusted Status

Clauses Search and Search Result panel

Adjustment State

Bulk operations on the agreement clauses (Action, Scope)

Audit information (Who, when, why) Tooltip displays the complete history of actions

The following table shows the column names and their descriptions:

Column Name	Description
Actions	Click Adjust to adjust the clause of the agreement. Click Approve to approve the adjustment done on the clause of the agreement <i>Note: Users with the correct user right will have access to the Adjust or Approve actions.</i>
Adjustment State (A)	Adjustment State of the agreement <i>See explanation below.</i>
Service Component	Name of an Service associate to this clause
Clause Name	Name of the clause
Objective	Clause Objective and its current value depending on its type (downtime, incident or service level status)

Hold Value	Hold Value i.e. the reference value used for the adjustment. It is a copy of the value after a Snap operation (or adjust if the reference is not set). This base is a value used as a reference during the negotiation process.
Adjusted Value	Adjusted Value is the current adjusted value we will propose to the customer
Adjusted Status (AS)	Adjusted Status is the new status for clause after adjustment
Comment	Comment about data correction entered by end user.
Changed by	Displays information about the user who did the latest modification

Adjustment State is important information that indicates the stage of the adjustment and negotiation process.

Several bulk operations are available:


- **Approve clauses:** Execute an approval operation on the adjusted value for this clause. (see 6.1.1.2.1 Adjust Clause Value)
- **Snap clauses value:** Capture and keep the existing value as a reference for the negotiation. The value will be saved in the field **Hold Value**.



USLAM Calculation engine still running and may update the current value. We need to keep the reference value used to start the ongoing negotiation with the customer.





- **Freeze** to finalize the adjustment. No more changes will be authorized.
- **Cancel** to cancel all selected adjustments done on clauses.

Figure 53: Adjustment Agreement Clauses – Actions menu



Actions **Freeze** and **Cancel** always apply on the whole SLA

Detailed description of the Adjustment State:

Adjustment State	Description
	Locked The hold value has been snapped and kept for reference (after Snap or Adjust action)
	Adjusted Value has been modified and an adjusted value is available for negotiation (after Adjust action)
	Approved The adjusted value has been approved (after Approve action)
	Automatic Locked The adjusted value has been automatically locked.




It is possible to modify values (Hold value, adjusted value, status) until the agreement has state **Locked** or **Automatic Locked**.

6.1.1.2.1. Adjust Clause Value

This dialog box allows you to make change on the current adjusted value and its associated status.

Figure 54: Adjustment Agreement Clauses – Adjust Clause Value



The dialog box titled "Adjust clause value for Site Availability" contains the following fields and controls:

- Achieved value:** 100 %
- Snapped value:** 100 %
- Adjusted value:** 95 (with a callout: "Enter adjusted value")
- Comment:** Site was actually availability at 95% this month (with a callout: "Enter comment to give more details on the adjustment")
- Buttons:** Apply and Cancel (with a callout: "Click **Apply** to validate and save the comment or **Cancel** to close and abort this adjustment")

Additional callouts include: "Remind the previous value and reference base value for the clause" pointing to the Achieved and Snapped values.

After Apply or Cancel, you will go back to the Adjustment Agreement Clauses with updated changes.

6.1.1.2.2. Approve Clause Value

This dialog box allows you to approve the current adjusted value and status.

Figure 55: Adjustment Agreement Clauses – Approve Clause Value

The dialog box titled "Approve clause value for Site Availability" contains the following fields and buttons:

- Achieved value:** 100 %
- Snapped value:** 100 %
- Adjusted value:** 95 %
- Comment:** A text input field containing "As Customer Relationship Manager, I approve this adjustment".
- Buttons:** "Apply" and "Cancel".

Callouts provide additional context:

- "Remind the previous value and reference base value for the clause" points to the Achieved and Snapped values.
- "Review the adjusted value and status for the clause" points to the Adjusted value.
- "Enter comment to give more detail on the approval" points to the Comment field.
- "Click **Apply** to validate and save the comment or **Cancel** to close and abort this approval operation" points to the buttons.

6.1.2 Adjust Business Impact



Business Impact Adjustment window displays a list of past and finalized business impact values for all or a set of active agreements. Contract managers can access to this windows to get detailed information on the business impact calculated values over past reference period and allows them to adjust or approve clause values and check impact on business impact values.

You can select your desired search criteria by defining a new filter or loading an existing one in the **Business impact values search filter**. It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the column customization (see 4.10 Columns Configuration).

Figure 56: Business Impact Adjustment

The screenshot shows the 'Business impact adjustment' section of the HP Universal SLA Manager. At the top, there's a 'Business impact values search filter' with a search bar and buttons for 'Clear', 'Load...', 'Save', 'Save as...', and 'Delete...'. Below this is a 'Select a category' dropdown menu. The main part of the interface is a table with columns: Actions, Domain, Name, Agreement Name, Item Name, Clause, Service component, SLA \$, Impact \$, Period Start date, Finalization date, Period size, Contract Id, Service offering, Customer, and Provider. The table contains several rows of data, including 'Final penalty for business period of the SLA item', 'Total penalty', 'Credit for SLA item', and 'Total Credit'. Callout boxes highlight the 'Business impact values search filter', 'Service Level Credit category selector', 'List of customizable columns', 'Actions Menu', 'Business impact search result based on finalized business view', and 'Finalized business impact date selector'.

The column Actions allow the user to drop down an action menu to access to several tasks according to the user rights.

- View the Business Impact Details (see 5.8 Business Impact Details)

Figure 57: Business Impact Adjustment - Actions menu



The following table shows the column names and their descriptions:

Column Name	Description
Actions	Menu to select relevant operations that may be performed for business impact values.
Business impact category	Category of the business impact.
Business impact domain	Domain of the business impact.
Business impact name	Name of the business impact
Clause domain	Domain of the clause
Clause category	Category of the clause
Clause name	Name of the clause
SLA \$	Business impact values for the agreement
Impact \$	Business impact value for a given clause level

Calculated as	Calculation rule name
Is input for	Input for the calculation rule
Finalization date	Finalization date for the business period
Period size	Duration of the business period (ex: 12 months)
SLA Id	Unique identifier for an agreement
Name	Name of the agreement
Item Name	Name of the agreement item
Customer	Customer for the agreement
Provider	Provider for the agreement
Supplier	Supplier for the agreement item
Service definition	Service definition for the agreement
Service	Service for the agreement
Service offering	Service offering attached to an agreement
Service hours	Service hours agreed upon
Start date	Date and time when the agreement becomes effective
End date	Date and time when the agreement expires
Recurrence	Recurrence rate for an agreement (Quarterly, Monthly, Weekly)
Period start date	Date and time when the current period has started for an agreement
Period end date	Date and time when the current period will be over for an agreement.
Administration state (A)	Administration State of the agreement
Contract Id	Optional identifier of global (e.g. corporate) contract this agreement is associated with. This is an informational data that could be used to search all the agreement created within the same global contract.
Agreement Chain Id	Optional information which can be used for instance to link one SLA to its underlying supporting OLA and underpinning contracts.
Agreement Type	Type of the agreement : SLA, OLA, or UC (see 1.3 Types of Agreements)

6.1.3 Manage Business Parameters



Business Parameters Management window displays a list of selected agreement and provides detailed information on the business impact calculation parameters over past, current or future reference periods. Contract managers can access to set values of variables business impact calculation parameters per reference period.

First step is to select all or a set of agreements using the search filter criteria window.

You can select your desired search criteria by defining a new filter or loading an existing one in the **Agreement search filter**. It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the column customization (see 4.10 Columns Configuration).


Figure 58: Business Parameters Management

The screenshot shows the 'Business parameters manager' window in the Universal SLA Manager. At the top, there's a navigation bar with 'Dashboard', 'Contract operations', 'Contract administration', 'Platform Administration', and 'Help'. The 'Contract administration' section is active. Below the navigation bar, there's a search filter section with a text input, a 'Search' button, and buttons for 'Clear', 'Load...', 'Save', 'Save as...', and 'Delete...'. A callout points to the 'Search' button, labeled 'Agreement search filter'. Below the search filter is a table of agreements. The table has columns: Actions, Agreement Name, Item Name, Contract Id, Customer, Provider, Supplier, Service, Service hours, Recurrence, Service offering, Start date, and End date. A callout points to the 'Actions' column, labeled 'Actions Menu'. Another callout points to the table header, labeled 'List of customizable columns'. A third callout points to the table content, labeled 'Agreement search result'. The table contains several rows of agreement data, including 'SLA CallCenter001 1', 'SLA VPN Aggregation 01', 'SLA VPN BIF Detailed Penalty 01', 'Business Impact', 'SLA VPN Data Selectors 01', 'SLA VPN Performance 01', 'SLA VPN Ticket 01', and 'VPN Conditional Objectives SLA 01'. At the bottom right, it says 'Number of agreements per page: 10'.

The column Actions allow the user to drop down an action menu to access to several tasks according to the user rights.

- Set business parameters (see 6.1.4 Set Business Parameters)

Figure 59: Business Parameters Management - Actions menu



The following table shows the column names and their descriptions:

Column Name	Description
Selection checkbox	User selection to perform SLA lifecycle operations
Administration State (A)	Administration State of the agreement You can view this information as a tooltip on the column header
Agreement Name	Name of an agreement
Actions	Click View to view details of an agreement. Click Edit to edit or complete or modify an agreement which is <i>Under Construction</i> <i>Note: Users with the correct user right will have access to the Edit action.</i>
Item Name	Name of the SLA Item. Component under the agreement.
Contract Id	Optional identifier of global (e.g. corporate) contract this agreement is associated with. This is an informational data that could be used to search all the agreement created within the same global contract.
Agreement Chain Id	Optional information which can be used for instance to link one SLA to its underlying supporting OLA and underpinning contracts.
Agreement Type	Type of the agreement : SLA, OLA, or UC (see 1.3 Types of Agreements)
SLA Id	Unique identifier for an agreement
SLA Description	Agreement description of the agreement
SLA Item Description	Agreement description of the SLA item.
SLA Item Link Id	SLA Item Link Identifier used to link the item with other agreements (for example an OLA that would backup this item)
Customer	Customer description of the agreement
Customer Company	Company of the customer under the agreement
Customer Country	Country of the customer under the agreement
Customer Region	Region of the customer under the agreement

Customer Description	Description of the customer under the agreement
Customer Id	Identifier of the customer under the agreement
Customer Representative	Main contact for the customer under the agreement
Provider	Provider description under the agreement
Provider Company	Company of the Provider under the agreement
Provider Country	Country of the Provider under the agreement
Provider Region	Region of the Provider under the agreement
Provider Description	Description of the Provider under the agreement
Provider Id	Identifier of the Provider under the agreement
Provider Representative	Main contact for the Provider under the agreement
Supplier	Supplier description under the agreement
Supplier Company	Company of the Supplier under the agreement
Supplier Country	Country of the Supplier under the agreement
Supplier Region	Region of the Supplier under the agreement
Supplier Description	Description of the Supplier under the agreement
Supplier Id	Identifier of the Supplier under the agreement
Supplier Representative	Main contact for the Supplier under the agreement
Service	Service description under the agreement
Service Country	Country of the provided service under the agreement
Service Region	Region of the provided service under the agreement
Service Description	Description for the Service under the agreement
Service Definition	Service Definition of the provided service under the agreement

Service Definition Identifier	Identifier of the Service Definition of the provided service under the agreement
Service Definition Description	Description for the Service Definition of the provided service under the agreement
Service Offering	Service offering attached to an agreement
Service Offering Id	Service offering identifier attached to an agreement
Service Offering Description	Service offering description attached to an agreement
Service Hours	Service hours is the working and non-working times for a service under agreement
Service Hours Id	Service hours identifier of the provided service
Service Hours Description	Description for the Service Hours of the provided service under the agreement
Recurrence	Recurrence rate for an agreement (Quarterly, Monthly, Weekly)
Start date	Date and time when the agreement becomes effective
End date	Date and time when the agreement expires

6.1.4 Set Business Parameters

Business parameters setting is only accessible from the Business parameters manager selecting **Set business parameters** in the action menu. It displays the business parameters values for the selected item and allows a contract manager to modify business parameters for a specific reference period or from a specific reference period for all of future ones. It provides also tracking information about changes (date, users, and comments).

Figure 60: Business Parameters Setting

Business parameters standard values

Name	Value	For category	Description
Service fee per Reference Period	1000 \$	DetailedPenalty	Price of the service
Maximum penalty that can be demanded per reference period	700 \$	DetailedPenalty	Maximum penalty that can be demanded per reference period
Credit as percentage of service fee per number of incident interval	4 rows	DetailedPenalty	Percentage of penalty owed per clause and per reference period, depending on a range of delivered Service Level values
Credit as percentage of service fee per MTTR Interval	3 rows	DetailedPenalty	Percentage of penalty owed per clause and per reference period, depending on a range of delivered Service Level values

Reference period selector

First Previous Feb 1, 2014 6:00 AM → Mar 1, 2014 6:00 AM Next Last

Business parameters customized values for periods

Action	Name	Value	For category	Description	Changed by	Change comment	Change time
Edit value	Credit as percentage of service fee per MTTR interval	3 rows	DetailedPenalty	Percentage of penalty owed per clause and per reference period, depending on a range of delivered Service Level values	Dataload	--	Feb 4, 2014 12:25 AM
Edit value	Credit as percentage of service fee per number of incident interval	4 rows	DetailedPenalty	Percentage of penalty owed per clause and per reference period, depending on a range of delivered Service Level values	Dataload	--	Feb 4, 2014 12:25 AM
Edit value	Maximum penalty that can be demanded per reference period	700 \$	DetailedPenalty	Maximum penalty that can be demanded per reference period	Dataload	--	Feb 4, 2014 12:25 AM
Edit value	Service fee per Reference Period	1000 \$	DetailedPenalty	Price of the service	Dataload	--	Feb 4, 2014 12:25 AM

Edit value action for the selected parameter

Done

The column Actions allows the user set the business value for the selected parameter.

Figure 61: Business Parameters Setting – Edit value

Set value for Service fee per Reference Period

Current value 1000 since Oct 1, 2012 6:00 AM

New value 1050 from Feb 1, 2014 6:00 AM

Next planned value None

Comment 5% Increase starting from Feb 1st

Remind the service, its reference period and associated business parameter current value

Modify the value and enter an explanation about your modification

- The user can **Cancel** the setting
- Set for now** to modify the business parameter value for this reference period and all the future ones
- Set for period only** to modify the business parameter value only for this specific reference period. Next reference period will use the standard value

Set from now Set for period only Cancel

6.1.5 Manage Exclusions

Exclusion is a period of time which SLA Calculations should be excluded and will not have any impact the SLA Compliance (ex: maintenance, force majeure...). It can be define based on an available list of exclusion specified in the Service Offering and be compliant with the left remaining time possible for this type of exclusion. See 3.6 Exclusions for more details.



Exclusions period of time are automatically considered with on-going re-calculation by USLAM calculation engines.

There are two way to manage exclusion.

- If you work on a active agreement, you can select directly the **Exclusion Management** window from the **Agreement Status Snapshot** (see 5.1 Agreements Status Snapshot)
- If you want to exclude period on multiple agreements in a bulk mode on a set of filtered SLAs for a specific reference period, you can use the **Time Period Exclusion** window.

6.1.5.1 Time Period Exclusion



The **Time Period Exclusion** is a window restricted to the user with the Contract Administrator role and dedicated to explicitly exclude periods of time in a bulk mode using manual selected agreements or search result list of agreements. It is also possible to see the detailed history of exclusion and delete an existing exclusion using the **View / Edit Exclusion** action on the **Time Period Exclusion** window for a specific agreement.

It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration).

You can select your desired search criteria by defining a new filter or loading an existing one in the **Agreement search filter**.

To enter a new exclusion period, you need to enter the start and end date of the exclusion, its reason, and optionally you can explain this exclusion filling the description field.



Start Date (**From**) will be used to identify the reference period to use to select agreements and to compute correctly exclusion time.

Figure 62: Time Period Exclusion

Universal SLA Manager
 Dashboard | Contract operations | Contract administration | Platform Administration | Help

Time Period Exclusion

Agreement search filter

Time period to exclude
 Period definition: From: Feb 5, 2014 10:31 AM To: []
 Duration: Days: 0 Hours: 0 Minutes: 0
 Exclusion Reason: Unplanned Maintenance

Optional description to enter

Exclusion Reason to select in a list

Note: duration will be automatically computed if you changes dates, else the end date (To) will be computed based on the changes done on duration

Agreements matching the exclusion requested

Scope of the exclusion: All search result or selection

Actions	Agreement Name	Item Name	Max duration	Remaining duration	Customer	Provider	Supplier	Service	Service hours	Recurrence	Service offering	Period start date	Period end date
Manage exclusions	SLA VPN BIF Detailed Penalty 01	California VPN	7d	7d	Worldwide Phone Solution	Avix US	CEST West US	VPN BIF detailed California	24x7	Monthly	Service Offering with detailed penalty calculation	Feb 1, 2014 6:00 AM	Mar 1, 2014 6:00 AM
Manage exclusions	SLA VPN BIF Detailed Penalty 01	Florida VPN	7d	7d	Worldwide Phone Solution	Avix US	CEST East US	VPN BIF detailed Florida	24x7	Monthly	Service Offering with detailed penalty calculation for VPN P1	Feb 1, 2014 6:00 AM	Mar 1, 2014 6:00 AM
Manage exclusions	SLA VPN Business Impact 01	VPN Portugal	7d	7d	Worldwide Phone Solution	Avix Portugal	CEST Portugal	VPN Business Impact 01	24x7	Monthly			
Manage exclusions	SLA VPN Performance 01	VPN China	7d	7d	Worldwide Phone Solution	Avix China	CEST China	VPN Per1	24x7	Monthly			
Manage exclusions		VPN Mexico	7d	7d	Worldwide Phone Solution	Avix Hong Kong	CEST Mexico	VPN Ticket 01	24x7	Monthly			

Number of agreements per page: 10

Apply on selected agreements
 Apply on whole result set



Exclusions reason list is a complete list of defined exclusion in USLAM product.

After entering these criteria, you click **Search** to see which agreements can match the requested exclusion period of time and allow the requested exclusion reason (based on their Service Offering definition).

The following table shows the column names and their descriptions:

Column Name	Description
Actions	Click View / Edit Exclusions to manage exclusion and history of exclusion on the selected agreement.
Selection checkbox	User selection to perform exclusion bulk operations
Status (S)	Agreement status
Agreement Name	Name of an agreement
Item Name	Name of the SLA Item. Component under the agreement.
Item Status (IS)	SLA Item Status
Max Duration	Maximum duration allowed based on the selected exclusion reason and the Service Offering of the agreement.

Remaining Duration	<p>Current remaining duration. This is the maximum duration allowed – total of exclusion for this exclusion reason.</p> <p>It is the maximum duration if there is no exclusion already defined.</p> <p>This column is very useful because it also indicate with an icon how will be apply the current exclusion as a preview and estimate in the tooltip the remaining duration after the exclusion operation.</p> <p><i>See detail below with several use cases.</i></p>
Agreement Chain Id	Optional information which can be used for instance to link one SLA to its underlying supporting OLA and underpinning contracts.
Agreement Type	Type of the agreement : SLA, OLA, or UC (see 1.3 Types of Agreements)
Customer	Customer description of the agreement
Customer Company	Company of the customer under the agreement
Customer Country	Country of the customer under the agreement
Customer Region	Region of the customer under the agreement
Customer Description	Description of the customer under the agreement
Customer Id	Identifier of the customer under the agreement
Customer Representative	Main contact for the customer under the agreement
Provider	Provider description under the agreement
Provider Company	Company of the Provider under the agreement
Provider Country	Country of the Provider under the agreement
Provider Region	Region of the Provider under the agreement
Provider Description	Description of the Provider under the agreement
Provider Id	Identifier of the Provider under the agreement
Provider Representative	Main contact for the Provider under the agreement
Supplier	Supplier description under the agreement

Supplier Company	Company of the Supplier under the agreement
Supplier Country	Country of the Supplier under the agreement
Supplier Region	Region of the Supplier under the agreement
Supplier Description	Description of the Supplier under the agreement
Supplier Id	Identifier of the Supplier under the agreement
Supplier Representative	Main contact for the Supplier under the agreement
Start date	Date and time when the agreement becomes effective
End date	Date and time when the agreement expires
Recurrence	Recurrence rate for an agreement (Quarterly, Monthly, Weekly)
Period Start Date	Start Date of the Reference Period for the agreement
Period End Date	End Date of the Reference Period for the agreement
Service	Service description under the agreement
Service Country	Country of the provided service under the agreement
Service Region	Region of the provided service under the agreement
Service Description	Description for the Service under the agreement
Service Definition	Service Definition of the provided service under the agreement
Service Definition Identifier	Identifier of the Service Definition of the provided service under the agreement
Service Definition Description	Description for the Service Definition of the provided service under the agreement
Service Offering	Service offering attached to an agreement
Service Offering Id	Service offering identifier attached to an agreement

Service Offering Description	Service offering description attached to an agreement
Service Hours	Service hours is the working and non-working times for a service under agreement
Service Hours Id	Service hours identifier of the provided service
Service Hours Description	Description for the Service Hours of the provided service under the agreement

A useful column named **Remaining Duration** that indicates a preview execution of the exclusion operation for all agreement in the search result list. It also provides in tooltip an estimated new remaining duration if this exclusion is applied.



Figure 63: Time Period Exclusion - Remaining Duration


An icon indicate if the exclusion can be perform completely, partially or is not possible for this agreement

Remaining duration	Customer	Provider	Supplier	Service
 7d	Worldwide Phone Solution	Avix US	CCST West US	VPN BIF detailed California
Success: Remaining duration after exclusion will be 6d 23h 30min				
	Solution	AVIX US	US	Florida

The tooltip indicates the remaining duration if the ongoing exclusion operation is executed

Detailed description of the Remaining Duration:

Icon	Description	Root Cause
	Success The exclusion can be added without any problem. The complete period of exclusion time will be used, and the remaining duration computed accordingly.	
	Warning The exclusion operation will not be completely success. Only a partial exclusion will be executed and will not be exactly what you want to exclude or it will be crossing two reference periods.	<u>Several root causes are possible:</u> <ul style="list-style-type: none"> The remaining duration for this reference period is less than exclusion duration you wanted. (ex: you want to exclude 2 hours, but the remaining duration is only 1 hour). So, the exclusion will be apply on the maximum remaining duration (best effort mode i.e. 1 hour in the previous example) The exclusion is across two reference period, and in this case 2 different exclusions will be created on the 2 reference period impacted. The first one using the possible duration until the end of the reference period, the second will start the first day

		<p>of the next reference period with the remaining exclusion duration not used yet.</p> <p><u>Note:</u> It is possible to create exclusion across two reference periods maximum only (all other reference period will be ignored)</p>
	<p>Error.</p> <p>The exclusion defined cannot be applied to the agreement. If you perform a bulk exclusion operation, this agreement will be ignored.</p>	<ul style="list-style-type: none"> The remaining duration is 0 for this reference period. You cannot add anymore exclusion. You reached the maximum exclusion authorized by the Service Offering of the agreement.

After review of the expected result, you can select the **Apply on whole result set** option if you want the bulk exclusion to apply on all the agreements listed in the Agreement search results list.

You can select the **Apply on selected agreements** option if you want the bulk exclusion to apply only on selected agreements (with the selection checkbox column).

Then click **Apply** Button to add this new exclusion to agreements. The Search Result list will be refreshed to display changes (remaining duration changes...)

6.1.5.2 Exclusion Management

Exclusion Management window provides an detailed and historical view of exclusion on a n agreement. You can navigate to this window if you work on a active agreement in the **Agreement Status Snapshot** (see 5.1 Agreements Status Snapshot), or through the action **View/Edit Exclusion** of the **Time Period Exclusion** (see 6.1.5.1 Time Period Exclusion)

The mandatory field is the reference date used to identify the reference period to search the correct exclusion. By default, the current date / time are used.

Figure 64: Exclusion Management

The screenshot shows the 'Exclusion Management' page in the Universal SLA Manager. The interface includes a breadcrumb trail: Dashboard > Contract operations > Contract a > Time Period Exclusion > Exclusion Management. The main heading is 'Exclusion period management: SLA VPN BIF Detailed Penalty 01 (SLA 1) - Item = California VPN'. A 'Reference date' field is set to 'Feb 3, 2014'. A red arrow points from this field to a 'Current reference period' box showing 'Feb 1, 2014 6:00 AM → Mar 1, 2014 6:00 AM'. Below this, a table lists contract details: Service (VPN BIF detailed California), Customer (Worldwide Phone Solution), Provider (Avix US), Supplier (CCST West US), Service Hours (24x7), and Exclusion reasons (UnplannedMaintenance, ForceMajeure). A callout points to this table with the text 'Useful information on the agreement (customer, service, service hours, exclusions available)'. The main section is 'Exclusion periods for the selected reference period', which contains a table with columns: Reason, Start time, End time, Description, created by, and Duration. Two exclusion periods are listed, both for 'UnplannedMaintenance'. A callout points to the 'Total = 45min' at the bottom of this table with the text 'Total of exclusion period'. Below the table are buttons for 'New exclusion...', 'Delete selected exclusion(s)', 'Save', and 'Cancel'. Callouts explain these buttons: 'Create a new exclusion' for 'New exclusion...', 'Delete selected exclusions' for 'Delete selected exclusion(s)', and 'Click Save to save your changes (new exclusion, deleted exclusion) / Click Cancel close the window without saving any change' for 'Save' and 'Cancel'.

Select a reference date to identify the reference period you want to see the historical list of exclusions.

Useful information on the agreement (customer, service, service hours, exclusions available)

Total of exclusion period

Create a new exclusion

Delete selected exclusions

Historical list of exclusion created in the selected reference period.

- Click **Save** to save your changes (new exclusion, deleted exclusion)
- Click **Cancel** close the window without saving any change

The following table shows the column names and their descriptions:

Column Name	Description
Selection checkbox	User selection to perform deletion operation
Max Duration	Maximum duration allowed based on the selected exclusion reason and the Service Offering of the agreement.
Start Time	Date and time when the exclusion becomes effective
End Time	Date and time when the exclusion is over
Description	Explanation entered by the creator of the exclusion
Created By	Name of the user who created this exclusion
Duration	Duration of the exclusion (end time – start time)

Once the required reference period is found you can perform any of the following operation:

- Create a new exclusion
- Delete an existing exclusion

To delete one or multiple exclusion, you need to select them using the checkbox, and click **Delete selected exclusion(s)**.

To create a new exclusion on the selected reference period, click **New Exclusion** to popup a creation dialog box.

Figure 65: Exclusion Management - New Exclusion Period

Exclusion period management: SLA VPN BIF Detailed Penalty 01 (SLA1-VPN_BIF_detailedPenalty) - Item = California VPN

Reference date: Feb 3, 2014

Service: VPN BIF detailed Californ...
Customer: Worldwide Phone Solut...
Provider: Avix US
Supplier: CCST West US
Service Hours: 24x7
Exclusion reasons: UnplannedMaintenance

Exclusion periods for the selected reference date

Reason	Start time
<input checked="" type="checkbox"/> UnplannedMaintenance	Feb 3, 2014 8:30 AM
<input type="checkbox"/> UnplannedMaintenance	Feb 5, 2014 10:30 AM

New exclusion period

Reason * UnplannedMaintenance (6d 23h 15min)

Description Unspecified

Left allowed duration 6d 23h 15min

Start time Feb 6, 2014 3:05 PM

End time Feb 6, 2014 4:15 PM

Description Router failure...replacement needed

New duration 1h 10min

Add Cancel

- Click **Add** to add this exclusion period to the reference period of the agreement.
- Cancel** close the window without saving any change



All the exclusion operations (new / delete) will be saved on the server at the same time when you click the button **Save**

After review of the exclusion you can click **Save** to make all changes permanent, or **Cancel** to abort all ongoing changes and go back to the previous windows.

6.2 Contracts Reports



The Contracts reports allow the user to access to pre-defined standard reports related to contracts operations especially the data correction management. It will launch Business Object Portal and requires authentication.

You can access to all your customized reports including all pre-defined USLAM reports (see Chapter 9 USLAM for detailed information)

Chapter 7

Contract Administration

7.1 Agreement Manager

7.1.1 Browse Agreements



Browse Agreements window is restricted to the user access right and allows the user to search, edit or view existing agreement, and perform changes on the administration state of multiple agreements in a single operation to manage agreement Lifecycle.

You can select your desired search criteria by defining a new filter or loading an existing one in the **Agreement search filter**. It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration).

Figure 66: Agreement Manager – Manage Agreements

Administrative State

List of customizable columns

SLA Lifecycle Management

Show agreements Lifecycle Management

A	Agreement Name	Actions	Item Name	Contract ID	Customer	Provider	Supplier	Service	Service hours	Recurrence	Service offering	Start date	End date
	Call Center - USA		CallCenter001		Green Cafe	Avix US	CCST US	Call Center - USA	24x7	Weekly	Call Center standard offering	Dec 1, 2012 12:00 AM (Europe/London)	
	VPN Aggregation 01		VPN Italy	AggregationContract1	Worldwide Phone Solution	Avix Italy	CCST Italy	VPN Aggregation 01	24x7	Monthly	Service Offering VPN Aggregation Gold	Nov 1, 2012 12:00 AM (Europe/Rome)	
	SLA VPN BIF Detailed Penalty 01	View / Edit	Florida VPN	Contract001	Worldwide Phone Solution	Avix US	CCST East US	VPN BIF detailed Florida	24x7	Monthly	Service Offering with detailed penalty calculation for VPN P1	Oct 1, 2012 12:00 AM (America/New_York)	
	SLA VPN Business Impact 01	View / Edit	California VPN		Worldwide Phone Solution	Avix US	CCST West US	VPN BIF detailed California	24x7	Monthly	Service Offering with detailed penalty calculation		
	SLA VPN Data Selectors 01	View / Edit	VPN Portugal	BusinessImpactContract1	Worldwide Phone Solution	Avix Portugal	CCST Portugal	VPN Business Impact 01	24x7	Monthly	Service Offering VPN Ticket Business Impact	Dec 1, 2012 12:00 AM (Europe/Lisbon)	
	SLA VPN Performance 01	View / Edit	Paris VPN	Contract001	Worldwide Phone Solution	Avix International		VPN DataSelectors	24x7	Monthly	ServiceOffering for VPN with DataSelectors	Oct 1, 2012 12:00 AM	
	SLA VPN Ticket 01	View / Edit	VPN China	PerformanceContract1	Worldwide Phone Solution	Avix China	CCST China	VPN Perf1	24x7	Monthly	Service Offering VPN Performance Gold	Nov 1, 2012 12:00 AM (Asia/Shanghai)	
			VPN Mexico	TicketContract1	Worldwide Phone Solution	Avix Hong Kong	CCST Mexico	VPN Ticket 01	24x7	Monthly	Service Offering template for VPN ticket	Nov 1, 2012 12:00 AM (America/Mexico_City)	

The following table shows the column names and their descriptions:

Column Name	Description
Selection checkbox	User selection to perform SLA lifecycle operations

Administration State (A)	Administration State of the agreement You can view this information as a tooltip on the column header
Agreement Name	Name of an agreement
Actions	Click View to view details of an agreement. Click Edit to edit or complete or modify an agreement which is <i>Under Construction</i> <i>Note: Users with the correct user right will have access to the Edit action.</i>
Item Name	Name of the SLA Item. Component under the agreement.
Contract Id	Optional identifier of global (e.g. corporate) contract this agreement is associated with. This is an informational data that could be used to search all the agreement created within the same global contract.
Agreement Chain Id	Optional information which can be used for instance to link one SLA to its underlying supporting OLA and underpinning contracts.
Agreement Type	Type of the agreement : SLA, OLA, or UC (see 1.3 Types of Agreements)
SLA Id	Unique identifier for an agreement
SLA Description	Agreement description of the agreement
SLA Item Description	Agreement description of the SLA item.
SLA Item Link Id	SLA Item Link Identifier used to link the item with other agreements (for example an OLA that would backup this item)
Customer	Customer description of the agreement
Customer Company	Company of the customer under the agreement
Customer Country	Country of the customer under the agreement
Customer Region	Region of the customer under the agreement
Customer Description	Description of the customer under the agreement
Customer Id	Identifier of the customer under the agreement

Customer Representative	Main contact for the customer under the agreement
Provider	Provider description under the agreement
Provider Company	Company of the Provider under the agreement
Provider Country	Country of the Provider under the agreement
Provider Region	Region of the Provider under the agreement
Provider Description	Description of the Provider under the agreement
Provider Id	Identifier of the Provider under the agreement
Provider Representative	Main contact for the Provider under the agreement
Supplier	Supplier description under the agreement
Supplier Company	Company of the Supplier under the agreement
Supplier Country	Country of the Supplier under the agreement
Supplier Region	Region of the Supplier under the agreement
Supplier Description	Description of the Supplier under the agreement
Supplier Id	Identifier of the Supplier under the agreement
Supplier Representative	Main contact for the Supplier under the agreement
Service	Service description under the agreement
Service Country	Country of the provided service under the agreement
Service Region	Region of the provided service under the agreement
Service Description	Description for the Service under the agreement
Service Definition	Service Definition of the provided service under the agreement
Service Definition Identifier	Identifier of the Service Definition of the provided service under the agreement

Service Definition Description	Description for the Service Definition of the provided service under the agreement
Service Offering	Service offering attached to an agreement
Service Offering Id	Service offering identifier attached to an agreement
Service Offering Description	Service offering description attached to an agreement
Service Hours	Service hours is the working and non-working times for a service under agreement
Service Hours Id	Service hours identifier of the provided service
Service Hours Description	Description for the Service Hours of the provided service under the agreement
Recurrence	Recurrence rate for an agreement (Quarterly, Monthly, Weekly)
Start date	Date and time when the agreement becomes effective
End date	Date and time when the agreement expires
Validation required	Indicates whether a validation is always required before scheduling the activation of an SLA
Creation warning	Indicates whether a problem occurred during the creation of an SLA by the dataload tool.
Last modification	Displays the date and time of the latest modification made to an agreement
Modified by	Displays information about the origin of the latest modification made to an agreement

A lot of useful information is summarized in tooltip. For example, customer name will display tooltip with the complete profile of the customer.

Figure 67: Agreements Browser – Customer tooltip

Customer	Provider	Supplier	Service
Green Cafe	<div>Id: WPS</div> <div>Contact name: Mr Dupond</div> <div>Organization: WPS</div> <div>Importance: High</div> <div>Representative name: Tintin</div> <div>Representative email: Tintin@Herge.com</div> <div>Contact email: Dupond@wps.com</div> <div>Contact home phone: --</div> <div>Contact work phone: (+33) 1 99887766 (Preferred)</div> <div>Location: Tour Eiffel 75001 Paris France</div> <div>Timezone: Unspecified</div>		
Worldwide Ph Solution			
Worldwide Ph Solution			
Worldwide Ph Solution			
Worldwide Ph Solution			
Worldwide Ph Solution			
Worldwide Ph Solution	Avix China	China	VPN Perf1

7.1.1.1 Agreement Lifecycle Management

Agreement Lifecycle Management is an important feature provided by the Universal SLA Manager which allows the user you to change the administration state of multiple agreements in a single action.

Search for the required agreements using a search filters or select manually the agreements by clicking the check-box adjacent to each agreement.



The Administrative State choices are dynamically updated with possible changes. In case of multiple selections, only the possible common actions will be available in the drop-down menu.

Figure 68: Agreements Manager – SLA Lifecycle Management

Agreement search results (7 items)

A	Agreement Name	Actions	Item Name	Contract Id	Customer	Provid
<input type="checkbox"/>	SLA CallCenter001 1	View / Edit	Call Center USA	CallCenter001	Green Cafe	Avix U
<input type="checkbox"/>	SLA VPN Aggregation 01	View / Edit	VPN Italy	AggregationContract1	Worldwide Phone Solution	Avix It
<input type="checkbox"/>	SLA VPN BIF Detailed	View /	Florida VPN	Contract001	Worldwide Phone Solution	Avix U
<input type="checkbox"/>		Edit	Portugal	BusinessImpactContract1	Worldwide Phone Solution	Avix Portug
<input checked="" type="checkbox"/>	SLA VPN Performance 01	View / Edit	VPN China	PerformanceContract1	Worldwide Phone Solution	Avix Cl
<input type="checkbox"/>	SLA VPN Ticket 01	View / Edit	VPN Mexico		Worldwide Phone	Avix H

Selection checkbox to select manually agreement from the result list for action (if the action applies on selection only)

List of possible action to change the SLA Lifecycle

Scope of the action: All search result or selection

Action: Set end date **GO!**

☒ Apply on selected agreements
☐ Apply on whole result set (when applicable)

You can select the **Apply on whole result set** option if you want the bulk transition to apply on all the agreements listed in the Agreement search results list.

You can select the **Apply on selected agreements** option if you want the bulk transition to apply only on selected agreements (with the selection checkbox column).

Then click **GO!** Button to perform the Administration State change.

7.1.1.2 Show Agreements Lifecycle

To ease the SLA lifecycle management, a help online is available describing the complete SLA lifecycle (see 3.3 Agreement State and Lifecycle).

Click on the icon to display a window containing the complete SLA lifecycle description.

7.1.2 Agreement Viewer

From the Agreements Browser, we can display the detail of the agreement using **View** action.

The Agreement Viewer displays several panels on the page:

- Agreement Details
- Customer Details
- Provider Details
- Automatic Actions
- One or more SLA Items Details, for each SLA Item, you can see:
 - SLA Item Details
 - Supplier Details
 - Service Details
 - Service Offering Details with all clauses objectives organized by Domain and Category.



You can display one SLA Item at a time but in case of multiple SLA Items defined, a navigation control is available and allow you to navigate quickly to the **First**, **Previous**, **Next** and **Last** item or select in the drop-down menu the SLA Item you want to display.

Figure 69: Agreement Viewer

The screenshot displays the HP Universal SLA Manager Agreement Viewer interface. The top navigation bar includes links for Dashboard, Contract operations, and Contract administration. The main content area is divided into several sections, each with a title and identifier in the top left corner. Callout boxes highlight specific features and sections:

- Agreement Details:** Points to the top section titled "Agreement: SLA CallCenter001 1 (SLA01-CallCenter001)".
- Start / End Date and time zone:** Points to the "Start date" and "End date" fields in the top right.
- Customer Details:** Points to the "Customer: Green Cafe (GreenCafe)" section.
- Customer Contact:** Points to the "Contact" information for Mike (Mike@gc.com).
- Provider Details:** Points to the "Provider: Avix US (Avix_US)" section.
- Provider Contact:** Points to the "Contact" information for Tom (Tom@avix.com).
- SLA Item Navigation Controls:** Points to the "Previous", "Next", "First", "Previous", "Next", and "Last" buttons.
- SLA Item Details:** Points to the "SLA Item: Call Center USA" section.
- Supplier Details:** Points to the "Supplier: CCST US (CCST_US)" section.
- Supplier Contact:** Points to the "Contact" information for Kim (Kim@ccst.com).
- Service Details:** Points to the "Service: Call Center - USA (CallCenter_USA)" section.
- Service Offering Details:** Points to the "Service Offering: Call Center standard offering (ServiceOffering-CallCenter)" section.
- List of Clauses and their objectives organized by Domain / Category Panels:** Points to the "Service Clauses Objectives > Critical" table.

The interface also includes a "Save" button at the bottom left and a "Last modified on Feb 5, 2014 12:25 AM by DataLoader tool" message at the bottom center.

7.1.3 Agreement Editor

From the Agreements Browser, we can display the detail of the agreement to modify them using **Edit** action.



Depending on the Administrative State of the SLA, not all fields can be edited.

The Agreement Editor displays several panels on the page like the Agreement Viewer (see 7.1.2 Agreement Viewer)

- Agreement Details that allow you to modify the information.
- Customer Details that allow you to select another customer.
- Provider Details that allow you to select another provider
- One or more SLA Items Details panel that allow you to remove a complete SLA item or add a new SLA Item to the agreement. For each SLA Item, you can see:
 - SLA Item Details that allow you to modify current information
 - Supplier Details that allow you to select another supplier.
 - Service Details that allow you to select another service.
 - Service Offering Details with all clauses objectives organized by Domain and Category that allow you to select another existing Service Offering.



You can display one Sla Item at a time but in case of multiple SLA Items defined, a navigation control is available and allow you to navigate quickly to the **First**, **Previous**, **Next** and **Last** item or select in the drop-down menu the SLA Item you want to display.

Some panels are in edit mode (Agreement Details and SLA Item Details) and let you directly modify the field in the panel (see 7.1.4 Create New Agreement). Other panels have two actions: **Change** and **Clear**, dedicated to select an USLAM object (Customer, Provider, Supplier, Service and Service Offering). **Clear** action will remove the selected object (see 7.1.3.2 Change / Clear)


Note that information about the last edit performed on the agreement is displayed in the bottom-left corner of the window (user and date/time of the last modification)

When you finish editing the agreement, click **Save** to save any changes or **Cancel** to ignore all changes.

7.1.3.1 Add / Remove Items

SLA Items panel provides a control to navigate between existing SLA items and also allow you to remove the current displayed SLA Item or add a new item to fill.

Figure 70: Agreements Editor – Add / Remove Items




After adding a new SLA Item, you have an empty SLA Item and you have to select each USLAM object using the **Change** action (see 7.1.3.2 Change / Clear).

7.1.3.2 Change / Clear

Panels with actions: **Change** and **Clear** are dedicated to select an existing USLAM object (Customer, Provider, Supplier, Service and Service Offering). **Clear** action will remove the selected object.

Figure 71: Agreements Editor – Change/Clear Actions



Change Action will display a specific selection page according to the USLAM object to select. These selection pages are the same when you create a new agreement using the agreement Wizard (see 7.1.4 Create New Agreement), refer to these description for details:

- Customer (see 7.1.4.5 Select Customer)
- Provider (see 7.1.4.6 Select Provider)
- Supplier (see 7.1.4.7 Select Supplier)
- Service (see 7.1.4.4 Select Service)
- Service Offering (see 7.1.4.3 Select Service Offering)

7.1.4 Create New Agreement



An agreement wizard is available to define a new agreement associating the right USLAM objects (Service Definition, Customer, Supplier, Provider, Service, Service Offering).

The agreement entities must already exist in the repository before you can define a new agreement.



If the Default Calculation time zone has not been set yet, a window will ask you to specify the correct time zone to use by default (see 4.12 Default Calculation Time zone)

All available steps are displayed in the left panel of the Agreement Wizard, the right panel is the editable part where you can enter or select USLAM objects.

Figure 72: Agreement Wizard

Universal SLA Manager

Dashboard ▾ Contract operations ▾ Contract administration ▾ Platform Administration ▾ Help ▾

Built-in administrator Logout

Europe/Paris English

Agreement

Id *

Name *

Description

Coordinates Latitude longitude

* Required fields

< Previous Next > Create Cancel


Navigation panel:
Wizard provides several steps to complete to create a new agreement

Right panel:
Wizard displays the current step and allows edition or selection

Navigation controls to navigate between wizard steps: Previous, Next, Create and Cancel

Navigation panel is updated after each step with the state of the step and the selected objects (in case of selection panel)

Figure 73: Agreement Wizard – Navigation Panel



Icons are described below:

Step State	Description
	Current step visible on the right panel
	Step is not completed
	Step is completed
	Step is not completed. You can go directly to this step if you want to complete it or you can be skip it in case of a partial agreement creation.

There are 9 steps to create completely a new agreement:

- Agreement form
- Service Definition Selection
- Service Offering Selection
- Service Selection
- Customer Selection
- Provider Selection

- Supplier Selection
- Finalize Agreement
- Preview and Create



Agreement Wizard creates automatically one SLA item with the Service, Service Offering and Supplier. You can add items using the **Agreements Manager** → **Agreement Editor** and the **Edit** action (see 7.1.3.1 Add / Remove Items)

7.1.4.1 Agreement Form

The agreement form step is a mandatory first step to indicate the identifier and name of the agreement. A check will be done to ensure the agreement you are creating does not already exist.

Figure 74: Agreement Wizard – Agreement Form

Agreement

Id * SLA006

Name * SLA Leased Line 6

Description The 6th SLA

** Required fields*

< Previous Next > Create Cancel

7.1.4.2 Select Service Definition

The Service Definition Selection window is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and displays a set of useful field to select the right service definition for the agreement.

Column Name	Description
Selection	User selection. Only one selection is possible.
Name	Name of the Service Definition. <i>Note: A Tooltip displays the Service Definition Identifier.</i>
Description	Description of the Service Definition

Figure 75: Agreement Wizard – Service Definition Selection

Service Definition search filter

Search

Service Definition search results (2 elements)

Name	Description	Selection
Call Center	Call Center Service Definition	<input type="radio"/>
SD-VPN	Service Definition for VPN services	<input checked="" type="radio"/>

<Previous Next> Create Cancel

Select the Service Definition with the selection button

Select a Service Definition using the selection radio button, and click **Next** to continue to a next agreement step.



There is a dependency between Service, Service Offering and Service Definition.

Only possible Services and Service Offerings will be displayed in other agreement wizard steps

7.1.4.3 Select Service Offering

The Service Offering Selection window is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and displays a set of useful field to select the right service offering for the agreement.

The following table shows the column names and their descriptions:

Column Name	Description
Selection	User selection. Only one selection is possible.
Name	Name of the Service Offering. <i>Note: A Tooltip displays the Service Offering Identifier.</i>
Description	Description of the Service Offering
Recurrence	Recurrence rate for the Service Offering (Quarterly, Monthly, Weekly)
Service Hours	Service Hours is the working and non-working times for the Service Offering (10x5, 24x7...)
Creation Date	Creation date and time for the Service Offering
Number of clauses	Number of clauses defined in the Service Offering. <i>Note: A Tooltip describe the the first clause Objectives in a textual format.</i>

Action	<p>View action popup an external Window with the Service Offering Details.</p> <p>Clone action navigate to a window able to create a new Service Offering cloning an existing one.</p> <p>See 7.2 Service Offerings Manager for more details</p>
---------------	---

Figure 76: Agreement Wizard – Service Offering Selection

Service offering search filter

Search

Service offering search results (5 elements)

Name	Description	Recurrence	Service hours	Valid from	Valid until	Service hours	Nb clauses	Actions	Selection
Service Offering VPN Performance Gold	Service Offering for VPN performance, level gold	Monthly	24x7			24x7	2	View Clone	<input type="radio"/>
Service Offering VPN Ticket Business Impact	24x7 Service Offering for business impact based on simple VPN Tickets SLA clauses	Monthly	24x7			24x7	2	View Clone	<input type="radio"/>
Service Offering template for VPN ticket	24x7 Service Offering template for Tickets related simple SLA clauses	Monthly	24x7			24x7	28	View Clone	<input type="radio"/>
Service Offering with detailed penalty calculation	24x7 Service Offering template for detailed business on VPN tickets SLA clauses						1	View Clone	<input type="radio"/>
Service Offering with detailed penalty calculation for VPN P1	24x7 Service Offering template for detailed business priority 1 VPN, based on tickets						3	View Clone	<input type="radio"/>

< Previous Next > Create Cancel

Figure 77: Agreement Wizard – Service Offering Detail

Service offering ServiceOffering-BusinessImpact-DetailedPenaltyForVPN_P1 (version 1)

Name Service Offering with detailed penalty calculation for VPN P1

Description 24x7 Service Offering template for detailed business impact on priority 1 VPN, based on tickets

Service Definition SD-VPN

Service Hours 24x7

Recurrence Monthly

Exclusion reasons UnplannedMaintenance , ForceMajeure

Created on Feb 6, 2014 12:25 AM.

Clauses Objectives

Clauses search filter

Clauses search results (3 elements)

Domain	Category	Type	Weight	Clause name	Objective id	Objective	High risk when	Medium risk when	Low risk when	Exceeded when
Ticket	MTTR	Service Level Status	5.0	Mean Time To Resolve Ticket	meanTimeToResolveTicket	< 120	Unspecified	Unspecified	Unspecified	Unspecified
Ticket	Incident	Incident	3.0	Critical TTR	criticalTTR	< 2	Unspecified	Unspecified	between 1 and 2	Unspecified
Ticket	Service availability	Availability	3.0	Site Availability	siteAvailability	≥ 99.5 %	between 99.5 % and 99.7 %	Unspecified	Unspecified	Unspecified

Number of clauses per page: 10

Select Cancel

- Select button will go back to the selection step and automatically select this Service Offering.
- Cancel close the window without any selection

The Service Offering Detail window is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) to search in the volume of clauses defined for this Service Offering and displays useful columns.

The following table shows the column names and their descriptions:

Column Name	Description
Category	Clause category
Domain	Clause domain
Type	Clause Type : Downtime, Incident, Service Level Status
Weight	Weight of the clause

Name	Name of the clause
Objective	Clause objective. It is the breach threshold of the monitored indicator to compute the clause status with its operator and unit.
At (High / Medium / Low) risk when	It is the At Risk threshold (high, medium and low) of the monitored indicator to compute the clause status with its operator and unit.
Exceed when	Exceed threshold with its operator and unit

Select a Service Offering using the selection radio button, and click **Next** to continue to a next agreement step.



There is a dependency between Service, Service Offering and Service Definition.

Only possible Service Offerings will be displayed in this agreement wizard step.

If you select the Service Offering before the Service Definition, The Service Definition associated to the selected Service Offering will be automatically selected and Service Definition Selection will be updated accordingly.

7.1.4.4 Select Service

The Service Selection window is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and displays a set of useful field to select the right service for the agreement.

The following table shows the column names and their descriptions:

Column Name	Description
Selection	User selection. Only one selection is possible.
Name	Name of the Service. <i>Note: A Tooltip displays the Service Identifier and its custom fields (if any)</i>
Description	Description of the Service
Service Id	Service Identifier

Figure 78: Agreement Wizard – Service Selection

Service search filter

Search

Service search results (6 elements)

Name	Description	Service Id	Selection
VPN BIF detailed California		VPN_BIF_detailed_California	<input type="radio"/>
VPN BIF detailed Florida		VPN_BIF_detailed_Florida	<input type="radio"/>
VPN Business Impact 01		VPN_BIF1	<input type="radio"/>
VPN Perf1	VPN Service for demonstrating performance metrics management	VPN_PERF1	<input checked="" type="radio"/>
VPN Perf2		VPN_PERF2	<input type="radio"/>
VPN Ticket 01		VPN_TICKET1	<input type="radio"/>

<Previous Next> Create Cancel

Select the Service with the selection button

Select a Service using the selection radio button, and click **Next** to continue to a next agreement step.



There is a dependency between Service, Service Offering and Service Definition.

Only possible Services will be displayed in this agreement wizard step.
If you select the Service before the Service Definition, The Service Definition associated to the selected Service will be automatically selected and Service Definition Selection will be updated accordingly.

7.1.4.5 Select Customer

The Customer Selection window is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and displays a set of useful field to select the right customer for the agreement.

The following table shows the column names and their descriptions:

Column Name	Description
Selection	User selection. Only one selection is possible.
Name	Name of the Customer. <i>Note: A Tooltip displays the Customer Identifier and the contact information of the customer</i>
Description	Description of the Customer

Figure 79: Agreement Wizard – Customer Selection

Customer search filter

Search

Customer search results (2 elements)

Name	Description	Selection
Green Cafe	GreenCafe international distribution	<input checked="" type="radio"/>
Worldwide Phone Solution		<input type="radio"/>

< Previous Next > Create Cancel

Select the Customer with the selection button

Select a Customer using the selection radio button, and click **Next** to continue to a next agreement step.

7.1.4.6 Select Provider

The Provider Selection window is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and displays a set of useful field to select the right provider for the agreement.

The following table shows the column names and their descriptions:

Column Name	Description
Selection	User selection. Only one selection is possible.
Name	Name of the Provider. <i>Note: A Tooltip displays the Provider Identifier and the contact information of the provider</i>
Description	Description of the Provider

Figure 80: Agreement Wizard – Provider Selection

Name	Description
Avix China	Avix China
Avix Hong Kong	Avix Hong Kong
Avix International	Avix International
Avix Italy	Avix Italy
Avix Portugal	Avix Portugal
Avix US	Avix US

Select a Provider using the selection radio button, and click **Next** to continue to a next agreement step.

7.1.4.7 Select Supplier

The Supplier Selection window is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and displays a set of useful field to select the right supplier for the agreement.

The following table shows the column names and their descriptions:

Column Name	Description
Selection	User selection. Only one selection is possible.
Name	Name of the Supplier. <i>Note: A Tooltip displays the Supplier Identifier and the contact information of the supplier</i>
Description	Description of the Supplier

Figure 81: Agreement Wizard – Supplier Selection

Supplier search filter

Search

Supplier search results (8 elements)

Name	Description	Selection
CCST China	CCST China	<input type="radio"/>
CCST Corp.	CCST Coporation	<input type="radio"/>
CCST East US	CCST East US	<input type="radio"/>
CCST Italy	CCST Italy	<input type="radio"/>
CCST Mexico	CCST Mexico	<input type="radio"/>
CCST Portugal	CCST Portugal	<input checked="" type="radio"/>
CCST US	CCST US	<input type="radio"/>
CCST West US	CCST West US	<input type="radio"/>

< Previous Next > Create Cancel

Select the Supplier with the selection button

Select a Supplier using the selection radio button, and click **Next** to continue to a next agreement step.

7.1.4.8 Finalize Agreement

The Finalize Agreement step is the last editable step. This window reminds you several fields you already filled in the first step (see 7.1.4.1 Agreement Form) and let you complete the agreement with additional information.

Fields	Description
Agreement Name	Name of an agreement
Agreement Identifier	Identifier of the agreement
Description	Description for the agreement
Coordinates	Latitude and Longitude for this SLA
Contract Id	Optional identifier of global (e.g. corporate) contract this agreement is associated with. This is an informational data that could be used to search all the agreement created within the same global contract.
Agreement Chain Id	Optional information which can be used for instance to link one SLA to its underlying supporting OLA and underpinning contracts.
Start date	<p>Date and time when the agreement becomes effective and computation of the compliance.</p> <p>Note: Start date is mandatory to schedule an activation of the agreement, and can be in the past (no more than the data retention delay)</p>

End date	Date and time when the agreement expires and will be automatically terminated. Note: This information is optional.
Agreement Type	Type of the agreement : SLA, OLA, or UC (see 1.3 Types of Agreements)
Validation required	Indicates whether a validation is always required before scheduling the activation of an SLA
Administration State	Administration State of the agreement, depending on the agreement information entered, it can be : <ul style="list-style-type: none"> • Under Construction • Waiting Validation • Activation Scheduled
SLA Item	SLA Item information that can be modified. <ul style="list-style-type: none"> • SLA item name • SLA item description • Link Identifier • SLA item coordinates (longitude, latitude)

The Navigation panels summarize choices done for Service Definition, Service Offering, Service, Customer, Provider, and Supplier and allow you to remove or change these objects.

Figure 82: Agreement Wizard – Finalize Agreement

Agreement: SLA Leased Line 6 (SLA006)

Navigation Panel:

- ✓ Agreement form
- ✓ Select Service Definition
 - SD-VPN ✗
- ✓ Select Service Offering
 - Service Offering wL... ✗
- ✓ Select Service
 - VPN Perf1 ✗
- ✓ Select Customer
 - Green Cafe ✗
- ✓ Select Provider
 - Avix Portugal ✗
- ✓ Select Supplier
 - CCST Portugal ✗
- ➔ Finalize Agreement
- ➔ Preview and Create

Main Form Fields:

- Id ***: SLA006
- Name ***: SLA Leased Line 6
- Description**: The 6th SLA
- Coordinates**: Lat: [] Longitude: []
- Contract Id**: []
- Agreement Chain Id**: []
- Type**: Agreement
- Validation required**: No
- Administration state**: Under construction
- Dates Timezone ***: Europe/Paris
- Start date**: []
- End date**: []

Callouts:

- Navigation panel summarize choices done and allow you to remove or modify these objects**
- Previous information from the Agreement Form: Id, Name, Description**
- Additional fields you can modify to complete the agreement creation and prepare its activation**

Buttons: < Previous, Next >, Create, Cancel

Complete the agreement information and click **Next** to see a preview of your current agreement before creation.

7.1.4.9 Preview and Create

Preview and Create step is the last confirmation before creating the agreement.


When you finish, click **Create** to create the agreement in the USLAM Repository or **Cancel** to ignore this agreement creation.

Review the information you provided for the new agreement and then click **Create** to create the new agreement. You can cancel the new agreement creation process by clicking **Cancel**.

Once the agreement created, a popup dialog confirms the success of the creation and asks you if you want to create another agreement.

Click **Yes** start creating another agreement and reuse the information you provided during the last agreement creation process. Click **No** to go back to the USLAM homepage.

Figure 83: Agreement Wizard – Multiple Creation



7.2 Service Offerings Manager



Service Offering Management is a set of several windows restricted to the user with the right access that allows searching, viewing, and cloning existing Service Offerings. The cloned Service Offering can be edited and its objectives can be modified. The new Service Offering will be ready for using and create a new agreement in the agreement creation wizard.

7.2.1 Manage Service Offering

It is composed of the Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration). You can select your desired search criteria by defining a new filter or loading an existing one in the **Service Offering search filter**.

Figure 84: Service Offering Management

Service offering search filter

Search [Clear] [Load...] [Save] [Save as...] [Delete...]

Service offering search results (13 elements)

Actions	Service offering	Description	Nb items	Nb clauses	Recurrence	Service hours	Creation date	Service definition
Actions	Call Center standard offering	Service Offering for CallCenter	1	1	Weekly	24x7	Feb 6, 2014 12:25 AM	Call Center
Actions	Service Offering VPN Performance Gold	Service Offering for VPN performance, level gold	1	2	Monthly	24x7	Feb 6, 2014 12:25 AM	SD-VPN
Actions	Service Offering VPN Ticket Business Impact	24x7 Service Offering for business impact based on simple VPN Tickets SLA clauses	1	2	Monthly	24x7	Feb 6, 2014 12:25 AM	SD-VPN
Actions	Service Offering template for VPN ticket	24x7 Service Offering template for Tickets related simple SLA clauses	1	28	Monthly	24x7	Feb 6, 2014 12:25 AM	SD-VPN
Actions	Service Offering with detailed penalty calculation	24x7 Service Offering template for detailed business impact based on VPN tickets SLA clauses	1	1	Monthly	24x7	Feb 6, 2014 12:25 AM	SD-VPN
Actions	Service Offering with detailed business impact calculation	24x7 Service Offering template for detailed business impact on priority 1 VPN, based on tickets	2	3	Monthly	24x7	Feb 6, 2014 12:25 AM	SD-VPN
Actions	Service Offering with detailed business impact calculation	24x7 Service Offering template for detailed business impact on priority 1 VPN, based on tickets	2	3	Monthly	24x7	Feb 6, 2014 12:24 AM	Code Quality Definition
Actions	Service Offering with detailed business impact calculation	24x7 Service Offering template for detailed business impact on priority 1 VPN, based on tickets	20	3	Monthly	8x5	Feb 6, 2014 12:24 AM	Defects
Actions	Service Offering with detailed business impact calculation	24x7 Service Offering template for detailed business impact on priority 1 VPN, based on tickets	18	3	Quarterly	8x5	Feb 6, 2014 12:24 AM	Defects
Actions	Service Offering with detailed business impact calculation	24x7 Service Offering template for detailed business impact on priority 1 VPN, based on tickets	1	3	Monthly	8x5	Feb 6, 2014 12:24 AM	Defects

Available actions:

- **View** the Service Offering Details
- **Edit** the Service Offering (only if not already used by an item)
- **Clone** and start the Service Offering Editor

List of customizable columns

Number of service offering per page: 10

The following table shows the column names and their descriptions:

Column Name	Description
Action	Click View to view details of a Service Offering Click Edit to open the Service Offering editor (this action is available only if the Service Offering is not already referenced by an item) Click Clone to clone and edit a Service Offering
Service Offering Name	Name of the Service Offering. <i>Note: A Tooltip displays the Service Offering Identifier.</i>
Service Offering Id	Identifier of the Service Offering
Description	Description of the Service Offering
Recurrence	Recurrence rate for the Service Offering (Quarterly, Monthly, Weekly)
Service Hours	Service Hours is the working and non-working times for the Service Offering (10x5, 24x7...)
Service Hours Description	Description associated to the Service Hours
Service Hours Id	Identifier of the Service Hours
Creation Date	Creation date and time for the Service Offering
Number of clauses	Number of clauses defined in the Service Offering. <i>Note: A Tooltip describe the clauses and theirs objectives in a textual format.</i>
Service Definition	Service Definition name

**Service
Definition Id**

Service Definition Identifier

7.2.1.1 Service Offering Details

Service Offering Details is dedicated to view and validate that the selected Service Offering is the right one to clone and edit.

It is composed of detail panel on the Service Offering, a panel describing the business impact parameters and tables that list all the Clauses and theirs objectives.

This Clause Objectives panel is composed of a Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration). You can select your desired search criteria by defining a new filter or loading an existing one in the **Clauses search filter**.

Figure 85: Service Offering Details

The screenshot shows the 'Service Offering Details' page in the Universal SLA Manager. The page title is 'Service offering 50-USLAMDefectsManagement (version 1)'. The main content area is divided into several sections:

- Service Offering Details:** A panel showing the Name (USLAM Defects Management - Gold), Description (Gold Service Offering for USLAM Defects Management), Service Definition (Defects), Service Hours (8x5), Recurrence (Monthly), and Exclusion reasons (Management meetings, Trainings). It also shows the creation date: 'Created on Feb 6, 2014 12:24 AM'.
- Business Impact parameters:** A table with columns 'For category', 'Name', and 'Description'. It lists parameters like 'Service Fee', 'Maximum Credit', and 'Component Availability Penalty Percentage Matrix'.
- Clauses Objectives:** A section titled 'Clauses search filter' and 'Clauses search results (20 elements)'. It contains a table with columns: Domain, Category, Type, Weight, Clause name, ObjectiveId, Objective, High risk when, Medium risk when, and Low risk when. The table lists various clause objectives for defects management.
- Search filter and Result panel:** A callout pointing to the 'Clauses search filter' and 'Clauses search results' section.
- List of Clauses Objectives for this Service Offering:** A callout pointing to the 'Clauses search results' table.
- Buttons:** At the bottom left, there are 'Create a clause' and 'Close' buttons. A callout explains their functions: 'Close the window and go back to the Service Offering Management Window' and 'Clone the Service Offering and launch the Service Offering Editor'.

The following table shows the column names for the clause objectives and their descriptions:

Column Name	Description
Category	Clause category

Domain	Clause domain
Type	Clause Type : Downtime, Incident, Service Level Status
Weight	Weight of the clause
Name	Name of the clause
Objective	Clause objective. It is the breach threshold of the monitored indicator to compute the clause status with its operator and unit.
At risk when	It is the At Risk threshold of the monitored indicator to compute the clause status with its operator and unit.
Exceed when	Exceed threshold with its operator and unit

7.2.1.2 Service Offering Editor

Service Offering Editor is dedicated to edit and customize a new Service Offering.

It is composed of detail panel on the Service Offering with information you can modify, a panel of business impact parameters and a list of Service Clauses and their objectives that you can edit.

The first step is to review and modify the pre-defined identifier and name of the Service Offering. A check will be done to ensure the Service Offering you are creating does not already exist.

Figure 86: Service Offering Editor

The screenshot shows the 'Service Offering Editor' interface in the Universal SLA Manager. The interface is divided into several sections, each with a callout explaining its function:


- Service Offering panel in edition:** This panel includes fields for 'Identifier' (ServiceOffering-VPNTicket-BusinessImpact - Copy), 'Version' (1), 'Name' (Service Offering VPN Ticket Business Impact - Copy), and 'Description' (24x7 Service Offering for business impact based on simple VPN Tickets SLA clauses).
- Business impact parameters panel in edition:** This panel includes 'Service definition' (SD-VPN), 'Service hours' (24x7), 'Recurrence' (Monthly), 'Always start on' (Day of the month), 'Based on SLA start date', and 'Validity period' (From/Until).
- List of exclusion Reasons available for this Service Offering. You can create new exclusion reasons:** This section shows a table of exclusion reasons with columns for 'Exclusion reason', 'Description', 'Duration', and 'Actions'. The table lists 'UnplannedMaintenance' and 'ForceMajeure'.
- List of clauses and their objectives:** This section shows a table of clauses with columns for 'Clause', 'Type', 'Weight', 'Objective id', 'Objective', 'High risk when', 'Medium risk when', 'Low risk when', 'Exceed when', and 'Actions'. The table lists 'Site Tickets Opened' and 'Site Availability'.
- Click to Clause configuration to launch the Service Offering Clause Configuration and select or unselect clauses you would like to include in this service offering:** This callout points to the 'Clauses configuration' link.
- Click Save to create this Service Offering or Cancel to abort the creation:** This callout points to the 'Save' and 'Cancel' buttons at the bottom left.
- Click to Edit on the selected clause to launch the clause editor:** This callout points to the 'Edit' button in the 'Actions' column of the 'Site Availability' clause.

Service Offering panel provide all the modifiable attributes of the Service Offering with the value by default of the cloned Service Offering.

You can modify the Business Impact parameters either directly (for simple parameters) or using the Matrix Business Impact parameters editor. You can easily customize the list of exclusion reasons using the Exclusion reasons panel.

Use the 'Clauses configuration' link to configure the list of clauses you would like to select or unselect on this service offering using the Service Offering Clauses Configuration page (see 7.2.1.3 Service Offering Clauses Configuration)

Figure 87: Service Offering Editor – Matrix Business Impact Parameters



For package BRD_businessImpact-Penalty

For category DetailedPenalty

Name Credit as percentage of service fee per number of incident interval

Description Percentage of penalty owed per clause and per reference period, de


From	To	Credit%	Actions
2	3	5 %	↓ ×
3	5	10 %	↑ ↓ ×
5	7	15 %	↑ ↓ ×
7	+Infinity	20 %	↑ ×

[Add row](#)

Save **Cancel**

You can create new row, delete existing row, order them and edit the range values. Click **Save** to save your changes or **Cancel** to abort your changes.

Figure 88: Service Offering Editor - Exclusion Reasons



Exclusion reasons

Exclusion reason	Description	Decrease Agreed Service Time	Max duration		Actions
			Current	New	
Management meetings	Maximum 8 hours of management meetings per month	<input type="checkbox"/>	480 min	960 min	Remove
Trainings	Used when a technical training takes place for the team	<input checked="" type="checkbox"/>	Unlimited	min	Remove

Select an existing exclusion reason or create a new one

Customizable description for selected exclusion reasons

Select one of the defined exclusion Reasons in ULSAM Repository or create a new one by typing directly in the text edition field

Indicates if exclusions created with this reason also impact the total activity time of the considered period

Max duration time for the exclusion in minutes (leave empty for **Unlimited**)

Note: A tooltip indicate the same duration in days/hours/minutes



A graphical indicator appears when you modify a max duration value indicating clearly if you enter a higher value ⬆ or lower value ⬇.

It eases the final review of the Service Offering changes.

The following table shows the column names for the clause objectives and their descriptions:

Column Name	Description
Action	Click Edit to launch the Service Offering Clause Editor (see 7.2.1.4 Service Offering Clause Editor)
Clause	Name of the clause
Type	Clause Type (Downtime, Incident, Service Level Status)
Description	Description of the clause
Weight	Weight of the clause
Objective	Clause objective. It is the breach threshold of the monitored indicator to compute the clause status with its operator and unit.
At (High, Medium, Low) risk when	It is the At Risk threshold of the monitored indicator to compute the clause status with its operator and unit.
Exceed when	Exceed threshold with its operator and unit

Service Offering Editor always displays the current definition for your Service Offering you are going to create clicking the **Save** button.

Cancel button will go back the Service Offering Management window (see 7.2.1 Manage Service Offering)

7.2.1.3 Service Offering Clauses Configuration

Service Offering Clauses Configuration allows selecting the clauses attached to the service offerings. It is composed of clauses list panel with clause details and a checkbox that let you select or unselect this clause for this service offering.

You can select the checkbox to select/unselect the clause, or uses link to select or unselect all clauses.

Clauses are displayed by domain and category to ease the search and selection.

Figure 89: Service Offering Clauses Configuration

Select or unselect all clauses using these links

List of clauses and their objectives

Select or unselect the clauses included in this service offering

Click Done save your changes and return to the Service Offering Editor with the updated list of clauses.

Selected	Order	Clause	Type	Weight	Objective id	Objective	High risk when	Medium risk when	Low risk when	Exceed when
<input checked="" type="checkbox"/>	1	Component Availability	Availability	Unspecified	ComponentAvailabilitySLO	> 95 %	between 75 % and 95 %	between 60 % and 75 %	between 40 % and 60 %	> 95 %
<input checked="" type="checkbox"/>	2	Platform Stability	Availability	Unspecified	PlatformStabilitySLO	> 95 %	between 75 % and 95 %	between 60 % and 75 %	between 40 % and 60 %	> 95 %
<input checked="" type="checkbox"/>	3	Component Stability	Availability	Unspecified	ComponentStabilitySLO	> 95 %	between 75 % and 95 %	between 60 % and 75 %	between 40 % and 60 %	> 95 %
<input checked="" type="checkbox"/>	4	Still open (Urgent/High)	Service Level Status	Unspecified	NbUrgentHighDefectsNotFixed	< 5	between 4 and 5	between 3 and 4	between 2 and 3	Unspecified
<input checked="" type="checkbox"/>	5	Still open (Medium/Low)	Service Level Status	Unspecified	NbMediumLowDefectsNotFixed	< 5	between 4 and 5	between 3 and 4	between 2 and 3	Unspecified
<input checked="" type="checkbox"/>	6	Max number of open Medium defects over year	Service Level Status	Unspecified	MaxNumberOfMediumDefectsOverYearSLO	< 20 defects	between 15 defects and 20 defects	between 10 defects and 15 defects	between 5 defects and 10 defects	< 1 defects
<input checked="" type="checkbox"/>	7	Max number of open Urgent/High defects over year	Service Level Status	Unspecified	MaxNumberOfUrgentHighDefectsOverYearSLO	< 10 defects	between 7 defects and 10 defects	between 5 defects and 7 defects	between 3 defects and 5 defects	< 0 defects
<input checked="" type="checkbox"/>	8	No days of instability	Availability	Unspecified		Unspecified	Unspecified	Unspecified	Unspecified	Unspecified
<input checked="" type="checkbox"/>	9	No days with too much Medium defects	Availability	Unspecified		Unspecified	Unspecified	Unspecified	Unspecified	Unspecified
<input checked="" type="checkbox"/>	10	Opened in period (Medium/Low)	Incident	Unspecified	NbMediumLowDefectsInPeriodSLO	< 10	between 7 and 10	between 4 and 7	between 2 and 4	< 0
<input checked="" type="checkbox"/>	11	Opened in period (Urgent/High)	Incident	Unspecified	NbUrgentHighDefectsInPeriodSLO	< 5	between 3 and 5	between 2 and 3	between 1 and 2	< 0

Selected	Clause	Type	Weight	Objective id	Objective	High risk when	Medium risk when	Low risk when	Exceed when
<input checked="" type="checkbox"/>	% not acknowledged	Service Level Status	Unspecified	HighDefectsNotAcknowledgedInTime	< 50	between 25 and 50	between 10 and 25	between 5 and 10	Unspecified
<input checked="" type="checkbox"/>	% not acknowledged	Service Level Status	Unspecified	HighDefectsNotAcknowledgedInTimeSCO	< 2	between 1 and 2	Unspecified	Unspecified	Unspecified

Selected	Clause	Type	Weight	Objective id	Objective	High risk when	Medium risk when	Low risk when	Exceed when
<input checked="" type="checkbox"/>	% fixed in time (All severity)	Service Level Status	Unspecified	PercentageOfDefectsFixedInTime	> 50 %	between 50 % and 70 %	between 70 % and 80 %	between 80 % and 90 %	Unspecified
<input checked="" type="checkbox"/>	% not fixed in time (Medium/Low)	Service Level Status	Unspecified	PercentageOfMediumLowDefectsNotFixedInTime	< 50 %	between 40 % and 50 %	between 25 % and 40 %	between 10 % and 25 %	Unspecified
<input checked="" type="checkbox"/>	% not fixed in time (Urgent/High)	Service Level Status	Unspecified	PercentageOfUrgentHighDefectsNotFixedInTime	< 20 %	between 10 % and 20 %	between 5 % and 10 %	between 2 % and 5 %	Unspecified
<input checked="" type="checkbox"/>	MTTF (Medium/Low)	Service Level Status	Unspecified	MeanTimeToFixMediumLowDefects	< 30	between 20 and 30	between 10 and 20	between 5 and 10	< 2
<input checked="" type="checkbox"/>	MTTF (Urgent/High)	Service Level Status	Unspecified	MeanTimeToFixUrgentHighDefects	< 5	between 4 and 5	between 3 and 4	between 2 and 3	< 1
<input checked="" type="checkbox"/>	No not fixed in time	Service Level Status	Unspecified	MeanTimeToFixMediumLowDefectsSCO	< 10	between 7 and 10	between 5 and 7	between 3 and 5	Unspecified
<input checked="" type="checkbox"/>	No not fixed in time	Service Level Status	Unspecified	MeanTimeToFixUrgentHighDefectsSCO	< 5	between 4 and 5	between 3 and 4	between 2 and 3	Unspecified

Done

7.2.1.4 Service Offering Clause Editor

Service Offering Clause Editor is dedicated to view / edit the clause defined for the service offering.

It is composed of detail panel on the Clause with several information you can modify and Service Clause Objectives and their Service Level Objectives that you can edit.

Figure 90: Service Offering Clauses Editor

The screenshot shows the 'Service Offering Clause Editor' interface. It includes a top navigation bar with 'First', 'Previous', 'Next', and 'Last' buttons. A callout box labeled 'Navigation Controls' points to these buttons, stating: 'First, Previous, Next and Last and the existing list of clauses'. The main form area contains fields for 'Clause *', 'Clause description', 'Objective id', 'Objective description', 'Type', 'Service Component', and 'Weight'. A callout box labeled 'Service Clause Objectives and their thresholds (value, operator and unit)' points to the 'Objective description' field. To the right, there are dropdown menus for 'Domain', 'Category', and 'Label' fields. A callout box labeled 'Clause Details' points to these dropdowns. Below the main form, there are two tables: 'Service Clauses Objectives' and 'Service Level Objectives'. A callout box labeled 'Click Done to go back to the Service Offering Editor' points to the 'Done' button at the bottom left. Another callout box labeled 'Service Level Objectives and their thresholds' points to the 'Service Level Objectives' table.



A graphical indicator appears when you modify threshold value indicating clearly if you enter a higher value or lower value . It eases the final review of the Clause changes.

The following table shows the column names and their descriptions:

Column Name	Description
Clause Name	Name of the clause
Description	Description of the clause
Weight	Weight of the clause
Order	Index used to order the clause in the list.
Domain	Name of the domain related to this clause
Category	Name of the category related to this clause

Label 1...5	Optional label used to organize clauses
Type	Clause Type : Downtime, Incident, Service Level Status <i>Note: this is not an editable information</i>
Service Component	Name of the service associated to this clause <i>Note: this is not an editable information</i>
Service Clauses Objectives	Description
Objective	Clause objective. It is the breach threshold of the monitored indicator to compute the clause status with its operator and unit. You can see its original value (not editable) and its current value you can modify. Note: This is a mandatory value
At (High, Medium, Low) risk when	It is the At Risk threshold of the monitored indicator to compute the clause status with its operator and unit. You can see its original value (not editable) and its current value you can modify. Unspecified indicates there is not associated value for this threshold. Note: This is a optional value
Exceed when	Exceed threshold with its operator and unit. You can see its original value (not editable)_ and its current value you can modify. Unspecified indicates there is not associated value for this threshold. Note: This is a optional value
Service Level Objectives	Description
Service Component	Hierarchy list of service component associated to this SLO (ex: Service1 > Component1 > Component 2 > Name) <i>Note: this is not an editable information</i>
SLO	Name of the Service Level Objectives
Critical	It is the critical threshold of the monitored indicator used to determine the Service Level Status with its operator and unit. You can see its original value (not editable) and its current value you can modify. Note: This is a mandatory value
Major	It is the Major threshold of the monitored indicator used to determine the Service Level Status with its operator and unit. You can see its original value (not editable) and its current value you can modify. Note: This is an optional value

Threshold values have to be consistent. An error will be dynamically displayed around all invalid values.



Example of inconsistent At High Risk Threshold compare to its objective.

High Risk	
Current	New
between 99.5% and 99.7%	between 99.5% and 99.2 %

After changing the needed values, you can click **DONE** to go back to the Service Offering Editor (see 7.2.1.2 Service Offering Editor) or use the navigation controls to move to another clause and keep the Service Offering Clause Editor window.



To apply changes and create the new Service Offering, you have to go back to the Service Offering Editor for a final review and click **Save**.

7.3 Contracts Reports



The Agreements reports allow the user to access to pre-defined standard related to contracts administration especially agreements and service offerings management. It will launch Business Object Portal and requires authentication.

You can access to all your customized reports including all pre-defined USLAM reports (see Chapter 9 USLAM for detailed information)

Chapter 8

Platform Administration

8.1 User Management



The User Management Windows is dedicated to platform administrator to create or edit end users and assign them an USLAM role.

Role defines a set of available tasks accessible through the user interface (ex: an operator will not have any access to any administration tasks or able to modify any contract).

On top of the role, it is also possible to restrict access to specific USLAM objects using filters. These filters are named **implicit filters** and are automatically applied before any user filters to grant that a user do not see or select any restricted USLAM objects (SLAs, Service Offerings, Parties, Service Instance, Service Definition, Customers, Suppliers, Providers, etc...)



Implicit Filters dedicated to restrict access to specific USLAM objects are system filters and are not visible to the end user in the user interface. Only an administrator can access to this details.




Admin is the built-in administrator account always available to log in. It cannot be deactivated (see 8.1.5 Activate / Deactivate Users)

Implicit filters are optional and pre-defined filters defined by your platform administrator to restrict access to USLAM objects based on your work. It is mainly to secure task and avoid mistake managing agreements (ex: filter on contract id to list only SLA associated to this contract and its USLAM objects, SLA restricted to a specific customer, ...)

These filters can be set for the display of agreements and hide unauthorized SLA, or can be defined to hide all unauthorized USLAM objects during selection when the user creates or edit agreements.

Figure 91: Implicit Filters Overview



All requests related to the browsing, creation and edition between the USLAM database and the end user are filtered by the two levels of filters: **Implicit** (i.e. system) and **User** (the one created and loaded by the end user to ease his work).

The end user will always see and manage restricted list of USLAM objects.



The current USLAM product has a limitation and do not allow a deletion of implicit filters.

8.1.1 Manage users

It is composed of the Default user role panel, Search Filter Panel (see 4.8 Filter Management) and the Search Filter Result table (see 4.9 Search Result) and supports the agreement column customization (see 4.10 Columns Configuration). You can select your desired search criteria by defining a new filter or loading an existing one in the **User search filter**.

Figure 92: User Management

The screenshot shows the 'Universal SLA Manager' interface. At the top, there's a navigation bar with 'Dashboard', 'Contract operations', 'Contract administration', 'Platform Administration', and 'Help'. The 'Platform Administration' section is active. Below this, the 'Default user role' is set to 'Platform administrator'. A callout points to this dropdown, stating 'Default User Role'. Below the dropdown, a note says: 'Any user correctly authenticated, but who is not explicitly declared in the panel below, will be granted with this role'. The main section is 'Universal SLA Manager Users'. It has a 'User search filter' with a search bar and buttons for 'Clear', 'Load...', 'Save', and 'Save as'. A callout points to the search bar, stating 'Option to display only active users or all users'. Below the search bar, there's a table titled 'User search results (4 elements)'. The table has columns: 'Name', 'Display name', 'Group name', 'Roles', and 'Actions'. The first row shows 'admin' with 'Built-in administrator' as the display name. A callout points to the table, stating 'List of existing USLAM Users' and lists: 'Login', 'Name', 'Group', 'Description', and 'Roles'. Below the table, there's a link 'Add new user...' and a checkbox 'Show deactivated users'. A callout points to the 'Add new user...' link, stating 'Click Add new user... to create a new USLAM user'. At the bottom, there are 'Save' and 'Cancel' buttons. A callout points to these buttons, stating 'Click to Save to confirm the modification of the Default User role or click Cancel to abort this change.' On the right side of the table, there are 'Edit' and 'Deactivate' links for each user. A callout points to these links, stating 'List of actions available on existing users: Edit, Reactivate or Deactivate'.



Only active users are displayed by default in the user search result table. To see the complete list of users including the disabled ones, you need to check the **Show deactivated users**.

The default user role will be granted to all users correctly authenticated but not explicitly listed in the list of USLAM users. The default user role is **Platform administrator**.

See 3.8 User Roles for more details about the user role and their associated tasks

The following table shows the column names and their descriptions.

Column Name	Description
Name	Login name to enter on the USLAM login page
Display Name	Complete name to use for display. It could be different from the login name.
Group Name	Name of the group this user belongs to.

Roles	List of assigned role for this users
Action	<ul style="list-style-type: none"> Click Edit to modify an existing user (see 8.1.3 Edit an existing user) Click Activate to enable the user to log in. By default all new users are active and do not require an activation. Click Deactivate to disable the user. He will not be able to log anymore and seen as not active or obsolete user. <p><i>Note: After a deactivation, it is always possible to use activate action.</i></p>

8.1.2 Add a new user

A platform administrator can easily create a new USLAM user clicking to the link **Add new user...**

The administrator have to enter a mandatory and unique name (login name), a display name more user friendly for the user interface, a password and a set of roles.

A check will be done to ensure the user you are creating does not already exist.

Figure 93: User Management - Add a new user

The screenshot shows the 'Add user' form in the HP Universal SLA Manager interface. The form includes the following fields and actions:

- Name ***: Text input field with the value 'John'.
- Display name**: Text input field with the value 'John Doe'.
- Password**: Password input field with masked characters '*****'.
- Group name**: Dropdown menu with the text 'Select or enter a group name'.
- User roles**: A list of available roles: Operator, Contract adjustment manager, Contract approval manager, User administrator, Dataload administrator, Data correction manager, Report manager, and Business Operator.
- Assigned roles**: A list of roles currently assigned to the user: Platform administrator and Contract administrator.
- Actions**: Buttons for 'Select all', 'Select', 'Remove', and 'Remove all' to manage the assigned roles.
- Buttons**: 'Create' and 'Cancel' buttons at the bottom left.


Callouts provide additional instructions:

- Select an existing group or create a new group for this user**: Points to the Group name dropdown.
- Assigned roles**: Points to the list of roles assigned to the user.
- Available roles**: Points to the list of roles available for selection.
- Select the roles you want to assign to this user using the buttons: Select All, Select, Remove, Remove All.**: Points to the role management buttons.
- Click Create to create this user or Cancel to abort the creation**: Points to the Create and Cancel buttons.

Click **Cancel** to abort the user creation and go back previous window (see 8.1.1 Manage users).

Click **Create** to add a new user, a confirmation box will ask you if you want to assign implicit filter to this user now.

Figure 94: User Management – Assign Implicit Filters



Click **Yes** to assign now implicit filters to restrict the access to USLAM objects. You can also add these filters later on editing the user in the user Management window (see 8.1.1 Manage users). For more detail about editing a user and his implicit filters, refer to 8.1.4 Manage Implicit Filters.

8.1.3 Edit an existing user

Edit an existing user to make changes or new assignment will display the following window.

Figure 95: User Management – Edit an existing user

The screenshot shows the 'Edit user' page in the HP Universal SLA Manager. The page is titled 'USLAM user' and contains the following fields and sections:

- Name:** John
- Display name:** John Doe
- Password:** [Masked]
- Group name:** Select or enter a group name
- User roles:** A list of roles with buttons to 'Select all', 'Select', 'Remove', and 'Remove all'.
 - Available roles:** Operator, Contract adjustment manager, Contract approval manager, User administrator, Data load administrator, Data correction manager, Report manager.
 - Assigned roles:** Platform administrator, Contract administrator.
- Implicit filters for agreements view:** Agreement filter: Unspecified. (Callout: Implicit filter used when browsing agreements)
- Implicit filters for agreements creation:** Customer filter: Unspecified, Provider filter: Unspecified, Supplier filter: Unspecified, Service filter: Unspecified, Service Definition filter: Unspecified, Service Offering filter: Unspecified. (Callout: Implicit filters used when you create or edit an agreement. You can restrict: Customer, Provider, Supplier, Service Definition, Service Offering)
- Buttons:** Update, Cancel. (Callout: Click Update to save your changes on this user or Cancel to abort the edition)



Editing a user **does not allow to change the name used to log in**, but you can change the display name.

If you really want to change this login name, you need to Deactivate this user and create a new one.

8.1.4 Manage Implicit Filters

During the User creation after confirmation (see 8.1.2 Add a new user) or during edition, you can create new implicit filters.

A popup dialog asks for an unique filter name and an optional description.

Clicking **Create** you can continue and defines filter criteria, or choose **Cancel** to abort the implicit filter creation.

Figure 96: Create Implicit Filter (ex: Agreement Filter)

Figure 97: Implicit Filter Panel (ex: Agreement Filter)


Implicit filter definition is very identical to the user filtering described in 4.8.2.2 Advanced Search. Refer to this section for more details.

8.1.5 Activate / Deactivate Users

A platform administrator can disable the access of an existing user if the user account is obsolete for example. The User Management window provides 2 actions: **Reactivate** and **Deactivate** in the column Action to manage correctly the state of the user account.

- An active user can log in and work with USLAM UI.
- An inactive (i.e. deactivated) cannot log in anymore and work with USLAM UI.

Figure 98: User Management – User State lifecycle





After a creation, the state is by default active. The user account is ready and the user can log in and there is no additional action to perform.

Figure 99: User Management - Reactivate and Deactivate Users

User search results (5 elements)

Name	Display name	Group name	Roles	Actions
John	John Doe		[Platform administrator , Contract administrator , Dataload administrator , Report manager]	Reactivate
admin	Built-in administrator		[Platform administrator , Operator , Contract administrator , Dataload administrator , Report manager]	Edit
albin	Jérôme Albin		[Platform administrator , Operator]	Edit - Deactivate
nicotra	Lucie Nicotra	Team Management	[Operator]	Edit - Deactivate
pelissier	Dominique Pelissier	Product Management	[Platform administrator , Operator , Contract administrator , User administrator , Dataload administrator , Report manager]	Edit - Deactivate

[Add new user...](#)
☒ Show deactivated users

Click **Reactivate** to set as active this user.
This user will be able to log-in again.

Click **Deactivate** to set as inactive this user.
This user will not be able to log-in anymore.

Only active users are displayed by default in the user search result table. To see the complete list of users including the disabled ones, you need to check the **Show deactivated users**.

8.2 Platform Management



The USLAM Options component is designed to display and set the options available for the platform. These options are split in several parts: General options, Display options, Reporting options and Security options.

General options allow setting options on Engine server host, maximum simultaneous SQL requests to the database, optional features to hide or show (simple search, alert browser) and the default business category.

Figure 100: Configuration Options – General options

The screenshot shows the 'Universal SLA Manager' interface. The top navigation bar includes 'Dashboard', 'Contract operations', 'Contract administration', 'Platform Administration', and 'Help'. The user is logged in as 'Built-in administrator' with a 'Logout' link. The current page is 'Configuration Options' under 'Platform Administration'. The 'General' tab is selected, showing settings for 'USLAM servers (engines)', 'Maximum simultaneous SQL request' (set to 20), 'Simple search enabled' (Yes), 'Request count' cache expiration period' (600), 'Alert browser enabled' (Yes), and 'Default business category' (ServiceLevelCredit). Each setting has a text input or dropdown and a descriptive tooltip. At the bottom are 'Save' and 'Cancel' buttons.

Configuration options	General	Display	Reporting	Security	
USLAM servers (engines)	<input type="text" value="localhost"/>				Comma separated list of host names on which USLAM Servers are running. RMI port name can be specified if different from the default (1099). Ex: host1.mycorp.com,host2.mycorp.com:1199
Maximum simultaneous SQL request	<input type="text" value="20"/>				The maximum number of simultaneous SQL requests that can be executed by the SLAM UI. A zero value means unlimited and will require a restart of USLAM Server
Simple search enabled	<input checked="" type="radio"/> Yes <input type="radio"/> No				True if the simple search feature is enabled in filter panels
'Request count' cache expiration period	<input type="text" value="600"/>				Period (in seconds) used to reset the 'request count' cache
Alert browser enabled	<input checked="" type="radio"/> Yes <input type="radio"/> No				True if the alert browser is accessible for Platform administration
Default business category	<input type="text" value="ServiceLevelCredit"/>				The default business category in the Business Impact Snapshot and Adjustment screens. Empty value will display all categories.

Display options allow setting options on several display format (date or numeric), default time zone and supported locale, and refresh rates settings for real-time screen.

Figure 101: Configuration Options – Display options

Universal SLA Manager

Dashboard ▾ Contract operations ▾ Contract administration ▾ Platform Administration ▾ Help ▾

Built-in administrator Logout

Europe/Paris English ▾

Configuration Options

Configuration options

General **Display** Reporting Security

Date pattern The date format pattern used for display

Detailed date pattern The detailed date format pattern (with seconds) used for display

Default Agreement Status Snapshot refresh rate The default refresh rate (seconds) in the Agreement Status Snapshot

Default Clause Status Snapshot refresh rate The default refresh rate (seconds) in the Agreement Clause Status

Default Alert Browser refresh rate The default refresh rate (seconds) in the Alert browser

Supported Locales Comma separated list of locales codes supported by the platform. "en" is always available. For each additional locale, a messages_<locale>.properties file needs to be available in <InstallationDirectory>\iBoss\server\default\conf. Any update or addition in this directory requires a USLAM restart.

Default display locale The default display locale

Default display timezone The default display timezone

Maximum fraction digit Maximum number of decimal places

Save Cancel

Reporting options allow setting options on BusinessObject server host and port and its display date format.

Figure 102: Configuration Options – Reporting options

Universal SLA Manager

Dashboard ▾ Contract operations ▾ Contract administration ▾ Platform Administration ▾ Help ▾

Built-in administrator Logout

Europe/Paris English ▾

Configuration Options

Configuration options

General Display **Reporting** Security

BusinessObjects server host Host name of the Business Objects server

BusinessObjects server port Listening port of the Business Objects server

BusinessObjects date pattern The date format pattern used for Business Objects reports

Save Cancel

BusinessObject Server parameters

Security options allow setting options on the USLAM authentication mode (built-in or LDAP) and the optional LDAP parameters, and optional SSO configuration.

Figure 103: Configuration Options – Security options

The screenshot shows the 'Security' tab of the 'Configuration Options' page in the HP Universal SLA Manager. The page is divided into two main sections: 'Authentication mode' and 'SSO parameters'. The 'Authentication mode' section includes fields for LDAP server host, port, Bind DN, Bind Credentials, user name attribute, user attribute, user display attribute, and Base DN. The 'SSO parameters' section includes fields for TrustStore file, Login Name method, and Display Name method. Callouts highlight the 'Authentication mode' section, the 'LDAP Server parameters' section, and the 'SSO parameters' section.

Authentication mode: built-in (default) or LDAP

LDAP Server parameters

SSO parameters

Configuration options

General Display Reporting **Security**

Authentication mode ☒ Built-in ☐ LDAP *The security authentication mode*

LDAP server host *LDAP Server Address*

LDAP server port *Listening port of the LDAP server*

LDAP Bind DN *LDAP Bind DN (needed if anonymous bind is disallowed)*

LDAP Bind Credentials *LDAP Bind Credentials (needed if anonymous bind is disallowed)*

LDAP user name attribute *LDAP User Name Attribute*

LDAP user attribute *LDAP user attribute used for the login*

LDAP user display attribute *LDAP user attribute used for the display of the user name*

Base DN for users lookup *The Base DN for users lookup*

LDAP uses secure connection ☐ Yes ☒ No *True if LDAP provider uses secure connection*

TrustStore file *Path to the TrustStore file, if required by the LDAP provider (backslashes must be doubled)*

SSO Login Name method *Fully qualified java method name used to retrieved the unique user name when SSO is enabled (ex: "com.mycorp.MySSOClass.getUserId"). Leave blank to disable SSO. This method must be available in the classpath and must return a String.*

SSO Display Name method *Fully qualified java method name used to retrieved the user display name when SSO is enabled (ex: "com.mycorp.MySSOClass.getUserDisplayName"). If not specified, it will be set to the login name. This method must be available in the classpath and must return a String.*

Save **Cancel**

8.3 Dataload Status



The USLAM Dataload component is designed to write audit information in the database for every entity that has been loaded. This information is set at the entity-level granularity. A Dataload Status Snapshot is also integrated in the USLAM UI which can be used as an audit tool to track whether the entities were loaded successfully or rejected.

Therefore, for each object loaded, following information is recorded:





- Date on which the object was loaded (dataload time)
- Type of loaded entity
- Creation status i.e. *Success* , *Partial* , *Failure* 
- Explanation text, giving more information about the reason for the assigned creation status.

Figure 104: Dataload Status Snapshot



Dataload Status:


- Success
- Partial
- Failed




Description of the problem in case of dataload failure

Filename containing the loaded entity

Entity Identifier	Entity type	Description	Dataload time	File name
SLA1-VPN-BIF_detailedPenalty	Agreement		Feb 7, 2014 8:43 AM	SLA1-BusinessImpact_DetailedPenalty.xml
SLA1-VPN-ConditionalObjectives	Agreement		Feb 7, 2014 8:43 AM	SLA1-VPN-ConditionalObjectives.xml
SLA01-VPN-Perf	Agreement		Feb 7, 2014 8:43 AM	SLA1-VPNPerf.xml
SLA01-CallCenter001	Agreement		Feb 7, 2014 8:43 AM	SLA1-CallCenter.xml
SLA1-VPN-DataSelectors1	Agreement		Feb 7, 2014 8:43 AM	SLA1-VPN-DataSelectors.xml
SLA01-VPN-Ticket	Agreement		Feb 7, 2014 8:43 AM	SLA1-VPN-Ticket.xml
SLA01-VPN-BusinessImpact				BusinessImpact.xml
SLA01-VPN-Aggregation				Aggregation.xml
ServiceOffering-VPN-ticket_allSimpleSLI-template				VPN-ticket_template.xml
ServiceOffering-VPN-Aggregation-Gold	Service Offering		Feb 7, 2014 8:43 AM	ServiceOffering-VPN-AggregationGold.xml



A successful dataload is marked by  adjacent to each loaded entity. So, filtering on the status allow the platform administrator to find easily dataload problems.

Column Name	Description
Dataload Status (S)	Dataload Status: Success  , Partial  or Failure  You can view this information as a tooltip on the column header
Entity Identifier	Identifier of the dataloaded entity

Entity Type	Type of the dataloaded entity. It can be <ul style="list-style-type: none"> • SLA • Service • Service Definition • Services Hours • Party • SLT (Service Level Template) • SLR (Service Level Requirement) • Holidays • Raw Data Collector • Collector • Users • Action Executors • Business Rules
Description	Explanation about the possible root cause of the dataload problem in case of partial or failed dataload.
Dataload Time	Date / time of the dataload operation executed by USLAM Dataload tools.
Filename	Name of the file containing the definition of the loaded entity. <i>Note: tooltip on this column will describe the full path of the file.</i>

8.4 Agreement Reports



The Agreements reports allow the user to access to pre-defined standard reports related to the USLAM platform. It will launch Business Object Portal and requires authentication.

You can access to all your customized reports including all pre-defined USLAM reports (see Chapter 9 USLAM for detailed information)

Chapter 9

USLAM Reporting

The USLAM platform is built with a full dedicated SLA Intelligence reporting environment to store, aggregate, analyse and report on SLAs. Powered by market leader Business Intelligence software, the reporting module allows manual or automatic production of operational, analytical and contractual end-user reports that can be fully customized, communicated and published in a secured web portal.

In that reporting environment, the solution offers:

- A pre-defined **dashboard** with pre-defined **standard reports**
- a comprehensive **Universe** that is the abstraction layer of the **USLAM Datamart**, allowing the design of USLAM reports and custom operational and analytics reports
- a tool for the automatic publication of SLA reports

Vocabulary:

USLAM standard reports are based on USLAM universe.



USLAM Universe relies on USLAM Datamart which stores and organizes historical data (definition, status, compliance, business impact ...) of the SLAs

USLAM Datamart is a database built and updated regularly by the **USLAM ETL** processing (see *HP USLAM Administration Guide* for more information about ETL).

9.1 Predefined dashboard and predefined reports

USLAM Reporting solution offers a pre-defined **dashboard** with a number of pre-defined **standard reports**.

Pre-defined reports can be generated and communicated for any type of SLA that is active in the USLAM platform.

Pre-defined reports can be copied, edited and further customized at any time to fit particular needs or contexts.


In order to connect to the USLAM BOE Reporting server, open your web browser and enter the following URL to log on:

`http://<BO server>:8080/InfoViewApp/login.jsp`

or


Start the USLAM Web Interface and select the access to report from the home page or menu (refer to the 5.11 Agreement Reports, 6.2 Contracts Reports, 7.3 Contracts Reports or 8.4 Agreement Reports.)

Figure 105: USLAM reporting - Reporting Login page




- Enter your *BOE XI* username and password
- The main navigation window is displayed.

Figure 106: USLAM reporting - Reporting navigation window




- Click on "*Document List*"

Figure 107: USLAM reporting - Reporting document list




- Expand the “*Public Folders*”

Figure 108: USLAM reporting - Public Folders



The **USLAM V4 Dashboards** folder contains 2 “dashboards”:



- **USLAM Dashboard**: an example of USLAM reporting dashboard
- **USLAM Reports Catalog**: not really a dashboard but a single board giving quick access to all the USLAM standard reports

Let’s look first at the **USLAM dashboard**.

It contains six boxes, which give an overview of the analytics that can be done on top of the USLAM Datamart.

The top 3 boxes focused on the current reference period:


- **Number of active SLA**: a speedometer which shows the number of SLA which are currently activated on the USLAM platform. This allows you to know how many SLA you are monitoring on your platform.

- **Distribution of clause status on current period:** a pie chart which gives the number of SLA clauses per status (*exceed, on target, low risk, medium risk, high risk, breach*).
This allows you to determine if the SLA clauses you are managing are globally ok or not.
- **Customer with highest penalty on current period:** a simple informational panel which gives the customer name having the highest penalty on current period.
This allows you to proactively determine (before the end of the reference period) what would be the highest penalty you would pay for a customer.

The bottom 3 boxes focused on historical views:

- **Number of breached SLA over last 12 periods:** an area chart which shows the history of the number of breached SLA over the last 12 periods.
This allows you to globally understand the historical trend of the SLA statuses.
- **Distribution of SLA item status over last 12 periods:** a bar chart which shows the history over the last 12 periods of the number of SLA item classified by their status (*exceed, on target, low risk, medium risk, high risk, breach*).
This allows you to globally understand how the SLA item have performed over the last 12 periods.
- **Penalties over last 12 months:** an area chart which shows the history over the last 12 months of the total amount of penalties.
This allows you to understand the historical trend of the total amount of penalties you paid over one year.

Figure 109: USLAM Reporting Dashboard




Obviously, you can modify this dashboard by adding new analytics or designing your own specific dashboard using the BOE dashboarding and reporting capabilities based on the USLAM Universe.

The dashboarding capabilities of BOE allow also to design some panels containing some links to existing reports. This can be seen in the ‘**USLAM Reports Catalog**’.

You can access it, in the following way:

- Click on “*USLAM V4 Dashboards*” folder
- Click on “*USLAM Reports Catalog*” object

Figure 110: USLAM Reports Catalog



You can find here all the standard reports embedded within the USLAM product.

The categories illustrate the USLAM capabilities in term of operational and analytical reports: Achievements, Inventory, Contractual, Business Impact Analysis, Historical analysis, Audit and SLA Administration.




Note that you can define any dashboard as your Reporting **home page** by clicking on the “*Preferences*” menu, and set the *InfoView Start Page* as *Dashboard* and then choosing any existing dashboard (for example the *Public Folders / USLAM Dashboard*)

Let's look now at all the standard reports.

9.1.1 Achievement reports

This category gathers reports that show the actual service levels values delivered against service levels committed for selected SLA, by customer, service, offerings ...

Figure 111: USLAM reporting - Achievements reports




Some of the reports from this category are explained below.

9.1.1.1 1 SLA,current reference period, delivered values against target

After requesting the SLA for which you are interested in, this report shows the SLA clauses compliance for each SLA item of the given SLA, for the current reference period. Here is an extract of example of such report:

**Figure 112: USLAM reporting -
1 SLA, current reference period, delivered values against target**



This report shows all the SLA clause descriptions, objectives, and delivered values for each SLA item of the selected SLA.
The red color allows quickly pinpointing the breached SLA clauses.

There is also the same kind of report but focusing on the last closed reference period: *'1 SLA, last closed reference period_Delivered values against target'*. While the first report allows you to proactively check what are the SLA achievements even if the reference period is not completed, this one allows you to analyze the results of the SLA achievements on the previously completed reference period.

Those reports are easy to use; there is not any need for the end user to enter any parameter for the generation of them because the filters *'current reference period'* or *'Previous Reference Period'* are part of the report definition.



In case you want the reports to focus on a specific reference period in the past, you can modify the report and replace the '*current reference period*' or '*Previous Reference Period*' filter by the '*Select Requested Date*' filter, which will prompt the user for a specific date.

In the same reports category, other pre-defined reports show:

- *the service levels delivered for all SLA, grouped by customers*
- *the service levels delivered for all SLA, grouped by providers*
- *the service levels delivered for all SLA, grouped by suppliers*

also for current reference period or for last closed reference period.

These reports allow a different analysis focusing on some specific parties rather than focusing on unique SLA.

Obviously, you can modify and enhance the reports in order to match your requirements in term of data displayed, prompts requested by the report, formatting ...

Let's focus now on the SLA details reports.

9.1.1.2 1 SLA, user requested period, detailed report

This report gives you detailed information about the SLA calculation. After requesting the SLA and the date that determines the SLA reference period you are interested in, the report presents information about the SLA, SLA Items and all the SLA clauses status and delivered values.


Moreover, the report gives you all the necessary information in order to analyze SLA clause details and to answer questions like:

- How the SLA clause was calculated?
- What was the collected data used for this calculation?

Here is an example:

Click on '*1 SLA, user requested period_Detailed report*'

Figure 113: USLAM reporting - SLA details prompts



You are then required to enter the input parameters ('prompts') of the report:

- SLA ID:** choose one SLA within the list
- Requested Date:** choose a date that will be used to find the reference period you are interested in



SLA Compliance status and clause values in USLAM Datamart have a granularity which is the SLA reference period.

The choice of the date automatically defines which reference period must be displayed. For this, the following condition is used:

`SLA RefPeriod StartTime > Chosen Date > SLA RefPeriod EndTime`

The '*1 SLA, user requested period_Detailed report*' is then generated.


Here is the overall structure of the SLA details report:

- SLA properties
- SLA Items Compliance Summary
- SLA Items Compliance Details
- Exclusion periods
- Collected data (Tickets, Performance metrics)

9.1.1.3 *SLA properties*

The first part of the report contains general SLA information like contract, customer, provider, list of SLA items and associated services (with their versions)

Figure 114: USLAM reporting - SLA details report: SLA properties

SLA details report for a reference period


SLA01-VPN-Ticket for Worldwide Phone Solution
Feb 1, 2014 -> Mar 1, 2014

Dates and times are stated in Europe/Paris

Contract ID	TicketContract1
Current SLA Administrative State	ACTIVATED
Agreement Chain ID	

SLA Properties :

SLA ID:	SLA01-VPN-Ticket
Requested Report Date:	2/19/2014 12:00:00 AM
Service Provider:	Avix Hong Kong
SLA Version	1
Contract Definition Start Time:	Nov 1, 2012 7:00:00 AM
Contract Definition End Time:	

Customer:	Worldwide Phone Solution
Customer ID	WPS
Contact Name	Mr Dupond
Aliases	
Importance	High
Report Mail List	
Contact Email	Dupond@wps.com
Work Phone	(+33) 1 99887766
Home Phone	--
Mobile Phone	
Preferred Phone	2
Location	Tour Eiffel 75001 Paris France
Holiday Calendar Name	

Here are the SLA Items and services included in this SLA:

VPN Mexico for service VPN Ticket 01 (v1)

9.1.1.4 SLA Items compliance summary

The “*SLA Items Compliance Summary*” part presents all the SLA Item clause statuses and values.

It is divided in the following parts.

9.1.1.5 SLA Item information

This part gives many information about the underlying SLA item and its related service.

Figure 115: USLAM reporting - SLA details report: SLA Item properties

SLA Items Compliance Summary :	
This section shows the SLA Clauses compliance for each SLA Item	
SLA Item: VPN Mexico	
Service ID:	VPN Ticket 01
Service Definition:	SD-VPN
Service Offering Template:	Service Offering template for VPN ticket
Service Hours:	24x7
Service Offering Recurrence:	MONTHLY
SLA Item Link ID	
Supplier:	CCST Mexico
Reference Period:	Feb 01, 2014 07:00:00 -Mar 01, 2014 06:59:59
Service Version Name:	VPN Ticket 01
Region:	
Country:	
District:	
City:	
Time Zone:	
Holiday Calendar Name	
Localization:	
Contract	Contract001
Priority	1
Service identifier	VPN_TICKET1
VPN number	1

9.1.1.6 SLA Item clause status and values (ordered by Domain and Category)

This part shows all the SLA item underlying clauses, with their descriptions, the service component on which the clause applies, the objective of the clause and the delivered value on the selected reference period.

Note that a delivered value with a red background allows to immediately pinpoint the breached clauses.

You may also see some dark grey background, this corresponds to *objectiveless* clauses.

You can find below some examples with *Availability* and *Incident* clauses.

Figure 116: USLAM reporting
- SLA details report: SLA item clause status and values

Domain: Site Tickets		Category: Incident		
Clause	Description	Service Component	Objective	Value
Critical Time To Resolve site tickets	Maximum number of TimeToResolve Site's tickets in more than 1h30 is 2	VPN Ticket 01>>VPNTicket1 Site1	<2	2
Critical Time To Resolve site tickets	Maximum number of TimeToResolve Site's tickets in more than 1h30 is 2	VPN Ticket 01>>VPNTicket1 Site2	<2	0
Critical Time To Resolve site tickets	Maximum number of TimeToResolve Site's tickets in more than 1h30 is 2	VPN Ticket 01>>VPNTicket1 Site3	<2	0
Site Tickets opened	Maximum number of notified tickets on site is 5	VPN Ticket 01>>VPNTicket1 Site1	<5	2
Site Tickets opened	Maximum number of notified tickets on site is 5	VPN Ticket 01>>VPNTicket1 Site2	<5	0
Site Tickets opened	Maximum number of notified tickets on site is 5	VPN Ticket 01>>VPNTicket1 Site3	<5	0

Domain: Site Tickets		Category: Availability		
Clause	Description	Service Component	Objective	Value
Site availability	Site availability must not be less than 99.5%	VPN Ticket 01>>VPNTicket1 Site1	>=99.50%	97.49%
Site availability	Site availability must not be less than 99.5%	VPN Ticket 01>>VPNTicket1 Site2	>=99.50%	100.00%
Site availability	Site availability must not be less than 99.5%	VPN Ticket 01>>VPNTicket1 Site3	>=99.50%	100.00%

9.1.1.7 SLA Items compliance details

In this “*SLA Items Compliance Details*” part, all the details of the clauses are displayed.

The details are grouped by SLA Item, clause domain, clause category, and service.

In this example, you can see the tickets which were taken into account for the calculation of:

- the clause “*Site Tickets Opened*” for the *Site1* of *VPNTicket1*
- the clause “*Critical Time To Resolve site tickets*” for the same site

Figure 117: USLAM reporting - SLA details report: Incident clause details

Domain: Site Tickets Category: Incident				
Clause: Site Tickets opened				
Incident time	Indicator	Indicator Aggregation	Service Resource	Source Details Reference
Feb 1, 2014 11:00:00	siteTicketOpen_sl		VPN Ticket 01>>VPNTicket1 Site1	VPN_TICKET1-Av001
Feb 19, 2014 01:01:00	siteTicketOpen_sl		VPN Ticket 01>>VPNTicket1 Site1	VPN_TICKET1-Av002
Clause: Critical Time To Resolve site tickets				
Incident time	Indicator	Indicator Aggregation	Service Resource	Source Details Reference
Feb 1, 2014 12:30:00	siteCriticalTTRIncident_sl		VPN Ticket 01>>VPNTicket1 Site1	VPN_TICKET1-Av001
Feb 19, 2014 02:31:00	siteCriticalTTRIncident_sl		VPN Ticket 01>>VPNTicket1 Site1	VPN_TICKET1-Av002

In that other following example you can see the details of a clause of type *Availability*: “Site availability”.

In the following table, you can see:

- the ‘*Open time*’ and ‘*Close time*’ of the calculated downtime
- ‘*Closure type*’ which explains why the downtime has been considered as closed by USLAM (termination of a ticket, entering an off-duty period...)
- the ‘*Duration*’ of the downtime. If empty, it means that a ticket is not closed, and that the downtime is not completed
- the ‘*Indicator*’ (SLI) for which the downtime was calculated
- ‘*Indicator Aggregation*’: when valued, it gives the type of aggregation that is used; it explains how was done the calculation of the downtime from the underlying downtimes in the case of several levels of indicators in the calculation tree.

Note: the ‘calculation tree’ of indicators/downtimes is presented with different indents. Lines with ‘*Open time*’ on the first column correspond to downtimes from ‘top’ indicators. Then, lines with ‘*Open time*’ indented correspond to underlying indicators (/downtimes).

- the ‘*Service Resource*’ on which the downtime applies

Figure 118: USLAM reporting - SLA details report: Availability clause details

Domain: Site Tickets Category: Availability							
Clause: Site availability							
Open Time	Close Time	Closure Type	Duration	Indicator	Indicator Aggregation	Service Resource	Source Details Reference
Feb 1, 2014 11:00:00	Feb 1, 2014 14:00:00	normal	3h	siteAvailability_sl		VPN Ticket 01>>VPNTicket1 Site1	VPN_TICKET1-Av001
Feb 19, 2014 01:01:00		normal		siteAvailability_sl		VPN Ticket 01>>VPNTicket1 Site1	VPN_TICKET1-Av002
		Downtime Summary:	16h 52mn 3s				



The last column of this table gives a reference to the collected ticket. The associated raw ticket information can be seen at the bottom of the report. See next section.

9.1.1.8 Exclusion periods

This part displays all the exclusions and holidays for the SLA Item that occurs during the given reference period.

9.1.1.9 Collected data

In this last part of the report, you can see all the collected data which are referenced from the upper part “*SLA Items Compliance Details*“. The performance metrics, tickets are displayed in this part.

For example, you can see below the tickets which have impacted the clauses of the SLA during the reference period.

Figure 119: USLAM reporting - SLA details report: Collected data

Collected data									
These sections show the collected data									
Tickets details									
Ticket ID	Collector	Open Time	Resolved Time	Close Time	Cause Code	Resolution Code	Severity	Suspend Reason	Resume Reason
VPN_TICKET1-Av001	VPN-ticket-collector	Feb 1, 2014 11:00:00	Feb 1, 2014 14:00:00	Feb 1, 2014 14:30:00					
VPN_TICKET1-Inc002	VPN-ticket-collector	Feb 19, 2014 01:01:00							
VPN_TICKET1-Av002	VPN-ticket-collector	Feb 19, 2014 01:01:00							
VPN_TICKET1-Inc001	VPN-ticket-collector	Feb 1, 2014 11:00:00	Feb 1, 2014 14:00:00	Feb 1, 2014 14:30:00					



Note that the ‘Ticket ID’ values are the ones referenced in the previous ‘*SLA Items Compliance Details*’ part.

9.1.1.10 1 SLA, user requested period, clause details report

This is the same kind of report than the previous one, allowing you to analyze a SLA and its underlying SLA items and clauses details calculation, except that this report focus on user specified clause only.

So, in the same way than previously, when opening the ‘1 SLA, user requested period, clause details’ report, the prompt asks you for the requested SLA and the date that determines the SLA reference period you are interested in. Then the report generates SLA details information on one specific clause only.

How to choose the clause to focus on?

First, if not displayed, expand the left-panel by clicking on the right arrow located in the middle of the page on the left.

Figure 120: USLAM reporting - SLA clause details report: left panel expand

SLA clause details report for a reference period

SLA01-VPN-Ticket for Worldwide Phone Solution
Feb 1, 2014 -> Mar 1, 2014

Dates and times are stated in Europe/Paris

Contract ID	TicketContract1
Current SLA Administrative State	ACTIVATED
Agreement Chain ID	

SLA Properties :

SLA ID:	SLA01-VPN-Ticket	Customer:	Worldwide Phone Solution
Requested Report Date:	2/19/2014 12:00:00 AM	Customer ID	WPS
Service Provider:	Avix Hong Kong	Contact Name	Mr Dupond
SLA Version	1	Aliases	
Contract Definition Start Time:	Nov 1, 2012 7:00:00 AM	Importance	High
Contract Definition End Time:		Report Mail List	
		Contact Email	Dupond@wps.com
		Work Phone	(+33) 1 99887766
		Home Phone	--
		Mobile Phone	
		Preferred Phone	2
		Location	Tour Eiffel 75001 Paris France
		Holiday Calendar Name	

Here are the SLA Items and services in

VPN Ticket 01 (v1)

You might then see the navigation map, but you can switch to the “*Input Controls*” tab using the third icon at the bottom of the window.

Figure 121: USLAM reporting - SLA clause details report: Input Controls

Web Intelligence - 1 SLA, user requested period_clause details report

Document View 100% 1 /1+ Edit Refresh All Track

Input Controls - USLAM SLA Clause Details for a Reference Period

Map Reset

SLA Clause

The list of values has changed. The selected values could be obsolete.

All values

Business Days To Acknowledge VPN tickets

Business Days To Resolve VPN tickets

Calendar Days To Acknowledge VPN tickets

Calendar Days To Resolve VPN tickets

Time To Acknowledge VPN tickets

Time To Resolve site tickets

Time To Resolve VPN tickets

Business Day To Acknowledge VPN tickets

Business Day To Resolve the incidents

Mean Calendar Day To Acknowledge VPN tickets

Mean Calendar Day To Resolve the incidents

Mean Time To Acknowledge VPN tickets

Mean Time To Resolve site's configuration change requests

Mean Time To Resolve the incidents

Percentage of Critical Business Days To Acknowledge VPN tickets

Percentage of Critical Business Days To Resolve the incidents

Percentage of Critical Calendar Days To Acknowledge VPN tickets

Percentage of Critical Calendar Days To Resolve the incidents

Percentage of Critical Time To Acknowledge VPN tickets

Percentage of Critical Time To Resolve the incidents

Percentage of Critical Business Days To Acknowledge VPN tickets

Percentage of Critical Business Days To Resolve the incidents

Percentage of Critical Calendar Days To Acknowledge VPN tickets

Percentage of Critical Calendar Days To Resolve the incidents

Percentage of Critical Time To Acknowledge VPN tickets

Percentage of Critical Time To Resolve the incidents

Site availability

Site tickets opened

SLA clause details report for a reference period

SLA01-VPN-Ticket for Worldwide Phone Solution

Feb 1, 2014 -> Mar 1, 2014

Dates and times are in UTC

Contract ID	TicketContract1
Current SLA Administrative State	ACTIVATED
Agreement Chain ID	

SLA Properties :

SLA ID:	SLA01-VPN-Ticket
Report Date:	2/19/2014 12:00:00 AM
Provider:	Avix Hong Kong
Version:	1
Contract Definition:	Nov 1, 2012 7:00:00 AM

Customer:	Worldwide Phone Solution
Customer ID	
Contact Name	
Aliases	
Importance	
Report Mail List	
Contact Email	
Work Phone	
Home Phone	
Mobile Phone	
Preferred Phone	
Location	Tour
Holiday Calendar Name	

Here are the SLA Items and services included in this SLA:

VPN Mexico for service VPN Ticket 01 (v1)

USLAM SLA Clause Details for a Reference Period

You are now able to generate a *SLA details* report on only one specific clause by choosing the name of the clause from the drop down list. The report will automatically be updated by filtering clause information.



Like any other report, this one can be exported as a .pdf file for example; but in this case, it will contain only the specified SLA clause details.

9.1.2 Inventory reports

This category gathers reports listing the managed SLAs, the services, the customers, the offerings monitored on the platform but without focusing on statuses. They allow understanding what is currently managed by the USLAM platform.

Figure 122: USLAM reporting - Inventory reports




You can find below explanations of some of those reports.

9.1.2.1 List of customers with SLAs for all their services

This report shows the list of customers with their SLAs for all their services.

Here is an example of such report:

Figure 123: USLAM reporting - List of customers with SLAs for all their services

List of customers with SLAs			
			
This report shows the list of customers with SLAs for all their services			
Customer	Green Cafe		
Importance			
SLA	SLA Item	Service	Admin State
SLA CallCenter001 1	Call Center USA	Call Center - USA	ACTIVATED
SLA	SLA Item	Service	Admin State
VPN Conditional Objectives SLA 01	Florida Conditional VPN	VPN Conditional Objectives 1	ACTIVATED
Customer	Worldwide Phone Solution		
Importance	High		
SLA	SLA Item	Service	Admin State
SLA VPN Aggregation 01	VPN Italy	VPN Aggregation 01	ACTIVATED
SLA	SLA Item	Service	Admin State
SLA VPN BIF Detailed Penalty 01	California VPN	VPN BIF detailed California	ACTIVATED
	Florida VPN	VPN BIF detailed Florida	ACTIVATED
SLA	SLA Item	Service	Admin State
SLA VPN Business Impact 01	VPN Portugal	VPN Business Impact 01	ACTIVATED

9.1.2.2 List of SLA for all parties ordered by activation time

This report shows the list of all the SLAs and their associated Contract ID, Customer, Service Provider, Administrative State. They are ordered by their activation time.

Here is an example of such report:

Figure 124: USLAM reporting
- List of SLA for all customers ordered by activation time

List of SLAs for all parties 						
This report shows the list of SLA (for all parties), ordered by activated time (more recent first)						
SLA	ContractID	Customer	Service Provider	Admin State	Activated Time	Terminated Time
SLA CallCenter001 1	CallCenter001	Green Cafe	Avix US	ACTIVATED	Feb 19, 2014 2:13:13 PM	Dec 31, 2020 11:00:00 PM
SLA VPN BIF Detailed Penalty 01	Contract001	Worldwide Phone Solution	Avix US	ACTIVATED	Feb 19, 2014 2:13:13 PM	Dec 31, 2020 11:00:00 PM
SLA VPN Data Selectors 01	Contract001	Worldwide Phone Solution	Avix International	ACTIVATED	Feb 19, 2014 2:13:13 PM	Dec 31, 2020 11:00:00 PM
SLA VPN Performance 01	PerformanceContract1	Worldwide Phone Solution	Avix China	ACTIVATED	Feb 19, 2014 2:13:13 PM	Dec 31, 2020 11:00:00 PM
SLA VPN Ticket 01	TicketContract1	Worldwide Phone Solution	Avix Hong Kong	ACTIVATED	Feb 19, 2014 2:13:13 PM	Dec 31, 2020 11:00:00 PM
VPN Conditional Objectives SLA 01	Contract001	Green Cafe	Avix International	ACTIVATED	Feb 19, 2014 2:13:13 PM	Dec 31, 2020 11:00:00 PM
SLA VPN Aggregation 01	AggregationContract1	Worldwide Phone Solution	Avix Italy	ACTIVATED	Feb 19, 2014 2:13:12 PM	Dec 31, 2020 11:00:00 PM
SLA VPN Business Impact 01	BusinessImpactContract1	Worldwide Phone Solution	Avix Portugal	ACTIVATED	Feb 19, 2014 2:13:12 PM	Dec 31, 2020 11:00:00 PM

In the same reports category, other pre-defined reports show:


- the *list of services* with their associated service versions
- the *list of service offerings for all the service definitions*
- the *list of customers* (without any SLA information)
- the *list of SLA Items and their associated services*

9.1.3 Contractual reports

This category gathers end-user contractual reports; they concern:

- **compliance contractual reports**
(how were the service levels delivered compared to the contractual objectives)
- **business impact contractual reports**
(what are the business impact of the service levels delivered)

Figure 125: USLAM reporting - Contractual reports




9.1.3.1 SLA contractual (compliance) report

This report shows the service levels delivered compared to the contractual objectives for a given SLA.

Here is an extract of example of such report:

Figure 126: USLAM reporting - SLA contractual (compliance) report



This report shows all the SLA clause descriptions, objectives, and delivered values for each SLA item of the selected SLA. The red color allows quickly pinpointing the breached SLA clauses which could prevent the SLA contract from being performed correctly.

Two reports of the same kind exist: one focusing on the current reference period ('*SLA contractual (compliance) report for current reference period*'), the other focusing on the last closed reference period ('*SLA contractual (compliance) report for last closed reference period*')

9.1.3.2 SLA contractual (business impact) report


This report shows the business impact of the service levels delivered for a given SLA, both at SLA Item and at SLA level.

This gives a high level view of the business impact calculation (compared to the other report – see next paragraph – which presents the details).

Note that the business impacts are ordered by their ‘*Category*’.

Here is an example of such a report where there is only one *Category* ‘*ServiceLevelCredit*’.

Figure 127: USLAM reporting - SLA contractual (business impact) report



9.1.3.3 SLA contractual (business impact details) report

This report shows the financial details of a business impact calculation for a given SLA.

In addition to what is shown in the ‘*SLA contractual (business impact) report*’ (see previous paragraph), this report shows also the business impact at clause level.

Below is an example of such report:

Figure 128: USLAM reporting - SLA contractual report (business impact details)

Category

ServiceLevelCredit

Total Credit

137.63 \$

sum

calculated by rule

Sum of the subordinate Service Level Credits calculated for the SLA

VPN Portugal (VPN Business Impact 01)				Credit for SLA Item	137.63 \$	sumPerBusinessPeriod
Site Tickets Opened (VPN Business Impact 01>>VPNBif1 Site2)	01-01-2013 - 31-01-2013	0		Credit for Ticket Open clause	0 \$	linearCredit
Site Tickets Opened (VPN Business Impact 01>>VPNBif1 Site1)	01-01-2013 - 31-01-2013	3		Credit for Ticket Open clause	0 \$	linearCredit
Site Availability (VPN Business Impact 01>>VPNBif1 Site2)	01-01-2013 - 31-01-2013	100		Credit for Site availability clause	0 \$	linearCredit
Site Availability (VPN Business Impact 01>>VPNBif1 Site1)	01-01-2013 - 31-01-2013	99.46		Credit for Site availability clause	137.63 \$	linearCredit

These are the descriptions of the rules used in the calculation for VPN Portugal

linearCredit

Service Level Credit based on the clause delivered value, calculated for one reference period

These are the parameters used

Service fee 1000 \$


01-01-2013 - 31-01-2013

sumPerBusinessPeriod

Sum of the subordinate Service Level Credits calculated per business period


Here are some explanations:

Figure 129: USLAM reporting - SLA contractual report (business impact details) – explanations



Furthermore, this detailed report shows also detailed information about the business calculation rules used (definition and parameters used in the calculation).


Figure 130: USLAM reporting - SLA contractual report (business rules details)



9.1.4 Business impact analysis reports

This category gathers reports about business impact values. They aim at listing the business impacts per services, per parties (customers, suppliers, providers), per offerings, per SLA, OLA, UC, or showing the parties with the highest business impact.

Figure 131: USLAM reporting - Business impact analysis reports




Please find below some examples of such reports.

9.1.4.1 History of penalties over last 12 months

This report shows the overall (cross SLA) penalties over the last 12 months.

Figure 132: USLAM reporting – History of penalties over last 12 months




This report allows you to understand the historical trend of the total amount of penalties you paid over one year

9.1.4.2 Credits due by Provider on current period

This report shows the SLAs business impacts per provider.

For example:

Figure 133: USLAM reporting - Credits due by Provider on current period



The screenshot shows a report titled "Provider PrvdrFRA" for the period from Oct 1, 2012 to Sep 30, 2013. It contains a table with four columns: SLA, Category, Business Impact, and Value. The table lists four entries for VPN-STC_SLA_ST_9996 through 9999, all categorized as ServiceLevelCredit with a Business Impact of "Credit due" and a Value of 4,200 \$, except for SLA_ST_9997 which has a Value of 3,600 \$.

SLA	Category	Business Impact	Value
VPN-STC_SLA_ST_9999	ServiceLevelCredit	Credit due	4,200 \$
VPN-STC_SLA_ST_9998	ServiceLevelCredit	Credit due	4,200 \$
VPN-STC_SLA_ST_9997	ServiceLevelCredit	Credit due	3,600 \$
VPN-STC_SLA_ST_9996	ServiceLevelCredit	Credit due	4,200 \$

This report allows you to understand if the providers performed correctly and what was the business impact for the SLA they are involved in.

The same kinds of reports exist for a grouping per customer, on the last closed reference period, or on the current reference period.

9.1.4.3 Top 5 customers, providers, suppliers, or services with highest business impact

Those reports give some ranking information about business impacts: ranking customers, providers, suppliers or services.


For example, here is a report '*Top 5 customers with highest business impact*'.

Figure 134: USLAM reporting - Top 5 customers with highest business impact

Customers with highest business impact on current period



This report shows the 5 customers having the highest business impact on current period



The same kind of report exists for:

- *Top 5 providers with highest business impact*
- *Top 5 suppliers with highest business impact*
- *Top 5 services with highest business impact*

Those reports exist for current period or for last closed period.

Those reports allow you to quickly identify which are the parties (customers, providers, suppliers) or services mainly involved in business impact.

9.1.4.4 Business impact per SLA, OLA, UC

Two reports show the business impact values per SLA, OLA and UC (items) for a given service (on a current period, or on a given period, depending on the report executed).

For example:

Figure 135: USLAM reporting – Business impact per SLA, OLA, and UC


Period from Jun 1, 2013 to Jul 1, 2013			
Business impact analysis for Site B - West			
SLA	SLA Item	Service provider / supplier	\$
SLA Availability – Bank Jones	SLA Availability Site B -	Enterprise Services	0
SLA Fulfillment – Bank Jones	SLA Fulfillment Site B	Enterprise Services	350
SLA Performance – Bank Jones	SLA Performance Site B -	Enterprise Services	0
SLA Restoration – Bank Jones	SLA Restoration Site B	Enterprise Services	0
Total SLA			350 \$
OLA Availability – Network	OLA Availability Site B	Network organization	0
OLA Fulfillment – Network	OLA Fulfillment Site B	Network organization	0
OLA Performance – Network	OLA Performance Site B	MPLS Operations	0
OLA Restoration – Network	OLA Restoration Site B	Network organization	0
Total OLA			0 \$
UC Fulfillment – FieldExt	UC Fulfillment Site B	Unknown	350
Total UC			350 \$

Those reports allow you to understand what is the involvement (in term of business impact) of a service for SLA, OLA and UC.

9.1.5 Historical analysis reports

This category gathers reports which give some historical analytics.


Figure 136: USLAM reporting – Historical analysis reports



9.1.5.1 Number of breached SLA over last 12 periods

This report shows the history of the total amount of penalties over the last 12 months.

Figure 137: USLAM reporting – Number of breached SLA over last 12 periods




This report allows you to understand the historical trend of the total amount of penalties you paid over one year.

9.1.5.2 Distribution of SLA item status over last 12 periods

This report shows the history over the last 12 periods of the number of SLA item classified by their status (*exceed, on target, low risk, medium risk, high risk, breach*).


Figure 138: USLAM reporting – Distribution of item status over last 12 periods



This report allows you to globally understand how the SLA items have performed over the last 12 periods.

9.1.5.3 Distribution of SLA clause statuses

Figure 139: USLAM reporting – Distribution of SLA clause status




This report gives the number of SLA clauses per status (*exceed, on target, low risk, medium risk, high risk, breach*).
This allows you to determine if the SLA clauses you are managing are globally ok or not.

9.1.5.4 All SLAs, last 12 periods, compliance status

This report shows the history, over the last 12 periods, of the SLA compliance status for all the SLA.

Here is an example:

Figure 140: USLAM reporting - All SLAs, last 12 periods, compliance status




9.1.5.5 All SLA Items, last 12 periods, compliance status

This report shows the history over the last 12 periods of the compliance statuses for all the SLA Items (classified per SLA)

Here is an example of such report:

Figure 141: USLAM reporting - All SLA Items, last 12 periods, compliance status




9.1.5.6 1 SLA, last 12 periods, clauses values

This report shows the historical SLA clauses values of each SLA item of a given SLA, over the last 12 periods.

Here is an extract of such a report, focusing on one clause:


Figure 142: USLAM reporting - 1 SLA, last 12 periods, clauses values



9.1.6 Audit and SLA administration reports

This category gathers reports giving historical information about all the SLA adjustments operations (when the clause values were adjusted / approved, to which value, by which user).

Figure 143: USLAM reporting - Audit and SLA administration reports



Each report has his different grouping: per customer, provider, supplier or service.

Those reports allow analyzing how the SLA contracts were negotiated during the year; and determining which are the parties or services that implied the most important number of manual adjustments.



All those predefined reports are accessible directly through the predefined 'USLAM Reports Catalog' or from the "**Document List**" hierarchy tree: "**Public Folders**" / "**USLAM V4 standard reports**"


9.2 Customizing your USLAM Reporting

There are many ways for customizing your USLAM Reporting portal:

- The content of the dashboard is fully customizable:

When displaying the dashboard, click "*Edit Dashboard*"


Figure 144: USLAM reporting - Edit the dashboard



- You can also define your own dashboard:

When the “Document List” is displayed, right-click on “*Public Folders*” -> “*New*” -> “*Corporate dashboard*”

Figure 145: USLAM reporting - Create a new dashboard



- You can customize the already predefined reports
- You can create your own custom reports (see section below) that you may want to add to an existing dashboard or a new dashboard.

Here are some references to documents that would help you in customizing reports and dashboards.

Document Title	URL
SAP BusinessObjects Enterprise™ InfoView User's Guide	http://help.sap.com/boe31sp3
SAP BusinessObjects Web Intelligence XI 3.1 documents	http://help.sap.com/bowebi31/
SAP BO Building reports using Web Intelligence	http://help.sap.com/businessobject/product_guides/boexir3/en/xi3_web_intelligence_html_report_panel_en.pdf
Getting Started Creating Dashboards	http://help.sap.com/businessobject/product_guides/boexir3/en/xi3_getting_started_creating_dashboards_en.pdf
SAP BusinessObjects Dashboard Builder User Guide	http://help.sap.com/businessobject/product_guides/boexir31SP3/en/xi31_sp3_dashboard_user_en.pdf

9.2.1 USLAM Universe overview

The USLAM predefined reports rely on the USLAM universe.


This universe is an abstraction layer of the Datamart (the USLAM historical database) which offers all necessary SLA related objects in order to build reports.

Here is a list of the main objects.

- **SLA definitions** and its objects:


- Time Definition
- Customer
- Service Provider
- Supplier
- Service Definition
- Service
- Service Attribute
- Service Component
- Service Offering
- Exclusion Periods
- SLA
- SLA Item
- SLA Clause
- SLA Reference Period

Figure 146: USLAM reporting - Universe objects



- **Business Impact calculation model**


Figure 147: USLAM reporting - Universe: business impact calculation model



- **Service levels delivered** values and status, and details about the calculation:


Figure 148: USLAM reporting - Universe: SLA calculation

- Tickets
- Data Records
- Performance Metrics
- SLA compliance
- SLA Item compliance
- SLA Clause compliance



- **Business Impact** at SLA, SLA Item, SLA Clause level

Figure 149: USLAM reporting - Universe: business impact calculation




- **Predefined conditions;** by drag and dropping those objects to your report they allow using predefined filtering criteria or input parameters for your report.

You can find in this '*Predefined Conditions*' class some conditions about:

- Date
- Reference Period
- Business Period
- Customer
- Service Definition
- Service
- Service Offering
- SLA
- SLA clause

Figure 150: USLAM reporting - Universe: predefined conditions



9.3 USLAM End User portal functionality

The USLAM End User portal leverages SAP Business Object technology (Infoview). Therefore, a summary of available functionalities is listed below (more details can be found in BO User guides)

Document Title	URL
SAP BusinessObjects Enterprise™ InfoView User's Guide	http://help.sap.com/boe31sp3

Setting Preferences

- General preferences
- Selecting viewing preferences
- Selecting a creation/editing tool
- Selecting a default universe
- Selecting your drill options
- Selecting an MS Excel format
- Changing your password

Working with Objects

- Navigating through folders or categories
- Accessing objects in your personal folders or inbox
- Viewing objects
- Selecting which objects to display
- Opening objects for viewing
- Changing viewers
- Searching for objects
- Performing advanced searches
- Organizing objects
- Creating folders or categories
- Setting the properties of a folder or category
- Adding objects to a folder
- Assigning objects to a category
- Sorting objects
- Scheduling objects
- Enabling notification
- Printing an instance
- Scheduling with events
- Viewing object history
- Viewing instances of objects
- Deleting an instance
- Sending objects or instances
- Creating new objects in InfoView
- Adding objects to InfoView
- To add a document from your computer to InfoView
- Copying objects
- Moving objects
- Deleting objects
- Creating shortcuts
- Creating hyperlinks
- Setting object properties

Using Discussions

- Using the Discussions panel
- Creating a note

- Replying to a note
- Editing a note
- Deleting a note

Working with USLAM reports as Web Intelligence Documents

- Viewing Web Intelligence documents
- Web Intelligence toolbar
- Displaying the navigation map
- Displaying user prompts
- Finding text in documents
- Creating Web Intelligence documents
- Selecting the USLAM Universe for a new document
- Editing queries in existing documents
- Data tracking
- Tracking changes in your data

Working with Publishing


- About Publishing
- Delivery rules
- Formats
- Destinations
- Subscription
- To create a new publication in InfoView

9.4 Reports Publication

USLAM Report Publisher is a separate and optional tool that provides the automatic generation of reports.

It allows the scheduling of automatic generation and publication of SLA reports to the corresponding SLA stakeholders.

Figure 151: USLAM Report publisher



Concretely, this process regularly monitors each SLA reference period. At the end of each SLA reference period, a delay is observed (defined by the configuration parameter '*bi.reporting.sla_delay_period*.'); then, the SLA report is generated and sent to the mailing list specified in the SLA customer '*reportMailingList*' attribute.

Note: the generated report file (.pdf) is also stored on the local reporting server (the directory where the report is stored is specified by the configuration parameter '*bi.reporting.report_gen.folder_id*')

Please read the *HP USLAM Administration Guide* in order to configure and execute the *USLAM Report Publisher*.