

# HP Project and Portfolio Management Center

Software Version: 9.30

## System Requirements and Compatibility Matrix

Document Release Date: November 2014  
Software Release Date: September 2014



## Legal Notices

### Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notice

© 1997 - 2014 Hewlett-Packard Development Company, L.P.

### Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

## Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to: <https://softwaresupport.hp.com>

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to: <http://h20229.www2.hp.com/passport-registration.html>

Or click the **New users - please register** link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

The following table indicates changes made to this document since the last released edition.

Publication Date	Summary of Changes
November 2014 (9.30, Second Edition)	<ul style="list-style-type: none"><li>• Changed Mozilla Firefox versions supported for PPM Center 9.30 from Mozilla Firefox 11 or later to Mozilla Firefox 11 to 24.</li></ul>

## Support

Visit the HP Software Support Online website at: <https://softwaresupport.hp.com>

This website provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support website to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

To find more information about access levels, go to:

[http://h20230.www2.hp.com/new\\_access\\_levels.jsp](http://h20230.www2.hp.com/new_access_levels.jsp)

## System Requirements and Compatibility Matrix

**HP Software Solutions Now** accesses the HPSW Solution and Integration Portal website. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of Integrations between HP Products, as well as a listing of ITIL Processes. The URL for this website is <http://h20230.www2.hp.com/sc/solutions/index.jsp>

# Contents

<b>Chapter 1: Introduction</b> .....	<b>6</b>
An Overview of the PPM Center Architecture .....	6
An Overview of Language Support .....	7
Related Information .....	9
<b>Chapter 2: Client-Side Products and Environments</b> .....	<b>10</b>
Platform and Browser Requirements .....	10
Multilingual User Interface Support .....	12
PPM Workbench Requirements .....	13
Optional Products .....	13
<b>Chapter 3: Server-Side Products and Environments</b> .....	<b>16</b>
Important Considerations .....	16
PPM Server Platforms .....	18
Microsoft Platforms .....	18
Oracle Platforms .....	21
HP Platforms .....	24
IBM Platforms .....	26
Red Hat Platforms .....	29
SUSE Platforms .....	31
Hardware Sizing Estimates .....	33
Email Server Requirements .....	33
PPM Center Database Requirements .....	33
Database Character Sets .....	34
Single Sign-On and Authentication .....	35
Operational Reporting Solution .....	35
BusinessObjects Software .....	36
Compatibility Matrix .....	36
BusinessObjects Server Requirements .....	37
BusinessObjects Database Client Software .....	39

External Web Servers .....	41
Document Management System Solutions .....	43
Database Sizing .....	43
Database Disk Space .....	43
Database Server CPU .....	47
<b>Chapter 4: HP Migrator and Extension Products and Environments .....</b>	<b>48</b>
Migrators .....	48
Application Requirements .....	48
File and Table Space Requirements .....	50
Archive Tables .....	50
HP Deployment Management Extension for Oracle E-Business Suite .....	51
HP Deployment Management Extension for Oracle Technology .....	52
<b>Chapter 5: Using PPM Center with HP Software and Other Software .....</b>	<b>53</b>
<b>Chapter 6: Desupported Platforms and Products .....</b>	<b>56</b>
Server Environment .....	56
Client Environment .....	59
<b>Send Documentation Feedback .....</b>	<b>62</b>

# Chapter 1: Introduction


Welcome to Project and Portfolio Management Center (PPM Center). The goal of this document is to provide you with the details that will allow you to understand the hardware and software options available for your deployment of PPM Center.

This document provides the details about the environments and products supported by HP for this version of PPM Center. Additionally, this guide identifies required third-party software as well as software that can be used to enable optional features, functionality, and topologies.

## An Overview of the PPM Center Architecture

PPM Center employs a three-tier, client-server architecture as shown in the following conceptual diagram. Refer to the *Installation and Administration Guide* for details about the available system configuration options.

### PPM Center architecture



"[Client-Side Products and Environments](#)" on page 10 provides details about the requirements and optional software used in the client tier. These components are identified in the client-side (left) portion of the figure above.

"[Server-Side Products and Environments](#)" on page 16 focuses on the hardware and software requirements for the application and database tiers. The major components of these tiers are identified the server-side (right) portion of the figure above.

In addition the application and database tier components, the server-side chapter also provides details about the optional Web server component.

Although not shown in the previous figure, PPM Center is able to integrate with most industry standard single sign-on systems such as CA SiteMinder version 6.0.

**Note:** HP will support single sign-on integration to the extent that the HP API is used for this purpose. HP will provide logging information so that customers and third-party vendors can troubleshoot the integration themselves. HP will not set up the third-party system for debugging purposes. HP does not commit to changing any HP-produced code should the integration fail.

["HP Migrator and Extension Products and Environments"](#) on page 48 details the third-party software supported for the PPM Center Extensions and Migrators.

["Using PPM Center with HP Software and Other Software"](#) on page 53 details support requirements for the PPM Center integration products.

provides details on the platforms and products that have been desupported with the release of this software version.

## An Overview of Language Support

The PPM Center software must be installed (or upgraded) and maintained on servers relying on either an English-language or Japanese-language operating system. Installation of language packs provide the appropriate language content for the principal areas of the PPM Center user interface and entities. PPM Center clients should use one of the languages deployed on the PPM Center instance.

The following language packs are available with the initial release of the product and are included in the installation bundle:

- English (en)
- Russian (ru)
- Portuguese (pt\_BR)
- Spanish (es)
- Chinese (zh\_CN)
- German (de)

- French (fr)
- Korean (ko)
- Turkish (tr)
- Italian (it)
- Japanese (ja)
- Dutch (nl)
- Swedish (sv)
- Arabic (ar)

**Note:** Language codes (abbreviations) may need to be used when generating fiscal periods, translating customized entities, or identifying language-specific paths on the PPM Server. Make sure that you use the language codes shown in parentheses in the previous list and that the specified language is installed on PPM Center.

**Note:** From version 7.5 to version 9.30, PPM Center integrations with other HP Software products or third-party products will not work if language packs are applied.

However, the following integration solutions available since PPM Center version 9.30 support multiple languages:

- The View Project Quality integration solution
- The integration between PPM Center tasks and HP Agile Manager

Even if the integrated product is an English-only instance, PPM Center can still retrieve data, but displays the data in English.



## Related Information

Selected information from the following documents can assist you with your planning and deployment activities:

- *Installation and Administration Guide*

This guide includes initial product installation procedures as well as configuration, operation, maintenance, migration, and performance information.

In particular, this guide provides an overview of the PPM Center architecture and optional configurations—this information can help you determine the optimal configuration of your deployment.

- *HP Solution Integrations Guide*

This document describes how to configure and use integrations of PPM Center with other HP products.

- *Release Notes*

These documents provide late-breaking information that may affect your installation and deployment of PPM Center.

These guides include initial product installation procedures as well as configuration, operation, maintenance, migration, and performance information.

**Note:** Before any installation, read the Release Notes for the version you are installing and or the Release Notes for the patch being applied.

# Chapter 2: Client-Side Products and Environments

The following sections provide information about Web client environment requirements for both the PPM Center standard interface and the PPM Workbench as well as support for optional, third-party, client-based products.

## Platform and Browser Requirements

**Note:** These are minimum requirements. Additional performance enhancing options, such as additional RAM/memory, may be desired.

Client requirements include the following:

- **Operating system**
  - Microsoft® Vista® Business/Enterprise Edition SP2 (both 32- and 64-bit)
  - Microsoft® Windows® 7 Enterprise Edition (both 32- and 64-bit)
  - Microsoft® Windows® 8 Enterprise Edition (both 32- and 64-bit)
  - Microsoft® Windows® 8.1 Enterprise Edition (both 32- and 64-bit)
- **Mobile operating system for PPM Mobility Accelerator**
  - Windows Mobile 6.1
  - Blackberry OS 4.6.0.167
  - Symbian OS 9.3
- **Mobile operating system for PPM Apps**
  - iOS 4.0 and above
  - Android 2.2 and above

- **Hardware**

- 1.0 GHz (or faster) processor
- RAM
- At least 512 MB
- For PPM Workbench, at least 1 GB

- **Tablet computer**

The following tablet computer as PPM Center client:


- iPad 2 with iOS 5 or later
- iPad 3 with iOS 5.1 or later
- iPad 4 with iOS 6 or later
- HP ElitePad

- **Adobe® Acrobat Reader 5.0 (or later)**

- **Browsers**

- Microsoft Internet Explorer 9.0 (both 32-bit and 64-bit)
  - Enable native XMLHTTP support

Access this setting using **Tools > Internet Options > Advanced Tab > Security (Section)**.



**Note:** If using Internet Explorer, to achieve optimal viewing and application performance, HP recommends you use Internet Explorer 9.0.

- Microsoft Internet Explorer 10 on the following PPM Center client platforms:
  - Microsoft® Windows® 7 Enterprise Edition (both 32-bit and 64-bit)
  - Microsoft® Windows® 8 Enterprise Edition (both 32-bit and 64-bit)
- Microsoft Internet Explorer 11 on the following PPM Center client platform:
  - Microsoft® Windows® 7 Enterprise Edition (both 32-bit and 64-bit)
  - Microsoft® Windows® 8.1 Enterprise Edition (both 32-bit and 64-bit)
- Mozilla Firefox 11 to 24
- Chrome 36 or later

## Multilingual User Interface Support

To support the languages listed in "[An Overview of Language Support](#)" on page 7, clients should be configured with at least one of the languages as that installed on the PPM Center instance.

For example, if your PPM Center instance has only the French language pack installed, all clients that access this instance should be configured to use French.

## PPM Workbench Requirements

### **Java™ Plug-In Requirements**

Access to the PPM Workbench requires an appropriate version of the Oracle Java plug-in installed.

Supported versions include:

- Java 7 Update 51 or later update (32-bit and 64-bit) for all supported browsers

The Java plug-in is automatically installed the first time a user accesses the PPM Workbench.

### **Disk Space Requirements**

User machines that access the PPM Workbench require 40 MB of disk space more than is required by the browser. This space is required to store client-side Java files.

## Optional Products

This section lists the optional products that can be used with this version of PPM Center.

### **Microsoft Project**

HP Project Management supports the following versions of Microsoft Project:

- Microsoft Office Project Standard 2007 SP2 (both 32- and 64-bit)
- Microsoft Office Project Professional 2007 SP2 (both 32- and 64-bit)  
(single-user or connected to Microsoft Office Project Server 2007)
- Microsoft Office Project Standard 2010 (both 32- and 64-bit)
- Microsoft Office Project Professional 2010 (both 32- and 64-bit)  
(single-user or connected to Microsoft Office Project Server 2010)
- Microsoft Office Project Standard 2013 (both 32- and 64-bit)
- Microsoft Office Project Professional 2013 (both 32- and 64-bit)  
(single-user or connected to Microsoft Office Project Server 2013)

For more information about using Microsoft Project with HP Project Management, see the *HP Project Management User's Guide*.

### **Visual Studio Tools for Office (VSTO)**

- VSTO version 3.0 for Microsoft Project 2007

**Note:** For Microsoft Project 2010 and later, VSTO should be bundled automatically with Office installation. Make sure your system administrator did not disable the automatic VSTO installation.

### **Microsoft Office Primary Interop Assemblies (PIA) for Microsoft Project**

- Version 2007 for Microsoft Project 2007

**Note:** For Microsoft Project 2010 and later, PIA should be bundled automatically with Office installation. Make sure your system administrator did not disable the automatic PIA installation.

### **Microsoft Excel**

The following versions of Microsoft Excel are supported:

- Microsoft Office Excel 2007 SP1
- Microsoft Office Excel 2010
- Microsoft Office Excel 2013

### **Microsoft .NET Framework**

- Microsoft .NET Framework version 3.5 or later

### **Language Support**

The optional products should use the corresponding language of the client (and supported on the PPM Center instance).

For example, if your PPM Center instance has the French language pack installed, clients with a French session language should use French for their optional software products.

**Note:** Do not attempt to use PPM Center with software products that have a mix of languages, such as a PPM Center instance supporting English, Korean, and French interacting with a German client having an Italian version of Excel software. All the software products used in your PPM Center client should rely on the same language, and this language must also be supported on the PPM Center

instance.

# Chapter 3: Server-Side Products and Environments

## **HP PPM Center Software Platform Support**

Support is limited to the software and versions specifically mentioned in this document unless otherwise noted.

## **Third Party Software Platform Support**

Third party platform support information provided in this document does NOT supersede anything provided by the third party vendors. Please make sure that all third party software and platform combinations used in conjunction with PPM Center are supported by the respective vendors, and that the combinations are supported by HP. HP is not responsible for any discrepancies involving support platforms for third party products.

The following sections list the requirements for the PPM Center server-side components. Details specific to each component are documented in their own section. For your convenience the information is further categorized by platform and each section includes additional important information and considerations, if necessary.

## Important Considerations

Carefully consider each of the following during your planning and deployment phases of PPM Center:

- **Oracle® Support**

- All installed Oracle versions should include the most recent patches and follow the guidelines provided in the latest *Critical Patch Update*. This information is available from <https://metalink.oracle.com>.

Throughout this guide, any Oracle patches or similar updates that are critical for PPM Center support are noted.

- Standard Edition One, as well as the Standard and Enterprise Editions of the Oracle database versions are supported.
- HP supports 32-bit and 64-bit Oracle for the versions and operating systems supported by PPM



Center. These are subject to the hardware and operating system requirements established by Oracle.

- **Operating System Support**

- Support for each operating system version assumes that the appropriate patch or patches have been applied to support the Java JDK installation on that system.
- On x86 platforms, the distinction is made whether HP supports the 32- or 64-bit version of the operating system (Windows or Linux). On other platforms such as Oracle SPARC, IBM Power4/5, and HP PA-RISC or Itanium®, HP does support their respective 64-bit UNIX® operating system.

- **VMware Support**

- Where VMware ESX Server (on x86 platforms) is supported, this version of PPM Center is expected to function properly in virtual environments for which HP has explicitly stated support; however, there may be functional and performance implications. HP will not require customers to re-create and troubleshoot every issue in a non-VMware environment; however, HP does reserve the right to request that customers diagnose certain issues in a native supported operating system environment without the virtual environment. HP will only make this request when there is reason to believe that the virtual environment is a contributing factor to the issue. If the issue cannot be reproduced in a supported non-virtual environment, customers will need to refer their issues to VMware. VMware-specific problems must be handled by the customer and VMware.

- **HP Integrity Virtual Machine**

- Project and Portfolio Management Center for HP-UX 11i Integrity is binary compatible to run within an HP Integrity Virtual Machine (VM).

- **Language Support**

- The language for the operating system used for both the PPM Server and database must be either English or Japanese regardless of the languages deployed on the PPM Center instance.
- Implementation of the various languages on the PPM Center instance may require additional configuration and maintenance.
- National language support is available for the Managing Application Change integration software and the Migrators and Extensions on a limited basis—see the appropriate product documentation for details.

# PPM Server Platforms

## Microsoft Platforms

Operating System	Requirements	Additional Information
<b>Platform</b>		
<p>One of the following:</p> <ul style="list-style-type: none"> <li>• Microsoft Windows Server 2008, SPs 1 through 2, Standard, Enterprise, and Datacenter Edition (64-bit)</li> <li>• Microsoft Windows Server, 2008 R2, Standard and Enterprise Edition (64-bit)</li> <li>• Microsoft Windows Server, 2012 R2, Standard and Enterprise Edition (64-bit)</li> </ul>	<p>All of the following:</p> <ul style="list-style-type: none"> <li>• x86 and compatible chip architectures (1.5 GHz)</li> <li>• 2 GB RAM</li> <li>• 1 GB disk space</li> </ul>	<ul style="list-style-type: none"> <li>• These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>• See "<a href="#">Hardware Sizing Estimates</a>" on <a href="#">page 33</a> for additional considerations.</li> <li>• Limits on physical memory for 32-bit Windows operating systems depend in part on whether the Physical Address Extension (PAE) is enabled. The PAE allows some 32-bit Windows systems (Windows Server 2008 Datacenter and Windows Server 2008 Enterprise) to use more than 4 GB of physical memory. (To enable PAE, use the /PAE switch in the Boot.ini file.) The total available physical RAM on this system is limited to 4 GB. For detailed information about memory support and memory limitations on Windows operating systems, see Microsoft Support online.</li> </ul>
<p>When installed on an x86 VMware ESXi Server version 5.0 or 5.5 partition, one of the following:</p> <ul style="list-style-type: none"> <li>• All Microsoft operating systems previously identified in this table</li> </ul>	<p>All of the following:</p> <ul style="list-style-type: none"> <li>• x86 and compatible chip architectures (1.5 GHz)</li> <li>• 3 GB RAM</li> <li>• 1 GB disk space for installed files</li> <li>• 400 MB temporary space for installation files</li> </ul>	<ul style="list-style-type: none"> <li>• These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>• Remote Management of ESX is required.</li> <li>• For system sizing impact, contact HP Software Support (<a href="http://hp.com/go/hpsupport">hp.com/go/hpsupport</a>).</li> </ul>
<b>JDK Software</b>		

Operating System	Requirements	Additional Information
All Microsoft operating systems previously identified in this table, except as described in the row below	The following: <ul style="list-style-type: none"> <li>• Java SE Development Kit (JDK) 7u45 (1.7.0 Update 45) or later update (available from Oracle)</li> </ul>	
<b>Communications Software</b>		
All Microsoft operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• Microsoft Windows Services for UNIX versions 3.0 and 3.5</li> <li>• Microsoft Telnet Services</li> </ul>	
All Microsoft operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• Internet Protocol version 4 (IPv4) (default)</li> <li>• Internet Protocol version 6 (IPv6)</li> </ul>	To enable support for IPv6, add the <code>ENABLE_IPV6</code> parameter to the <code>server.conf</code> file and set it to <code>true</code> . For more information, see the <i>Installation and Administration Guide</i> .
<b>Secure Communications Software</b>		
For: <ul style="list-style-type: none"> <li>• All previously identified Microsoft Windows Server 2003-based versions</li> </ul>	One of the following: <ul style="list-style-type: none"> <li>• OpenSSH (included in Cygwin)                             <ul style="list-style-type: none"> <li>■ Version 4.5p1</li> <li>■ Version 4.6p1</li> <li>■ Version 4.7p1</li> <li>■ Version 4.9p1</li> <li>■ Version 5.1p1</li> </ul> </li> <li>• VanDyke (VShell Server)                             <ul style="list-style-type: none"> <li>■ Version 2.6</li> <li>■ Version 3.0</li> <li>■ Version 3.5</li> <li>■ Version 3.6.2</li> </ul> </li> </ul>	During Cygwin installation, use the following settings: <ul style="list-style-type: none"> <li>• Select <b>All Users</b> for the <b>Install For</b> field</li> <li>• Select <b>Dos/text</b> for the <b>Default Text File Type</b> field</li> </ul>

Operating System	Requirements	Additional Information
For: <ul style="list-style-type: none"> <li>All previously identified Microsoft Windows Server 2008-based versions</li> </ul>	One of the following: <ul style="list-style-type: none"> <li>OpenSSH (included in Cygwin)                             <ul style="list-style-type: none"> <li>Version 4.5p1</li> <li>Version 4.6p1</li> <li>Version 4.7p1</li> <li>Version 4.9p1</li> <li>Version 5.x</li> </ul> </li> <li>VanDyke (VShell Server)                             <ul style="list-style-type: none"> <li>Version 2.6</li> <li>Version 3.0</li> <li>Version 3.5</li> <li>Version 3.6.2</li> </ul> </li> </ul>	
<b>Terminal Emulation Software</b>		
All Microsoft operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>"Dumb" mode</li> <li>VT100 mode</li> <li>VT220 mode</li> </ul>	
<b>Other Software</b>		
All Microsoft operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>SQL*Net</li> <li>SQL*Plus</li> </ul>	<ul style="list-style-type: none"> <li>The Oracle client version should correspond to the version of the database used with the PPM Center instance.</li> <li>SQL*Net must be configured to recognize the connection string of the Oracle database that contains the PPM Center database schema.</li> <li>Oracle Java virtual machine (OracleJVM) must be enabled for PPM Center. For more information, see the Installation and Administration Guide or the <i>Upgrade Guide</i>.</li> </ul>
All Microsoft operating systems previously identified in this table	(Optional) The following: <ul style="list-style-type: none"> <li>Email application configuration</li> </ul>	<ul style="list-style-type: none"> <li>If you are planning to use notifications, an email application is needed. See <a href="#">"Email Server Requirements"</a> on page 33 for details.</li> </ul>
All Microsoft operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>Bourne shell</li> </ul>	<ul style="list-style-type: none"> <li>This software is included in the Cygwin utilities.</li> <li>The Bourne shell (bash) must be available on both the source and destination servers.</li> </ul>

## Oracle Platforms

Operating System	Requirements	Additional Information
<b>Platform</b>		
One of the following: <ul style="list-style-type: none"> <li>• Oracle Solaris 10, Updates 1 through 8 (Sparc)</li> <li>• Oracle Solaris 11 (Sparc)</li> </ul>	All of the following: <ul style="list-style-type: none"> <li>• UltraSPARC III (1050 MHz)</li> <li>• 2 GB RAM</li> <li>• 1 GB disk space</li> <li>• 400 MB temp space</li> <li>• 300 MB on root partition (for installation only)</li> </ul> The following packages (or later versions) are required for Oracle database 11g R2 for Oracle Solaris 10: <ul style="list-style-type: none"> <li>• SUNWarc</li> <li>• SUNWbtool</li> <li>• SUNWhea</li> <li>• SUNWlibC</li> <li>• SUNWlibm</li> <li>• SUNWlibms</li> <li>• SUNWsprout</li> <li>• SUNWtoo</li> <li>• SUNWi1of</li> <li>• SUNWi1cs (ISO8859-1)</li> <li>• SUNWi15cs (ISO8859-15)</li> <li>• SUNWxwfont</li> <li>• SUNWcsl</li> </ul>	<ul style="list-style-type: none"> <li>• These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>• See "<a href="#">Hardware Sizing Estimates</a>" on <a href="#">page 33</a> for additional considerations.</li> </ul>
One of the following: <ul style="list-style-type: none"> <li>• Oracle Enterprise Linux (OEL) 5 (RHEL Clone)</li> <li>• Oracle Enterprise Linux (OEL) 6 (RHEL Clone)</li> </ul>	All of the following: <ul style="list-style-type: none"> <li>• x86, x86_64</li> <li>• 1 GB RAM (minimum)</li> </ul>	These are minimum requirements—faster processors and additional memory and storage are acceptable.
<b>JDK Software</b>		
All Oracle operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>• Java SE Development Kit (JDK) 7u45 (1.7.0 Update 45) or later update (available from Oracle)</li> </ul>	
<b>Communications Software</b>		

Operating System	Requirements	Additional Information
All Microsoft operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• Internet Protocol version 4 (IPv4) (default)</li> <li>• Internet Protocol version 6 (IPv6)</li> </ul>	To enable support for IPv6, add the <code>ENABLE_IPV6</code> parameter to the <code>server.conf</code> file and set it to <code>true</code> . For more information, see the <i>Installation and Administration Guide</i> .
<b>Secure Communications Software</b>		
For: <ul style="list-style-type: none"> <li>• All previously identified Oracle Solaris 10-based versions</li> <li>• Oracle Solaris 11</li> </ul>	One of the following: <ul style="list-style-type: none"> <li>• SSH-2.0_Sun_SSH_1.1</li> <li>• OpenSSH version 4.6p1</li> <li>• OpenSSH version 4.7p1</li> <li>• OpenSSH version 4.9p1</li> <li>• OpenSSH version 5.9</li> <li>• Reflection for Secure IT for Unix v7.1</li> </ul>	
<b>Terminal Emulation Software</b>		
All Oracle operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• "Dumb" mode</li> <li>• VT100 mode</li> <li>• VT220 mode</li> </ul>	
<b>Other Software</b>		
All Oracle operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>• SQL*Net</li> <li>• SQL*Plus</li> </ul>	<ul style="list-style-type: none"> <li>• The Oracle client version should correspond to the version of the database used with the PPM Center instance.</li> <li>• SQL*Net must be configured to recognize the connection string of the Oracle database that contains the PPM Center database schema.</li> <li>• Oracle Java virtual machine (OracleJVM) must be enabled for PPM Center. For more information, see the <i>Installation and Administration Guide</i> or the <i>Upgrade Guide</i>.</li> </ul>
All Oracle operating systems previously identified in this table	(Optional) The following: <ul style="list-style-type: none"> <li>• Email application configuration</li> </ul>	If you are planning to use notifications, an email application is needed. See <a href="#">"Email Server Requirements" on page 33</a> for details.

Operating System	Requirements	Additional Information
All Oracle operating systems previously identified in this table	The following: <ul style="list-style-type: none"><li data-bbox="618 352 769 380">• Bourne shell</li></ul>	The Bourne shell is available by default on most UNIX systems. However, in some environments, it might be not configured or enabled. Check with your UNIX system administrator to make sure that the Bourne shell is available and configured on your system.

## HP Platforms

Operating System	Requirements	Additional Information
<b>Platform</b>		
One of the following: <ul style="list-style-type: none"> <li>HP-UX 11i v2 (B.11.23) (IA64) (64-bit)</li> <li>HP-UX 11i v3 (B.11.31) (IA64) (64-bit)</li> </ul>	All of the following: <ul style="list-style-type: none"> <li>Itanium 2 (1.4 GHz)</li> <li>2 GB RAM</li> <li>1 GB disk space</li> <li>400 MB temp space</li> <li>300 MB on root partition (for installation only)</li> </ul>	<ul style="list-style-type: none"> <li>These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>See "<a href="#">Hardware Sizing Estimates</a>" on <a href="#">page 33</a> for additional considerations.</li> <li>When performing upgrade, make sure that there is at least 2GB free disk space for the root directory. Otherwise you may receive a message similar to the following: "WARNING: / partition has insufficient space to install the items selected."</li> </ul>
When using the Integrity VM, one of the following: <ul style="list-style-type: none"> <li>HP-UX 11i v2 (B.11.23) (IA64) (64-bit)</li> <li>HP-UX 11i v3 (B.11.31) (IA64) (64-bit)</li> </ul>		
<b>JDK Software</b>		
All HP operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>HP-UX 11i Java Development Kit (JDK) for the Java 2 Platform Standard Edition 7 (Java SE 7) version 7.0.01 (7.0 Update 1) or later (available from HP)</li> </ul>	
<b>Communications Software</b>		
All Microsoft operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>Internet Protocol version 4 (IPv4) (default)</li> <li>Internet Protocol version 6 (IPv6)</li> </ul>	To enable support for IPv6, add the <code>ENABLE_IPV6</code> parameter to the <code>server.conf</code> file and set it to <code>true</code> . For more information, see the <i>Installation and Administration Guide</i> .
<b>Secure Communications Software</b>		



Operating System	Requirements	Additional Information
All HP operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• OpenSSH version 4.2p1</li> <li>• OpenSSH version 4.3p2</li> <li>• OpenSSH version 4.4p1</li> <li>• OpenSSH version 4.7p1</li> <li>• OpenSSH version 4.9p1</li> <li>• OpenSSH version 5.9</li> <li>• Reflection for Secure IT for Unix v7.1</li> </ul>	
<b>Terminal Emulation Software</b>		
All HP operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• "Dumb" mode</li> <li>• VT100 mode</li> <li>• VT220 mode</li> </ul>	
<b>Other Software</b>		
All HP operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>• SQL *Net</li> <li>• SQL *Plus</li> </ul>	<ul style="list-style-type: none"> <li>• The Oracle client version should correspond to the version of the database used with the PPM Center instance.</li> <li>• SQL *Net must be configured to recognize the connection string of the Oracle database that contains the PPM Center database schema.</li> <li>• Oracle Java virtual machine (OracleJVM) must be enabled for PPM Center. For more information, see the Installation and Administration Guide or the <i>Upgrade Guide</i>.</li> </ul>
All HP operating systems previously identified in this table	(Optional) The following: <ul style="list-style-type: none"> <li>• Email application configuration</li> </ul>	If you are planning to use notifications, an email application is needed. See " <a href="#">Email Server Requirements</a> " on page 33 for details.
All HP operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>• Bourne shell</li> </ul>	The Bourne shell is available by default on most UNIX systems. However, in some environments, it might be not configured or enabled. Check with your UNIX system administrator to make sure that the Bourne shell is available and configured on your system.

## IBM Platforms

Operating System	Requirements	Additional Information
<b>Platform</b>		
<p>The following:</p> <ul style="list-style-type: none"> <li>IBM AIX version 6.1</li> </ul>	<p>All of the following:</p> <ul style="list-style-type: none"> <li>POWER4™ / POWER5™ / POWER7® (both 32- and 64-bit)</li> <li>2 GB RAM</li> <li>1 GB disk space</li> <li>400 MB temp space</li> <li>300 MB on root partition (for installation only)</li> </ul> <p>The following operating system filesets are required for AIX 6.1:</p> <ul style="list-style-type: none"> <li>bos.adt.base</li> <li>bos.adt.lib</li> <li>bos.adt.libm</li> <li>bos.perf.libperfstat 6.1.2.1 or later</li> <li>bos.perf.perfstat</li> <li>bos.perf.proctools</li> <li>xlC.aix61.rte.10.1.0.0 or later</li> <li>xlC.rte.10.1.0.0 or later</li> <li>gpfs.base 3.2.1.8 or later</li> </ul>	<ul style="list-style-type: none"> <li>These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>See <a href="#">"Hardware Sizing Estimates" on page 33</a> for additional considerations.</li> </ul>

Operating System	Requirements	Additional Information
<p>The following:</p> <ul style="list-style-type: none"> <li>IBM AIX version 7.1</li> </ul>	<p>All of the following:</p> <ul style="list-style-type: none"> <li>POWER4™ / PPC970 / POWER5™ / POWER6® / POWER7® (both 32- and 64-bit)</li> <li>2 GB RAM</li> <li>1 GB disk space</li> <li>400 MB temp space</li> <li>300 MB on root partition (for installation only)</li> </ul> <p>The following operating system filesets are required for AIX 7.1:</p> <ul style="list-style-type: none"> <li>bos.adt.base</li> <li>bos.adt.lib</li> <li>bos.adt.libm</li> <li>bos.perf.libperfstat</li> <li>bos.perf.perfstat</li> <li>bos.perf.proctools</li> <li>xlC.aix61.rte:10.1.0.0 or later</li> <li>xlC.rte.10.1.0.0 or later</li> <li>gpfs.base 3.3.0.11 or later</li> </ul>	<ul style="list-style-type: none"> <li>These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>See "<a href="#">Hardware Sizing Estimates</a>" on page 33 for additional considerations.</li> </ul>
<b>JDK Software</b>		
<p>All IBM operating systems previously identified in this table</p>	<p>The following:</p> <ul style="list-style-type: none"> <li>Java SE Version 7.0 Service Refresh 2 or later SR ( 32-bit and 64-bit) (available from IBM) (Recommended: 7.0 Service Refresh 7 Fix Pack 1)</li> </ul>	
<b>Communications Software</b>		
<p>All Microsoft operating systems previously identified in this table</p>	<p>One of the following:</p> <ul style="list-style-type: none"> <li>Internet Protocol version 4 (IPv4) (default)</li> <li>Internet Protocol version 6 (IPv6)</li> </ul>	<p>To enable support for IPv6, add the ENABLE_IPV6 parameter to the server.conf file and set it to true. For more information, see the <i>Installation and Administration Guide</i>.</p>
<b>Secure Communications Software</b>		

Operating System	Requirements	Additional Information
For: <ul style="list-style-type: none"> <li>• IBM AIX version 6.1</li> <li>• IBM AIX version 7.1</li> </ul>	One of the following: <ul style="list-style-type: none"> <li>• OpenSSH version 4.1p1</li> <li>• OpenSSH version 4.3p2</li> <li>• OpenSSH version 4.4p1</li> <li>• OpenSSH version 4.5p1</li> <li>• OpenSSH version 4.6p1</li> <li>• OpenSSH version 4.7p1</li> <li>• OpenSSH version 4.9p1</li> <li>• OpenSSH version 5.9</li> <li>• Reflection for Secure IT for Unix v7.1</li> </ul>	
<b>Terminal Emulation Software</b>		
All IBM operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• "Dumb" mode</li> <li>• VT100 mode</li> <li>• VT220 mode</li> </ul>	
<b>Other Software</b>		
All IBM operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• SQL*Net</li> <li>• SQL*Plus</li> </ul>	<ul style="list-style-type: none"> <li>• The Oracle client version should correspond to the version of the database used with the PPM Center instance.</li> <li>• SQL*Net must be configured to recognize the connection string of the Oracle database that contains the PPM Center database schema.</li> <li>• Oracle Java virtual machine (OracleJVM) must be enabled for PPM Center. For more information, see the <i>Installation and Administration Guide</i> or the <i>Upgrade Guide</i>.</li> </ul>
All IBM operating systems previously identified in this table	(Optional) The following: <ul style="list-style-type: none"> <li>• Email application configuration</li> </ul>	If you are planning to use notifications, an email application is needed. See <a href="#">"Email Server Requirements"</a> on page 33 for details.
All IBM operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>• Bourne shell</li> </ul>	The Bourne shell is available by default on most UNIX systems. However, in some environments, it might be not configured or enabled. Check with your UNIX system administrator to make sure that the Bourne shell is available and configured on your system.

## Red Hat Platforms

Operating System	Requirements	Additional Information
<b>Platform</b>		
One of the following: <ul style="list-style-type: none"> <li>Red Hat Enterprise Linux Advanced Platform 5.0 (both 32- and 64-bit)</li> <li>Red Hat Enterprise Linux 6.x (both 32- and 64-bit)</li> </ul>	All of the following: <ul style="list-style-type: none"> <li>x86 and compatible chip architectures (1.5 GHz)</li> <li>2 GB RAM</li> <li>1 GB disk space</li> <li>400 MB temp space</li> <li>300 MB on root partition (for installation only)</li> </ul>	<ul style="list-style-type: none"> <li>These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>See "<a href="#">Hardware Sizing Estimates</a>" on <a href="#">page 33</a> for additional considerations.</li> </ul>
When installed on an x86 VMware ESXi Server version 5.0 or 5.5 partition, one of the following: <ul style="list-style-type: none"> <li>Red Hat Enterprise Linux Advanced Platform 5.0 (both 32- and 64-bit)</li> <li>Red Hat Enterprise Linux 6 (both 32- and 64-bit)</li> </ul>	All of the following: <ul style="list-style-type: none"> <li>x86 and compatible chip architectures (1.5 GHz)</li> <li>3 GB RAM</li> <li>1 GB disk space for installed files</li> <li>400 MB temporary space for installation files</li> <li>300 MB on root partition (for installation only)</li> </ul>	<ul style="list-style-type: none"> <li>These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>Remote Management of ESX is required.</li> <li>For system sizing impact, contact HP Software Support (<a href="http://hp.com/go/hpssoftwaresupport">hp.com/go/hpssoftwaresupport</a>)</li> </ul>
The following on HP Cloud Services environment: <ul style="list-style-type: none"> <li>CentOS 6 Server (64-bit)</li> </ul>		<b>Note:</b> This is the only operating system PPM Center is certified for when running a PPM server in the HP Cloud Services environment.
<b>JDK Software</b>		
All Red Hat operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>Java SE Development Kit (JDK) 7u45 (1.7.0 Update 45) or later update (available from Oracle)</li> </ul>	
<b>Communications Software</b>		
All Microsoft operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>Internet Protocol version 4 (IPv4) (default)</li> <li>Internet Protocol version 6 (IPv6)</li> </ul>	To enable support for IPv6, add the ENABLE_IPV6 parameter to the <code>server.conf</code> file and set it to true. For more information, see the <i>Installation and Administration Guide</i> .
<b>Secure Communications Software</b>		

Operating System	Requirements	Additional Information
All Red Hat operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• OpenSSH version 4.3p2 (included with the product bundle from Red Hat, Inc.)</li> <li>• OpenSSH version 4.4p1</li> <li>• OpenSSH version 4.5p1</li> <li>• OpenSSH version 4.6p1</li> <li>• OpenSSH version 4.7p1</li> <li>• OpenSSH version 4.9p1</li> <li>• OpenSSH version 5.9</li> <li>• Reflection for Secure IT for Unix v7.1</li> </ul>	
<b>Terminal Emulation Software</b>		
All Red Hat operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• "Dumb" mode</li> <li>• VT100 mode</li> <li>• VT220 mode</li> </ul>	
<b>Other Software</b>		
All Red Hat operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• SQL*Net</li> <li>• SQL*Plus</li> </ul>	<ul style="list-style-type: none"> <li>• The Oracle client version should correspond to the version of the database used with the PPM Center instance.</li> <li>• SQL*Net must be configured to recognize the connection string of the Oracle database that contains the PPM Center database schema.</li> <li>• Oracle Java virtual machine (OracleJVM) must be enabled for PPM Center. For more information, see the <i>Installation and Administration Guide</i> or the <i>Upgrade Guide</i>.</li> </ul>
All Red Hat operating systems previously identified in this table	(Optional) The following: <ul style="list-style-type: none"> <li>• Email application configuration</li> </ul>	If you are planning to use notifications, an email application is needed. See <a href="#">"Email Server Requirements"</a> on page 33 for details.
All Red Hat operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>• Bourne shell</li> </ul>	The Bourne shell is available by default on most UNIX systems. However, in some environments, it might be not configured or enabled. Check with your UNIX system administrator to make sure that the Bourne shell is available and configured on your system.

## SUSE Platforms

Operating System	Requirements	Additional Information
<b>Platform</b>		
One of the following: <ul style="list-style-type: none"> <li>SUSE Linux Enterprise Server 10 (both 32- and 64-bit)</li> <li>SUSE Linux Enterprise Server 11 (both 32- and 64-bit)</li> </ul>	All of the following: <ul style="list-style-type: none"> <li>x86 and compatible chip architectures (1.5 GHz)</li> <li>2 GB RAM</li> <li>1 GB disk space</li> <li>400 MB temp space</li> <li>300 MB on root partition (for installation only)</li> </ul>	<ul style="list-style-type: none"> <li>These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>See "<a href="#">Hardware Sizing Estimates</a>" on <a href="#">page 33</a> for additional considerations.</li> </ul>
When installed on an x86 VMware ESXi Server version 5.0 or 5.5 partition, one of the following: <ul style="list-style-type: none"> <li>All SUSE Linux operating systems previously identified in this table</li> </ul>	All of the following: <ul style="list-style-type: none"> <li>x86 and compatible chip architectures (1.5 GHz)</li> <li>3 GB RAM</li> <li>1 GB disk space</li> <li>400 MB temp space</li> <li>300 MB on root partition (for installation only)</li> </ul>	<ul style="list-style-type: none"> <li>These are minimum requirements—faster processors and additional memory and storage are acceptable.</li> <li>Remote Management of ESX is required.</li> <li>For system sizing impact, contact HP Software Support (<a href="http://hp.com/go/hpssoftwaresupport">hp.com/go/hpssoftwaresupport</a>)</li> </ul>
<b>JDK Software</b>		
All SUSE Linux operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>Java SE Development Kit (JDK) 7u45 (1.7.0 Update 45) or later update (available from Oracle)</li> </ul>	
<b>Communications Software</b>		
All Microsoft operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>Internet Protocol version 4 (IPv4) (default)</li> <li>Internet Protocol version 6 (IPv6)</li> </ul>	To enable support for IPv6, add the <code>ENABLE_IPV6</code> parameter to the <code>server.conf</code> file and set it to <code>true</code> . For more information, see the <i>Installation and Administration Guide</i> .
<b>Secure Communications Software</b>		

Operating System	Requirements	Additional Information
For: <ul style="list-style-type: none"> <li>• SUSE Linux Enterprise Server 10 (both 32- and 64-bit)</li> <li>• SUSE Linux Enterprise Server 11 (both 32- and 64-bit)</li> </ul>	One of the following: <ul style="list-style-type: none"> <li>• OpenSSH version 4.1p1 (SUSE Linux Enterprise Server 10 only)</li> <li>• OpenSSH version 4.3p1</li> <li>• OpenSSH version 4.3p2</li> <li>• OpenSSH version 4.4p1</li> <li>• OpenSSH version 4.5p1</li> <li>• OpenSSH version 4.6p1</li> <li>• OpenSSH version 4.7p1</li> <li>• OpenSSH version 4.9p1</li> <li>• OpenSSH version 5.9</li> <li>• Reflection for Secure IT for Unix v7.1</li> </ul>	
<b>Terminal Emulation Software</b>		
All SUSE Linux operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• "Dumb" mode</li> <li>• VT100 mode</li> <li>• VT220 mode</li> </ul>	
<b>Other Software</b>		
All SUSE Linux operating systems previously identified in this table	One of the following: <ul style="list-style-type: none"> <li>• SQL*Net</li> <li>• SQL*Plus</li> </ul>	<ul style="list-style-type: none"> <li>• The Oracle client version should correspond to the version of the database used with the PPM Center instance.</li> <li>• SQL*Net must be configured to recognize the connection string of the Oracle database that contains the PPM Center database schema.</li> <li>• Oracle Java virtual machine (OracleJVM) must be enabled for PPM Center. For more information, see the <i>Installation and Administration Guide</i> or the <i>Upgrade Guide</i>.</li> </ul>
All SUSE Linux operating systems previously identified in this table	(Optional) The following: <ul style="list-style-type: none"> <li>• Email application configuration</li> </ul>	If you are planning to use notifications, an email application is needed. See " <a href="#">Email Server Requirements</a> " on the next page for details.
All SUSE Linux operating systems previously identified in this table	The following: <ul style="list-style-type: none"> <li>• Bourne shell</li> </ul>	The Bourne shell is available by default on most UNIX systems. However, in some environments, it might be not configured or enabled. Check with your UNIX system administrator to make sure that the Bourne shell is available and configured on your system.



## Hardware Sizing Estimates

The hardware specifications provided in this guide are the minimum requirements for a valid PPM Center production installation. The requirements as they apply to each installation will vary based on the number of users, volume of activity, and type of activity. HP will conduct hardware assessments for customers at appropriate stages of the implementation. Contact HP Software Support ([hp.com/go/hpsoftwaresupport](http://hp.com/go/hpsoftwaresupport)) for a detailed assessment.

## Email Server Requirements

An email server is required if you are planning to use notifications. PPM Center can send email notifications to identify pending actions or to notify users of status changes for various packages, requests, and tasks.

PPM Center can integrate with any SMTP-compliant mail server, including Microsoft Exchange, UNIX sendmail, and others. For example, the following Microsoft Exchange Server versions are supported:

- Microsoft Exchange Server 2007
- Microsoft Exchange Server 2010

To work with these third-party products, the PPM Server needs the IP address of the email server and the logon name of one or more valid users on the email server, which the PPM Server uses as "from" addresses for its notifications.

For information about configuring the email server, see the *Installation and Administration Guide*.

## PPM Center Database Requirements

The following Oracle database versions are supported on all PPM Server platforms:

- Oracle 11.2.0.2, Standard and Enterprise Edition (RAC and Non-RAC)
- Oracle 11.2.0.3, Standard and Enterprise Edition (RAC and Non-RAC)
- Oracle 11.2.0.4, Standard and Enterprise Edition (RAC and Non-RAC)

**Note:** Because Oracle Enterprise DB Server is not supported on VMware, PPM Center does not work

with Oracle Enterprise DB Server on VMware.

For sizing information for database-based DMS solutions, see "[Database Sizing](#)" on page 43.

For details about server requirements, see Oracle documentation specific to your operating system in the Oracle Database Documentation Library ([http://www.oracle.com/pls/db112/portal.portal\\_db?selected=11&frame=](http://www.oracle.com/pls/db112/portal.portal_db?selected=11&frame=)).

For information on periodic database maintenance tasks, see the Oracle Database Administrator's Guide.

## Database Character Sets

The table below lists the database character sets supported for English-language deployments of this version of PPM Center.

Code	Description
US7ASCII	ASCII 7-bit U.S. America
WE8ISO8859P1	ISO 8859-1 Western Europe
WE8ISO8859P9	ISO 8859-9
WE8ISO8859P15	ISO 8859-15
WE8MSWIN1252	Microsoft Windows code page 1252 8-bit Western Europe  <b>Note:</b> Supported for legacy reasons. Do not use for new PPM Center installations.
UTF8	Unicode 3.0 UTF-8
AL32UTF8	Unicode 3.0 UTF-8  <b>Note:</b> For new PPM Center installations, make sure you ALWAYS use AL32UTF8.

You should also specify:

- AL32UTF8 for NLS\_CHARACTERSET
- AL16UTF16 for NLS\_NCHAR\_CHARACTERSET

**Note:** HP Software strongly recommends the use of AL32UTF8 for new installations.

## Single Sign-On and Authentication

The following Single Sign-On (SSO) and authentication software products are supported for this version of PPM Center:

- NTLM version 2 (Microsoft Windows operating systems only)
- Any LDAP v3.0-compliant Server
  - LDAP + SSL
  - LDAP (special mode)
- SiteMinder 6.x
- SiteMinder 12

## Operational Reporting Solution

**Note:** Operational Reporting Content Pack 2.0 was released separately in July 2014. For more information, see the *Release Notes for Operational Reporting Content Pack 2.0*.

If there are any discrepancies between the information in this section and the Release Notes for Operational Reporting Content Pack 2.0, the information in the *Release Notes* shall prevail.

This section contains the following:

- ["BusinessObjects Software" on the next page](#)
- ["Compatibility Matrix" on the next page](#)
- ["BusinessObjects Server Requirements" on page 37](#)
- ["BusinessObjects Database Client Software" on page 39](#)

## BusinessObjects Software

**Note:** The Business Objects Enterprise XI 3.1 software is no longer available to new customers as of PPM Center version 9.30.

For existing PPM Center version 9.1x or 9.2x customers who have already installed this software, HP is providing compatibility to the PPM Center version 9.30 environment.

The following instructions apply only to customers who have previously installed the Business Objects software (SAP BusinessObjects Enterprise XI 3.1 with Service Pack 5 Fix Pack 3, or BOE XI 3.1 SP5 FP3) and wish to use it in PPM Center version 9.30.

The supported upgrade sequences are described in the table below.

Current Version	Supported Upgrade Sequence
BOE XI 3.1 SP2	BOE XI 3.1 SP2 > BOE XI 3.1 SP4 > BOE XI 3.1 SP5 > BOE XI 3.1 SP5 FP3
BOE XI 3.1 SP4 FP1	BOE XI 3.1 SP4 FP1 > BOE XI 3.1 SP5 > BOE XI 3.1 SP5 FP3

## Compatibility Matrix

### Compatibility matrix between the Operational Reporting solution and SAP BusinessObjects Enterprise XI 3.1

Operational Reporting Solution Version	SAP BusinessObjects Enterprise XI 3.1 Version		
	BOE XI 3.1 SP2	BOE XI 3.1 SP4 FP1	BOE XI 3.1 SP5 FP3
9.10 (GA)	X		
9.12 Content Pack 1	X		
Content Pack 1.1	X	X	
Content Pack 1.2	X	X	
Content Pack 1.3			X
Content Pack 2.0			X

**Compatibility matrix between the Operational Reporting solution and PPM Center**

Operational Reporting Solution Version	PPM Center Version					
	8.0x	9.10	9.11	9.12~9.14	9.2X	9.30
9.10 (GA)		X				
9.12 Content Pack 1			X	X		
Content Pack 1.1				X		
Content Pack 1.2				X		
Content Pack 1.3				X	X	
Content Pack 2.0						X

**Supported Operational Reporting Solution Upgrade Paths**

The Operational Reporting Content Pack 2.0 for PPM Center package supports the following upgrade paths:

From version	To version
9.10 (GA)	Content Pack 1.3 > Content Pack 2.0
9.12 Content Pack 1	Content Pack 1.3 > Content Pack 2.0
Content Pack 1.	Content Pack 1.3 > Content Pack 2.0
Content Pack 1.2	Content Pack 1.3 > Content Pack 2.0
Content Pack 1.3	Content Pack 2.0

For detailed instructions about upgrade, see the *Operational Reporting Administrator’s Guide for Content Pack 2.0*.

## BusinessObjects Server Requirements

BusinessObjects Enterprise XI 3.1 SP5 is supported for the following operating systems:

- Windows
- Linux
- HP-UX

- IBM AIX
- Oracle Solaris

For detailed information on your hardware and software requirements,

- Visit the SAP BusinessObjects Articles page (<https://www.sdn.sap.com/irj/boc/articles>), and then go to **BI Platform > SUPPORTED PLATFORMS/PARS > SAP BUSINESSOBJECTS ENTERPRISE XI 3.1**. Or,
- Visit the SAP Indirect Client Knowledge Center to access all BusinessObjects documentation. The SAP Indirect Client Knowledge Center requires that you register a user ID. To register for a user ID, go to the [Request Your User ID for the BusinessObjects Indirect Client Knowledge Center](#) page. Or,
- Find all the BusinessObjects user guides here:  
[http://help.sap.com/boall\\_en/](http://help.sap.com/boall_en/)

**Note:** The table below provides server platforms that are also supported by PPM Center. If an independent machine is to be used to host BusinessObjects server, other versions of operating systems may also be used. For more details, see SAP documentation specific to your operating system.

**Business Object server platforms**

Server Platforms	Versions Supported
<b>Microsoft Platforms</b>	One of the following: <ul style="list-style-type: none"> <li>• Microsoft Windows Server 2008 (both 32- and 64-bit)</li> <li>• Microsoft Windows Server 2008 SP2 (both 32- and 64-bit)</li> <li>• Microsoft Windows Server 2008 R2 (64-bit)</li> <li>• Microsoft Windows Server 2012 R2 (64-bit)</li> </ul>
<b>Oracle Platforms</b>	The following: <ul style="list-style-type: none"> <li>• Solaris 10 (SPARC)</li> </ul>
<b>HP Platforms</b>	One of the following: <ul style="list-style-type: none"> <li>• HP-UX 11.23 (IA64)</li> <li>• HP-UX 11.31 (IA64)</li> </ul>

Server Platforms	Versions Supported
<b>IBM Platforms</b>	The following: <ul style="list-style-type: none"><li>• IBM AIX 6.1</li><li>• IBM AIX 7.1</li></ul>
<b>Red Hat Platforms</b>	One of the following: <ul style="list-style-type: none"><li>• Red Hat Linux Enterprise Advanced Platform Server 5</li><li>• Red Hat Linux Enterprise Server 6</li></ul>
<b>SuSE Platforms</b>	One of the following: <ul style="list-style-type: none"><li>• SuSE Linux Enterprise Server 10</li><li>• SuSE Linux Enterprise Server 11</li></ul>

## BusinessObjects Database Client Software

Requirements and recommendations for setting up the database for Operational Reporting are as follows:

- HP strongly recommends that you create an Oracle database specifically for Operational Reporting (independent of your PPM Center database instance), and for better performance, install the database on a separate instance (independent of any other databases or applications), with Oracle Block Size (DB\_BLOCK\_SIZE) set to 32k.

HP also recommends that the Operational Reporting database be preferably configured with OLAP Settings.

- HP strongly recommends that you use the Enterprise Edition of Oracle Database for the Operational Reporting database. The advanced compression and partitioning featured in the Enterprise Edition significantly improve performance, especially if you report on a large and growing volume of data.
- Make sure that you configure the Operational Reporting database to use the same encoding as that for PPM Center database, and add the following MLU database parameters with appropriate values:
  - NLS\_LENGTH\_SEMANTICS = CHAR (same setting for both the Operational Reporting database and the PPM Center database)

- NLS\_CHARACTERSET = <Same value as that for PPM Center Database>
- NLS\_NCHAR\_CHARACTERSET = <Same value as that for PPM Center Database>

### **BusinessObjects Database**

- Oracle 11.2.0.2, Standard/Enterprise Edition (RAC and Non-RAC)
- Oracle 11.2.0.3, Standard/Enterprise Edition (RAC and Non-RAC)
- Oracle 11.2.0.4, Standard/Enterprise Edition (RAC and Non-RAC)

**Note:** Because Oracle Enterprise DB Server is not supported on VMware, PPM Center (including the Operational Reporting solution) does not work with Oracle Enterprise DB Server on VMware.

Check <https://metalink.oracle.com> for any necessary patches or configuration changes.

### **BusinessObjects Database Clients**

- Minimum requirement for SQL\*Plus client on the BO instance
  - 11.1.0.7
- Oracle Client to be deployed on the BO server host machine
  - Recommend Oracle client Ver 11.x (although Ver 10.x is supported)



## External Web Servers

PPM Center comes with an internal Web server to handle HTTP requirements in many implementations.

External Web servers are required in the following situations:

- PPM Center is deployed as a cluster configuration and you do not want to use a hardware load balancer to distribute the load.
- HTTPS is required to access PPM Center.
- PPM Server is running on a UNIX platform and the HTTP port number must be lower than 1024.
- Integration with a single sign-on system that utilizes the PPM Center Web Server Module (such as CA SiteMinder) is desired.

An external Web server does not have to be installed on the same machine as the PPM Server. The optional Web servers supported by HP are listed in the table below

For information about configuring an external Web server (as well as setting up a cluster environment), see the *Installation and Administration Guide*.

### Web Server support

Operating System	Requirements
<b>Microsoft Platforms</b>	
For: <ul style="list-style-type: none"> <li>• Microsoft Windows Server 2008, SPs 1 through 2 (both 32- and 64-bit)</li> </ul>	The following: <ul style="list-style-type: none"> <li>• Microsoft IIS 7.0 (32-bit only)</li> </ul>
For: <ul style="list-style-type: none"> <li>• Microsoft Windows Server 2008, SPs 1 through 2 (64-bit only)</li> </ul>	The following: <ul style="list-style-type: none"> <li>• Apache HTTP 2.2 (32-bit only)</li> </ul>
For: <ul style="list-style-type: none"> <li>• Microsoft Windows Server 2008 R2 (64-bit)</li> </ul>	The following: <ul style="list-style-type: none"> <li>• Microsoft IIS 7.5 (64-bit only)</li> </ul>
For: <ul style="list-style-type: none"> <li>• Microsoft Windows Server 2012 R2 (64-bit)</li> </ul>	The following: <ul style="list-style-type: none"> <li>• Microsoft IIS 8.5 (64-bit only)</li> <li>• Apache HTTP 2.4 (both 32- and 64-bit)</li> </ul>

**Web Server support, continued**

Operating System	Requirements
<b>Oracle Platforms</b>	
For: <ul style="list-style-type: none"> <li>• Oracle Solaris (SPARC-32)</li> </ul>	One of the following: <ul style="list-style-type: none"> <li>• Sun Java System Web Server 6.1 (GA and Updates 1 through 9) (32-bit only)</li> <li>• Sun Java System Web Server 7.0 (GA and Updates 1 through 2) (32-bit only)</li> </ul>
For: <ul style="list-style-type: none"> <li>• Oracle Solaris 10, Updates 1 through 8 (PA-RISC/Itanium)</li> <li>• Oracle Solaris 11</li> </ul>	One of the following: <ul style="list-style-type: none"> <li>• Sun Java System Web Server 6.1 (GA and Updates 1 through 9) (64-bit only)</li> <li>• Sun Java System Web Server 7.0 (GA and Updates 1 through 2) (64-bit only)</li> </ul>
<b>HP Platforms</b>	
For: <ul style="list-style-type: none"> <li>• HP-UX 11i v2</li> <li>• HP-UX 11i v3</li> </ul>	The following: <ul style="list-style-type: none"> <li>• Apache HTTP Server 2.2 (32-bit only on 64-bit HP-UX)</li> </ul>
<b>IBM Platforms</b>	
For: <ul style="list-style-type: none"> <li>• IBM AIX version 6.1</li> <li>• IBM AIX version 7.0</li> </ul>	The following: <ul style="list-style-type: none"> <li>• IBM HTTP Server (IHS) version 6.1.0 (32-bit only) (available from IBM)</li> <li>• IBM HTTP Server 7.0 (both 32-bit and 64-bit) (available from IBM)</li> </ul>
<b>Red Hat Platforms</b>	
For: <ul style="list-style-type: none"> <li>• Red Hat Enterprise Linux Advanced Platform 5.0, Updates 1 through 6 (both 32- and 64-bit)</li> </ul>	The following: <ul style="list-style-type: none"> <li>• Apache HTTP Server 2.2 (both 32- and 64-bit)</li> <li>• Apache HTTP Server 2.4 (both 32- and 64-bit)</li> </ul>
<b>SUSE Platforms</b>	

### Web Server support, continued

Operating System	Requirements
For: <ul style="list-style-type: none"><li>• SUSE Linux Enterprise Server 10, SPs 1 through 3 (both 32- and 64-bit)</li><li>• SUSE Linux Enterprise Server 11 (both 32- and 64-bit)</li></ul>	The following: <ul style="list-style-type: none"><li>• Apache HTTP Server 2.2 (both 32- and 64-bit)</li><li>• Apache HTTP Server 2.4 (both 32- and 64-bit)</li></ul>

## Document Management System Solutions

The HP document management system (DMS) is remodelled to fully leverage your current Oracle databases—either a PPM Center-dedicated database or an external database on your network.

**Note:** Even though any Oracle version supporting Oracle TEXT indexes should work as an external DMS database, HP only certified the solution with the same Oracle versions as are currently supported by PPM Center.

For detailed system requirements and supportability matrices for the database-based DMS solutions (PPM Center Database DMS or PPM Center External Database DMS), see ["PPM Server Platforms" on page 18](#) and ["PPM Center Database Requirements" on page 33](#).

## Database Sizing

The only sizing impact of using PPM Center Database DMS or PPM Center External Database DMS is in your Database Server, as everything happens in the database.


## Database Disk Space

The database disk space consumed by PPM Center Database DMS or PPM Center External Database DMS can be split into three different parts:


- Space taken up by Document contents (about equal to total documents size)
- Space taken up by Documents metadata (proportional to number of documents and propensity of PPM users to input lengthy documents descriptions, key words, and version comments).

- Space taken up by TEXT Indexes
  - Index on document contents, proportional to total size and types of documents (index on pure text file such as a logs file might take more space than the file itself, while index on a picture file, even very large, does not take any space as no text content can be extracted from the picture).
  - Index on text metadata, proportional to the size of metadata (as all indexed metadata is text and can be indexed).

The PPM DMS Statistics & PPM Database DMS Sizing tool available from HP Support automatically estimates the extra disk space needed in database to migrate an existing PPM Server environment to either of the database-based DMS solution. The tool computes estimates based on quantity of documents, total size of documents, and types of documents. All this information are retrieved from the KNTA\_DOCUMENTS table of PPM Center database.



The tool can also provide estimates for new PPM Center installations, based on user's input on planned usage of documents in PPM Center (estimated total number and size of documents, text concentration of stored documents).



## Customer Case

Here is an example of Database Space consumption from an existing PPM Center customer who used a Documentum-based DMS solution previously. "[Customer documents statistics](#)" below lists customer documents statistics, and "[Customer Case: Document repartition by type](#)" below lists detailed document repartition information.

### Customer documents statistics

Item	Statistics
Total number of documents	128,853
Average number of versions per document	1.003
Maximum number of versions for a document	8
Total number of documents versions	129,221
Cumulated size of all documents versions (estimated)	32,056 MB
Document repartition by type	See the table below

### Customer Case: Document repartition by type

Document Type	Text Content	Files Count	Cumulated total size (MB)
RTF	Medium	2,175	10,513
MSG	Medium	49,088	6,507
DOC	Medium	21,767	4,684

**Customer Case: Document repartition by type, continued**

Document Type	Text Content	Files Count	Cumulated total size (MB)
TXT	High	14,365	3,367
XLS	Medium	5,457	1,500
PDF	Medium	8,634	1,399
ZIP	Unknown	864	797
XLSX	Medium	1,248	650
DOCX	Medium	2,604	649
BMP	None	302	386
none	Unknown	1,922	342
HTM	High	16,783	319
TIF	None	667	242
REP	Unknown	22	141
EXE	None	21	76
DOT	Medium	126	57
JPG	None	349	54
MDB	Medium	2	48
SQL	High	782	27
PPT	Medium	13	21
Other	Unknown	2,030	278

Text-only documents contain high level text contents, Microsoft Office documents contain medium level text contents, and images as well as binary documents contain practically no text content. This is reflected in the document contents index size.

Text Index creation time: ~ 6 hours (on a 2-instance RAC server with 4 x Dual Core CPU Intel(R) Xeon(R) E5540 @ 2.53GHz per instance).

Disk space consumed by PPM Center Database DMS:

Item	Disk Space Consumed (MB)
Documents binary contents (BLOB Columns)	32,041
DMS Tables without BLOB columns (not including KNTA_DOCUMENTS):	30
Total Metadata Indexes	21.7
Document Contents Indexes	6,011

As you can see, the size of document contents index (~6 GB) accounts for almost 20 percent of the documents contents size (~32 GB). This is a relatively ratio, which can be explained by the large amount of office documents in the customer's attachments.

It might be possible that the index size is larger than the document contents if all the attachments are pure text files (such as .txt, .sql, and .log files).

**Caution:** The BLOB columns containing the documents are appearing slightly smaller than the estimated total size of documents (15 MB smaller). The reason is that the total size of the documents is an estimation, computed using "Versions count \* file size of latest version" for each document. It appears that the earlier versions of documents are smaller in size in average, resulting in the observed discrepancy.

## Database Server CPU

If you have no plan to enable full-text search (or more precisely, if you do not need to create TEXT indexes), there is virtually no impact on database CPU, as reading and writing documents contents to database are mainly I/O intensive operations.

If you do create TEXT indexes, but schedule them to be updated only out of peak hours, there should be no need to consider an upgrade of DB Server CPU based on standard PPM Center sizings.

However, if you are using frequent index updates, or use SYNC (ON COMMIT) indexes for real time indexing, a CPU upgrade of your DB Server might be necessary, especially if your PPM Center users tend to store a large amount of text intensive files in PPM Center (more than 1 GB of new documents per week, with peak document activity concentrated on a few hours in the week).

# Chapter 4: HP Migrator and Extension Products and Environments

The system requirements provided in the following sections are in addition to the requirements for this version of PPM Center.

These supplemental products are available in English language only.

## Migrators

### Application Requirements

Various versions of PPM Center support particular combinations of Object Migrator, GL Migrator, and the following Oracle E-Business Suite Releases:

- 11i (11.5.7 through 11.5.10.2 (CU2))
- Release 12 (12.0.0 through 12.1.3)

**Note:** Oracle no longer supports Oracle E-Business Suite Release 11 or Releases 11.5.1 through 11.5.6 (which are early releases of 11i), so HP no longer supports use of PPM Center Extensions, GL Migrator, or Object Migrator with those releases.

Each unshaded cell in "[Migrators](#)" above lists the versions of PPM Center that support the combination of Oracle E-Business Suite release (in a table row) and a migrator (in a table column). Combinations that are *not* supported on any version of PPM Center are shown in the lightly shaded table cells. In a cell, "8.0x" represents PPM Center version 8.00 with or without any of its service packs, and "9.1x" represents PPM Center version 9.10 with or without any of its service packs.



Oracle E-Business Suite Release	Kintana Object* Migrator Version 5.1	Mercury Object Migrator Version 6.0	HP Object Migrator Version 7.5	Mercury GL Migrator Version 6.0	HP GL Migrator Version 9.12
11.5.7 Application Object Library: FND.E Applications DBA: AD.F Common Modules: AK.D Financials Suite: Family Pack A	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	8.0x, 9.1x, 9.2x, 9.30
11.5.8 Application Object Library: FND.F Applications DBA: AD.G Common Modules: AK.E Financials Suite: Family Pack C	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	8.0x, 9.1x, 9.2x, 9.30
11.5.9 <sup>a</sup> Application Object Library: FND.G Applications DBA: AD.H Common Modules: AK.F Financials Suite: Family Pack D	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	8.0x, 9.1x, 9.2x, 9.30
11.5.10 with FND.H Mini Pack <sup>b, c</sup> Application Object Library: FND.H Applications DBA: AD.I Common Modules: AK.G Financials Suite: Family Pack F		7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	8.0x, 9.1x, 9.2x, 9.30
11.5.10.2 (CU2) <sup>c, d</sup> Application Object Library: FND.H Applications DBA: AD.I.6 Common Modules: AK.G Financials Suite: Family Pack F		7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	7.5, 8.0x, 9.1x, 9.2x, 9.30	8.0x, 9.1x, 9.2x, 9.30
12.0.0 through 12.1.3 <sup>e</sup> Applications Technology: R12.ATG_Pf.A through R12.ATG_ Pf.B.DELTA.3 Applications DBA: R12.AD.A through R12.AD.B.DELTA.3			7.5, 8.0x, 9.1x, 9.2x, 9.30		8.0x <sup>f</sup> , 9.1x <sup>f</sup> , 9.2x, 9.30  <b>Important:</b> See footnote f.

Oracle E-Business Suite Release	Kintana Object* Migrator Version 5.1	Mercury Object Migrator Version 6.0	HP Object Migrator Version 7.5	Mercury GL Migrator Version 6.0	HP GL Migrator Version 9.12
<p>a. 11.5.8 with the FND.G Mini Pack is functionally equivalent to 11.5.9.</p> <p>b. 11.5.8-11.5.9 with the FND.H Mini Pack is functionally equivalent to 11.5.10 (for Object Migrator).                      11.5.8-11.5.9 with the Financials Family Pack F is functionally equivalent to 11.5.10 (for GL Migrator).</p> <p>c. Support for the Oracle Applications E-Business Suite version 11.5.10 with the 10G database version requires installation of patch 154770. See the HP Object Migrator Version 6.0 Database version 10G Compatibility Patch (#154770) readme for details.</p> <p>d. See the HP Object Migrator Oracle Apps Version 11.5.10.2 Compatibility Patch (#174141) readme for details.</p> <p>e. HP Object Migrator version 7.5 requires patch PPMC_00090 in order to work with Oracle E-Business Suite Release 12.1.2 or later.</p> <p>f. Using PPM Center version 8.0x with Oracle Release 12.1.3 (or later) and HP GL Migrator version 9.12 requires patch PPMC_00097 for HP Deployment Management Extension for Oracle E-Business Suite version 8.00.                      Using PPM Center version 9.1x with Oracle Release 12.1.3 (or later) and HP GL Migrator version 9.12 requires patch PPMC_00098 for HP Deployment Management Extension for Oracle E-Business Suite version 9.10.</p>					

## File and Table Space Requirements

The following table lists the file and table space requirements for HP Object Migrator. The table space sizings may vary widely depending on your database version, configuration, and the number of entities you have under version control.

### HP Object Migrator file and table space requirements

Item	Required Space	Recommended Space
Install bundle	30 MB (temporary)	35 MB (temporary)
Install scripts	5 MB	
Programs (.rdf files)	1.5 MB per program 30 MB total	
Interface tables	30 MB	60 MB
Indexes on interface tables	20 MB	30 MB
Archive tables and indexes	30 MB See " <a href="#">Archive Tables</a> " below.	60 MB

## Archive Tables

When saving an object to the object archive, HP Object Migrator takes the entire definition of the entity and stores it in special archive tables. The growth of these archive tables directly corresponds to the

number of objects and the number of versions put into these tables. For some objects, complexity and size may also be a factor.

If you plan to periodically store versions of entire groups of objects rather than only objects that change, then more table space will be required than the recommended 30 MB. HP recommends starting with a 30 MB allocation and then adding table space as needed.

## HP Deployment Management Extension for Oracle E-Business Suite

This version of PPM Center used with HP Deployment Management Extension for Oracle E-Business Suite supports the following Oracle E-Business Suite releases:

- 11.5.7
  - Application Object Library: FND.E
  - Applications DBA: AD.F
  - Common Modules: AK.D
  - Financials Suite: Family Pack A
- 11.5.8
  - Application Object Library: FND.F
  - Applications DBA: AD.G
  - Common Modules: AK.E
  - Financials Suite: Family Pack C
- 11.5.9
  - Application Object Library: FND.G
  - Applications DBA: AD.H
  - Common Modules: AK.F
  - Financials Suite: Family Pack D
- 11.5.10
  - Application Object Library: FND.H
  - Applications DBA: AD.I
  - Common Modules: AK.G
  - Financials Suite: Family Pack F

- 11.5.10.2 (CU2)
  - Application Object Library: FND.H
  - Applications DBA: AD.I.6
  - Common Modules: AK.G
  - Financials Suite: Family Pack F
- Release 12.0.0–12.1.3
  - Applications Technology:  
R12.ATG\_PF.A through R12.ATG\_PF.B.DELTA.3
  - Applications DBA: R12.A through R12.AD.B.DELTA.3

**Note:**

- 11.5.8 with the FND.G Mini Pack is functionally equivalent to 11.5.9.
- 11.5.8-11.5.9 with the FND.H Mini Pack is functionally equivalent to 11.5.10 (for Object Migrator).
- 11.5.8-11.5.9 with the Financial Family Pack is functionally equivalent to 11.5.10 (for GL Migrator).

## HP Deployment Management Extension for Oracle Technology

This version of PPM Center used with HP Deployment Management Extension for Oracle Technology supports:

- Versions of Oracle tools that support Oracle database 9i, 10g, 11, or 12
- Oracle Developer 2000, Developer 6i, or Developer 10g

# Chapter 5: Using PPM Center with HP Software and Other Software

PPM Center supports integration with the following HP products and versions:

**Table 5-1. PPM Center integration solutions compatibility matrix (PPM Center as leading center)**

Integration Solution	Integrates with	Supported Version
Application Lifecycle Management Change Request to RFC (PPM Center - SM)	HP Service Manager	Service Manager: <ul style="list-style-type: none"> <li>• 7.10, 7.11</li> <li>• 9.20, 9.21</li> <li>• 9.30, 9.31, 9.32, 9.33, 9.34</li> </ul> <div style="background-color: #f0f0f0; padding: 5px; margin-top: 10px;"> <p><b>Note:</b> For this integration, HP supports integrating one PPM Center instance with multiple Service Manager instances at the same version.</p> </div>
Create RFC from work plan (PPM Center - SM)	HP Service Manager	Service Manager: <ul style="list-style-type: none"> <li>• 7.10, 7.11</li> <li>• 9.20, 9.21</li> <li>• 9.30, 9.31, 9.32, 9.33, 9.34</li> </ul>
Request to Requirement / Defect (PPM Center - QC/ALM)	HP Quality Center / HP Application Lifecycle Management	HP Quality Center: <ul style="list-style-type: none"> <li>• 10.00 <sup>a</sup></li> </ul> HP Application Lifecycle Management: <ul style="list-style-type: none"> <li>• 11.00, 11.20, 11.50, 11.52, 12.00, 12.20</li> </ul>
View Project Quality (PPM Center - ALM)	HP Application Lifecycle Management	HP Application Lifecycle Management: <ul style="list-style-type: none"> <li>• 11.00, 11.20, 11.50, 11.52, 12.00, 12.20</li> </ul>
Agile Integration Solution (PPM Center - HP Agile Manager)	HP Agile Manager	HP Agile Manager: <ul style="list-style-type: none"> <li>• 2014</li> </ul>

**Table 5-1. PPM Center integration solutions compatibility matrix (PPM Center as leading center), continued**

Integration Solution	Integrates with	Supported Version
Select CI (PPM Center - UCMDB)	Universal CMDB	Universal CMDB: <ul style="list-style-type: none"> <li>• 8.00~8.07</li> <li>• 9.00~9.05</li> <li>• 10.xx</li> </ul>
Retrieve Service List (PPM Center - UCMDB)	Universal CMDB	Universal CMDB: <ul style="list-style-type: none"> <li>• 8.00~8.07</li> <li>• 9.00~9.05</li> <li>• 10.xx</li> </ul>

a. PPM Center–Quality Center Integration Tool version 1.7.<xxxx> is required to integrate PPM Center with Quality Center version 10.00. This tool is not used to integrate PPM Center with HP ALM version 11.00 or later. The integration tool is provided with PPM Center software.

The computer on which the integration tool runs must support Microsoft .NET Framework version 3.5 Service Pack 1.

**Table 5-2. PPM Center integration solutions compatibility matrix (PPM Center as non-leading center)**

Integration Solution	Integrates with	Supported Version
RC CCM-PPM (RC - PPM Center)	Release Control	Release Control: <ul style="list-style-type: none"> <li>• 9.13</li> <li>• 9.20</li> </ul>
Service Catalog to Project Proposal (SM - PPM Center)	HP Service Manager	Service Manager: <ul style="list-style-type: none"> <li>• 7.10, 7.11</li> <li>• 9.20, 9.21</li> <li>• 9.31</li> </ul>
Extract, transform, and load Cost, Budget, Business data (FPA - PPM Center)	Financial Planning and Analysis	Financial Planning and Analysis: <ul style="list-style-type: none"> <li>• 9.10, 9.11</li> <li>• 9.20, 9.21</li> </ul>
Investment Project Cost Tracking (AM - PPM Center)	Asset Manager, Connect-It	Asset Manager: <ul style="list-style-type: none"> <li>• 9.30</li> <li>• 9.31</li> </ul>

**Table 5-2. PPM Center integration solutions compatibility matrix (PPM Center as non-leading center), continued**

Integration Solution	Integrates with	Supported Version
Executive Scorecard import project and financial data from PPM (XS - PPM Center)	IT Executive Scorecard	IT Executive Scorecard: <ul style="list-style-type: none"> <li>• 9.00~9.03</li> <li>• 9.30</li> </ul>

For detailed information about the integration solutions with PPM Center as the leading product, see the *HP Solution Integrations Guide*.

For detailed information about the integration solutions with other products as the leading product, see documentation for the corresponding product.

# Chapter 6: Desupported Platforms and Products

The following products are no longer used with this version of PPM Center.

This information is relevant to customers upgrading to this version from version 9.2x. You will need to plan your upgrade such that replacements for any of these desupported platforms or products is completed prior to performing your PPM Center upgrade.

If you are upgrading from a version prior to version 9.20, incremental upgrades are necessary (for example: version 7.5 to 8.00, followed by 8.00 to 9.10, then 9.10 to 9.20, and then finally 9.20 to 9.30). These interim upgrades potentially include their own collection of desupported platforms or products; therefore, consult the system requirements documents for these versions to ensure the best result for your overall upgrade process.

## Server Environment

Desupported components of the PPM Server are listed in the following sections.

### Platforms

The following platforms are no longer supported:

- Microsoft Windows Server 2003, Standard and Enterprise Edition (both 32- and 64-bit)
- Microsoft Windows Server 2003 SP1, Standard and Enterprise Edition (32-bit and 64-bit)
- Microsoft Windows Server 2003 SP2, Standard and Enterprise Edition (both 32- and 64-bit)
- Microsoft Windows Server 2003 R2, Standard and Enterprise Edition (64-bit)
- Microsoft Windows Server 2003 R2 SP2, Standard and Enterprise Edition (64-bit)
- Microsoft Windows 2008 SP2 Enterprise Edition on Hyper-V (32-bit)
- HP-UX 11i v1
- HP-UX 11i v2 (B.11.23) (PA-RISC)



- Oracle Solaris 9, Updates 1 through 7 (Sparc)
- IBM AIX 5L version 5.3 (POWER4 / POWER5)
- Red Hat Enterprise Linux AS 4.0, Updates 1 through 8 (both 32- and 64-bit)
- Red Hat Enterprise Linux AS 4.0, Updates 1 through 8 (Hyper-V) (64-bit)
- SUSE Linux Enterprise Server 9, SPs1 through 4 (both 32- and 64-bit)

## Databases

The following databases are no longer supported (or may never have been supported). Only the versions specified in "[Server-Side Products and Environments](#)" on [page 16](#) are supported in this version.

- Oracle version 11.2.0.1 or earlier, Standard/Enterprise Edition (RAC and Non-RAC)
- Oracle versions 11.1.0.7, 11.2.0.1, and 11.2.0.2 for Documentum
- Oracle versions 11.1.0.7 and 11.2.0.1 for Operation Reporting

## JDK Software

The following versions of JDK are no longer supported:

- Java Platform Standard Edition 6 Development Kit (JDK) 1.6.0\_07 (6.0 Update 7) or later (32-bit)
- HP-UX Java Development Kit (JDK) for the Java 2 Platform Standard Edition 6 (Java SE 6) (32-bit) (available from HP)
  - Version 6.0.02 (6.0 Update 2) or later
  - Version 6.0.03 (6.0 Update 3) or later
- Java(TM) SE Runtime Environment (build pap3260sr7-20091215\_02(SR7)) IBM J9 VM (build 2.4, JRE 1.6.0 IBM J9 2.4 AIX ppc-32 jvmap3260sr7-20091214\_49398

## Web Servers

The following Web servers are no longer supported on the specified platforms:

- Sun Java System Web Server 5 on Solaris platforms
- IBM HTTP Server (IHS) version 2.0.47.1 for AIX platforms
- VMware ESX Server 2.5, 3.0, 3.5, 4.0, 4.1 on Microsoft, Red Hat, and SUSE platforms
- Microsoft IIS 6.0 (both 32- and 64-bit)
- Apache HTTP 2.0 (32-bit)

## Microsoft Exchange Server

The following version of Microsoft Exchange Server is no longer supported:

- Microsoft Exchange Server 2003

## SSH Software

The following versions of secure shell software are no longer supported on the specified platforms:

- OpenSSH version 4.2 and 4.3p2 for Microsoft platforms
- OpenSSH version 4.1p1 and 4.3p2 for Sun platforms
- OpenSSH version 4.1p1 for HP platforms
- OpenSSH version 4.1p1 on Red Hat AS4 platforms
- OpenSSH version 4.3p1 on Red Hat AS5 platforms
- OpenSSH version 4.1p1 for SUSE 9 platforms

## Document Management

The following document management product are no longer supported:

- Documentum Foundation Classes, versions 6.5, 6.5 SP1, 6.5 SP2
- Documentum Content Server 6.5
- Documentum Index Server 6.5

## Client Environment

Desupported products for the client environment are listed in the following sections.

### Platforms

The following platforms are no longer supported:

- Microsoft® Windows® XP Professional SP2 (64-bit)
- Microsoft® Windows® XP Professional SP3 (both 32- and 64-bit)
- Microsoft® Vista Business and Enterprise Edition SP0
- Microsoft® Vista Business and Enterprise Edition SP1

### Browsers

The following browsers are no longer supported:

- Mozilla Firefox 2.2, 3.0, 3.5, and 3.6
- Microsoft Internet Explorer 6.0, 7.0, 8.0

### Java™ Plug-In

The following versions of Java™ plug-in are no longer supported:

- 1.6.0\_07 (6.0 update 7) or later update (32-bit)
- 1.6.0\_19 (6.0 update 19) or later update (32-bit) for Mozilla FireFox 3.6

## Microsoft Project

The following Microsoft Project products are no longer supported:

- Microsoft Project Professional 2003 SP3  
(single-user or connected to Microsoft Office Project Server 2003)
- Microsoft Office Project Standard 2007 SP1
- Microsoft Office Project Professional 2007 SP1  
(single-user or connected to Microsoft Office Project Server 2007)

## Microsoft Office Primary Interop Assemblies (PIA) for Microsoft Project

The following Microsoft Office Primary Interop Assemblies (PIA) product is no longer supported:

- Version 2003 for Microsoft Project 2003

## Microsoft Excel

The following Microsoft Excel product is no longer supported:

- Microsoft Office Excel 2003 SP3

## Other Products

The following products are no longer supported:

- CA SiteMinder 5.5
- Kintana GL\*Migrator version 2.0
- For use with HP Deployment Management Extension for Oracle E-Business Suite, with any version of Object Migrator, or with any version of GL Migrator, the following Oracle E-Business Suite releases,

which Oracle no longer supports:

- Release 11
- Releases 11.5.1 through 11.5.6 (which are early releases of 11i)
- HP Deployment Management Extension for SAP Solutions
- HP Center Management for Quality Center

## Send Documentation Feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

**Feedback on System Requirements and Compatibility Matrix (Project and Portfolio Management Center 9.30)**

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to [HPSW-BTO-PPM-SHIE@hp.com](mailto:HPSW-BTO-PPM-SHIE@hp.com).

We appreciate your feedback!