# HP Network Automation Software

Software Version: 10.10
Windows® and Linux® operating systems

## Fixed Defects Report

Document Release Date: June 2015
Software Release Date: June 2015

# Legal Notices

## Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

## Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

## Copyright Notice

© Copyright 2011–2015 Hewlett-Packard Development Company, L.P.

## Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

AMD is a trademark of Advanced Micro Devices, Inc.

Intel® and Intel® Itanium® are trademarks of Intel Corporation in the U.S. and other countries.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Microsoft®, Windows®, and Windows Server® are U.S. registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Red Hat® is a registered trademark of Red Hat, Inc. in the United States and other countries.

UNIX® is a registered trademark of The Open Group.

## Oracle Technology — Notice of Restricted Rights

Programs delivered subject to the DOD FAR Supplement are 'commercial computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, programs delivered subject to the Federal Acquisition Regulations are 'restricted computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the restrictions in FAR 52.227-19, Commercial Computer Software-Restricted Rights (June 1987). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

For the full Oracle license text, see the `license-agreements` directory on the NA product installer bundle.

## Acknowledgements

This product includes software developed by the Apache Software Foundation (http://www.apache.org/).

Parts of this software Copyright © 2003-2008 Enterprise Distributed Technologies Ltd. All Rights Reserved. (http://www.enterprisedt.com)

# Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to:
**https://softwaresupport.hp.com**

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to:
**https://hpp12.passport.hp.com/hppcf/createuser.do**

Or click the **the Register** link at the top of the HP Software Support page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

# Support

Visit the HP Software Support Online web site at: **https://softwaresupport.hp.com**

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

**https://hpp12.passport.hp.com/hppcf/createuser.do**

To find more information about access levels, go to:

**https://softwaresupport.hp.com/web/softwaresupport/access-levels**

**HP Software Solutions Now** accesses the HPSW Solution and Integration Portal Web site. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of Integrations between HP Products, as well as a listing of ITIL Processes. The URL for this Web site is **http://h20230.www2.hp.com/sc/solutions/index.jsp**

# Contents

# About This Document

This document is for the Windows® and Linux® operating systems.

**Software version:**10.10

**Publication date:** June 2015

This document is an overview of the defects fixed in HP Network Automation Software (NA). This document contains the following information:

- "Defects Fixed in This Release" on the next page

# Defects Fixed in This Release

The reference number for each fixed defect is the change request (QCCR) number. For detailed information about the fixed defects, visit HP Software Support Online, or contact your Support representative.

The following table lists the defects fixed in this release:

Fixed Defects

| Defect | Symptom | Area of Modification |
|---|---|---|
| QCCR1B127119 | Core 2 does not take as much of the workload as Core 1 and Core 3 | Core Application Server |
| QCCR1B118489 | SSH server connection is refused with error messages | Core Application Server |
| QCCR1B127099 | Data pruning task does not run on the local NA core after failover | Scheduler |
| QCCR1B127465 | Include full-text search recommendation message in the configuration text criteria on the NA console | NA console |
| QCCR1B127834 | The reload server options command should prevent the syntax errors in the RCX files from being replicated to other NA cores | Core Application Server |
| QCCR1B127483 | Changing the action field in an event notification rule results in a "No rules found with rule name: <rule name>" error message | Core Application Server |
| QCCR1B128032 | Snapshot fails due to the following error:<br><br>"There is more than one DeviceAuthentication in the database for DeviceID" | Core Application Server |
| QCCR1B127909 | The list_device_id command in the API is highly sensitive to network db latency | Integration API |
| QCCR1B119288 | NA does not display interfaces for a device | NA console |
| QCCR1B114377 | Running the Synchronize Startup and task on multiple devices simultaneously does not clear the configuration mismatch flag; the network status report also shows the mismatch | Core Application Server |
| QCCR1B113716 | Telnet proxy stops working and does not process new requests | Proxy Interface |
| QCCR1B116562 | Console connection does not work for devices through a Cisco 3900 console server connection defined on the device console server page in the NA console | Core Application Server |

Fixed Defects, continued

| Defect | Symptom | Area of Modification |
|--------|---------|----------------------|
| QCCR1B106466 | Add an option to modify the timeout in Client.pm | CLI |
| QCCR1B123369 | Syslog-triggered snapshot always defaults to local credentials for AAA devices | Password Management |
| QCCR1B129740 | The Completion Email Report parent task changes the child tasks warning status to 'Succeeded' state | Reporting |
| QCCR1B129794 | When Resource IDs that are mapped to enhanced custom fields are added using the API, it fails to add entries to RN_METADATA | RIM |
| QCCR1B129919 | The add metadata field is not supported for the RN_RESOURCE_IDENTITY table | RIM |
| QCCR1B129916 | Issue with the restricted partition views | User Management |
| QCCR1B129948 | The NA User Guide wrongly states that the 'Task Page Refresh Interval' can be set for Scheduled Tasks | Documentation |
| QCCR1B130006 | Unable to download the troubleshooting information with HP NA 10.00 running in French language | Core Application Server |
| QCCR1B114462 | The status of the task changes before it is completed | Scripting & Diagnostics |
| QCCR1B114737 | Changing the priority of an NA task throws the NullPointerException error | Scheduler |
| QCCR1B128879 | Add a popup warning message for any task that may alter device configuration | Core Application Server |
| QCCR1B130466 | Scheduled tasks disappear under certain conditions | Scheduler |
| QCCR1B130522 | Provide options for configuring full-text search behavior | Core Application Server |
| QCCR1B127379 | Cannot delete a task assigned to a remote NA core when the core is down | Scheduler |
| QCCR1B130981 | Deleting multiple diagnostics for the same device results in error | NA console |
| QCCR1B130944 | Modifying the results from a search for compliance does not reuse all the previous search criteria | Core Application Server |
| QCCR1B131257 | Unable to save the User Report that was in use earlier | Reporting |
| QCCR1B130444 | Device Data Failure event received for a deleted task | Notification & Events |

Fixed Defects, continued

| Defect | Symptom | Area of Modification |
|--------|---------|---------------------|
| QCCR1B131548 | Device config displays garbled characters if viewed via the NA proxy (web or terminal) | Proxy Interface |
| QCCR1B131459 | Downloaded text configuration is garbled if the configuration contains Chinese encoding (such as GB2312) for Juniper Netscreen device | Internationalization |
| QCCR1B132416 | The Update Device Software task inherits the credentials of the preceding Take Snapshot instead of the AAA user ones | Password Management |
| QCCR1B132893 | Bulk upload of command script fails | Scripting & Diagnostics |
| QCCR1B132225 | User is able see all the device groups | Device Groups |
| QCCR1B131773 | Make the maximum number of FTP connections configurable | Core Application Server |
| QCCR1B132669 | NA fails to send traps under certain conditions | Notification & Events |
| QCCR1B132360 | Snapshot task fails with NullPointerException | NA console |
| QCCR1B133067 | Tasks change status from successful to failed after several minutes | Scheduler |
| QCCR1B133623 | The interface mac address is not displayed in the MAC Address window for Oracle DB | IP Handling |
| QCCR1B130136 | A checkpoint snapshot should always trigger the configuration difference flag | Core Apllication Server |
| QCCR1B133686 | The NA/NNMi integration must delete all the device context when a device is deleted | Integration API |
| QCCR1B134270 | TFTP fails occasionally | TFTP Server |
| QCCR1D109780 | Error messages appear when running large tasks | Distributed System |
| QCCR1D110929 | Change Detection attributes changes to the system account when there is a valid user in the details of a device event | Change Detection |
| QCCR1B125292 | Provide an appropriate error message when the user permissions are insufficient | NA console |
| QCCR1B101416 | Policy export fails when too many policies are selected | Policy Manager |
| QCCR1B126741 | Issues with events for diagnostic changes | Change Detection |

Fixed Defects, continued

| Defect | Symptom | Area of Modification |
|---|---|---|
| QCCR1B100040 | The NA device name is set to the IP address after export from NNMi to NA in NNMi/NA integration | Device Management |
| QCCR1B127088 | Hotfix to obtain more information from requests coming to the server | Core Application Server |
| QCCR1B126823 | API/CLI call returns partial URL for duplicate tasks | CLI |
| QCCR1B91199 | Error message when saving configuration changes | Core Application Server |
| QCCR1B127926 | Issues with application messaging | Core Application Server |
| QCCR1B127970 | Creating dynamic criteria for policy scope throws the full-text search error | Database |
| QCCR1B127987 | Have the ability to return a code of warning to NA so that the task will be set to warning rather than completed or failed in an advanced command script | Scripting & Diagnostics |
| QCCR1B117448 | Mask the passwords in the NA console and CLI | Core Application Server |
| QCCR1B128192 | The Policy Events link on device pages is broken | Policy Manager |
| QCCR1B128287 | The 'list topology -mac' API command returns results that are inconsitent with device information, UI results, and the documented behaviour | Core Application Server |
| QCCR1B125218 | Devices with no diagnostic or no configuration pass the compliance tests | Policy Manager |
| QCCR1B121788 | RemoteFileTransferSession.setFilename is not called when running the Update Device Software task via Satellites and the device uses SCP PUT | MSP Gateway/Satellite |
| QCCR1B128412 | When users have permission to view multiple partitions, NA uses the first task approval rule, which is not the correct rule for the partition indentified in the task | Workflow |
| QCCR1B128360 | Search for MAC address returns duplicated entries | Core Application Server |
| QCCR1B124369 | The server.log fills up fast thereby causing NA to run slowly | Core Application Server |
| QCCR1B87415 | When working with the API and devices in multiple partitions, there is no way to ensure the correct device is being referenced for calls that only take SITE:IP as input | CLI |

## Fixed Defects, continued

| Defect | Symptom | Area of Modification |
|---|---|---|
| QCCR1B126278 | Provide a way to configure the SSH proxy pre-login banner | Core Application Server |
| QCCR1B126860 | Tasks scheduled through the CLI/API are not added to the activity calendar | Reporting |
| QCCR1B129609 | The list diagnostic all command throws the following permission error: API command denied for admins other than userid=1 | CLI |
| QCCR1B129811 | NA inventory items are duplicated in device search results | Database |
| QCCR1B117756 | An error message is displayed after changing the primary IP addresses for some devices | NA console |
| QCCR1B129353 | Use bind variables for queries and updates to the RN_DEVICE_LASTUSED table | Database |
| QCCR1B129399 | The Partition column is missing in the device and configuration search result pages | Scripting & Diagnostics |
| QCCR1B128242 | The compliance violation output for text blocks is not accurate for IF/THEN/ELSE logic | Policy Manager |
| QCCR1B114938 | When NA is integrated with a directory service, NA assumes that the directory service domain name is the email address of the user | Documentation |
| QCCR1B121908 | 'Enable' is missing in the ENABLE ROW MOVEMENT command in the NA 9.2x Administration Guide | Documentation |
| QCCR1B129580 | Disaster recovery switchover procedure lacks clarity | Documentation |
| QCCR1B129316 | The deploy password task does not work with Avaya driver | Config Deployment |
| QCCR1B113883 | NA LDAP configuration does not work for common names that contain special characters or spaces | User Management |
| QCCR1B116532 | All the image synchronization on devices managed by Satellites fails | Software Update Center |
| QCCR1B127275 | The list diagnostic API command requires arguments to list all diagnostics | CLI |
| QCCR1B127456 | TACACS does not capture the source IP address of an authentication action done via the NA Web Services during the NA/OO/TACACS integration | Integration API |
| QCCR1B131046 | Newly created device groups are not visible on the Edit Device page | Core Application Server |

Fixed Defects, continued

| Defect | Symptom | Area of Modification |
|--------|---------|----------------------|
| QCCR1B131146 | The Device Password Rules page lists duplicate rules | Password Rules |
| QCCR1B131405 | Satellite Monitor should not error out when agents are not deployed | MSP Gateway/Satellite |
| QCCR1B132406 | Running a command script with specific drivers on a device without the specified drivers does not result in the device skipping that task | Core Application Server |
| QCCR1B133600 | NA command scripts allows duplicates | Scripting & Diagnostics |
| QCCR1B133838 | Inconsistent date string in Perl/SOAP API outputs | CLI |
| QCCR1B127236 | Device deletion from a static group takes about 15 seconds | Core Application Server |
| QCCR1B128007 | User guide incorrectly states that multiple groups can be selected from the Current Working Group list | Documentation |
| QCCR1B124650 | Advanced search duplicates the '"Last Access Success' column | Searching |
| QCCR1B115218 | Using search for policy function shows policies as 'Inactive' when they are not | NA console |
| QCCR1B128417 | The IP Address Search Results page displays incorrect VLAN information | Core Application Server |
| QCCR1B129591 | Tasks disappear from the Scheduled list | Scheduler |
| QCCR1B123110 | Avoid having to use workaround password rules | Password Management |
| QCCR1B116231 | Display the name of the command script in the Event Rule message | Core Application Server |
| QCCR1B128890 | The list module command fails | CLI |

# We appreciate your feedback!

If you have comments about this document, you can  contact the documentation team by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

**Feedback on Fixed Defects Report, June 2015 (Network Automation Software 10.10)**

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to network-management-doc-feedback@hp.com.