

Software Version: 10.21

## JMX Reference Guide

Document Release Date: August 2015 (Second Edition) Software Release Date: July 2015

### **Legal Notices**

### Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notice

© 2002 - 2015 Hewlett-Packard Development Company, L.P.

### **Trademark Notices**

 $\mathsf{Adobe}^{\scriptscriptstyle\mathsf{TM}}$  is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

 $\mathsf{UNIX}^{\text{\tiny{0}}}$  is a registered trademark of The Open Group.

### **Documentation Updates**

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to: https://softwaresupport.hp.com/.

This site requires that you register for an HP Passport and to sign in. To register for an HP Passport ID, click **Register** on the HP Support site or click **Create an Account** on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

#### Document Changes

Version	Changes
10.21 (2nd Edition, August 2015)	Added the "How to Set Shared Key for Encrypting or Decrypting the InfrastructureSettings.xml File Using JMX" section.

### Support

Visit the HP Software Support site at: https://softwaresupport.hp.com.

This website provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support website to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
   Research and register for software training

Most of the support areas require that you register as an HP Passport user and to sign in. Many also require a support contract. To register for an HP Passport ID, click **Register** on the HP Support site or click **Create an Account** on the HP Passport login page.

To find more information about access levels, go to: https://softwaresupport.hp.com/web/softwaresupport/access-levels.

HP Software Solutions Now accesses the HPSW Solution and Integration Portal website. This site enables you to explore HP Product Solutions to meet your business needs, includes a full list of Integrations between HP Products, as well as a listing of ITIL Processes. The URL for this website is http://h20230.www2.hp.com/sc/solutions/index.jsp.

## **Contents**

Chapter 1: Introduction	6
Introduction	6
Java JMX Access Hardening	9
UCMDB JMX Methods	11
Data Flow Management JMX Methods	18
Configuration Manager JMX Methods	20
Chapter 2: Administration Methods	22
Unified Resource Manager (URM) JMX Methods	22
How to Manage UCMDB Licenses Using the JMX Console	23
How to Download a Zip File of Log Files and Thread Dumps	23
How to Retrieve UCMDB Server Logs for a Specific Time Frame	24
How to Access Support Using the JMX Console	25
How to Set Master Keys	30
How to Use the User Activity Log	34
How to Configure UCMDB Log Levels	35
How to Check the Database Connection	36
How to Enable Validation of the Host Header of a Request	36
How to Show or Hide the "Cannot invoke trigger" Error Message on UI	37
High Availability Mode JMX Methods	38
Troubleshooting	41
UCMDB Browser JMX Methods	41
Package Manager JMX Methods	45
Chapter 3: Modeling Methods	49
How to Define and View a Layout Selection for a TQL Query	49
How to Encrypt the Password of a Direct Link	50
How to Rebuild the Database in Case of an Error	50
How to Export the Class Model to XML	51
Chapter 4: Data Flow Management Methods	52

	How to View Job Information on the Data Flow Probe	52
	How to View Discovery Rules	61
	How to View Discovery Resource History	62
	How to View Discovery Status of an Inventory CI in JMX	64
	How to View Agent Deployment Log for an Inventory CI in JMX	67
	How to Run Data Flow Ad Hoc Updates	68
	How to Delete Unsent Probe Results	68
	How to Configure Global ID Generation	69
	How to Perform Initial UCMDB-UCMDB Synchronization	69
	Data Flow Probe Log Files	70
	How to Check XML Enricher Health Using JMX	74
	How to Check the Confidential Manager Connection	74
Cł	hapter 5: Developer Reference Methods	76
	How to Debug Adapter Resources	76
	How to Create an Integration User	76
	Web Service API - executeTopologyQueryWithParameters	79
Cł	hapter 6: Configuration Manager Methods	81
	Configuration Manager JMX Methods	81
	Configuration Manager Best Practices	84
Cł	hapter 7: Hardening Methods	86
	How to Change the System User Name or Password for the JMX Console	87
	How to Enable Mutual Certificate Authentication for SDK	8
	How to Configure a Reverse Proxy	91
	How to Change the Server Keystore Password	<b>9</b> 1
	How to Enable or Disable HTTP/HTTPS Ports	93
	How to Map the UCMDB Web Components to Ports	93
	How to Modify the PostgreSQL Database Encrypted Password	95
	How to Set the JMX Console Encrypted Password	96
	How to Set the UpLoadScanFile Password	98
	How to Set the UpLoadScanFile Password	

How to Configure Confidential Manager Communication Encryption	100
How to Configure Confidential Manager Client Authentication and Encryption Settings on Probe	
How to Configure Confidential Manager Communication Encryption on the Probe	102
How to Configure the Confidential Manager Client's Cache Encryption Settings on the Prol	be103
How to Export and Import Credential and Range Information in Encrypted Format	105
How to Generate or Update the Encryption Key for Confidential Manager Generate a New Encryption Key Update an Encryption Key on a UCMDB Server	107
Update an Encryption Key on a Probe  Manually Change the Encryption Key when the Probe Manager and Probe Gateway are Installed on Separate Machines  Define Several JCE Providers	111
How to Configure CAC Support on UCMDB	112
How to Configure CAC Support for UCMDB by Reverse Proxy	114
How to Harden the Data Flow Probe Connector in UCMDB	120
How to Encrypt the Probe Keystore and Truststore Passwords	121
How to Enable Login to HP Universal CMDB with LW-SSO	122
How to Test LDAP Connections	123
How to Enable and Define the LDAP Authentication Method	123
How to Configure the HP Universal CMDB Server with Confidential Manager	124
How to Set the IIS server as the Front-End Server for UCMDB	126
How to Enable Secure Login for the JMX Console	126
How to Mark Sensitive Settings and Enable Storing Encrypted Data in the Database Using	JMX127
How to Set Shared Key for Encrypting or Decrypting the InfrastructureSettings.xml File Us JMX	_
Chapter 8: Installation and Migration Methods	131
How to Integrate UCMDB with SiteMinder	131
How to Migrate DDMI Server Configuration Data to Universal Discovery	132
Send Documentation Feedback	137

## Chapter 1: Introduction

### This chapter includes:

Introduction	6
Java JMX Access Hardening	9
UCMDB JMX Methods	11
Data Flow Management JMX Methods	18
Configuration Manager JMX Methods	20

### Introduction

This guide provides a reference for JMX methods included in the UCMDB documentation. Many UCMDB actions can be performed from the JMX console. You can search the JMX Quick Search page for JMX methods as described below.

**Note:** The methods in this guide were collected from existing documentation.

### **UCMDB JMX Console**

- 1. On the UCMDB server, launch the Web browser and enter the following address: <a href="http://localhost:8080/jmx-console">http://localhost:8080/jmx-console</a>.
- 2. Enter the JMX console authentication credentials, which by default are:
  - Login name = sysadmin
  - Password = sysadmin

The UCMDB JMX Quick Search page opens. There are three ways to access a JMX operation from the JMX home page.

• Use the JMX quick search

The JMX quick search feature provides the ability to:

- Search for a service. This is useful when you know that an operation is in a certain service category, but you do not know the name of the operation.
- Search for a JMX operation based on a keyword
  - Keywords can be an operation name, the description of the operation, or even the parameters used by the operation.
  - When typing, a suggestion list is displayed, providing links to quickly access suggested methods.
- Search and access a UCMDB server log from the JMX console
  - Typing the word **log:** in the search text displays a suggestion list with all the logs that contain the search word.
  - Clicking one of the suggested logs redirects to a new page displaying the full content of the log.
- Use the UCMDB JMX link

### Do the following:

- i. Click the UCMDB JMX link to open the console.
- ii. Locate the required service and click the link to open the operations page.
- iii. Select the required operation.
- Use the JMX Operations Index link

### Do the following:

- i. Click the UCMDB JMX Operations Index link to open the console operation index.
- ii. Go directly to the required method and select it.

**Note:** It is recommended to change the JMX password. For details, see "Change the JMX Console Password" on the next page.

### **Data Flow Probe JMX Console**

- On the probe machine, launch the Web browser and enter the following address: http://<Data Flow Probe machine name or IP address>:1977. If you are running the Data Flow Probe locally, enter http://localhost:1977.
- 2. Enter the JMX console authentication credentials, which by default are:
  - Login name = sysadmin
  - Password = sysadmin

The Data Flow Probe JMX Quick Search page opens.

To search for a JMX method, enter a method name or part of a method name in the search box. The search results display all methods containing the search phrase.

- 3. Click the **Data Flow Probe JMX** link to open the console. Locate the required service and click the link to open the operations page. Select the required operation.
- 4. Click the **Data Flow Probe Operations Index** link to open the console operation index. Go directly to the required method and select it.

**Note:** It is recommended to change the JMX password. For details, see "Change the JMX Console Password" below.

### **Change the JMX Console Password**

- Log in to UCMDB with an administrator account and go to Administration > Security > Users and Groups.
- 2. Select the user for the JMX Console login (by default, **sysadmin**) and click the **Reset Password** button.
- 3. In the Reset Password dialog box, enter the new password and confirm it. Click **OK**.
- 4. Log out of UCMDB and log in to the JMX Console using the new password.

### **Configuration Manager JMX Console**

There is a separate JMX console for Configuration Manager.

On the Configuration Manager server, enter the following address: <a href="http://<server name">http://<server name</a>:<a put style="text-application">application</a> port<a href="http://cnc/jmx-console">port</a>/cnc/jmx-console</a>. The port is the port configured during the installation of Configuration Manager.

For details, see the interactive HP Universal CMDB Deployment Guide.

For details on accessing the Configuration Manager JMX Console, see "Configuration Manager JMX Methods" on page 81.

### Java JMX Access Hardening

**Note:** The procedure described here can also be used for the Data Flow Probe JMX.

In order to ensure that the JMX RMI port is accessible only when providing user credentials, perform the following procedure:

In the wrapper.conf file on the server, located at C:\hp\UCMDB\UCMDBServer\bin\, set the following:

wrapper.java.additional.16=-Dcom.sun.management.jmxremote.authenticate=true

This setting requires the JMX to ask for authentication.

For the Data Flow Probe JMX, perform the following:

In the files WrapperGateway.conf and WrapperManager.conf, located at C:\hp\UCMDB\DataFlowProbe\bin\, set the following:

wrapper.java.additional.17=-Dcom.sun.management.jmxremote.authenticate=true

 Rename the file jmxremote.password.template (located at: C:\hp\UCMDB\UCMDBServer\bin\jre\lib\management\) to jmxremote.password.

Note: For the Data Flow Probe JMX, this file is located at: C:\hp\UCMDB\DataFlowProbe\bin\jre\lib\management\.

3. In jmxremote.password, add passwords for the roles monitorRole and controlRole.

For example:

monitorRole QED

controlRole R&D

would assign the password **QED** to **monitorRole** and the password **R&D** to **controlRole**.

**Note:** Ensure that only the owner has read and write permissions on **jmxremote.password** because it contains the passwords in clear text. The file owner must be the same user under which UCMDB Server is running.

 In the file jmxremote.access (located at C:\hp\UCMDB\UCMDBServer\bin\jre\lib\management\), assign access to monitorRole and controlRole.

For example:

monitorRole readonly

controlRole readwrite

would assign read-only access to **monitorRole** and read-write access to **controlRole**.

**Note:** For the Data Flow Probe JMX, this file is located at:

C:\hp\UCMDB\DataFlowProbe\bin\jre\lib\management\.

- 5. Secure files as follows:
  - For Windows only: Run the following commands from the command line to secure files:

icacls jmxremote.password /grant Administrator:F

icacls jmxremote.access /grant Administrator:R

where **<username>** is the file owner visible in the properties of both files. Open properties of these files and ensure that they are correct and have only one owner.

For Solaris and Linux operating systems: Set the file permissions for the password file by

### running:

### chmod 600 jmxremote.password

6. For Service Pack upgrades, Server migrations and Disaster Recovery: Change ownership of the file jmxremote.access (located at C:\hp\UCMDB\UCMDBServer\bin\jre\lib\management\) to the operating system user running the upgrade or migration installation.

### Note:

- For the Data Flow Probe JMX, this file is located at:
   C:\hp\UCMDB\DataFlowProbe\bin\jre\lib\management\.
- Before uninstalling the product, edit the file permissions for <UMCDB installation folder>\bin\jre\lib\management\jmxremote.password so the user you are logged in with can edit it.

### **UCMDB JMX Methods**

Service	Method	Link to document
Authorization Services	createUser	"How to Create an Integration User" on page 76
	grantRolesToUserForAllTenants	"How to Create an Integration User" on page 76
	grantRolesToUserForTenants	"How to Create an Integration User" on page 76
	removeUser	"How to Create an Integration User" on page 76
	resetPassword	"How to Create an Integration User" on page 76 "How to Change the System User Name or Password for the JMX Console" on page 87
	setRolesForUser	"How to Create an Integration User" on page 76
	UserAuthenticate	"How to Create an Integration User" on page 76

Service	Method	Link to document
Class Model Services	exportClassModelToXml	"How to Export the Class Model to XML" on page 51
DAL Services	getDbContext	"How to Check the Database Connection" on page 36
	rebuildModelDBSchemaAndViews	"How to Rebuild the Database in Case of an Error" on page 50
	rebuildModelViews	"How to Rebuild the Database in Case of an Error" on page 50
Discovery Manager	changeEncryptionKey	"How to Generate or Update the Encryption Key for Confidential Manager" on page 106
	changeEncryptionKey	"High Availability Mode JMX Methods" on page 38
	exportCredentialsAndRangesInformation	"How to Export and Import Credential and Range Information in Encrypted Format" on page 105
	generateEncryptionKey	"How to Generate or Update the Encryption Key for Confidential Manager" on page 106
	generateEncryptionKey	"High Availability Mode JMX Methods" on page 38
	importCredentialsAndRangesInformation	"How to Export and Import Credential and Range Information in Encrypted Format" on page 105
	importMigrationDataFromDDMI	"How to Migrate DDMI Server Configuration Data to Universal Discovery" on page 132
	recalculateAndUpdateDFMTasks	"How to Run Data Flow Ad Hoc Updates" on page 68
	recalculateAndUpdateDFMTasksForAdapter	"How to Run Data Flow Ad Hoc Updates" on page 68
High Availability Services	changeClusterAuthenticationKeystorePass word	"High Availability Mode JMX Methods" on page 38
	changeClusterEncryptionKeystorePassword	"High Availability Mode JMX Methods" on page 38
LDAP Services	configureLDAP	"How to Enable and Define the LDAP

Service	Method	Link to document
		Authentication Method" on page 123
	getLDAPSettings	"How to Enable and Define the LDAP Authentication Method" on page 123
	testLDAPConnection	"How to Test LDAP Connections" on page 123
	verifyLDAPCredentials	"How to Enable and Define the LDAP Authentication Method" on page 123
Licensing Services	addLicense	"How to Manage UCMDB Licenses Using the JMX Console" on page 23
LW-SSO Configuration	setUserName	"How to Integrate UCMDB with SiteMinder" on page 131
	addTrustedDomains	"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122
	setEnabledForUI	"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122
	setDomain	"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122
	addTrustedIPs	"UCMDB Browser JMX Methods" on page 41
	setValidationPointHandlerEnable	"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122
	updateReverseProxy	"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122
	setReverseProxyIPs	"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122
	retrieveConfigurationFromSettings	"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122

HP Universal CMDB (10.21) Page 13 of 137

Service	Method	Link to document
	retrieveConfiguration	"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122
	setInitString	"How to Configure LW-SSO Settings" on page 99
		"How to Enable Login to HP Universal CMDB with LW-SSO" on page 122
Multiple CMDB Instances Services	fetchAllDataFromAnotherCMDB	"How to Perform Initial UCMDB- UCMDB Synchronization " on page 69
	getGlobalIdGeneratorScopes	"How to Configure Global ID Generation" on page 69
	setAsGloballdGenerator	"How to Configure Global ID Generation" on page 69
	setAsGlobalIdGeneratorForScopes	"How to Configure Global ID Generation" on page 69
	setAsNonGlobalIdGenerator	"How to Configure Global ID Generation" on page 69
Packaging Services	deployPackages	"Package Manager JMX Methods" on page 45
	displayDeployedPackages	"Package Manager JMX Methods" on page 45
	displayResourcesDeploymentHistory	"Package Manager JMX Methods" on page 45
	exportPacakges	"Package Manager JMX Methods" on page 45
	undeployPacakges	"Package Manager JMX Methods" on page 45
Ports Manageme nt Services	ComponentsConfigurations	"How to Map the UCMDB Web Components to Ports" on page 93
		"How to Configure CAC Support on UCMDB" on page 112
		"How to Configure CAC Support for UCMDB by Reverse Proxy" on page 114

Service	Method	Link to document
	HTTPSClientAuthSetEnable	"How to Enable or Disable HTTP/HTTPS Ports" on page 93
	HTTPSClientAuthSetPort	"How to Map the UCMDB Web Components to Ports" on page 93
	HTTPSetEnable	"How to Enable or Disable HTTP/HTTPS Ports" on page 93
	HTTPSetPort	"How to Map the UCMDB Web Components to Ports" on page 93
	HTTPSSetEnable	"How to Enable or Disable HTTP/HTTPS Ports" on page 93
	HTTPSSetPort	"How to Map the UCMDB Web Components to Ports" on page 93
	mapComponentToConnectors	"How to Map the UCMDB Web Components to Ports" on page 93
		"How to Configure CAC Support on UCMDB" on page 112
		"How to Configure CAC Support for UCMDB by Reverse Proxy" on page 114
		"How to Harden the Data Flow Probe Connector in UCMDB" on page 120
	PortsDetails	"How to Enable Mutual Certificate Authentication for SDK" on page 88
		"How to Harden the Data Flow Probe Connector in UCMDB" on page 120
	serverComponentsNames	"How to Map the UCMDB Web Components to Ports" on page 93
Security Services	changeKeystorePassword	"How to Change the Server Keystore Password" on page 91
	changeMasterKeyForCluster	"How to Set Master Keys" on page 30
	CMAddUser	"How to Configure the HP Universal CMDB Server with Confidential Manager" on page 124

Service	Method	Link to document
	CMGetConfiguration	"How to Configure Confidential Manager Communication Encryption" on page 100
		"How to Configure the HP Universal CMDB Server with Confidential Manager" on page 124
	CMSetConfiguration	"How to Configure Confidential Manager Communication Encryption" on page 100
		"How to Configure the HP Universal CMDB Server with Confidential Manager" on page 124
	loginWithCAC	"How to Configure CAC Support on UCMDB" on page 112
		"How to Configure CAC Support for UCMDB by Reverse Proxy" on page 114
	onlyCACCerts	"How to Configure CAC Support on UCMDB" on page 112
		"How to Configure CAC Support for UCMDB by Reverse Proxy" on page 114
	pathToCRL	"How to Configure CAC Support on UCMDB" on page 112
	retrieveLWSSOConfiguration	"How to Retrieve the Current LW- SSO Configuration in a Distributed Environment" on page 99
	usernameField	"How to Configure CAC Support on UCMDB" on page 112
	withReverseProxy	"How to Configure CAC Support for UCMDB by Reverse Proxy" on page 114
Server Services	executeLogGrabber	"How to Download a Zip File of Log Files and Thread Dumps" on page 23
	loggersLevels	"How to Use the User Activity Log" on page 34

Service	Method	Link to document
		"How to Configure UCMDB Log Levels" on page 35
Settings Services	getSettingDefaultValue	"UCMDB Browser JMX Methods" on page 41
	setSettingValue	"How to Use the User Activity Log" on page 34
		"UCMDB Browser JMX Methods" on page 41
	showSettingsByCategory	"How to Use the User Activity Log" on page 34
Supportability Services	listSupportCategories	"How to Access Support Using the JMX Console" on page 25
	runSupportHandlersForAllCategories	"How to Access Support Using the JMX Console" on page 25
	runSupportHandlersForSpecificCategories	"How to Access Support Using the JMX Console" on page 25
	selectAndRunSupportHandlers	"How to Access Support Using the JMX Console" on page 25
Topology Search Services	debugSolrQuery	"UCMDB Browser JMX Methods" on page 41
	restoreFactoryDefaults	"UCMDB Browser JMX Methods" on page 41
TQL Services	calculateTqlAdHoc	"How to Define and View a Layout Selection for a TQL Query" on page 49
	exportTQL	"Web Service API - executeTopologyQueryWithParame ters " on page 79
UCMDB Integration	getEncryptedPasswordForURL	"How to Encrypt the Password of a Direct Link" on page 50
	setCMDBSuperIntegrationUser	"How to Create an Integration User" on page 76
UI Server frontend	setUseFrontendURLBySettings	"How to Configure a Reverse Proxy" on page 91
settings		"How to Set the IIS server as the Front-End Server for UCMDB" on

Service	Method	Link to document
		page 126
	showFrontendURLInSettings	"How to Configure a Reverse Proxy" on page 91
URM Services	listResourceTypes	"UCMDB Browser JMX Methods" on page 41 "How to View Discovery Resource History" on page 62

## Data Flow Management JMX Methods

Service	Method	Link to document
CMClient	displayCacheConfiguration	"How to Configure the Confidential Manager Client's Cache Encryption Settings on the Probe" on page 103
	isCMClientInitialized	"How to Check the Confidential Manager Connection" on page 74
	setCacheEncryption Algorithm	"How to Configure the Confidential Manager Client's Cache Encryption Settings on the Probe" on page 103
	setCacheEncryptionLibrary	"How to Configure the Confidential Manager Client's Cache Encryption Settings on the Probe" on page 103
	setCacheInitString	"How to Configure the Confidential Manager Client's Cache Encryption Settings on the Probe" on page 103
	setCacheMacDetails	"How to Configure the Confidential Manager Client's Cache Encryption Settings on the Probe" on page 103
	setLWSSOInitString	"How to Configure Confidential Manager Client Authentication and Encryption Settings on the Probe" on page 101
	setTransportEncryptionAlgorithm	"How to Configure Confidential Manager Communication Encryption on the Probe" on page 102
	setTransportEncryptionLibrary	"How to Configure Confidential

Service	Method	Link to document
		Manager Communication Encryption on the Probe" on page 102
	setTransportInitString	"How to Configure Confidential Manager Communication Encryption on the Probe" on page 102
	setTransportMacDetails	"How to Configure Confidential Manager Communication Encryption on the Probe" on page 102
GeneralUtils	executeLogGrabber	"Data Flow Probe Log Files" on page 70
JobsInformation	activateJob	"How to View Job Information on the Data Flow Probe" on page 52
	activateJobOnDestination	"How to View Job Information on the Data Flow Probe" on page 52
	start/stop	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobErrorsSummary	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobExecHistory	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobProblems	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobResultCiInstances	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobResults	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobsStatuses	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobStatus	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobTriggeredCls	"How to View Job Information on the Data Flow Probe" on page 52
	viewJobTriggeredClsWithErrorld	"How to View Job Information on the Data Flow Probe" on page 52
MainProbe	dropUnsentResults	"How to Delete Unsent Probe Results " on page 68

Service	Method	Link to document
	getEncryptedDBPassword	"How to Modify the PostgreSQL Database Encrypted Password" on page 95
	getEncryptedKeyPassword	"How to Set the JMX Console Encrypted Password" on page 96
		"How to Set the UpLoadScanFile Password" on page 98
		"How to Encrypt the Probe Keystore and Truststore Passwords" on page 121
NormalizationRuleBase	scanForScanFileRules	"How to View Discovery Rules" on page 61
	scanForSNMPRules	"How to View Discovery Rules" on page 61
	viewNormalizationRuleById	"How to View Discovery Rules" on page 61
	viewNormalizationRuleByNiceId	"How to View Discovery Rules" on page 61
	viewNormalizationRules	"How to View Discovery Rules" on page 61
SecurityManagerService	importEncryptionKey	"How to Generate or Update the Encryption Key for Confidential Manager" on page 106
XmlEnricherMonitor	viewXmlEnricherStatuses	"How to Check XML Enricher Health Using JMX" on page 74

## Configuration Manager JMX Methods

Service	Method	Link to document
ImportExport Service	activateAutoManageResource	"Configuration Manager JMX Methods" on page 81
	exportData	"Configuration Manager JMX Methods" on page 81
	exportPolicies	"Configuration Manager JMX Methods" on page 81

Service	Method	Link to document
	exportViews	"Configuration Manager JMX Methods" on page 81
	importData	"Configuration Manager JMX Methods" on page 81
	listAllPolicies	"Configuration Manager JMX Methods" on page 81
	listAllViews	"Configuration Manager JMX Methods" on page 81
Licensed Content Service	deactivateAutomanagedResources	"Configuration Manager JMX Methods" on page 81
View Service	supportLargeViews	"Configuration Manager JMX Methods" on page 81
	updateFoldingRules	"Configuration Manager JMX Methods" on page 81

## Chapter 2: Administration Methods

### This chapter includes:

Unified Resource Manager (URM) JMX Methods	22
How to Manage UCMDB Licenses Using the JMX Console	23
How to Download a Zip File of Log Files and Thread Dumps	23
How to Retrieve UCMDB Server Logs for a Specific Time Frame	24
How to Access Support Using the JMX Console	25
How to Set Master Keys	30
How to Use the User Activity Log	34
How to Configure UCMDB Log Levels	35
How to Check the Database Connection	36
How to Enable Validation of the Host Header of a Request	36
How to Show or Hide the "Cannot invoke trigger" Error Message on UI	37
High Availability Mode JMX Methods	38
Troubleshooting	41
UCMDB Browser JMX Methods	41
Package Manager JMX Methods	45

## Unified Resource Manager (URM) JMX Methods

The Unified Resource Manager (URM) is an XML-based repository for CMDB resources. A resource is defined as all CMDB data other than CIs. Examples of resources include TQL queries, views, users, and the class model, as well as discovery resources such as discovery scripts, integration and discovery adapters, discovery jobs, and so on.

The URM can be accessed using the JMX console only. From the JMX console page, click **UCMDB:service=URM Services** to open the JMX page with the relevant methods.

For more information, see How to View Discovery Resource History in the *HP Universal CMDB Data Flow Management Guide*.

Caution: Never change a resource from the URM.

## How to Manage UCMDB Licenses Using the JMX Console

You can manage the product licenses from the JMX Console. This task describes how to install a license.

 On the UCMDB server, launch the Web browser and enter the following address: http://localhost:8080/jmx-console

You may have to log in with a user name and password.

- 2. Click **UCMDB:service=Licensing Services** to open the JMX MBEAN View page.
- 3. Locate the addLicense method.
- 4. Enter your customer ID and the license key.
- 5. Click Invoke.

There are additional JMX methods available on the same page for the following functions:

- Installing a license from a file
- Displaying all active licenses
- Displaying all licenses (including expired licenses)
- Displaying a summary of active licenses
- · Removing all licenses

# How to Download a Zip File of Log Files and Thread Dumps

You can produce a zip file that includes all logs and thread dumps. You create the file either through a JMX operation on the client machine, or by running a batch file on the UCMDB Server.

Thread dumps are created periodically: Once a minute, a thread dump snapshot is taken and is saved to a new file in the C:\hp\UCMDB\UCMDBServer\runtime\log\threadDumps folder. Thread dump files from the last hour are kept. This folder also holds the ad hoc Server snapshots that are generated during the logGrabber execution.

HP Universal CMDB (10.21) Page 23 of 137

### To generate the zip file from the client machine:

 Launch the Web browser and enter the server address, as follows: http://<UCMDB Server Host Name or IP>:8080/jmx-console.

You may have to log in with a user name and password.

- 2. Under UCMDB, click UCMDB:service=Server services to open the JMX MBEAN View page.
- 3. Locate the **executeLogGrabber** operation.
- 4. Click Invoke.

A Server snapshot file with the name LogGrabber\_serverSnapshot\_
<current date and time>.txt is created in the following location:
C:\hp\UCMDB\UCMDBServer\runtime\log\threadDumps. This is a thread dump that includes the threads of the Server framework only.

5. In the File Download dialog box, you can open the **logGrabber\_<current time>.zip** file, or download it to the client machine.

### To generate the zip file from the UCMDB Server:

- Access the following folder on the UCMDB Server: C:\hp\UCMDB\UCMDBServer\tools\logGrabber\.
- 2. Run the logGrabber.bat file.

The **LogGrabber\_<current time>.zip** file is created in the following location: **C:\hp\UCMDB\UCMDBServer\runtime**. This is a thread dump that includes the threads of the Server framework only.

# How to Retrieve UCMDB Server Logs for a Specific Time Frame

You can produce a zip file containing all UCMDB server logs for a given time frame. This is intended for support engineers or other users who need to obtain logs for a specific time frame.

### To generate the zip file from the client machine:

 Launch the Web browser and enter the server address, as follows: http://<UCMDB Server Host Name or IP>:8080/jmx-console.

You may have to log in with a user name and password.

- 2. Under UCMDB, click UCMDB:service=Server services to open the JMX MBEAN View page.
- 3. Locate the executeServerLogParser operation.
- 4. Enter the start time in the required format.
- (Optional.) Enter an end time. If you do not provide an end time, the time that the JMX method is invoked is used.
- 6. Click Invoke.

When the process has finished, the file can be downloaded from the browser.

#### Limitations

- The zip file is also located on the UCMDB server machine as the
   c:\hp\UCMDB\UCMDBServer\runtime\ParsedLogGrabber\_<time>.zip file. For maintenance purposes, this file must be manually deleted.
- The folder c:\hp\UCMDB\UCMDBServer\runtime\log\ParsedLogs\_<date> is also created and
  contains the unzipped contents. For maintenance purposes, this file must be manually deleted.
- In high availability UCMDB deployments, this JMX method is running against one server only.
- Only logs from the same date can be parsed.

## How to Access Support Using the JMX Console

HP Universal CMDB provides Supportability JMX methods to help HP Software Support diagnose problems in your system. The methods use handlers for each category, which gather information relevant to that category from your system. When you run a handler for a category, it downloads a zip file of the information gathered for that category. Generally, HP Software Support runs the Supportability methods to help provide a solution for the issue raised.

### To access the Supportability methods:

 On the UCMDB server, launch the Web browser and enter the following address: http://localhost:8080/jmx-console

You may have to log in with a user name and password.

- 2. Click **UCMDB:service=Supportability Services** to open the JMX MBEAN View page.
- 3. The **listSupportCategories** method displays all the support categories:
  - To run all the handlers, invoke the runSupportHandlersForAllCategories method.
  - To run specific handlers, invoke the selectAndRunSupportHandlers method and select the handlers you want to run.
  - Alternatively, you can run specific handlers using the runSupportHandlersForSpecificCategories
    method. In the categories field, enter all the required handlers separated by commas, and click
    Invoke.

### **Supportability Handlers**

The following handlers are available:

- TQL. Records the following data in the TQL.properties file:
  - Number of TQL queries
  - Number of active TQL queries
  - Number of active persistent TQL queries
  - Number of non-active TQL queries
  - It also creates the Failed TQLs.txt file, containing the list of failed active TQL queries
- View. Records the following data in the View.properties file:
  - Number of views
  - Number of views with a hierarchy definition
  - Number of views with a rule based hierarchy definition

- Number of template based views
- Number of perspective based views
- Number of templates
- Number of perspectives
- Number of views of unknown type (this value should always be 0)
- ViewArchive. Records the following data in the ViewArchive.properties file:
  - Total number of archives
  - Total number of views with archives
- Snapshots. Records the following data in the Snapshots.properties file:
  - Total number of snapshots
- Modeling. Records the following data in the Modeling.properties file:
  - Number of business CIs
  - Number of models with content (models containing CIs)
  - Number of pattern based models
  - Number of instance based models
- Enrichment. Records the following data in the Enrichment.properties file:
  - Number of Enrichment rules
  - Number of all active Enrichment rules
  - Number of non-active Enrichment rules
  - Number of Enrichment business views
  - Number of all active Enrichment business views
  - Number of non-active Enrichment business views
- High Availability. Gathers the High Availability information from all of the servers in the cluster:

- The High Availability cluster information is recorded in **HA.properties**:
  - Is\_ha\_enabled
  - Cluster name (if high availability is enabled)
  - Cluster nodes number (if high availability is enabled)
  - Cluster nodes names (if high availability is enabled)
- The values for the High Availability settings (starting with ha.) are recorded in HA settings.properties
- Domains. Gathers IP range information and records in the DomainsConfiguration Customer
   <CustomerID>.xml file.
- Management Zones. Gathers rank, name, range definition, discovery activities, activity jobs, and scheduling information for management zones. Records this information in the MngZonesConfiguration <CustomerID>.xml file.
- **URM Counters.** Records each of the registered URM types and the number of instances of each one in the **Basic URM Counters.properties** file.
- **Settings.** Records the infrastructure settings and their values for this customer in the **Settings <customer ID>.properties** file.
- **Changed Settings.** Records the changed infrastructure settings and their values for this customer in the **Changed\_Settings\_<customer ID>.properties** file.
- Memory and Thread Count Info. Records the UCMDB memory usage and thread count in the MemoryAndThreadInfo.html file. The information is displayed in color: green, orange, and red. If the color is not green, it requires attention.

**Note:** LDAP authentication can generate many idle threads. Until these threads are closed, it can temporarily lead to a high thread number which may cause performance issues.

- Authorization. Records all the roles, users, user groups and role assignments in the
   Authorization.properties file. In a multi-tenancy environment, it records the tenant association of each role assignment.
- Basic History. Records the last date that the baseline process ran for each CI type in the Basic

### **History.properties** file.

- History. Records the number of history events in the current history table for each CI type in the
  History.properties file (only for CI types with history events)
- Class Model. Records the class model as an XML file, Class Model.xml. In a multi-customer
  environment, it records the number of different class models and their differences at the SDK level
  in the Class Model.properties file. (In a single-customer environment, this file contains only the
  information for the single customer.)
- Model Update. Records the following data in the Basic Model Update.properties file:
  - Number of CIs per CI type (only for CIs with instances)
  - Number of CIs connected to a **Node** CI type or one of its descendants
- Reconciliation. Records data processing statistics read from the cmdb.reconciliation.log file. It
  records the data in Excel format, in the DiscoveryProcessingStatistics.xlsx file. Data that might
  require attention is highlighted in yellow and red. These thresholds are selected based on data
  collected for UCMDB version 10.xx medium and large deployments.

The following Excel sheets are created:

- **dailyRates.** Records daily statistics. The following items are explained:
  - **Total Model time.** Time needed to insert, update, or delete CIs to DB. A higher value might show a DB slowness and require DBA involvement.
  - Total Identify time. Time required in building TQL queries, calculating TQL queries, matching between bulk and what was brought with TQL queries from the UCMDB server.
  - Total DataIN time. Time required for merge operations and recursive merge operations.
  - Daily Usage(% from 24h). Amount of time in a day the server is busy with data in processing.
     If this field is highlighted in yellow or red, the server might be overloaded or there is a performance slowness.
- Jobs Throughput Rates Detailed. Data recorded per discovery/integration job from the time the data is analysed. (First timestamp recorded in the logs.)
- dailyRatesPerJob. Data recorded per discovery/integration job from the time the data is analyzed but breakdown per day.

- dailyRatesPerDataSource. Data recorded per source type and display by day.
- FailedBulksInfo. Number of bulks that failed to be recorded by the discovery job. It shows the number of bulks that failed and the time spent. At the end a summary is made for all failed bulks.
- RemoveByIDStats. Records data for the CIs that are marked by the probe as candidates for deletion or CIs to be deleted.
- dailyRatesPerProbe. Records data per day for each probe that reports data. Also it fetches all data that are not created through probe as 'Not through Probe'.
- Jobs Throughput Rates Per Probe. Records data reported by every probe from the time the data is analyzed. (First timestamp recorded in the logs.)
- General Info. Shows the timeframe analyzed and recorded in the Excel file. Also records time spent for successful and failed processed bulks. Number of data in bulks ignored from log file shows the number of bulks that were ignored. Possible reasons are that data was not properly read or that the reconciliation bulk was not logged properly in the log (every bulk must have two lines: entry line and summary line logged in consecutive rows in the log file).

#### Note:

- The data is read from the cmdb.reconciliation.log file based on regex. If the log4j layout is changed for the cmdb.reconciliation.log file, the data cannot be parsed.
- A job might show a performance degradation if the total time is higher than 600 seconds.
- **Data In.** Records actual deletion period and deletion candidate period information of the root CI type that was overwritten by the settings for child CI types in the **Data In.properties** file. It also checks for inconsistency in the database (objects or links that exist in the root CIT's table but not in the subtype's table or the other way around). The inconsistent objects are recorded in the **inconsistencyInModel.txt** file and the inconsistent links are recorded in the **inconsistencyLinks.txt** file.

## How to Set Master Keys

You can use the JMX console to change the master key that is used to encrypt all UCMDB keys.

### Change the master key for a cluster

This method assumes that your UCMDB environment is deployed in a high-availability setup.

#### **Caution:**

- This method involves a restart of the entire cluster, so plan accordingly. It is recommended to change the master key of the cluster when there is little or no load on the servers. For example, you should avoid using this method during data-in operations.
- Do not change any settings in the time period between changing the master key and restarting the server. Not following this instruction may result in a failure to start the server.
- Machines that are not up or that will be added later to the cluster will need to be configured
  manually. Until they are configured, at most they can run as reader machines; trying to run
  them as writer machines will fail.
- Back up the c:\hp\UCMDB\UCMDBServer\conf\cmdb.conf file and the values for the following settings:
  - ha.cluster.authentication.keystore.password
  - ha.cluster.authentication.shared.secret
  - ha.cluster.message.encryption.keystore.password
  - ssl.server.keystore.password
  - ssl.server.truststore.password
- 2. Make sure all the servers in the cluster are up and running.
- On the writer machine, launch the Web browser and enter the following address to log in to the JMX console: http://localhost:8080/jmx-console.

**Note:** If a load balancer is present, you must bypass it and not log on to the writer machine through a load balancer.

4. Do one of the following:

- Search for changeMasterKeyForCluster.
- Click UCMDB:service=Security Services > changeMasterKeyForCluster.
- Enter and confirm the master key, and click **Invoke**. The master key will be changed first on the writer machine and then on all reader machines.
- Restart all the machines in the cluster. You can use the JMX method High Availability Services > restartCluster to do this.

**Note:** Restart the cluster immediately after changing the master key. If you do not, future database connections may fail.

### Change the master key for a new machine in a cluster

If at least one of the following settings was changed, use Method A; otherwise, use Method B:

- ha.cluster.authentication.keystore.password
- · ha.cluster.authentication.shared.secret
- ha.cluster.message.encryption.keystore.password
- ssl.server.keystore.password
- · ssl.server.truststore.password

### **Method A**

This method assumes that you already have properly configured a master key for the writer machine that is up and running in the cluster. If not, follow the instructions in "Change the master key for a cluster" on the previous page.

- Copy the c:\hp\UCMDB\UCMDBServer\bin\wrapper.conf file from the writer machine to the same location on the new (reader) machine.
- 2. Restart the server.

### Method B

- 1. Back up the c:\hp\UCMDB\UCMDBServer\conf\cmdb.conf file.
- 2. On the writer machine, launch the Web browser and enter the following address to log in to the JMX console: http://localhost:8080/jmx-console.
- 3. Do one of the following:
  - Search for changeMasterKey.
  - Click UCMDB:service=Security Services > changeMasterKey.
- 4. Enter and confirm the master key, and click **Invoke**.
- 5. Restart the machine.

**Note:** Restart the cluster immediately after changing the master key. If you do not, future database connections may fail.

### Revert the master key for a cluster to its default value

This procedure resets the master key for an entire cluster.

- 1. Make sure all the servers in the cluster are up and running.
- 2. On the writer machine, launch the Web browser and enter the following address to log in to the JMX console: http://localhost:8080/jmx-console.

**Note:** If a load balancer is present, you must bypass it and not log on to the writer machine through a load balancer.

- 3. Do one of the following:
  - Search for restoreMasterKeyForCluster.
  - Click UCMDB:service=Security Services > restoreMasterKeyForCluster.
- 4. Click **Invoke**. The master key will be changed first on the writer machine and then on all reader machines.

Restart all the machines in the cluster. You can use the JMX method High Availability Services > restartCluster to do this.

**Note:** Restart the cluster immediately after changing the master key. If you do not, future database connections may fail.

## Revert the master key for a machine that was down when master key was reverted for whole cluster

- 1. Back up the c:\hp\UCMDB\UCMDBServer\conf\cmdb.conf file.
- On the writer machine, launch the Web browser and enter the following address to log in to the JMX console: http://localhost:8080/jmx-console.
- 3. Do one of the following:
  - Search for restoreMasterKey.
  - Click UCMDB:service=Security Services > restoreMasterKey.
- 4. Click Invoke.
- 5. Restart the machine.

**Note:** Restart the cluster immediately after changing the master key. If you do not, future database connections may fail.

## How to Use the User Activity Log

When troubleshooting a problem in your system, another useful tool is the User Activity log. When activated, this log records all the actions performed on your system, enabling HP Software Support to reproduce the problem and troubleshoot it.

To activate the User Activity log, first verify that it is enabled:

 On the UCMDB server, launch the Web browser and enter the following address: http://localhost:8080/jmx-console You may have to log in with a user name and password.

- 2. Click **UCMDB:service=Settings Services** to open the JMX MBEAN View page.
- 3. Locate the showSettingsByCategory method.
- 4. Enter General Settings as the category name and click Invoke.
- 5. Locate the mam.web.user.activity.log.enabled setting and verify that it is set to true.
- 6. If it is set to false, go back to the **Settings Services** page, and select the **setSettingValue** method.
- 7. Enter mam.web.user.activity.log.enabled as the setting and true as the value and click Invoke.

Next, change the log level to INFO:

- 1. In the JMX Console, click UCMDB:service=Server Services
- 2. Locate the loggersLevels method and click Invoke.
- 3. Locate the com.hp.ucmdb.uiserver.aspects logger and select INFO from the drop-down list.
- 4. Click **Update loggers**.

The log is now activated. Perform the actions that led to the problem. The User Activity log automatically records them.

When you are finished, disable the log using the **loggersLevels** method and selecting **ERROR** as the level for the **com.hp.ucmdb.uiserver.aspects** logger.

## How to Configure UCMDB Log Levels

This task describes how to specify the log level for UCMDB log files.

 On the UCMDB server, launch the Web browser and enter the following address: http://localhost:8080/jmx-console

You may have to log in with a user name and password.

- 2. Click **UCMDB:service=Server Services** to open the JMX MBEAN View page.
- Locate the loggersLevels method.

- 4. Click Invoke.
- 5. From the list next to each log file name for which you want to set the level, select the required log level (OFF, FATAL, ERROR, WARN, INFO, DEBUG, TRACE, or ALL).
- 6. Click Update loggers.

### How to Check the Database Connection

To check that the database server is up and running:

- Launch the Web browser and navigate to: http://<Server name>:8080/jmx-console, where
   <Server name> is the name of the machine on which HP Universal CMDB is installed.
- 2. Under UCMDB, click UCMDB:service=Dal Services to open the JMX MBean View.
- 3. Invoke the function getDbContext with a customerID parameter value of 1.
- 4. Check that the operation result shows no problems.

# How to Enable Validation of the Host Header of a Request

To enable validation of host header of a request based on a regular expression,

- Access the UCMDB JMX console on the writer machine: Launch a Web browser and enter the following address: http://<UCMDB machine name or IP address>:8080/jmx-console. You may have to log in with a user name and password.
- 2. Locate **UCMDB:service=Settings Services** and click the link to jump to the Operations table.
- 3. Locate the **setGlobalSettingValue** operation.
- 4. To enable validation of host header of a request, provide values for the following parameters for the **setGlobalSettingValue** method:
  - name: security.filter.header.allowed.host
  - value: <enter a JAVA regex that matches a valid host>

#### For example,

- mymachine, will only accepts a host header that contains the value mymachine.
- mymachine.\*|localhost, will accept mymachine.mydomain.com,
   mymachine.subd1.domain1.com or any domain starting with mymachine or localhost as host.

The default value of the **security.filter.header.allowed.host** setting is .\*. It affects URLs containing **/ucmdb-ui/** only. For example, **http://localhost:8080/ucmdb-ui/applet/applet.jsp**.

- 5. Click **Invoke**. The setting takes effect immediately.
- 6. Restart the whole UCMDB cluster to ensure that the setting is picked up by all readers.

# How to Show or Hide the "Cannot invoke trigger" Error Message on UI

Version 10.21 introduced a new JMX setting appilog.collectors.ShowCanNotInvokeError in the getInternalSetting method, allowing you to show or hide the "Cannot invoke trigger" error message on UI. The default value for the setting is true.

To hide the "Cannot invoke trigger" error message,

- 1. Go to JMX Console > UCMDB:service=Settings Services > getInternalSetting.
- 2. Invoke the **getInternalSetting** method with the following parameters:
  - customerID: <Customer ID>
  - key: appilog.collectors.ShowCanNotInvokeError
- 3. On the result page,
  - To show the error message, replace the null value with true (default) and click Set.
  - To hide the error message, replace the **null** value with **false** and click **Set**.

Note that for the error message displayed for a specific trigger, the change takes effective the next time the trigger CI is triggered. Since not all triggers are scheduled to run at the same time, you may still see occurrences of the error message on the UI for some time before it completely go off.

## High Availability Mode JMX Methods

#### **Replace the Writer Server**

In the JMX Console, you can invoke the **High Availability Services > suggestNewWriterServer** method where you can suggest which server (serverID) should replace the Writer server.

#### **High Availability Cluster Authentication**

#### To enable cluster authentication:

- 1. In UCMDB, go to **Administration > Infrastructure Settings Manager**.
- 2. Find the setting Enable joining High Availability cluster authentication and set it to true.
- Provide a single server authentication keystore (certificate + private and public keys) in JKS
  format. This keystore will be placed on all the servers and used for authenticating when connecting
  to a high availability cluster.

Place the keystore in the following location: **<UCMDB installation folder>\conf\security** and name it **cluster.authentication.keystore.** 

**Note:** The UCMDB comes with this keystore pre-configured out-of-the-box. This keystore is the same for all clean UCMDB installations, and thus not secure. If you wish to securely authenticate join requests, delete this file and create a new one.

- 4. Generate a cluster authentication keystore as follows:
  - a. From C:\hp\UCMDB\UCMDBServer\bin\jre\bin, run the following command:

```
keytool -genkey -alias hpcert -keystore <UCMDB installation
folder>\conf\security\cluster.authentication.keystore -keyalg RSA
```

The console dialog box opens and asks you for a new keystore password.

 The default password is hppass. If you want to use a different password, update the server by running the following JMX method: UCMDB:service=High Availability Services: changeClusterAuthenticationKeystorePassword

- c. In the console dialog box, answer the question **What is your first and last name?** by entering the name of the cluster.
- d. Enter the other parameters according to your organization's details.
- e. Enter a key password. The key password must be the same as the keystore password.

A JKS keystore is created in **<UCMDB installation** folder>\conf\security\cluster.authentication.keystore

- 5. Replace the old **<UCMDB** installation folder**>**\conf\security\cluster.authentication.keystore on all the servers in the cluster with the new keystore.
- 6. Restart all the servers in the cluster.

#### Changing the Key in the key.bin

In a High Availability environment with several servers, change the **key** in the **key.bin** as follows:

- 1. Go to the writer machine in the JMX. You can choose any machine in the cluster and click on the writer link on the top of each page.
- 2. In the UCMDB section of the console, click **UCMDB:service=Discovery Manager**.
- 3. Change the key in one of the following ways:
  - Click changeEncryptionKey (this imports the existing encryption key)
  - Click generateEncryptionKey (this generates a random encryption key)
- 4. On the writer machine, go to the file system and find the key.bin at:
  - C:\hp\UCMDB\UCMDBServer\conf\discovery\key.bin
- 5. Copy the **key.bin** from the location on the writer machine to each one of other machines in the cluster to the folder: **C:\hp\UCMDB\UCMDBServer\conf\discovery\customer\_1\** and rename the destination file (for example, **key\_new.bin**).
- 6. For each of the other servers (readers) do the following:
  - a. Switch the reader to be a writer (you can do this from the High Availability JMX) and wait until it changes.
  - b. Connect to the JMX of the current writer and click UCMDB:service=Discovery Manager.

- c. Click and invoke changeEncryptionKey, use the same details you entered in step 3 (for newKeyFileName, use the new name you assigned at step 5).
- d. Verify that you get the following message: **Key was created successfully**.

#### High Availability Cluster Message Encryption

Use cluster message encryption to encrypt all the messages in the cluster.

#### To enable cluster message encryption:

- 1. In UCMDB, go to Administration>Infrastructure Settings Manager.
- 2. Find the setting Enable High Availability cluster communication encryption and set it to true.
- Provide a secret key for symmetric encryption on all the servers. The key should be placed in a keystore of type JCEKS in the following location <UCMDB installation folder>\conf\security\cluster.encryption.keystore.

**Note:** The UCMDB comes with this keystore pre-configured out of the box. This keystore is the same for all clean UCMDB installations, and thus not secure. If you wish to securely encrypt cluster messages, please delete this file, and create a new one by following this procedure.

4. From **<UCMDB** installation folder>\bin\jre\bin, run the following command:

Keytool -genseckey -alias hpcert -keystore <UCMDB installation folder>\conf\security\cluster.encryption.keystore -storetype JCEKS

- 5. You will be asked for the new keystore password. The default password is "hppass". If you want to use a different password, you need to update the server by running the following JMX method:
  - UCMDB:service=High Availability Services: changeClusterEncryptionKeystorePassword
- Replace the old **<UCMDB** installation folder>\conf\security\cluster.encryption.keystore of all the servers in the cluster with this new keystore.
- 7. Restart the servers.

## Troubleshooting

Upon every startup of the server, the server sends a test message to the cluster to verify if it successfully connected to the cluster. If there is a problem with the connection, the message fails and the server is stopped to avoid the whole cluster getting stuck.

Some examples of wrong cluster encryption configuration are:

- Disabled encryption on one node when another node enabled it.
- · Wrong or missing cluster.encryption.keystore
- · Wrong or missing key in the keystore

If the server gets stuck because of a configuration issue, the error message is:

2012-09-11 17:48:23,584 [Thread-14] FATAL - #### Server failed to connect properly to the cluster and its service is stopped! Please fix the problem and start it again ####

2012-09-11 17:48:23,586 [Thread-14] FATAL - Potential problems can be: wrong security configuration (wrong or missing cluster.encryption.keystore, wrong key, disabled encryption in a cluster with enabled encryption)

## **UCMDB Browser JMX Methods**

#### **How to Modify the Currently Indexed List**

- 1. Go to JMX Console > UCMDB:service=Topology Search Services.
- 2. Choose one or more of the following operations:
  - editIndexerConfiguration displays and enables editing of the Search\_Indexer\_Configuration\_
     XML file.
  - editParserConfiguration displays and enables editing of the Search\_Parser\_Configuration\_
     XML file.
  - editRankingConfiguration displays and enables editing of the Search\_Ranking\_
     Configuration\_XML file.

3. For each operation, enter the relevant customer ID and click **Invoke**.

#### How to Enable/Disable the Search Engine

By default, the search engine is enabled (unless it was disabled during UCMDB installation).

To change the enable/disable setting:

- Go to JMX Console > UCMDB:service=Settings Services > setGlobalSettingValue.
- 2. In the name field enter cmdb.search.enabled.
- 3. In the value field enter:

true: If you want the search enabled.

false: If you want the search disabled.

- 4. Click Invoke.
- 5. Restart the UCMDB server.

**Note:** If you disable the Enhanced Search Engine, the UCMDB Browser automatically reverts to the legacy search engine.

#### How to Enable/Disable Searching for Federated Data

The search engine can be configured to perform searches on federated data. By default, it is disabled.

To enable or disable this setting:

- 1. Go to JMX Console > UCMDB:service=Settings Services > setSettingValue.
- 2. In the name field enter cmdb.federation.search.enabled.
- 3. In the value field enter:

true: If you want to enable searching federated data.

false: If you want to disable searching federated data.

- 4. Click Invoke.
- 5. Restart the UCMDB server.

#### How to Configure Repetition of the Enriching Mechanism

To configure the number of times that enriching is performed on search results:

- 1. Go to JMX Console > UCMDB:service=Settings Services > setSettingValue.
- 2. In the name field enter cmdb.search.enriching.depth.
- 3. In the value field enter the number of times that you want enriching to be repeated on search results.
- 4. Click Invoke.
- 5. Restart the UCMDB server.

#### **How to Configure the Date Format**

The search engine supports two dates formats: day-month-year (DMY) and month-day-year (MDY), which can be configured as follows:

- 1. Go to JMX Console > UCMDB:service=Settings Services > setSettingValue.
- 2. In the name field enter: cmdb.search.date.format.
- 3. In the value field enter the desired date format: DMY, MDY, or both.
- 4. Click Invoke.
- 5. Restart the UCMDB server.

#### **How to Restore Factory Defaults**

To restore the default configuration XML files from the factory content, go to **JMX Console** > **UCMDB:service=Topology Search Services** and invoke the **restoreFactoryDefaults()** method.

**Caution:** This method overwrites the current configuration. You should back up the configuration files before invoking it.

#### **Content of Solr Database**

The Solr search engine is embedded inside UCMDB server. To query it directly, go to **JMX Console > UCMDB:service=Topology Search Services** and invoke the **debugSolrQuery()** method.

#### How to Access the UCMDB Browser by IP Address

If you access the UCMDB Browser by IP address (not by FQDN), you should add the UCMDB Browser IP address to the UCMDB's trusted hosts. You can do this from the JMX console. Under **LW-SSO Configuration Management**, locate the **addTrustedIPs** method and invoke it using the UCMDB Browser IP address value.

#### **How to Specify Persistency Values for Notifications**

The length of time that notifications are retained and how often they are generated are defined in the JMX console:

- 1. Go to JMX Console > UCMDB:service=Settings Services > setSettingValue.
- 2. To change each setting, follow these steps:
  - a. In the **name** field, enter one of the strings listed below:
    - tql.tracker.queue.evaluation.initial.delay.in.min the initial delay (in minutes) after startup, before a TQL query is calculated.
    - tql.tracker.queue.evaluation.period.in.min the interval (in minutes) of how often a TQL query is scheduled to run.
    - tql.tracker.queue.max.single.run.time.in.min the maximum length of time (in minutes) for the system to work on calculating changes on CIs or TQL queries during a single execution.
    - tql.tracker.min.time.between.tracker.runs.in.min the minimum length of time between two runs of a TQL query.

**Note:** To find the default value for each setting, enter the required string in the **name** field of **getSettingDefaultValue** and click **Invoke**.

- b. In the **value** field, enter the value you want to set.
- c. Click Invoke.
- 3. Restart the UCMDB server.

#### How to Re-index the CIs of a Given CI Type

You can re-index the CIs of a given CI type from the CMDB model database for search purposes. To do this, follow these steps:

- 1. Go to JMX Console > UCMDB:service=Topology Search Services > reindexCiType.
- 2. In the ciType field, enter the CI Type that you want to re-index.
- 3. Select one of the following options for the **includeSubtypes** option:
  - **True**: Re-index all the subtypes of the specified CI Type.
  - **False**: Do not re-index the subtypes of the specified CI Type.
- 4. Click Invoke.

To check the status and progress of the re-indexing operation, use the **printStatusReport** JMX method. This method can display the information such as overall status, progress, and number of indexed entries.

#### Note:

- In a multi-UCMDB environment, the reindexCiType method triggers the re-indexing operation on all nodes in the cluster.
- During the execution of the re-index operation, search operations are allowed and will return results based on what is already indexed.

## Package Manager JMX Methods

#### How to Deploy a Package

Follow these steps to deploy a package using the JMX console.

- Launch your Web browser and enter the following address: http://<server\_name>:8080/jmx-console, where <server\_name> is the name of the machine on which HP Universal CMDB is installed.
- 2. Under UCMDB, click UCMDB:service=Packaging Services to open the JMX MBEAN View page.

- 3. Locate deployPackages.
- 4. In the **Value** box for the parameter **customerID**, enter the <customer id>.
- 5. In the **Value** box for the parameter **dir**, enter the name of the folder that contains the package's zip file. Ensure that you include the full path to the folder.

**Note:** To deploy the package from the **basic\_packages** directory, leave this box empty.

- 6. In the Value box for the parameter packagesNames, enter the name of the packages.
- 7. Select **True** to override job configurations changed in Universal Discovery.
- 8. Click **Invoke** to deploy the package.

#### **How to View Package Deployment History**

Each time you deploy packages, a report is created displaying the deployment status of those packages. Use the JMX console to view the deployment status report.

- 1. Launch the Web browser and navigate to: http://<server\_name>:8080/jmx-console, where <server\_name> is the name of the machine on which HP Universal CMDB is installed.
- 2. Under UCMDB, click UCMDB:service=Packaging Services to open the JMX MBEAN View page.
- 3. Locate displayResourcesDeploymentHistory.
- 4. In the **Value** box for the parameter **customerid**, enter the <customer id>.
- 5. In the Value box for the parameter reportNum, enter the number of the report you want to view.
- 6. Click **Invoke** to view the deployment status report of the packages.

#### How to Undeploy a Package

Follow these steps to undeploy a package using the JMX console.

- Launch the Web browser and navigate to: http://<server\_name>:8080/jmx-console, where
   <server\_name> is the name of the machine on which HP Universal CMDB is installed.
- 2. Under UCMDB, click UCMDB:service=Packaging Services to open the JMX MBEAN View page.

- 3. Locate undeployPackages.
- 4. In the **Value** box for the parameter **customerid**, enter the <customer id>.
- 5. In the **Value** box for the parameter **packagesNames**, enter the name of the package you want to remove.
- 6. Click **Invoke** to undeploy the package.

#### **How to Display Currently Deployed Packages**

Follow these steps to display currently deployed packages using the JMX console.

- 1. Launch the Web browser and navigate to: http://<server\_name>:8080/jmx-console, where <server\_name> is the name of the machine on which HP Universal CMDB is installed.
- 2. Under UCMDB, click UCMDB:service=Packaging Services to open the JMX MBEAN View page.
- 3. Locate displayDeployedPackages.
- 4. In the **Value** box for the parameter **customerId**, enter the <customer id>.
- 5. In the **Value** box for the parameter **packagesNames**, specify the names of the packages you want to display.
- 6. Click **Invoke** to display the packages that are currently deployed.

#### **How to Export Packages**

Follow these steps to export resources from the CMDB to the server on which HP Universal CMDB is installed using the JMX console.

- 1. Launch the Web browser and navigate to: http://<server\_name>:8080/jmx-console, where <server\_name> is the name of the machine on which HP Universal CMDB is installed.
- 2. Under UCMDB, click UCMDB:service=Packaging Services to open the JMX MBEAN View page.
- 3. Locate exportPackages.
- 4. In the **Value** box for the parameter **customerid**, enter the <customer id>.
- 5. In the **Value** box for the parameter **packagesName**, enter the name of the package you want to export.

- 6. In the **Value** box for the parameter **outputDir**, enter the name of the folder on the HP Universal CMDB server to which you want to export the package's zip file. Ensure that you include the full path to the folder.
- 7. In the **Value** box for the parameter **userOnly**, select one of the following:
  - **True**. Export only the custom packages.
  - False. Export both custom and factory packages.
- 8. Click **Invoke** to export the package.

## Chapter 3: Modeling Methods

#### This chapter includes:

How to Define and View a Layout Selection for a TQL Query	49
How to Encrypt the Password of a Direct Link	50
How to Rebuild the Database in Case of an Error	50
How to Export the Class Model to XML	51

# How to Define and View a Layout Selection for a TQL Query

You can specify the attributes to include in the query results for each query node or relationship in a TQL query in the Element Layout tab of the Query Node Properties dialog box. Select the **Select attributes for layout** radio button and then select a CIT or relationship in the CIT pane. If you select **Specific Attributes** for the Attributes condition, only the attributes you move to the Specific Attributes pane are included in the query results for that element. If you select **All** for the Attributes condition, all of the available attributes are included in the query results for that element. In this case, you can select **Exclude specific attributes** and move selected attributes to the Excluded Attributes pane.

There is also an option to select attributes by qualifiers. If you select qualifiers in the **Attributes with the following qualifiers** field, all attributes that have the selected qualifiers are included in the query results for that element, in addition to the attributes selected in the Specific Attributes pane. In this case too, you can exclude selected attributes by moving them to the Excluded Attributes pane.

By default, the attribute settings you select for a CIT are automatically applied to its descendant CITs in the query results; however, the settings are not visible in the Element Layout tab of the dialog box. For example, if you select specific attributes to be included for the **Database** CIT, the same attributes are included for the **Oracle** CIT (a child CIT of **Database**), but if you select **Oracle** in the CIT pane, the Attributes condition displayed is **None** (the default condition).

You can then make an attributes condition selection for the child CITs themselves. If the parent CIT has **All** selected as the attributes condition, then the **Specific Attributes** option is disabled for the child CITs. If the parent CIT has **Specific Attributes** selected as the attributes condition, you can select **All** or **Specific Attributes** for the child CIT. If you select **Specific Attributes**, you can add more attributes by moving them to the Specific Attributes pane. These are included in the query results along with the attributes inherited from the parent CIT's setting. Similarly, you can select attributes from the parent

HP Universal CMDB (10.21)

CIT's setting to exclude for the child CIT, by moving them to the Excluded Attributes pane. If the parent CIT has qualifiers selected to determine the attribute selection, these are also inherited by the child CIT. If you select additional qualifiers to filter the child CIT's attribute selection, the combined set of selected qualifiers is used to filter the attribute selection for the child CIT.

When you change the type of a query node or relationship using the Change Query Node/Relationship Type dialog box, the attributes selection for that element is lost.

If you import a package with a query that includes an attributes selection that is invalid for the selected query node, or if you make an invalid attributes selection using the JMX console, the query can be saved successfully and a warning appears in the log.

**Note:** The layout selection is not visible in the query results in the user interface. To view the query results with the selected attributes, access the JMX console, select **TQL services**, and invoke the **calculateTqlAdHoc** method.

## How to Encrypt the Password of a Direct Link

This task describes how to encrypt the password contained within a direct link using the JMX console.

#### To encrypt the password of a direct link using the JMX console:

- Launch your Web browser and enter the following address: http://<server\_name>:<port number>/jmx-console, where <server\_name> is the name of the machine on which HP Universal CMDB is installed.
- 2. Under UCMDB-UI, locate UCMDB Integration.
- 3. Under getEncryptedPasswordForURL, enter your user name and the password to encrypt.
- 4. Click **Invoke** to view the encrypted string.

### How to Rebuild the Database in Case of an Error

If an error occurs while working with views in the Modeling managers, when adding CIs to the CMDB, or when updating existing CIs, and the error log indicates that objects are missing in the database, access the JMX console and run the following methods under service = DAL services:

- rebuildModelViews
- rebuildModelDBSchemaAndViews

# How to Export the Class Model to XML

The Export to UML tool enables you to export selected sections of the UCMDB class model to a format compatible with UML tools, and to view the model as a UML diagram.

The input for the tool is the UCMDB class model XML file retrieved by the JMX service UCMDB:service=Class Model Services/exportClassModelToXml().

**Note:** To access the JMX console, enter the following address in your browser: <a href="http://server\_name">http://server\_name</a>: 8080/jmx-console, where <a href="https://server\_name">server\_name</a> is the name of the machine on which HP Universal CMDB is installed.

# Chapter 4: Data Flow Management Methods

#### This chapter includes:

How to View Job Information on the Data Flow Probe	52
How to View Discovery Rules	61
How to View Discovery Resource History	62
How to View Discovery Status of an Inventory CI in JMX	64
How to View Agent Deployment Log for an Inventory CI in JMX	67
How to Run Data Flow Ad Hoc Updates	68
How to Delete Unsent Probe Results	68
How to Configure Global ID Generation	69
How to Perform Initial UCMDB-UCMDB Synchronization	69
Data Flow Probe Log Files	70
How to Check XML Enricher Health Using JMX	74
How to Check the Confidential Manager Connection	74

## How to View Job Information on the Data Flow Probe

This task describes how to view job information (for example, job threads and Trigger CIs) saved to the Data Flow Probe's PostgreSQL database. You work with the JMX console.

This task includes the following steps:

#### 1. Access the MBean operations

Use the following procedure to access the JMX console on the Data Flow Probe and to invoke the JMX operations.

a. Launch the Web browser and enter the following address:

http://<machine name or IP address>.<domain\_name>:1977/

where <machine name or IP address> is the machine on which the Data Flow Probe is

installed. You may have to log in with the user name and password.

b. Click the Local\_<machine name or IP address> > type=JobsInformation link.

#### 2. Locate the operation to invoke

On the MBean View page, select **type=JobsInformation**. Locate the required operation.

#### 3. Run the operation

Click the **Invoke** button to run the operation. A message is displayed with the results of the operation run.

Reload	The number of seconds between automatic reloads of the JMX interface.
	<b>0</b> : The interface is never reloaded.
	Click the <b>Reload</b> button to manually reload the current page (if more operations have been added or removed).
Unregister	Do not touch (the view becomes inaccessible to the application that is running).

The following is a list of operations that can be invoked in the above procedure:

#### activateJob

Enter the name of a job and click the button to activate the job immediately. This operation returns a message, for example, <job name> was triggered.

**Note:** The following message is displayed if the job has not been activated and there is no information about the job in the Probe's database:

Job '<job name>' does not exist in the Jobs Execution table (job was not activated!).

#### activateJobOnDestination

Enter the name of a job and a Trigger CI and click the button to activate the job immediately on a specific Trigger CI. This operation returns a message, for example, **The operation returned with the value:** Job <job name> was triggered on destination <CI name>.

Note: Both the JobID and triggerCI fields are mandatory.

#### start/stop

These operations start and stop the **JobsInformation** service. Do not use these operations; instead, restart the Probe itself.

#### viewJobErrorsSummary

Enter the name of a job to return a list of error messages reported on this job, together with the error severity, the last time that the error was reported, and the number of Trigger CIs that have the error.

Click the entry in the **Number of Trigger CIs** column to view a list of one job's Trigger CIs with errors on the viewJobTriggeredCIsWithErrorId page.

#### viewJobExecHistory

Enter the name of a job to retrieve a history of job invocations. A table is displayed showing the job invocations (the last invocation is shown first).

For each invocation the number of triggered CIs and the total running time is shown. The Execution Details column shows at which times the job was executed. If the Probe shut down in the middle of a job execution and then resumed running or if there were blackout periods during the job execution, several running times are shown.

#### viewJobProblems

Enter the name of a job to retrieve a list of Trigger CIs that have problems for that job. Enter the name of a Trigger CI to retrieve a list of problems for that trigger CI. If no values are entered, problems all the jobs and triggers are displayed.

Column	Description
Job ID	Displayed if the <b>jobID</b> field is left empty.
	The job name as it appears in Data Flow Management.
	Click a job to go to its viewJobStatus page, to view its status and scheduling information.
Trigger CI	Displayed if the <b>triggerID</b> field is left empty.
	The CMDB object ID of the trigger for a job.
ErrMsgCode	The error message hash string (error hash ID).
ErrParams	The error parameters.
Severity	The severity of the error.

#### viewJobResultCiInstances

Fill in one or more of the parameters to return a list of CIs that have been discovered by a job.

The **Object State Holder** column displays the code for the CI or relationship defined in the CMDB. For details on the **appilog.common.system.typesClass ObjectStateHolder** method, see the **ObjectStateHolder** method in the online API documentation.

#### viewJobResults

Fill in one or more of the parameters to return a list of CIs that have been discovered by a job.

When **Hide Touched CIs Info** is set to **True**, the results page displays the following information:

Column	Description
Job Name	Displayed if the <b>jobID</b> field is left empty.
	The job name as it appears in Data Flow Management.
	Click a job to go to its viewJobStatus page, to view its status and scheduling information.
CI Type	Click to filter the list to show results for one CIT only.
Total CIs	Click to go to the viewJobResultCiInstances page, to view a list of all CIs that have been discovered by a job.
Triggered Cls	Click to go to the viewJobTriggeredCls page, to view a list of all Trigger Cls that have been discovered by a job.
Last Discover Time	The date and time that the job was invoked.

When **Hide Touched CIs Info** is set to **False**, the results page displays the following information:

Column	Description
Job Name	Displayed if the <b>jobID</b> field is left empty.
	The job name as it appears in Data Flow Management.
	Click a job to go to its viewJobStatus page, to view its status and scheduling information.
СІ Туре	Click to filter the list to show results for one CIT only.
Touched CIs	Click to go to the viewJobResultCiInstances page, to view a list of those CIs discovered by the job that are <b>Touched CIs</b> .

Column	Description
Non Touched CIs	Click to go to the viewJobResultCiInstances page, to view a list of those CIs discovered by the job that are not Touched CIs.
Triggered Cls for Touched Cls	Click to go to the viewJobTriggeredCls page, to view a list of those Trigger Cls included in a job that are Touched Cls.
Triggered CIs for Non Touched CIs	Click to go to the viewJobTriggeredCls page, to view a list of those Trigger Cls included in the job that are not Touched Cls.
Last Discover Time	The date and time that the job was invoked.

You can further filter results in the results page by entering text filters in one of the fields, and clicking the **Search** button.

#### viewJobsStatuses

Click the **viewJobsStatuses** button to return status and scheduling information for all jobs. You can choose to filter the results.

**Note:** This page is saved under **\DataFlowProbe\runtime\jobsStatuses** once a day.

The results page displays the following information:

Column	Description
No.	The number of the job in the list.
Job Name	The job name as it appears in Data Flow Management.  Click a job to go to its viewJobStatus page, to view its status and scheduling information.
Status	<ul> <li>The severity of the job's status, as calculated by the Probe.</li> <li>Blocked. Not in use.</li> <li>Removed. The job is no longer active.</li> </ul>
	• <b>Done/Total Triggers.</b> The number of trigger CIs that the Probe finished running on, against the total number of triggers for the job.
	For example, <b>(28/69)</b> indicates that there is a total of 69 triggers for the job, while the Probe has completed running on 28 of those triggers.
	Scheduled. The job is scheduled to run.

Column	Description
	A red background signifies that a thread has run longer than expected and may be stuck. A green background signifies that the job is running as expected.
Triggered Cls	The Trigger CIs that have been run by the job. Click to go to the viewJobTriggeredCIs page.
Errors & Warnings	The number of errors and warnings for a specific job. Click to go to the viewJobErrorsSummary page, to view a list of error and warning messages reported on this job.
Last Invocation	The date and time that the job was last run.
Next Invocation	The date and time that the job is next scheduled to run.
Last Total run duration (seconds)	The length of time, in seconds, taken to run the job in the previous invocation. This is calculated according to the start time of the first trigger until the end time of the last trigger, even if triggers were added later on.
Avg run duration (seconds)	The average duration (in seconds) per trigger of the time it took the Probe to run this job.
Recurrence	The number of times that the job was invoked. Click to go to the viewJobExecHistory page, to retrieve a history of job invocations.
Results	The number of CITs that have been discovered by the job. Click to go to the viewJobResults page to view the CITs.
	<b>Note:</b> Displayed when <b>hideResults</b> parameter is set to <b>False</b> .

#### viewJobStatus

Enter the name of a job to return its status and scheduling information.

The results page displays the following information:

Column	Description
Threading info	The total number of worker threads created by the invocation, the free worker threads, and the stuck worker threads.
Total work time	The time that the Probe took to run this job.

Column	Description
Tasks waiting for execution	A list of jobs together with the number of Trigger CIs that are awaiting activation.
Max. Threads	The number of threads that are serving this job.
Progress	A summary of the current run, that is, since the specific run was activated.
	For example, Progress: 2017 / 6851 destinations (29%) means that out of 6851 CIs, 2017 CIs have already run.
Working Threads information	• Thread Name. The thread that is now running this job. Click to go to the view JobThreadDump page. You use this page when a thread is running for a long time, and you must verify that this is because the thread is working hard, and not because there is a problem.
	Curr Dest. ID. The name of the node on which the job is running.
	• Curr Dest. IP. The IP for which the job is discovering information.
	• Work Time (Sec). The length of time that this thread is running.
	• <b>Communication Log.</b> Click to go to the <b>viewCommunicationLog</b> page, to view an XML file that logs the connection between the Probe and a remote machine.
Discovery Jobs	• <b>Status.</b> The severity of the job's status, as calculated by the Probe. For details, see "Status" on page 56.
Information table	• <b>Triggered Cls.</b> Click to go to viewJobTriggeredCls page, to view a list of Trigger Cls that are part of a job.
	• Errors & Warnings. Click to go to viewJobErrorsSummary page, to view a list of error and warning messages reported on this job.
	• Last invocation. The date and time that the job was last run.
	• Next invocation. The date and time that the job is next scheduled to run.
	• Last Total run duration (seconds). The length of time, in seconds, taken to run the job in the previous invocation. This is calculated according to the start time of the first trigger until the end time of the last trigger, even if triggers were added later on.
	• <b>Avg run duration (seconds).</b> The average duration (in seconds) per trigger of the time it took the Probe to run this job.
	• <b>Recurrence.</b> The number of times that the job was invoked. Click to go to viewJobExecHistory page, to view a history of job invocations.

**Note:** Click **Results** below the table to go to the <u>viewJobResults</u> page to view the CITs that have been discovered by the job.

### viewJobTriggeredCls

Fill in one or more of the parameters to return a list of Trigger CIs that are part of a job.

The results page displays the following information:

**Note:** Depending on the triggers, other information might also be displayed.

Column	Description
No.	The number of the job in the list.
Triggered CI ID	The CI instances that have been discovered by the job. Click to go to the viewJobTriggeredCIs page to view information about their CITs.
Last Execution Start Time	The date and time that the job last started running.
Last Execution End Time	The date and time that the job last finished running.
Service Exec. Duration (ms)	The maximum time that it took for a job to run in the last invocation, not including periods when the job did not run. Compare this result with the total execution duration. For example, when several jobs run simultaneously, but there is only one CPU, a job might have to wait for another job to finish. The service duration does not include this waiting time, whereas the total duration does.
Total Exec. Duration (ms)	The time that it took for a job to run in the last invocation, including the periods when the job did not run.
Last Run Status	The status of the last run, that is, whether the run succeeded or failed. In case of failure, click to go to the viewJobProblems page, to view a list of Trigger CIs with problems.
Priority	The priority of the job.  Note: The lower the value, the higher the priority.

#### viewJobTriggeredClsWithErrorld

**Note:** This operation is part of the inner interface and serves as a helper function. Do not use this page to view Trigger CIs information; instead, use the viewJobTriggeredCIs page.

The following is a list of parameters used in the above operations:

- **ciType.** The name of the CI type (for example, ip, host).
- data. A textual field in the DiscoveryResults table that contains information about the discovered object. For example:

```
<object class="ip">
<attribute name="ip_probename" type="String">EBRUTER02</attribute>
<attribute name="ip_address" type="String">16.59.58.200</attribute>
<attribute name="ip_domain" type="String">DefaultDomain</attribute>
</object>
```

- Error Id. The error message hash string (error hash ID) that is displayed in the Jobs\_Problems table.
- **HideRemovedJobs.True**: do not display jobs that have run previously and are not relevant to the current run.
- Hide Touched CIs Info. Touched CIs are CIs which were discovered in previous invocations. DFM
  already has information about these CIs, so there is no need for the Probe to send the information
  to the server again. The server identifies that these CIs are relevant and that there is no need to
  enforce the aging mechanism on them. For details on aging, see "The Aging Mechanism Overview" in
  the HP Universal CMDB Administration Guide.


**True:** the table displays the total number of CIs and the total number of Trigger CIs for each CIT. **False:** The table displays the total number of CIs and Trigger CIs divided between touched CIs and non-touched CIs.

• **includeNonTouched.** Enables filtering the table to view non-touched CIs. Choose between viewing non-touched CIs only, all CIs (touched and non-touched), or none:

	Non-touched CIs	All CIs	No CIs
(boolean)includeTouchedCis	O True ⊙ False	⊙ True ○ False	O True ⊙ False
(boolean)includeNonTouchedCis	True ○ False		O True ⊙ False

includeNonTouchedCls. See includeNonTouched.

- includeTouched. Enables filtering the table to view touched CIs. Choose between viewing touched CIs
  only, all CIs (touched and non-touched), or none.
- includeTouchedCls. See includeTouched.
- jobID. The name of the job, for example, Host Applications by PowerShell:



- maxRows. The maximum number of rows that should be displayed in the results table. The default
  is 100 or 1000.
- maxTriggeredCls. See maxRows.
- objectID. The CMDB object ID.
- hideRemovedJobs. Hides information about jobs with the status, REMOVED. These are jobs that
  have run previously but that are not currently scheduled to run.
- hideResults. Indicates whether or not to hide the Results column. If the Results column is present, you can navigate to the job results.
- **triggerCI**. The CMDB object ID of the trigger for a job.
- triggeredCiID. See triggerCl.

## How to View Discovery Rules

The Discovery Rules Engine is very large. You can search the rule base using search commands on the JMX console.

#### To search for a rule:

- Log in to the JMX console using the server administrator credentials
- Go to the service: Normalization Rule Base Services, and enter one of the following search commands:

Command	Description	
scanForSNMPRules	Retrieves SNMP discovery rules that apply to the specified input attributes.	
	Note:	
	• the <b>sys_object_id</b> value must always have a leading "."	
	Leave empty to ignore	
scanForScanFileRules	Retrieves Scan File discovery rules that apply to the specified input attributes.	
	<b>Note:</b> Leave empty to ignore	
viewNormalizationRuleById	Retrieves discovery rules by ID	
viewNormalizationRuleByNiceId	Retrieves discovery rules by user friendly ID (NiceRuleID),	
	Example: 4323@SNMP	
viewNormalizationRules	Retrieves discovery rule outputs that apply to the specified input attributes	
	Format:	
	Pair attributes in the following format: attrName;attrValue	
	Pairs must be separated by commas.	
	Example: Name;HP,Version;10	

## How to View Discovery Resource History

Discovery resources are saved to the URM on the UCMDB Server and from there are distributed to all the Data Flow Probes.

Whenever a user changes the definition of a resource, an updated version of the resource is stored in the URM. The URM keeps all the historical revisions of each resource.

You can view changes between an older version and the current version of resources such as discovery scripts, integration and discovery adapters, discovery jobs, and so on, from the JMX console of the UCMDB Server.

**Note:** The purpose of this task is to describe how to access the discovery resources in the JMX console for the purpose of **viewing** the resources and their history only.

Adding or modifying a discovery resource in the JMX console is not supported.


#### To view a discovery resource and its history:

- 1. Log in to the UCMDB JMX console.
- 2. In the UCMDB JMX Quick Search box, enter listResourceTypes.
- 3. Enter your Customer ID. (Default: 1)
- 4. Click **Invoke**. The **URM Services** mbean is displayed.
- 5. Among the UCMDB resource types displayed on this page, the following discovery resource types are displayed:

Resource Type	Description	Displays Diff Metadata	Displays Diff Content
Discovery_ADAPTER_ METADATA	Adapter resources	✓	✓
Discovery_CONFIGURATION_ FILE_METADATA	Configuration Files	✓	✓
Discovery_JOB_METADATA	Discovery job definitions	<b>✓</b>	✓
Discovery_MODULE_ METADATA	Discovery modules	<b>√</b>	✓
Discovery_WIZARD_ METADATA	Activity types	<b>√</b>	✓
Discovery_SCRIPT_ METADATA	Script resources	<b>√</b>	✓
Discovery_BIN_RESOURCE_ METADATA	External resources	<b>√</b>	×
Discovery_DOC_METADATA	PDF documents that come with the adapters	✓	×
Discovery_MULTI_SCANNER_ METADATA	Multiple scanner packages	✓	×

Resource Type	Description	Displays Diff Metadata	Displays Diff Content
Discovery_SCANNER_ CONFIG_METADATA	Scanner configuration files	✓	×
Discovery_SAI_RES_ METADATA	SAI resources	✓	×

- 6. Click a resource type to view all the resources of that type.
- 7. To see the history of a particular resource, click the history link in that resource's row.



A page opens displaying the current version of the resource, as well as all its previous revisions.

8. Click the **Diff Content** link to view the actual change. All changes between the selected and current revisions are displayed.

**Note:** The **Diff Content** link appears only for those resources whose changes you are able to see (see table above).

# How to View Discovery Status of an Inventory CI in JMX

As an inventory discovery administrator, you can invoke the **getDiscoveryStateForInventoryCI** method to check the discovery status of an inventory CI, so that you can verify the health and live state of that device.

To do so.

 Log in to the UCMDB JMX console. (Launch the Web browser and enter the following address: http://server\_name>:8080/jmx-console. You may have to log in with a user name and password.)

- 2. In the UCMDB JMX Quick Search box, search for the **getDiscoveryStateForInventoryCI** method and click the link that shows up.
- 3. Enter your Customer ID. (Default: 1)
- 4. For the **cild** field, enter the global ID for the inventory CI for which you want to check the discovery status.
  - a. In UCMDB UI, go to **Modeling > IT Universe Manager**.
  - b. In the CI Selector pane, go to the **Search CIs** tab, click the **Start the Search** icon for the **CI Name** field.
  - c. From the returned results, select a discovered node.
  - d. Go to the **Properties** tab in the right pane, scroll down to locate the **Global Id** property.
  - e. Right-click the value for the Global Id property, select Copy Property Name and Value.
  - f. Paste the value into the **cild** field in the JMX console and remove the property name.

#### 5. Click Invoke.

The result displays, which looks similar to the following:



The result page contains discovery information in three sections:

#### Discovery State

Field	Description
First Discovery	Time when the CI was discovered for the first time. CI Attribute, equals Create time.
Last Seen	Time when this CI was last discovered successfully by a job.  When there are no active jobs to discover this CI, or all jobs failed in discovering this CI, the value is <b>N/A</b> .
Last Discovery Result	<ul> <li>Last discovery result. Available statuses include:</li> <li>Pending. There are one or more active discovery jobs that are running. This CI is not yet discovered.</li> <li>Success. The CI was successfully discovered.</li> <li>Fail. Discovery of this CI failed with one or more errors.</li> <li>Warning. Discovery of this CI completed with one or more warning messages.</li> <li>N/A. No active jobs and trigger CIs are available for discovering this CI.</li> </ul>
	, ,

#### Agent State

N/A if no agent is available.

When agent is used, this section displays agent related information. The same information can also be found in the Properties tab of the CI.

#### Scanner State

N/A is no scanner is available.

When scanner is used, this section displays scanner related information. The same information can also be found in the Properties tab of the CI.

#### Note:

• If the trigger CI is a Probe Gateway CI, then the job discovery status and the **Last Seen** value for the specific CI will not display.

- When a discovery job is deactivated, its last discovery record is not available even if the job had successfully discovered the CI when it was active.
- The Last Seen value or the Last Discovery Result occasionally get reflected a bit late after the
  job is finished in the Universal Discovery UI.

# How to View Agent Deployment Log for an Inventory CI in JMX

As an inventory discovery administrator, you can invoke the **getAgentDeploymentLogForInventoryCI** method to check the agent deployment log for an inventory CI. You work with the JMX console.

This task includes the following steps:

- Log in to the UCMDB JMX console. (Launch the Web browser and enter the following address: http://localhost:8080/jmx-console. You may have to log in with a user name and password.)
- 2. In the UCMDB JMX Quick Search box, enter **getAgentDeploymentLogForInventoryCI** and click the link that shows up.
- 3. Enter your Customer ID. (Default: 1)
- 4. For the **cild** field, enter the global ID for the inventory CI for which you want to check the discovery status.
  - a. In UCMDB UI, go to **Modeling > IT Universe Manager**.
  - b. In the CI Selector pane, go to the **Search CIs** tab, click the **Start the Search** icon for the **CI Name** field.
  - c. From the returned results, select a discovered node.
  - d. Go to the Properties tab in the right pane, scroll down to locate the Global Id property.
  - e. Right-click the value for the Global Id property, select Copy Property Name and Value.
  - f. Paste the value into the cild field in the JMX console and remove the property name.

#### 5. Click Invoke.

The result displays.

## How to Run Data Flow Ad Hoc Updates

- Log in to the UCMDB JMX console. (Launch the Web browser and enter the following address: http://localhost:8080/jmx-console. You may have to log in with a user name and password.)
- 2. Click **UCMDB:service=Discovery Manager** to open the JMX MBEAN View page.
- 3. Run one of the following methods, depending on which is relevant:

JMX Method	Description
recalculateAndUpdateDFMTasks	Updates data flow tasks for all the adapters for which data flow task update is enabled.
	<b>Note:</b> Data flow task updates are enabled in the adapter's configuration file.
recalculateAndUpdateDFMTasksForAdapter	Updates data flow tasks for selected adapters without checking the adapter configurations. That is, even if the data flow task update is not enabled for a selected adapter, the updates are run.

### How to Delete Unsent Probe Results

This task describes how to empty the Probe queue that contains results that have not yet been transmitted to the UCMDB Server.

 Access the Data Flow Probe JMX console: Launch a Web browser and enter the following address: http://<Probe Gateway machine name or IP address>:1977. If you are running the Data Flow Probe locally, enter http://localhost:1977.

You may have to log in with a user name and password.

2. Locate the **Probe\_<Probe Name> > type=MainProbe** service and click the link to open the JMX

MBEAN View page.

3. Invoke the operation by clicking the **dropUnsentResults** button.

**Note:** This operation deletes 100 results at a time. To delete more results, re-invoke the operation as many times as necessary.

## How to Configure Global ID Generation

- Launch the Web browser and enter the following address: http://<CMS server>:8080/jmx-console.
- 2. Click **UCMDB:service=Multiple CMDB Instances Services** to open the JMX MBEAN View page.
- 3. Click one of the following methods and enter values as required:

setAsGlobalIdGenerator	Specifies that the CMDB will act as the global ID generator for all locally existing scopes
setAsGlobalIdGeneratorForScopes	Specifies the scopes for which global IDs will be generated
setAsNonGlobalIdGenerator	Stops the CMDB from acting as the global ID generator for all scopes

4. Click Invoke.

**Note:** If you want to check which scopes are currently set, use the **getGlobalIdGeneratorScopes** method.

# How to Perform Initial UCMDB-UCMDB Synchronization

This procedure performs a full synchronization of CIs and relations between CMDBs, while retaining the original CMDB IDs. CIs are replicated from the external CMS to the UCMDB. The procedure is generally intended to be performed only once, on a new system.

- Launch a Web browser that connects to the CMS, and enter the following address: http://<CMS server>:8080/jmx-console.
- 2. Click UCMDB:service=Multiple CMDB Instances Services to open the JMX MBEAN View page.
- 3. Click the fetchAllDataFromAnotherCMDB method.
- 4. Enter values as required for the following fields:

Note: You must enter information in fields that do not have default values.

- Customer ID
- Remote user name
- Remote password
- Remote host name
- Remote port 8080
- Remote Customer name (default value is **Default Client**)
- Maximum chunk size
- CI type to sync (default value is managed\_object, causing all CI types to be synchronized)
- Relation type to sync (the default value is managed\_relationship, causing all relation types to be synchronized)
- 5. Click Invoke.

## Data Flow Probe Log Files

Data Flow Probe logs store information about job activation that occurs on the Probe Gateway and Probe Manager. The log files can be accessed from the following location:

#### C:\hp\UCMDB\DataFlowProbe\runtime\log

**Note:** Alternatively, to access the Data Flow Probe's log files, log in to the JMX console (http://<probe\_machine>:1977/jmx-console/) and, from the main page, select the **GeneralUtils** 

mbean. Activating the **executeLogGrabber** function zips all the Data Flow Probe's log files. Save the .zip file locally on your client machine.

### **General Logs**

WrapperProbeGw.log	Records all the Probe's console output in a single log file.	
	• Levels:	
	<ul> <li>Error. Any error that occurs within the Probe Gateway.</li> </ul>	
	<ul> <li>Information. Important information messages, such as the arrival or removal of a new task.</li> </ul>	
	∘ Debug. N/A	
	• Basic Troubleshooting: Use this file for any Probe Gateway problems to verify what occurred with the Probe Gateway at any time as well as any important problems it encountered.	
probe-error.log	Summary of the errors from the Probe.	
	• Levels:	
	• <b>Error.</b> All errors in the Probe components.	
	o Information. N/A	
	∘ <b>Debug.</b> N/A	
	• Basic Troubleshooting: Messages from the Probe's infrastructure only.	
wrapperLocal.log	When running the Probe in separate mode (that is, the Probe Manager and Probe Gateway are installed on separate machines), a log file is also saved to the Probe Manager.	
	• Levels:	
	<ul> <li>Error. Any error that occurs within the Probe Manager.</li> </ul>	
	<ul> <li>Information. Important information messages such as received tasks, task activation, and the transferring of results.</li> </ul>	
	∘ Debug. N/A	
	• <b>Basic Troubleshooting:</b> Use this file for any Probe Manager problems to verify what occurred with the Probe Manager at any time as well as any important problems it encountered.	

#### postgresql.log

Displays database related error during the installation.

**Note:** If this log is empty check in the Event Viewer logs.

#### **Probe Gateway Logs**

#### probeGWtaskResults.log

Records all the task results sent from the Probe Gateway to the server.

- · Levels:
  - Error. N/A
  - Information. Result details: task ID, job ID, number of CIs to delete or update.
  - Debug. The ObjectStateHolderVector results that are sent to the server (in an XML string).

#### • Basic Troubleshooting:

- If there is a problem with the results that reach the server, check this log to see which results were sent to the server by the Probe Gateway.
- The results in this log are written only after they are sent to the server. Before that, the results can be viewed through the Probe JMX console (use the **ProbeGW Results Sender** MBean). You may have to log in to the JMX console with a user name and password.

#### probeGW-tasks.log

Records all the tasks received by the Probe Gateway.

- Levels:
  - Error. N/A
  - ∘ Information. N/A
  - Debug. The task's XML.

#### • Basic Troubleshooting:

- If the Probe Gateway tasks are not synchronized with the server tasks, check this log to determine which tasks the Probe Gateway received.
- You can view the current task's state through the JMX console (use the **Discovery Scheduler** MBean).

### **Probe Manager Logs**

probeMgr- performance.log	Performance statistics dump, collected every predefined period of time, which includes memory information and thread pool statuses.  • Levels:
	∘ Error. N/A
	∘ Information. N/A
	∘ Debug. N/A
	Basic Troubleshooting:
	<ul> <li>Check this log to investigate memory issues over time.</li> </ul>
	<ul> <li>The statistics are logged every 1 minute, by default.</li> </ul>
probeMgr- adaptersDebug.log	Contains messages that are created following a job execution.

### **Discovery Rules Engine Log Files**

normalization.audit.log	Logs information about the processing of the Discovery Rules Engine.
	• Levels:
	∘ Error. N/A
	<ul> <li>Information. Audits the number of element processed and the number of CIs that were changed.</li> </ul>
	Example:
	Normalization (OSHV: 8 elements) (Time: 125 ms) (Modified CIs: 1)
	∘ <b>Debug.</b> N/A
normalization.log	Logs detailed information about the processing of the Discovery Rules Engine, enabling you to trace detailed information of the Discovery Rule Engine process.
	• Levels:
	Error. All discovery rule processing errors.

- Information. Logs all levels of information about the processing of the Discovery Rules Engine.
- Debug. Logs mainly for debugging purposes.
- Basic Troubleshooting. Check this log when you need to analyze why a CI was not enriched by the Discovery Rules Engine.

### How to Check XML Enricher Health Using JMX

This task describes how to view health statistics of an XML Enricher service using the JMX console.

1. Prerequisites

The Data Flow Probe where the XML Enricher service is running is started.

2. Connect to the Data Flow Probe

Launch your Web browser and enter the following address: http://<DataFlowProbe>:1977, where <DataFlowProbe> is the name of IP address of the machine on which the XML Enricher service is running.

- 3. View statistics
  - a. Under the Local\_<DataFlowProbe> section, click the XMLEnricherMonitor service.
  - b. Select the viewXmlEnricherStatuses method and click Invoke.
- 4. Results

Health statistics for the XML Enricher are displayed.

### How to Check the Confidential Manager Connection

 Access the Data Flow Probe JMX console by launching a Web browser and entering the following address: http://<Probe Gateway machine name or IP address>:1977. If you are running the Data Flow Probe locally, enter http://localhost:1977.

You may have to log in with a user name and password.

2. Enter isCMClientInitialized in the quick search field and click the link that appears.

### 3. Click Invoke.

The current status of the Confidential Manager server is displayed.

## Chapter 5: Developer Reference Methods

### This chapter includes:

How to Debug Adapter Resources	76
How to Create an Integration User	76
Web Service API - executeTopologyQueryWithParameters	79

### How to Debug Adapter Resources

This task describes how to use the JMX console to create, view, and delete adapter state resources (any resources created using the resource manipulation methods in the DataAdapterEnvironment interface, which are saved in the UCMDB database or the Probe database) for debugging and development purposes.

- 1. Launch the Web browser and enter the server address, as follows:
  - For the UCMDB server: http://localhost:8080/jmx-console
  - For the Probe: http://localhost:1977

You may have to log in with a user name and password.

- 2. To open the JMX MBEAN View page, do one of the following:
  - On the UCMDB server: click
     UCMDB:service=FCMDB Adapter State Resource Services
  - On the Probe: click type=AdapterStateResources
- 3. Enter values in the operations that you want to use, and click Invoke.

### How to Create an Integration User

You can create a dedicated user for integrations between other products and UCMDB. This user enables a product that uses the UCMDB client SDK to be authenticated in the server SDK and execute the APIs. Applications written with this API set must log on with integration user credentials.

**Caution:** It is also possible to connect with a regular UCMDB user (for instance, admin). However, this option is not recommended. To connect with a UCMDB user, you must grant the user API authentication permission.

### To create an integration user:

1. Launch the Web browser and enter the server address, as follows:

```
http://localhost:8080/jmx-console
```

You may have to log in with a user name and password.

- 2. Under UCMDB, click service=UCMDB Authorization Services.
- 3. Locate the **createUser** operation. This method accepts the following parameters:
  - **customerId**. The customer ID.
  - **username**. The integration user's name.
  - userDisplayName. The integration user's display name.
  - userLoginName. The integration user's login name.
  - **password**. The integration user's password.

The default password policy requires the UCMDB password to include at least one of each of the four following types of characters:

- Uppercase alphabetic characters
- Lowercase alphabetic characters
- Numeric characters
- Symbol characters ,\:/. \_?&%=+-[]()|

It also requires the password to adhere to the minimum length, which is set by the **Password minimum length** setting.

- 4. Click Invoke.
- 5. In a single-tenant environment, locate the setRolesForUser method and enter the following

#### parameters:

- **userName**. The integration user's name.
- roles. SuperAdmin.

#### Click Invoke.

- 6. In a multi-tenant environment, locate the **grantRolesToUserForAllTenants** method and enter the following parameters to assign the role in connection with all tenants:
  - **userName**. The integration user's name.
  - roles. SuperAdmin.

#### Click Invoke.

Alternatively, to assign the role in connection with specific tenants, invoke the **grantRolesToUserForTenants** method, using the same userName and roles parameter values. For the **tenantNames** parameter, enter the required tenants.

- 7. Either create more users, or close the JMX console.
- 8. Log on to UCMDB as an administrator.
- 9. From the **Administration** tab, run **Package Manager**.
- 10. Click the Create custom package icon.
- 11. Enter a name for the new package, and click Next.
- 12. In the Resource Selection tab, under **Settings**, click **Users**.
- 13. Select a user or users that you created using the JMX console.
- 14. Click **Next** and then **Finish**. Your new package appears in the Package Name list in Package Manager.
- 15. Deploy the package to the users who will run the API applications.

For details, see the section "How to Deploy a Package" in the *HP Universal CMDB Administration Guide*.

**Note:** The integration user is per customer. To create a stronger integration user for cross-customer usage, use a **systemUser** with the **isSuperIntegrationUser** flag set to **true**. Use the **systemUser** methods (**removeUser**, **resetPassword**, **UserAuthenticate**, and so on).

There are two out-of-the-box system users. It is recommended to change their passwords after installation using the **resetPassword** method.

- o sysadmin/sysadmin
- UISysadmin/UISysadmin (this user is also the SuperIntegrationUser).

If you change the UISysadmin password using **resetPassword**, you must do the following:

- i. In the JMX Console, locate the **UCMDB-UI:name=UCMDB Integration** service.
- Run setCMDBSuperIntegrationUser with the user name and new password of the integration user.

# Web Service API - executeTopologyQueryWithParameters

The executeTopologyQueryWithParameters method retrieves a topologyMap element that matches the parameterized query.

The query is passed in the queryXML argument. The values for the query parameters are passed in the parameterizedNodeList argument. The TQL must have unique labels defined for each CINode and each relationNode.

The executeTopologyQueryWithParameters method is used to pass ad hoc queries, rather than accessing a query defined in the CMDB. You can use this method when you do not have access to the UCMDB user interface to define a query, or when you do not want to save the query to the database.

To use an exported TQL as the input of this method, do the following:

 Launch the Web browser and enter the following address: http://localhost:8080/jmx-console.

You may have to log in with a user name and password.

2. Click UCMDB:service=TQL Services.

- 3. Locate the **exportTql** operation.
  - In the **customerId** parameter box, enter **1** (the default).
  - In the **patternName** parameter box, enter a valid TQL name.
- 4. Click Invoke.

## Chapter 6: Configuration Manager Methods

This chapter includes:

Configuration Manager JMX Methods	81
Configuration Manager Best Practices	84

### Configuration Manager JMX Methods

### **How to Enable Advanced Content**

If you purchased the relevant license after deploying Configuration Manager, perform the following procedure to activate the content:

- Launch your Web browser and enter the following address: http://<server\_name>:<port\_number>/cnc/jmx-console, where <server\_name> is the name of the machine on which Configuration Manager is installed.
- 2. Enter the JMX console authentication credentials.
- 3. Under Configuration Manager, click ImportExport service.
- 4. Locate the activateAutomanageResource operation and click Invoke.

#### **How to Delete Advanced Content**

If you want to delete advanced content that was previously installed, do the following:

- Launch your Web browser and enter the following address: http://<server\_name>:<port\_number>/cnc/jmx-console, where <server\_name> is the name of the machine on which Configuration Manager is installed.
- 2. Enter the JMX console authentication credentials.
- 3. Under Configuration Manager, click Licensed content service.
- 4. Locate the **deactivateAutomanagedResources** operation and click **Invoke**.

### How to Export the System Data

This task describes how to list and export the system data, views, and policies of Configuration Manager and store this information in its file system.

- Launch your Web browser and enter the following address: http://<server\_name>:<port\_number>/cnc/jmx-console, where <server\_name> is the name of the machine on which Configuration Manager is installed.
- 2. Enter the JMX console authentication credentials.
- 3. Under Configuration Manager, click ImportExport service.
- 4. Locate one of the following operations:
  - exportData
  - listAllViews
  - exportViews
  - listAllPolicies
  - exportPolicies
- 5. In the **Value** field, enter the file name and the full path of the directory in the file system of the Configuration Manager server to which the data is exported. You can also provide a network path if you do not want the exported file to reside on the same server.
- 6. Click **Invoke** to export the data. The data is exported as an XML file to the specified directory.

### How to Import the System Data

This task describes how to import the XML file containing the system data from Configuration Manager's file system to another Configuration Manager of the same version using the JMX console.

- Launch your Web browser and enter the following address: http://<server\_name>:<port\_number>/cnc/jmx-console, where <server\_name> is the name of the machine on which Configuration Manager is installed.
- 2. Enter the JMX console authentication credentials.

- 3. Under Configuration Manager, click ImportExport service.
- 4. Locate the **importData** operation.
- 5. In the **Value** field, enter the file name and the full path of the directory in the file system of the Configuration Manager server from which the data is imported. You can provide a network path to import data from a file which does not reside on the same server.
- 6. Click **Invoke** to import the data.

### How to Update the Configuration Manager Folding Rules

After defining folding rules for composite CIs in UCMDB, execute the following JMX commands to update the folding rules in Configuration Manager:

- Access the JMX console by launching your Web browser and entering the following address: http://<server\_name>:<port\_number>/cnc/jmx-console, where <server\_name> is the name of the machine on which Configuration Manager is installed.
- 2. Enter the JMX console authentication credentials.
- 3. Click Configuration Manager > View Service. Select updateFoldingRules and click Invoke.

### **How to Enable Large Capacity**

Configuration Manager supports working with up to 20,000 composite CIs in a single managed view. To enable this functionality, do the following:

#### Note:

- If you want to enable this functionality, it is recommended to install Configuration Manager on a server that has a minimum of 8 GB of memory (RAM).
- Managed views that are based on dynamic TQL queries and result in more than 20,000 composite CIs are not supported.
- To access the JMX console, launch your Web browser and enter the following address:
   http://<server\_name>:<port\_number>/cnc/jmx-console, where <server\_name> is the name of the machine on which Configuration Manager is installed.
- 2. Enter the JMX console authentication credentials.

- 3. Click Configuration Manager > View Service. Select supportLargeViews and click Invoke.
- In UCMDB, change the value of the TQL Group View Result Size setting to 500,000 (Administration >
   Infrastructure Settings Manager > TQL Settings).
- 5. Do one of the following:
  - If you use the HP Universal CMDB Configuration Manager Windows service to start Configuration
    Manager, navigate to the < Configuration\_Manager\_installation\_directory>/bin/ folder and
    double-click the edit-server-0.bat file. In the Java tab, increase the value of the Maximum
    memory pool parameter to 4096 or greater.
  - If you use the start-server-0.bat file to start Configuration Manager, edit the start-server-0.bat file and raise the value of the -Xmx parameter to 4096m or greater.

### **Configuration Manager Best Practices**

This section provides Configuration Manager related best practices.

### Increase TQL Fuses/Capacity When Installing Configuration Manager on an Environment with a Huge Number of CIs

When Configuration Manager is installed on an environment with a huge number of CIs, it might be possible that UCMDB is not accessible, even though UCMDB server is up and running and the status is "green", and that login is also possible but after that the java loads forever. This issue is caused by the fact that the TQL getting the license capacity received a large number of CIs and those needed to be chunked.

You can resolve the issue by increasing the TQL parameters related fuses/capacity via JMX,

- Access the UCMDB JMX console: Launch a Web browser and enter the following address: http://<UCMDB machine name or IP address>:8080/jmx-console. You may have to log in with a user name and password.
- 2. Locate **UCMDB:service=Settings Services** and click the link to jump to the Operations table.
- 3. Locate the **setSettingValue** operation.
- 4. To increase TQL parameters related fuses/capacity, invoke the **setSettingValue** method with the following parameters:

### $\circ \quad \textbf{tql.max.result.size.layout.retrieval} \\$

• customerID: 1

• name: tql.max.result.size.layout.retrieval

• value: 300000 (current value is 200000)

### • tql.resultutils.chunk.maxresultsize

• customerID: 1

• name: tql.resultutils.chunk.maxresultsize

• value: 300000 (current value is 100000)

### 5. Restart the server.

## Chapter 7: Hardening Methods

### This chapter includes:

How to Change the System User Name or Password for the JMX Console	
How to Enable Mutual Certificate Authentication for SDK	88
How to Configure a Reverse Proxy	91
How to Change the Server Keystore Password	91
How to Enable or Disable HTTP/HTTPS Ports	93
How to Map the UCMDB Web Components to Ports	93
How to Modify the PostgreSQL Database Encrypted Password	95
How to Set the JMX Console Encrypted Password	96
How to Set the UpLoadScanFile Password	98
How to Retrieve the Current LW-SSO Configuration in a Distributed Environment	99
How to Configure LW-SSO Settings	99
How to Configure Confidential Manager Communication Encryption	100
How to Configure Confidential Manager Client Authentication and Encryption Settings on the Probe	101
How to Configure Confidential Manager Communication Encryption on the Probe	102
How to Configure the Confidential Manager Client's Cache Encryption Settings on the Probe $ \dots $	103
How to Export and Import Credential and Range Information in Encrypted Format	105
How to Generate or Update the Encryption Key for Confidential Manager	106
Generate a New Encryption Key	107
Update an Encryption Key on a UCMDB Server	109
Update an Encryption Key on a Probe	110
Manually Change the Encryption Key when the Probe Manager and Probe Gateway are Install on Separate Machines	
Define Several JCE Providers	111
How to Configure CAC Support on UCMDB	112
How to Configure CAC Support for UCMDB by Reverse Proxy	114
How to Harden the Data Flow Probe Connector in UCMDB	120
How to Encrypt the Probe Keystore and Truststore Passwords	121

HP Universal CMDB (10.21) Page 86 of 137

How to Enable Login to HP Universal CMDB with LW-SSO	. 122
How to Test LDAP Connections	.123
How to Enable and Define the LDAP Authentication Method	. 123
How to Configure the HP Universal CMDB Server with Confidential Manager	. 124
How to Set the IIS server as the Front-End Server for UCMDB	. 126
How to Enable Secure Login for the JMX Console	. 126
How to Mark Sensitive Settings and Enable Storing Encrypted Data in the Database Using JMX $\dots$	. 127
How to Set Shared Key for Encrypting or Decrypting the InfrastructureSettings.xml File Using JM	X129

## How to Change the System User Name or Password for the JMX Console

The JMX console uses system users, that is, cross-customer users in a multi-customer environment. You can log in to the JMX console with any system user name.

You change the password either through the JMX console or through the Server Management tool.

### To change the default system user name or password through the JMX console:

- Launch a Web browser and enter the following address: http://localhost.<domain\_ name>:8080/jmx-console.
- 2. Enter the JMX console authentication credentials.
- 3. Locate **UCMDB:service=Authorization Services** and click the link to open the Operations page.
- 4. Locate the **resetPassword** operation.
  - In the userName field, enter sysadmin.
  - In the **password** field, enter a new password.
- 5. Click **Invoke** to save the change.

To change the default system user name or password through the Server Management tool:

For Windows: run the following file: C:\hp\UCMDB\UCMDBServer\tools\server\_management.bat.

**For Linux:** Run **server\_management.sh** located in the following folder: **/opt/hp/UCMDB/UCMDBServer/tools/**.

- 2. Log in to the tool with the authentication credentials: **sysadmin/sysadmin**.
- 3. Click the Users link.
- 4. Select the system user and click **Change password for logged-on user**.
- 5. Enter the old and new passwords and click **OK**.

## How to Enable Mutual Certificate Authentication for SDK

This mode uses SSL and enables both server authentication by the UCMDB and client authentication by the UCMDB-API client. Both the server and the UCMDB-API client send their certificates to the other entity for authentication.

#### Note:

- The following method of enabling SSL on the SDK with mutual authentication is the most secure
  of the methods and is therefore the recommended communication mode.
- The keystore used for client SDK must be in Java Keystore (JKS) format. The Java Cryptography Extension KeyStore (JCEKS) or other formats are not supported.
- The keystore used for SDK must contain only one key-pair and nothing else in it. The password for this key-pair must be the same as the one for keystore.
- 1. Harden the UCMDB-API client connector in UCMDB:
  - a. Access the UCMDB JMX console: Launch a Web browser and enter the following address:
     http://<UCMDB machine name or IP address>:8080/jmx-console. You may have to log in with a user name and password.
  - Locate UCMDB:service=Ports Management Services and click the link to open the Operations page.

- c. Locate the **PortsDetails** operation and click **Invoke**. Make a note of the HTTPS with client authentication port number. The default is 8444 and it should be enabled.
- d. Return to the Operations page.
- To map the ucmdb-api connector to the mutual authentication mode, invoke the mapComponentToConnectors method with the following parameters:
  - componentName: ucmdb-api
  - isHTTPSWithClientAuth: true
  - · All other flags: false

The following message is displayed:

Operation succeeded. Component ucmdb-api is now mapped to: HTTPS\_CLIENT\_AUTH ports.

- f. Return to the Operations page.
- 2. Repeat step 1 for the **ping** component.
- 3. Make sure the JRE that runs the UCMDB-API client has a keystore containing a client certificate.
- 4. Export the UCMDB-API client certificate from its keystore.
- 5. Import the exported UCMDB-API client certificate to the UCMDB Server Truststore.
  - a. On the UCMDB machine, copy the created UCMDB-API client certificate file to the following directory on UCMDB:

### C:\HP\UCMDB\UCMDBServer\conf\security

b. Run the following command:

```
C:\HP\UCMDB\UCMDBServer\bin\jre\bin\keytool.exe -import -v -keystore
C:\HP\UCMDB\UCMDBServer\conf\security\server.truststore -file <exported
UCMDB-api client certificate> - alias ucmdb-api
```

- c. Enter the UCMDB Server Truststore password (default **hppass**).
- d. When asked, Trust this certificate?, press y and then Enter.
- e. Make sure the output **Certificate** was added to the keystore.

- 6. Export the UCMDB server certificate from the server keystore.
  - a. On the UCMDB machine, run the following command:

```
C:\HP\UCMDB\UCMDBServer\bin\jre\bin\keytool.exe -export -alias hpcert
-keystore
C:\HP\UCMDB\UCMDBServer\conf\security\server.keystore
-file C:\HP\UCMDB\conf\security\server.cert
```

- b. Enter the UCMDB Server Truststore password (default **hppass**).
- c. Verify that the certificate is created in the following directory:

#### C:\HP\UCMDB\UCMDBServer\conf\security\server.cert

- 7. Import the exported UCMDB certificate to the JRE of the UCMDB-API client truststore.
- 8. The certificate used by the API Client must contain in it's Common Name (CN) field the name of a user that's present in UCMDB.

This user MUST have an EMPTY password and all required permissions for SDK access.

To set an empty password to an existing UCMDB user,

- a. Go to JMX Console > UCMDB:service=URM Services > listResourceTypes.
- b. Click Auth\_USER.
- c. Click your user and wait for the XML to load.
- d. In the XML, replace the password with s39t30\*tfoZXg30xd/nvJGL5is8=.
- e. Click Save resource.
- 9. Restart the UCMDB Server and the UCMDB-API client.
- 10. To connect from the UCMDB-API client to UCMDB-API server, use the following code:

```
UcmdbServiceProvider provider = UcmdbServiceFactory.getServiceProvider
("https", <SOME_HOST_NAME>, <HTTPS_WITH_CLIENT_AUTH_PORT_NUMBER
(default:8444>));
UcmdbService ucmdbService = provider.connect
(provider.createCertificateCredentials(<TheClientKeystore.
e.g: "c:\\client.keystore">, <KeystorePassword>),
```

provider.createClientContext(<ClientIdentification>));

### How to Configure a Reverse Proxy

You can make changes to the reverse proxy configuration by using the JMX console on the HP Universal CMDB server machine. This configuration is only necessary when creating a direct link to a report using the Scheduler.

### To change a reverse proxy configuration:

 On the HP Universal CMDB server machine, launch the Web browser and enter the following address:

http://<machine name or IP address>.<domain\_name>:8080/jmx-console

where **<machine name or IP address>** is the machine on which HP Universal CMDB is installed. You may have to log in with the user name and password.

2. Click the UCMDB-UI > UCMDB-UI:name=UI Server frontend settings link.

In the **setUseFrontendURLBySettings** field, enter the server proxy URL, for example, https://my\_proxy\_server:443/.

- 3. Click Invoke.
- 4. To see the value of this setting, use the **showFrontendURLInSettings** method.

### How to Change the Server Keystore Password

After installing the Server, the HTTPS port is open and the store is secured with a weak password (the default **hppass**). If you intend to work with SSL only, you must change the password.

The following procedure explains how to change the **server.keystore** password only. However, you should perform the same procedure for changing the **server.truststore** password.

**Note:** You must perform every step in this procedure.

- 1. Start the UCMDB Server.
- 2. Execute the password change in the JMX console:
  - a. Launch the Web browser and enter the Server address, as follows: http://<UCMDB Server Host</li>
     Name or IP>:8080/imx-console.

You may have to log in with a user name and password.

- b. Under UCMDB, click **UCMDB:service=Security Services** to open the Operations page.
- c. Locate and execute the **changeKeystorePassword** operation.

This field must not be empty and must be at least six characters long. The password is changed in the database only.

- 3. Stop the UCMDB Server.
- 4. Run commands.

From C:\hp\UCMDB\UCMBServer\bin\jre\bin, run the following commands:

a. Change the store password:

keytool -storepasswd -new <new\_keystore\_pass> -keystore
C:\hp\UCMDB\UCMDBServer\conf\security\server.keystore -storepass <current\_keystore\_
pass>

b. The following command displays the inner key of the keystore. The first parameter is the alias. Save this parameter for the next command:

keytool -list -keystore C:\hp\UCMDB\UCMDBServer\conf\security\server.keystore

c. Change the key password (if the store is not empty):

keytool -keypasswd -alias <alias> -keypass <currentPass> -new <newPass> -keystore C:\hp\UCMDB\UCMDBServer\conf\security\server.keystore

- d. Enter the new password.
- 5. Start the UCMDB Server.
- 6. Repeat the procedure for the Server truststore.

### How to Enable or Disable HTTP/HTTPS Ports

### To enable or disable the HTTP/HTTPS ports from the JMX console:

- 1. Launch a Web browser and enter the following address: http://localhost.<domain\_name>:8080/jmx-console.
- 2. Enter the JMX console authentication credentials.
- Locate UCMDB:service=Ports Management Services and click the link to open the Operations page.
- 4. To enable or disable the HTTP port, locate the HTTPSetEnable operation and set the value.
  - **True:** the port is enabled.
  - False: the port is disabled.
- 5. To enable or disable the HTTPS port, locate the HTTPSSetEnable operation and set the value.
  - **True:** the port is enabled.
  - False: the port is disabled.
- To enable or disable the HTTPS port with client authentication, locate the HTTPSClientAuthSetEnable operation and set the value.
  - **True:** the port is enabled.
  - False: the port is disabled.

## How to Map the UCMDB Web Components to Ports

You can configure the mapping of each UCMDB component to the available ports from the JMX console.

### To view the current component configurations:

- Launch a Web browser and enter the following address: http://localhost.<domain\_ name>:8080/jmx-console.
- 2. Enter the JMX console authentication credentials.

- Locate UCMDB:service=Ports Management Services and click the link to open the Operations page.
- 4. Locate the ComponentsConfigurations method and click Invoke.
- 5. For each component, the valid ports and current mapped ports are displayed.

#### To map the components:

- Locate UCMDB:service=Ports Management Services and click the link to open the Operations page.
- 2. Locate the **mapComponentToConnectors** method.
- Enter a component name in the Value box. Select **True** or **False** for each of the ports corresponding
  to your selection. Click **Invoke**. The selected component is mapped to the selected ports. You can
  find the component names by invoking the **serverComponentsNames** method.
- 4. Repeat the process for each relevant component.

#### Note:

- Every component must be mapped to at least one port. If you do not map a component to any port, it is mapped by default to the HTTP port.
- If you map a component to both the HTTPS port and the HTTPS port with client authentication, only the client authentication option is mapped (the other option is redundant in this case).
- If you set isHTTPSWithClientAuth to True for the UCMDB UI component, you must also set it to True for the root component.

You can also change the value assigned to each of the ports.

### To set values for the ports:

- Locate UCMDB:service=Ports Management Services and click the link to open the Operations page.
- To set a value for the HTTP port, locate the HTTPSetPort method and enter a value in the Value box. Click Invoke.

- To set a value for the HTTPS port, locate the HTTPSSetPort method and enter a value in the Value box. Click Invoke.
- 4. To set a value for the HTTPS port with client authentication, locate the **HTTPSClientAuthSetPort** method and enter a value in the **Value** box. Click **Invoke**.

## How to Modify the PostgreSQL Database Encrypted Password

This section explains how to modify the encrypted password for the PostgreSQL database user.

1. Create the Encrypted Form of a Password (AES, 192-bit key)

**Note:** In FIPS mode, it is 256-bit key.

 a. Access the Data Flow Probe JMX console. Launch a Web browser and enter the following address: http://<Data Flow Probe machine name or IP address>:1977. If you are running the Data Flow Probe locally, enter http://localhost:1977.

You may have to log in with a user name and password.

- b. Locate the **Type=MainProbe** service and click the link to open the Operations page.
- c. Locate the **getEncryptedDBPassword** operation.
- d. In the **DB Password** field, enter the password to be encrypted.
- e. Invoke the operation by clicking the **getEncryptedDBPassword** button.

The result of the invocation is an encrypted password string, for example:

```
66,85,54,78,69,117,56,65,99,90,86,117,97,75,50,112,65,53,67,114,112,65,61,61
```

2. Stop the Data Flow Probe

Start > All Programs > HP UCMDB > Stop Data Flow Probe

3. Run the set\_dbuser\_password.cmd Script

This script is located in the following folder: C:\hp\UCMDB\DataFlowProbe\tools\dbscripts\set\_ dbuser\_password.cmd

Run the **set\_dbuser\_password.cmd** script with the new password as the first argument,and the PostgreSQL Root Account password as the second argument.

For example:

set\_dbuser\_password <my\_password><root\_password>.

The password must be entered in its unencrypted form (as plain text).

- 4. Update the Password in the Data Flow Probe Configuration Files
  - a. The password must reside encrypted in the configuration files. To retrieve the password's encrypted form, use the getEncryptedDBPassword JMX method, as explained in step 1.
  - b. Add the encrypted password to the following properties in the
     C:\hp\UCMDB\DataFlowProbe\conf\DataFlowProbe.properties file.
    - appilog.agent.probe.jdbc.pwd

For example:

```
appilog.agent.probe.jdbc.user = mamprobe
appilog.agent.probe.jdbc.pwd =
66,85,54,78,69,117,56,65,99,90,86,117,97,75,50,112,65,53,67,114,112,65,61
.61
```

- appilog.agent.local.jdbc.pwd
- · appilog.agent.normalization.jdbc.pwd
- 5. Start the Data Flow Probe

Start > All Programs > HP UCMDB > Start Data Flow Probe

### How to Set the JMX Console Encrypted Password

This section explains how to encrypt the password for the JMX user. The encrypted password is stored in the DataFlowProbe.properties file. Users must log in to access the JMX console.

### 1. Create the Encrypted Form of a Password (AES, 192-bit key)

Note: In FIPS mode, it is 256-bit key.

 a. Access the Data Flow Probe JMX console. Launch a Web browser and enter the following address: http://<Data Flow Probe machine name or IP address>:1977. If you are running the Data Flow Probe locally, enter http://localhost:1977.

You may have to log in with a user name and password.

- b. Locate the **Type=MainProbe** service and click the link to open the Operations page.
- c. Locate the getEncryptedKeyPassword operation.
- d. In the **Key Password** field, enter the password to be encrypted.
- e. Invoke the operation by clicking the **getEncryptedKeyPassword** button.

The result of the invocation is an encrypted password string, for example:

### 2. Stop the Data Flow Probe

Start > All Programs > HP UCMDB > Stop Data Flow Probe

### 3. Add the Encrypted Password

Add the encrypted password to the following property in the C:\hp\UCMDB\DataFlowProbe\conf\DataFlowProbe.properties file.

appilog.agent.Probe.JMX.BasicAuth.Pwd

For example:

```
appilog.agent.Probe.JMX.BasicAuth.User=sysadmin appilog.agent.Probe.JMX.BasicAuth.Pwd=12,-35,-37,82,-2,20,57,-40,38,80,-111,-99,-64,-5,35,-122
```

**Note:** To disable authentication, leaves these fields empty. If you do so, users can open the main page of the Probe's JMX console without entering authentication.

### 4. Start the Data Flow Probe

Start > All Programs > HP UCMDB > Start Data Flow Probe

Test the result in a Web browser.

### How to Set the UpLoadScanFile Password

This section explains how to set the password for **UpLoadScanFile**, used for off-site scan saving. The encrypted password is stored in the **DataFlowProbe.properties** file. Users must log in to access the JMX console.

### 1. Create the Encrypted Form of a Password (AES, 192-bit key)

 a. Access the Data Flow Probe JMX console. Launch a Web browser and enter the following address: http://<Data Flow Probe machine name or IP address>:1977. If you are running the Data Flow Probe locally, enter http://localhost:1977.

You may have to log in with a user name and password.

- b. Locate the **Type=MainProbe** service and click the link to open the Operations page.
- c. Locate the **getEncryptedKeyPassword** operation.
- d. In the **Key Password** field, enter the password to be encrypted.
- e. Invoke the operation by clicking the **getEncryptedKeyPassword** button.

The result of the invocation is an encrypted password string, for example:

#### 2. Stop the Data Flow Probe

Start > All Programs > HP UCMDB > Stop Data Flow Probe

3. Add the Encrypted Password

Add the encrypted password to the following property in the C:\hp\UCMDB\DataFlowProbe\conf\DataFlowProbe.properties file.

com.hp.ucmdb.discovery.Probe.JMX.UploadAuth.Pwd

#### For example:

```
com.hp.ucmdb.discovery.Probe.JMX.UploadAuth.User=UploadScanFile
com.hp.ucmdb.discovery.Probe.JMX.UploadAuth.Pwd=116,116,21,34,-59,77,-
108,14,127,4,-89,101,-33,-31,116,53
```

#### 4. Start the Data Flow Probe

### Start > All Programs > HP UCMDB > Start Data Flow Probe

Test the result in a Web browser.

## How to Retrieve the Current LW-SSO Configuration in a Distributed Environment

When UCMDB is embedded in a distributed environment, for example, in a BSM deployment, perform the following procedure to retrieve the current LW-SSO configuration on the processing machine.

### To retrieve the current LW-SSO configuration:

Launch a Web browser and enter the following address: http://localhost.<domain\_name>:8080/jmx-console.

You may be asked for a user name and password.

- 2. Locate **UCMDB:service=Security Services** and click the link to open the Operations page.
- 3. Locate the **retrieveLWSSOConfiguration** operation.
- 4. Click Invoke to retrieve the configuration.

### How to Configure LW-SSO Settings

This procedure describes how to change the LW-SSO init string on the UCMDB server. This change is automatically sent to Probes (as an encrypted string), unless the UCMDB server is configured to not automatically do this. For details, see Disable Automatic Synchronization of the Confidential Manager Client Authentication and Encryption Settings Between the Server and Probes in the *HP Universal CMDB and Configuration Manager Hardening Guide*.

- 1. On the UCMDB server, launch the Web browser and enter the following address: <a href="http://localhost:8080/jmx-console">http://localhost:8080/jmx-console</a>.
- 2. Click UCMDB-UI:name=LW-SSO Configuration to open the JMX MBEAN View page.
- 3. Locate the **setInitString** method.
- 4. Enter a new LW-SSO init string.
- 5. Click Invoke.

# How to Configure Confidential Manager Communication Encryption

This procedure describes how to change the Confidential Manager communication encryption settings on the UCMDB Server. These settings specify how the communication between the Confidential Manager client and the Confidential Manager server is encrypted. This change is automatically sent to Probes (as an encrypted string), unless the UCMDB server is configured to not automatically do this. For details, see Disable Automatic Synchronization of the Confidential Manager Client Authentication and Encryption Settings Between the Server and Probes in the HP Universal CMDB and Configuration Manager Hardening Guide.

- On the UCMDB server, launch the Web browser and enter the following address: http://localhost:8080/jmx-console.
- 2. Click **UCMDB:service=Security Services** to open the JMX MBEAN View page.
- 3. Click the CMGetConfiguration method.
- 4. Click Invoke.

The XML of the current Confidential Manager configuration is displayed.

- 5. Copy the contents of the displayed XML.
- 6. Navigate back to the **Security Services** JMX MBean View page.
- 7. Click the CMSetConfiguration method.
- 8. Paste the copied XML into the Value field.
- 9. Update the relevant transport-related settings and click **Invoke**.

#### **Example:**

```
<transport>
      <encryptTransportMode>true</encryptTransportMode>
      <CMEncryptionDecryption>
            <encryptDecryptInitString>radiohead</encryptDecryptInitString>
            <cryptoSource>lw</cryptoSource>
           <lwJCEPBECompatibilityMode>true</lwJCEPBECompatibilityMode>
            <cipherType>symmetricBlockCipher</cipherType>
            <engineName>AES</engineName>
            <algorithmModeName>CBC</algorithmModeName>
            <algorithmPaddingName>PKCS7Padding</algorithmPaddingName>
            <keySize>256</keySize>
           <pbeCount>20</pbeCount>
            <pbeDigestAlgorithm>SHA1</pbeDigestAlgorithm>
            <encodingMode>Base64Url</encodingMode>
           <useMacWithCrypto>false</useMacWithCrypto>
            <macType>hmac</macType>
            <macKeySize>256</macKeySize>
           <macHashName>SHA256</macHashName>
      </CMEncryptionDecryption>
</transport>
```

For details about the values that can be updated, see Confidential Manager Encryption Settings in the *HP Universal CMDB and Configuration Manager Hardening Guide*.

## How to Configure Confidential Manager Client Authentication and Encryption Settings on the Probe

This procedure is relevant if the UCMDB Server has been configured to not send LW-SSO/Confidential Manager configuration and settings automatically to Probes. For details, see Disable Automatic Synchronization of the Confidential Manager Client Authentication and Encryption Settings Between the Server and Probes in the HP Universal CMDB and Configuration Manager Hardening Guide.

 On the Probe machine, launch the Web browser and enter the following address: http://localhost:1977.

**Note:** If the Probe Manager and the Probe Gateway are running as separate processes, the address should be entered on the machine that is running the Probe Manager as follows: **http://localhost:1978**.

- 2. Click type=CMClient to open the JMX MBEAN View page.
- Locate the setLWSSOInitString method and provide the same init string that was provided for UCMDB's LW-SSO configuration.
- 4. Click the **setLWSSOInitString** button.

## How to Configure Confidential Manager Communication Encryption on the Probe

This procedure is relevant if the UCMDB Server has been configured to not send LW-SSO/Confidential Manager configuration and settings automatically to Probes.

1. On the Probe machine, launch the Web browser and enter the following address: <a href="http://localhost:1977">http://localhost:1977</a>.

**Note:** If the Probe Manager and the Probe Gateway are running as separate processes, the address should be entered on the machine that is running the Probe Manager as follows: http://localhost:1978.

- 2. Click type=CMClient to open the JMX MBEAN View page.
- 3. Update the following transport-related settings:

**Note:** You must update the same settings that you updated on the UCMDB server. To do this, some of the methods that you update on the Probe may require more than one parameter.

- a. **setTransportInitString** changes the **encryptDecryptInitString** setting.
- b. setTransportEncryptionAlgorithm changes Confidential Manager settings on the Probe

#### according to the following map:

- Engine name refers to the <engineName> entry
- Key size refers to the <keySize> entry
- Algorithm padding name refers to the <algorithmPaddingName> entry
- PBE count refers to the <pbeCount> entry
- PBE digest algorithm refers to the <pbeDigestAlgorithm> entry
- setTransportEncryptionLibrary changes Confidential Manager settings on the Probe according to the following map:
  - Encryption Library name refers to the <cryptoSource> entry
  - Support previous lightweight cryptography versions refers to the <lwJCEPBECompatibilityMode> entry
- d. setTransportMacDetails change Confidential Manager settings on the Probe according to the following map:
  - Use MAC with cryptography refers to the <useMacWithCrypto> entry
  - MAC key size refers to the <macKeySize> entry
- 4. Click the reloadTransportConfiguration button to make the changes effective on the Probe.

# How to Configure the Confidential Manager Client's Cache Encryption Settings on the Probe

This procedure describes how to change the encryption settings of the Confidential Manager client's file system cache file. Note that changing the encryption settings for the Confidential Manager client's file system cache causes the file system cache file to be recreated. This recreation process requires restarting the Probe and full synchronization with the UCMDB Server.

 On the Probe machine, launch the Web browser and enter the following address: http://localhost:1977. **Note:** If the Probe Manager and the Probe Gateway are running as separate processes, the address should be entered on the machine that is running the Probe Manager as follows: **http://localhost:1978**.

- 2. Click type=CMClient to open the JMX MBEAN View page.
- 3. Update the following cache-related settings:

**Note:** Some of the methods that you update on the Probe may require more than one parameter. To see the current probe configuration, click **displayCacheConfiguration** in the JMX MBEAN View page.

- a. setCacheInitString changes the file system cache <encryptDecryptInitString> setting.
- setCacheEncryptionAlgorithm changes the file system cache settings according to the following map:
  - Engine name refers to the <engineName> entry
  - Key size refers to the <keySize> entry
  - Algorithm padding name refers to the <algorithmPaddingName> entry
  - PBE count refers to the <pbeCount> entry
  - PBE digest algorithm refers to the <pbeDigestAlgorithm> entry
- setCacheEncryptionLibrary changes the cache file system settings according to the following map:
  - Encryption Library name refers to the <cryptoSource> entry
  - Support previous lightweight cryptography versions refers to the <lwJCEPBECompatibilityMode> entry
- d. setCacheMacDetails changes the cache file system settings according to the following map:
  - Use MAC with cryptography refers to the <useMacWithCrypto> entry
  - MAC key size refers to the <macKeySize> entry
- 4. Click the reloadCacheConfiguration button to make the changes effective on the Probe. This

causes the Probe to restart.

**Note:** Make sure that no job is running on the Probe during this action.

# How to Export and Import Credential and Range Information in Encrypted Format

You can export and import credentials and network range information in encrypted format in order to copy the credentials information from one UCMDB Server to another. For example, you might perform this operation during recovery following a system crash or during upgrade.

- When exporting credentials information, you must enter a password (of your choosing). The information is encrypted with this password.
- When importing credentials information, you must use the same password that was defined when the DSD file was exported.

**Note:** The exported credentials document also contains ranges information that is defined on the system from which the document was exported. During the import of the credentials document, ranges information is imported as well.

#### To export credentials information from the UCMDB Server:

- On the UCMDB Server, launch the Web browser and enter the following address:
   http://localhost:8080/jmx-console. You may have to log in with a user name and password.
- 2. Click **UCMDB:service=DiscoveryManager** to open the JMX MBEAN View page.
- 3. Locate the exportCredentialsAndRangesInformation operation. Do the following:
  - Enter your customer ID (the default is 1).
  - Enter a name for the exported file.
  - Enter your password.
  - Set isEncrypted=True if you want the exported file to be encrypted with the provided password,

or **isEncrypted=False** if you want the exported file to not be encrypted (in which case passwords and other sensitive information are not exported).

4. Click **Invoke** to export.

When the export process completes successfully, the file is saved to the following location: c:\hp\UCMDB\UCMDBServer\conf\discovery\<customer\_dir>.

### To import credentials information from the UCMDB Server:

 On the UCMDB Server, launch the Web browser and enter the following address: http://localhost:8080/jmx-console.

You may have to log in with a user name and password.

- 2. Click UCMDB:service=DiscoveryManager to open the JMX MBEAN View page.
- 3. Locate the importCredentialsAndRangesInformation operation.
- 4. Enter your customer ID (the default is 1).
- Enter the name of the file to import. This file must be located in c:\hp\UCMDB\UCMDBServer\conf\discovery\<customer\_dir>.
- 6. Enter the password. This must be the same password that was used when the file was exported.
- 7. Click **Invoke** to import the credentials.

# How to Generate or Update the Encryption Key for Confidential Manager

You can generate or update an encryption key to be used for encryption or decryption of Confidential Manager communication and authentication configurations exchanged between the UCMDB Server and the Data Flow Probe. In each case (generate or update), the UCMDB Server creates a new encryption key based on parameters that you supply (for example, key length, extra PBE cycles, JCE provider) and distributes it to the Probes.

The result of running the **generateEncryptionKey** method is a new generated encryption key. This key is stored only in secured storage and its name and details are not known. If you reinstall an existing Data Flow Probe, or connect a new Probe to the UCMDB Server, this new generated key is not recognized by the new Probe. In these cases, it is preferable to use the **changeEncryptionKey** method to change

encryption keys. This way, when you reinstall a Probe or install a new Probe, you can import the existing key (whose name and location you know) by running the **importEncryptionKey** method on the Probe JMX console.

#### Note:

- The difference between the methods used to create a key (generateEncryptionKey) and
  update a key (changeEncryptionKey) is that generateEncryptionKey creates a new, random
  encryption key, while changeEncryptionKey imports an encryption key whose name you
  provide.
- Only one encryption key can exist on a system, no matter how many Probes are installed.

### This task includes the following steps:

- "Generate a New Encryption Key" below
- "Update an Encryption Key on a UCMDB Server" on page 109
- "Update an Encryption Key on a Probe" on page 110
- "Manually Change the Encryption Key when the Probe Manager and Probe Gateway are Installed on Separate Machines" on page 111
- "Define Several JCE Providers" on page 111

### Generate a New Encryption Key

You can generate a new key to be used by the UCMDB Server and Data Flow Probe for encryption or decryption. The UCMDB Server replaces the old key with the new generated key, and distributes this key among the Probes.

### To generate a new encryption key through the JMX console:

 On the UCMDB server, launch the Web browser and enter the following address: http://localhost:8080/jmx-console.

You may have to log in with a user name and password.

2. Click **UCMDB:service=DiscoveryManager** to open the JMX MBEAN View page.

- 3. Locate the generateEncryptionKey operation.
  - a. In the **customerId** parameter box, enter 1 (the default).
  - b. For keySize, specify the length of the encryption key. Valid values are 128, 192, or 256.
  - c. For usePBE, specify True or False:
    - True: use additional PBE hash cycles.
    - False: do not use additional PBE hash cycles.
  - d. For jceVendor, you can choose to use a non-default JCE provider. If the box is empty, the default provider is used.
  - e. For autoUpdateProbe, specify True or False:
    - True: the server distributes the new key to the Probes automatically.
    - False: the new key should be placed on the Probes manually.
  - f. For exportEncryptionKey, specify True or False.
    - True: In addition to creating the new password and storing it in secured storage, the Server exports the new password to the file system
       (c:\hp\UCMDB\UCMDBServer\conf\discovery\key.bin). This option enables you to update Probes manually with the new password.
    - **False:** The new password is not exported to the file system. To update Probes manually, set **autoUpdateProbe** to False and **exportEncryptionKey** to True.

**Note:** Make sure that the Probe is up and connected to the server. If the Probe goes down, the key cannot reach the Probe. If you change the key before the Probe goes down, once the Probe is up again, the key is sent again to the Probe. However, if you have changed the key more than once before the Probe goes down, you must change the key manually through the JMX console. (Select **False** for **exportEncryptionKey**).

4. Click **Invoke** to generate the encryption key.

### Update an Encryption Key on a UCMDB Server

You use the **changeEncryptionKey** method to import your own encryption key to the UCMDB server and distribute it among all Probes.

#### To update an encryption key through the JMX Console:

Copy the key.bin file you generated in "Generate a New Encryption Key" on page 107 to the
 C:\hp\UCMDB\UCMDBServer\conf\discovery\customer\_1 directory, and rename the key.bin file.
 For example, key 1.bin.

Note: Make sure you rename the key.bin file.

- On the UCMDB Server, launch the Web browser and enter the following address:
   http://localhost:8080/jmx-console. You may have to log in with a user name and password.
- 3. Click **UCMDB:service=DiscoveryManager** to open the JMX MBEAN View page.
- 4. Locate the change Encryption Key operation.
  - a. In the customerid parameter box, enter 1 (the default).
  - b. For **newKeyFileName**, enter the name of the new key.
  - c. For keySizeInBits, specify the length of the encryption key. Valid values are 128, 192, or 256.
  - d. For usePBE, specify True or False:
    - True: use additional PBE hash cycles.
    - False: do not use additional PBE hash cycles.
  - For jceVendor, you can choose to use a non-default JCE provider. If the box is empty, the
    default provider is used.
  - f. For autoUpdateProbe, specify True or False:
    - **True:** the server distributes the new key to the Probes automatically.
    - **False:** the new key should be distributed manually using the Probe JMX console.

**Note:** Make sure that the Probe is up and connected to the server. If the Probe goes down, the key cannot reach the Probe. If you change the key before the Probe goes down, once the Probe is up again, the key is sent again to the Probe. However, if you have changed the key more than once before the Probe goes down, you must change the key manually through the JMX console. (Select **False** for **autoUpdateProbe**).

5. Click **Invoke** to generate and update the encryption key.

### Update an Encryption Key on a Probe

If you choose not to distribute an encryption key from the UCMDB Server to all Probes automatically (because of security concerns), you should download the new encryption key to all Probes and run the **importEncryptionKey** method on the Probe:

- 1. Place the encryption key file in C:\hp\UCMDB\DataFlowProbe\conf\security\.
- 2. On the Probe machine, launch the Web browser and enter the following address: http://localhost:1977.

You may have to log in with a user name and password.

**Note:** If the Probe Manager and the Probe Gateway are running as separate processes, the address should be entered on the machine that is running the Probe Manager as follows: **http://localhost:1978**.

- 3. On the Probe domain, click type=SecurityManagerService.
- 4. Locate the importEncryptionKey method.
- Enter the name of the encryption key file that resides in
   C:\hp\UCMDB\DataFlowProbe\conf\security\. This file contains the key to be imported.
- 6. Click the **importEncryptionKey** button.
- 7. Perform a restart of the probe.

## Manually Change the Encryption Key when the Probe Manager and Probe Gateway are Installed on Separate Machines

- On the Probe Manager machine, start the Probe Manager service (Start > Programs > HP UCMDB >
   Probe Manager).
- Import the key from the server, using the Probe Manager JMX. For details, see "Generate a New Encryption Key" on page 107.
- After the encryption key is imported successfully, restart the Probe Manager and Probe Gateway services.

#### **Define Several JCE Providers**

When you generate an encryption key through the JMX Console, you can define several JCE providers, using the **changeEncryptionKey** and **generateEncryptionKey** methods.

#### To change the default JCE provider:

- 1. Register the JCE provider jar files in \$JRE\_HOME/lib/ext.
- 2. Copy the jar files to the \$JRE\_HOME folder:
  - For the UCMDB Server: \$JRE\_HOME resides at: c:\hp\UCMDB\UCMDBServer\bin\jre
  - For the Data Flow Probe: \$JRE\_HOME resides at: c:\hp\UCMDB\DataFlowProbe\bin\jre
- Add the provider class at the end of the provider list in the \$JRE\_HOME\lib\security\java.security file.
- 4. Update the **local\_policy.jar** and **US\_export\_policy.jar** files to include unlimited JCE policies. You can download these jar files from the Sun website.
- 5. Restart the UCMDB Server and the Data Flow Probe.
- Locate the JCE vendor field for the changeEncryptionKey or generateEncryptionKey method, and add the name of the JCE provider.

## How to Configure CAC Support on UCMDB

This section describes how to configure Smart Card Authentication or PKI Authentication (CAC) support on UCMDB.

Note: CAC support is only available when using Internet Explorer 8, 9, or 10.

- 1. Import the root CA and any intermediate certificates into the UCMDB Server Truststore as follows:
  - a. On the UCMDB machine, copy the certificate files to the following directory on UCMDB:

#### C:\HP\UCMDB\UCMDBServer\conf\security

**Note:** If your certificate is in Microsoft p7b format, you may need to convert it to PEM format.

b. For each certificate, run the following command:

```
C:\HP\UCMDB\UCMDBServer\bin\jre\bin\keytool.exe -import -v -keystore
C:\HP\UCMDB\UCMDBServer\conf\security\server.truststore -file
<certificate> - alias <certificate alias>
```

- c. Enter the UCMDB Server Truststore password (default **hppass**).
- d. When asked, Trust this certificate?, press y and then Enter.
- e. Make sure the output **Certificate** was added to the keystore.
- 2. Open the JMX console by launching the Web browser and entering the Server address, as follows: http://<UCMDB Server Host Name or IP>:8080/jmx-console.

You may have to log in with a user name and password.

- 3. Under UCMDB, click UCMDB:service=Ports Management Services to open the Operations page.
  - (optional) Click ComponentsConfigurations. Do the following:
    - Set HTTPSSetPort to 8444 and click Invoke.
    - Click Back to MBean.

- Click mapComponentToConnectors. Do the following:
  - In the mapComponentToConnectors service, set componentName to ucmdb-ui.
  - Set only isHTTPSWithClientAuth to true, and click Invoke.
  - Click Back to MBean.
  - In the mapComponentToConnectors service, set **componentName** to **root**.
  - Set only isHTTPSWithClientAuth to true, and click Invoke.
- 4. Under UCMDB, click **UCMDB:service=Security Services** to open the Operations page. In the **loginWithCAC** service, do the following:
  - Set loginWithCAC to true, and click Invoke.
  - Click Back to MBean.
  - (optional) Click usernameField to specify the field from the certificate that will be used by UCMDB to extract a username, and click Invoke.

**Note:** If you do not specify a field, the default of PRINCIPAL\_NAME\_FROM\_SAN\_FIELD is used.

- Click Back to MBean.
- Click pathToCRL to set a path to an to an offline Certificate Revocation List (CRL) to be used if the online list (from the certificate) is not available, and click Invoke.

**Note:** When you are working with a local CRL and there is a working Internet connection to the UCMDB server, the local CRL is used. The validation of any certificate (even if it is not revoked) fails in the following situations:

- if the CRL path is set but the CRL file itself is missing
- · if the CRL is expired
- if the CRL has an incorrect signature

If you do not set the path to an offline CRL and the UCMDB server cannot access the online CRL, all certificates that contain a CRL or OCSP URL are rejected (since the URL cannot be accessed, the revocation check fails). To give the UCMDB server access to the Internet, uncomment the following lines in the **wrapper.conf** file and provide a valid proxy and port:

```
#wrapper.java.additional.40=-Dhttp.proxyHost=<PROXY_ADDR>
#wrapper.java.additional.41=-Dhttp.proxyPort=<PORT>
#wrapper.java.additional.42=-Dhttps.proxyHost=<PROXY_ADDR>
#wrapper.java.additional.43=-Dhttps.proxyPort=<PORT>
```

- Click Back to MBean.
- o (optional) Set onlyCACCerts to true, and click Invoke.

Set this operation to true to accept only certificates that come from a physical CAC device.

You should now be able to log into UCMDB with https://<UCMDB Server Host Name or IP>.<domainname>:8444.

5. Configure UCMDB to use LW-SSO authentication and restart the UCMDB Server.

For details on LW-SSO authentication, see "Enabling Login to HP Universal CMDB with LW-SSO" in the HP Universal CMDB and Configuration Manager Hardening Guide.

# How to Configure CAC Support for UCMDB by Reverse Proxy

This section describes how to configure Common Access Card (CAC) support on UCMDB using a reverse proxy.

1. Open the JMX console by launching the Web browser and entering the Server address, as follows: http://<UCMDB Server Host Name or IP>:8080/jmx-console.

You may have to log in with a user name and password.

2. Under UCMDB, click UCMDB:service=Ports Management Services to open the Operations page.

- (optional) Click ComponentsConfigurations. Do the following:
  - Set HTTPSetPort to 8080 and click Invoke.
  - Click Back to MBean.
- Click mapComponentToConnectors. Do the following:
  - In the mapComponentToConnectors service, set componentName to ucmdb-ui.
  - Set only **isHTTP** to **true**, and click **Invoke**.
  - · Click Back to MBean.
  - In the mapComponentToConnectors service, set componentName to root.
  - Set only **isHTTP** to **true**, and click **Invoke**.
- 3. Under UCMDB, click **UCMDB:service=Security Services** to open the Operations page.
  - Set loginWithCAC to true, and click Invoke.
  - Click Back to MBean.
  - Set withReverseProxy to true, and click Invoke.

This setting tells the UCMDB server to extract from the UCMDB\_SSL\_CLIENT\_CERT header the user name to be used in UCMDB and the certificate to be used for authentication.

- Click Back to MBean.
- (optional) Set onlyCACCerts to true, and click Invoke.

Set this operation to **true** to accept only certificates that come from a physical CAC device.

 (optional) Click usernameField to specify the field from the certificate that will be used by UCMDB to extract a username, and click Invoke.

**Note:** If you do not specify a field, the default of PRINCIPAL\_NAME\_FROM\_SAN\_FIELD is used.

4. Restart the UCMDB Server.

#### Example: Apache 2.4.4 Configuration

This section describes a sample configuration file for Apache 2.4.4.

**Note:** This example presumes that the Apache server was installed in **c:\Apache24**; if it is installed in a different folder, you must change the example in all cases to specify the correct location.

The port for mutual authentication used in this example is 443. In the **c:\Apache24\conf\** folder, copy the following:

- the certificate used by the apache server (server.crt)
- the private key of the Apache server (server.key)
- the trusted CAs of the Apache server (ssl.crt)
- the certification revocation list (ssl.crt).

Note: These four files must all be in PEM format.

Replace the content of **c:\Apache24\conf\httpd.conf** with the following (change the [APACHE\_MACHINE\_FQD] accordingly):

```
ServerRoot "c:/Apache24"
Listen 80
LoadModule access_compat_module modules/mod_access_compat.so
LoadModule actions_module modules/mod_actions.so
LoadModule alias module modules/mod alias.so
LoadModule allowmethods module modules/mod allowmethods.so
LoadModule asis_module modules/mod_asis.so
LoadModule auth basic module modules/mod auth basic.so
LoadModule authn_core_module modules/mod_authn_core.so
LoadModule authn_file_module modules/mod_authn_file.so
LoadModule authz core module modules/mod authz core.so
LoadModule authz groupfile module modules/mod authz groupfile.so
LoadModule authz_host_module modules/mod_authz_host.so
LoadModule authz_user_module modules/mod_authz_user.so
LoadModule autoindex module modules/mod autoindex.so
LoadModule cgi module modules/mod cgi.so
LoadModule dir_module modules/mod_dir.so
LoadModule env module modules/mod env.so
LoadModule headers module modules/mod headers.so
LoadModule include_module modules/mod_include.so
LoadModule isapi module modules/mod isapi.so
LoadModule log_config_module modules/mod_log_config.so
```

```
LoadModule mime module modules/mod mime.so
LoadModule negotiation_module modules/mod_negotiation.so
LoadModule proxy module modules/mod proxy.so
LoadModule proxy_html_module modules/mod_proxy_html.so
LoadModule proxy_http_module modules/mod_proxy_http.so
LoadModule setenvif module modules/mod setenvif.so
LoadModule socache shmcb module modules/mod socache shmcb.so
LoadModule ssl_module modules/mod_ssl.so
LoadModule xml2enc module modules/mod xml2enc.so
<IfModule unixd module>
User daemon
Group daemon
</IfModule>
ServerAdmin admin@example.com
ServerName [APACHE_MACHINE_FQD]:80
<Directory />
    AllowOverride none
    Require all denied
</Directory>
DocumentRoot "c:/Apache24/htdocs"
<Directory "c:/Apache24/htdocs">
    Options Indexes FollowSymLinks
    AllowOverride None
    Require all granted
</Directory>
<IfModule dir_module>
    DirectoryIndex index.html
</IfModule>
<Files ".ht*">
    Require all denied
</Files>
ErrorLog "logs/error.log"
LogLevel warn
<IfModule log config module>
    LogFormat "%h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\""
combined
   LogFormat "%h %l %u %t \"%r\" %>s %b" common
    <IfModule logio module>
      LogFormat "%h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\" %I
%0" combinedio
    </IfModule>
    CustomLog "logs/access.log" common
</IfModule>
<IfModule alias module>
    ScriptAlias /cgi-bin/ "c:/Apache24/cgi-bin/"
</IfModule>
<IfModule cgid module>
</IfModule>
```

<Directory "c:/Apache24/cgi-bin">

```
AllowOverride None
   Options None
    Require all granted
</Directory>
<IfModule mime module>
    TypesConfig conf/mime.types
   AddType application/x-compress .Z
    AddType application/x-gzip .gz .tgz
</IfModule>
<IfModule proxy_html_module>
Include conf/extra/proxy-html.conf
</IfModule>
Include conf/extra/httpd-ssl.conf
<IfModule ssl_module>
SSLRandomSeed startup builtin
SSLRandomSeed connect builtin
</IfModule>
Also, replace the content of c:\Apache24\conf\extra\httpd-ssl.conf with the following (change the
[APACHE_MACHINE_FQD], [UCMDB_SERVER_NAME], and [UCMDB_CM_SERVER_NAME] accordingly):
Listen 443
SSLCipherSuite HIGH: MEDIUM: !aNULL: !MD5
SSLPassPhraseDialog builtin
SSLSessionCache
                       "shmcb:c:/Apache24/logs/ssl scache(512000)"
SSLSessionCacheTimeout 300
<VirtualHost _default_:443>
DocumentRoot "c:/Apache24/htdocs"
ServerName [APACHE_MACHINE_FQD]:443
ServerAdmin admin@example.com
ErrorLog "c:/Apache24/logs/error.log"
TransferLog "c:/Apache24/logs/access.log"
SSLEngine on
SSLCertificateFile "c:/Apache24/conf/server.crt"
SSLCertificateKeyFile "c:/Apache24/conf/server.key"
SSLCACertificateFile "c:/Apache24/conf/ssl.crt"
SSLCARevocationFile "c:/Apache24/conf/ssl.crl"
SSLCARevocationCheck leaf
SSLVerifyClient require
SSLVerifyDepth 10
SSLOptions +ExportCertData
<FilesMatch "\.(cgi|shtml|phtml|php)$">
    SSLOptions +StdEnvVars
</FilesMatch>
<Directory "c:/Apache24/cgi-bin">
    SSLOptions +StdEnvVars
```

</Directory>

BrowserMatch "MSIE [2-5]" \

```
nokeepalive ssl-unclean-shutdown \
         downgrade-1.0 force-response-1.0
CustomLog "c:/Apache24/logs/ssl request.log" \
          "%t %h %{SSL PROTOCOL}x %{SSL CIPHER}x \"%r\" %b"
RequestHeader set UCMDB SSL CLIENT CERT %{SSL CLIENT CERT}e
ProxyRequests off
<Proxy *>
     Order deny, allow
     Deny from all
     Allow from all
</Proxy>
ProxyPass / http://[UCMDB SERVER NAME]:8080/
ProxyPassReverse / http://[UCMDB SERVER NAME]:8080/
ProxyPass /mam http://[UCMDB SERVER NAME]:8080/mam
ProxyPassReverse /mam http://[UCMDB_SERVER_NAME]:8080/mam
ProxyPass /mam images http://[UCMDB SERVER NAME]:8080/mam images
ProxyPassReverse /mam images http://[UCMDB SERVER NAME]:8080/mam images
ProxyPass /mam-collectors http://[UCMDB SERVER NAME]:8080/mam-collectors
ProxyPassReverse /mam-collectors http://[UCMDB SERVER NAME]:8080/mam-collectors
ProxyPass /ucmdb http://[UCMDB SERVER NAME]:8080/ucmdb
ProxyPassReverse /ucmdb http://[UCMDB_SERVER_NAME]:8080/ucmdb
ProxyPass /site http://[UCMDB SERVER NAME]:8080/site
ProxyPassReverse /site http://[UCMDB SERVER NAME]:8080/site
ProxyPass /ucmdb-ui http://[UCMDB SERVER NAME]:8080/ucmdb-ui
ProxyPassReverse /ucmdb-ui http://[UCMDB SERVER NAME]:8080/ucmdb-ui
ProxyPass /status http://[UCMDB SERVER NAME]:8080/status
ProxyPassReverse /status http://[UCMDB_SERVER_NAME]:8080/status
ProxyPass /jmx-console http://[UCMDB SERVER NAME]:8080/jmx-console
ProxyPassReverse /jmx-console http://[UCMDB SERVER NAME]:8080/jmx-console
ProxyPass /axis2 http://[UCMDB SERVER NAME]:8080/axis2
ProxyPassReverse /axis2 http://[UCMDB SERVER NAME]:8080/axis2
ProxyPass /icons http://[UCMDB SERVER NAME]:8080/icons
ProxyPassReverse /icons http://[UCMDB_SERVER_NAME]:8080/icons
ProxyPass /ucmdb-api http://[UCMDB SERVER NAME]:8080/ucmdb-api
ProxyPassReverse /ucmdb-api http://[UCMDB SERVER NAME]:8080/ucmdb-api
ProxyPass /ucmdb-docs http://[UCMDB SERVER NAME]:8080/ucmdb-docs
ProxyPassReverse /ucmdb-docs http://[UCMDB_SERVER_NAME]:8080/ucmdb-docs
ProxyPass /ucmdb-api/8.0 http://[UCMDB SERVER NAME]:8080/ucmdb-api/8.0
ProxyPassReverse /ucmdb-api/8.0 http://[UCMDB SERVER NAME]:8080/ucmdb-api/8.0
ProxyPass /cm http://[UCMDB SERVER NAME]:8080/cm
ProxyPassReverse /cm http://[UCMDB_SERVER NAME]:8080/cm
ProxyPass /cnc http://[UCMDB CM SERVER NAME]/cnc
ProxyPassReverse /cnc http://[UCMDB_CM_SERVER_NAME]/cnc
ProxyPass /docs http://[UCMDB CM SERVER NAME]/docs
ProxyPassReverse /docs http://[UCMDB CM SERVER NAME]/docs
ProxyPass /ucmdb-browser http://[UCMDB CM SERVER NAME]/ucmdb-browser
ProxyPassReverse /ucmdb-browser http://[UCMDB CM SERVER NAME]/ucmdb-browser
```

#### </VirtualHost>

Now you can access the UCMDB server through revers proxy by going to https://[APACHE\_MACHINE\_FQD].

**Note:** You must have a valid certificate imported in Internet Explorer. A valid certificate is one that was signed by a CA of the Apache trusted CAs (it must be present in the **ssl.crt** file).

## How to Harden the Data Flow Probe Connector in UCMDB

- Access the UCMDB JMX console: In your Web browser, enter the following URL: http://<ucmdb machine name or IP address>:8080/jmx-console. You may have to log in with a user name and password.
- 2. Select the service: Ports Management Services.
- 3. Invoke the **PortsDetails** method, and note the port number for HTTPS. (Default: 8443) Ensure that the value in the **Is Enabled** column is **True**.
- 4. Return to Ports Management Services.
- 5. To map the Data Flow Probe connector to server authentication mode, invoke the **mapComponentToConnectors** method with the following parameters:
  - componentName: mam-collectors
  - isHTTPS: true
  - All other flags: false

The following message is displayed:

Operation succeeded. Component mam-collectors is now mapped to: HTTPS ports.

- 6. Return to Ports Management Services.
- 7. To map the Confidential Manager connector to server authentication mode, invoke the mapComponentToConnectors method with the following parameters:

HP Universal CMDB (10.21) Page 120 of 137

• **componentName**: cm

isHTTPS: true

All other flags: false

The following message is displayed:

Operation succeeded. Component cm is now mapped to: HTTPS ports.

## How to Encrypt the Probe Keystore and Truststore Passwords

The Probe keystore and truststore passwords are stored encrypted in **C:\HP\UCMDB\DataFlowProbe\conf\security\ssl.properties**. This procedure explains how to encrypt the password.

- 1. Start Data Flow Probe (or verify that it is already running).
- Access the Data Flow Probe JMX console: Launch a Web browser and enter the following address: http://<Data Flow Probe machine name or IP address>:1977. If you are running the Data Flow Probe locally, enter http://localhost:1977.

**Note:** You may have to log in with a user name and password.

- 3. Locate the **Type=MainProbe** service and click the link to open the Operations page.
- 4. Locate the **getEncryptedKeyPassword** operation.
- Enter your keystore or truststore password in the **Key Password** field and invoke the operation by clicking **getEncryptedKeyPassword**.
- 6. The result of the invocation is an encrypted password string, for example:

```
66,85,54,78,69,117,56,65,99,90,86,117,97,75,50,112,65,53,67,114,112,65,61,61
```

 Copy and paste the encrypted password into the line relevant to either the keystore or the truststore in the following file: C:\HP\UCMDB\DataFlowProbe\conf\security\ssl.properties.

## How to Enable Login to HP Universal CMDB with LW-SSO

- Access the JMX console by entering the following address into your Web browser: http://<server\_name>:8080/jmx-console, where <server\_name> is the name of the machine on which HP Universal CMDB is installed.
- 2. Under UCMDB-UI, click the name=LW-SSO Configuration to open the Operations page.
- 3. Set the init string using the **setInitString** method.
- 4. Set the domain name of the machine on which UCMDB is installed using the setDomain method.
- 5. Invoke the method **setEnabledForUI** with the parameter set to **True.**
- Optional. If you want to work using multi-domain functionality, select the addTrustedDomains method, enter the domain values and click Invoke.
- 7. Optional. If you want to work using a reverse proxy, select the updateReverseProxy method, set the Is reverse proxy enabled parameter to True, enter a URL for the Reverse proxy full server URL parameter, and click Invoke. If you want to access UCMDB both directly and using a reverse proxy, set the following additional configuration: select the setReverseProxyIPs method, enter the IP address for the Reverse proxy ip/s parameter and click Invoke.
- 8. Optional. If you want to access UCMDB using an external authentication point, select the setValidationPointHandlerEnable method, set the Is validation point handler enabled parameter to True, enter the URL for the authentication point in the Authentication point server parameter, and click Invoke.
- To view the LW-SSO configuration as it is saved in the settings mechanism, invoke the retrieveConfigurationFromSettings method.
- 10. To view the actual loaded LW-SSO configuration, invoke the **retrieveConfiguration** method.

**Note:** You cannot enable LW-SSO via the user interface.

### How to Test LDAP Connections

This section describes a method of testing the LDAP authentication configuration using the JMX console.

Launch your Web browser and enter the following address: http://<server\_name>:8080/jmx-console, where <server\_name> is the name of the machine on which HP Universal CMDB is installed.

You may need to log in with a user name and password.

- 2. Under UCMDB, click UCMDB:service=LDAP Services to open the Operations page.
- 3. Locate testLDAPConnection.
- 4. In the **Value** box for the parameter **customer id**, enter the customer ID.
- 5. Click Invoke.

The JMX MBEAN Operation Result page indicates whether the LDAP connection is successful. If the connection is successful, the page also shows the LDAP root groups.

## How to Enable and Define the LDAP Authentication Method

This task describes how to configure LDAP authentication settings using the JMX console.

#### Note:

- In a high availability environment, make sure you log in to the JMX console of the Writer server.
- You can also configure LDAP authentication settings in UCMDB. For details, see "How to Enable
  and Define the LDAP Authentication Method" in the HP Universal CMDB and Configuration
  Manager Hardening Guide.
- For an example of LDAP authentication settings, see "LDAP Authentication Settings Example" in the HP Universal CMDB and Configuration Manager Hardening Guide.

#### To configure LDAP authentication settings:

Launch your Web browser and enter the following address: http://<server\_name>:8080/jmx-console, where <server\_name> is the name of the machine on which HP Universal CMDB is installed.

You may need to log in with a user name and password.

- 2. Under UCMDB, click UCMDB:service=LDAP Services to open the Operations page.
- To view the current LDAP authentication settings, locate the getLDAPSettings method. Click Invoke. A table displays all the LDAP settings and their values.
- 4. To change the values of LDAP authentication settings, locate the configureLDAP method. Enter the values for the relevant settings and click Invoke. The JMX MBEAN Operation Result page indicates whether the LDAP authentication settings were updated successfully.

**Note:** If you do not enter a value for a setting, the setting retains its current value.

- 5. After configuring the LDAP settings, you can verify the LDAP user credentials:
  - a. Locate the verifyLDAPCredentials method.
  - b. Enter the customer ID, username, and password.
  - c. Click Invoke.

The JMX MBEAN Operation Result page indicates whether the user passes LDAP authentication.

6. **Important:** If you are configuring LDAP on a high availability environment, you must restart the cluster for the changes to take effect.

**Note:** Every LDAP user has a first name, last name, and email address saved in the local repository. If the value of any of these parameters that is stored on the LDAP server differs from the value in the local repository, the LDAP server values will overwrite the local values at each login.

# How to Configure the HP Universal CMDB Server with Confidential Manager

When working with HP Universal CMDB, you should configure the secret and crypto-properties of the encryption, using the following JMX methods:

1. On the HP Universal CMDB Server machine, launch the Web browser and enter the Server address, as follows: http://<UCMDB Server Host Name or IP>:8080/jmx-console.

You may have to log in with a user name and password.

- 2. Under UCMDB, click **UCMDB:service=Security Services** to open the Operations page.
- 3. To retrieve the current configuration, locate the **CMGetConfiguration** operation.

Click **Invoke** to display the Confidential Manager server configuration XML file.

4. To make changes to the configuration, copy the XML that you invoked in the previous step to a text editor.

Locate the **CMSetConfiguration** operation. Copy the updated configuration into the **Value** box and click **Invoke.** The new configuration is written to the UCMDB Server.

- To add users to Confidential Manager for authorization and replication, locate the CMAddUser
  operation. This process is also useful in the replication process. In replication, the server slave
  should communicate with the server master, using a privileged user.
  - **username**. The user name.
  - customer. The default is ALL\_CUSTOMERS.
  - **resource.** The resource name. The default is ROOT\_FOLDER.
  - permission. Choose between ALL\_PERMISSIONS, CREATE, READ, UPDATE, and DELETE. The default is ALL\_PERMISSIONS.

#### Click Invoke.

6. If necessary, restart HP Universal CMDB.

In most cases there is no need to restart the Server. You may need to restart the Server when changing one of the following resources:

- Storage type
- Database table name or column names
- The creator of the database connection

- The connection properties to the database (that is, URL, user, password, driver class name)
- Database type

#### Note:

- It is important that the UCMDB Server and its clients have the same transport cryptoproperties. If these properties are changed on the UCMDB Server, you must change them on all clients. (This is not relevant for the Data Flow Probe because it runs on the same process as the UCMDB Server—that is, there is no need for the Transport crypto-configuration.)
- Confidential Manager Replication is not configured by default, and can be configured if needed.
- If Confidential Manager Replication is enabled, and the Transportation initString or any other crypto-property of the master changes, all slaves must adopt the changes.

## How to Set the IIS server as the Front-End Server for UCMDB

1. Launch the Web browser and enter the following address:

http://<UCMDB server name>:<port>/jmx-console.

- 2. Click UCMDB-UI:name=UI Server frontend settings to open the JMX MBEAN View page.
- Click the setUseFrontendURLBySettings method and enter the address of the IIS server as the value (http://<IIS server name>:<port>).
- 4. Click Invoke.

**Note:** You cannot open the JMX Console from IIS. That is, basic authentication cannot be passed from Jetty.

## How to Enable Secure Login for the JMX Console

To enable secure login for the JMX console.

- Access the UCMDB JMX console: Launch a Web browser and enter the following address: http://<UCMDB machine name or IP address>:8080/jmx-console. You may have to log in with a user name and password.
- Locate UCMDB:service=Ports Management Services and click the link to open the Operations page.
- 3. Locate the mapComponentToConnectors operation.
- 4. To enable secure login for the JMX console, invoke the **mapComponentToConnectors** method with the following parameters:
  - componentName: jmx-console
  - isHTTPS: true
  - All other flags: false
- 5. Restart the server.
- Log in to the JMX console using https:// and port 8443 (default) or the one for https if it was changed.

For example, https://mymachine:8443.

**Note:** HP also recommends you setting a strong password for the **sysadmin** user and any other user that can access the JMX console.

## How to Mark Sensitive Settings and Enable Storing Encrypted Data in the Database Using JMX

UCMDB administrators can mark sensitive settings and enabling storing encrypted values for the sensitive settings in the database by using the following JMX methods added in the **UCMDB:service=Settings Services** category:

- **listSensitiveSettings** Returns the list of settings that are marked as sensitive.
- markSettingAsSensitive Marks a setting as sensitive. Usually sensitive settings contain

confidential data. If a setting is marked as sensitive, its data will be encrypted when stored in the database.

**Note:** A setting can be marked as sensitive only when its value has been changed. If a setting does not have a value or if the value is out of the box, then the setting cannot be marked as sensitive.

markSettingAsNonsensitive - Marks a setting as non-sensitive. Non-sensitive settings will have the
value stored in plain text in database. This method is also used to decrypt the sensitive settings you
encrypted using the markSettingAsSensitive method.

#### To mark a setting as sensitive,

- On the UCMDB server, launch the Web browser and enter the following address: http://localhost:8080/jmx-console.
- 2. Click **UCMDB:service=Settings Services** to open the JMX MBEAN View page.
- 3. Click the markSettingAsSensitive method.
- 4. Enter the name of the setting you would like to mark as sensitive.
- 5. Click Invoke.

#### To mark a setting as non-sensitive,

- 1. On the UCMDB server, launch the Web browser and enter the following address: <a href="http://localhost:8080/jmx-console.">http://localhost:8080/jmx-console.</a>
- 2. Click **UCMDB:service=Settings Services** to open the JMX MBEAN View page.
- 3. Click the markSettingAsNonsensitive method.
- 4. Enter the name of the setting you would like to mark as non-sensitive.
- 5. Click Invoke.

#### To view a list of sensitive settings,

1. On the UCMDB server, launch the Web browser and enter the following address:

#### http://localhost:8080/jmx-console.

- 2. Click **UCMDB:service=Settings Services** to open the JMX MBEAN View page.
- 3. Click the listSensitiveSettings method.
- 4. Click Invoke.

A list of settings that are marked as sensitive is returned.

**Note:** The following existing settings are already encrypted in the database and cannot be marked as sensitive:

- ha.cluster.authentication.keystore.password
- ha.cluster.authentication.shared.secret
- · ha.cluster.message.encryption.keystore.password
- ssl.server.keystore.password
- ssl.server.truststore.password

After upgrading to version 10.21, two new OOTB settings introduced in version 10.21 are marked as sensitive by default:

- java.naming.ldap.search.password
- jetty.connections.http.probe.basicAuthentication.defaultPassword

# How to Set Shared Key for Encrypting or Decrypting the InfrastructureSettings.xml File Using JMX

UCMDB administrators can set a shared key for encrypting or decrypting the **InfrastructureSettings.xml** file on the UCMDB Server side or the Data Flow Probe/Integration Service side by using the **setSharedKey** JMX method.

Once you have set a shared key on the server side, make sure you set the same shared key on the Data Flow Probe/Integration Service side as well. This ensures that the Data Flow Probe/Integration Service can properly decrypt the **InfrastructureSettings.xml** file.

#### To set a shared key on the UCMDB Server side,

- 1. On the UCMDB server, launch the Web browser and enter the following address: <a href="http://localhost:8080/jmx-console.">http://localhost:8080/jmx-console.</a>
- 2. Click **UCMDB:service=Discovery Manager** to open the JMX MBEAN View page.
- 3. Click the **setSharedKey** method.
- 4. Enter a new value in the **Value** field for the shared key.
- 5. Click Invoke.

#### To set a shared key on the Data Flow Probe/Integration Service side,

- Access the Data Flow Probe/Integration Service JMX console: Launch a Web browser and enter the following address: http://<Probe or integration service machine name or IP address>:1977. If you are running the Data Flow Probe/Integration Service locally, enter http://localhost:1977.
  - You may have to log in with a user name and password.
- Locate the Probe\_<Probe Name> type=MainProbe service and click the link to open the JMX MBEAN View page.
- 3. Click the **setSharedKey** method.
- 4. In the **Value** field, enter the same value you provided on the UCMDB Server side for the shared key.
- 5. Click Invoke.

**Note:** If the Data Flow Probe is running in separate mode, make sure you set the shared key on both probeManager and probeGateway.

## Chapter 8: Installation and Migration Methods

#### This chapter includes:

How to Integrate UCMDB with SiteMinder	. 131
How to Migrate DDMI Server Configuration Data to Universal Discovery	132

## How to Integrate UCMDB with SiteMinder

The following procedure enables integration of UCMDB with SiteMinder:

#### 1. Prerequisites:

- Ensure that CA SiteMinder is installed on your user environment.
- Ensure that Microsoft IIS Web Server is installed on the same machine as the CA SiteMinder Client Agent.
- 2. Set up IIS to enable access to UCMDB.
- 3. Enable AJP connections.

In the Administration module, select **Infrastructure Settings Manager > General Settings**, and set **Enable AJP Connections** to **True**.

#### 4. Configure UCMDB to enable LW-SSO:

- a. Enable logging in to UCMDB with LW-SSO. For details, see the *HP Universal CMDB and Configuration Manager Hardening Guide*.
- b. In the JMX console, go to UCMDB-UI:name=LW-SSO Configuration. Invoke the setUserName method and set the LW-SSO IDM user name settings as follows:
  - Is inbound handler enabled = True
  - LW-SSO IDM User Name = sm-user
- 5. Verify successful integration of UCMDB with SiteMinder.

Access http://ucmdb-server/ucmdb-ui using the user name and password in your user directory.

After SiteMinder validates the user credentials, you are forwarded directly to UCMDB with no need to enter your UCMDB user name and password.

# How to Migrate DDMI Server Configuration Data to Universal Discovery

The following task describes how to migrate DDMI server configuration data to Universal Discovery. Migration tools, including Perl scripts and a JMX console are provided which automatically export DDMI server data and automatically import the data to UCMDB. In most cases, server data from DDMI is migrated into newly-created activities in UCMDB. For more information about activities in UCMDB, see the *HP UCMDB Discovery and Integrations Content Guide*.

#### Note:

- Perform this task for each DDMI server that you want to migrate.
- DDMI Aggregator Server configuration data is not supported.
- Data Flow Probes that are members of probe clusters are not supported and should not be migrated.
- To ensure Agent-related information, such as software utilization and callhome configuration data, is migrated, select the **Deploy** option in the Agent Deployment Actions field on the Agent Profile page.

#### This task includes the following steps:

- 1. "Prerequisite" below
- 2. "Run the export script" on the next page
- 3. "Copy the archive file" on page 134
- 4. "Import the migration data" on page 134
- 5. "Results" on page 135
- 1. Prerequisite
  - Ensure that UCMDB is running.

**Note:** For information about installing UCMDB, see the interactive *HP Universal CMDB Deployment Guide*.

- Ensure that the DDMI server database is running.
- (Optional) Back up the UCMDB database. For more information, see the documentation for your database product
- If you want the discovery schedules that are contained in DDMI network profiles to migrate to Universal Discovery, ensure that the Force ARP Table to Be Read option is selected.
- (Optional) If you do not know the customer id parameter for the customer you are migrating, do the following:
  - i. In UCMDB, go to Data Flow Management > Data Flow Probe Setup.
  - In the **Domains and Probes** pane, select a Data Flow Probe and note the customer name at the top right of the window.
  - iii. Go to the JMX console > Customer & States > Show all Customers method and note the customer Id that maps to the customer name.
- (Optional) To validate that devices were migrated, run a Perl script on each DDMI Server that
  generates a device inventory report. The data in this report can be compared with data in
  UCMDB after migration, and it is useful for troubleshooting purposes. For more information, see
  How to Run the Device Inventory Report in the HP Universal CMDB DDMI to Universal Discovery
  Migration Guide
- 2. Run the export script
  - a. Locate the **DDMIMigration.pl** script on the UCMDB Server at the following location:
    - Windows: C:\hp\UCMDB\UCMDBServer\tools\migration
    - Linux: C:/opt/hp/UCMDB/UCMDBServer\tools\migration
  - b. Copy the script to any directory on each DDMI server that you want to migrate.
  - c. For each DDMI server, open a Command prompt and navigate to the directory where you copied the script. At the Command prompt, run the following command:

#### perl DDMIMigration.pl

You should see the following message:

"The migration data is successfully saved to DDMIMigrationData.zip".

#### Note:

- By default, the data is archived in a file called DDMIMigrationData.zip.
- Maximum amount of device groups that can be imported is 20. If device groups exceed 20, remove some groups and run the script again. Then, create the remaining management zones in Universal Discovery manually.
- 3. Copy the archive file

Copy the archive file that was created in step 2 to the following location on the UCMDB Server:

- Windows: C:\hp\UCMDB\UCMDBServer\conf\discovery\customer\_<customer id>
- Linux: C:/opt/hp/UCMDB/UCMDBServer\conf\discovery\customer\_<customer id>

where **customer** id is the value for the **customer** id parameter.

**Note:** Usually, this value is **1** by default.

- 4. Import the migration data
  - a. Open the JMX Console and go to Discovery Manager > ImportMigrationDatafromDDMI.
  - b. In the importMigrationDataFromDDMI method, the following parameters are displayed:
    - **customerId.** The customer ID that you want to migrate.
    - isCreateActivity.
      - True. Creates new activities in Management Zones. These activities contain the migrated data.
      - **False.** No activities are created. However, Management Zones are created.
    - Primary|Secondary Call Home Address. The primary and the secondary call home

IP addresses for the Data Flow Probe.

#### For example:

#### <UD\_CallHomeIPAddressPrimary> , <UD\_CallHomeIPAddressSecondary>

#### Note:

- If this field is left blank, the IP address of the Data Flow Probe is used.
- In some cases, data that is entered in these fields may not appear in the UCMDB Infrastructure activity. In these cases, reenter the data in the activity.
- The DDMI call home IP addresses are pre-populated, so it is not necessary to enter this information.
- probeName. The name of the Data Flow Probe to which to map the data.
- configurationzipPackageName. The name of the archive file that was created in step 2.
- overrideGlobalConfig.
  - True. The XML Enricher global configuration file in UCMDB is overwritten by the DDMI configuration file.
  - **False.** The XML Enricher global configuration file in UCMDB is not overwritten and the DDMI configuration file is ignored.

#### stopWhenConflict.

Specifies how to handle IP address range conflicts.

- True. If overlapping IP address ranges exist in DDMI and UCMDB, no IP address ranges are imported to UCMDB.
- False. If the same IP address range exists in UCMDB, only IP address ranges that are not in conflict are imported. Ranges that are in conflict are ignored. Additionally, Management Zones that contained the conflicted ranges are not imported.

#### 5. Results

Success messages and warning messages are displayed.

- In addition to the data that is contained in the archive file that was created in step 2, the following information is imported into UCMDB:
  - **Deployment credentials.** Credentials are imported and keys are regenerated automatically.
  - SNMP configuration profile.
  - Device groups.
  - System configuration.
  - VMWare configuration.
  - XML Enricher configuration file.
  - Certificates
    - acstrust.cert
    - agentca.pem
    - · acskeystore.bin
  - IP address ranges.
- Additionally, the following resources are imported:
  - Pre-scan and post-scan scripts
  - Scanner configuration files (.cxz)
  - User SAI files

## Send Documentation Feedback

If you have comments about this document, you can contact the documentation team by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

#### Feedback on JMX Reference Guide (Universal CMDB 10.21)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to cms-doc@hp.com.

We appreciate your feedback!

HP Universal CMDB (10.21)