
HP UCA Automation



Version 1.2

Release Notes

For Linux (RHEL 6.4) Operating System

Edition: 1.0

April 2015

© Copyright 2015 Hewlett-Packard Development Company, L.P.

Legal Notices

Warranty

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

License Requirement and U.S. Government Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 2014 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe®, Acrobat® and PostScript® are trademarks of Adobe Systems Incorporated.

HP-UX Release 10.20 and later and HP-UX Release 11.00 and later (in both 32 and 64-bit configurations) on all HP 9000 computers are Open Group UNIX 95 branded products.

Java™ is a trademark of Oracle and/or its affiliates.

Microsoft®, Internet Explorer, Windows®, Windows Server®, and Windows NT® are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Firefox® is a registered trademark of the Mozilla Foundation.

Google Chrome® is a trademark of Google Inc.

Oracle® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

EnterpriseDB® is a registered trademark of EnterpriseDB.

Postgres Plus® Advanced Server is a registered U.S. trademark of EnterpriseDB.

UNIX® is a registered trademark of The Open Group.

X/Open® is a registered trademark, and the X device is a trademark of X/Open Company Ltd. in the UK and other countries.

Red Hat® is a registered trademark of the Red Hat Company.

Linux® is a registered trademark of Linus Torvalds in the U.S. and other countries.

Neo4j is a trademark of Neo Technology.

Contents

Legal Notices	2
Contents	3
Tables	4
Preface	5
Intended audience	5
Software versions	5
Conventions	5
Typographical conventions.....	6
Associated documents.....	6
Support	6
Chapter 1	7
Release information	7
1.1 Features.....	7
1.1.1 New features	7
1.1.2 Features included from previous release	7
1.2 Supported hardware and operating systems.....	8
1.2.1 Supported hardware	8
1.2.2 Supported server platforms.....	8
1.2.3 Supported software	8
1.2.4 Web client	9
Chapter 2	10
Known limitations and problems	10

Tables

Table 1 Software versions	5
Table 2 Known problems	10

Preface

These Release Notes describe critical information related to the HP UCA Automation product.

Product Name: UCA Automation

Product Version: 1.2

Read this document before installing or using this software.

Intended audience

This document is intended for the solution developers and software development engineers.

Software versions

The term UNIX is used as a generic reference to the operating system, unless otherwise specified.

The software versions referred to in this document are as follows.

Product version	Supported operating systems
UCA Automation 1.2	Linux Red Hat Enterprise Linux Server release 6.4

Table 1 Software versions

Conventions

Release	A Release is a software version that has been released. The release will then evolve with the addition of Patches.
Patch	A Patch is a software package solving one or more specific problems.
Update	An Update is a set of consistent packages bringing the software to an improved and validated quality level. It consolidates fixes brought by patches, and fixes to less critical problems or enhancements requested by customers. It is documented in the Release Notes. Updates are cumulative.
Discontinued	A list of products that are no longer shipped, but are still supported.
Obsolete	Features or products no longer shipped and no longer supported.

Typographical conventions

Courier Text	It is used for filenames and their contents, computer inputs or outputs, program codes, and so on.
<i>Italicized text</i>	It is used for labels, parameters, emphasized text, and replaceable text.
bold text	It is used to indicate navigation options in the interfaces; for example, the text appearing in buttons and menu items.
<angle brackets>	Indicates generic variable names that must be substituted by real values or strings.

Associated documents

- UCA Automation Administration and User Interface Guide
- UCA Automation Installation Guide
- UCA Automation Integrator's Guide

Support

Visit the HP Software Support Online web site at www.hp.com/go/hpsoftwaresupport for contact information and details about HP Software products, services, and support.

The software support area of the software Web site includes the following:

- Downloadable documentation.
- Troubleshooting information.
- Patches and updates.
- Problem reporting.
- Training information.
- Support program information.

Release information

This section provides an up-to-date detailed description of what is new, has changed, or has become obsolete on HP UCA Automation 1.2, compared with the previous release.

It also includes compatibility and developer information. The information is presented in a cumulative manner and therefore includes information provided in previous editions of these Release Notes.

1.1 Features

1.1.1 New features

New features brought by this release compared with previous releases.

- Installation

UCA Automation can be installed as non-root user (Linux only)

- Audit all Automation actions

All Automation actions that are executed will be displayed in the Automation console and persisted in the configured database.

- Execution mode for Automation actions

Specify the execution mode (Synchronous and Asynchronous) for Alarm and Trouble ticket actions in the Graphical Orchestrator

- Improved Automation Actions Framework

A Configurable Automation action framework is made available to Integrators.

1.1.2 Features included from previous release

- Network and Service care—Resource and service trouble management

UCA Automation system provides both automatic and manual resource and service trouble management. The primary task which the administrator of the system is expected to perform is to identify all the problems in a specific domain and the corresponding automations associated with them. For building more complex resolutions in which the problem could span through different technologies and layers of network, he needs to design a decision tree based on his needs.

For more details, refer to the *HP UCA Automation Administrator and User Interface Guide*.

- Decide, Act and Evaluate

In UCA Automation System, the process of problem resolution happens in the way depicted by the following diagram. The administrator or integrator of the system

has the option to easily configure the decision tree without the need for any kind of programming. The **decide-and-act** subsystems work based on this configuration. In case the administrator needs to make advanced decisions based on the results of the previous tests, the platform allows him to write his own rules in the **evaluate** block.

- Open/closed loop automation

The operator has the ability to choose certain resolutions to be fully automatic and certain resolutions to be manual depending on the need. In case of open loop or semi-manual tests, the operator has the ability to view and modify the resolution parameters. In addition, the operator also has the ability to approve or dis-approve a resolution action.

- Integrated login of Automation Console with UCA-EBC

The Automation console is launched from within the UCA-EBC UCA Foundation value pack.

- Graphical Orchestrator

This eclipse based plug-in enables the operator to create a decision tree to orchestrate the diagnostic process.

- Decision Tree Viewer

The user can view the decision Tree by launching the Graph Visualization Tool from within the Automation Console.

1.2 Supported hardware and operating systems

1.2.1 Supported hardware

The following are the minimum hardware required to install and deploy UCA Automation software.

- X86-64 based system
- RAM size—At least 4 GB
- Database—Oracle 11g or a PPAS DB. Requires at least 4 GB memory for product data.

1.2.2 Supported server platforms

The following are the supported server platforms for UCA Automation software.

- Red Hat Enterprise Linux 6.4
 - UCA-EBC 3.1 Server Patch 5
 - HPSA V6.2-1A
 - NOM 7.0

1.2.3 Supported software

- HP UCA-EBC
 - UCA for Event Based Correlation Server Version V3.1
 - Java JRE/JDK 6 - 1.6.0.08 or later
 - Red Hat Enterprise Linux Server release 6.4

- HP Service Activator
 - HP Service Activator version 6.2 - V6.2-1A
 - Red Hat Enterprise Linux 6.4 for x86-64 and all available patches
 - The ksh shell and X11
 - Java SE update 37 JDK or later (version 6, but not version 7).
 - Oracle 11g or Postgres Plus Advanced Server 9.2. The database may be installed on the same server or may be accessed remotely (but it must be located in the same subnetwork). You may also use an existing database that is already used by another application. In that case, you need to create a new database user (if Oracle is used) or a new database instance (if Postgres Plus Advanced Server is used) for exclusive use by Service Activator and UCA Automation.
- NOM
 - RedHat Enterprise Linux Server release 6.4
 - TeMIP Channel Adapter: if your solution involves TeMIP
 - NOM Basic SMX Components
 - OSS Open Mediation V7.0
 - UCA for Event Based Correlation Channel Adapter V3.1

1.2.4 Web client

- Mozilla Firefox 32
- Microsoft Internet Explorer 9.0

Known limitations and problems

This section provides an up-to-date status of the known limitations and problems for UCA Automation 1.1. This status corresponds to the Release or to the latest patch level, if any.

It includes known problems already documented in previous versions, if they are still known problems in this new version of the product. If this new version fixes a problem known in a previous version, this problem is removed from the list of known problems.

CR ID	Component	Release note information
12227	UCA Automation	<p>After receiving a Clear Alarm, the corresponding Diagnostic Action is not stopped.</p> <p>Workaround None.</p>
12206	Orchestrator	<p>An option to delete a decision tree for a specific service is not available.</p> <p>Workaround Delete the specific branch using the command line utility.</p>
12334	UCA Automation	<p>When you start UCA_Automation_Foundation_UCA value pack, the UCAAutomation tab that displays the Automation console does not appear.</p> <p>Workaround</p> <ol style="list-style-type: none"> 1. Reload the UCA-EBC console. 2. Click the UCA_Automation_Foundation_UCA link on the left navigation pane.

Table 2 Known problems