



Hewlett Packard
Enterprise

HPE Network Node Manager i Software

Software Version: NNMi 10.20

HPE Network Node Manager i—HPE Operations Orchestration Integration Guide

Document Release Date: July 2016
Software Release Date: July 2016

Legal Notices

Warranty

The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HPE shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HPE required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2016 Hewlett Packard Enterprise Development LP

Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

Apple is a trademark of Apple Computer, Inc., registered in the U.S. and other countries.

AMD is a trademark of Advanced Micro Devices, Inc.

Google™ is a registered trademark of Google Inc.

Intel®, Intel® Itanium®, Intel® Xeon®, and Itanium® are trademarks of Intel Corporation in the U.S. and other countries.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Internet Explorer, Lync, Microsoft, Windows, and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Red Hat® Enterprise Linux Certified is a registered trademark of Red Hat, Inc. in the United States and other countries.

sFlow is a registered trademark of InMon Corp.

UNIX® is a registered trademark of The Open Group.

This product includes software developed by the Apache Software Foundation.(<http://www.apache.org>).

This product includes software developed by the Visigoth Software Society (<http://www.visigoths.org/>).

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to:
<https://softwaresupport.hpe.com/group/softwaresupport/search-result?keyword=>.

This site requires an HP Passport account. If you do not have one, click the **Create an account** button on the HP Passport Sign in page.

Support

Visit the HPE Software Support web site at: <https://softwaresupport.hpe.com>

This web site provides contact information and details about the products, services, and support that HPE Software offers.

HPE Software Support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HPE support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to <https://softwaresupport.hpe.com> and click **Register**.

To find more information about access levels, go to:

<https://softwaresupport.hpe.com/web/softwaresupport/access-levels>

Contents

HPE Operations Orchestration	5
HPE NNMi–HPE OO Integration	5
Provided HPE OO Operations	5
Using the HPE NNMi–HPE OO Integration	6
NNM iSPI NET Diagnostics	6
Provided HPE OO Flow Definitions	6
Installing and Using the NNM iSPI NET Diagnostics	7
Comparison of HPE OO Integrations	7
Send Documentation Feedback	10

HPE Operations Orchestration

HPE Operations Orchestration (HPE OO) automates incident resolution, change orchestration, and routine maintenance tasks in your data center. HPE OO is beneficial for the following tasks:

- Automating incident resolution to increase service availability.
- Implementing best practices for change management and provisioning.
- Automating simple tasks, such as file archiving, and complex tasks, such as disaster recovery planning, consistently and without errors.
- Managing a virtual infrastructure, including self-service provisioning and day-to-day maintenance, consistent with a physical infrastructure.

For information about purchasing HPE OO, contact your HPE sales representative.

This chapter contains the following topics:

- ["HPE NNMi–HPE OO Integration"](#)
- ["NNM iSPI NET Diagnostics"](#)
- ["Comparison of HPE OO Integrations"](#)

HPE NNMi–HPE OO Integration

The HPE NNMi–HPE OO integration provides a way to run HPE OO flows from the NNMi console. Depending on configuration, flows can be run as lifecycle transition actions or from the **Actions** menu.

If you are running licensed versions of HPE NNMi and HPE OO, no further licenses are needed to use this integration.

You can run the HPE NNMi–HPE OO integration concurrently with NNM iSPI NET diagnostics.

Provided HPE OO Operations

The HPE NNMi–HPE OO integration provides the following HPE OO operations for interacting with HPE NNMi-managed devices:

- Operations on incidents:
 - The Add Incident operation adds a new incident.
 - The Delete Incident operation deletes an incident from HPE NNMi.
 - The Enumerate Incidents by Lifecycle operation retrieves all incidents in the specified lifecycle.
 - The Enumerate Incidents by Severity operation retrieves all non-closed incidents of the specified severity.
 - The Get Incident operation retrieves detailed information about an incident.

- The Update Lifecycle Status operation changes the status of an incident.
- The Update Priority operation updates the priority of an incident.
- Operations on nodes:
 - The Delete Node operation deletes a node from HPE NNMi.
 - The Get Node by Name operation retrieves the node or nodes with the specified name, and returns details about them.
 - The Get Node by UUID operation retrieves the node with the specified UUID and returns detailed information about it.
 - The Get Node Conclusions operation retrieves a summary of what HPE NNMi has concluded about the date of the specified node.
 - The Update Node Management Mode operation changes the management mode of a node. You can use this operation for tasks such as disabling monitoring.

Using the HPE NNMi-HPE OO Integration

For information about enabling, using, disabling, and troubleshooting the HPE NNMi–HPE OO integration, see the HPE Operations Orchestration Software HPE Network Node Manager i Integration guide available at <http://softwaresupport.hpe.com>.

NNM iSPI NET Diagnostics

NNM iSPI NET diagnostics are part of the NNM iSPI Network Engineering Toolset Software (NNM iSPI NET), which must be purchased separately from HPE NNMi. With NNM iSPI NET diagnostics, the HPE-provided diagnostic flows automatically gather diagnostic information when HPE NNMi detects certain network incidents.

The NNM iSPI NET diagnostics server is an embedded packaging of HPE OO. If you already have the full HPE OO product, you can install the NNM iSPI NET diagnostic flows on that server.

If you have the full HPE OO product, you can also import HPE OO flow definitions into HPE NNMi and then assign these flows to run when HPE NNMi detects certain network incidents.

Provided HPE OO Flow Definitions

After installation, NNM iSPI NET provides the following diagnostics:

- Cisco Router Diagnostics:
 - The Cisco Router Baseline Information uses a series of show commands to determine the current configuration of a Cisco router.
 - The Cisco Show IP Route flow obtains routing information using the show ip route command.
 - The Cisco Route To Node Diagnostic flow determines failures of either ping or traceroute to a target node. Uses the router to perform a ping and a traceroute to a target node.

- The Cisco Interface Diagnostic flow performs a number of diagnostic checks on a specified interface on the Cisco router.
- Cisco Switch Diagnostics:
 - The Cisco Switch Baseline Information flow uses a series of show commands to determine the current configuration of a Cisco switch.
 - The Cisco Switch Spanning Tree Baseline flow gathers spanning tree protocol and port information from the Cisco switch.
- Nortel Switch Diagnostics:
 - The Nortel Port Diagnostic flow determines statistics, including rate-limit and usage for a specified port on a Nortel switch.
 - The Nortel Route to Node Diagnostic flow determines failures of either ping or traceroute to a target node.
 - The Nortel Switch Baseline flow determines the configuration of a Nortel switch.
 - The Nortel Switch Spanning Tree Baseline flow gathers spanning tree protocol and port information from the Nortel switch.

For more information about the available diagnostics, see *Diagnostics (Flows) Provided by NNM iSPI NET* in the NNMi help.

Installing and Using the NNM iSPI NET Diagnostics

For information about installing the NNM iSPI NET diagnostics server or installing the NNM iSPI NET diagnostics flows on an existing HPE OO server, see the *HPE NNM iSPI NET Planning and Installation Guide*.

For information about using the NNM iSPI NET diagnostics flows and other NNM iSPI NET, see the *HPE NNM iSPI NET Planning and Installation Guide*.

Comparison of HPE OO Integrations

The primary differences between the HPE NNMi–HPE OO integration and NNM iSPI NET diagnostics are as follows:

- Determining the flows to run:
 - With NNM iSPI NET diagnostics, you can configure a flow to run for a variety of devices and let HPE NNMi figure out the flows to run based on the device category and vendor information in HPE NNMi.
 - With the HPE NNMi–HPE OO integration, the HPE OO flow must determine what operations to run. For example, for an SNMPColdStart trap, HPE NNMi would pass device category, vendor, and so forth to the HPE OO flow, which would then decide the operations to run.
- Flow Extensibility:

- The HPE NNMi–HPE OO integration delivers flows for accessing the NNMi SDK.
- The HPE NNMi–HPE OO integration delivers generic ways to launch and view arbitrary HPE OO flows from menu items using the specified URLs or by using NNMi event actions.
- If you purchase NNM iSPI NET, you can only use the flows from NNM iSPI NET.
- If you purchase both HPE OO and NNM iSPI NET, you can import flows from HPE OO into HPE NNMi.
- Managing flow run rate:
 - NNM iSPI NET diagnostics manages the running of flows to avoid overloading HPE OO.
 - With the HPE NNMi–HPE OO integration, HPE NNMi attempts to run as many flows as there are incidents configured to run lifecycle transition actions.

CAUTION: Be cautious when using URL-based launching of HPE OO actions that operate against network switches and routers. If HPE OO actions repeatedly attempt to log on to devices using telnet or ssh (during a short time period), the devices might interpret these actions as a denial of service attack. These devices might prohibit the HPE OO server from establishing additional sessions. The potential results explained in this caution depend on device configurations and the launch rate of URL based HPE OO actions.

- Maintaining device logon information:
 - NNM iSPI NET diagnostics stores device user names and passwords separately from the configuration of when to run flows. Credentials can be configured for specific devices, groups of devices, and as default values, similar to the way that HPE NNMi stores the SNMP configuration. Each time a flow is run, NNM iSPI NET diagnostics retrieves the correct logon credentials for the device and passes them to HPE OO.
 - With the HPE NNMi–HPE OO integration, the configured action must include the device user name and passwords in the launch URL. Thus, each action is limited to a group of devices with identical logon credentials.
- Viewing flow run history:
 - NNM iSPI NET diagnostics stores flow run history with an incident. An NNMi user can access the historical flow run results from the NNMi console.
 - With the HPE NNMi–HPE OO integration, launch actions initiate a flow but do not provide access to previously run flows. An NNMi user must log on to HPE OO Central to view flow run history.
- Setting flow baselines:
 - With NNM iSPI NET diagnostics, you can establish a baseline configuration for comparing to future flows.
 - With the HPE NNMi–HPE OO integration, you can manually run baseline flows and archive the flow results for future comparisons.
- Using certificates for SSL connections:

- The NNM iSPI NET integration requires the use of SSL between HPE OO and HPE NNMi.
- If you plan to use the full HPE OO product, and not just the NNM iSPI NET integration, you must export a certificate from the HPE OO keystore to a well known file before running the iSPI-NET Diagnostics Server installer. See the HPE NNM iSPI NET Planning and Installation Guide for more information.
- The NNM iSPI NET diagnostics installation process handles configuration of certificates for SSL communication between the NNMi management server and the HPE OO server.

Send Documentation Feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on HPE Network Node Manager i—HPE Operations Orchestration Integration Guide (Network Node Manager i Software NNMi 10.20)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to network-management-doc-feedback@hpe.com.

We appreciate your feedback!