



Connect-It

Software Version: 9.80

For the Windows® and Linux® operating systems

TCM Integration

Document Release Date: January 2018

Software Release Date: January 2018



Legal Notices

Warranty

The only warranties for products and services of Micro Focus and its affiliates and licensors ("Micro Focus") are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Except as specifically indicated otherwise, a valid license from Micro Focus is required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© 1994 - 2018 Micro Focus or one of its affiliates.

Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

This product includes an interface of the 'zlib' general purpose compression library, which is Copyright © 1995-2002 Jean-loup Gailly and Mark Adler.

Disclaimer

Certain versions of software and/or documents ("Material") accessible here may contain branding from Hewlett-Packard Company (now HP Inc.) and Hewlett Packard Enterprise Company. As of September 1, 2017, the Material is now offered by Micro Focus, a separately owned and operated company. Any reference to the HP and Hewlett Packard Enterprise/HPE marks is historical in nature, and the HP and Hewlett Packard Enterprise/HPE marks are the property of their respective owners.

Documentation Updates

To check for recent updates or to verify that you are using the most recent edition of a document, go to: <https://softwaresupport.softwaregrp.com>.

This site requires that you register for a Software Passport and to sign in. To register for a Software Passport ID, click **Register for Software Passport** on the Micro Focus Support website at <https://softwaresupport.softwaregrp.com>.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your Micro Focus sales representative for details.

Support

Visit the Micro Focus Support site at: <https://softwaresupport.softwaregrp.com>.

This website provides contact information and details about the products, services, and support that Micro Focus offers.

Micro Focus online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support website to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as a Software Passport user and to sign in. Many also require a support contract. To register for a Software Passport ID, click **Register for Software Passport** on the Micro Focus Support website at <https://softwaresupport.softwaregrp.com>.

To find more information about access levels, go to: <https://softwaresupport.softwaregrp.com/web/softwaresupport/access-levels>.

Integration Catalog accesses the Micro Focus Integration Catalog website. This site enables you to explore Micro Focus Product Solutions to meet your business needs, includes a full list of Integrations between Micro Focus Products, as well as a listing of ITIL Processes. The URL for this website is <https://softwaresupport.softwaregrp.com/km/KM01702731>.

Contents

Chapter 1: Overview	4
Scope and intended audience	4
Required versions	4
Chapter 2: Preparing the integration	5
Modifying the Computers table (amComputer)	5
Creating additional fields	5
Creating additional links	6
Creating an additional page	7
Modifying the detail screens	8
Creating a wizard	9
Modifying user rights	11
Creating the parent model for the TCM Packages models	12
Chapter 3: Integration test	13
Scenario configuration	13
Distribution scenario (di_tcmac.scn)	14
Inventory scenario (tcmac.scn)	14
Software import scenario (sp_tcmac.scn)	15
Update scenario (up_tcmac.scn)	15
Chapter 4: Executing a scenario	17
Inventory scenario (tcmac.scn)	17
Software import scenario (sp_tcmac.scn)	18
Distribution scenario (di_tcmac.scn)	18
Update scenario (up_tcmac.scn)	19
Send documentation feedback	21

Chapter 1: Overview

This guide covers the main points of integration between Tivoli Configuration Manager and Asset Manager. For a more detailed or specific description of the integration, scenario, or customization, refer to the Tivoli Configuration Manager and/or Asset Manager User's Guides.

This chapter includes:

Scope and intended audience	4
Required versions	4

Scope and intended audience

This guide and all the associated documents were originally written for internal use at Micro Focus, in particular for the Research and Development Marketing departments to improve production extension and integration.

For this reason, it does not fulfill the requirements of a proper user's guide and is provided with Connect-It for technical support for the integration process.

Required versions

This integration project is compatible with the following software versions:

Software	Version
Tivoli Configuration Manager	4.2
Asset Manager	4.1 or higher
Connect-It	3.2.1 or higher

Make sure this software is correctly installed and configured on your system before going any further.

Chapter 2: Preparing the integration

This chapter details the preliminary steps to accomplish before testing integration of both products.

Caution: Before making any modification to your Asset Manager database, we highly recommend making a full backup.

This chapter includes:

Modifying the Computers table (amComputer)	5
Creating a wizard	9
Modifying user rights	11
Creating the parent model for the TCM Packages models	12

Modifying the Computers table (amComputer)

In this step, we are going to modify the structure of the **amComputer** to add, in particular, the fields required by the integration process. To do this, execute Asset Manager Database Administrator and select **amComputer** from the list of tables.

Creating additional fields

We are going to create two extra fields in the **amComputer** table:

1. **DistributionID**
2. **seTCMCurrentState**

To create the **DistributionID** field:

1. Select the **Display/ Fields** menu,
2. Click **New**,

3. Populated the fields in the window that is displayed with the information contained in the following table:

Field	Value
SQL name	DistributionId
Label	DistributionId
Description	Tivoli Distribution ID
Type	Text

4. Set the **Size** field in the **General** tab to **32**.

To create the **seTCMCurrentState** field:

1. Select the **Display/ Fields** menu,
2. Click **New**,
3. Populated the fields in the window that is displayed with the information contained in the following table:

Field	Value
SQL name	seTCMCurrentState
Label	TCM Current State
Description	TCM Current State
Type	System itemized list

4. Set the **Format** field in the **General** tab to the following value:

```
No Distribution|0|Distribution request performed in AssetCenter|1|Distribution
request sent to TCM|2|Distribution pending|3|Distribution
successful|4|Distribution failed|5
```

Creating additional links

To create the **TCMErrMsg** link:

1. Select the Computers table (**amComputer**) from the list of tables,
2. Select the **Display/ Links** menu,
3. Click **New**,
4. Populated the fields in the window that is displayed with the information contained in the following table:

Field	Value
Link type	Own1
Source	
Table	amComputer
SQL name	TCMErrMsg
Label	TCM Error Message
Description	TCM Error Message
Destination	
Table	amComment
SQL name	TCMComment
Label	TCMComment
Description	TCMComment

Creating an additional page

To create the **PgDistribution** page:

1. Select the Computers table (**amComputer**) from the list of tables,
2. Select the **Display/ Pages** menu,
3. Click **New**,
4. Populate the fields in the **General** tab with the information contained in the following table:

Field	Value
SQL name	PgDistribution
Label	Distribution
Description	Distribution
Domain	Portfolio


5. Click **Create**,
6. Select the **Content** tab and add the fields and links created previously in the following order: **DistributionId**, **seTCMCurrentState** and finally **TCMErrMsg**,
7. Select the **Display/ Screens** menu,
8. Select the **sysamComputer** screen
9. Click the **Pages** tab and add the new page to the detail pages (▶ button) .
10. Click **Modify**.

Modifying the detail screens

We are going to modify two new detail screens for the **amComputer** table:


1. The screen with SQL name **sysamComputer**
2. The screen with SQL name **sysamComputerDa**

To do this:

1. Select the Computers table (**amComputer**) from the list of tables,
2. Select the **Display/ Details** menu. This list includes the two screen mentioned previously,
3. Select the screen with SQL name **sysamComputer**, then perform the following operations:
 - Click the **Buttons** tab,
 - Click  and edit each item of information concerning the new button using the information contained in the following table:

Field	Value
-------	-------

Name	TCMDist
Text	&TCM Dist.
Description	Tivoli Distribution
Associated action	A:TCM_Package_Distribution
Relevance	(Script) RetVal = ([seTCMCurrentState] = 0 OR [seTCMCurrentState] > 3)

- Click the **Pages** tab and add the **PgDistribution** page created earlier.
 - Confirm your modifications.
4. Select the screen with SQL name **sysamComputerDa**, then perform the following operations:
- Click the **Buttons** tab,
 - Click  and edit each item of information concerning the new button using the information contained in the following table:

Field	Value
Name	TCMDistDA
Text	&TCM Dist.
Description	Tivoli Distribution
Associated action	A:TCM_Package_Distribution
Relevance	(Script) RetVal = ([seTCMCurrentState] = 0 OR [seTCMCurrentState] > 3)


- Click the **Pages** tab and add the **PgDistribution** page created earlier.
- Confirm your modifications.

Creating a wizard

For this step, we are going to connect to the Asset Manager database as the connector. We will now create a new wizard for integration:

1. Select the **Tools/ Actions/ Edit** menu,
2. Click **New**,
3. Select **Wizard** as the **Type** of the new action and enter the information given in the following table:

Field	Value
Name	Package Distribution
Context	amComputer
Type	Wizard
SQL name	TCM_Package_Distribution
Domain	/Portfolio/
Nature	TCM
Author	Admin

4. Select the **Wizard** tab, then click the  icon and replace the lines of text with the following program:

```
{ GLOBAL =
  Dim strMsgInProgress As String
}
NAME = "tcmpackdist"
TITLE = "TCM Package distribution"
TRANSITION = ""
VERSION = "3264"
{ START START
  { DO =
    strMsgInProgress="TCM delivery already in progress,Please try later"
  }
  TO = "PAGE1"
}
{ PAGE PAGE1
  TITLE = RetVal="TCM Package distribution on " & [Name]
  { LABEL ERRMSG
    CAPTION = RetVal="<b><center>" & strMsgInProgress & "</center></b>"
    VISIBLE = RetVal=( [seTCMCurrentState] > 0 AND [seTCMCurrentState] < 6)
  }
  { DBLISTBOX dbTCMInstall
    COLNAME = "Name"
    FILTER = "Parent.Barcode='TCMPACKAGE'"
    LABEL = "TCM Packages list"
    MANDATORY = 1
    READONLY = RetVal=( [seTCMCurrentState] > 0 AND [seTCMCurrentState] < 4)
```

```

TABLE = "amModel"
TREE = 0
VALUE = "-1"
}
}
{ FINISH FINISH
{ DO =
  if [seTCMCurrentState] = 0 OR ([seTCMCurrentState] >= 4)Then
    Dim strModelName As String, lErr As Long
    Dim hr As Long
    hr=amGetRecordFromMainId("amComputer", [lComputerId])
    lErr=amSetFieldLongValue(hr, "seTCMCurrentState", 1)
    lErr=amSetFieldStrValue(hr, "DistributionId", "")
    lErr=amSetFieldStrValue(hr, "TCMErrMsg.memComment", " ")
    lErr=amUpdateRecord(hr)
    lErr = AmReleaseHandle(hr)

    hr = AmCreateRecord("amOutputEvent")

    strModelName = amDbGetString("SELECT Name FROM amModel WHERE lModelId=" &
{PAGE1.dbTCMInstall})
    lErr = AmSetFieldStrValue(hr, "Category", "TCM" )
    lErr = AmSetFieldStrValue(hr, "memMessage", CHR(34) & "@" & strModelName &
CHR(34) & " @" & [Name])
    lErr = AmInsertRecord(hr)
    if lErr = 0 Then
      amlog("Order to deploy " & strModelName & " on " & [Name] & " sent.")
    else
      amlog("Problem during event creation. Deployment not submitted")
    end if
    lErr = AmReleaseHandle(hr)
    lErr = amProgress(100)
  else
    amlog(strMsgInProgress)
    amLog("Distribution Id being installed: " & [DistributionId] & " Current
state: " & [seTCMCurrentState])
  end if
}
SUMMARY = 1
}

```

Modifying user rights

We are now going to modify the user rights on the **amComputer** table to take into account the new fields and links just created. To do this:

1. Select the **Administration/ User rights** menu,
2. For each user right associated with a login connecting to the database in the context of the integration, you must specify the user rights for the fields and links created previously (**DistributionId**, **seTCMCurrentState** and **TCMErrMsg**). We recommend granting full rights (read, insert, and update) for these fields.

Creating the parent model for the TCM Packages models

Perform the following steps:

1. Select the **Portfolio/ Models** menu,
2. Create a new model with the information contained in the following table:

Field	Value
Name	TCM Packages
Brand	IBM
Barcode	TCMPACKAGE
Nature	Software installation (optional)
Sub-model of	Software installation (optional)

Note: Connect-It will store the TCM packages on this model.

The database is now ready for integration.

Chapter 3: Integration test

The following scenarios are provided with Connect-It for the integration of Asset Manager with Tivoli Configuration Manager:

- A standard inventory scenario, **tcmac.scn**, available in one of the following directories:
 - **scenario\tivoli\tcm\tcm42ac41**, for integration with Asset Manager 4.1.x or 4.2.x.
 - **scenario\tivoli\tcm\tcm42ac43**, for integration with Asset Manager 4.3.x.
- software distribution scenarios for integration with Asset Manager 4.3.x, located in the **scenario\tivoli\tcm_sd\tcmsd42ac43** directory

The following is a brief description of the different scenarios:

- **tcmac.scn**: This scenario imports inventory and software installation data.
- **di_tcmsdac.scn**: When a software installation request is made in Asset Manager, an event is saved in the Output Events table in Asset Manager. This scenario reads these events and executes the TCM software installation command.
- **sp_tcmsdac.scn**: This scenario imports the software packages defined in Tivoli Configuration Manager.
- **up_tcmsdac.scn**: This scenario propagates the information concerning the status of software installations in progress to Asset Manager.

Note: Before testing the integration, make sure all the steps in the previous chapter have been properly carried out.

This chapter includes:

Scenario configuration	13
------------------------------	----

Scenario configuration

Distribution scenario (di_tcmac.scn)

Caution:

- This scenario must be executed on a TRM server.
- This scenario must be executed on a computer on which Asset Manager is "visible": Database layer installed, Asset Manager installed locally and configured to connect to the database.

Load the **di_tcmac.scn** scenario located in the following sub-folder of the Connect-It installation folder:

```
scenario\tivoli\tcm_sd\tcmsd42ac43
```

Execute the following steps:

1. Right-click the **Asset Manager** connector.
2. Select **Configurer le connecteur**. Connect-It start the connector configuration wizard.
3. Click **Next** and configure the connection to the Asset Manager database; Populate the **Connection**, **Login** and **Password** fields.
4. Click **Finish**.

If you are running Connect-It on Linux, you must update the shell script provided with Connect-It:

1. Click the mapping box, and then select the **Mappings** tab.
2. Select the mapping and double-click it to edit it.
3. Modify the mapping script of the **Name** sub-element of the **Command** element to set it to the following value:

```
scenario\tivoli\tcm_sd\tcmsd42ac43\tcm.sh
```

Inventory scenario (tcmac.scn)

Caution:

- This scenario must be executed on a TRM server.
- This scenario must be executed on a computer on which Asset Manager is "visible": Database layer installed, Asset Manager installed locally and configured to connect to the database.

Load the **tcmac.scn** scenario located in the sub-directory corresponding to the version of Asset Manager you are using.

Execute the following steps:

1. Right-click the **Tivoli Configuration Manager** connector.
2. Select **Configurer le connecteur**. Connect-It start the connector configuration wizard.
3. Click **Next** twice and configure the connection to the Asset Manager database; Populate the **ODBC data source**, **Login** and **Password** fields.
4. Click **Tester** to test the connection.
5. Click **Finish**.

Note: Configure the **Asset Manager** as for the distribution scenario.

Software import scenario (sp_tcmac.scn)

Caution:

- This scenario must be executed on a TRM server.
- This scenario must be executed on a computer on which Asset Manager is "visible": Database layer installed, Asset Manager installed locally and configured to connect to the database.

Load the **sp_tcmac.scn** scenario located in the following sub-folder of the Connect-It installation folder:

scenario\tivoli\tcm_sd\tcmsd42ac43

Configure the **Asset Manager** and **Tivoli Configuration Manager** connectors as for the inventory scenario.

Update scenario (up_tcmac.scn)

Caution:

- This scenario recovers the data from the DIST_STATE table located the MDist2 server.
- This scenario must be executed on a computer on which Asset Manager is "visible": Database layer installed, Asset Manager installed locally and configured to connect to the database.

Load the **up_tcmac.scn** scenario located in the following sub-folder of the Connect-It installation folder:

scenario\tivoli\tcm_sd\tcmsd42ac43

Configure the **Asset Manager** and **Tivoli Configuration Manager** connectors as for the inventory scenario.

Chapter 4: Executing a scenario

This chapter provides information on the different scenarios that you can execute in the context of the integration of Asset Manager and Tivoli Configuration Manager.

This chapter includes:

Inventory scenario (tcmac.scn)	17
Software import scenario (sp_tcmac.scn)	18
Distribution scenario (di_tcmac.scn)	18
Update scenario (up_tcmac.scn)	19

Inventory scenario (tcmac.scn)

1. Load the **tcmac.scn** scenario located in the sub-directory corresponding to the version of Asset Manager you are using.
2. Start production by clicking ▶.

Note: Only the inventory information is processed by this scenario.

3. If no errors occur, the Asset Manager database is populated with the information on the computers. The following table details the tables (and the fields and links) impacted by executing this scenario.

Application concerned	Table, Field or Link concerned	Read	Write
Asset Manager			
	amComputer.Name		X
	amModel.Name		X
	amModel.Nature.Code		X
	amModel.Parent.BarCode		X
Tivoli Configuration Manager			
	COMPUTER/TME_OBJECT_ID	X	
	COMPUTER/TME_OBJECT_LABEL	X	

Software import scenario (sp_tcmac.scn)

1. Load the scenario **sp_tcmac.scn** located in the following sub-folder of the Connect-It installation folder:

scenario\tivoli\tcm_sd\tcmsd42ac43

2. Start production by clicking ▶.
3. If no errors occur, the Asset Manager database is populated with the information on the software. The following table details the tables (and the fields and links) impacted by executing this scenario.

Application concerned	Table, Field or Link concerned	Read	Write
Asset Manager			
	amComputer.Name		X
	amModel.Name		X
	amModel.Nature.Code		X
	amModel.Parent.BarCode		X
Tivoli Configuration Manager			
	SD_PACKAGES/SWARE_NAME	X	
	SD_PACKAGES/SWARE_VERS	X	

Distribution scenario (di_tcmac.scn)


1. Load the scenario **di_tcmac.scn** located in the following sub-folder of the Connect-It installation folder:

scenario\tivoli\tcm_sd\tcmsd42ac43

2. Start production by clicking ▶.
3. If no errors occur, the software installation request is sent to Tivoli Configuration Manager. The following table details the tables (and the fields and links) impacted by executing this scenario.

Application concerned	Table, Field or Link concerned	Read	Write
Asset Manager			
	amOutputEvent.memMessage	X	
	amComputer.DistributionId		X
	amComputer.Name	X	
	amComputer.seTCMCurrentState		X

The following diagram details of the workflow of the process:



Connect-It executes the following command:

```
winstsp -u y @Softpackage @Endpoint
```

with the following values for the parameters:

- **Softpackage:** amOutputEvent.memMessage
- **Endpoint:** amComputer.Name

Note: The **-u y** option is used. The package is installed in reversible mode. Thus, if ever a problem is encountered, the installation can be cancelled.

Update scenario (up_tcmac.scn)

1. Load the **up_tcmac.scn** scenario located in the following sub-folder of the Connect-It installation folder:

```
scenario\tivoli\tcm_sd\tcmsd42ac43
```

2. Start production by clicking ▶.
3. If no errors occur, the status of the software installation as shown in Tivoli Configuration Manager is propagated to Asset Manager. The following table details the tables (and fields and links) impacted by executing this scenario.

Application concerned	Table, Field or Link concerned	Read	Write
Tivoli Configuration Manager			
	DIST_STATE/COMPLET_COUNT	X	
	DIST_STATE/WAITING_COUNT	X	
	DIST_STATE/FAILED_COUNT	X	
Asset Manager			
	amComputer.DistributionId	X	
	amComputer.Name	X	
	amComputer.seTCMCurrentState		X

Possible values for the **amComputer.seTCMCurrentState** field:

Status	Meaning
No Distribution	An Asset Manager has made a software-distribution request.
Distribution request performed in Asset Manager	An Asset Manager user has made a software distribution request but the di_tcmac.scn scenario has not yet intercepted the request.
Distribution request sent to TCM	The di_tcmac.scn scenario has intercepted the request sent by Asset Manager and launch the command: <code>winstsp -u y @Softpackage @Endpoint</code>
Distribution pending	The up_tcmac.scn scenario has intercepted the status sent by Tivoli Configuration Manager and updated the value of DIST_STATE/WAITING_COUNT to TRUE .
Distribution successful	The up_tcmac.scn scenario has intercepted the status sent by Tivoli Configuration Manager and updated the value of DIST_STATE/COMPLET_COUNT to TRUE .
Distribution failed	The up_tcmac.scn scenario has intercepted the status sent by Tivoli Configuration Manager and updated the value of DIST_STATE/FAILED_COUNT to TRUE .

Send documentation feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on TCM Integration (Connect-It 9.80)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to connectit_support@groups.hpe.com.

We appreciate your feedback!