



Service Manager

Software Version: 9.41
For supported Windows® and Linux® operating systems

Patch 7 Release Notes

Document Release Date: June 2018
Software Release Date: March 2018



Legal Notices

Warranty

The only warranties for products and services of Micro Focus and its affiliates and licensors ("Micro Focus") are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Except as specifically indicated otherwise, a valid license from Micro Focus is required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© 1994-2018 Micro Focus or one of its affiliates.

Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Disclaimer

Certain versions of software and/or documents ("Material") accessible here may contain branding from Hewlett-Packard Company (now HP Inc.) and Hewlett Packard Enterprise Company. As of September 1, 2017, the Material is now offered by Micro Focus, a separately owned and operated company. Any reference to the HP and Hewlett Packard Enterprise/HPE marks is historical in nature, and the HP and Hewlett Packard Enterprise/HPE marks are the property of their respective owners.

Documentation Updates

To check for recent updates or to verify that you are using the most recent edition of a document, go to: <https://softwaresupport.softwaregrp.com>.

This site requires that you register for a Software Passport and to sign in. To register for a Software Passport ID, click **Register for Software Passport** on the Micro Focus Support website at <https://softwaresupport.softwaregrp.com>.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your Micro Focus sales representative for details.

Support

Visit the Micro Focus Support site at: <https://softwaresupport.softwaregrp.com>.

This website provides contact information and details about the products, services, and support that Micro Focus offers.

Micro Focus online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support website to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as a Software Passport user and to sign in. Many also require a support contract. To register for a Software Passport ID, click **Register for Software Passport** on the Micro Focus Support website at <https://softwaresupport.softwaregrp.com>.

To find more information about access levels, go to: <https://softwaresupport.softwaregrp.com/web/softwaresupport/access-levels>.

Integration Catalog accesses the Micro Focus Integration Catalog website. This site enables you to explore Micro Focus Product Solutions to meet your business needs, includes a full list of Integrations between Micro Focus Products, as well as a listing of ITIL Processes. The URL for this website is <https://softwaresupport.softwaregrp.com/km/KM01702731>.

Contents

What's new in this release	5
Embedded Tomcat Upgraded (Server and Knowledge Management)	5
Certifications	5
Enhancements	6
SRC	6
Server	6
Fixed defects	7
SRC	7
Server	8
Web client	10
Windows client	14
Known issues, limitations, and workarounds	15
Known issues	15
Deferred issues	33
Installation notes	35
Backup and backout instructions	36
Server	36
Web tier	37
Windows client	38
Applications	39
SRC	42
Solr Search Engine	43
Digital signature notice	44
Server update installation	45
Upgrade paths	45
Server application unload installation	50
Web tier installation	53
Deploying the web tier on JBoss EAP 6.4	54
Configuration notes for the user experience improvements in the web client	57
Web tier application unload installation	58

Windows client installation	60
Applications Update installation	61
Service Request Catalog (SRC) installation	61
SRC application unload installation	62
Mobility client installation	63
Knowledge Management (KM) Search Engine and Import Utility installation	63
IDOL Search Engine	63
Solr Search Engine	64
KM Import Utility installation	66
KM server admin console	66
Additional information	67
Send documentation feedback	68

What's new in this release

This section describes the important changes in this release.

Tip: The following knowledge base article contains links to all the previous 9.4x release notes and patches. This article enables you to always find the most up-to-date release notes and the latest 9.4x patches.

<https://softwaresupport.softwaregrp.com/group/softwaresupport/search-result/-/facetsearch/document/KM01384297>

Embedded Tomcat Upgraded (Server and Knowledge Management)

This patch release upgrades the embedded Tomcat in the Service Manager server and Knowledge Management (KM).

Server

The server embedded Tomcat has been upgraded to version 8.0.44.

Knowledge Management (KM)

The Knowledge Management (KM) embedded Tomcat has been upgraded to version 8.0.45.

Certifications

Service Manager 9.41 Patch 7 includes the following certification changes.

Added support

Server

- VMWare vSphere 6.5

Enhancements

This release includes the following enhancements. The following tables include all enhancements that were implemented after the release of Service Manager 9.41P6.

SRC

CR	Problem	Solution
QCCR1E141185	A request for Service Request Catalog to return more accurate results when users search for service items.	A new parameter named <i>src.exactSearch.enable</i> is added in the <code>applicationcontext.properties</code> file of Service Request Catalog (SRC). SRC Search results of Service Items can be configured to return a more accurate result by setting <i>src.exactSearch.enable</i> to <i>true</i> . By default, <i>src.exactSearch.enable</i> is set to <i>false</i> so that the search behavior is consistent with the previous behavior.

Server

CR	Problem	Solution
QCCR1E145292	There is a hardcoded limitation for IR keys. It cannot be greater than 254. This limit needs to be increased so that the fields that are part of the key can have more than 254 characters.	The IR key maximum length has been changed from 254 bytes to 342 bytes.
QCCR1E130208	Need the ability to provide a javascript function to support convert a string to numeric hashcode.	In SM RTE, now we provide a new JS function <code>hash64(string)</code> to convert string to numeric hashcode. The convert uses MurmurHash64B implementation.
QCCR1E130600	There is performance concern regarding LDAP user data sync during user group synchronize between Service Manager and Service Portal in SMA-SM Suite (Mixed Mode#1).	Now we provide a new JS global function <code>setDisableLdap(String)</code> to disable/enable LDAP in current session. This function return previous disable status.to disable/enable reading LDAP user data.

Fixed defects

This release includes the following fixed defects. The following tables include all enhancements that were implemented after the release of Service Manager 9.41P6.

SRC

ID	Problem	Solution
QCCR1E139759	If you add an item to the shopping cart and then refresh the browser, its user option value may be cleared out.	Now the item option in cart will not be cleared after you refresh the browser.
QCCR1E139800	In Service Request Catalog, an operator belonging to a group cannot approve or deny a request on his/her own behalf only.	The request can be approved separately by the operator and the group. Note: You need to apply the QCCR1E139800_SRC941p7_SM941.unl file to make the fix work well.
QCCR1E142430	Pending Approvals count is not displayed correctly in Service Request Catalog.	Pending Approvals count is displayed correctly in Service Request Catalog. Note: If your approval type is "One must approve", you must clear disable aggregate approval from the Service Manager server. Follow these steps to disable aggregate approval:

ID	Problem	Solution
		<ol style="list-style-type: none"> 1. From the command line, type <code>db</code> and then press Enter. The Database Manager page opens. 2. In the Form field, type <code>Object</code>. The Object Definition form opens. 3. In the File Name field, type <code>incidents</code>. 4. Switch to the Approvals tab, and then clear the Aggregate Approvals option. 5. Click Save. <p>Note: You need to apply the QCCR1E142430_SRC941p7_SM941.unl to make the fix work well.</p>

Server

ID	Problem	Solution
QCCR1E79129	The Service Manager main thread incorrectly reports a memory leak on Linux-based platforms.	Now the memory leak is not reported on Linux-based platforms.
QCCR1E79799	When the combination of tab characters and line break characters are entered into a text area on a form, and the screen is redisplayed after a failed validation, the combination is deleted. This results in data that is not formatted in the desired manner; data becomes misaligned in the cases where tab	Now the Tab and CR/LF characters in a text area control are preserved just as were entered after a validation fails and the screen is refreshed.

ID	Problem	Solution
	characters are needed to format text.	
QCCR1E128150	<p>You cannot connect to Service Manager, either with the Windows client or the web client, once 50 users are logged in. Additionally, you receive the following error message:</p> <p>Panne SOAP: Max sessions Exceeded</p>	<p>Now, if the number of logged-in users is less than the capacity of the cluster (by default, this is 50 * httpNodes), a new user can always log in without any error message.</p>
QCCR1E128531	<p>The scheduler fails with a Signal 11 error due to a very long field name.</p>	<p>Now the scheduler will not fail with a Signal 11 error in the case of a long field name.</p>
QCCR1E137249	<p>Image files are not listed in the Insert Image wizard in the HTML Editor when the HTML Editor whitelist feature is enabled.</p>	<p>Image files are now listed in Insert Image Wizard and can be successfully inserted when the HTML Editor whitelist feature is enabled.</p>
QCCR1E142536	<p>KM stops responding when you click the Search button very rapidly (for example, 3 to 4 times in a second).</p>	<p>KM does not hang in this situation.</p>
QCCR1E142581	<p>Incident escalation wizard assignment field is blank after selection if Service or Affected CI is populated using autocomplete in the Interaction.</p>	<p>The Incident escalation wizard assignment field has the correct value.</p>
QCCR1E142948	<p>If a date string represents a big negative duration such as "-4000-05-03 12:58:01" in Linux, the Service Manager RTE will fail to parse the date.</p>	<p>Now no error will happen when the system parses a date string that represents a big negative duration in Linux.</p>
QCCR1E143311	<p>SM Servlet may stop accepting new user connections - you may see "Max Sessions exceeded" errors and load balancer reports may say the servlet is full (for example,</p>	<p>The root cause of the signal 6 error is that the sql statement size is larger than 64K. The following code and behavior changes have been implemented to eliminate the signal 6 error:</p>

ID	Problem	Solution
	<p>50/50).</p> <p>If checking the log file you will see a signal 6 error with recursion, which causes the servlet to become in a bad state and will need to be restarted to resume normal operation.</p>	<ol style="list-style-type: none"> 1. All sprintf() calls are replaced with snprintf(), and the SM Server checks the lengths of the above 2 lines - if overflow would happen, then call _maxErr() and goto err. 2. The buildunix.sh script has been updated to keep the debug info and symbols.
QCCR1E143372	It is not possible to easily debug remote core files sent in by customers on Linux platforms.	The Linux build script of Service Manager has been updated to include full debug information and symbols.
QCCR1E144011	Cannot disable the Comfill Auto Complete for CIs. This issue causes CIs to be removed and prevents tailoring from working as expected.	Updated sm.dll and this issue no longer exists.
QCCR1E145021	When you start Service Manager, scautolistener ports do not stay up (12690, 3002, 3005, 3007 & 3015). There are no error messages in the log, the SC library is loaded, and the Process termination cleanup is complete. Attempts to restart 12690 fail with no success.	Now the scautolistener will keep working.
QCCR1E145200	The value for Affected CI gets populated on the next record if it was saved without pressing the Fill button.	The value for Affected CI will not get populated on the next record if it was saved without pressing the Fill button.

Web client

ID	Problem	Solution
QCCR1E90891	When you click the Manage Favorites button in the web	When you click the Copy/Move To button, the pop-up menu

ID	Problem	Solution
	client, then click the Move To or Copy To button, the pop-up menu displays the top-level folders only. Therefore, you cannot move or copy an item to a subfolder.	displays subfolders, and you can move or copy an item to a subfolder. Note: You need to click the Navigator to find the subfolder first.
QCCR1E133167	The preview of a report of type pivot table contains values in wrong format.	The preview of a report of type pivot table is now shown correctly.
QCCR1E133783	When you use pivot table in dashboard and modify the data shown in page via data filter, the modification is not taken account when you export the pivot table in pdf.	The data in the exported pdf is the same as what you see in page.
QCCR1E137191	When the detail view of an Incident or a Service Desk ticket is displayed in the web client, you are unable to copy the selected text in the Description field on your first attempt. However, you are able to perform this action on the second attempt.	Now you can copy the selected text in the Description field on your first attempt.
QCCR1E138296	Encountering the issues below when using an editable table with "Multiple Selection" enabled: When you edit the content in a row, a new row with the same content will append to the table unexpectedly.	The issue no longer exists.
QCCR1E138774	Extra lines are added to the html editor when meta and micro tags are used.	No extra lines are added to the html editor when meta and micro tags are used.
QCCR1E139358	When you add an object with a base64 format picture into an HTML viewer in a record and then try to open this record in the web client, the record takes a long time to open.	In this scenario, the record now opens as expected.
QCCR1E139443	The expiry date of cacheFilter in the application-context.xml file is about to be reached.	The Expires header is no longer used by the cacheFilter; only the Cache-Control field with the max-age directive is used to control the cache strategy.

ID	Problem	Solution
QCCR1E139485	If you upload a file that has Cyrillic or other non-English characters in the filename and a file size greater than 1 MB to the web client when the default attachment size limit is configured, the following error message is displayed in the attachment grid: "Failed! Such type of file is not allowed as an attachment."	When the default attachment size limit is configured, you can upload any valid file without this error.
QCCR1E140561	You use Internet Explorer to modify a view for the Interaction queue, on the wizard page for you to choose view fields, if you have more than 20 fields, only 20 fields are displayed in the field table. You can then click either Show Next 50 or Show All to show more fields. However, after that if you select a field and click the Move Field Up or Move Field Down link, the position of the field remains unchanged.	Now in this case if you select a field and click the link Move Field Up or Move Field Down , the position of field is changed accordingly.
QCCR1E140611	When you repeatedly open multiple Service Desk interaction records in different tabs and then close them all in Internet Explorer, the Service Manager web client hangs, and you are unable to perform any further operations.	The Service Manager web client no longer hangs in this scenario.
QCCR1E140626	In the Query-by-Example (QBE) for Incident, the record initially displayed in the detail view is the first row. After you select another record to display in the detail view, if you do mass update for your selected records, the following message is displayed: Are you sure to update all XXX records?	Now in this case, the next page is displayed with a list of fields shown in a table for you to specify value for mass update.
QCCR1E140977	In a Trusted Sign-On (TSO) environment, if you access the web tier with Internet Explorer 11 and attempt to upload multiple valid files to a ticket, the system displays the following error message in the attachment table for each file: Failed! The file you are trying to attach is	Now you can upload multiple valid files to a ticket in a TSO environment in Internet Explorer 11 without any error.

ID	Problem	Solution
	empty. File won't be attached.	
QCCR1E141115	Suppose you have a report of pivot table to count the number of Incidents opened in each Month and you can click each number in the table to drill down to the detail of each Incident. After the date format of your operator record is changed (for example, from the default "mm/dd/yy" to "dd/mm/yy"), you are unable to drill down to the detail page by clicking some certain number links. The system displays a "No Incidents found" message instead.	Now after the date format of your operator record is changed, you can drill down to the detail page by any number links in a report of pivot table.
QCCR1E141161	The focus is lost when you view another browser tab and then return to the Service Manager browser tab.	The focus remains as was when you view another browser tab and then return to the Service Manager browser tab.
QCCR1E141278	You log in to a non-English web client and then open the context action wizard by clicking the third button of the Contact field in an Service Desk record. For the first cell in a row, if you click the text part, it drills down to the overview of a row; but if you click the blank part, it returns to the detail page of the Service Desk record.	Now, in non-English web clients, for the first cell in a row, you can click either the text part or the blank part to drill down to the overview of a row.
QCCR1E141394	The Service Manager web tier is deployed to a Tomcat version with fix for CVE-2016-6816. If you use Internet Explorer to access the web client and populate a Comfill with the auto-complete feature in a record, the value of the Comfill is cleared after you save the record.	Now, you can save a record with the Comfill value correctly populated by the auto-complete feature in Internet Explorer.
QCCR1E141432	In the Incident record list, if you move the cursor over a cell that is truncated, a tooltip pops up and shows the complete information in the cell. In a web tier with the viewrecordlist parameter set to false, if you use Internet Explorer 11 to show this tooltip for more than 30 seconds and then drill down to an incident, you cannot highlight, copy, or edit the text in this record.	In this case, you can now highlight, copy or edit the text in this record without any errors.

ID	Problem	Solution
QCCR1E142460	After you roll back a workflow phase to one of its previous phases, the transition line between the two workflow phases is still displayed as a solid line. But after you refresh the page, the line is displayed as a dotted line.	Now after you roll back a workflow phase to one of its previous phases, the transition line between the two workflow phases is displayed as a dotted line.
QCCR1E142560	You have a service catalog item that has a bulleted list and a numbered list in the Detailed Description field. If you order this item from catalog in the web client, the bullets and numbers of the lists are missing.	The lists are displayed properly.
QCCR1E143517	Suppose a form contains a combo box that is not Select Only and has a read-only condition. After the form is displayed in the detail view of a record in Internet Explorer, if you set a value to this combo box and then clear it, when this combo box is dynamically set to read-only sometime later and the record is then saved, the value of the combo box is restored.	The value of the combo box remains empty in this case.
QCCR1E144329	If a record list has a large number of columns and rows, sometimes the JSON object is displayed in plain text instead of a grid after you sort a column.	Now the system always displays the JSON object in the form of a grid after you sort a column in a record list.

Windows client

ID	Problem	Solution
QCCR1E143298	JavaScript error occurs when you print the detail page of a record in the Windows client.	The error no longer occurs.

Known issues, limitations, and workarounds

This release has the following known issues and limitations. This is a cumulative list of known issues and limitations in Service Manager, including those that are already documented in previous release notes (Service Manager 9.40 and patches, and Service Manager 9.41 and patches).

Known issues

Global ID	Issue	Workaround
QCCR1E132020	When FIPS mode is enabled (<i>fipsmode:2</i> is specified in the <i>sm.ini</i> file), Service Manager initialization might be slow in Linux/Unix environments. This issue is caused by a lack of entropy (randomness) available on the system used for random number generation and can commonly occur on systems that are not receiving much direct user input, such as virtual machines.	<p>You can direct the JVM to use <i>/dev/urandom</i> with the following directive:</p> <p>Add the following line to the Server's <i>sm.ini</i> file:</p> <pre>-Djava.security.egd=file:/dev/urandom</pre> <p>Alternatively, you can add the following line to the <i>jre/lib/security/java.security</i> file:</p> <pre>securerandom.source=file:/dev/urandom</pre> <p>For additional information, see the following important third-party information:</p> <p>http://bugs.java.com/view_bug.do?bug_id=6521844</p> <p>http://www.2uo.de/myths-about-urandom/</p>
QCCR1E130573	When you use Java 8 and the Jsafe 6.2, the TLS connection cannot choose the ECDHE ciphers.	Do not set the ECHDE cipher in the <i>cipher</i> parameter in the <i>sm.ini</i> file.

Global ID	Issue	Workaround
QCCR1E132194	The ssl configuration topic of the Smart Analytics document is missing information to configure level2proxy and image server. The information to configure the CFS server is also incorrect.	See the corrected configuration topic at: How to configure TSL/SSL for two-way authentication between Service Manager and Smart Analytics
QCCR1E130718	When you rotate the screen of an iOS9-based device to landscape and then back to portrait, the Mobility client page is incorrectly displayed.	To work around this issue, refresh the browser.
QCCR1E128546	On a virtual machine with Inter(R) Core(TM)2 Duo CPU T7700 @2.40 Ghz, 2.59 GHz(4Processors), a memory leak occurs on the http connector server.	There is currently no workaround available.
QCCR1E128412	On Unix platforms, the legacy listener does not work if Service Manager server uses the Oracle 12c instant client.	There is currently no workaround available.
QCCR1E124820	After you add the "Service Display Name" field to a Change view and specify the "Service" field as a group-by field, an error occurs and the view does not load when you sort the view by Service Display Name.	Add either the "Service" field or the "Service Display Name" field to both the view and the list of group-by fields. Note: The "Service" field is preferred because this field is populated with CI Display Name values. There is no need to add the second level field, Service Display Name.
QCCR1E127867	The "Chart by" functionality does not work when there is an outer join field in the view.	Use Service Manager Reports instead.
QCCR1E127873	In the Service Manager (SM) Hybrid mode, calling the SM RESTful API for UCMDB integration for the first time will fail.	Make a call to the API after you set up the SM Hybrid environment.
QCCR1E127871	In the "Chart by" form, "sm.device.display.name" is displayed as the value of the "Display Name" column.	There is currently no workaround available.
QCCR1E127858	The index status is not updated into the Knowledge	Drill down into the Knowledge Maintenance page for the

Global ID	Issue	Workaround
	Management knowledge base, and thus the library cannot be searched in the main search page and the context-aware page.	library to synchronize the index status into the Knowledge Management knowledge base.
QCCR1E127872	The IDOL content service does not start on machines that have 24 CPU cores configured.	<p>You can apply a workaround if the following error appears in the application.log of the content server:</p> <pre>[1] 70-Error: Error: Attempt to open [=..)0] failed. (No such file or directory). The file open mode [rb] does not permit creation of a new file.</pre> <p>In this case, modify the following parameters in the configuration of the content server, and then restart the content server.</p> <pre>[Server] Threads=x [AsyncActions] Threads=y let x+y<32</pre>
QCCR1E127858	The new library index status is not updated in the "kmmknowledgebase" table when you click Full Reindex in the Knowledge Maintenance page.	Refresh the status in library configuration.
QCCR1E127861	The logical.name of the CI is displayed on the "Edit OO flow" widget for Emergency Change records in the "Build and Test" phase.	There is currently no workaround available.
QCCR1E126469	<p>Chrome 44 refuses to send https requests to a web server with a self-signed SSL certificate. Additionally, you receive the following error message:</p> <pre>Failed to load resource: net::ERR_INSECURE_RESPONSE</pre> <p>Since all requests are blocked, the web server terminates the user session after a while and the user is logged out.</p>	Use Chrome 43 instead.

Global ID	Issue	Workaround
QCCR1E124206	Service Manager survey does not support multiple company.	There is currently no workaround available.
QCCR1E124149	Record that do not satisfy query conditions for selected lines are displayed in the calculation chart report.	There is currently no workaround available.
QCCR1E124144	You cannot drill down into the calculation and duration charts when the aggregator is set to MIN or MAX.	There is currently no workaround available.
QCCR1E124821	Auto-complete does not work when the link line of the associated field has the "Skip Query Rewriting" option enabled.	There is currently no workaround available.
QCCR1E122174	SMC does not support RTL.	There is currently no workaround available.
QCCR1E124466	Error messages displayed in English are not indexed in localized language versions.	There is currently no workaround available.
QCCR1E125500	If you enable the "preventDuplicatedAttachmentName" parameter in web.xml and then upload the same file twice, an error message is not displayed in the Internet Explorer and Chrome browsers.	There is currently no workaround available.
QCCR1E126359	English text in screenshots is not recognized correctly when your contact language is Arabic.	There is currently no workaround available.
QCCR1E119401	If you enable the "preventDuplicatedAttachmentName" parameter in web.xml and then upload the same file twice, an error message is not displayed in the Internet Explorer and Chrome browsers.	There is currently no workaround available.
QCCR1E121838	Labels overlap on Stacked Horizontal bar charts in Reports.	There is currently no workaround available.
QCCR1E122115	Values less than 0 are not displayed correctly in bar or area charts.	There is currently no workaround available.

Global ID	Issue	Workaround
QCCR1E125879	The additional Request Overview (PD) (Global) dashboard and its reports are displayed in Classic mode.	There is currently no workaround available.
QCCR1E122716	You cannot drill down into the index for fsylib.	There is currently no workaround available.
QCCR1E127170	You cannot tailor OO flows.	There is currently no workaround available.
QCCR1E123090	Special characters cannot be searched for in IDOL.	There is currently no workaround available.
QCCR1E123438	An error message with an unclear meaning is displayed when the OMNI Group Server is offline.	There is currently no workaround available.
QCCR1E124369	Some returned results from external libraries are not highlighted.	There is currently no workaround available.
QCCR1E124633	When you set all Index Weight values to “No Index” and then click Save, the configuration is saved incorrectly.	There is currently no workaround available.
QCCR1E126198	The Smart Search Configuration tab is incorrectly named “environment: knowledge management”.	There is currently no workaround available.
QCCR1E126737	Links in the file system search results do not open in Firefox or Chrome.	There is currently no workaround available.
QCCR1E126780	The pagination count is not correct in the main search page.	There is currently no workaround available.
QCCR1E126842	The “Set parent” button in Smart Search should not be shown for non-Process Designer-based Incidents.	There is currently no workaround available.
QCCR1E126847	The reported number of search results from the catalog library is not correct.	There is currently no workaround available.
QCCR1E126848	SharePoint pages are indexed into IDOL incorrectly.	There is currently no workaround available.
QCCR1E126852	Type ahead cannot use the display value of a global list in the advanced filter function in Smart Search.	There is currently no workaround available.

Global ID	Issue	Workaround
QCCR1E126886	The Change Service value does not display the CI Display Name.	There is currently no workaround available.
QCCR1E126901	Preconditions should be merged if there are multiple preconditions for a file, but the criteria conflict.	There is currently no workaround available.
QCCR1E126974	The reported number of search results is incorrect.	There is currently no workaround available.
QCCR1E126978	You cannot select the ID-title in Smart Search in Internet Explorer 10.	There is currently no workaround available.
QCCR1E127031	No error message is displayed in the library if the attachment is not indexed successfully.	There is currently no workaround available.
QCCR1E127368	If you use fields that are not in the form in the match criteria of a predefined filter in Smart Search, Smart Search does not work.	Add the fields used in the match criteria of the predefined filter in context aware search into the form of the current working ticket.
QCCR1E127036	The filter is saved too slowly when you click "search within results" in Internet Explorer 10.	There is currently no workaround available.
QCCR1E124715	You cannot connect to IDOL with an IPv6 address.	There is currently no workaround available.
QCCR1E124520	On a tablet, the back and forward buttons do not work correctly in IDOL external webpage details pages.	There is currently no workaround available.
QCCR1E125084	The number of search results changes after you click to view the next page.	There is currently no workaround available.
QCCR1E126163	In the HS environment, locked sessions cannot be killed from the Show Locks format (system.status.locks.g).	There is currently no workaround available.
QCCR1E125549	If there is 127.0.0.1 in the hosts file, the hostname is displayed as "localhost.localdomain" in the result of the command "sm -reportlbstatus".	There is currently no workaround available.

Global ID	Issue	Workaround
QCCR1E127029	The average response time of the "src01_02_search" transaction is more than 2s in 9.41, compared to that of 0.8s in the previous release.	There is currently no workaround available.
QCCR1E125884	The old Knowledge Management search icon is still displayed.	There is currently no workaround available.
QCCR1E127213	The "Content1" service cannot be started by the "Start Service" function in the IDOL installer.	There is currently no workaround available.
QCCR1E121838	In the "Stacked Horizontal bar" report, the value label is truncated.	There is currently no workaround available.
QCCR1E125879	An additional Request Overview (Global) dashboard and its reports are displayed in the Classic mode.	There is currently no workaround available.
QCCR1E122716	Users cannot drill down into index for fsylib links.	The fsylib link refers to URLs with the "file://" protocol in search results. However, Firefox and Chrome do not open such links when they are clicked in the result page or in the pages that are originated from outside the local machine. This is a design decision made by those browsers to improve security. Internet Explorer supports this functionality by default.
QCCR1E123433	The display name is not displayed in the mass update interface. Instead, only the logical name is displayed.	There is currently no workaround available.
QCCR1E120454	The datadict record cannot be saved when the display name is changed.	There is currently no workaround available.
QCCR1E127326	UCMDB federation is blocked.	There is currently no workaround available.
QCCR1E126189	The detail page is not synchronized with the tab on BlackBerry.	There is currently no workaround available.
QCCR1E127624	Data unloaded from the SQLSERVER NVARCHAR	There is currently no workaround available.

Global ID	Issue	Workaround
	database cannot be loaded into the Oracle database.	
QCCR1E122190	If you set a fuzzy search condition before, the comfill box that has the reference table setting on displays an empty list.	There is currently no workaround available.
QCCR1E119964	When a new record is added in dbdict, the alias of type is not removed and the alias for display.name is not created.	There is currently no workaround available.
QCCR1E120414	Logical name, instead of display name, is displayed.	There is currently no workaround available.
QCCR1E121852	The Fill button does not work if the values of the "diaplay list" and "value list" are set in Windows client.	There is currently no workaround available.
QCCR1E122160	The comfill control of the CI in the "Add Filter Criteria" wizard does not work.	There is currently no workaround available.
QCCR1E123135	The CI Display Name is not displayed on the "Asset Allocation" form.	There is currently no workaround available.
QCCR1E123311	An "No Record Found" error is displayed when characters are deleted from the end of the value filled by the auto complete functionality.	There is currently no workaround available.
QCCR1E123536	The logical.name of the CI is displayed for the "Create Template from Record" interface of an incident record.	There is currently no workaround available.
QCCR1E123716	The order is not correct for CI Name in the pivot table.	There is currently no workaround available.
QCCR1E124360	A tab cannot be closed in the dialog mode.	There is currently no workaround available.
QCCR1E124423	Reference cannot be set on the member of an array of a structure.	There is currently no workaround available.
QCCR1E124820	The view is broken if you sort a field that has been a group field.	There is currently no workaround available.

Global ID	Issue	Workaround
QCCR1E125032	The style of the popup window is lost when the session is refreshed.	There is currently no workaround available.
QCCR1E125204	When the Affected CI in the cross table is exported as a list, the logical name is displayed.	There is currently no workaround available.
QCCR1E126003	No validation is done when you input an invalid CI in a service level target.	There is currently no workaround available.
QCCR1E126006	The logical name of a CI is displayed in the "Additional Properties" tab in a Request task.	There is currently no workaround available.
QCCR1E127712	An "invalid CI" error message is displayed when you select the CI through the auto complete functionality.	There is currently no workaround available.
QCCR1E121670	The value of the comfill control is not restored if it is an array list in the change record.	There is currently no workaround available.
QCCR1E127303	Chinese characters sent from Lync are displayed as "?????" in Service Manager Collaboration.	There is currently no workaround available.
QCCR1E127732	The page is hung after you fill the incident subcategory in Chrome (version 44) on Android.	Refresh the page in this case, and the list will be displayed. You can then select an item and save the record successfully.
QCCR1E127744	A few strings that are displayed in the following user interface elements are not translated: <ul style="list-style-type: none"> • Smart Analytics Assistant configuration form and Time Duration Checkpoint form in the upgrade environment • Upgrade Utility dialog boxes 	There is currently no workaround available.
QCCR1E127953	The string "has been acknowledged" in the To-do Alert popup message is not translated.	There is currently no workaround available.

Global ID	Issue	Workaround
QCCR1E128218	<p>When you are adding/modifying CI relationships, the following Relationship Type values are available for selection: Accesses, Aggregation, ClientServer, Composition, and so on, (which are correct values). However, when you are viewing CI relationships in the CI detail form, you can select only the following Relationship Type values as a filter: All, Logical, and Physical (which are no longer used in Service Manager 9.41).</p>	There is currently no workaround available.
QCCR1E127567	The incident category "request for change" is not localized in the Service Manager Hybrid mode.	There is currently no workaround available.
QCCR1E126631	When you select a value for a task category in the task planner two times, only one value is available the second time.	To see all list items, clean the combo field and click the drop-down button again.
QCCR1E126641	Related record information for Phase, Status, and Title in the Interaction details page is not displayed until you exit the related Incident session.	There is currently no workaround available.
QCCR1E127857	An error that indicates the query field "pd.enabled" in "upginfo" is not defined in "dbdict" is generated when smupgrade is invoked.	Purge data and reload preupg.bin again after preupg.bin is loaded for the first time.
QCCR1E119102	<p>Internet Explorer 10 or 11 cannot open some Service Manager pages, such as calendar and dashboard pages, because of the pages hanging and not loading. Additionally, when you access one of these pages with the F12 developer tools open, an "Access is denied" message appears on the console.</p> <p>This issue may occur when an automatic Internet Explorer upgrade has happened in the background, because both Internet Explorer 10 and 11 have an Install new versions automatically setting in the About Internet Explorer dialog.</p>	Restart your Windows operating system.

Global ID	Issue	Workaround
	The Service Manager web tier uses the local storage functionality of Internet Explorer. The local storage file is stored under your user profile folder (normally, it is C:\Users\ <i>username</i> \Appdata\LocalLow). When Internet Explorer is upgraded, this folder is probably protected, and any attempts to visit the local storage object will throw a Javascript error.	
QCCR1E115514	Auto-complete for the the comfill in the "Link to Parent Incident" field in the Incident form does not work correctly.	There is currently no workaround available.
QCCR1E115283	The color indicator does not work for the field that retrieves the values from the DVD.	There is currently no workaround available.
QCCR1E113128	You cannot select the foreground color in Color Indicator Setting by using the keyboard.	There is currently no workaround available.
QCCR1E114911	Fields in ERDs that are duplicated in dbdict are not displayed There is currently no workaround available. correctly.	
QCCR1E116553	Truncation and overlapping of elements on the details page of records occurs when you use the vertical view.	Resize the details page to make it wider or use the horizontal layout.
QCCR1E118066	Truncation and overlapping of elements on the details page of the Missing Reference Report occurs when you use the vertical view.	Resize the details page to make it wider or use the horizontal layout.
QCCR1E117293	When you rebuild relationships in Relationship Manager, link type relationships that have a "fixed" status are removed.	There is currently no workaround available.
QCCR1E115272	ERDs cannot be recovered when you open another tab in the same browser.	There is currently no workaround available.

Global ID	Issue	Workaround
QCCR1E93098	<p>When you modify a problem record, and then try to close the record whilst a backend process modifies the record at the same time, you are prompted with a message that asks you to merge the conflict.</p> <p>However, after the record is merged, you cannot close the problem record.</p>	There is currently no workaround available.
QCCR1E118260	When you search for an incident, interaction, or change in a heavily-populated database, the operation takes more than 20 seconds.	Change the first unique key to the primary key for the modules that have this issue.
QCCR1E116869	The primary key is lost after you change the length of a field in a dbdict.	Manually recreate the primary key.
QCCR1E112005	Due to a limitation in Oracle 11g, records in the patchrelresults and scmessage tables that have a Primary Key cannot be unloaded correctly in an Oracle 11g database.	Change the Primary Key of the patchrelresults and scmessage tables to a Unique Key before you perform the unload.
QCCR1E119311	On Linux, if you run the server configuration script (<SM installation path>/Server/configure) on a graphic user interface (GUI), an error occurs.	Run the script on a console by using this command: configure -consolemode
QCCR1E111068	When you click a Change model in the navigation tree in Firefox, a TypeError occurs.	Use Internet Explorer or Chrome.
QCCR1E112202	When a workflow description tooltip contains too many lines, the background color is incorrectly displayed as white.	There is currently no workaround available.
QCCR1E113131	When you save a record for which an additional form is configured, the display returns to the primary form.	There is currently no workaround available.
QCCR1E115310	Hotkeys are not supported for menu items in the workflows page.	There is currently no workaround available.

Global ID	Issue	Workaround
QCCR1E115608	You cannot modify the option ID of workflow-based actions, and an option ID that duplicates an ID in display options may be generated.	Manually change the display option ID.
QCCR1E115772	In Internet Explorer, the workflow viewer may unexpectedly scroll right or down if you have a scroll bar and the browser zooms in.	There is currently no workaround available.
QCCR1E115828	You cannot expand or collapse the workflow list folder by using the Space key. This behavior is therefore not consistent with accessibility behaviour in the standard client.	There is currently no workaround available.
QCCR1E116043	The workflow viewer moves to next phase incorrectly when an automatic transition is blocked by an unclosed task.	Reload the record.
QCCR1E116343	The query editor may be launched with an incorrect query record table name.	There is currently no workaround available.
QCCR1E116937	Requests that have an open request task cannot transition to the next phase, but activities can be saved.	There is currently no workaround available.
QCCR1E117042	When you approve a record, and that approval triggers an automatic transition, open task validation is bypassed and the automatic transition occurs even if open tasks exist.	There is currently no workaround available.
QCCR1E117154	There is no reminder to users that they must set the table name of a rule set in order to populate the "Group Field Name" and "Service Field Name" drop-down lists in the Assignment rule configuration form.	There is currently no workaround available.
QCCR1E117366	The User Option condition does not work correctly when the option value is an array type.	In Condition Editor, set the value of User Option UO1 = {"1"} instead of User Option UO1 = "1"
QCCR1E118589	If you use the task editor to edit a task in a change model, and then try to save the change model, you receive a "The	Close the current change model and open it again to update the changes in the change model other than the task editor

Global ID	Issue	Workaround
	record being updated has been modified since read" error message.	changes.
QCCR1E118741	Inconsistencies can occur between Change categories and "Open in Phase"/"Close by Phase" tasks in change models.	Manually update the "Open in Phase" and "Close by Phase" in Task Planner.
QCCR1E117762	If you tailor the primary key in the inbox dbdict before you perform an upgrade, an error occurs during the upgrade process.	Return the primary key to its original state.
QCCR1E117551	You receive the following error after you upgrade Service Manager: Invalid object name 'CM3RM2' Note: Ignore this error if CM3RM2 is created after the upgrade.	There is currently no workaround available.
QCCR1E118790	The operators/groups in Approval Definition are not correct after you upgrade to Service Manager 9.41.	To workaround this issue, add the correct operators/groups to the Approval Definition manually.
QCCR1E118814	Several secRights and secRole records are suffixed by "_migrated" after you upgrade Service Manager 9.3x (with Process Designer applied) to Service Manager 9.41.	Manually remove the "_migrated" suffix from the profile name.
QCCR1E118817	Some lines of links are suffixed by "_disabled_by_PDRM" after you upgrade Service Manager 9.3x (with Process Designer applied) to Service Manager 9.41.	Manually remove the lines of links that are suffixed by "_disabled_by_PDRM."
QCCR1E118821	Several records are suffixed by "_disabled_by_PDRM" or "_disabled_by_PDHD" after you upgrade Service Manager 9.3x (with Process Designer applied) to Service Manager 9.41.	Manually remove the records that have a "_disabled_by_PDRM" or "_disabled_by_PDHD" suffix.
QCCR1E118823	Several records are suffixed by "_for_pd4_tobe_used" after	There is currently no workaround available.

Global ID	Issue	Workaround
	you upgrade Service Manager 7.11, 9.21, or 9.3x to Service Manager 9.41.	Note: Do not delete these records.
QCCR1E117439	The chm.cm3r.release.mobile form retrieves members from the "COORDINATOR" group as the Change Coordinator values. However, the current data source table is "cm3groups," which is for Service Manager Classic.	Use the "assignment" table instead of the "cm3groups" table in Service Manager Codeless.
QCCR1E103336	There is no split line between the Updates tab and the Approval tab in an Emergency Change record when you use the Google Chrome browser for Android.	There is currently no workaround available.
QCCR1E117328	A Reject Reason is filed in the retraction page with an empty Reject Reason option.	There is currently no workaround available.
QCCR1E117598	The Array comfill is displayed as a black block when you use the Mobile Applications in the self-service user view.	There is currently no workaround available.
QCCR1E115349	Items in the "My open Requests" and "My Closed Requests" lists are not displayed in the correct order. The latest request to be created does not appear at the top.	There is currently no workaround available.
QCCR1E118626	Pictures attached to interactions are not saved to the local gallery in IOS 8.1.1.	Use the Chrome browser instead of Safari.
QCCR1E118509	The "not" condition is missing when you perform hot topic analytics from a list.	There is currently no workaround available.
QCCR1E118508	When you perform hot topic analytics from a list, and the condition field is not in the IDOL index, error messages are displayed.	There is currently no workaround available.
QCCR1E118215	The Distributed Image Server does not support large size images (over 1MB) in concurrent user testing.	There is currently no workaround available.
QCCR1E118907	Hot Topic Analytics does not support accessibility as	There is currently no workaround available.

Global ID	Issue	Workaround
	expected.	
QCCR1E113455	The remote path and mapping path cannot be set in the File Server Base Path if you do not start Service Manager with administrative privileges.	Start Service Manager as an administrator.
QCCR1E102485	You cannot drill down into a pie chart that uses a simple query.	There is currently no workaround available.
QCCR1E104840	Only administrators can create a report on the activity table of each module. However, if an administrator creates and shares a report, users who receive the shared report can subsequently create reports.	Administrators can share reports with users who need to create reports.
QCCR1E116868	You cannot modify the order of pivot fields in Hebrew in a dashboard or preview panel.	There is currently no workaround available.
QCCR1E113689	You cannot export schedules to the file server if the schedule name includes a question mark ("?").	There is currently no workaround available.
QCCR1E103975	Daylight saving time is not supported by the tochar() method in adhoc SQL.	There is currently no workaround available.
QCCR1E102491	The partition color of charts with simple queries is incorrect.	There is currently no workaround available.
QCCR1E109588	List reports cannot retrieve data from replicated databases.	There is currently no workaround available.
QCCR1E109691	Date/time values are not supported in multi-level "group by" fields.	There is currently no workaround available.
QCCR1E110835	Reports that have long legend text do not print as expected.	Shorten the legend label.
QCCR1E105868	Service Manager loads reports in a dashboard one-by-one.	There is currently no workaround available.
QCCR1E105815	Service Manager server CPU utilization is higher than expected when the ToDo queue is set as the landing page	Check the inbox size periodically, and control the size manually.

Global ID	Issue	Workaround
	and the inbox size exceeds 50K.	
QCCR1E109576	When you export a report from the webtier, the report data and definition are fetched from server. Therefore, the exported and on-screen reports may differ if you have modified the report data but not refreshed the screen.	Refresh the dashboard before exporting a report.
QCCR1E118434	The temp file in the Tomcat temp directory cannot be deleted after the session is closed.	There is currently no workaround available.
QCCR1E106689	The list header of a view in the dashboard and in the ToDo queue are not the same.	Define the list field to match the qbe of the table.
QCCR1E109286	The whole pivot table report is exported when you de-select some options in the filter.	There is currently no workaround available.
QCCR1E112905	The report/Dashboard definition page is displayed in the old style when you open it from the favorites and dashboard area.	There is currently no workaround available.
QCCR1E112573	Exported charts are inconsistent with the charts in the browser because the export function and the dashboard use different rendering methods.	There is currently no workaround available.
QCCR1E111387	"Title list" type reports are displayed with all columns in the ToDo queue.	There is currently no workaround available.
QCCR1E106640	Query conditions in the condition box and condition builder are not consistent.	There is currently no workaround available.
QCCR1E118269	The JVM heap size for the report.export thread needs to be at least 1024MB when the export threads are configured to 10.	Set a dedicated Service Manager instance for the reporting schedule.
QCCR1E111234	You can export reports as a PDF only in the system language font.	There is currently no workaround available.

Global ID	Issue	Workaround
QCCR1E117603	The meaning of the text string "inbox" is not always clear.	There is currently no workaround available.
QCCR1E118983	If your SQL Server database uses Unicode with a collation that does not support a specific language (for example, Latin1_General_100_BIN, which does not support Chinese), when you create an HTML Template with a name containing text in that language, save the template and open the template again through a search, the template name is displayed incorrectly – characters in that language are displayed as unrecognizable text.	Click Tailoring > Database Dictionary , search for "htmltemplates," click the htmlcode field, and then change the SQL RC value to "true."
QCCR1E119106	If your SQL Server database uses Unicode with a collation that does not support a specific language (for example, Latin1_General_100_BIN, which does not support Chinese), when you create a knowledge document whose title contains characters in the unsupported language, the document is displayed correctly. However, if you search in the Knowledge Library using keywords from the document, the document is returned in the search results with characters in that language displayed as unrecognizable text.	Click Tailoring > Database Dictionary , search for "kmmknowledgebaseupdates," click the recdata field, and then change the SQL RC value to "True." If you already have garbled data in your search results, perform a full index against that library.
QCCR1E89819	The "Request TCAB Approval" step in the Normal Change workflow takes more than 100 seconds to complete when there are 6000 users in the database.	Modify the "operator" dbdict manually to fix this issue. First, create a new "a6" table in the SQL Tables tab. Then, modify the value of the "secRole" field from "m1" to "a6" in the Fields tab for both fields (array field and child field).
QCCR1E117326	The total cost of a Request, Incident, Problem, Change, or task record is recalculated when you update the cost information. Therefore, when you update an operator's hourly rate, the historical cost of the record (that is, cost that is already incurred) may also be updated incorrectly.	There is currently no workaround available.
QCCR1E118616	The Create One Request Fulfillment Record for each	There is currently no workaround available.

Global ID	Issue	Workaround
	Device of Class X at location Y effect option in Scheduled Maintenance does not work correctly.	
QCCR1E114145	If two items in a bundle have the same user option name, only the last user option can be referenced by the system for evaluation.	Do not use duplicate user options for items in one service catalog bundle.
QCCR1E117903	When you cancel a planned purchase task before you finish creating it, validation of the task still occurs.	There is currently no workaround available.
QCCR1E113121	When you order a bundle without a connector, and when this bundle contains a sub-bundle with a connector, the connector that is defined in sub-bundle does not take effect.	There is currently no workaround available.
QCCR1E119273	The "Significant" and "KM Change" change subcategories are not added during the upgrade process.	Manually add the subcategories.

Deferred issues

Global ID	Problem Description	Deferral comment
QCCR1E105815	Service Manager server CPU utilization is higher than the benchmark during peak time if landing page (dashboard) is enabled.	The potential inbox size was validated with customers in the early design review phase. According to feedback at the time, inbox sizes are not likely to exceed 50,000 records in the next two years. The CPU issue occurs only when the inbox size exceeds the restricted quantity. When the inbox size is 100,000 records, the peak time database CPU% is 44%. When the inbox size is 50,000 records, the peak time database CPU% is 16%.

Global ID	Problem Description	Deferral comment
QCCR1E105868	The Service Manager server should support more threads loading data simultaneously in one user session.	This is a legacy RTE issue; Service Manager does not support multiple threads. Changing this requires a major effort to redesign the whole implementation.
QCCR1E100987	In the Mobile client, the user session count increases until no new users can log in.	To work around this issue, add a Service Manager servlet to increase the maximum number of sessions.
QCCR1E111283	Every click on the Problem Hunter button triggers a search of the IDOL server.	Deferred as there is limited impact, according to current performance testing results.
QCCR1E118210	Synchronous API calls to IDOL on Smart Ticket OCR are not supported.	Deferred as OCR is a back-end task which will not impact the experience of end users.
QCCR1E118215	The Distributed Image Server does not support large size images (over 1MB) in concurrent users testing.	Deferred as over 96% of customers' attached images are below 500KB.
QCCR1E111026	There is no warning message to access the Restful API Service Doc if the <i>restaccessviabrowser</i> parameter is not enabled.	This is by design but will be changed in a later release.
QCCR1E113589	The response time when a large number of tasks is mass updated is longer than expected.	There is a popup window to warn end users that performance may suffer when they update more than 10 tasks.
QCCR1E127817	Fulfillment Process should be configurable for Legacy Service Desk workflow	Do not use this configuration for the legacy Service Desk module. This is only for streamlined interaction.

Installation notes

This section provides instructions for installing each component in this patch release:

- Server
- Web tier
- Windows client
- Applications
- Service Request Catalog (SRC)
- Mobility client
- Knowledge Management Solr search engine

For Service Manager 9.4x components that are not included in this release, you can find the download links to their latest versions and specific release notes [here](#).

Before you proceed, we recommend that you consult the latest *Service Manager 9.41 Support Matrix*.

Backup and backout instructions

In case you need to restore your Service Manager system to its original state after installing the component patches in this release, make necessary backups before each patch installation. If a rollback is needed, follow the backout instructions.

Server

Backup

Before you apply the server patch, make a backup of the server installation folder (for example, C:\Program Files\HP\Service Manager 9.40\Server). If you have used the Windows or Linux PatchSetup tool to install the current server patch, a backup is already made by the tool.

Note: If you have a horizontally-scaled system, you must back up the server installation folder for each server instance.

Service Manager has supported FIPS mode since version 9.32. To run Service Manager in FIPS mode, you must upgrade your database to the 256-bit AES encryption algorithm. Once you change all of the encrypted fields to use the new 32 character encryption you cannot roll back the RTE and still read the encrypted data.

Backout (Unix)

Follow these steps to back out the installation:

1. Stop the Service Manager server.
2. Remove the existing server installation folder.
3. Copy the backup folder back.

Note: Make sure that the embedded Tomcat is also replaced with the backup, because the version of the embedded Tomcat may have dependency on a specific server version.

Note: If you have a horizontally-scaled system, make sure that every server instance is replaced with its backup.

4. If you have also loaded platform unload files required for your server changes, you must also roll back the application changes made by the unload files. See ["Applications" on page 39](#).
5. Restart the Service Manager server.

Backout (Windows and Linux)

Follow these steps to back out the installation:

1. Stop the Service Manager server.
2. Execute the PatchUninstall.bat on Windows or PatchUninstall.sh on Linux (the file is located in the `<SM Installation>_uninstall` directory).

Note: You can only use the server patch uninstallation tool if you have applied the current patch by using the server patch installation tool. Furthermore, you can only use the tool to restore a version that was backed up by the server patch installation tool.

If you cannot use the tool to back out your Linux or Windows-based Service Manager server, follow the steps for Unix-based systems instead.

3. When prompted, enter the full path of the Service Manager server backup directory. A list of the available backups is displayed.
4. Select the desired backup version and confirm your selection.

Note: If you have a horizontally-scaled system, make sure that every server instance is replaced with its backup.

5. If you have also loaded platform unload files required for your server changes, you must also roll back the application changes made by the unload files. See ["Applications" on page 39](#).
6. Restart the Service Manager server.

If the tool fails to back out the server patch, the details are recorded in the PatchUninstall.log file.

Web tier

Backup

Before you deploy the new web tier, back up the following items:

- lwssofmconf.xml
- web.xml file
- application-context.xml
- log4j.properties
- splash screen
- style sheets
- The folder that is defined in the *customize-folder* parameter in the web.xml file
- <webtier>\images\obj16\ folder
- Any other customizations that you made, including your webtier-<version>.war (webtier-ear-<version>.ear) file.

Backout

To roll back to the old web tier, follow these steps:

1. Delete or uninstall the existing web tier.
2. Clear the cache of your web application server (for example, Tomcat).
3. Redeploy the old web tier.
4. Restore your old customizations.

Windows client

Backup

1. Make a backup of your Windows client home folder. For example, C:\Users\<username>\ServiceManager. Your connections and personalized settings are stored in this folder.

Note: This is the out-of-the-box home directory, and could differ from yours if you made changes to <Client>\configuration\config.ini file. If so, back up the files from the location specified in that file.

2. Make a backup of your certificate configuration files if any (**Window > Preferences > HP Service Manager > Security**). For example, your CA certificates file and client keystore file.

3. Make a backup of the following folder:
<Client>\plugins\com.hp.ov.sm.client.eclipse.user_
x.xx.xxxx\src\resources\icons\obj16\.

Backout

1. Uninstall the new Windows client.
2. Reinstall the previous Windows client.
3. Restore your old Windows connections and configurations.

Applications

If you plan to upgrade your applications to this patch level, make a backup of your database before the upgrade, in case you need to restore your database after the upgrade. Creating a backup of the entire database and restoring the database if needed is a better approach for a full applications upgrade.

If you plan to load individual unload files in this release, follow the backup and backout instructions below.

Backup

Tip: If your application version is 7.11 ap3, 9.21 ap3, 9.30 ap3, 9.31 or later, we recommended that you use Unload Manager to make a backup of the files to be modified by an unload file, because Unload Manager can create a backup of your old data during the installation of the unload. If your application version is not listed above, Unload Manager is not available, and you can use Database Manager instead.

To use Unload Manager to make a backup, follow these steps:

1. Go to **System Administration > Ongoing Maintenance > Unload Manager**.
2. Double-click **Apply Unload** to open the wizard.
3. Select the unload file you want to apply, also specify a backup file, and then click **Next**. Details of the unload file appear.
4. Double-click a conflicting object in the table to open the merge tool:
 - a. Merge the object, and then select the **Reconciled** check box.
 - b. Click **Save** to go back to the wizard.

5. Click **Next** after all the conflicting objects are reconciled.
6. Click **Yes** on the confirmation window to apply the unload.
7. Click **Finish**.

Now, the unload has been applied and at the same time your old data backed up.

To use Database Manager to make a backup, follow these steps:

1. Go to Database Manager, select **Import/Load** from **More** or the More Actions menu, and browse to the unload file.
2. Click **List Contents** on the menu bar to view a list of files that have been updated in this unload.

See the following figure for an example.

```

Process
  [{"svc.add.cart", {"L.callnextprocess=true"}, {"["se.get.record", {"name", "file", "text", "string1"}, {"incident.id in $L.file", "$L.svcCart", "$sdID()", "$svcCart()"}, not null(incident.id in $
RAD - money.format (10)
scmessage
  [{"cs", "10", "20", "Neopravitelná chyba v aplikaci: %S na panelu %S", "error", {}, "02/28/12 15:33:24", 4, "ramuro"}]
  [{"de", "10", "20", "Nicht behebbarer Fehler in der Anwendung: %S auf Feld %S", "error", {}, "02/28/12 15:33:32", 3, "ramuro"}]
  [{"en", "10", "20", "Unrecoverable error in application: %S on panel %S", "error", {}, "02/28/12 15:33:12", 66, "ramuro"}]
  [{"es", "10", "20", "Error irrecuperable en la aplicación: %S en panel %S", "error", {}, "02/28/12 15:33:36", 5, "ramuro"}]
  [{"fr", "10", "20", "Erreur non récupérable dans l'application : %S sur le panneau %S", "error", {}, "02/28/12 15:33:46", 3, "ramuro"}]
  [{"hu", "10", "20", "Visszaállíthatatlan hiba lépett fel az %S alkalmazásban a %S panelen", "error", {}, "02/28/12 15:33:51", 3, "ramuro"}]
  [{"it", "10", "20", "Errore irreversibile nell'applicazione: %S nel riquadro %S", "error", {}, "02/28/12 15:35:08", 3, "ramuro"}]
  [{"iten", "10", "20", "Unrecoverable error in application: %S on panel %S", "error", {}, "02/28/12 15:35:23", 3, "ramuro"}]
  [{"ja", "10", "20", "sAsyS5pP[5V55505Å5]rR5c5C[5G5T5[5p552%5[2]55]5[1]", "error", {}, "02/28/12 15:35:34", 3, "ramuro"}]
  [{"ko", "10", "20", "머플리케이션에 복구할 수 없는 오류 %S0(7) 패널 %S에서 발생했습니다.", "error", {}, "02/28/12 15:35:44", 3, "ramuro"}]
  [{"nl", "10", "20", "Unrecoverable error in application: %S on panel %S", "error", {}, "02/28/12 15:35:51", 3, "ramuro"}]
  [{"pl", "10", "20", "Niedozwracalny b[ł]d w aplikacji: %S, panel %S.%", "error", {}, "02/28/12 15:36:01", 3, "ramuro"}]
  [{"pt", "10", "20", "Erro irrecuperável no aplicativo: %S no painel %S", "error", {}, "02/28/12 15:36:14", 3, "ramuro"}]
  [{"pt-Br", "10", "20", "Unrecoverable error in application: %S on panel %S", "error", {}, "02/28/12 15:36:24", 3, "ramuro"}]
  [{"ru", "10", "20", "Unrecoverable error in application: %S on panel %S", "error", {}, "02/28/12 15:36:35", 3, "ramuro"}]
  [{"zh-Hans", "10", "20", "3a5CÜcÜ28ajauj8Eacü*aaäauÜ8kUae5t8tLÜc5ieCñeLUU: %SEäLUäqdeRçæRç %SEI", "error", {}, "03/14/13 01:34:16", 5, "Imingyan"}]
ScriptLibrary
  [{"svcCartHelper", "/* @fileoverview svcCartHelper - contains functions used by the Service Catalog module when dealing with svcCart and svcCartItems* @author Alex Corvino*/** This function i
datadict
  [{"activity", {}, "miscellaneous", , , "FALCON", "01/21/96 17:00:00", "cblandk", "06/19/07 00:58:57", , , , {"cust.visible", "datestamp", "description", "negdatestamp", "number", "operator", "syshom
activity
scmessage
  [{"en", "1000", "10", "Please specify Area name", "fc", {}, "12/01/10 09:33:44", 0, "rolfel"}]
  
```

This figure shows the contents of an unload file that contains changes to the following files.

File	Record
Process	svc.add.cart
application	money.format Note: The scmessage records listed under each RAD application are messages used in this RAD application; no backup is needed for them.
ScriptLibrary	svcCartHelper

File	Record
datadict	activity
dbdict	activity Note: The “activity” file with no records actually represents the dbdict record of the activity file.
scmessage	The record whose message class is “fc” and message number is 1000.

- Go to Database Manager, in the Table field enter a file name you got in step 2, and click the **Search** button.
- If the format selection page shows, select the proper format by double-clicking it (for example, select the *device* format for the *device* file), and then search for the file record.
- Click **More** (or the More Actions menu) > **Export/Unload** after the file record is displayed.

Note: If **Export/Unload** is not available, check the **Administration Mode** check box in Database Manager and try again.

- In the pop-up window, specify your backup upload file path/name, and click **Unload Appl.**

Caution: Make sure that **Append to file** is selected.

- Repeat steps 3 through 6 to back up the rest of the files you got in step 2.

Backout

Tip: You can use Unload Manager (recommended) or Database Manager (if Unload Manager is not available in your application version) to roll back to your old data, as described in the following instructions.

To roll back to your old data using Unload Manager, follow these steps:

- Go to **System Administration > Ongoing Maintenance > Unload Manager**.
- Double-click **Apply Unload** to open the wizard.
- Select the unload file generated in the backup process, specify a backup file, and then click **Next**. Details of the unload file are displayed.

4. Double-click a conflicting object in the table to open the merge tool:
 - a. Merge the object, and then select the **Reconciled** check box.
 - b. Click **Save** to return to the wizard.
5. Click **Next** after all the conflicting objects are reconciled.
6. Click **Yes** on the confirmation window to apply the backup unload.
7. Click **Finish**.

To roll back to your old data using Database Manager, follow these steps:

1. Go to Database Manager, click **More > Import/Load**.
2. Browse to the backup unload file you created.
3. Click **Load FG**.

SRC

Backup

Before deploying new SRC war package, back up the following files if they have been customized:

- WEB-INF/classes/applicationcontext.properties
- WEB-INF/classes/lwssofmconf.xml
- WEB-INF/classes/cacConfiguration.properties
- WEB-INF/web.xml
- Custom.properties
- secure/configuration folder

Backout

To roll back to the old SRC, follow these steps:

1. Delete or uninstall the existing SRC.
2. Clear the cache of your web application server.
3. Redeploy the old SRC war package.
4. Restore your old customizations.

Solr Search Engine

To back out your Solr search engine changes, make a backup before your KM patch installation.

Note: Keep in mind that you also need to roll back KM-related server side and application side changes. For details, see the Server and Application backup and backout Instructions.

Backup

Before installing the KM patch component and upgrading the KM-embedded Tomcat, perform the following tasks:

- Make a backup of the search engine installation folder. For example, C:\Program Files\HP\Service Manager 9.41\Search Engine Backup
- Make a backup of the files to be modified by the unload files in the KM patch.
- Make a backup of your schemastub.xml file under directory <SM server>/RUN/km/styles/.

Backout

After installing the KM patch, follow these steps:

1. Stop your Solr search engine.
2. On Windows: at the Windows command line, run the following command to remove the old KM Search engine windows service:

```
installservice.cmd remove [nodetype]
```

Note: In this command, [nodetype] is a placeholder for "master" or "slave", depending on whether the KM Search engine server is the master or a slave.

3. Remove the existing search engine installation folder.
4. Copy the backup folder back.
5. Be sure to roll back KM related changes on the Service Manager server and application sides, including the kmsolr unloads files and the server's schemastub file.
6. On Windows: at the Windows command line, run the following command to install the old KM Search engine windows service:

```
installservice.cmd install [nodetype]
```


Note: In this command, [nodetype] is a placeholder for "master" or "slave", depending on whether the KM Search engine server is the master or a slave.

- 7. Restart your Solr search engine.
- 8. Perform a full re-indexing on all of your knowledgebases.

Digital signature notice

HPE signs Windows executable files with a digital signature. Since January 2012, this process has been updated to use a new VeriSign root certificate. On a Windows system that does not have the new VeriSign root or intermediate certificate installed, when the user right-clicks the file and then goes to **Properties > Digital Signatures > Details**, the following verification error is displayed:

The certificate in this signature cannot be verified.



To resolve this issue, either enable Windows Update or download and install the G5 Root certificate from the following Symantec website:

[How to install the 2048-bit Code Signing root and intermediate CA certificates?](#)

Server update installation

The server update for your operating system consists of a compressed file, sm9.41.7001-P7_<OS>.zip (or .tar), which contains updated files of the HP Service Manager server. These files add to or replace the files in the [SM Server Root]\([SM Server Root]/)RUN, irlang, bin, legacyintegration, and platform_unloads directories.

Note: If you use an Oracle RDBMS, be aware that Oracle Call Interface (OCI) 11.2.0.3 or later is required for Service Manager. For more information, see the latest *Service Manager 9.41 Support Matrix* at <https://softwaresupport.softwaregrp.com/group/softwaresupport/support-matrices>.

Built-in troubleshooting tool (SM Doctor)

The server patch will install the HP Service Manager Doctor (SM Doctor) tool in the <SM server root>\(<SMserver root>/)smdoctor directory. For information on how to use this tool, see the **Guides and reference > Troubleshooting > HP Service Manager Doctor** section in the Help Center.

Upgrade paths

This server patch must be applied on top of an earlier Service Manager 9.4x system.

The following server upgrade paths are recommended:

- **New customers:** Install the Service Manager 9.40 GA server, and then apply this server patch.
- **Existing SC6.2, Service Manager 7.11/9.21/9.3x customers:** Uninstall the old server, install the Service Manager 9.40 GA server, and then apply this server patch.
- **Existing Service Manager 9.4x customers:** Apply this server patch.

For installation instructions for the Service Manager 9.40 server, see the *Service Manager 9.40 Interactive Installation Guide*, which you can download from this site:

<https://softwaresupport.softwaregrp.com/group/softwaresupport/search-result/-/facetsearch/document/KM01294561>

JRE upgrade

For Windows and Linux, the server's embedded JRE is automatically upgraded to version 8 after you apply the server patch; for other Unix-based platforms, you need to manually perform this JRE upgrade. Before you proceed, pay attention to the following issues.

Preventing failure of external web service calls over SSL

The JRE upgrade will cause external web service calls over SSL to fail if the remote endpoint does not support Server Name Indication (SNI), which is by default activated in JRE 8. Once Service Manager is upgraded to use JRE 8, it starts to use SNI extensions during the SSL handshake. If the remote endpoint does not support SNI, the web service call will fail with an error message.

To solve this issue, do either of the following:

- Activate SNI at the remote end point (recommended)
- If the remote endpoint does not support SNI extensions, SNI cannot be activated. In this case, add the following JVMOption<n> parameter either to the sm.ini file, or to the start command of the servlet(s) in the sm.cfg file:

```
JVMOption2: -Djsse.enableSNIExtension=false (in sm.ini)
```

```
sm -JVMOption2: -Djsse.enableSNIExtension=false (in sm.cfg)
```

Running the server on Linux with JRE 8

If you are using a horizontal implementation on Linux, after you upgrade the server, you may not be able to kill a locked session from the Show Locks format (system.status.locks.g). This issue occurs only when JRE 8 is used and only on certain Linux versions.

If it occurs, perform the following steps for the hosts file of each server to solve the issue:

1. Open the hosts file of your server host (/etc/hosts).
2. Comment out the following line: 127.0.0.1 localhost

That is, change the line to the following: #127.0.0.1 localhost

3. Make sure the hosts file specifies only one host name for your server's IP.
4. Repeat the steps above for the rest of the server hosts.

Server patch installation steps (Unix)

Caution:

- The server patch will upgrade your embedded Tomcat to version 8.0.44, and therefore requires additional steps.

Note: If you have a horizontally-scaled system, you must upgrade all your server instances.

To install the new sever patch, follow these steps:

1. Stop all Service Manager clients.
2. Stop the Service Manager server.
3. Make a backup of the Server installation directory. See also "[Backup and backout instructions](#)" on [page 36](#).
4. Delete the RUN/tomcat directory. Tomcat in this directory will be upgraded to a higher version after the server patch is installed.
5. Delete the RUN/lib directory.
6. Extract the compressed files for your operating system into the main Service Manager directory on the server.
7. Set the file permissions for all Service Manager files to "755."
8. For the following Unix servers, manually upgrade to one of the following JRE versions, if you have not already done so.

- a. Install an appropriate version of JRE for your platform.

HP-UX	JRE 8 (JRE_8.0.04 or greater)
AIX	<p>JRE 8 (SR2FP10)</p> <p>Caution: To use JRE 8, your AIX version must be one of the following:</p> <ul style="list-style-type: none"> • AIX7 7100-03 or later • AIX6 6100-07 or later <p>Note: You can check the JRE version on AIX by running the <code>\$<JRE_INSTALL_DIR>/bin/java -version</code> command, in which <code><JRE_INSTALL_DIR></code> is the JRE installation directory. Make sure that the system output consists of the following line:</p> <pre>Java(TM) SE Runtime Environment (build pap3280sr2fp10-20160108_01(SR2 FP10))</pre>
Solaris	JRE 7 (update 80 or greater)

- b. Set your JAVA_HOME environment variable to point to the correct JDK (if you have JDK installed) or JRE (if you have only JRE installed).
- c. Execute `\RUN\removeLinks.sh` to remove the old symbolic links and then execute `\RUN\setupLinks.sh` to create new symbolic links.
- d. Run the following command to check that the JRE version is correct:
- ```
RUN\jre\bin\java -version
```
9. If you have made any customizations/changes to the original RUN/tomcat folder, restore them in the new RUN/tomcat folder.
10. Your old schemastub.xml file (in the `<SM_Server_Home>\RUN\km\styles\` directory) has been updated to a newer version. Either keep your old file by copying it back or keep the updated version (a full reindex for the knowledgebases is then required).
11. Run the `sm -unlockdatabase` command.
- Note:** This step is required the first time you upgrade to 9.30p4 or later; it is also required whenever you change the server's IP address after your upgrade to 9.30p4 or later. The purpose of this step is to prevent stale license information from being kept in the system. In a scaling implementation, you can run this command from any one of your servers.
12. Restart the Service Manager server.



13. Restart the Service Manager clients.
14. Verify the version using either of the following methods:
  - From the Windows client, click **Help > About Service Manager Server**. The server version should be:  
**Release9.41.7001 build P7**
  - From the server's RUN folder, run the **sm -version** command. The server version should be:  
**Version: 9.41.7001**  
**Patch Level: P7**

## Server patch installation steps (Windows and Linux)

### Caution:

- The server patch will upgrade your embedded Tomcat to version 8.0.44, and therefore requires additional steps.
- The server patch will upgrade your JGroups (in the RUN/lib directory) to version 3.2.

**Note:** If you have a horizontally-scaled system, you must upgrade all your server instances.

To install the new server patch, follow these steps:

1. Stop all Service Manager clients.
2. Stop the Service Manager server.
3. Execute the PatchSetup.bat on Windows or PatchSetup.sh on Linux (the file is located in the patch directory).
4. When prompted, enter the full path of the current Service Manager server installation directory and the full path of the Service Manager server backup directory.
5. If you have made any customizations/changes to the original RUN/tomcat folder, restore them in the new RUN/tomcat folder.
6. Your old schemastub.xml file (in the `<SM_Server_Home>\RUN\km\styles\` directory) has been updated to a newer version. Either keep your old file by copying it back or keep the updated version (a full reindex for the knowledgebases is then required).

7. Run the **sm -unlockdatabase** command.

**Note:** This step is required the first time you upgrade to 9.30p4 or later; it is also required whenever you change the server's IP address after your upgrade to 9.30p4 or later. The purpose of this step is to prevent stale license information from being kept in the system. In a scaling implementation, you can run this command from any one of your servers.

8. Restart the Service Manager server.
9. Restart the Service Manager clients.
10. Verify the version using either of the following methods:
  - From the Windows client, click **Help > About Service Manager Server**. The server version should be:  
**Release9.41.7001build P7**
  - From the server's RUN folder, run the **sm -version** command. The server version should be:  
**Version: 9.41.7001**  
**Patch Level: P7**

If the tool fails to install the server patch, the details are recorded in the PatchSetup.log file.

## Server application unload installation

**Note:** All unload files in the server's platform\_unloads directory in this release have been already merged into Service Manager applications 9.41. These files are provided just in case you do not plan to upgrade to applications 9.41 while still want to take advantage of the relevant new features or fixes. Unload files included in this release are for Service Manager 9.3x applications, because the server and clients in this release do not support applications versions earlier than 9.3x. For the specific applications version to which each unload applies, see the "Applicable applications version" column in the following table.

### Unload Files Included in the current patch

This release includes the following unload files.

| <b>Unload</b>                          | <b>Applicable applications version</b> | <b>Description</b>                                                                                                                                                                                      |
|----------------------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| QCCR1E128328_<br>SM941P6_<br>SM9.40    | 9.4x                                   | Enables the HTML Editor whitelist by default.                                                                                                                                                           |
| QCCR1E131250_<br>SM941P3_<br>SM940.unl | 9.4x                                   | Improves the Smart Analytics text recognition when you take a photo of a computer screen.                                                                                                               |
| QCCR1E99207_<br>SM940_<br>SM930.unl    | 9.3x (9.30 or later)                   | Enables Service Manager to lazy load global lists. This reduces the login time in environments that contain a large number of global lists.                                                             |
| QCCR1E118520_<br>SM940P3_<br>SM930.unl | 9.3x (9.30 or later)                   | Enables the enhanced query hash algorithm for the web client.                                                                                                                                           |
| QCCR1E118520_<br>SM940P3_<br>SM940.unl | 9.40                                   | Enables the enhanced query hash algorithm for the web client.                                                                                                                                           |
| QCCR1E112815_<br>SM940_<br>SM934.unl   | 9.34                                   | Fixes an issue in which Time Period Management menus are not displayed correctly due to incorrect menu condition settings.                                                                              |
| QCCR1E31324_<br>SM940_<br>SM930.unl    | 9.3x (9.30 or later)                   | Fixes the issue that with Syslog audit turned on only a syslog record showing login is created and no record for logoff is recorded if the user does not log out "normally."                            |
| QCCR1E31941_<br>SM940_<br>SM930.unl    | 9.3x (9.30 or later)                   | Enables users to use a pre-configured decimal symbol when they complete numeric fields.                                                                                                                 |
| QCCR1E52767_<br>SM940_<br>SM930.unl    | 9.3x (9.30 or later)                   | Fixes the issue that users cannot add data policy definitions on joined tables.                                                                                                                         |
| QCCR1E67072_<br>SM940_<br>SM930.unl    | 9.3x (9.30 or later)                   | Enables users to take advantage of the new KMStatusListener background process.                                                                                                                         |
| QCCR1E67610_<br>SM940_<br>SM930.unl    | 9.3x (9.30 or later)                   | Enables you to block potentially dangerous attachments from being submitted to Service Manager through the clients (Windows, web, or web services).                                                     |
| QCCR1E67647_<br>SM940_<br>SM930.unl    | 9.3x (9.30 or later)                   | Updates the exception message that occurs in the request response when closing an interaction by calling CloseInteraction from a web service without specifying the localSolution field in the request. |

| Unload                               | Applicable applications version | Description                                                                                                                                                                                                                               |
|--------------------------------------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| QCCR1E70163_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Fixes the issue that the KMUpdate process terminates abnormally.                                                                                                                                                                          |
| QCCR1E71099_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Enables a QBE list to display Value Lists instead of the data directly retrieved from the database when you add a field by using <b>Modify Columns</b> .                                                                                  |
| QCCR1E71139_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Solves the issue that when Service Manager is configured to use LDAP as the authentication data source, the user is still forced to change the password if the user's password has expired in the local database.                         |
| QCCR1E73452_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Enables Mandanten restricting queries to be updated correctly after a profile is edited.                                                                                                                                                  |
| QCCR1E76724_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Fixes an issue in which a "Signal 11" error occurs when an IR regeneration is performed after the unique key of cm3r is deleted.                                                                                                          |
| QCCR1E76796_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Provides the ability to turn on debugging dynamically for user sessions or schedulers.                                                                                                                                                    |
| QCCR1E78794_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Removes incident.assignee when a Web Service call specifies the assignee as 'NULL' through the Service Manager 9.31 Mobility client.<br><br><b>Note:</b> This unload is not needed for the Service Manager 9.32 or later Mobility client. |
| QCCR1E99147_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Fixes an issue in which the first tab of a Notebook is reset to be the active tab when a new interaction is opened through the "Return to blank interaction" environment settings.                                                        |
| QCCR1E99398_<br>SM940_<br>SM930.unl  | 9.3x (9.30 or later)            | Enables the inactivity timer function to work correctly when the Service Manager applications version is lower than the server version.                                                                                                   |
| QCCR1E103456_<br>SM940_<br>SM932.unl | 9.3x (9.32 or later)            | Enables the "Any of these words" text search option when you export records to Excel or to a text file.                                                                                                                                   |
| QCCR1E106292_<br>SM940_<br>SM930.unl | 9.3x (9.30 or later)            | Enables caching of the globallist and locallist files.                                                                                                                                                                                    |

| Unload                       | Applicable applications version | Description                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| QCCR1E112012_SM940_SM931.unl | 9.3x (9.30 or later)            | <p>Solves the issue that PD Framework components (including Condition Editor , Query Editor , Workflow Editor, and Task Planner) do not work correctly if an earlier version of the applications is running on the 9.40 RTE and web tier.</p> <p><b>Note:</b> This unload is required if you are running 9.3x applications on the 9.40 platform.</p> |

### How to load an unload file

**Tip:** If your application version is 9.30 ap3, 9.31, or a later version, we recommend that you use Unload Manager to load an unload file, because Unload Manager can help you create a backup of your old data and reconcile conflicts during the installation of the unload. If you are running an application version that is not one of these, Unload Manager is not available, and you can use Database Manager instead.

For detailed steps, search for the following topic in the online help: *Load an unload file*.

## Web tier installation

The web tier update consists of a compressed file, sm9.41.7001-P7\_Web\_Tier.zip, which contains the installation files (the .war, .ear, and .unl files) that are required to install the Service Manager web tier. Installing the new web tier will upgrade your web client to this release level.

For detailed deployment steps, see the *Service Manager 9.41 Interactive Installation Guide*, which is available to download [here](#).

#### Note:

- Service Manager 9.41p1 adds support of JBoss EAP 6.4. For information on how to deploy the web tier on JBoss, see "[Deploying the web tier on JBoss EAP 6.4](#)" on the next page.
- As of Service Manager 9.41p3, if you use WAS 7 for the Application server, you must make sure that your WAS version is 7.0.0.15 or later, or that you upgrade the WAS-embedded JRE to JRE6 SR9 or later.

## New customers

You only need to install the new web tier using the .war or .ear file from the sm9.41.7001-P7\_Web\_Tier.zip file in this release.

## Existing customers

To upgrade your web tier to this patch level, you must back up and uninstall your old web tier, and then install the new web tier. To keep your custom changes, you must back up your customized files and then merge your customizations into the new deployment.

To install the new web tier, follow these steps:

1. Make the necessary backups. For more information about how to do this, see [Web tier backout instructions](#).
2. Delete or uninstall the existing web tier .war (or the .ear) file.
3. Clear the cache of your web application server.
4. Deploy the new webtier-9.41.war file or webtier-ear-9.41.ear file.

**Note:** It is best practice to deploy with a unique context root. For example, /webtier-9.41.

5. Use a diff utility to compare the new web tier's web.xml file against your backed-up version to ensure that any new parameters are properly merged into the files used in your final deployment. Do this for application-context.xml as well as any other files you may have customized (such as style sheets and splash screens).
6. Make any new customizations that are necessary for your deployment.
7. Restart the web application server.
8. Check the version by clicking the HP logo (About HP Service Manager) icon.

The web tier version should be: **9.41.7001-P7**.

## Deploying the web tier on JBoss EAP 6.4

As of version 9.41p1, the Service Manager web tier adds support for JBoss. Currently, the supported version is JBoss EAP 6.4.

**Note:** The following steps are for Windows. The steps for other operating systems are similar.

To deploy the web tier on JBoss EAP 6.4, follow these steps:

1. Download and install Oracle JDK 1.8 from the Oracle web site.
2. Set the JAVA\_HOME environment variable to your JDK 1.8 installation directory.
3. Download the binary version of JBoss EAP 6.4 from the JBoss website.
4. Extract the JBoss package to a local directory.

**Tip:** For more information about JBoss deployment, refer to the %JBOSS\_HOME%\standalone\deployments\README.txt file.

5. Add the JBOSS\_HOME environment variable, and set it to the JBoss installation directory (see step 4).
6. Make the following changes to JBoss.
  - a. Add the following path entries (which are highlighted in red) to the %JBOSS\_HOME%\modules\system\layers\base\sun\jdk\main\module.xml file :

```
<dependencies>

 <system export="true">

 <paths>

 <path name="com/sun/org/apache/xalan/internal/xsltc"/>

 <path
name="com/sun/org/apache/xalan/internal/xsltc/dom"/>

 <path
name="com/sun/org/apache/xalan/internal/xsltc/runtime"/>

 <path name="com/sun/org/apache/xerces/internal/dom"/>

 <path name="com/sun/org/apache/xerces/internal/jaxp"/>

 <path name="com/sun/org/apache/xerces/internal/util"/>

 <path name="com/sun/org/apache/xml/internal/dtm"/>

 <path name="com/sun/org/apache/xml/internal/dtm/ref"/>

 <path
name="com/sun/org/apache/xml/internal/serializer"/>

```

```

...
 </paths>
 <exports>
 <include-set>
 <path name="META-INF/services"/>
 </include-set>
 </exports>
</system>
</dependencies>

```

- b. In the %JBOSS\_HOME%\modules\system\layers\base\javax\xml\jaxp-provider\main\module.xml file, comment out the "xalan" dependency:

```

<module xmlns="urn:jboss:module:1.1" name="javax.xml.jaxp-provider">

 <dependencies>

 <!--<module name="org.apache.xalan" services="import"/>-->

 <module name="org.apache.xerces" services="import"/>

 <module name="org.codehaus.woodstox" services="import"/>

 </dependencies>

</module>

```

- c. In the %JBOSS\_HOME%\modules\system\layers\base\javax\ws\rs\api\main\module.xml file, comment out the "resteasy" dependency:

```

<dependencies>

 <!--<module name="org.jboss.resteasy.resteasy-jaxrs"
 services="export"/>-->

</dependencies>

```

- d. In the %JBOSS\_HOME%\standalone\configuration\standalone.xml file, comment out the extension and subsystem reference (according to the specific JBoss launch mode):

```

...

<!--<extension module="org.jboss.as.jaxrs"/>-->

...

<!--<subsystem xmlns="urn:jboss:domain:jaxrs:1.0"/>-->

```



- e. Add the following system property to the %JBOSS\_HOME%\standalone\configuration\standalone.xml file:

```
<system-properties> <property
name="org.apache.tomcat.util.http.Parameters.MAX_COUNT" value="5000"/>
</system-properties>
```

**Note:** <system-properties>...</system-properties> must be located between </extensions> and <management>.

7. Extract the webtier-9.41.war file to a folder. For example, a folder named webtier-9.41.
8. Rename the webtier-9.41 folder to webtier-9.41.war.
9. Make necessary changes to the web.xml located in the webtier-9.41.war/WEB-INF/ directory.
10. Copy the webtier-9.41.war folder to %JBOSS\_HOME%\standalone\deployments\ folder.
11. Open your operating system command prompt, and execute the following command to create a deployment marker file:

```
echo>> %JBOSS_HOME%\standalone\deployments\webtier-9.41.war.dodeploy
```

The filesystem deployment scanner in JBoss EAP 6 relies on this marker file, which serves as a sort of command, to deploy or redeploy the web tier content.

12. Start JBOSS manually from the %JBOSS\_HOME%\bin directory by clicking the standalone.bat file.
13. Wait until **webtier-9.41.war.dodeploy** in the %JBOSS\_HOME%\standalone\deployments\ directory is changed to **webtier-9.41.war.deployed**.
14. Launch the web client URL to test the connection.

For example, test with this URL: <http://localhost:8080/webtier-9.41>

**Note:** The JBoss communications ports are defined in the %JBOSS\_HOME%\standalone\configuration\standalone.xml file. The default HTTP port is 8080.

## Configuration notes for the user experience improvements in the web client

### Sidebar mode

The sidebar mode only works in Power User view (index.do) and Employee Self-Service view (ess.do), but does not work in Accessible view (accessible.do) and Self-Service Accessible view (accessible\_ess.do).

### Accordion mode

When you deploy the Service Manager 9.4x web client together with a version of the Service Manager applications that is earlier than 9.40, you need to perform the following actions:

- You must install the QCCR1E114612\_SM940\_SM930.unl file. Otherwise, the System Navigator does not work.
- We recommend that you set the *Enablesidebarmenu* parameter to "False" to disable the icons and the sidebar mode of the System Navigator. Otherwise, the Service Manager web client uses the default icon for all menu items.

### Quick help

Service Manager 9.40 or later moves the keyboard shortcut configurations from the web.xml file to the shortcut.xml file, which is located in the web tier's WEB-INF folder.

If you have customized keyboard shortcuts in a previous version of Service Manager and you upgrade to Service Manager 9.40 or later, you must move the keyboard shortcut configurations from your old web.xml file into the shortcut.xml file. Otherwise, your customized keyboard shortcuts do not work. For more information about how to configure the shortcut.xml file, refer to the following online help topic:

*System Administration > Tailoring > Web tier > Editing Web client Key bindings*

If the configuration of the shortcut.xml file is incorrect, the shortcut list displays an error message.

## Web tier application unload installation

The web tier package in this release includes the following unload files.

| Unload                         | Applicable applications version | Description                                                                                                                   |
|--------------------------------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| QCCR1E104944_SM941P4_SM941.unl | 9.41                            | Enables a fix that hides the User Selections of Service Catalog items if their Visible Condition is set to false.             |
| QCCR1E125775_SM941P4_SM941.unl | 9.41                            | Enables IT users to manually trigger context-aware search. Additionally, enables context-aware search to be enabled from ESS. |

| Unload                                 | Applicable applications version | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| QCCR1E116757_<br>SM941_<br>SM940.unl   | 9.40                            | Enables look up function support for the security manual list type setting.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| QCCR1E124742_<br>SM941_<br>SM930.unl   | 9.3x (9.30 or later)            | Merges the module configuration requests that are sent from the web client to the server during the login process. This helps to reduce the login time.                                                                                                                                                                                                                                                                                                                                                                                                                                |
| QCCR1E129332_<br>SM941_<br>SM940.unl   | 9.40                            | Enables you to enter values in fields that are made from a global list when you use the 9.41 web client together with the 9.40 RTE and applications.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| QCCR1E129149_<br>SM941P2_<br>SM941.unl | 9.41                            | Enables To-Do Alerts to be automatically acknowledged without the user having to click the Acknowledge button.                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| QCCR1E112070_<br>SM940_<br>SM930.unl   | 9.3x (9.30 or later)            | For Service Catalog User Selection multi-selection support.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| QCCR1E19946_<br>SM940_<br>SM930.unl    | 9.3x (9.30 or later)            | Enables extra columns in the "Attachments" section of records.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| QCCR1E103581_<br>SM940_<br>SM932.unl   | 9.3x (9.32 or later)            | <p>Adds support for the auto-complete feature in the web client.</p> <p><b>Note:</b> After loading this unload file, you still need to perform the following tasks to enable auto-complete for a specific Comfill field in a form:</p> <ol style="list-style-type: none"> <li>1. Make sure that the <b>comfillAutoComplete</b> parameter is set to true in the web tier configuration file (web.xml). The default value is true.</li> <li>2. Make sure the <b>Auto Complete</b> property of this field is enabled in Forms Designer. By default, this property is disabled.</li> </ol> |
| QCCR1E114612_<br>SM940_<br>SM930.unl   | 9.3x (9.30 or later)            | <p>The following SM9.40 features are using enhanced Remote JavaScript Service: Service Manager Calendar, Service Manager Reports, and PD Framework components (including Condition Editor , Query Editor , Workflow Editor and Task Planner). When running SM9.3x applications, the Remote JavaScript Service must be upgraded by loading this unload file so that these features can work correctly.</p> <p><b>Note:</b> This unload is required if you are running 9.3x applications on the 9.40 platform.</p>                                                                       |

## Windows client installation

**Note:** No features are being added to the Service Manager Windows (Eclipse) client. We recommend that Service Manager administrators deploy one of the other three clients (web client, SRC client, or Mobility client) to end users. You still need the Windows client to perform administrative tasks.

The Windows client update consists of a compressed file, `sm9.41.7001-P7_Windows_Client.zip`, which contains the executable installation files of the new Windows client. Installing the new Windows client will upgrade your Windows client to this patch level. This version of the Windows client comes with an updated version of JRE 8.

For installation instructions, see the *Service Manager 9.41 Interactive Installation Guide*, which is available to download from [here](#).

**Note:** The Windows client installer will also install the Client Configuration Utility in the `<Service Manager installation path>\Client\ClientConfiguration` directory. To run the utility, double-click the `confutil.bat` file in this directory. However, we recommend that you use the web client if you want to provide end users with a customized client.

## New customers

You only need to install the new Windows client.

## Existing customers

You need to back up and uninstall the old Windows client, and then install the new Windows client.

To install the new Windows client, follow these steps:

1. Stop the Service Manager Windows client.
2. Make necessary backups. For details, see [Windows client backout instructions](#).
3. Uninstall the Service Manager Windows client. (Your connection and personalized settings are retained.)
4. Run **setupclient.exe** to install the new client.

5. Check the version in **Help > About Service Manager Client**.

The client should be Release: **9.41.7001-P7**.

## Applications Update installation

This release does not contain an applications or upgrade package. The latest applications version is 9.41. An applications upgrade is optional, and you can install the Service Manager 9.41 Applications or Upgrade package according to your current applications version.

You can find the SM 9.41 Applications or Upgrade package as well as *Service Manager 9.41 Release Notes* in the Service Manager 9.41 installation media.

## Service Request Catalog (SRC) installation

Service Manager 9.41p7 includes the SRC package (`src9.41p7.0015.zip`), which contains:

- The SRC deployment file (`src-9.41p7.war`)
- Unload files for SRC 9.41.p7 and for previous versions

### Unload file naming convention

The unload files use the following naming convention: `<CR_ID>_SRCxxxPxx_SMxxx.unl`, where:

- `<CR_ID>`: The identification number of the applications defect that the unload file fixes. For example, QCCR1E12345.
- `SRCxxxPxx`: The minimum SRC patch level that requires the unload file. For example, SRC940p1, which means the unload file comes with the SRC9.40 patch 1 and should be used for patch 1 or higher.
- `SMxxx`: The Service Manager applications version that requires the unload file. For example, SM941, which means the unload file is intended only for Service Manager applications version 9.41.

**Note:** In this release, the English version of the online help is updated for Service Request Catalog 9.41, while the localized versions are still based on SRC 9.32.

## SRC application unload installation

This SRC package in this release includes the following unload files.

| Unload file                     | Introduced in which patch | Used for apps version (s) | Description                                                                                                            |
|---------------------------------|---------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------|
| QCCR1E139800_SRC941p7_SM941.unl | SRC 9.41 p7               | SM 9.41                   | Enables an operator who belongs to a group to approve or deny a request on his/her own behalf only.                    |
| QCCR1E142430_SRC941p7_SM941.unl | SRC 9.41 p7               | SM 9.41                   | Displays the Pending Approvals count correctly in SRC.                                                                 |
| QCCR1E138792_SRC941P6_SM941.unl | SRC 9.41p6                | SM 9.41                   | Fixes a performance issue that occurs when SRC displays a form that contains a large number of user selections.        |
| QCCR1E136291_SRC941P5_SM941.unl | SRC 9.41p5                | SM 9.41                   | Prevents surveys from being able to create interactions for inactive categories (such as "complaint" or "compliment"). |
| QCCR1M2359_SRC941P3_SM941.unl   | SRC 9.41p3                | SM 9.41                   | Enables you to cancel support requests directly from the SRC UI.                                                       |
| QCCR1E129134_SRC941P3_SM941.unl | SRC 9.41p3                | SM 9.41                   | Enables "request for" and "callback contact" users to update or cancel Support Requests directly from the SRC UI.      |
| QCCR1E126562_SRC941P2_SM941.unl | SRC 9.41 p2               | SM 9.41                   | Enables SRC to support both Process Designer-based requests and non-Process Designer-based quotes simultaneously.      |

Before you proceed, read the *Service Request Catalog 9.41 Interactive Installation Guide* and the *Service Request Catalog 9.41 Customization Guide*, which are available to download from [here](#).

**Note:** Users who want to use Service Request Catalog on their tablet devices can download the HP Service Request Catalog app to their device from Google Play or the Apple App Store. To locate these apps, search for "HP SRC" in the appropriate store.

The HP Service Request Catalog 9.41 tablet app supports Service Request Catalog versions 9.33 through 9.41p7.

## New customers

1. Deploy the `src-9.41p7.war` file by following the instructions in the *Service Request Catalog 9.41 Interactive Installation Guide*.
2. Configure SRC 9.41p7 by following the instructions in the *Service Request Catalog 9.41 Customization Guide*.

## Existing customers

1. Install SRC 9.41p7, as described above.
2. Migrate your customizations from the old deployment to SRC 9.41p7.

# Mobility client installation

This release does not contain any Mobility client updates. The latest Mobility client package ships with the Service Manager 9.41 Patch 6.

You can find the download links for the SM9.4x patches and release notes from knowledge document *Overview of Service Manager 9.4x Releases*:

<https://softwaresupport.softwaregrp.com/group/softwaresupport/search-result/-/facetsearch/document/KM01384297>

For more information about how to install the Service Manager 9.41 Mobility client, refer to the *Service Manager 9.41 Mobile Applications User Guide*, which you can access from [here](#).

# Knowledge Management (KM) Search Engine and Import Utility installation

## IDOL Search Engine

Service Manager 9.41 Smart Analytics includes a Smart Search feature based on the IDOL Search Engine. If you want to use the IDOL Search Engine for Knowledge Management, you do not need to install or upgrade the Solr Search Engine.

For more information on how to install and configure the IDOL Search Engine, see the HP Service Manager 9.41 *Smart Analytics Administrator and User Guide*.

## Solr Search Engine

This release includes a package for the Solr Search Engine and Import Utility:

- `\kmsolr_unloads\QCCR1E91035_SM940_SM930.unl`: This unload file contains all Solr Search Engine related application fixes that were released after Service Manager 9.30. These fixes are already merged into the Service Manager 9.40 or later applications. However, if your applications version is 9.3x, you must load this unload file after you install the Solr Search Engine.
- `\kmsolr_unloads\QCCR1E128475_SM941P3_SM940.unl`: This unload is used to enable HTTPS connections for the Solr Search Engine. Loading this unload will add a new option, SSL Enabled, in the Knowledge Management Environment record (**Knowledge Management > Administration > Environment**). See also the following HPE white paper:

[Configuring FIPS Mode in Service Manager](#)

- `knowledgemanagement` folder: Contains updated files of the Solr Search Engine
- `km-import-9.41.zip`: The installation files of KM Import Utility version 9.41.

### New customers

1. Make sure that you have already installed Service Manager 9.41 server and clients.
2. Install the Service Manager 9.40 Solr Search Engine . For installation instructions, see the *Service Manager 9.40 Knowledge Management Search Engine Guide*.
3. On Windows: at the Windows command line, run the following command to remove the old KM Search engine windows service from the Solr search engine installation directory (if the service is installed):

**installservice.cmd remove [nodetype]**

**Note:** In this command, [nodetype] is a placeholder for "master" or "slave", depending on whether the KM Search engine server is the master or a slave.

4. Remove the Tomcat folder in your Solr Search Engine installation folder.
5. Extract the files in the `knowledgemanagement` folder in the 9.41 km patch .zip file to your Solr Search Engine installation directory to overwrite your existing files.
6. At the Windows command line, run the following command to install the new KM Search engine



windows service from the Solr search engine installation directory:

**installasservice.cmd install [nodetype]**

**Note:** In this command, [nodetype] is a placeholder for "master" or "slave", depending on whether the KM Search engine server is the master or a slave.

7. Change the HTTP port and shutdown port that is defined in the <Solr installation directory>/tomcat/conf/server.xml file, according to your requirements.
8. Start your Solr Search Engine.
9. Configure your search servers and knowledgebases, and perform a full indexing for all of your knowledgebases. For details, see the *Service Manager 9.41 Solr Search Engine Guide*.

## Existing customers

Existing customers must install the Service Manager 9.40 Solr Search Engine first, and then apply the Service Manager 9.41 Solr Search Engine patch.

1. Make sure that your Service Manager server and clients have upgraded to version 9.41.
2. Stop your Solr Search Engine.
3. Make a backup of your Solr Search Engine installation folder and other necessary backups.
4. On Windows: at the Windows command line, run the following command to remove the old KM Search engine windows service from the Solr search engine installation directory:

**installasservice.cmd remove [nodetype]**

**Note:** In this command, [nodetype] is a placeholder for "master" or "slave", depending on whether the KM Search engine server is the master or a slave.

5. Remove the Tomcat folder in your Solr Search Engine installation folder.
6. Extract the files in the knowledgemanagement folder in the 9.41 km patch .zip file to your Solr Search Engine installation directory to overwrite your existing files.
7. At the Windows command line, run the following command to install the new KM Search engine windows service from the Solr search engine installation directory:

**installasservice.cmd install [nodetype]**

**Note:** In this command, [nodetype] is a placeholder for "master" or "slave", depending on whether the KM Search engine server is the master or a slave.

8. Change the HTTP port and shutdown port that is defined in the *<Solr installation directory>/tomcat/conf/server.xml* file, according to your requirements.
9. If you are running a 9.3x version of the Service Manager applications, load QCCR1E91035\_SM940\_SM930.unl into your Service Manager system.

**Caution:** Skip this step if you are running the Service Manager 9.4x applications.

10. If your sm.ini file already contains the following line, remove it.

```
KMSearchEngineClass:com.hp.ov.sm.server.plugins.knowledgemanagement.solr.KMSolrSearch
```

**Note:**

- Skip this step if you are running Service Manager 9.3x applications, or if you are running the Service Manager 9.40 (or earlier) RTE.
  - This parameter is no longer needed for the Service Manager 9.41 RTE. If it is present in the sm.ini file, a warning message will occur in the Service Manager server log (sm.log).
11. Remove the KMCores folder in your existing search engine web application folder (for example, C:\Program Files (x86)\HP\Service Manager9.40\Search\_Engine\tomcat\webapps).
  12. Restart your Solr search engine.
  13. Restart the Service Manager service.
  14. Perform a full re-index of all of your knowledgebases. For details, see the *Service Manager 9.41 Solr Search Engine Guide*.

## KM Import Utility installation

**Note:** The **km-import-9.41.zip** file included in this release is same as the one shipped with previous releases.

To install this utility, extract **km-import-9.41.zip** in the Knowledge Management package to a local drive. For detailed instructions on the use of the import utility, see the README file packaged in this .zip file.

## KM server admin console

As of Service Manager 9.41P4, the KM server admin console is removed.

## Additional information

- [Service Manager 9.41 Installation and Upgrade Documentation Center](#) (for detailed instructions on how to install Service Manager, including all backup and backout procedures)
- [Service Manager Support Matrices](#)

# Send documentation feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

## **Feedback on Patch 7 Release Notes (Service Manager 9.41)**

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to [docs.feedback@microfocus.com](mailto:docs.feedback@microfocus.com).

We appreciate your feedback!

