

## Quick Start


This document is meant as a quick reference for expert users. It is not intended to replace the Get.It! Installation Guide. Refer to the Installation Guide for complete instructions on installing and configuring Get.It!

### PreInstallation


1. Make sure you have either Microsoft Internet Information Server (IIS) or Personal Web Server (PWS) installed on the server where you will install Get.It!.
2. If you are planning to implement Get.Services!, install ServiceCenter on a server.
3. If you are planning to implement Get.Resources!, install AssetCenter on a server.
4. You need a JRun license key and an AssetCenter Authorization code. Call your Peregrine Systems' Account Representative.

### Installation


1. Stop the IIS or PWS server.
2. Install Get.It! using the CD included in this package. As part of this installation, JRun will be installed.
3. Pay special attention to the following windows during the JRun installation.



Select Map  
\*.jsp to JSP  
1.0



Select IIS/  
PWS 3.0/4.0



Enter the path to the  
inetpub\scripts  
directory. The  
default is  
C:\inet-  
pub\scripts

Leave the  
defaults in the  
fields at the  
bottom of the  
window.

4. Create a virtual directory in the IIS or PWS and map it to the physical Get.It! directory. Call the virtual directory "getit." If you need to configure multiple virtual directories refer to the Get.It! Installation Guide for instructions.
5. Restart the computer.