

# HP Connect-It

Software Version: 9.20

---

## Release Notes

Document Release Date: October 2010

Software Release Date: October 2010



## Contents

|   |   |
|---|---|
| Release Notes.....                            | 1 |
| Contents.....                                 | 2 |
| Documentation Updates.....                    | 3 |
| Updates and Enhancements.....                 | 4 |
| Connector and Scenario Updates.....           | 4 |
| New connector.....                            | 4 |
| Removed connectors.....                       | 4 |
| New support for existing connectors.....      | 4 |
| Removed support for existing connectors.....  | 4 |
| New Scenarios.....                            | 5 |
| Features, enhancements, and integrations..... | 5 |
| Fixed Defects.....                            | 7 |

## Documentation Updates

The first page of this release notes document contains the following identifying information:

- Version number, which indicates the software version.
- Publish date, which changes each time the document is updated.

To check for recent updates or to verify that you are using the most recent edition, visit the following URL:

<http://h20230.www2.hp.com/selfsolve/manuals>

This site requires that you register for an HP Passport and sign-in. To register for an HP Passport ID, go to: <http://h20229.www2.hp.com/passport-registration.html>

Or click the **New users - please register** link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

**Note:** To view files in PDF format (\*.pdf), Adobe Acrobat Reader must be installed on your system.  
To download Adobe Acrobat Reader, go to the following web site: <http://www.adobe.com/>

## Updates and Enhancements

This version of Connect-It provides the following updates and enhancements:

### Connector and Scenario Updates

#### New connector

- **Universal CMDB Connector (9.01)**  
This new connector was added to support UCMDB 9.01 via the Java API of UCMDB.

#### Removed connectors

- **CA Unicenter AMO 3 and AMO 4**
- **HP Network Inventory**
- **HP Desktop Inventory 7.x and 8.x (PDI)**

#### New support for existing connectors

- **Action Request System (ARS) Connector**  
This connector now supports ARS versions 6.3, 7, and 7.5. There are also new updates to the required DLL files.
- **Project and Portfolio Management (PPM) Center Connector**  
This connector now supports PPM Center versions 8.02 and 8.1.
- **Email Connectors**  
These connectors now support IPv6 and Microsoft Exchange server 2007 and 2010.
- **AssetCenter/Asset Manager Connector**  
This connector now supports Asset Manager 5.22.
- **Discovery and Dependency Mapping (DDM) Inventory Connector**  
This connector now supports DDM Inventory version 7.7.
- **Connectors that use the Database Connector**  
These connectors now support SQL Server 2008.

#### Removed support for existing connectors

- **Tally Systems TS.Census 2.x and TS.Census 3.0**  
This connector no longer supports versions 2 and 3.0. Note that TS.Census 3.1 and 3.2 are still supported.
- **HP Enterprise Discovery**  
Connectors for these versions have been removed: 2.0, 2.1, and 2.2.
- **HP Configuration Management**  
This connector no longer supports version 4.1.
- **AssetCenter/Asset Manager Connector**  
This connector no longer supports versions 3.6, 4.2.x, and 4.3.x.

- **Tivoli Enterprise Console Connector**  
This connector no longer supports version 3.8.
- **NT Security Connector**  
This connector no longer supports Windows NT4 and 2000.
- **Database Connector**  
This connector no longer supports:
  - Oracle versions 8.0.6, 8.1.7.0~8.1.7.4, 9.0.1, and 9.2
  - MsSQL versions 7.0 SP4 (and later Service Packs) and 2000 SP3 (and later Service Packs).
  - MySQL Embedded version 3.23.
  - IBM DB2 UDB version 7.2 FP7 (and above).
  - Sybase Adaptive Server version 12.
- **Lotus Notes Connector**  
This connector no longer supports version 6.x.
- **Email Connectors**  
These connectors no longer support Microsoft Exchange 5.0 and 5.5.

### New Scenarios

- **HP Discovery and Dependency Mapping (DDM) Inventory Connector**  
The following new scenarios can be used to import lists of items from DDM Inventory: pre-import-once.scn, ddmiam\_norm.scn, ddmiam\_mobile.scn, ddmiam-caevents\_sw.scn.
- **Universal CMDB (9.01) Connector**  
The following new scenarios can be used to import data from a UCMDB database: ucmdbam-ba.scn.
- **Access Request System (ARS) Connector**  
The following scenario can be used as a demonstration to understand how data is transferred from ARS to an Asset Manager 5.2 database: /scenario/ars/ars7am52/sharedat.scn.

### Features, enhancements, and integrations

- **Two-way Authentication**  
The Connect-It Web console (Tomcat functionality) and the embedded Jetty server now support two-way authentication.
- **Support for Federal Information Processing Standards (FIPS) 140-2**  
Connect-It now supports Federal Information Processing Standards 140-2.
- **IPv6 (Level B)**  
Connect-It now recognizes IPv6 addresses.
- **Integration with Asset Manger 5.22 and DDM Inventory 7.7**
- **Additional Support**
  - VMWare Workstation: 6.0 and 6.5; VMWare Server 1.0 and 2.0
  - Windows 2008 R2

## Release Notes

### Updates and Enhancements

---

- Windows 7
- JVM 1.6

## Fixed Defects

In this version (9.20):

| Bug Number  | Description   |
|-------------|---|
| QCCR1E53582 | Error when opening LDAP connector: (LDAP API) critical extension is unavailable.  |
| QCCR1E53726 | The POP3 server is not responding.  |
| QCCR1E53785 | Email connector hangs on incoming POP3 email (intermittently).  |
| QCCR1E53827 | Error in Programmer's Reference regarding the Shell() Function.   |
| QCCR1E54073 | Error creating the monitors DB because the XML file and the dbb folder do not exist.  |
| QCCR1E54215 | Error updating database table that has lower case column names: Oracle error: ORA-00904: "<column name>": invalid identifier. |
| QCCR1E54250 | XML Connector writes badly formatted files after the first file (which is correctly formatted).                               |
| QCCR1E54736 | Connect-It crashes when saving the scenario after changing the path of Baroc files.   |
| QCCR1E54852 | Scenario design for the out-of-box scenario ddmism.scn causes Duplicate Key errors in Service Manager.                        |
| QCCR1E54865 | Interface MXANK causes repetitive error messages in the log file.   |
| QCCR1E54867 | Email connector error: (-499) Unable to load BODYSTRUCTURE.   |
| QCCR1E55017 | Compatibility Matrix missing support information.   |
| QCCR1E55558 | Bound variables should be used instead of non bound variables.  |
| QCCR1E55659 | Attachments with upper case Ü cannot be opened  |
| QCCR1E55660 | Error when viewing Lotus Notes messages: 1 (-499) 1\  |
| QCCR1E55687 | Ghost record created.   |
| QCCR1E55700 | Screenshots from emails do not arrive in Service Center tickets.  |
| QCCR1E55805 | The email subject is not displayed correctly.   |
| QCCR1E55806 | Issue with Data Generator connector.  |
| QCCR1E55889 | Impossible to export records from sysattachment table.  |
| QCCR1E55987 | Out-of-Box scenario for Service Manager 9.20 ('smincident-mail.scn') contains invalid document types and mapping references.  |
| QCCR1E56001 | Hotfix (-499) Failed to load IMAP envelope when fetching email.   |

## Release Notes

### Fixed Defects

---

| Bug Number  | Description  |
|-------------|--|
| QCCR1E56002 | (-499) Failed to read the attachment name.   |
| QCCR1E56186 | Email connector hangs on incoming POP3 email (intermittently) - Post Action Error.   |
| QCCR1E56437 | Incorrect Service Manager port number listed in the Connector Guide.   |
| QCCR1E56311 | Filenames of attachments are not displayed correctly.  |
| QCCR1E56425 | Duplicate key errors occur when Connect-It generates 16-digit evsysseq key for eventin records.  |
| QCCR1E55809 | Unable to view produced document type structure in doc type editor for SM WS connector if connector is not open.   |
| QCCR1E56473 | Arrow Buttons for repositioning a mapping do not work correctly.   |
| QCCR1E56560 | An error occurs when producing documents containing MAC attachments with the Email connector using the IMAP protocol: (-499) Not a valid attachment format.  |
| QCCR1E56187 | CIT3.81: JMS=>AC5.02 - Unable to use SSL connection in JMS to read/write EMS queues: Received fatal alert: certificate_expired.  |
| QCCR1E57016 | Error using the Asset Manager connector with parallelization set to 7: "(-53) The connection to the slave process executing the connector 'Asset Management (AMRWC03DX64_2)' for parallelization is broken." |
| QCCR1E56985 | The Monitors database error: 01017 error invalid username/password.  |
| QCCR1E56065 | Cannot Configure the AssetCenter 5.02 Connector in Connect-It 4.11.  |
| QCCR1E57177 | XML file truncated.  |
| QCCR1E57454 | Unable to see all field values with the Service Manager connector.   |
| QCCR1E57321 | Question regarding the doclog between environments.  |
| QCCR1E54782 | Service Manager attachments are not processed.   |

#### In the previous version (4.11):

| Bug Number  | Description   |
|-------------|---|
| QCCR1E51022 | Connect-It 4.10: The Asset Manager connector crashes when the scenario is being executed. |
| QCCR1E51057 | Connect-It 4.00: The Email (sending) connector encounters an error.                       |
| QCCR1E51074 | Connect-It crashes when connecting to ServiceCenter without importing data.               |
| QCCR1E51137 | Connect-It is not always able to successfully create a new consumed document type.        |



**Release Notes**Fixed Defects

---

| Bug Number  | Description   |
|-------------|---|
| QCCR1E51138 | When previewing a document that uses the LDAP Connector, the data type for userAccountControl is missing.   |
| QCCR1E51140 | An internal error occurred when Connect-It encountered a value that ended with +e10.  |
| QCCR1E51237 | The Service Manager Web Services Connector hangs when the 'Retrieve' document type is unchecked.  |
| QCCR1E51371 | Unable to read a text file if there is a comma in the filename or in the directory name where the file is stored.   |
| QCCR1E51373 | The latest Service Manager connector no longer produces an EventFeedBack document as it did in ServiceCenter 6.2.   |
| QCCR1E51378 | Some error messages related to the connection status or the XML connector are not show in any of the Process Reports for connectors.                                      |
| QCCR1E51384 | Java heap space cannot be configured for the Service Manager Web Services connector.  |
| QCCR1E51390 | The LDAP connector encountered an error because it used a 16-bit instead of a 32-bit integer.   |
| QCCR1E51391 | The schedule pointer cannot be updated because of a problem converting 'eventseq' to a long integer.  |
| QCCR1E51392 | Continued problem with case 4600950347: Connect-It crashes due to connection problems with a password.  |
| QCCR1E51444 | Unable to read a text file if there is an umlaut in the filename or in the directory name where the file is stored.   |
| QCCR1E51449 | The body of Inbound Email from POP3 server cannot be retrieved by the email connector when using the Alpine email client.   |
| QCCR1E51452 | Connect-It services will not start: error code 16384.   |
| QCCR1E51454 | In the scenario altirisac.scn, 'Video' is not a collection type.  |
| QCCR1E51457 | Connect-It 3.91: The date field is being exported from the Asset Manager connector as 09/18/2009 11:47:54 ~ rather than 09/18/2009 11:47:54 AM after upgrading from 3.90. |
| QCCR1E51459 | Connect-It 4.00: Discards LDAP collection after mapping.  |
| QCCR1E51460 | Connect-It 4.0: An error occurs while opening the Asset Manager connector.  |
| QCCR1E51461 | Continuation of case 4601763278 (the Email connector is not processing multipart messages that are missing part 2).   |
| QCCR1E51470 | Connect-It 3.91: While attempting to create a new scenario and viewing the data associated with the IMAP connector's InMailMessage document type, the                     |

| Bug Number  | Description  |
|-------------|--|
|             | following error is thrown: (-499) Unable to load BODYSTRUCTURE / Failed to count the attachments.  |
| QCCR1E51991 | The Email Fetching connector always crashes after 30 sessions when running on a schedule.  |
| QCCR1E52114 | For Lotus Notes messages, the names of attachments do not appear correctly when accentuated characters are in the file name and the IMAP protocol is used.   |
| QCCR1E52192 | The documentation and the connector configuration details suggests that the VIM protocol is still supported, although it is not.   |
| QCCR1E52214 | The following error occurs while running scenario ucmdbac.scn: Name 'interfaces' is not defined in element " and Name 'disks' is not defined in element'.  |
| QCCR1E52392 | The User's Guide incorrectly states that, in a case where there is one record match for Hostname and zero record matches for Name, users will see an update on the first keyset reconciliation, i.e. the Hostname match. |
| QCCR1E52662 | The Email connector intermittently hangs on incoming POP3 email.   |
| QCCR1E52739 | After the configuration was modified by linking a table to get a collection, no record is displayed on the linked table.   |
| QCCR1E52743 | The inability to remove out-of-box scenario shared configuration files (string tables, map tables, global functions, user formats, etc.) prevents upgrading older scenarios.   |
| QCCR1E52816 | The SMTP connector added a backslash before periods, commas, and 'at' characters: . , @  |

## Support

Visit the HP Software Support Online web site at:

**<http://www.hp.com/go/hpsoftwaresupport>**

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

**<http://h20229.www2.hp.com/passport-registration.html>**

To find more information about access levels, go to:

**[http://h20230.www2.hp.com/new\\_access\\_levels.jsp](http://h20230.www2.hp.com/new_access_levels.jsp)**

## Legal Notices

### Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notice

© Copyright 1994 - 2010 Hewlett-Packard Development Company, L.P.

### Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.