HP Operations Smart Plug-in for Oracle WebLogic Application Server

for HP Operations Manager for Solaris

Release Notes

Software version: 7.02/July 2010

This document provides an overview of the changes made to HP Operations Smart Plug-in for Oracle WebLogic Application Server (WebLogic SPI) for the release 7.02. It contains important information not included in the manuals or online help. Some sections in the document contain additional information about the SPI on HPOM for HP-UX and HPOM for Linux.

In This Version
Documentation Updates
Installation Notes
Software and Hardware Support
Upgrade Notes
Enhancements and Fixes
Known Problems, Limitations, and Workarounds
Local Language Support
Support
Legal Notices

In This Version

The HP Operations Smart Plug-in for Oracle WebLogic Application Server is for HP Operations Manager for Solaris version 9.02.

Additional Platform Support

HP Operations Smart Plug-in for Oracle WebLogic Application Server for HP Operations Manager for UNIX provides additional support to the following platform: Support for HP-UX MCSG and Veritas Cluster

For information about enhancements and software fixes, see Enhancements and Fixes.

Documentation Updates

The first page of this release notes document contains the following identifying information:

- Version number, which indicates the software version.
- Publish date, which changes each time the document is updated.

To check for recent updates or to verify that you are using the most recent edition, go to: http://h20230.www2.hp.com/selfsolve/manuals

This site requires that you register for an HP Passport and sign-in. To register for an HP Passport ID, go to: http://h20229.www2.hp.com/passport-registration.html

Or click the **New users - please register** link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

NOTE: To view files in PDF format (*.pdf), Adobe Acrobat Reader must be installed on your system. To download Adobe Acrobat Reader, go to:

http://www.adobe.com/

Installation Notes

Installation requirements, as well as instructions for installing the WebLogic SPI, are documented in the Installation and Configuration Guide for HP Operations Smart Plug-in for Oracle WebLogic Application Server provided in Adobe Acrobat (.pdf) format. The document file is included on the product's DVD media in the documentation directory.

Software and Hardware Support

Refer to the Support Matrix (SUMA) link

http://support.openview.hp.com/selfsolve/document/KM323488 for the supported HP Operations Manager, application servers, HP Performance Agent, HP Performance Manager, and HP Reporter version.

For information on the archived obsolescence programs, go to:

http://support.openview.hp.com/encore/om_spis_2009.jsp.

Upgrade Notes

You can upgrade the WebLogic SPI from HP Operations Manager for UNIX version 8.0x to HP Operations Manager for UNIX version 9.0x, HP Operations Manager for Linux version 9.0x and HP Operations Manager for Solaris version 9.0x.

Be aware of the following points when you plan to upgrade WebLogic SPI version 6.00 to version 7.0x:

Complete the migration process from HPOM 8.xx to HPOM 9.0x before upgrading the WebLogic SPI to version 7.0x. Once the WebLogic SPI 7.0x is installed, migrating from HPOM 8.xx is not supported.

- Take a backup of the content in the /opt/OV/wasspi/wls directory before upgrading the SPI to the version 7.0x, in case you want to reuse the old content. When you upgrade the SPI to the new version, the old content in the /opt/OV/wasspi/wls directory will be lost permanently.
- The HP-UX binary files will not work when migrated from HPOM for UNIX 8.0x to HPOM for Linux 9.0x or HPOM for Solaris 9.0x.
- Having the WebLogic SPI version 6.00 (migrated from HPOM 8.xx) and WebLogic SPI version 7.0x (newly installed from SPI DVD 2009 or SPI DVD 2010) on HPOM 9.0x is an intermediate mode and you must move all managed nodes to the WebLogic SPI version 7.0x as soon as possible.
- Monitoring the managed node with a combination of different SPI versions is not supported.
- If you have the WebLogic SPI 7.0x installed on HPOM 9.0x systems, which also has the WebLogic SPI 6.00 as well, the following points are true:
 - You must configure the newly added managed nodes using the WebLogic SPI 7.0x.

 No configuration is possible on the existing or old managed nodes monitored by the WebLogic SPI 6.00.

This is because the WebLogic SPI 6.00 configuration tools are overwritten by the WebLogic SPI 7.0x tools and these tools are incompatible.

- Patches for the WebLogic SPI version 6.00 must be installed before you start the HPOM migration process. Once the WebLogic SPI version 7.0x is installed, no patches or hot-fixes pertaining to the WebLogic SPI version 6.00 can be installed on the HPOM server.
- To launch the GUIs related to WebLogic SPI 7.0x, you must install X-windows client software on the machine from which you will launch the HPOM for UNIX 9.0x or HPOM for Linux 9.0x or HPOM for Solaris 9.0x server Operator GUI.
- Installing patches that would be released in the future for the WebLogic SPI version 6.00 are not supported on HPOM for UNIX 9.0x or HPOM for Linux 9.0x or HPOM for Solaris 9.0x after migration. However, a patch can be installed on the HPOM for UNIX 8.xx server and migrated to HPOM for UNIX 9.0x or HPOM for Linux 9.0x or HPOM for Solaris 9.0x environment.
- Migration of Java Metric Builder (JMB) to HPOM for UNIX 9.0x server is not supported.
- Graph templates cannot be launched from automatic action or Operator initiated action of alerts.
- After migration from HPOM 8.xx to HPOM 9.0x, when you run license reporting tool from HPOM 9.0x, the following errors would be reported. This is an expected behavior. You can ignore this error.

```
ERROR: (oprel-407) License status for 'SPI Name' is: Error

Can't check license status because of missing ID mapping file.

Please install the missing component and make sure that a sufficient number of licenses is installed.

Error: '(oprel-130) ID mapping file does not exist: (oprel-129)

Can't find ID mapping file '/opt/OV/misc/EL/registration/<SPIname>.xml' for plug-in '<SPIname>'. '
```

Enhancements and Fixes

To display details about each software enhancement or fix, click the reference number link to go to the HP Software Online Support web site. The first time you click a link, you must enter your HP passport information. To set up your passport profile, go to:

http://h20229.www2.hp.com/passport-registration.html

Fixes

```
QCCR1A89016: OMi Support Required for WLSSPI
QCCR1A89488: Collector process leaves behind too many unclosed file & process handles
QCCR1A90053: WLSSPI 6.x and WBSSPI 6.x show multiple hung JSpiCola processes
QCCR1A92053: WLSSPI 6.x should Support Oracle WebLogic Server 10g3
QCCR1A92844: Discovery fails on RHEL 5.2 DCE for WLSSPI_6.10
QCCR1A96738: Editing any WLSSPI configuration file stops rmid process
```

Known Problems, Limitations, and Workarounds

This release contains the following unresolved problems. Workarounds are provided wherever applicable.

- <u>Problem</u>: A scheduled metric failed message appears for the WLSSPI-Logfile-Monitor policy. For
 WLSSPI-Logfile-Monitor policy to work, le.dat and wls.log files must be created under the SPI log
 directory. These files are created only after the collector is run successfully for the first time. Hence the
 WLSSPI-Logfile-Monitor policy (that is scheduled to run after every minute) fails with a critical message
 until the 5min collector metric starts working.
- **Problem**: On restarting the WebLogic Application Server, the WebLogic SPI 7.0x collector might log negative values for the metrics WLSSPI_0070, WLSSPI_0071, and WLSSPI_0076 in the first collection cycle. The collector logs the correct values for these metrics in all the subsequent collection cycles.
- **Problem**: If the instrumentation files of more than one Web Application Server SPI are deployed on the same node, an error message (File name collision detected) appears in the HPOM message browser whenever a multiple occurrence of an instrumentation file is identified.
- **Problem**: When the instrumentation files of the WebLogic SPI and SHS component are deployed on the same node, an error message (File name collision detected) appears in the HPOM message browser whenever a multiple occurrence of XMLParser.pm is identified. This does not affect the configuration. You can ignore this error message.

Local Language Support

HP Operations Smart Plug-In for Oracle WebLogic Server Installation and Configuration Guide is localized in Japanese.

The SPI installers obtain the HPOM for UNIX locale from the ctrl.env namespace before proceeding with the SPI installation. Verify if the namespace has been set using the following command:

/opt/OV/bin/ovconfget ctrl.env LANG

If the ctrl.env namespace is not set by the HPOM, run the following command on the HPOM Server before starting the SPI installation:

ovconfchg -ns ctrl.env -set LANG <HPOM locale>. In this instance, <HPOM locale> can be C, ja_JP, ko_KR, or zh_CN.

Example: ovconfchg -ns ctrl.env -set LANG ja JP

Depending on the <HPOM locale> value, the LANG variable in the ctrl.env namespace will be set to C.utf8, ja_JP.utf8, ko_KR.utf8, or zh_CN.utf8.

Support

You can visit the HP Software support web site at: www.hp.com/go/hpsoftwaresupport

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online software support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support site to:

• Search for knowledge documents of interest

- · Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- · Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- · Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require an active support contract. To find more information about support access levels, go to:

http://h20230.www2.hp.com/new_access_levels.jsp

To register for an HP Passport ID, go to:

http://h20229.www2.hp.com/passport-registration.html

Legal Notices

©Copyright 2010 Hewlett-Packard Development Company, L.P.

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

For information about third-party license agreements, see the spi-thirdparty-license-agreements directory on the product installation DVD-ROM.

Trademark Notices

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation. Java $^{\text{TM}}$ is a US trademark of Sun Microsystems. Inc.