

HP OpenView Smart Plug-in for BEA WebLogic Server

Reference

Software Version: A.03.50

For HP-UX and Solaris OpenView Operations Management Server



Manufacturing Part Number: None

November 2004

© Copyright 2001-2004 Hewlett-Packard Development Company, L.P.

Legal Notices

Warranty.

Hewlett-Packard makes no warranty of any kind with regard to this document, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be held liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

A copy of the specific warranty terms applicable to your Hewlett-Packard product can be obtained from your local Sales and Service Office.

Restricted Rights Legend.

Use, duplication or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause in DFARS 252.227-7013.

Hewlett-Packard Company
United States of America

Rights for non-DOD U.S. Government Departments and Agencies are as set forth in FAR 52.227-19(c)(1,2).

Copyright Notices.

©Copyright 2001-2004 Hewlett-Packard Development Company, L.P.

No part of this document may be copied, reproduced, or translated to another language without the prior written consent of Hewlett-Packard Company. The information contained in this material is subject to change without notice.

Trademark Notices.

Java™ is a US trademark of Sun Microsystems, Inc.

1. WebLogic Server Metrics

Metric Summary	9
Metric Summary Sheet: Columns Key	9
Metric Specification Description	14
Metric B001_ServerStatus	16
Metric B002_ServerStatusRep	18
Metric B005_JVMMemUtilPct	19
Metric B010_ExQueThruRate	21
Metric B011_ExQThrdUtilPct	22
Metric B012_ExQueWaitCnt	24
Metric B013_SocketTrafficRt	25
Metric B014_ActiveSocketCnt	26
Metric B015_SrvrRestartsPct	27
Metric B025_EJBFreePoolWtRt	28
Metric B225_EJBFreePoolWaitRate	30
Metric B026_EJBTimeoutRt	32
Metric B226_EJBTimeoutRate	33
Metric B035_EJBTranThruRt	34
Metric B036_EJBTranRbRt	35
Metric B238_EJBCacheHitPct	36
Metric B240_ServletAveExecTime	37
Metric B241_ServletTimeCnt	38
Metric B242_ServletReqRate	39
Metric B245_WebAppSessionCnt	40
Metric B246_WebAppHitRt	41
Metric B251_JMSUtilByMessagePct	42
Metric B252_JMSUtilByBytePct	43
Metric B253_JMSThreshByMessagePct	44
Metric B254_JMSThreshByBytePct	45
Metric B255_JMSServerThruMessageRt	46
Metric B256_JMSServerThruByteRt	47
Metric B260_JDBCConnectionPoolUtil	48
Metric B061_JDBCConPIWtCnt	49
Metric B262_JDBCConnectionPoolThruRt	50
Metric B063_JDBCConnectionPoolLeakedConnectionsRtSum	51
Metric B263_JDBCConnectionPoolLeakedConnectionsRt	52

Contents

Metric B264_JDBCConnectionPoolFailures	53
Metric B265_JDBCConnectionPoolAvgConnectionDelayTime	54
Metric B070_TrانAveTime	55
Metric B270_ConnectorConnectionPoolUtil	56
Metric B071_TrانRollbackPct	58
Metric B072_TrانResErrRbPct	59
Metric B073_TrانAppErrRbPct	60
Metric B074_TrانTimErrRbPct	61
Metric B075_TrانSysErrRbPct	62
Metric B076_TrانThruRate	63
Metric B077_TrانHeurCnt	64
Metric B078_ConnectorConnectionPoolLeakedConnRateSum	66
Metric B278_ConnectorConnectionPoolLeakedConnRate	67
Metric B079_TrانCapacityUtil	68
Metric B080_ClsOutMesFailRt	69
Metric B081_ClsInMesFailRt	71
Metric B281_XMLCacheDiskSize	73
Metric B282_XMLCacheMemorySize	74
Metric B085_InvLoginAttCnt	75
Metric B090_TimeSerExcepCnt	76
Metric B091_TimeSerThruRt	77

2. WLS-SPI Log File and Configuration File Templates

WebLogic Config Files	81
WLSSPI-Error Log	82
WebLogic Log Template	83

Support

Please visit the HP OpenView web site at:

<http://www.managementsoftware.hp.com/>

This web site provides contact information and details about the products, services, and support that HP OpenView offers.


You can also go directly to the support web site at:


<http://support.openview.hp.com/>


HP OpenView online software support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valuable support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track progress on support cases
- Manage a support contract
- Look up HP support contacts
- Review information about available services
- Enter discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and log in. Throughout the site, access levels are indicated by the following icons:

 HP Passport

 Active contract

 Premium contract

To find more information about access levels, go to the following URL:

http://support.openview.hp.com/access_level.jsp

To register for an HP Passport ID, go to the following URL:

<https://passport.hp.com/hpp2/newuser.do>

1 WebLogic Server Metrics

This chapter provides detailed and summary listings of the HP OpenView Smart Plug-in for BEA WebLogic Server (WLS-SPI) metrics and provides descriptions and other relevant information that help you

interpret the incoming WLS-SPI data. The information here should also prove valuable for customizing metric templates. The chapter contains the following sections:

- Metric Summary
- Metric Details

Metric Summary

WLS-SPI metric templates have pre-defined settings that simplify setup tasks for the WLS-SPI. Over time, however, you may want to customize some of those settings. This and the section that follows provide the basic pieces of information you need for those customizations.

For easy reference, the tables on the following pages list all metrics contained in the chapter. Following the metric summary table are individual metric details for every WebLogic Server metric and, when available, its monitor template settings. For metrics used for reporting or graphing only, no monitor settings exist, hence the setting is labeled "N/A" (not applicable).

Metric Summary Sheet: Columns Key

The summary list assists you in quickly finding a metric and its most basic information. Following the summary list are individual metric details which include settings for alarming metrics with parallel monitor templates.

Metric Number	The number assigned to the metric; for example 25 = B025. Numbers in the 200 range are for drill down metrics that collect values on a single instance of WLS; for example 225 = B225.
Metric Name	The metric name in abbreviated form; for example, EJBTranRbPct = EJB Transaction Rollback Percent.
Description	What the collected metric value represents.
Avail. WLS Version	WebLogic Server version in which the metric is available. For example, version 6.1, version 7.0, version 8.1, or all versions (6.1, 7.0, and 8.1). Note that the WLS-SPI only supports version 6.1 with a service pack installed (version 6.1 SP1 or greater).
Type	The purpose for which the metric is collected: A = Alarming R = Reporter reporting G = Reporter graphing
Area	The logical area of WebLogic Server in which the metric belongs.

Figure 1-1 Metric Summary (page 1 of 4)

Number	Metric Name	Description	Avail.	WLS Version	Type	Severity	Area
1	B001_ServerStatus	Status of a server	All	A	Critical	Warning	Availability
2	B002_ServerStatusRep	Status of a server - reporting	All	R			Availability
5	B005_JVMMemUtilPct	% of heap space used in the JVM	All	GA	Critical	Major	JVM
10	B010_ExQueThruRate	# of requests serviced by an execute queue per second	All	GR			Performance
11	B011_ExQThrdUtilPct	% of threads in use for a server's execute queue.	All	GRA	Critical	Major Minor	Performance
12	B012_ExQueWaitCnt	# of client requests waiting to be serviced	All	GA	Minor		Performance
13	B013_SocketTrafficRt	# of socket connections opened per second	All	G			Performance
14	B014_ActiveSocketCnt	# of socket connections opened	All	GA	Minor		Performance
15	B015_SrvrRestartsPct	% of permissible restarts	7.0, 8.1	GRA	Critical	Warning	Performance
25	B025_EJBFreePoolWtRt	# of times/min no EJB beans were available from the free pool	All	GRA	Warning		EJB
225	B225_EJBFreePoolWaitRate	# of times/min no EJB beans were available from the free pool (drill down)	All	A	Warning		EJB

Figure 1-2 Metric Summary (page 2 of 4)

Number	Metric Name	Description	Avail.	WLS Version	Type	Severity	Area
26	B026_EJBTimeoutRt	# of times/min a client timed out waiting for an EJB bean	All	GRA	Warning	EJB	
226	B226_EJBTimeoutRate	# of times/min a client timed out waiting for an EJB bean (drill down)	All	A	Warning	EJB	
35	B035_EJBTranThruRt	# of EJB transactions per second	All	GRA	Warning	EJB	
36	B036_EJBTranRbRt	# of EJB transactions rolled back per second	All	GRA	Warning	EJB	
238	B238_EJBCacheHitPct	% of EJBs in the cache in use	All	RA	Warning	EJB	
240	B240_ServletAveExecTime	Ave execution time for a servlet in msec	All	RA	Warning	Servlets	
241	B241_ServletTimeCnt	Time spent in a servlet	All	R		Servlets	
242	B242_ServletReqRate	# of requests for a servlet per second	All	RA	Warning	Servlets	
245	B245_WebAppSessionCnt	# of open sessions for a web application	All	RA	Warning	Web Applications	
246	B246_WebAppHitRt	# of open sessions for a web application per second	All	R		Web Applications	
251	B251_JMSUtilByMessagePct	% of JMS server filled based on # of messages	All	RA	Critical Major	JMS	
252	B252_JMSUtilByBytePct	% of JMS server filled based on total bytes	All	RA	Critical Major	JMS	
253	B253_JMSThreshByMessagePct	% of time server threshold condition satisfied based on # of messages	All	RA	Warning	JMS	

Figure 1-3 Metric Summary (page 3 of 4)

Number	Metric Name	Description	Avail. WLS Version	Type	Severity	Area
254	B254_JMSThreshByBytePct	% of time server threshold condition satisfied based on total bytes	All	RA	Warning	JMS
255	B255_JMSSErverThruMessageRt	# of messages passed through JMS server per second	All	R		JMS
256	B256_JMSSErverThruByteRt	# of bytes passed through JMS server per second	All	R		JMS
260	B260_JDBCConnectionPoolUtil	% utilization of available JDBC connections in connection pool	All	RA	Critical Major	JDBC
61	B061_JDBCConPIWtCnt	# of clients waiting for a connection from connection	All	GA	Warning	JDBC
262	B262_JDBCConnectionPoolThruRt	# of clients serviced by connection pool per second	All	R		JDBC
63	B063_JDBCConnectionPoolLeakedConnectionsRtSum	# of unclosed JDBC connections and JDBC connections that have exceeded their max idle times	7.0, 8.1	G		JDBC
263	B263_JDBCConnectionPoolLeakedConnectionsRt	Rate of leaked connections for the JDBC connection pool	7.0, 8.1	RA	Warning	JDBC
264	B264_JDBCConnectionPoolFailures	JDBC connection pool failures	7.0, 8.1	A	Warning	JDBC
265	B265_JDBCConnectionPoolAvgConnectionDelayTime	JDBC connection pool connection delay	7.0, 8.1	RA	Warning	JDBC
70	B070_TransAveTime	Average commit time for transactions	All	GRA	Minor	Transactions
270	B270_ConnectorConnectionPoolUtil	% utilization of available JCA connections in connection pool	7.0, 8.1	RA	Critical Major	Connector
71	B071_TransRollbackPct	% of transactions rolled back	All	GRA	Minor	Transactions
72	B072_TransResErrRbPct	% of transactions rolled back due to resource error	All	GRA	Minor	Transactions
73	B073_TransAppErrRbPct	% of transactions rolled back due to application error	All	GRA	Minor	Transactions

Figure 1-4 Metric Summary (page 4 of 4)

Number	Metric Name	Description	Avail.	WLS Version	Type	Severity	Area
74	B074_TransTimErrRbPct	% of transactions rolled back due to timeout error	All	GRA	Minor		Transactions
75	B075_TransSysErrRbPct	% of transactions rolled back due to system error	All	GRA	Minor		Transactions
76	B076_TransThruRate	# of transactions processed per second	All	GR			Transactions
77	B077_TransHeurCnt	% of transactions returning a heuristic decision	All	GRA	Minor		Transactions
78	B078_ConnectorConnectionPoolLeakedConnRateSum	# of unclosed connector connections and ones that have exceeded their max idle time	7.0, 8.1	G			Connector
278	B278_ConnectorConnectionPoolLeakedConnRate	Rate of leaked connections for the JCA connection pool	7.0, 8.1	RA	Warning		Connector
79	B079_TransCapacityUtil	% utilization of transaction capacity	7.0, 8.1	GRA	Critical Major		Transactions
80	B080_ClsOutMesFailRt	# of multicast messages per minute to cluster resent	All	GA	Minor		Cluster
81	B081_ClsInMesFailRt	# of multicast messages per minute from cluster lost by server	All	GA	Minor		Cluster
281	B281_XMLCacheDiskSize	Total number of cached entries on disk which contain external references in an XML parser	7.0, 8.1	R	N/A		XML Cache
282	B282_XMLCacheMemorySize	Total number of cached entries in memory which contain external references in an XML parser	7.0, 8.1	R	N/A		XML Cache
85	B085_InvLoginAttCnt	# of invalid login attempts	All	GA	Minor		Security
90	B090_TimeSerExcepCnt	# of exceptions thrown for all triggers	6.1, 7.0	A	Minor		Time Service
91	B091_TimeSerThruRt	# of triggers executed per second	6.1, 7.0	G			Time Service

Metric Specification Description

Each metric definition heading denotes a WebLogic Server metric number. The "B" that precedes the metric number designates the metric as a BEA WebLogic Server SPI metric.

- WLS-SPI metric numbers range from 0000 to 0999.
- The 0700 to 0799 range is reserved for User Defined Metrics.

WLS-SPI metrics can then be identified as BXXX, where XXX represents the number assigned to the metric. The parallel metric monitor template name omits the "B" and begins with "WLSSPI" followed by an underscore and the metric number. Zeroes are used as necessary to total a four-digit number; for example, metric number B001 = monitor template WLSSPI_0001

Application Bank reports use the metric number and name; for example, for metric 5, the report is identified as B005_JVMMemUtilPct.

Monitor Template Name	Begins always with "WLSSPI," followed by the metric number. Within the monitor template, you can change settings as described in the definition. For example, you can change the settings for threshold value or severity.
Metric Name	The name assigned to the metric.
Metric Type	Shows how the metric is used: <ul style="list-style-type: none"> • Alarming (using monitor template settings), • Reporting (within a report of the separately purchased HP OpenView Reporter), and/or • Graphing (within a graph of the separately purchased HP OpenView Performance).
Description	What the metric represents.
Avail. WLS Version	The WebLogic Server version (6.1, 7.0, and/or 8.1) for which the metric is available. Note that the WLS-SPI only supports version 6.1 with a service pack installed (version 6.1 SP1 or greater).
Severity: Condition	The severity of the exceeded threshold condition. (Critical, Major, Minor, Warning, Normal). If multiple conditions—for example, graduated thresholds—are defined within the metric, severity levels are identified according to the specific condition.
Collection Interval	How often the metric is collected and analyzed (5 min, 15 min, 1 hour, 1 time daily).

OVO Min/Max Threshold	Because this setting is the same for all WebLogic Server metrics (all have maximum thresholds), it is omitted.
Default OVO Threshold	Shows the default OVO threshold for metrics with parallel monitor templates. Metrics with a threshold value of 0 are set at 0.5 because OVO alarms must occur at <= or >= values. Since a 0 value would always trigger an alarm, the threshold is set to 0.5.
OVO Threshold Type	Because this setting is the same for all WebLogic Server metrics (without reset), it is omitted.
Message Group	The OVO message group to which the metric belongs. (WLSSPI = conditions occurring in the WLS-SPI and WebLogic = conditions occurring in the WebLogic Server).
Message Text	The message displayed for each condition.
Instruction Text	Problem-solving information (Probable causes, Potential impact, Suggested actions, and Reports).
Report Type	<p>When a report or graph is available, the method in which it is generated. (Application Bank, Automatic, Operator-initiated, N/A).</p> <ul style="list-style-type: none"> • Application Bank - Reports can be generated from the Application Bank in OVO. • Automatic - A report is generated automatically when an event is detected. • Operator-initiated - A report or graph manually generated by the operator. • N/A - No report nor graph are planned. <p>All Automatic or Operator-initiated reports are available in the Application Bank. However, not all reports in the Application Bank are Automatic or Operator-initiated. Reports that use MeasureWare-only metrics (no alarms, just MeasureWare data) do not have an OVO template for Operator-initiated nor Automatic actions. They are ONLY available in the Application Bank.</p>
Area	The logical area to which the metric belongs (Availability, JVM, Performance, EJB, Servlets, Web Applications, JMS, JDBC, Transactions, Connector, Cluster, XML Cache, Security, Time Service).

Metric B001_ServerStatus

Monitor Template Name	WLSSPI_0001
Metric Name	B001_ServerStatus
Metric Type	Alarming
Description	Status of a server, monitors whether running or not.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition with threshold	Four conditions Critical: WLSSPI-0001.1, threshold 5 Warning: WLSSPI-0001.2, threshold 1.5
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0001.1: Server status is unknown (down) WLSSPI-0001.2: Server status: Suspended

<p>Instruction Text</p>	<p>For each server, this metric reports the status (running, shutdown in progress, shutdown pending, suspended, or unknown). Probable cause: If the server is not in a running state, the following events may have occurred:</p> <ol style="list-style-type: none"> 1. The WebLogic Administrator has selected “Shutdown this server” from the Administration console. 2. The WebLogic Administrator has selected “Suspend this server” from the Administration console. 3. The server may have gone down for other reasons. <p>Potential Impact: If the server is Shutdown or in the process of shutting down, the server is no longer be available. If the server is Suspended, it only accept requests from the Administration Server. Suspending the WebLogic Server only suspends server responses to HTTP requests. Java applications and RMI invocations are not suspended. Suggested action: If the designated server is not running, the WebLogic Administrator should start the server using the appropriate script. It is important to note whether this is the Administration Server or a Managed Server, since the startup script will be different for each type. If the server has been suspended, it may have been placed in this state for a reason. A typical use of this feature would be in a situation where a WebLogic Server is running as a “hot” backup for another server. When it is OK to do so, execute the “Resume this server” command from the Administration console.</p>
<p>Report Type</p>	<p>N/A</p>
<p>Area</p>	<p>Availability</p>

Metric B002_ServerStatusRep

Monitor Template Name	N/A—Used in a report generated by HP OpenView Reporter
Metric Name	B002_ServerStatusRep
Metric Type	Reporting
Description	Status of server—reporting
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	5m
Message Text	N/A
Instruction Text	N/A
Report Type	Application Bank Report (ASCII report)
Area	Availability

Metric B005_JVMMemUtilPct

Monitor Template Name	WLSSPI_0005
Metric Name	B005_JVMMemUtilPct
Metric Type	Alarming
Description	Percentage of heap space used in the JVM.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Critical: WLSSPI-0005.1, threshold 98 Major: WLSSPI-0005.2, threshold 95
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0005.1: % of heap space used (<\$VALUE>%) too high (>=<\$THRESHOLD>%)

<p>Instruction Text</p>	<p>The JVM is running out of available heap space.</p> <p>Probable cause: The JVM heap size may be set too low for the client load.</p> <p>Potential impact: The JVM heap size determines how often and how long the VM spends collecting garbage (de-allocating unused Java objects). The Java heap is where the objects of a Java program live. When an object can no longer be reached from any pointer in the running program, the object is garbage.</p> <p>Garbage collection affects performance because JVM work cannot proceed during full garbage collection. An acceptable rate for garbage collection is application-specific and should be adjusted after analyzing the actual time and frequency of garbage collections.</p> <p>The goal of tuning your heap size is to minimize the time that you spend doing garbage collection while maximizing the number of clients that you can handle at a given time.</p> <p>If you set a large heap size, full garbage collection is slower, but it occurs less frequently. For a smaller heap size, full garbage collection is faster, but occurs more frequently.</p> <p>Suggested action: For additional information on tuning your heap size, see the <i>Performance and Tuning</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p> <p>You can set the heap size using the options <code>-Xms</code> and <code>-Xmx</code> on the Java command line in the script used to start the server.</p> <p>Use the <code>-Xms</code> option to set the minimum size of the heap. Set this value to a multiple of 1024 that is greater than 1MB.</p> <p>Use the <code>-Xmx</code> option to set the maximum Java heap size. Set this value to a multiple of 1024 that is greater than 1MB.</p> <p>As a general rule, set minimum heap size equal to the maximum heap size. If you are using 1.3 Java HotSpot JVM, also set generation sizes. Make sure that the heap size is not larger than the available free RAM on your system. Use as large a heap size as possible without causing your system to swap pages to disk. The amount of free RAM on your system depends on your hardware configuration and the memory requirements of running processes on your machine. See your system administrator for help in determining the amount of free RAM on your system.</p> <p>Typically, you should use 80% of the available RAM (not taken by the operating system or other processes) for your JVM. If you find that you have a large amount of RAM remaining, run more WebLogic Servers on your machine.</p>
<p>Report Type</p>	<p>Application Bank</p>
<p>Area</p>	<p>JVM</p>

Metric B010_ExQueThruRate

Monitor Template Name	N/A—Used for reporting (Reporter) and graphing (Performance) only.
Metric Name	B010_ExQueThruRate
Metric Type	Reporting, Graphing
Description	Number of requests serviced by an execute queue per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	15m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	N/A
Area	Performance

Metric B011_ExQThrdUtilPct

Monitor Template Name	WLSSPI_0011
Metric Name	B011_ExQThrdUtilPct
Metric Type	Alarming, Reporting, Graphing
Description	Percentage of threads in use for a server's execute queue.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Critical: WLSSPI-0011.1, threshold 90 Major: WLSSPI-0011.2, threshold 85 Minor: WLSSPI-0011.3, threshold 80
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0011.1: % of execute queue threads used (<\$VALUE>%) too high (>=<\$THRESHOLD>%)

<p>Instruction Text</p>	<p>The utilization of the WebLogic server execute threads has exceeded a threshold value. Probable cause: The number of incoming client requests has resulted in all the execute threads being allocated. Potential impact: At 100% utilization, the WebLogic server will not have any threads available to service incoming requests. Suggested action: For additional information on tuning the execute thread pool, see the 'Performance and Tuning' documentation for your WebLogic Server version available through http://e-docs.bea.com/. Systems administrators can increase the total number of execute threads via the administrator's console. However, it should be noted that adding more threads does not necessarily imply that you can process more work. Even if you add more threads, you are still limited by the power of your processor. You can degrade performance by increasing this value unnecessarily. Because threads are resources that consume memory, a very high execute thread count causes more memory to be used and increases context switching. This degrades your performance. The value of the Thread Count depends very much on the type of work the application does. For example, if your client application is thin and does a lot of its work through remote invocation, the time your client application spends connected will be greater than for a client application that does a lot of client-side processing. So, if you do not need to use the additional threads for your work then you should not change the value of this attribute. The thread will not be held for the client application. If your application makes database calls that take a long time to return, you need more execute threads than an application that makes calls that are short and turn over very rapidly. For the latter, you can use a small number of execute threads and improve performance. The following scenarios can be used as a guideline for setting the ThreadCount: Thread Count < number of CPUs: Increase the thread count Thread Count = number of CPUs: Increase the thread count Thread Count > number of CPUs by a moderate number of threads: Practically ideal, although some tuning may be necessary Thread Count > number of CPUs by a significant number: Reduce the number of threads</p>
<p>Report Type</p>	<p>Application Bank</p>
<p>Area</p>	<p>Performance</p>

Metric B012_ExQueWaitCnt

Monitor Template Name	WLSSPI_0012
Metric Name	B012_ExQueWaitCnt
Metric Type	Alarming, Graphing
Description	The number of client requests waiting to be serviced
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0012.1, threshold 10
Collection Interval	15m
Message Text	WLSSPI-0012.1: # of requests waiting to be serviced (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The number of client requests waiting to be serviced has exceeded a threshold value.</p> <p>Probable cause: The rate of incoming requests has exceeded the number of threads available to perform the work.</p> <p>Potential impact: Degradation in performance from a client perspective.</p> <p>Suggested action: Although client requests are waiting for an execute thread to be allocated, it is important to note that adding more threads does not necessarily imply that you can process more work. Even if you add more threads, you are still limited by the power of your processor. You can degrade performance by increasing this value unnecessarily. Because threads are resources that consume memory, a very high execute thread count causes more memory to be used and increases context switching. This degrades your performance.</p> <p>If this condition persists, you may need to upgrade your processor power. Another solution is to simply add resources. If your WebLogic server is configured in a cluster, then to increase the load handling capabilities you can add another WebLogic server to the cluster. Given a well-designed application, adding additional servers should provide linear scalability. For information on tuning the execute thread pool, see the <i>Performance and Tuning</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
Area	Performance

Metric B013_SocketTrafficRt

Monitor Template Name	N/A—Used for graphing only.
Metric Name	B013_SocketTrafficRt
Metric Type	Graphing
Description	Number of socket connections opened per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	15m
Default OVO Threshold	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	N/A
Area	Performance

Metric B014_ActiveSocketCnt

Monitor Template Name	WLSSPI_0014
Metric Name	B014_ActiveSocketCnt
Metric Type	Alarming, Graphing
Description	Number of socket connections opened.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0014.1, threshold 5
Collection Interval	15m
Message Text	WLSSPI-0014.1: # of socket connections currently open (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The number of open sockets has exceeded a threshold value.</p> <p>Probable cause: The current number of open sockets is greater than the expected number of open sockets for this WebLogic server.</p> <p>Potential impact: If the number of open sockets is greater than the number of socket reader threads allocated, incoming requests may be required to wait until a socket reader thread is free.</p> <p>Suggested action: Consider increasing the number of socket reader threads from the Administration Server console, preferably equal to the potential maximum number of opened sockets. Allocating execute threads to act as socket reader threads increases the speed and the ability of the server to accept client requests. However, it is essential to balance the number of execute threads that are devoted to reading messages from a socket and those threads that perform the actual execution of tasks in the server.</p> <p>For information on tuning the execute thread pool, see the <i>Performance and Tuning</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
Report Type	Operator action for Serverstat graph.
Area	Performance

Metric B015_SrvrRestartsPct

Monitor Template Name	WLSSPI_0015
Metric Name	B015_SrvrRestartsPct
Metric Type	Alarming, Reporting, Graphing
Description	Percentage of permissible restarts.
Avail. WLS Version	7.0, 8.1
Severity: Condition	Critical: WLSSPI-0015.1, threshold 90% Warning: WLSSPI-0015.2, threshold 70%
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0015.x: % of permissible restarts (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	
Report Type	Automatic Action: ASCII report.
Area	Performance

Metric B025_EJBFreePoolWtRt

Monitor Template Name	WLSSPI_025
Metric Name	B025_EJBFreePoolWtRt
Metric Type	Alarming, Reporting, Graphing
Description	Number of times per minute that no EJB beans were available from the free pool.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0025.1, threshold 10
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0025.1: # of times per minute no EJBs were available from the free pool (<\$VALUE>/min) too high (>=<\$THRESHOLD>/min)

<p>Instruction Text</p>	<p>The number of times per minute no EJBs were available from the free pool has exceeded the threshold value.</p> <p>Probable cause: The max-beans-in-free-pool element may have been set too low, or all instances of an EJB class may be active.</p> <p>Potential impact: New clients requesting an EJB class will be blocked until an active EJB completes a method call.</p> <p>Suggested action: When EJBs are created, the session bean instance is created and given an identity. When the client removes a bean, the bean instance is placed in the free pool. When you create a subsequent bean, you can avoid object allocation by reusing the previous instance that is in the free pool. The max-beans-in-free-pool element can improve performance if EJBs are frequently created and removed.</p> <p>The container creates new instances of message beans as needed for concurrent message processing. The max-beans-in-pool element puts an absolute limit on how many of these instances will be created. The container may override this setting according to the runtime resources that are available.</p> <p>For the best performance for stateless session and message beans, use the default setting max-beans-in-free-pool element. (The default is no limit.) This way, you can run as many beans in parallel, using as many threads as possible.</p> <p>The only reason to change the setting would be to limit the number of beans running in parallel or to limit access to an underlying resource. For example, if you use stateless session EJBs to implement a legacy connection pool, you do not want to allocate more bean instance than the number of connections that can be supported by your legacy system.</p> <p>For information on tuning EJB parameters, see the <i>Performance and Tuning</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
<p>Report Type</p>	<p>Operator-initiated graph</p>
<p>Area</p>	<p>EJB</p>

Metric B225_EJBFreePoolWaitRate

Monitor Template Name	WLSSPI_0225
Metric Name	B225_EJBFreePoolWaitRate
Metric Type	Alarming
Description	Number of times per minute no EJB beans were available from the free pool (drill down).
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0225.1, threshold 10
Collection Interval	15m
Default OVO Threshold	10
Message Group	WebLogic
Message Text	WLSSPI-0025.1: # of times per minute no EJBs were available from the free pool (<\$VALUE>/min) too high (>=<\$THRESHOLD>/min)

<p>Instruction Text</p>	<p>The number of times per minute no EJBs were available from the free pool has exceeded the threshold value.</p> <p>Probable cause: The max-beans-in-free-pool element may have been set too low, or all instances of an EJB class may be active.</p> <p>Potential impact: New clients requesting an EJB class will be blocked until an active EJB completes a method call.</p> <p>Suggested action: When EJBs are created, the session bean instance is created and given an identity. When the client removes a bean, the bean instance is placed in the free pool. When you create a subsequent bean, you can avoid object allocation by reusing the previous instance that is in the free pool. The max-beans-in-free-pool element can improve performance if EJBs are frequently created and removed.</p> <p>The container creates new instances of message beans as needed for concurrent message processing. The max-beans-in-pool element puts an absolute limit on how many of these instances will be created. The container may override this setting according to the runtime resources that are available.</p> <p>For the best performance for stateless session and message beans, use the default setting max-beans-in-free-pool element. (The default is no limit.) This way, you can run as many beans in parallel, using as many threads as possible.</p> <p>The only reason to change the setting would be to limit the number of beans running in parallel or to limit access to an underlying resource. For example, if you use stateless session EJBs to implement a legacy connection pool, you do not want to allocate more bean instance than the number of connections that can be supported by your legacy system.</p> <p>For information on tuning EJB parameters, see the <i>Performance and Tuning</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
<p>Report Type</p>	<p>N/A</p>
<p>Area</p>	<p>EJB</p>

Metric B026_EJBTimeoutRt

Monitor Template Name	WLSSPI_0026
Metric Name	B026_EJBTimeoutRt
Metric Type	Alarming, Reporting, Graphing
Description	The number of times per minute a client timed out waiting for an EJB bean.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0026.1, threshold 10
Collection Interval	15m
Default OVO Threshold	10
Message Group	WebLogic
Message Text	WLSSPI-0226.1: # of times per minute a client timed out waiting for an EJB (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The number of times per minute a client timed out waiting for an EJB has exceeded the threshold value.</p> <p>Probable cause: If all instances of an EJB class are active and max-beans-in-free-pool has been reached, new clients requesting the EJB class will be blocked until an active EJB completes a method call.</p> <p>Potential impact: If the transaction times out (or, for non-transactional calls, if five minutes elapse), WebLogic Server throws a RemoteException.</p> <p>Suggested action: Verify that the max-beans-in-free-pool element has not been set too low. Also, while WebLogic Server will always try to allocate a new bean instance if one is not available, in reality you are limited by the number of executable threads. In most cases, each thread will need, at most, a single bean instance.</p> <p>For information on tuning EJB parameters, see the <i>Performance and Tuning</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
Report Type	Operator-initiated graph
Area	EJB

Metric B226_EJBTimeoutRate

Monitor Template Name	WLSSPI_0226
Metric Name	B226_EJBTimeoutRate
Metric Type	Alarming
Description	Number of times per minute a client timed out waiting for an EJB bean (drill down).
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0226.1, threshold 10
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0226.1: # of times per minute a client timed out waiting for an EJB (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The number of times per minute a client timed out waiting for an EJB has exceeded the threshold value.</p> <p>Probable cause: If all instances of an EJB class are active and max-beans-in-free-pool has been reached, new clients requesting the EJB class will be blocked until an active EJB completes a method call.</p> <p>Potential impact: If the transaction times out (or, for non-transactional calls, if five minutes elapse), WebLogic Server throws a RemoteException.</p> <p>Suggested action: Verify that the max-beans-in-free-pool element has not been set too low. Also, while WebLogic Server will always try to allocate a new bean instance if one is not available, in reality you are limited by the number of executable threads. In most cases, each thread will need, at most, a single bean instance.</p> <p>For information on tuning EJB parameters, see the <i>Performance and Tuning</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
Report Type	Automatic Action: ASCII report
Area	EJB

Metric B035_EJBTranThruRt

Monitor Template Name	WLSSPI_0035
Metric Name	B035_EJBTranThruRt
Metric Type	Alarming, Reporting, Graphing
Description	Number of EJB transactions per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0035.1, threshold, 10000
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0035.1: # of EJB transactions per second (<\$VALUE>/sec) too high (>=<\$THRESHOLD>/sec)
Instruction Text	NA
Report Type	Application Bank: ASCII report
Area	EJB

Metric B036_EJBTranRbRt

Monitor Template Name	WLSSPI_0036
Metric Name	B036_EJBTranRbRt
Metric Type	Alarming, Reporting, Graphing
Description	Number of EJB transactions rolled back per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0036.1,threshold 1
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0036.1: # of EJB transactions rolled back per second (<\$VALUE>/sec) too high (>=<\$THRESHOLD>/sec
Instruction Text	<p>The number of EJB transactions rolled back per second has exceeded the threshold value.</p> <p>Probable cause: Application design or resource issues. Refer to metrics 72-75 for additional information for possible cause of the rollbacks.</p> <p>Potential impact: Fewer user requests are being successfully completed.</p> <p>Suggested action: The WebLogic administrator should check the necessary database systems and ensure they are functioning correctly. In addition, the administrator can monitor transactions from the Administration Console. This includes:</p> <ol style="list-style-type: none"> 1. Transactions by name, including rollback and time active information 2. Transactions by resource, including statistics on total, committed, and rolled back transactions. 3. All active transactions, including information on status, servers, resources, properties, and the transaction identifier.
Report Type	Application Bank: ASCII report
Area	EJB

Metric B238_EJBCacheHitPct

Monitor Template Name	WLSSPI_0238
Metric Name	B238_EJBCacheHitPct
Metric Type	Alarming, Reporting
Description	Percentage of EJBs in the cache in use.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0238.1, threshold 90
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0238.1: % of EJBs in the cache in use (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The utilization of the EJB cache has exceeded a threshold value.</p> <p>Probable cause: The cache size may be set too low.</p> <p>Potential impact: When the maximum cache size is reached, WebLogic Server passivates (transfer from memory to secondary storage) some EJBs that have not been recently used by a client. This could result in performance degradation.</p> <p>Suggested action: Set the max-beans-in-cache attribute in the weblogic-ejb-jar.xml file to a higher value. Tuning this value too high could consume memory unnecessarily. For information on tuning EJB parameters, see the <i>Performance and Tuning</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
Report Type	Automatic Action: ASCII report
Area	EJB

Metric B240_ServletAveExecTime

Monitor Template Name	WLSSPI_0240
Metric Name	B240_ServeletAveExecTime
Metric Type	Alarming, Reporting
Description	Average execution time for a servlet in milliseconds.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0240.1, threshold 1000
Collection Interval	1h
Message Group	WebLogic
Message Text	WLSSPI-0240.1: Ave. execution time for a servlet (<\$VALUE>ms) too high (>=<\$THRESHOLD>ms)
Instruction Text	<p>The average execution time for a servlet has exceeded the threshold value.</p> <p>Probable cause: Application design issues.</p> <p>Potential impact: Slow response time in returning an HTML or XML response to the HTTP request from a client application.</p> <p>Suggested action: The cause of high execution time for the servlet could be a resource contention problem, or it could be due to the design of the servlet. You may also choose to re-evaluate the threshold setting for this metric if values consistently exceed the threshold value.</p> <p>If JSPs are used extensively in the Web-based application, there could be a performance impact due to having to compile the corresponding .jsp files into Java servlet code, and then compiling the Java code to a Java class file. In this situation, performance can be significantly improved by setting the server's java compiler to sj or jikes instead of javac.</p>
Report Type	Application Bank: ASCII report
Area	Servlets

Metric B241_ServletTimeCnt

Monitor Template Name	N/A—Used in a report generated by HP OpenView Reporter
Metric Name	B241_ServletTimeCnt
Metric Type	Reporting
Description	Time spent in a servlet.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	1h
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	N/A
Area	Servlets

Metric B242_ServletReqRate

Monitor Template Name	WLSSPI_0242
Metric Name	B242_ServletReqRate
Metric Type	Alarming, Reporting
Description	Number of requests for a servlet per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0242.1, threshold 10000
Collection Interval	1h
Message Group	WebLogic
Message Text	WLSSPI-0242.1: # of requests for a servlet (<\$VALUE>/sec) too high (>=<\$THRESHOLD>/sec)
Instruction Text	N/A
Report Type	Application Bank: ASCII report
Area	Servlets

Metric B245_WebAppSessionCnt

Monitor Template Name	WLSSPI_0245
Metric Name	B245_WebAppSessionCnt
Metric Type	Alarming, Reporting
Description	Number of open sessions for a Web application.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0245.1, threshold 100
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0245.1: # of open sessions for a web application (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	N/A
Report Type	Application Bank: ASCII report
Area	Web Applications

Metric B246_WebAppHitRt

Monitor Template Name	N/A—Used in a report generated by HP OpenView Reporter
Metric Name	B246_WebAppHitRt
Metric Type	Reporting
Description	Number of open sessions for a Web application per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	5m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	Application Bank: ASCII report
Area	Web Applications

Metric B251_JMSUtilByMessagePct

Monitor Template Name	WLSSPI_0251
Metric Name	B251_JMSUtilByMessagePct
Metric Type	Alarming, Reporting
Description	Percentage of the JMS server filled, based on the number of messages.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Critical: WLSSPI-0251.1, threshold 98% Major: WLSSPI-0251.2, threshold 95%
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0251.1: % of JMS queue filled by message count (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	The JMS Server queue utilization is greater than the threshold value. Probable cause: The size of the queue may be set too low. Potential impact: Once the queue reaches one hundred percent capacity, users will not be able to deliver messages to this queue. Suggested action: If possible, the administrator may want to increase the size of the queue via the Administration Server console. The administrator can also inspect the individual destinations within this JMS Server via the console to determine which destination queues are having problems.
Report Type	Application Bank: ASCII report
Area	Java Message Service (JMS)

Metric B252_JMSUtilByBytePct

Monitor Template Name	WLSSPI_0252
Metric Name	B252_JMSUtilByBytePct
Metric Type	Alarming, Reporting
Description	Percentage the JMS server filled, based on total bytes.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Critical: WLSSPI-0252.1, threshold 98% Major: WLSSPI-0252.2, threshold 95%
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0252.1: % of JMS queue filled by byte count (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	The JMS Server queue utilization is greater than the threshold value. Probable cause: The size of the queue may be set too low. Potential impact: Once the queue reaches one hundred percent capacity, users will not be able to deliver messages to this queue. Suggested action: If possible, the administrator may want to increase the size of the queue via the Administration Server console. The administrator can also inspect the individual destinations within this JMS Server via the console to determine which destination queues are having problems.
Report Type	ASCII Report
Area	Java Message Service (JMS)

Metric B253_JMSThreshByMessagePct

Monitor Template Name	WLSSPI_0253
Metric Name	B253_JMSThreshByMessagePct
Metric Type	Alarming, Reporting
Description	Percentage of time the server threshold condition was satisfied, based on the number of messages.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0253.1, threshold 10%
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0253.1: # of time queue threshold condition was satisfied by message count (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The amount of time this JMS queue has spent in the threshold condition has exceeded the threshold value.</p> <p>Probable cause: The JMS Server message queue threshold condition for the number of messages stored, as configured in the administration console, has been satisfied for a significant amount of time.</p> <p>Potential impact: Once the queue reaches one hundred percent capacity, users will not be able to deliver messages to this queue.</p> <p>Suggested action: If possible, the administrator may want to increase the size of the queue via the Administration Server console. The administrator can also inspect the individual destinations within this JMS Server via the console to determine which destination queues are having problems.</p>
Report Type	Application Bank: ASCII report
Area	Java Message Service (JMS)

Metric B254_JMSThreshByBytePct

Monitor Template Name	WLSSPI_0254
Metric Name	B254_JMSThreshByBytePct
Metric Type	Alarming, Reporting
Description	Percentage of time server threshold condition was satisfied, based on total bytes.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0254.1, threshold 10%
Collection Interval	15m
Message Group	WebLogic
Message Text	WLSSPI-0254.1: # of time queue threshold condition was satisfied by byte count (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The amount of time this JMS queue has spent in the threshold condition has exceeded the threshold value.</p> <p>Probable cause: The JMS Server message queue threshold condition for the number of bytes stored, as configured in the administration console, has been satisfied for a significant amount of time.</p> <p>Potential impact: Once the queue reaches one hundred percent capacity, users will not be able to deliver messages to this queue.</p> <p>Suggested action: If possible, the administrator may want to increase the size of the queue via the Administration Server console. The administrator can also inspect the individual destinations within this JMS Server via the console to determine which destination queues are having problems.</p>
Report Type	Application Bank Report (ASCII report)
Area	Java Message Service (JMS)

Metric B255_JMSServerThruMessageRt

Monitor Template Name	N/A—Used in a report generated by HP OpenView Reporter
Metric Name	B255_JMSServerThruMessageRt
Metric Type	Reporting
Description	Number of messages passed through the JMS server per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	15m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	Application Bank: ASCII report
Area	Java Message Service (JMS)

Metric B256_JMSServerThruByteRt

Monitor Template Name	N/A—Used in a report generated by HP OpenView Reporter
Metric Name	B256_JMSServerThruByteRt
Metric Type	Reporting
Description	Number of bytes passed through the JMS server per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	15m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	Application Bank: ASCII report
Area	Java Message Service (JMS)

Metric B260_JDBCConnectionPoolUtil

Monitor Template Name	WLSSPI_0260
Metric Name	B260_JDBCConnectionPoolUtil
Metric Type	Alarming, Reporting
Description	Percentage utilization of available JDBC connections in connection pool.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Critical: WLSSPI-0260.1, threshold 98% Major: WLSSPI-0260.2, threshold 95%
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0260.x: % utilization of available JDBC connections in connection pool (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The JDBC connection pool utilization has exceeded the threshold value. Probable cause: The number of available JDBC connections is low. Potential impact: Performance degradation caused by having to wait for a JDBC connection to a DBMS. Suggested action: If the database system can support additional connections, the WebLogic administrator should increase the number of connections available for this connection pool. A good rule of thumb is that the maximum size of the connection pool should be equal to the number of Execute Threads configured in the WebLogic Server. This assumes that each thread uses one transaction to service a request and therefore needs just one connection. If this is not the case, then a slightly larger connection pool may be more efficient.</p> <p>The connection pool minimum size should be equal to the maximum size. This ensures that all database connections are acquired during server start-up and not when the server is under load.</p>
Report Type	Application Bank: ASCII Report
Area	JDBC

Metric B061_JDBCConPIWtCnt

Monitor Template Name	WLSSPI_0061
Metric Name	B061_JDBCConPIWtCnt
Metric Type	Alarming, Graphing
Description	Number of clients waiting for a connection from connection pools.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Warning: WLSSPI-0061.1, threshold 10
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0061.1: # of clients waiting for a connection from connection pools (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The number of clients waiting for a connection has exceeded the threshold value.</p> <p>Probable cause: The size of the connection pool is too small relative to the number of current client sessions that require JDBC Connections.</p> <p>Potential impact: Client connection requests will be forced to wait for an available connection from the connection pool.</p> <p>Suggested action: Increase the maximum size of the connection pool. A good rule of thumb is that the maximum size of the connection pool should be equal to the number of Execute Threads configured in the WebLogic Server. This assumes that each thread uses one transaction to service a request and therefore needs just one connection. If this is not the case, then a slightly larger connection pool may be more efficient.</p> <p>The connection pool minimum size should be equal to the maximum size. This ensures that all database connections are acquired during server start-up and not when the server is under load.</p>
Report Type	Operator-initiated graph
Area	JDBC

Metric B262_JDBCConnectionPoolThruRt

Monitor Template Name	N/A—Used in a report generated by HP OpenView Reporter
Metric Name	B262_JDBCConnectionPoolThruRt
Metric Type	Reporting
Description	Number of clients serviced by connection pool per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	5m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	Application Bank: ASCII report
Area	JDBC

Metric

B063_JDBCConnectionPoolLeakedConnectionsRtSum

Monitor Template Name	N/A—Used for graphing only
Metric Name	B063_JDBCConnectionPoolLeakedConnectionsRtSum
Metric Type	Graphing
Description	Number of unclosed JDBC connections and JDBC connections that have exceeded their maximum idle times in the connection pool per minute.
Avail. WLS Version	7.0, 8.1
Severity: Condition	N/A
Collection Interval	5m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	N/A
Area	JDBC

Metric**B263_JDBCConnectionPoolLeakedConnectionsRt**

Monitor Template Name	WLSSPI_0263
Metric Name	B263_JDBCConnectionPoolLeakedConnectionsRt
Metric Type	Alarming, Reporting
Description	Rate of leaked connections for the JDBC connection pool.
Avail. WLS Version	7.0, 8.1
Severity: Condition	Warning: WLSSPI-0263.1, threshold 100
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0263.1: Rate of leaked connections for the JDBC connection pool (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The rate of new leaked JDBC connections has exceeded the threshold value. Probable cause: JDBC connection leaks represent connections that were checked out of the connection pool but never returned with a close() method. Leaked connections cannot be used to fulfill later connection requests. Potential Impact: When a connection is closed, the connection is then available for a future connection request. If the application fails to close the connection, the connection pool can be exhausted of its available connections, and future connection requests can therefore fail. Suggested action: Correct the faulty application component. Connection pools provide ready-to-use pools of connections to a database, therefore eliminating the overhead of creating each connection when as needed by the application. When finished with a connection, applications must return the connection to the connection pool. For information on managing JDBC connections, see the <i>Programming WebLogic JDBC</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
Report Type	Automatic Action: ASCII report
Area	JDBC

Metric B264_JDBCConnectionPoolFailures

Monitor Template Name	WLSSPI_0264
Metric Name	B264_JDBCConnectionPoolFailures
Metric Type	Alarming
Description	JDBC connection pool failures.
Avail. WLS Version	7.0, 8.1
Severity: Condition	Warning: WLSSPI-0264.1, threshold 10
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0264.1: JDBC connection pool failures (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The number of times a connection pool attempted to refresh a connection to a database and failed exceeds the threshold.</p> <p>Probable cause: This failure may happen because of database unavailability or broken connection to the database.</p> <p>Potential impact: Client connection requests to the database may fail.</p> <p>Suggested action: For information on managing JDBC connections, see the <i>Programming WebLogic JDBC</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
Report Type	Automatic Action: ASCII report
Area	JDBC

Metric**B265_JDBCConnectionPoolAvgConnectionDelayTime**

Monitor Template Name	WLSSPI_0265
Metric Name	B265_JDBCConnectionPoolAvgConnectionDelayTime
Metric Type	Alarming, Reporting
Description	JDBC connection pool connection delay, in milliseconds.
Avail. WLS Version	7.0, 8.1
Severity: Condition	Warning: WLSSPI-0265.1, threshold 10
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0265.1: JDBC connection pool connection delay (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	The average time, in milliseconds, it takes to get a physical connection from the database has exceeded the threshold. Suggested action: For information on managing JDBC connections, see the <i>Programming WebLogic JDBC</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/ .
Report Type	Automatic Action: ASCII report
Area	JDBC

Metric B070_TrانAveTime

Monitor Template Name	WLSSPI_0070
Metric Name	B070_TrانAveTime
Metric Type	Alarming, Reporting, Graphing
Description	Average commit time for transactions.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0070.1, threshold, 100 msec
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0070.1: Ave. commit time for transactions (<\$VALUE>ms) too high (>=<\$THRESHOLD>ms)
Instruction Text	<p>The average commit time for a transaction has exceeded the threshold value. Probable cause: This may be an indication of system load. Potential impact: Degradation in the transaction throughput rate for the WebLogic Server. Suggested action: The administrator can monitor individual transactions from the Administration Console. In addition to displaying statistics, the following information can also be displayed:</p> <ol style="list-style-type: none"> 1. Transactions by name, including rollback and time active information. 2. Transactions by resource, including statistics on total, committed, and rolled back transactions. 3. All active transactions, including information on status, servers, resources, properties, and the transaction identifier.
Report Type	Application Bank: ASCII report
Area	Transactions

Metric B270_ConnectorConnectionPoolUtil

Monitor Template Name	WLSSPI_0270
Metric Name	B270_ConnectorConnectionPoolUtil
Metric Type	Alarming, Reporting
Description	Percentage utilization of available JCA connections in connection pool.
Avail. WLS Version	7.0, 8.1
Severity: Condition	Two conditions: Critical: WLSSPI-0270.1, threshold 98 Major: WLSSPI-0270.2, threshold 95
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0270.x: % utilization of available JCA connections in connection pool (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The utilization of a J2EE Connector connection pool (i.e., the number of connections in the pool that are being used) has exceeded a threshold value.</p> <p>Probable cause: The number of requested connections to a resource is approaching or has reached the maximum allowed.</p> <p>Potential impact: As ManagedConnections are created over time, the amount of system resources-such as memory and disk space-that each ManagedConnection consumes increases and may affect the performance of the overall system. If a new ManagedConnection needs to be created during a connection request, WebLogic Server ensures that no more than the maximum number of allowed ManagedConnections are created. If the maximum number is reached, WebLogic Server attempts to recycle a ManagedConnection from the connection pool. However, if there are no connections to recycle, a warning is logged indicating that the attempt to recycle failed and that the connection request can only be granted for the amount of connections up to the allowed maximum amount.</p> <p>Suggested action: WebLogic Server allows you to configure a setting for the allowed maximum number of allocated connections.</p> <p>For information on managing J2EE connections, see the “Connection Management” section of the <i>Programming WebLogic J2EE Connectors</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>

Report Type	Automatic Action: ASCII report
Area	Connector

Metric B071_TranRollbackPct

Monitor Template Name	WLSSPI_0071
Metric Name	B071_TransRollbackPct
Metric Type	Alarming, Reporting, Graphing
Description	Percentage of transactions rolled back, based on the total.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0071.1, threshold, 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0071.1: % of transactions rolled back (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The percentage of transactions rolled back has exceeded the threshold value. Possible cause: Application design issues or resource issues. Potential impact: User requests are not being successfully completed. Suggested action: The WebLogic administrator should check the necessary database systems and ensure they are functioning correctly. In addition, the administrator should check the following configurable transaction attributes: Timeout Seconds - the time a transaction may be active before the system forces a rollback. Abandon Timeout Seconds - the maximum time that a transaction coordinator persists in attempting to complete a transaction. Before Completion Iteration Limit - The number of beforeCompletion callbacks that are processed before a system forces a rollback. The administrator can monitor individual transactions from the Administration Console. In addition to displaying statistics, the following information can also be displayed:</p> <ol style="list-style-type: none"> 1. Transactions by name, including rollback and time active information. 2. Transactions by resource, including statistics on total, committed, and rolled back transactions. 3. All active transactions, including information on status, servers, resources, properties, and the transaction identifier.
Report Type	Application Bank: ASCII report
Area	Transactions

Metric B072_TrانResErrRbPct

Monitor Template Name	WLSSPI_0072
Metric Name	B072_TrانResErrRbPct
Metric Type	Alarming, Reporting, Graphing
Description	Percentage of the transactions rolled back due to resource error.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0072.1, threshold 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0072.1: % of transactions rolled back due to resource error (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The percent of transactions rolled back due to resource errors has exceeded the threshold value.</p> <p>Probable cause: Transactions are not successfully completing due to resource errors.</p> <p>Potential impact: Fewer user requests are being successfully completed.</p> <p>Suggested action: The administrator can monitor individual transactions from the Administration Console. In addition to displaying statistics, the following information can also be displayed:</p> <ol style="list-style-type: none"> 1. Transactions by name, including rollback and time active information. 2. Transactions by resource, including statistics on total, committed, and rolled back transactions. 3. All active transactions, including information on status, servers, resources, properties, and the transaction identifier.
Report Type	Application Bank: ASCII report
Area	Transactions

Metric B073_TransAppErrRbPct

Monitor Template Name	WLSSPI_0073
Metric Name	B073_TransAppErrRbPct
Metric Type	Alarming, Reporting, Graphing
Description	Percentage of transactions rolled back due to application error.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0073.1, threshold 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0073.1: % of transactions rolled back due to application error (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The percent of transactions rolled back due to application errors has exceeded the threshold value.</p> <p>Probable cause: Transactions are not successfully completing due to application errors.</p> <p>Potential impact: Fewer user requests are being successfully completed.</p> <p>Suggested action: The administrator can monitor individual transactions from the Administration Console. In addition to displaying statistics, the following information can also be displayed:</p> <ol style="list-style-type: none"> 1. Transactions by name, including rollback and time active information. 2. Transactions by resource, including statistics on total, committed, and rolled back transactions. 3. All active transactions, including information on status, servers, resources, properties, and the transaction identifier.
Report Type	Operator-initiated graph; Application Bank: ASCII report
Area	Transactions

Metric B074_TransTimErrRbPct

Monitor Template Name	WLSSPI_0074
Metric Name	B074_TransTimErrRbPct
Metric Type	Alarming, Reporting, Graphing
Description	Percentage of transactions rolled back due to a timeout error.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0074.1, threshold 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0074.1: % of transactions rolled back due to timeout error (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The percent of transactions rolled back due to timeout errors has exceeded the threshold value.</p> <p>Probable cause: Transactions are not successfully completing due to timeout errors.</p> <p>Potential impact: Fewer user requests are being successfully completed.</p> <p>Suggested action: The administrator can monitor individual transactions from the Administration Console. In addition to displaying statistics, the following information can also be displayed:</p> <ol style="list-style-type: none"> 1. Transactions by name, including rollback and time active information. 2. Transactions by resource, including statistics on total, committed, and rolled back transactions. 3. All active transactions, including information on status, servers, resources, properties, and the transaction identifier.
Report Type	Operator-initiated graph; Application Bank: ASCII report
Area	Transactions

Metric B075_TransSysErrRbPct

Monitor Template Name	WLSSPI_0075
Metric Name	B075_TransSysErrRbPct
Metric Type	Alarming, Reporting, Graphing
Description	Percentage of the transactions rolled back due to system error.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0075.1, threshold 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0075.1: % of transactions rolled back due to system error (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The percent of transactions rolled back due to system errors has exceeded the threshold value.</p> <p>Probable cause: Transactions are not successfully completing due to system errors.</p> <p>Potential impact: Fewer user requests are being successfully completed.</p> <p>Suggested action: The administrator can monitor individual transactions from the Administration Console. In addition to displaying statistics, the following information can also be displayed:</p> <ol style="list-style-type: none"> 1. Transactions by name, including rollback and time active information. 2. Transactions by resource, including statistics on total, committed, and rolled back transactions. 3. All active transactions, including information on status, servers, resources, properties, and the transaction identifier.
Report Type	Operator-initiated graph; Application Bank: ASCII report
Area	Transactions

Metric B076_TrانThruRate

Monitor Template Name	N/A—Used for HP OpenView Reporter reports and Performance Graphs only
Metric Name	B076_TrانThruRate
Metric Type	Graphing, Reporting
Description	Number of transactions processed per second.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	N/A
Collection Interval	5m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	N/A
Area	Transactions

Metric B077_TrانHeurCnt

Monitor Template Name	WLSSPI_0077
Metric Name	B077_TrانHeurCnt
Metric Type	Alarming, Reporting, Graphing
Description	Percentage of transactions returning a heuristic decision.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0075.1, threshold 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0077.1: % of transactions returning a heuristic decision (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	<p>The percentage of transactions returning a heuristic decision has exceeded the threshold value.</p> <p>Probable cause: A heuristic completion (or heuristic decision) occurs when a resource makes a unilateral decision during the completion stage of a distributed transaction to commit or rollback updates. Network failures or transaction timeouts are possible causes for heuristic completion.</p> <p>Potential impact: A heuristic decision can leave distributed data in an indeterminate state.</p> <p>Suggested action: In the event of a heuristic decision, one of the following heuristic outcome exceptions may be thrown:</p> <p>HeuristicRollback - one resource participating in a transaction decided to autonomously rollback its work, even though it agreed to prepare itself and wait for a commit decision. If the Transaction Manager decided to commit the transaction, the resource's heuristic rollback decision was incorrect, and might lead to an inconsistent outcome since other branches of the transaction were committed.</p>

<p>Instruction text (cont.)</p>	<p>HeuristicCommit - one resource participating in a transaction decided to autonomously commit its work, even though it agreed to prepare itself and wait for a commit decision. If the Transaction Manager decided to rollback the transaction, the resource's heuristic commit decision was incorrect, and might lead to an inconsistent outcome since other branches of the transaction were rolled back.</p> <p>HeuristicMixed - the Transaction Manager is aware that a transaction resulted in a mixed outcome, where some participating resources committed and some rolled back. The underlying cause was most likely heuristic rollback or heuristic commit decisions made by one or more of the participating resources.</p> <p>HeuristicHazard - the Transaction Manager is aware that a transaction might have resulted in a mixed outcome, where some participating resources committed and some rolled back. But system or resource failures make it impossible to know for sure whether a Heuristic Mixed outcome definitely occurred. The underlying cause was most likely heuristic rollback or heuristic commit decisions made by one or more of the participating resources.</p> <p>When a heuristic completion occurs, a message is written to the server log. Refer to your database vendor documentation for instructions on resolving heuristic completions.</p> <p>Some resource managers save context information for heuristic completions. This information can be helpful in resolving resource manager data inconsistencies. If the ForgetHeuristics attribute is selected (set to true) on the JTA panel of the WebLogic Console, this information is removed after an heuristic completion. When using a resource manager that saves context information, you may want to set the ForgetHeuristics attribute to false.</p>
<p>Report Type</p>	<p>Operator-initiated graph; Application Bank: ASCII report</p>
<p>Area</p>	<p>Transactions</p>

Metric

B078_ConnectorConnectionPoolLeakedConnRateSum

Monitor Template Name	N/A—Used for graphing only
Metric Name	B078_ConnectorConnectionPoolLeakedConnRateSum
Metric Type	Graphing
Description	Number of unclosed connector connections and connector connections that have exceeded their maximum idle times in the connection pool per minute.
Avail. WLS Version	7.0, 8.1
Severity: Condition	N/A
Collection Interval	5m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	N/A
Area	Connector

Metric B278_ConnectorConnectionPoolLeakedConnRate

Monitor Template Name	WLSSPI_0278
Metric Name	B278_ConnectorConnectionPoolLeakedConnRate
Metric Type	Alarming, Reporting
Description	Rate of leaked connections for the JCA connection pool.
Avail. WLS Version	7.0, 8.1
Severity: Condition	Warning: WLSSPI-0278.1, threshold 100
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0278.1: Rate of leaked connections for the JCA connection pool (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The rate of new leaked connections has exceeded the threshold value.</p> <p>Probable cause: Connection leaks result from application components not closing a connection after using it.</p> <p>Potential impact: When a connection is closed, the connection is then available for a future connection request. If the application fails to close the connection, the connection pool can be exhausted of its available connections, and future connection requests can therefore fail.</p> <p>Suggested action: Correct the faulty application component. See the annotation report for information on current connections and indicates which have been idle for a period extending beyond the configured maximum. For information on connection leaks, see the <i>Programming WebLogic J2EE Connectors</i> documentation for your WebLogic Server version available through http://e-docs.bea.com/.</p>
Report Type	Automatic Action: ASCII report
Area	Connector

Metric B079_TrانCapacityUtil

Monitor Template Name	WLSSPI_0079
Metric Name	B079_TrانCapacityUtil
Metric Type	Alarming, Graphing, Reporting
Description	Percentage utilization of transaction capacity.
Avail. WLS Version	7.0, 8.1
Severity: Condition	Critical: WLSSPI-0079.1, threshold 98 Major: WLSSPI-0079.2, threshold 95
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0079.x: % utilization of transaction capacity (<\$VALUE>%) too high (>=<\$THRESHOLD>%)
Instruction Text	The number of simultaneous in-progress transactions (as a percent of the maximum number of transactions allowed in the server) has exceeded a threshold value.
Report Type	Automatic Action: ASCII report
Area	Transactions

Metric B080_ClsOutMesFailRt

Monitor Template Name	WLSSPI_0080
Metric Name	B080_ClsOutMesFailRt
Metric Type	Alarming, Graphing
Description	Number of multicast messages per minute to cluster re-sent.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0080.1, threshold 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0080.1: # of multicast messages to cluster that were resent (<\$VALUE>/min) too high (>=<\$THRESHOLD>/min)
Instruction Text	<p>The number of multicast messages to the cluster that were resent has exceeded the threshold value.</p> <p>Probable cause: This could be caused by the cluster configuration or the network topology.</p> <p>Potential impact: Potential loss of multicast packets.</p> <p>Suggested action: Because multicast controls critical functions related to detecting failures and maintaining the cluster-wide JNDI tree, it is important that neither the cluster configuration nor the basic network topology interfere with multicast communication. Always consider the following rules when configuring or planning a WebLogic Server cluster.</p> <p>For most deployments, limiting clustered servers to a single subnet ensures that multicast messages are reliably transmitted. In special cases, however, you may want to distribute a WebLogic Server cluster across subnets in a Wide Area Network (WAN). This may be desirable to increase redundancy in a clustered deployment, or to distribute clustered instances over a larger geographical area.</p>

Instruction Text (cont.)	<p>If you choose to distribute a cluster over a WAN (or across multiple subnets), you must plan and configure your network topology to ensure that multicast messages are reliably transmitted to all servers in the cluster. Specifically, your network must meet the following requirements:</p> <ol style="list-style-type: none">1. The network must fully support IP multicast packet propagation. In other words, all routers and other tunneling technologies must be configured to propagate multicast messages to clustered instances.2. The network latency must be sufficiently small as to ensure that most multicast messages reach their final destination in 200 to 300 milliseconds.3. The multicast Time-To-Live (TTL) value must be high enough to ensure that routers do not discard multicast packets before they reach their final destination. <p>Note: Distributing a WebLogic Server cluster over a WAN may require network facilities in addition to the multicast requirements described above. For example, you may want to configure load balancing hardware to ensure that client requests are directed to servers in the most efficient manner (to avoid unnecessary network hops).</p>
Report Type	Operator-initiated graph
Area	Cluster

Metric B081_ClsInMesFailRt

Monitor Template Name	WLSSPI_0081
Metric Name	B081_ClsInMesFailRt
Metric Type	Alarming, Graphing
Description	Number of multicast messages per minute from cluster lost by server.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0081.1, threshold 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0081.1: # of multicast messages from cluster lost by server (<\$VALUE>/min) too high (>=<\$THRESHOLD>/min)
Instruction Text	<p>The number of multicast messages from the cluster that were lost by the server has exceeded the threshold value.</p> <p>Probable cause: This could be caused by the cluster configuration or the network topology.</p> <p>Potential impact: Potential loss of critical data.</p> <p>Suggested action: Because multicast controls critical functions related to detecting failures and maintaining the cluster-wide JNDI tree, it is important that neither the cluster configuration nor the basic network topology interfere with multicast communication. Always consider the following rules when configuring or planning a WebLogic Server cluster.</p> <p>For most deployments, limiting clustered servers to a single subnet ensures that multicast messages are reliably transmitted. In special cases, however, you may want to distribute a WebLogic Server cluster across subnets in a Wide Area Network (WAN). This may be desirable to increase redundancy in a clustered deployment, or to distribute clustered instances over a larger geographical area.</p>

Instruction Text (cont.)	<p>If you choose to distribute a cluster over a WAN (or across multiple subnets), you must plan and configure your network topology to ensure that multicast messages are reliably transmitted to all servers in the cluster. Specifically, your network must meet the following requirements:</p> <ol style="list-style-type: none">1. The network must fully support IP multicast packet propagation. In other words, all routers and other tunneling technologies must be configured to propagate multicast messages to clustered instances.2. The network latency must be sufficiently small as to ensure that most multicast messages reach their final destination in 200 to 300 milliseconds.3. The multicast Time-To-Live (TTL) value must be high enough to ensure that routers do not discard multicast packets before they reach their final destination. <p>Note: Distributing a WebLogic Server cluster over a WAN may require network facilities in addition to the multicast requirements described above. For example, you may want to configure load balancing hardware to ensure that client requests are directed to servers in the most efficient manner (to avoid unnecessary network hops).</p>
Report Type	Operator-initiated graph
Area	Cluster

Metric B281_XMLCacheDiskSize

Monitor Template Name	WLSSPI_0281
Metric Name	B281_XMLCacheDiskSize
Metric Type	Reporting
Description	Total number of cached entries on disk which contain external references in an XML parser.
Avail. WLS Version	7.0, 8.1
Severity: Condition	N/A
Collection Interval	5m
Message Group	WebLogic
Message Text	N/A
Instruction Text	N/A
Report Type	Reserved for future use
Area	XML Cache

Metric B282_XMLCacheMemorySize

Monitor Template Name	WLSSPI_0282
Metric Name	B282_XMLCacheMemorySize
Metric Type	Reporting
Description	Total number of cached entries in memory which contain external references in an XML parser.
Avail. WLS Version	7.0, 8.1
Severity: Condition	N/A
Collection Interval	5m
Message Group	WebLogic
Message Text	N/A
Instruction Text	N/A
Report Type	Reserved for future use
Area	XML Cache

Metric B085_InvLoginAttCnt

Monitor Template Name	WLSSPI_0085
Metric Name	B085_InvLoginAttCnt
Metric Type	Alarming, Graphing
Description	Number of invalid login attempts.
Avail. WLS Version	6.1, 7.0, 8.1
Severity: Condition	Minor: WLSSPI-0085.1, threshold 2
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0085.1: # of invalid login attempts (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	<p>The number of invalid login attempts has exceeded the threshold value.</p> <p>Probable cause: This could be an attempted security breach.</p> <p>Potential impact: If the security breach is successful, the security of the WebLogic Server environment could be compromised.</p> <p>Suggested action: If the invalid login attempts is repeated frequently, you may wish to implement the weblogic.security.audit package. This will allow you to review the audit records to determine if there has been a security breach or an attempted security breach.</p>
Report Type	Operator-initiated graph
Area	Security

Metric B090_TimeSerExcepCnt

Monitor Template Name	WLSSPI_0090
Metric Name	B090_TimeSerExcepCnt
Metric Type	Alarming
Description	Number of exceptions thrown for all triggers.
Avail. WLS Version	6.1, 7.0
Severity: Condition	Minor: WLSSPI-0090.1, threshold 1
Collection Interval	5m
Message Group	WebLogic
Message Text	WLSSPI-0090.1: # of exceptions thrown for all triggers (<\$VALUE>) too high (>=<\$THRESHOLD>)
Instruction Text	The number of exceptions thrown for all triggers has exceeded the threshold value. Probable cause: Exceptions were thrown during a scheduled action. Potential impact: The trigger throwing the exception will not be rescheduled. Suggested action: If you want to reschedule a trigger after an exception, the application must catch the exception and schedule the trigger again.
Report Type	ASCII Report
Area	Time Service

Metric B091_TimeSerThruRt

Monitor Template Name	WLSSPI_0091
Metric Name	B091_TimeSerThruRt
Metric Type	Graphing
Description	Number of triggers executed per second.
Avail. WLS Version	6.1, 7.0
Severity: Condition	N/A
Collection Interval	5m
Message Group	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	N/A
Area	Time Service

2 WLS-SPI Log File and Configuration File Templates

This section shows the Smart Plug-in for BEA WebLogic Server (WLS-SPI) templates that monitor logged information and modifications occurring in both the WebLogic Server and WLS-SPI files. These templates detect error messages internal to WLS-SPI, as well as changes made to the WebLogic Server XML configuration files.

WebLogic Config Files

Description	Detects changes in the WebLogic xml configuration file.
Severity	Warning
Message Group	WebLogic
Help Text	<p>One of the WebLogic Server properties files has been saved. Very likely, the file contents has changed. The name of the updated configuration file is listed in field 'Object' of this OVO message.</p> <p>Probable cause: Re-configuration of the WebLogic Server.</p> <p>Potential impact: When starting the WebLogic Server, the new configuration will be used. If some of the changes are not correct, this might lead to problems.</p> <p>Suggested action: Review the updated properties file. If the changes to the configuration file are correct, then you can acknowledge this message.</p>

WLSSPI-Error Log

Description	Monitors the WLS-SPI error log and captures critical errors, which it sends to the Message Browser.
Severity	Critical
Message Group	WLSSPI
Help Text	Available for each error as detected: WASSPI-1 through WASSPI-226. See the <i>HP OpenView Smart Plug-in for BEA WebLogic Server Configuration Guide</i> , Chapter 6, for detailed Help text for each error with a WASSPI prefix. Each error's Help text is covered in Chapter 6.

WebLogic Log Template

Description	Catches critical errors and warnings in the WebLogic Server log file.
Severity	Critical Warning
Message Group	WebLogic
Help Text	<p>Probable cause: A message with the indicator 'Emergency' or 'Critical' was detected in the WebLogic Server logfile.</p> <p>OR</p> <p>A message with the indicator 'Notice,' 'Error' or 'Alert' was detected in the WebLogic Server logfile.</p> <p>Suggested action: Examine the error and use the WebLogic Server manuals or online help to determine the exact cause and action to take.</p>

A

area, 15
avail. WLS version, 14
availability
 B001_ServerStatus, 16
 B002_ServerStatusRep, 18

B

B001_ServerStatus, 16
B002_ServerStatusRep, 18
B005_JVMMemUtilPct, 19
B010_ExQueThruRate, 21
B011_ExQThrdUtilPct, 22
B012_ExQueWaitCnt, 24
B013_SocketTrafficRt, 25
B014_ActiveSocketCnt, 26
B015_SrvrRestartsPct, 27
B025_EJBFreePoolWtRt, 28
B026_EJBTimeoutRt, 32
B035_EJBTranThruRt, 34
B036_EJBTranRbRt, 35
B061_JDBCConPIWtCnt, 49
B063_JDBCConnectionPoolLeakedConnecti
 onsRtSum, 51
B070_TranAveTime, 55
B071_TransRollbackPct, 58
B072_TranResErrRbPct, 59
B073_TranAppErrRbPct, 60
B074_TranTimErrRbPct, 61
B075_TranSysErrRbPct, 62
B076_TranThruRate, 63
B077_TranHeurCnt, 64
B078_ConnectorConnectionPoolLeakedConn
 RateSum, 66
B079_TranCapacityUtil, 68
B080_ClsOutMesFailRt, 69
B081_ClsInMesFailRt, 71
B085_InvLoginAttCnt, 75
B090_TimeSerExcepCnt, 76
B091_TimeSerThruRt, 77
B225_EJBFreePoolWaitRate, 30
B226_EJBTimeoutRate, 33
B238_EJBCHitPct, 36
B240_ServeletAveExecTime, 37
B241_ServletTimeCnt, 38
B242_ServletReqRate, 39
B245_WebAppSessionCnt, 40
B246_WebAppHitRt, 41
B251_JMSUtilByMessagePct, 42

B252_JMSUtilByBytePct, 43
B253_JMSThreshByMessagePct, 44
B254_JMSThreshByBytePct, 45
B255_JMSServerThruMessageRt, 46
B256_JMSServerThruByteRt, 47
B260_JDBCConnectionPoolUtil, 48
B262_JDBCConnectionPoolThruRt, 50
B263_JDBCConnectionPoolLeakedConnecti
 onsRt, 52
B264_JDBCConnectionPoolFailures, 53
B265_JDBCConnectionPoolAvgConnectionD
 elayTime, 54
B270_ConnectorConnectionPoolUtil, 56
B278_ConnectorConnectionPoolLeakedConn
 Rate, 67
B281_XMLCacheDiskSize, 73
B282_XMLCacheMemorySize, 74
bytes in queue
 JMS, 43

C

cache
 EJB percentage, 36
client requests
 number to be serviced, 24
client time out
 waiting for EJB bean, 32
 waiting for EJB bean (drill down), 33
cluster
 B080_ClsOutMesFailRt, 69
 B081_ClsInMesFailRt, 71
 multicast messages, lost, 71
 multicast messages, resent, 69
collection interval, 14
commit time
 transaction, 55
configuration file
 detect changes, 81
connection pool
 JCA connections utilized, 56
 JCA, leaked, 67
 JDBC connections, clients serviced, 50
 JDBC connections, clients waiting for, 49
 JDBC connections, delay, 54
 JDBC connections, failure, 53
 JDBC connections, idle time exceeded, 51
 JDBC connections, leaked, 52

Index

- JDBC connections, unclosed, 51
- JDBC connections, utilized, 48
- connections
 - collector, exceeding idle time, 66
 - collector, unclosed, 66
 - JDBC connection pool, clients serviced, 50
 - JDBC connection pool, clients waiting, 49
 - JDBC connection pool, delay, 54
 - JDBC connection pool, failure, 53
 - JDBC connection pool, idle time exceeded, 51
 - JDBC connection pool, leaked, 52
 - JDBC connection pool, unclosed, 51
 - JDBC connection pool, utilization, 48
 - leaked from JCA connection pool, 67
- connector
 - B078_ConnectorConnectionPoolLeakedCon
nRateSum, 66
 - B270_ConnectorConnectionPoolUtil, 56
 - B278_ConnectorConnectionPoolLeakedCon
nRate, 67
 - connections exceeding idle time, 66
 - JCA connections utilized, 56
 - leaked connection rate, 67
 - unclosed connections, 66

D

- default OVO threshold, 15
- description, 14

E

EJB

- B025_EJBFreePoolWtRt, 28
- B026_EJBTimeoutRt, 32
- B035_EJBTranThruRt, 34
- B036_EJBTranRbRt, 35
- B225_EJBFreePoolWaitRate, 30
- B226_EJBTimeoutRate, 33
- B238_EJBCacheHitPct, 36
- cache percentage, 36
- EJB bean
 - client timed out while waiting, 32
 - client timed out while waiting (drill down), 33

EJB beans

- not available from free pool, 28
- not available from free pool (drill down), 30
- EJB transactions, 34
 - rolled back, 35
- error log
 - monitor, 82
- exceptions thrown, 76
- execute queue
 - number of requests serviced, 21
 - percentage of threads in use, 22
- execution time
 - servlet, 37

F

free pool

- EJB beans not available, 28
- EJB beans not available (drill down), 30

H

heap space

- percentage used in JVM, 19

I

- instruction text, 15

J

- Java message service
 - see JMS

JCA connections

- utilization, 56

JDBC

- B061_JDBCConPIWtCnt, 49
- B063_JDBCConnectionPoolLeakedConnect
ionsRtSum, 51
- B260_JDBCConnectionPoolUtil, 48
- B262_JDBCConnectionPoolThruRt, 50
- B263_JDBCConnectionPoolLeakedConnect
ionsRt, 52
- B264_JDBCConnectionPoolFailures, 53
- B265_JDBCConnectionPoolAvgConnection
DelayTime, 54
- clients serviced by connection pool, 50
- clients waiting for connections in
connection pool, 49

- connections exceeding idle time in
 - connection pool, 51
 - connections utilized in connection pool, 48
 - delay in connection, 54
 - failures in connection pool, 53
 - leaked connections in connection pool, 52
 - unclosed connections in connection pool, 51
 - JMS**
 - B251_JMSUtilByMessagePct, 42
 - B252_JMSUtilByBytePct, 43
 - B253_JMSThreshByMessagePct, 44
 - B254_JMSThreshByBytePct, 45
 - B255_JMSServerThruMessageRt, 46
 - B256_JMSServerThruByteRt, 47
 - byte threshold condition, 45
 - bytes in queue, 43
 - bytes passed, 47
 - message threshold condition, 44
 - messages in queue, 42
 - messages passed, 46
 - JVM**
 - B005_JVMMemUtilPct, 19
 - JVM heap space**
 - percentage used, 19
 - L**
 - login
 - invalid attempts, 75
 - M**
 - message group, 15
 - message text, 15
 - messages in queue
 - JMS, 42
 - metric name, 14
 - metric specification
 - description, 14
 - metric summary
 - area, 15
 - avail. WLS version, 14
 - collection interval, 14
 - column description, 9
 - default OVO threshold, 15
 - description, 14
 - instruction text, 15
 - message group, 15
 - message text, 15
 - metric name, 14
 - metric type, 14
 - monitor template name, 14
 - OVO min/max threshold, 15
 - OVO threshold type, 15
 - report type, 15
 - severity, 14
 - metric type, 14
 - monitor template name, 14
 - multicast messages
 - cluster, lost from, 71
 - cluster, resent to, 69
 - O**
 - open sessions
 - web application, 40
 - web application per second, 41
 - OVO min/max threshold, 15
 - OVO threshold type, 15
 - P**
 - performance
 - B010_ExQueThruRate, 21
 - B011_ExQThrdUtilPct, 22
 - B012_ExQueWaitCnt, 24
 - B013_SocketTrafficRt, 25
 - B014_ActiveSocketCnt, 26
 - B015_SrvrRestartsPct, 27
 - permissible restarts, 27
 - R**
 - report type, 15
 - requests
 - number serviced by execute queue, 21
 - servlet, 39
 - S**
 - security
 - B085_InvLoginAttCnt, 75
 - invalid login attempts, 75
 - server status, 16
 - server status, reporting, 18
 - servlet
 - B240_ServletAveExecTime, 37
 - B241_ServletTimeCnt, 38
 - B242_ServletReqRate, 39
 - execution time, 37
 - requests, 39
 - time spent in, 38
 - severity, 14
 - socket connections
-

Index

number currently opened, 26
number opened per second, 25

T

threads in use
 execute queue percentage, 22
threshold condition
 JMS byte, 45
 JMS message, 44
time service
 B090_TimeSerExcepCnt, 76
 B091_TimeSerThruRt, 77
 exceptions thrown, 76
 triggers executed, 77
transaction
 B070_TransAveTime, 55
 B071_TransRollbackPct, 58
 B072_TransResErrRbPct, 59
 B073_TransAppErrRbPct, 60
 B074_TransTimErrRbPct, 61
 B075_TransSysErrRbPct, 62
 B076_TransThruRate, 63
 B077_TransHeurCnt, 64
 B079_TransCapacityUtil, 68
 capacity utilization, 68
 commit time, 55
 heuristic decision returned, 64
 number processed, 63
 rolled back, application error, 60
 rolled back, resource error, 59
 rolled back, system error, 62
 rolled back, timeout error, 61
 rolled back, total, 58
transactions
 EJB, 34
 EJB rolled back, 35
triggers executed, 77

U

utilization
 transaction capacity, 68

W

web application
 B245_WebAppSessionCnt, 40

B246_WebAppHitRt, 41
 open sessions, 40
 open sessions per second, 41
WebLogic Config Files, 81
WebLogic Log Template, 83
WebLogic Server
 log file errors and warnings, 83
WLSSPI-Error Log, 82

X

XML cache
 B281_XMLCacheDiskSize, 73
 B282_XMLCacheMemorySize, 74
 entries in memory with external parser
 reference, 74
 entries on disk with external parser
 reference, 73
XML parser
 external reference in memory, 74
 external reference on disk, 73