Peregrine

AssetCenter



Procurement



AssetCenter

© Copyright 2004 Peregrine Systems, Inc. All Rights Reserved.

Information contained in this document is proprietary to Peregrine Systems, Incorporated, and may be used or disclosed only with written permission from Peregrine Systems, Inc. This manual, or any part thereof, may not be reproduced without the prior written permission of Peregrine Systems, Inc. This document refers to numerous products by their trade names. In most, if not all, cases these designations are claimed as Trademarks or Registered Trademarks by their respective companies.

Peregrine Systems ® and AssetCenter ® are trademarks of Peregrine Systems, Inc. or its subsidiaries.

This document and the related software described in this manual are supplied under license or nondisclosure agreement and may be used or copied only in accordance with the terms of the agreement. The information in this document is subject to change without notice and does not represent a commitment on the part of Peregrine Systems, Inc. Contact Peregrine Systems, Inc., Customer Support to verify the date of the latest version of this document.

The names of companies and individuals used in the sample database and in examples in the manuals are fictitious and are intended to illustrate the use of the software. Any resemblance to actual companies or individuals, whether past or present, is purely coincidental.

If you need technical support for this product, or would like to request documentation for a product for which you are licensed, contact Peregrine Systems, Inc. Customer Support by email at support@peregrine.com.

If you have comments or suggestions about this documentation, contact Peregrine Systems, Inc. Technical Publications by email at doc_comments@peregrine.com.

This edition applies to version 4.4 of the licensed program

AssetCenter

Peregrine Systems, Inc. 3611 Valley Centre Drive San Diego, CA 92130 858.481.5000 Fax 858.481.1751 www.peregrine.com

Table of Contents

PEREGRINE

Introduction		 13
Who is the Procurement module intended for?		13
What does the Procurement module do?		 14
What are the contents of this manual		
How to read this guide		17
General information on the practical cases		 19
Typographical conventions		 20
I. General overview		 21
Chapter 1. General concepts		 23
Catalogs		23
Procurement cycle		25 29
impact of the fileratione flatare of contain tables	•	
Chapter 2. Preliminary steps		 31
Chapter 3. Suitable reference records		 35
Key concepts		35
Practical case 1: Suitable reference records		 36
Chapter 4. Catalogs		 45
Key concepts		 45

Procedures	48 49 54
Chapter 5. Procurement cycle	59
Key concepts	59 60 61
Chapter 6. Requests	67
Key concepts	67 68 75
Chapter 7. Estimates	79
Key concepts	79 80
Chapter 8. Orders	85
Key concepts	85 86 89 92
Chapter 9. Receiving executing, creating, and returning	97
Key concepts	97 98 104
Chapter 10. Invoices	111
Key concepts	111 112
Chapter 11. Costs	115
Key concepts	115 119
II. Special cases	129
Chapter 12 Composite products	131

Practical case 8a: Composite products	31 32 38
Chapter 13. Units of measure	45
- /	45 46
Chapter 14. Packaging	53
Procedure	53 54 55 61
Chapter 15. Reservations	67
Procedures	67 67 69
Chapter 16. Replacements	81
Procedures	81 81 82
Chapter 17. Work orders	87
Procedures	87 88 91
Chapter 18. Automatic stock reordering	97
Chapter 19. Leasing	99
, , , , , , , , , , , , , , , , , , , ,	99 00
Chapter 20. Contracts	03
Procedures	03 03 06
unnendives 2	1 2

A. Glossary	215
Asset	215
Catalog	216
Classification standard	216
Classification code	216
Purchase order	217
Standard order	217
Creating ordered items before receiving them	218
Procurement cycle	218
Request	218
Standard request	219
Estimate	219
Portfolio item	220
Execution	220
Invoice	221
Option group	221
Request line	221
Order line	222
Estimate line	222
Invoice line	222
Receipt line	223
Model	223
Nature	224
Product option	225
Product	225
Return	226
Receiving	226
Catalog reference	226
Reservation	227
Overspecification	227
Unit of measure	227
B. References	229
Menus and tabs	229
Toolbar icons	237
Interface options	237
Tables	238
Interdependence of tables	241
Itemized lists	243
Calculated fields	244
Counters	245
Actions and wizards	246
Modules of AssetCenter Server	248
System data and Line-of-business data	249

Backgrour API	•										
√iews .											
Other doc	umentatio	on									
Workflow	schemes										



List of Figures

PEREGRINE

1.1. Catalogs - Building	24
1.2. Procurement cycle - steps in brief	25
1.3. Procurement cycle - detailed steps	26
4.1. Product options - principles	47
6.1. Procurement cycle - requests	
7.1. Procurement cycle - estimates	80
8.1. Procurement cycle - purchase orders	86
9.1. Procurement cycle - Receipts	98
10.1. Procurement cycle - invoices	111
13.1. Units of measure	145

List of Tables

PEREGRINE

1. Procurement module - Employees concerned	13
1.1. Catalogs - Building	24
1.2. Procurement cycle - steps	26
1.3. Hierarchic table - impact	29
2.1. Procurement module - Required user's license	31
4.1. Product options - principles	47
5.1. Procurement cycle - steps	59
5.2. Procurement cycle - Icons in the Tracking tabs	61
6.1. Requests - Purchase request validation workflow scheme	73
6.2. Work orders - Purchase request satisfaction workflow scheme	75
8.1. Requests - Purchase order satisfaction workflow scheme	88
11.1. Expenses - Assets	116
11.2. Expenses - Training	117
11.3. Expenses - Contracts	117
11.4. Expenses - Off-contract maintenance and On-contract maintenance type	
work orders	118
11.5. Expenses - Internal maintenance type work orders	118
17.1. Work orders - Auto-create work orders workflow scheme	189
17.2. Work orders - Work order tracking workflow scheme	190
B.1. Menus and tabs - list	229
B.2. Tables - list	238
B.3. Interdependence of tables - table	241
B.4. Itemized lists - list	243
B.5. Calculated fields - list	244
B.6. Counters - list	246

AssetCenter

B.7. Actions and wizards - list .										247
B.8. Other documentation - list										254
R 9 Workflow schemes - list										256

Introduction

PEREGRINE

Who is the Procurement module intended for?

The Procurement is intended for companies wishing to manage procurement of goods and services using AssetCenter.

The Procurement module is used by the following persons:

Table 1. Procurement module - Employees concerned

Task	Employees
Managing catalogs	■ Procurement managers
	Purchasers
Managing requests	■ Employees who make their own requests
	Employees who record other employees' requests
	Employees who validate requests
Managing estimates and pur-	■ Employees who issue purchase orders
chase orders	 Employees who validate purchase orders
Managing receipts and returns	 Employees who receive and return ordered products and
	services
Managing invoices	 Employees who record invoices

What does the Procurement module do?

The Procurement module enables you to manage the acquisition of the following products and services:

- Portfolio items
- Work orders
- Contracts
- Contract utilizations
- Training sessions
- Cables

The Procurement module enables you to create these items in their respective tables when they are received.

What are the contents of this manual

Section General overview

Chapter General concepts

This chapter presents an overview of the Procurement model: prerequisites, creating models, managing the procurement cycle, impact of hierarchic nature of certain tables when receiving goods and services.

Chapter Preliminary steps

This chapter explains what are the required conditions and how to prepare your database to use the **Procurement module**.

Chapter Suitable reference records

This chapter explains how to constitute your reference records appropriate for the Procurement module.

Chapter Catalogs

This chapter explains how to describe your suppliers' offering.

Chapter Procurement cycle

This chapter describes the successive steps in the procurement cycle.

Chapter Requests

This chapter explains how to manage requests.

Chapter Estimates

This chapter explains how to manage estimates.

Chapter Orders

This chapter explains how to manage purchase orders.

Chapter Receiving executing, creating, and returning

This chapter explains how to receive goods and services and how to return them. It also explains how to create records in the database prior to the receiving process.

Chapter Invoices

This chapter explains how to deal with invoices for goods and services received.

Chapter Costs

This chapter explains how to manage information linked to acquisition costs.

Section Special cases

Chapter Composite products

This chapter explains how to manage product bundles.

Chapter Units of measure

This chapter explains how to account for units of measure in the procurement process.

Chapter Packaging

This chapter explains how to deal with different forms of packaging in the procurement process.

Chapter Reservations

This chapter explains how to reserve portfolio items.

Chapter Replacements

This chapter explains how to replace assets.

Chapter Work orders

This chapter explains how to manage the acquisition of work orders.

Chapter Automatic stock reordering

This chapter explains how to manage automatic stock reordering.

Chapter Leasing

This chapter explains how to manage the acquisition of leased assets.

Chapter Contracts

This chapter explains how to manage relationships between ordered assets and contracts.

Section Appendixes

Appendix Glossary

The glossary includes definitions of the key terms used in the Procurement module.

Appendix References

This appendix includes reference information on the Procurement module.

How to read this guide

The following are different ways of using this guide, depending on your profile:

Implementor of the AssetCenter Procurement module

For Implementors, we recommend reading this guide in full and in order for a complete view of the module.

Procurement manager

- 1 Chapter General concepts [page 23]
- 2 Appendix References [page 229], section Reports and forms [page 250]

Purchaser

- 1 Chapter General concepts [page 23]
- 2 Chapter Catalogs [page 45]
- 3 Chapter Procurement cycle [page 59]
- 4 Chapter Requests [page 67]
- 5 Chapter Estimates [page 79]
- 6 Chapter Costs [page 115]
- 7 Chapter Composite products [page 131]
- 8 Chapter Units of measure [page 145]
- 9 Chapter Packaging [page 153]
- **10** Chapter Reservations [page 167]
- 11 Chapter Replacements [page 181]
- 12 Chapter Work orders [page 187]
- **13** Chapter Automatic stock reordering [page 197]

User recording requests

- 1 Chapter General concepts [page 23]
- 2 Chapter Procurement cycle [page 59]
- 3 Chapter Requests [page 67]
- 4 Chapter Packaging [page 153]
- 5 Chapter Reservations [page 167]
- **6** Chapter Replacements [page 181]

Employees who validate requests

- 1 Chapter General concepts [page 23]
- 2 Chapter Requests [page 67]

Employees who issue purchase orders

- 1 Chapter General concepts [page 23]
- 2 Chapter Preliminary steps [page 31]
- 3 Chapter Suitable reference records [page 35]
- 4 Chapter Catalogs [page 45]
- 5 Chapter Procurement cycle [page 59]
- 6 Chapter Requests [page 67]
- 7 Chapter Estimates [page 79]
- 8 Chapter Orders [page 85]
- 9 Chapter Composite products [page 131]
- 10 Chapter Units of measure [page 145]
- 11 Chapter Packaging [page 153]

Employees who validate purchase orders

- 1 Chapter General concepts [page 23]
- 2 Chapter Receiving executing, creating, and returning [page 97]

Users receiving purchase orders

- 1 Chapter General concepts [page 23]
- 2 Chapter Procurement cycle [page 59]
- 3 Chapter Receiving executing, creating, and returning [page 97]

Employees who record invoices

- 1 Chapter General concepts [page 23]
- 2 Chapter Invoices [page 111]

General information on the practical cases

In order for the practical cases to function, you must work through each step in full and in the specified order.



Q Tip:

When you create the records specified in the practical cases, you may wish to copy field values over from this guide in an electronic format (PDF or CHM) and to paste them directly into the required fields in AssetCenter.

Only the essential fields and links are mentioned. The other fields and links you can explore by yourself.



The contextual help on fields (Shift + F1) includes useful information.

To execute the practical cases, you must first:

- Connect to the AssetCenter demonstration database.
- 2 Enable at least the Portfolio, Procurement, Financials, Cable and Circuit and Contracts modules (File/ Activate modules menu).

The following practical cases must have first been performed before performing the other practical cases:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Typographical conventions

What follows is a list of the conventions that we use in this guide

Convention	Description
Java Script code	Example of the code or command
Fixed-width characters	DOS command, function parameter or data
	format
	Portion of omitted code or command.
Note:	Informative note
Extra information	
Important:	Important information for the user
Be careful	
Tip:	Tip
User tip	
Warning:	Extremely important information for the user
Warning	
Object	AssetCenter interface object: menu, menu
	entry, tab or button.

The following conventions are also used:

- Steps to perform in a given order are presented in a numbered list. For example:
 - 1 First step
 - 2 Second step
 - 3 Third and last step
- All figures and tables are numbered according to the chapter and order in which they appear. For example, the title of the fourth table of chapter two is prefixed Table 2-4.

■ General overview **PART**

1 General concepts

Catalogs

The catalogs are used to describe what you can order from your suppliers. A catalog is constituted in several steps, which are described briefly in the following diagram and in detail in the following table:

Figure 1.1. Catalogs - Building




Table 1.1. Catalogs - Building

Step	Comment							
♣ Products	You start by creating products .							
	A product is a piece of hardware or service that you can by from a supplier.							
	Examples: A Compaq E500 computer, a Microsoft Word 2003 training.							
	A product gives the list price but not the terms and conditions of the suppliers.							
	There are a number of standardized ways of structuring catalogs.							
	Example: The UN/SPSC standard.							
	You may wish to adhere to these standards when creating products.							
a Catalogs	Then you create catalogs .							
J	A catalog is a set of references that specify the terms and conditions when obtaining products from a given supplier.							
	Example: The catalog of HP products available from the Computer Company.							

Step	Comment
Catalog references	Finally, you add catalog references to the catalog.
, and the second	A catalog reference is a description of the terms conditions available for obtaining a given product at a given supplier.
	Example: Terms and conditions for a Compaq E500 computer from the supplier Computer Company.
	A same product may be referenced by multiple catalog references if it is available at several suppliers.


Procurement cycle

The procurement cycle also uses the core areas of the AssetCenter database (natures, models, employees, locations, etc.).

▶ Nature [page 224] and Model [page 223].

It includes the following steps, presented briefly in the first diagram below and in detail in the following diagram and table:

Figure 1.2. Procurement cycle - steps in brief



Estimate Receipt Invoice Request Purchase Order <u>Steps</u> M Request Line PO Line Receipt Line **Invoice Line** Composition Catalog Model Item received Reference <u>Underlying</u> Data repository

Figure 1.3. Procurement cycle - detailed steps

Table 1.2. Procurement cycle - steps

Step	Comment
♣ Request	A request describes a need.
	A request is made up of request lines.
	Each request line designates a model. When more specific information is required, an optional catalog reference may also be designated.
	The request is used as the basis to create estimates and purchase orders.
	The model selected at the request line level is used to create the item or service when it is received.
	The hierarchic structure of request lines is carried over to the level of the items or services received. Example: You create a request line for a computer, then you create a request line for a screen linked to the computer request line. When you receive the purchase order created from the request line, the screen will be linked to the computer.

Step Fstimates

Comment

An estimate describes a potential purchase from a given supplier.

An estimate is made up of estimate lines.

Each estimate line references a catalog reference.

A estimate is in general created from a request; In this case, separate estimates are created for each supplier. A same request can lead to the creation of an open-ended number of estimates.

You can create an estimate directly, without going through a request. This is, however, less suitable to the functioning of the module.

An estimate, if it is validated, it transformed into a purchase order.

Note:

Estimates and purchase orders are stored in the same table. The difference between them is the Ord. status (Status) field. The field values corresponding to an estimate are the following:

- In preparation
- Quote requested
- Quoted
- Awaiting approval
- Validated
- Refused

Step

Purchase order

Comment

A purchase order describes what you want to acquire from a given supplier.

A purchase order is made up of purchase order lines.

Tip:

AssetCenter makes sure each purchase order line is associated with a request line. If you add purchase order lines or increase the requested quantities, AssetCenter prompts you to create the missing request lines when you issue the purchase order (Issue button).

Each order line references a catalog reference.

A purchase order is generally created from an estimate and sometimes from a request.

You can also, in rarer cases, create a purchase order directly.

The purchase order is used as the basis for the creation of receiving slips.

Note:

Estimates and purchase orders are stored in the same table. The difference between them is the **Status** (Status) field. The field values corresponding to a purchase order are the following:

- Issued
- Accepted by supplier
- Satisfied



Receipt and return

A receiving slip describes what you receive when processing a delivery performed by a given supplier.

A receiving slip is made up of receipt lines and return lines.

Each receipt of return line references a purchase order line.

A receiving slip is generally created from a purchase request.

Receiving a purchase order may be performed in one single operation or multiple operations.

You can also, in rarer cases, create a receiving slip directly.

The purchase order is used as the basis for the creation of receiving slips.

Step	Comment
5 Invoice	An invoice is a record of an invoice that you have received from a supplier.
	An invoice is made up of invoice lines.
	Each invoice line references a catalog reference.
	An invoice is generally created from a purchase request.
	You can also, in rarer cases, create an invoice directly.
	We do not try to create a direct link between a purchase order line or receiving slip and an invoice line.

Impact of the hierarchic nature on certain tables

Among the tables directly linked to procurement, the following tables are hierarchic (a record may have a parent record in the same table) and are worth paying close attention to:

Table 1.3. Hierarchic table - impact

Table	Handling of hierarchic relationships between records by AssetCenter
Models (amModel)	The hierarchic structure of models serves the following purposes:
	 To organize records for ease of use
	Example: The structure of models Hardware/ Computer/ Laptop.
	 When you create a purchase order from a request, AssetCenter identifies the model associated with each request line and offers you the catalog references associated with the model and its sub- models.
	The hierachic links between models do not have any impact on the hierarchic links between the records created upon receipt.
	If you create a request line, which references a model, which in turn is linked to sub-models, AssetCenter does not create purchase order lines for the sub-models when the purchase order is created from the request.

T. 1.1.	The History Claim of the classic state of the control of the contr	
Table	Handling of hierarchic relationships between records by AssetCenter	
Products (amCat-	The hierarchic structure of products is used by AssetCenter when	
Product)	transforming a request into an estimate using the Generate an estimate wizard or into a purchase order using the Generate a purchase order wizard:	
	Each request line is associated with a catalog reference thanks to the wizards. This catalog reference is linked a product. AssetCenter generates a purchase order line for this product and for each of its subproducts.	
	The purchase order lines of the sub-products are linked to the purchase order line of the main product.	
Request lines (amReqLine)	AssetCenter propagates the hierarchic links between the request lines to the level of the records created upon receipt.	
	Example: You create 2 request lines, one of which is the parent of the other. Then you create a purchase order from these request lines; Asset-Center then creates 1 purchase order line for each request line, but without the hierarchic relationship between them. When receiving the purchase order, AssetCenter will create 2 records from the purchase order lines, and will use the hierarchic information from the request lines to create the hierarchic link between the received items.	
Order lines (amPOrd- Line)	The hierarchic structure of the purchase order lines is for informational purposes only. By default, it reflects the hierarchic relationships between products.	
Portfolio items (am- Portfolio)	When receiving a purchase order, AssetCenter uses the hierarchic links between the request lines to create hierarchic links between portfolio items. AssetCenter does not refer to the hierarchic links of models, products, or purchase order lines.	
Contracts (amContract)	When receiving a purchase order, AssetCenter uses the hierarchic links between the request lines to create hierarchic links between contracts. AssetCenter does not refer to the hierarchic links of models, products, or purchase order lines.	
Work orders (am- WorkOrder)	When receiving a purchase order, AssetCenter uses the hierarchic links between the request lines to create hierarchic links between work orders. AssetCenter does not refer to the hierarchic links of models, products, or purchase order lines.	

Preliminary steps

Prerequisites of the Procurement module

To use the Procurement module, your AssetCenter user license must give you access to the following modules:

Table 2.1. Procurement module - Required user's license

Required functionality	Module to be purchased within the li-
	cense
Procurement in general	Procurement
Creating internal requests (equivalent to	Portfolio
creating purchase requests using the	
Portfolio/Internal requests menu instead	
of the Procurement/ Purchase requests	
menu)	
Acquisition of portfolio items	Portfolio
Acquisition of cables	Cable and Circuit
Acquisition of work orders	Portfolio
Acquisition of contract utilizations	Contracts
Managing acquisition expenses	Financials
Managing blanket purchase orders	Contracts

Working in your production database with the Procurement module

In order to use your own database, you have to:

- Install AssetCenter.
- 2 Execute AssetCenter Database Administrator.
- 3 Create your database and import the Line-of-business data specific to the procurement module (procedure detailed below).
- 4 Insert a user license that includes the modules given in the table Procurement module - Required user's license [page 31].
- 5 Execute AssetCenter.
- **6** Connect to your database.
- 7 Activate the modules in the table Procurement module Required user's license [page 31] using the File/ Activate modules menu.

Importing the **Line-of-business data** when you create the database

Follow the instructions in the **Administration** guide, chapter **Creating**, **modifying** and deleting an AssetCenter database/ Creating the database structure with AssetCenter Database Administrator.

In the **Data to import** page, select **Procurement - Line-of-business** data.

Importing the **Line-of-business** into an existing database

Proceed in the following manner:

- 1 Execute AssetCenter Database Administrator
- 2 Select the File/ Open menu.
- 3 Select the Open database description file create new database option.
- 4 Select the file **qbbase.xml**, which is located in the **config** sub-folder of the AssetCenter installation folder.
- 5 Start the database creation wizard (Action/ Create database menu).
- 6 Populate the pages of the wizard as follows (navigate through the wizard pages using the **Next** and **Previous** buttons):

Generate SQL script / Create database page:

Value	
Select the connection to the database into which	
you wish to import the reports.	
Import line-of-business data.	

Fields	Value
Use advanced creation options	Do not select this option

Creation parameters page:

Fields	Value
Password	Enter the administrator's password.
	Note:
	The AssetCenter database administrator is the record in the Departments and employees (amEmplDept) table for which the Name (Name) field is set to Admin .
	The database connection login in stored in the User name (UserLogin) field. The administration name is Admin .
	The password is stored in the Password field (LoginPassword).

Data to import page:

Fields	Value
Available data	Select the option Procurement - Line-of-business
	data.
Stop import if error	Select this option for the import to stop if a
	problem is encountered.
Log file	Full name of the file to which all import opera-
	tions, including errors and warnings, are logged.

7 Execute the options defined using the wizard (Finish button).

To learn more about installing AssetCenter

Refer to the **Installation** guide.

Suitable reference records

Key concepts

CHAPTER

The repository, or reference records, required by the Procurement module is essentially made up of the following records:

- **Natures**
- Models
- **Brands**
- **Employees and departments**
- **Suppliers**
- Stocks
- Cost centers
- Cost categories

The models play an important role; They are used to:

- Create request lines. This enables you to designate what is requested.
- Create the ordered items when they are received (portfolio items, work orders, contracts, trainings, and cables).

For a model to be able to be used by the Procurement module, the Certified for the purchase request (bRequestable) option must be selected (detail of the model, General tab).



All natures can be used to created models usable by the Procurement module.

Practical case 1: Suitable reference records

Presentation

This simple practical case leads you through the creation of reference records for procurement management.

The following practical cases use the records created in this practical case.

Prerequisites

No prerequisites.

Scenario

It is your job to acquire the following models:

Nature	Brand	Model
PC1 - Computer	PC1 - Compaq	PC1 - E500
PC1 - Screen	PC1 - Compaq	PC1 - XGA screen
PC1 - Screen	PC1 - Compaq	PC1 - SXGA screen
PC1 - USB key	PC1 - Freecom	PC1 - USB key 256
PC1 - USB key	PC1 - Freecom	PC1 - USB key 512
PC1 - External CD writer	PC1 - Compaq	PC1 - Compaq External CD writer
PC1 - Computer configur-		PC1 - Configuration for a sales engineer
ation		
PC1 - Work order		PC1 - Install computer
PC1 - Work order		PC1 - Connect computer
PC1 - Contract		PC1 - Warranty
PC1 - Maintenance con-		PC1 - Maintenance contract
tract		
PC1 - Contract		PC1 - Contract

Nature	Brand	Model
PC1 - Training		PC1 - Basic computer training
PC1 - Cable		PC1 - Coaxial cable

These models may be obtained from the company PC1 - MySupplier.

Among the employees in your company is a certain Mr. PC1 - Riddick.

Your company has a stock PC1 - Stock.

Your company allocates expenses to the following cost categories:

- PC1 Computer
- PC1 Cable
- PC1 Work order
- PC1 Contract
- PC1 Training

You company amortizes its assets using the formula PC1 - Linear.

Your company allocates its expenses to the cost center PC1 - Headquarters.

Steps to follow

Create the natures

- 1 Display the natures (Portfolio/ Natures).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC1 - Computer
Create (seBasis)	Portfolio item
Also create (OverflowTbl)	Computers (amComputer)
Management constraint (seMgtConstraint)	Unique asset tag

Field or link	Value	
Name (Name)	PC1 - Screen	
Create (seBasis)	Portfolio item	
Also create (OverflowTbl)	(No table)	

Field or link	Value
Management constraint (seMgtConstraint)	Unique asset tag
Field or link	Value
Name (Name)	PC1 - USB key
Create (seBasis)	Portfolio item
Also create (OverflowTbl)	(No table)
Management constraint (seMgtConstraint)	Asset tag
Field or link	Value
Name (Name)	PC1 - External CD writer
Create (seBasis)	Portfolio item
Also create (OverflowTbl)	(No table)
Management constraint (seMgtConstraint)	Unique asset tag
Field or link	Value
Name (Name)	PC1 - Computer configuration
Create (seBasis)	Nothing
Field or link	Value
Name (Name)	PC1 - Work order
Create (seBasis)	Work order
Field or link	Value
Name (Name)	PC1 - Maintenance contract
Create (seBasis)	Contract
Contract type (seCntrType)	Maintenance

Field or link	Value	
Name (Name)	PC1 - Contract	
Create (seBasis)	Contract	
Contract type (seCntrType)	Other	

Field or link	Value
Name (Name)	PC1 - Training

Field or link	Value
Create (seBasis)	Training

Field or link	Value
Name (Name)	PC1 - Cable
Create (seBasis)	Cable

Create the brands

- 1 Display the brands (Portfolio/ Brands).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC1 - Freecom

Field or link	Value
Name (Name)	PC1 - Compaq

3 Close all windows.

Create the cost categories

- 1 Display the cost categories (Finance/ Cost categories).
- 2 Click New.
- 3 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC1 - Computer
	·
Field or link	Value
Name (Name)	PC1 - Cable
Field or link	Value
Name (Name)	PC1 - Work order
Field or link	Value
Name (Name)	PC1 - Contract
et 1.1 15 - 1	W.1 .
Field or link	Value
Name (Name)	PC1 - Training

Create the cost center

- 1 Display the cost centers (Finance/ Cost centers menu).
- 2 Click New.
- 3 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Label (Title)	PC1 - Headquarters

4 Close all windows.

Create the depreciation calculation formula

- 1 Display the depreciation calculation formulas (Finance/ Depreciation calculation formulas).
- 2 Click New.
- 3 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Name (Name)	PC1 - Linear

Create the models

- 1 Display the models (Portfolio/ Models).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC1 - E500
Brand (Brand)	PC1 - Compaq
Nature (Nature)	PC1 - Computer
Certified for the purchase request (bRequestable)	Yes
Accounting tab	
Cost category (CostCategory)	PC1 - Computer
A/C code (AcctCode)	PC1 - CC001
Type (DeprScheme)	PC1 - Linear
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - XGA screen
Brand (Brand)	PC1 - Compaq
Nature (Nature)	PC1 - Screen
Certified for the purchase request (bRequestable)	Yes
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - SXGA screen
Brand (Brand)	PC1 - Compaq
Nature (Nature)	PC1 - Screen
Certified for the purchase request (bRequestable)	Yes
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - USB key 256
Brand (Brand)	PC1 - Freecom
Nature (Nature)	PC1 - USB key

Field or link	Value
Certified for the purchase request (bRequestable)	Yes
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - USB key 512
Brand (Brand)	PC1 - Freecom
Nature (Nature)	PC1 - USB key
Certified for the purchase request (bRequestable)	Yes
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - External CD writer
Brand (Brand)	PC1 - Compaq
Nature (Nature)	PC1 - External CD writer
Certified for the purchase request (bRequestable)	Yes
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - Configuration for a sales engineer
Nature (Nature)	PC1 - Computer configuration
Certified for the purchase request (bRequestable)	Yes

Field or link	Value
Name (Name)	PC1 - Connect computer
Nature (Nature)	PC1 - Work order
Certified for the purchase request (bRequestable)	Yes
Work order tab	
Type (seWOType)	Internal maintenance
Accounting tab	
Cost category (CostCategory)	PC1 - Work order
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - Install computer
Nature (Nature)	PC1 - Work order
Certified for the purchase request (bRequestable)	Yes
Work order tab	
Type (seWOType)	Off-contract maintenance
Accounting tab	

Field or link	Value
Cost category (CostCategory)	PC1 - Work order

Field or link	Value
Name (Name)	PC1 - Maintenance contract
Nature (Nature)	PC1 - Maintenance contract
Certified for the purchase request (bRequestable)	Yes
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - Warranty
Nature (Nature)	PC1 - Contract
Certified for the purchase request (bRequestable)	Yes
Accounting tab	
Cost category (CostCategory)	PC1 - Contract
Tax rate (pTaxRate)	7.75%

Field or link	Value
Name (Name)	PC1 - Basic computer training
Nature (Nature)	PC1 - Training
Certified for the purchase request (bRequestable)	Yes
Accounting tab	
Cost category (CostCategory)	PC1 - Training
Tax rate (pTaxRate)	7.75%

Value
PC1 - Coaxial cable
PC1 - Cable
Yes
PC1 - Cable
PC1 - Linear
7.75%

Create the employee

1 Display the departments and employees (Portfolio/ Departments and employees menu).

2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Name (Name)	PC1 - Riddick

3 Close all windows.

Create the supplier

- 1 Display the companies (Portfolio/ Companies menu).
- 2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Name (Name)	PC1 - MySupplier

3 Close all windows.

Create the stock

- 1 Display the stocks (Portfolio/ Stocks menu).
- 2 Click New.
- 3 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value	
Name (Name)	PC1 - Stock	

4 Close all windows.



Key concepts

Catalogs

A catalog enables you to describe the offering of one or more suppliers that offer products with the same conditions.



In general, one single supplier should be associated with a given catalog (**Distributors** tab).

However, if the suppliers are part of the same network and supply the same products with the same terms and conditions, you can associate multiple suppliers with the catalog.

You will note that a catalog reference is not directly linked to its supplier. The suppliers of a catalog reference are the suppliers of the catalog.

It is for this reason that the terms and conditions of a catalog reference must be the same for all the suppliers given in the **Distributors** tab.

Link between supplier references and models

There is direction connection between they way in which you suppliers describe their products and the models to which the records in your portfolio are linked.

However, you do need to link the 2 of them when receiving the catalog references ordered.

This link is made through the products:

- On the supplier side, you order catalog references associated with products.
- On the portfolio side, you create records associated with a model.

Using the link between the products and the models, AssetCenter can automate the creation of records in the portfolio when you receive purchase orders.

For this, AssetCenter follows the link **Purchase order line -> Catalog reference -> Product -> Model**.

Importing external catalogs

If you supplier provides you with catalog data in a format that you can import, you can automate this import and update process.

To perform this task, you can use Connect-It; Connect-It is capable of handling numerous file formats.

You can also use the **Reconciliation** module in AssetCenter (▶ **Reconciliation** quide).

If you supplier provides you with catalog references associated with products, you will need to associate each of these products with a model in the AssetCenter reference records.

Product options

AssetCenter enables you to describe products that are available with options.

By default, their is no mechanism to handle product options in the procurement cycle.


If you wish to manage product options in the procurement cycle, you can create wizards or modify existing ones to fit your requirements.

The following is an overview of the options you may apply:

Table 4.1. Product options - principles

How it works	Consequences at the procurement cycle level	Example
A product may be made up of (any given number of) optional sub-products	When you select a catalog reference to create a purchase order, AssetCenter identifies the product associated with the catalog reference and automatically examines whether it should add purchase order lines for the subproducts of the main product	A car may be available with options: CD player, number of doors
The optional sub-products may be associated with a group of options	When making the purchase order, you must select an optional product from each option group	The option group Number of doors has two options: 3-door 5-door
An option group can be optional or mandatory	If an option group is mandatory, you must choose an option from the option group. Otherwise, this choice is optional.	 The option group Number of doors is mandatory. The option group CD Player is optional
A mandatory option group may be associated with a de- fault option	A default value may be pro- posed automatically when creating the purchase order	The option group Number of doors is, by default, associated with the option 5-door

Figure 4.1. Product options - principles



Procedures

Order to respect

To create a catalog, the easiest is to do things in the following order:

- 1 Create the catalog.
- 2 Create the products.
- 3 Create the catalog references.

To create a catalog

- 1 Display the catalogs (**Procurement/ Catalogs** menu).
- 2 Create the catalog.
- **3** Populate the detail of the record.

To create a product

- 1 Display the catalog products (**Procurement/ Products** menu).
- 2 Create the product.
- 3 Populate the detail of the record.

To create a catalog reference

- First possibility:
 - 1 Display the catalogs (**Procurement/ Catalogs** menu).
 - 2 Select the catalog to which you wish to add the reference.
 - 3 Select the **References** tab.
 - 4 Add the reference (+ button).
 - 5 Populate the detail of the record.
- Second possibility:
 - 1 Display the catalog references (Procurement/ References menu).
 - 2 Create a new reference (New button).
 - 3 Populate the detail of the record.

Product options

The following are main steps in creating a product with options:

- 1 Create the main product.
- **2** Create the option group.
- 3 Create the optional products.
- 4 Create the catalog references of the main product and its optional sub-products.

To create an option group:

- 1 Display the option groups (Administration/List of screens, Product options table (amProdOption)).
- **2** Create a new option group.
- 3 Populate the detail of the record.

To define an optional product:

- Display the products (**Procurement/ Products** menu).
- 2 Create the optional product.
- 3 Populate the detail of the record, and in particular the following fields and links:

Value
Select the product to which the optional sub-
product belongs.
Select this option.
If the optional sub-product belongs to an option
group, populate this link.
If the optional sub-product belongs to an option
group and must be populated by default, popu-
late this link.

Practical case 2: Simple catalog

Presentation

This practical case aims to show you how to create a simple catalog.

Prerequisites

You must have performed the practical case Practical case 1: Suitable reference records [page 36].

Scenario

A laptop **PC1 - Compaq E500** is among the models that you can order from the company **PC1 - MySupplier**.

You wish to describe this in a catalog.

Steps to follow

Create the catalog

- 1 Display the catalogs (**Procurement/ Catalogs** menu).
- 2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Name (Name)	PC1 - MySupplier
Currency (Currency)	USD (US Dollar)
Distributors tab	Add a link to the company PC1 - MySupplier

3 Close all windows.

Create the products

- 1 Display the catalog products (Procurement/ Products menu).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value	
Description (Description)	PC2 - E500	
Brand (Brand)	PC1 - Compaq	

Field or link	Value
Model (Model)	PC1 - E500

Field or link	Value
Description (Description)	PC2 - Install computer
Model (Model)	PC1 - Install computer

Field or link	Value
Description (Description)	PC2 - Warranty
Model (Model)	PC1 - Warranty

Field or link	Value
Description (Description)	PC2 - External CD writer
Brand (Brand)	PC1 - Compaq
Model (Model)	PC1 - External CD writer

Field or link	Value
Description (Description)	PC2 - Basic computer training
Model (Model)	PC1 - Basic computer training

Field or link	Value
Description (Description)	PC2 - Coaxial cable
Model (Model)	PC1 - Coaxial cable

Create the catalog references

- 1 Display the catalog references (**Procurement/ References** menu).
- 2 Create the following records, by populating the fields and links as shown in the following table:

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC2 - E500 (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC2 - E500
Description (Description)	PC2 - E500
Price (fPrice)	1000

Field or link	Value
Discount (pDiscount)	10%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC2 - Install computer (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC2 - Install computer
Description (Description)	PC2 - Install computer
Price (fPrice)	400
Discount (pDiscount)	10%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC1 - External CD writer (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC2 - External CD writer
Description (Description)	PC2 - External CD writer
Price (fPrice)	150
Discount (pDiscount)	0%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC2 - Warranty (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC2 - Warranty
Description (Description)	PC2 - Warranty
Price (fPrice)	50
Discount (pDiscount)	0%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC2 - Basic computer training
General tab	
Product (CatProduct)	PC2 - Basic computer training
Description (Description)	PC2 - Basic computer training
Price (fPrice)	200

Field or link	Value
Discount (pDiscount)	5%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC2 - Coaxial cable (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC2 - Coaxial cable
Description (Description)	PC2 - Coaxial cable
Price (fPrice)	300
Discount (pDiscount)	10%

Define a default catalog reference for the models

- 1 Display the models (Portfolio/ Models).
- 2 Select the following records (which can be identified using the 1st line in the table), and then populate the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC1 - E500
Cat. info. tab	
Default cat. ref. (DefCatRef)	PC2 - E500 (PC1 - MySupplier) - PC2 - E500

Field or link	Value
Name (Name)	PC1 - Install computer
Cat. info. tab	
Default cat. ref. (DefCatRef)	PC2 - Install computer (PC1 - MySupplier) - PC2 - Install computer

Field or link	Value
Name (Name)	PC1 - Warranty
Cat. info. tab	
Default cat. ref. (DefCatRef)	PC2 - Warranty (PC1 - MySupplier) - PC2 - Warranty

Field or link	Value
Name (Name)	PC1 - Basic computer training
Cat. info. tab	

Field or link	Value
Default cat. ref. (DefCatRef)	PC2 - Basic computer training - PC2 - Basic com-
	puter training

Field or link	Value
Name (Name)	PC1 - Coaxial cable
Cat. info. tab	
Default cat. ref. (DefCatRef)	PC2 - Coaxial cable (PC1 - MySupplier) - PC2 - Coaxial cable

Practical case 3: Product options

Presentation

This practical case aims to show you how to create products with options.

Prerequisites

You must have performed the practical case Practical case 1: Suitable reference records [page 36].

Scenario

The supplier PC1 - MySupplier sells a computer PC1 - E500 with a choice of two screens (mandatory option) and a choice of 2 USB keys (optional).

Steps to follow

Create the option group

1 Display the option groups (Administration/ List of screens, Product options table (amProdOption)).

2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC3 - Screen
Mandatory choice (bMandatory)	Yes

Field or link	Value
Name (Name)	PC3 - USB key
Mandatory choice (bMandatory)	No

3 Close all windows.

Create the products

- 1 Display the catalog products (Procurement/ Products menu).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Description (Description)	PC3 - E500 with options
Brand (Brand)	PC1 - Compaq
Model (Model)	PC1 - E500

Field or link	Value
Description (Description)	PC3 - XGA screen
Brand (Brand)	PC1 - Compaq
Model (Model)	PC1 - XGA screen
Component of (Parent)	PC3 - E500 with options
Is an option (bOption)	Yes
Option group (OptionGroup)	PC3 - Screen
Default option (bDefaultOption)	Yes

Field or link	Value
Description (Description)	PC3 - SXGA screen
Brand (Brand)	PC1 - Compaq
Model (Model)	PC1 - SXGA screen
Component of (Parent)	PC3 - E500 with options
Is an option (bOption)	Yes
Option group (OptionGroup)	PC3 - Screen

Field or link	Value
Default option (bDefaultOption)	No

Field or link	Value
Description (Description)	PC3 - USB key 256
Brand (Brand)	PC1 - Freecom
Model (Model)	PC1 - USB key 256
Component of (Parent)	PC3 - E500 with options
Is an option (bOption)	Yes
Option group (OptionGroup)	PC3 - USB key
Default option (bDefaultOption)	No

Field or link	Value
Description (Description)	PC3 - USB key 512
Brand (Brand)	PC1 - Freecom
Model (Model)	PC1 - USB key 512
Component of (Parent)	PC3 - E500 with options
Is an option (bOption)	Yes
Option group (OptionGroup)	PC3 - USB key
Default option (bDefaultOption)	No

Create the catalog references

- 1 Display the catalog references (**Procurement/ References** menu).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC3 - E500 with options (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC3 - E500 with options
Description (Description)	PC3 - E500 with options
Price (fPrice)	900
Discount (pDiscount)	10%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier

Field or link	Value
Reference (Ref)	PC3 - XGA screen (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC3 - XGA screen
Description (Description)	PC3 - XGA screen
Price (fPrice)	100
Discount (pDiscount)	10%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC3 - SXGA screen (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC3 - SXGA screen
Description (Description)	PC3 - SXGA screen
Price (fPrice)	100
Discount (pDiscount)	10%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC3 - USB key 256 (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC3 - USB key 256
Description (Description)	PC3 - USB key 256
Price (fPrice)	150
Discount (pDiscount)	10%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC3 - USB key 512 (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC3 - USB key 512
Description (Description)	PC3 - USB key 512
Price (fPrice)	300
Discount (pDiscount)	10%

5 Procurement cycle

Key concepts

The procurement cycle is made up of successive steps.

The cycle is put to optimal use when all steps are carried out.

In specific cases, you may skip certain steps, however, you risk losing the advantages of some automatic mechanisms.

For example, if you create an estimate without first creating a request, AssetCenter automatically creates a request when you click **Issue** in the estimate. The request lines are created without a hierarchic structure. If you forget to give them a hierarchic structure, which would be useful, the corresponding records that are created on receiving the purchase order will not have a hierarchic structure either.

Table 5.1. Procurement cycle - steps

Step	Character of the step
Request	Requests enable you to describe needs by making reference to models and using catalog references, if required.
	The hierarchical links between records created on receiving purchase orders are defined by the hierarchical links between the request lines.

Step	Character of the step
Estimate	The estimates enable you to describe potential real-life purchase orders.
	Estimates are quoted purchases orders that have not been issued.
	Typically, an estimate is created from a request.
	Exceptionally, you may create an estimate without first creating a request. In this case, a request is automatically created when you click Issue in the estimate.
Purchase order	The purchase orders enable you to describe a ordered catalog references from a supplier.
	A purchase order may only be created from an estimation.
Receipt	The receiving slips enable you to describe the receipt of a purchase order line.
	Their creation brings about the creation of a record in the appropriate table (for example: the Portfolio Items table), if so required (For example: The purchase order line is linked to a catalog reference, linked to a product, linked to a model, linked to a nature that specifies that a record must be created).
	A receiving slip may only be created by referencing purchase order lines that have not already been received.
Recording the invoice	The invoices enable to make a record of invoices sent by suppliers.
	The most logical way of creating an invoice is from the detail of a receiving slip.

Tracking the procurement cycle

An executive view of the procurement cycle can be obtained by displaying the **Tracking** in the details of the following records:

- Requests
- Estimates/ Purchase orders
- Receipts
- Invoices

The way in which the information in the **Tracking** tab is organized depends on the table being displayed: The information is organized from the point of view of the record being displayed.

This screen displays a tree view.

By unfolding the branches you can see the different parameters of the cycle.

For example, in the detail of a request, by unfolding the branch **Composition of request**, you can view the items that need to be acquired to satisfy the request.

Similarly, if you unfold the **Associated estimates** branch, you display the estimate(s) that have been created from the different items of the request.

If you start by selecting a given estimate, you will see the requests, purchase orders and receiving slips corresponding to the estimate.

By double-clicking one of these items you can access the details of information concerning it.

Tracking icons

These icons enable you to see the current status of the processing of request, order, estimate and delivery lines.

Table 5.2. Procurement cycle - Icons in the **Tracking** tabs

lcon	Meaning
•	The request to which the composition line belongs is approved.
?	The request to which the composition line belongs is awaiting approval
	or in the approval process.
•	The request to which the composition line belongs has been refused.
(景 3	Number of items on order for this request line. In our example: 3.
∲ 3	Number of items received for this request line. In our example: 3.
团	Number of items awaiting receipt. In our example: 1.
√.	The request, estimate or order line has been received in full (delivery taken in full).

Practical case 4 - Full procurement cycle

Presentation

This practical case aims to show you how the steps in the full procurement cycle lead on from one another.

It does not aim to show the full range of functionality for each individual step in the cycle; This is show later on in this document.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Scenario

- Mr. PC1 Riddick requires a laptop PC1 E500.
- You save this need in the form of a request.
- This request is quoted in the form of an estimate linked to the company PC1 - MySupplier.
- The estimate is approved.
- The estimate is issued in the form of a purchase order.
- The asset is received.
- The invoice for the asset is registered.

Steps to follow

Create the request

- 1 Display the requests (Procurement/ Purchase requests menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new request by selecting the models	Yes
Purpose	PC4 - Computer for Mr. Riddick
Click OK	
Add models to your request page	
Brand	PC1 - Compaq
Models	PC1 - E500
Detail quantities and units	Select this option and enter a quantity of 1
Click Add	
Click Next	

Field or link	Value
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

4 AssetCenter displays the detail of the request generated using the wizard. Examine the detail of this request; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Purpose	PC4 - Computer for Mr. Riddick
Req. status (seStatus)	In preparation
Composition tab	
List	Request line corresponding to the model PC1 -
	E500

5 Populate the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC4 - REQ001

- **6** Select the **Composition** tab.
- 7 Display the detail of the line 1 PC1 E500 PC1 Computer (Magnifier button).
- 8 Populate the fields and links shown in the following table:

Field or link	Value
General tab	
User (User)	PC1 - Riddick,

- 9 Validate the modification to the request line (Modify button).
- 10 Close the detail of the request line (Close button).
- 11 Validate the modification of the request (Modify button).
- 12 Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

- 1 Make sure the detail of the request **PC4 REQ001** is displayed.
- 2 Click the Quote button.

3 Populate the **Generate an estimate** wizard with the values shown in the following table:

Field or link	Value	
Select the lines to take into account page		
Choose from a catalog or a supplier	No	
Take all lines into account	Yes	
Click Next		
Modify the references used by the request page		
You should to be able to accept the page is it stands.		
The table at the bottom shows PC1 - E500 1 1 PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000 USD		
10%.		
Validate execution of the wizard (Finish button)		
Exit the wizard (OK button)		

4 AssetCenter displays the detail of the estimate generated from the request. Examine the detail of this estimate; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Ord. status (seStatus)	Quote requested
Initial request (Request)	PC4 - REQ001 (PC4 - Computer for Mr. Riddick)
Composition tab	
	Purchase order line corresponding to the catalog
	reference PC2 - E500 (PC1 - MySupplier) selected
	using the Generate an estimate wizard

5 Assign a number to the estimate and confirm its quoted status by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted
Number (PONumber)	PC4 - EST001

- 6 Validate these modifications (Modify button).
- 7 Leave the detail of the estimate displayed.

Issue the estimate in the form of purchase order

- 1 Make sure the detail of the estimate PC4 EST001 is displayed.
- Click the **Issue** button.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (OK button).
- 5 Examine the detail of this order; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Ord. status (seStatus)	Issued
Sent (dtSent)	Current date

6 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC4 EST001 is displayed.
- 2 Click Receive.
- 3 Populate the **Receive** wizard with the values shown in the following table:

Field or link	Value
Receive page	
List	Select the linePC2 - E500 1 0 1, and set the
	Quantity to receive column to 1
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

4 AssetCenter displays the detail of the portfolio item generated from the purchase order.

Examine the detail of this portfolio item; Certain fields and links are already populated, in particular:

Field or link	Value
Model (Model)	The model selected in the initial request is shown
	(PC1 - E500)
General tab	
User (User)	The user selected in the initial request is shown
	(Pc1 - Riddick)

Value
The price from the estimate line and purchase order line is shown (900)

Save the invoice

- 1 Display the purchase orders (**Procurement/ Purchase orders and estimates**
- 2 Select the purchase order PC4 EST001.
- 3 Select the **Tracking** tab.
- 4 Unfold the **Deliveries** branch.
- 5 Display the detail of the line XXX PC1 MySupplier (double-click the line).
- 6 AssetCenter displays the detail of the receiving slip generated from the purchase order.
- 7 Click Invoice.
- 8 Take a look at the page displayed by the wizard and then accept the default values.
- **9** Validate execution of the wizard (**Finish** button).
- 10 Exit the wizard (OK button).
- 11 AssetCenter displays the detail of the supplier invoice generated from the receiving slip.

Examine the detail of this invoice; Certain fields and links are already populated, in particular:

Field or link	Value
Supplier (Supplier)	PC1 - MySupplier
Composition tab	
List in the tab	PC2 - E500 1 1,000.00 10% 7.75% 969.75

The other fields will be populated using the information appearing on the invoice sent by the supplier.



Key concepts

Several methods are available to you to create a request.

Once the request is created, there are several methods available to you to modify the composition of the request (the list of lines in the **Composition** tab).



Note:

You may only add new lines to a request if the Req. status (seStatus) field is set to one of the following values:

- In preparation
- Standard request

This chapter details each one of these methods.

The system data related to the **Procurement** module includes the workflow scheme Purchase request validation (REQAPPR), which triggers a validation process for purchase requests.

The line-of-business data related to the **Procurement** includes the workflow scheme Purchase request satisfaction (REQSATIS), which sets the Req. status (seStatus) field of requests to Satisfied when all the request lines are satisfied.

This chapter details these workflows.

Figure 6.1. Procurement cycle - requests



Procedures

Creating a new request from a standard request

Principles

 $As set Center\ enables\ you\ to\ create\ request\ templates\ called\ \textbf{standard}\ \textbf{requests}.$

Standard requests can be used to:

- Create identical requests on a frequent basis
- Standardize purchases



Only the request lines (**Composition** tab) are propagated from the standard request to the request.

Creating a standard request

- 1 Display the standard requests (Portfolio/ Standard requests).
- 2 Create a new record (New button).
- 3 Populate the detail of the record.

Transforming a request into a standard request

1 Display the requests (Procurement/ Purchase requests menu).



Those users who do not have access to the **Procurement** module, but do have access to the **Portfolio** module can use the **Portfolio/Internal requests** menu.

This menu gives access to the list and details of purchase requests. The only restriction applied when using the **Portfolio/Internal requests** menu is the absence of the **Quote** and **Order** buttons, and also the fact that the **New request** wizard is not triggered when you click **New**.

- 2 Select the request to transform into a standard request.
- 3 Duplicate the request (**Duplicate** button).
- 4 Populate in particular the following fields and links:

Field or link	Value
Purpose (ReqPurpose)	Use a value that will enable you to easily identify
	the standard request
Req. status (seStatus)	Standard request
Composition tab	
List	Make sure the composition of the standard re-
	quest is correct

Creating a new request from a standard request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Value
Yes
Populate the other fields and links on the page
according to your needs
Populate the fields and links on the page accord-
ing to your needs

Field or link	Value	
Exit the wizard (OK button)		

4 AssetCenter displays the detail of the request generated using the wizard. This request is populated using the following information:

Source	Fields and links used
Standard request	Only the request line (Composition tab)
New request wizard	Only the fields and links populated in the New
	request page

5 Complete the request by populating by hand the other fields and links in the request and request lines.

Create a new request by selecting the models with a wizard

- 1 Display the requests (Procurement/ Purchase requests menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new request by selecting the models	Yes
Other fields and links	Populate the other fields and links on the page
	according to your needs
Click OK	
Add models to your request page	
Fields and links	Populate the fields and links on the page accord-
	ing to your needs
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

- 4 AssetCenter displays the detail of the request generated using the wizard. This request is populated using the information you entered in the wizard.
- 5 Complete the request by populating by hand the other fields and links in the request and request lines.

Creating a new request without using a wizard

If the user has access to the Procurement module

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the New request wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new custom request	Yes
Validate execution of the wizard (OK button)	

- 4 AssetCenter displays the detail of a new request.
- 5 Complete the request by populating by hand the fields and links of the request.
- 6 Create the request lines.

If the user does not have access to the Procurement module but does have access to the Portfolio module

1 Display the requests (Portfolio/ Internal requests menu).



This menu gives access to the list and details of purchase requests. The only restriction compared with the **Procurement/Purchase requests** menu is the absence of the **Quote** and **Order** buttons, and also the fact that the **New request** wizard is not triggered when you click **New**.

- 2 Click New.
- 3 AssetCenter displays the detail of a new request.
- 4 Complete the request by populating by hand the fields and links of the request.
- **5** Create the request lines.

Adding request lines using the Add button

- 1 Display the requests (Procurement/ Purchase requests menu).
- 2 Select the request to complete.
- 3 Click Add.
- 4 Populate the wizard Add models to your request.
- 5 AssetCenter adds lines to your request.
- 6 If required, complete the descriptions of the request lines created by the wizard:
 - 1 Select the **Composition** tab.
 - 2 Select the request line to modify.
 - 3 Click the magnifier.

Adding request lines originating from a standard request

1 Display the requests (Procurement/ Purchase requests menu).



Those users who do not have access to the **Procurement** module, but do have access to the **Portfolio** module can use the **Portfolio/Internal requests** menu.

This menu gives access to the list and details of purchase requests. The only restriction applied when using the **Portfolio/Internal requests** menu is the absence of the **Quote** and **Order** buttons, and also the fact that the **New request** wizard is not triggered when you click **New**.

- **2** Select the request to complete.
- 3 Click the **Stand. req.** button.
- 4 Populate the wizard Add a request.
- 5 AssetCenter adds lines to your request.
- 6 If required, complete the descriptions of the request lines created by the wizard:
 - 1 Select the **Composition** tab.
 - **2** Select the request line to modify.
 - **3** Click the magnifier.

Adding request lines using the + button

1 Display the requests (**Procurement/ Purchase requests** menu).



Those users who do not have access to the **Procurement** module, but do have access to the **Portfolio** module can use the **Portfolio/Internal requests** menu.

This menu gives access to the list and details of purchase requests. The only restriction applied when using the **Portfolio/Internal requests** menu is the absence of the Quote and Order buttons, and also the fact that the New **request** wizard is not triggered when you click **New**.

- 2 Select the request to complete.
- 3 Select the **Composition** tab.
- 4 Click the + button.
- 5 Populate the detail of the request line.

Automating request validation

- Start AssetCenter Server.
- 2 Configure the module Execute workflow rules for execution group 'BST_PROCUR' (WkGroupBST_PROCUR) (Tools/ Configure modules menu).
 - Administration Guide, chapter AssetCenter Server, section Configuring the modules monitored by AssetCenter Server.

In this way, AssetCenter Server will execute the Purchase request validation (REQAPPR) workflow scheme according to the scheduling mode and options defined for the Execute workflow rules for execution group 'STD' PROCUR' module.

The following are the features of the **Purchase request validation** (REQAPPR) workflow scheme:

Table 6.1. Requests - Purchase request validation workflow scheme

Event triggering	The creation of a request of the modification of the Req. status (seStatus)
the workflow	field in the Requests (amRequest) table

Conditions for the workflow	Name of the table	Name of the field	Value of the field
scheme to be triggered	Requests (amRequest)	Req. status (seStatus)	Awaiting approval
Action 1 triggered by the workflow schema	Called FunctionAssigned to the nician (Technology)	ne departmental superviso	workflow task: r of the user given by the Tech - f the technician is not given,
	the user is mis Linked to the	ssing, AssetCenter will sele	
Action 2 triggered by the workflow schema	If the request is fur following workflo Called Techni Assigned to th Linked to the	w task: cal approval ne IS group.	orkflow scheme creates the
Action 3		approver to approve or re	fuse the request orkflow scheme creates the fol-
triggered by the workflow schema	lowing workflow Called Finance	task:	orknow scrienie creates the for-
	Assigned to theLinked to the	ne IS group.	
Action 4	If the request is fi	•	re or refuse the request rkflow scheme creates the fol-
triggered by the workflow schema	 Send a messa 	eq. status (seStatus) field b	f the request to the person
	Linked to the	•	

Automating the updating of request statuses

- 1 Start AssetCenter Server.
- 2 Configure the module Execute workflow rules for execution group 'STD_PROCUR' (WkGroupSTD_PROCUR) (Tools/ Configure modules menu).

▶ Administration Guide, chapter AssetCenter Server, section Configuring the modules monitored by AssetCenter Server.

In this way, AssetCenter Server will execute the **Purchase request satisfaction** (REQSATIS) workflow scheme according to the scheduling mode and options defined for the Execute workflow rules for execution group 'STD PROCUR' module.

The following are the features of the **Purchase request satisfaction** (REQSATIS) workflow scheme:

Table 6.2. Work orders - Purchase request satisfaction workflow scheme

Event triggering the workflow scheme	•	dded or the Qty rec. (fQtyF est lines (amReqLine) table	Received) or Quantity (fQty) e are updated
Conditions for	Name of the	Name of the field	Value of the field
the workflow	table		
scheme to be	Requests (amRe-	Req. status (seStatus)	Validated
triggered	quest)		
Verification per-	That the Qty received (fQtyReceived) and Quantity (fQty) fields have the		
formed at the	same values		
level of each one			
of the request			
lines			
Action performed	AssetCenter sets t	the Req. status (seStatus) o	of the request to Satisfied
if the verification			
is correct			

Practical case 5 - Standard requests

Presentation

This practical case aims to show you how to create a standard request and to use it to create a request.

It does not aim to go through all steps in the procurement cycle.

Prerequisites

You must have performed the practical case Practical case 1: Suitable reference records [page 36].

Scenario

- You have normalized the configurations given to the sales engineers.
- You regularly order configurations for new sales engineers.
- You are going to describe the standard configuration of a sales engineer as a standard request.
- Mr. PC1 Riddick is a new sales engineer who requires a computer configuration.
- You are going to record this need in the form of a request.

Steps to follow

Create the standard request

- 1 Display the standard requests (Portfolio/ Standard requests).
- 2 Click New.
- 3 Populate the fields and links shown in the following table:

Field or link	Value
Purpose (ReqPurpose)	PC5 - Configuration for a sales engineer
Number (ReqNumber)	PC5 - STDREQ001

- 4 Validate the creation of the request (**Create** button).
- 5 Select the Composition tab
- 6 Add the following request line by populating the fields and links as shown in the following tables (+ button):

Field or link	Value
Quantity (fQty)	1

Field or link	Value
Model (Model)	PC1 - E500

Field or link	Value
Quantity (fQty)	1
Model (Model)	PC1 - External CD writer
Component of (Parent)	1 PC1 - E500

Create the request

- Display the requests (Procurement/ Purchase requests menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new request from a standard request	Yes
Purpose	PC5 - Configuration for Mr. Riddick
Click OK	
Select a standard request page	
Requests	PC5 - Configuration for a sales engineer
Quantity	1
Click Finish	

- 4 Exit the wizard (OK button).
- 5 AssetCenter displays the detail of the request generated using the wizard. Examine the detail of this request; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Purpose	PC5 - Configuration for Mr. Riddick
Req. status (seStatus)	In preparation
Composition tab	
List	Request lines of the standard request PC5 - Con-
	figuration for a sales engineer

6 Populate the fields and links shown in the following table:

AssetCenter

Field or link	Value
Number (ReqNumber)	PC5 - REQ001
General tab	
User (User)	PC1 - Riddick

- 7 Validate the modification of the request (Modify button).
- 8 Close all windows.

Estimates CHAPTER

Key concepts

You have several different ways of creating an estimate.

Once the estimate has been created, you can modify the composition of the estimate (list of estimate lines in the **Composition** tab).



Warning:


Estimates and purchase orders belong to the same table. The value of the Ord. status (seStatus) field makes it possible to differentiate between them.

You may only add new lines to an estimate if the Ord. status (seStatus) field is set to one of the following values:

- In preparation
- Standard order

This chapter details each one of the methods.

Figure 7.1. Procurement cycle - estimates



Procedures

Creating a new estimate from a request



Warning:

You may only create an estimate from a request if the **Req. status** (seStatus) field is set to one of the following values:

- In preparation
- Ouoted
- Awaiting approval

To create a new estimate from a request:

- 1 Display the requests (Procurement/ Purchase requests menu).
- 2 Select the request for which you wish to create an estimate.
- 3 Click the Ouote button.
- 4 Populate and execute in full the wizard **Generate an estimate**.
- 5 AssetCenter displays the list of estimates generated by the wizard (one estimate per supplier).
- 6 Complete the estimates by populating by hand the other fields and links that the wizard has not populated.

Creating a new estimate directly

- Display the estimates (Procurement/ Purchase orders and estimates menu).
- 2 Click New.

- 3 AssetCenter displays the new estimate.
- 4 Complete the estimate by populating by hand the other fields and links of the estimate.
- 5 Create the estimate lines.

Adding estimate lines using the Cat. ref button

- 1 Display the estimates (Procurement/Purchase orders and estimates menu).
- 2 Select the estimate to complete.
- 3 Click Ref cat.
- 4 Populate in full the wizard Complete the purchase order using catalog references.
- 5 AssetCenter adds lines to your estimate.
- 6 If required, complete the descriptions of the estimate lines created by the wizard:
 - 1 Select the **Composition** tab.
 - 2 Select the estimate line to modify.
 - 3 Click the magnifier.

Adding estimate lines for a model for which there is no catalog reference at the supplier of the estimate

- 1 Display the estimates (Procurement/Purchase orders and estimates menu).
- 2 Select the estimate to complete.
- 3 Click Off cat..
- 4 Populate in full the wizard Create an 'off catalog' reference.
- **5** AssetCenter proceeds differently depending on the situation:

Situation	Result
There is no catalog reference for	AssetCenter creates a product and a catalog reference, which is
the selected model	added to the OffCatalog catalog

Situation	Result
There are one or more catalog	AssetCenter selects one of these catalog references.
references in the catalog of another supplier	Warning:
	This creates a problem of integrity for the estimate because the suppliers of the estimate are no longer the same.
	You should delete the estimate line created in this way.
There is a catalog reference in one of the supplier's catalogs	AssetCenter selects one of these catalog references.

- **6** If required, complete the descriptions of the estimate lines created by the wizard:
 - 1 Select the **Composition** tab.
 - 2 Select the estimate line to modify.
 - 3 Click the magnifier.

Adding estimate lines originating from a standard purchase order

- 1 Display the estimates (**Procurement/ Purchase orders and estimates** menu).
- **2** Select the estimate to complete.
- 3 Click Stand, PO.
- 4 Populate and execute in full the wizard Complete the order using an order.
- 5 AssetCenter adds lines to your estimate.
- 6 If required, complete the descriptions of the estimate lines created by the wizard:
 - 1 Select the **Composition** tab.
 - **2** Select the estimate line to modify.
 - 3 Click the magnifier.

Adding estimate lines using the + button

- 1 Display the estimates (**Procurement/ Purchase orders and estimates** menu).
- 2 Select the estimate to complete.
- 3 Select the Composition tab.

- 4 Click the + button.
- 5 Populate the detail of the estimate line.

Orders CHAPTE

Key concepts

Several methods are available to you to create a purchase order.



Warning:

Estimates and purchase orders belong to the same table. The value of the Ord. status (seStatus) field makes it possible to differentiate between them.


This chapter details each one of the methods.

You cannot change the composition of a purchase order (list of order lines in the Composition tab).

The line-of-business data related to the **Procurement** includes the workflow scheme Purchase order satisfaction (POSATIS), which sets the Ord. status (seStatus) field of requests to Satisfied when all the purchase order lines are satisfied.

This chapter details this workflow scheme.

Figure 8.1. Procurement cycle - purchase orders



Normal purchase orders

Procedures

Transforming an estimate into a purchase order



Warning:

You may transform an estimate into a purchase order if the **Ord. status** (seStatus) field is set to one of the following values:

- In preparation
- Quote requested
- Ouoted
- Awaiting approval
- Validated
- Refused

To transform an estimate into a purchase order:

- 1 Display the estimates (**Procurement/Purchase orders and estimates** menu).
- 2 Click the **Issue** button.
- 3 Populate and execute in full the wizard Issue the purchase order. If required, the wizard displays a page with the purchase order lines you have created:
 - Directly at the estimate level (i.e. not from a request line)
 - From a request line but with a quantity greater than the quantity requested Take care when populating this page before validating the wizard.

4 If required, AssetCenter creates or completes the missing or incomplete requests and request lines.



The wizard does not display these requests and request lines.

You cannot find them using the **Tracking** tab.

The wizard all sets the **Ord. status** (seStatus) field to **Issued**.

Create a new purchase order from a standard request



Warning:

You may only create a purchase order from a request if the **Req. status** (seStatus) field is set to **Validated**.

To create a new purchase order from a request:

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Select the request.
- 3 Click the Order button.
- 4 Populate and execute in full the wizard **Generate a purchase order**.
- 5 AssetCenter displays the list of purchase orders generated by the wizard (one purchase order per supplier).



The wizard checks whether the purchase order lines have already been created from the request and will only offer to create lines for items that have not yet been ordered.

- 6 Complete the purchase orders by populating by hand the other fields and links that the wizard has not populated.
- 7 Issue each one of the orders (Issue button).

Automating the updating of purchase orders

- 1 Start AssetCenter Server.
- 2 Configure the module Execute workflow rules for execution group 'STD_PROCUR' (WkGroupSTD_PROCUR) (Tools/ Configure modules menu).

▶ Administration Guide, chapter AssetCenter Server, section Configuring the modules monitored by AssetCenter Server.

In this way, AssetCenter Server will execute the **Purchase order satisfaction** (POSATIS) workflow scheme according to the scheduling mode and options defined for the Execute workflow rules for execution group 'STD PROCUR' module.

The following are the features of the **Purchase order satisfaction** (POSATIS) workflow scheme:

Table 8.1. Requests - Purchase order satisfaction workflow scheme

Event triggering the workflow scheme	•	er line is added or the Qty re ne Request lines (amReqLine	c. (fQtyReceived) or Quantity e) table are updated
Conditions for	Table name	Field name	Value of the field
the workflow	Orders (am-	Ord. status (seStatus)	Issued
scheme to be	POrder)		Accepted by supplier
triggered			Satisfied
Verification per- formed at the level of each one of the request lines	That the Qty rec same values	eived (fQtyReceived) and Q	uantity (fQty) fields have the
Action performed if the verification is correct	AssetCenter sets	the Ord. status (seStatus) of	the purchase order to Satisfied

Creating a new version of a purchase order



Warning:

You may only create a new version of a purchase order if the **Ord. status** (seStatus) field is set to one of the following values:

- Issued
- Accepted by supplier
- Satisfied

To create a new version of a purchase order:

Display the purchase orders (Procurement/ Purchase orders and estimates menu).

2 Click Version.

The action **Create a new version of this purchase order** performs the following operations:

- The previous version of the purchase order is removed from the list of purchase orders and estimates.
- All line items from the previous version of the purchase order are unlinked from any other records (request lines, for example).
 - They become inactive and are kept for informational purposes only.
- The Ord. status (seStatus) field of the previous version of the purchase order is set to Cancelled.
- A new purchase order is created.
- The **Ord. status** (seStatus) field of the new version of the purchase order is set to **In preparation**.
- The previous purchase order lines are copied over exactly the same to the new version of the purchase order.
- The previous versions of the purchase order are shown in the **Revisions** tab of the new version of the purchase order.

You can now modify the new version of the purchase order at your convenience and issue it once more once it is ready.

Blanket purchase orders

Key concepts

Definition of a blanket purchase order

A blanket purchase order is a contract which commits the buyer to purchase a minimum amount of goods or services over a certain period of time.

In general, this type of agreement enables the buyer to get a discount.

How to manage blanket purchase orders with AssetCenter

Blanket purchase orders are described in the **Contracts** (amContract) table. Purchase orders can then be created in reference to the blanket purchase order.

The link with the open purchase order may be established at any of the following stages:

Stage	Effect
Request	Defines the default behavior of purchase orders created from the request
Purchase order	Specifies that the purchase order in full is covered by a blanket purchase order



Q Tip:

It is not possible to use a single purchase order to manage a blanket purchase order; Once the purchase order has been issued, it is no longer possible to add line items.

Likewise, it is not possible to use a single request to manage a blanket purchase order; Once the request has been transformed into a purchase order, it is no longer possible to add request lines.

However, the nature of the blanket purchase order is that it is covers multiple purchase orders.



Warning:

The Blanket purchase order (BlanketPOCntr) fields at the purchase order line level and the request line level are not taken into account.

Prerequisites

In order to be able to create a blanket purchase order contract, your AssetCenter user license must give you access to the Contracts module.

Procedures

Creating a Blanket PO contract

To create a blanket PO contract:

- 1 Display the contracts (**Contracts/ Contracts** menu item).
- 2 Create a new contract (New button).

In particular, populate the fields and links of the request shown in the following table:

Field or link	Value
Type (seType)	Blanket PO
Orders tab	
Commitment (mPOCommitment)	Minimum amount that you are committed to or-
	dering

Creating requests that lead to the creation of purchase orders covered by blanket purchase order

In order for the estimates and purchase orders created from the request to be linked to the blanket purchase order, you must populate the fields and links shown in the following table:

Field or link	Value
Financing tab	
On blanket PO (bUsesBlanketPO)	Yes
Blanket PO contract (BlanketPOCntr)	Select the blanket PO contract

Taking into account a purchase order in a blanket purchase order

In order for a purchase order to be taken into account by a blanket purchase order, populate the fields and links of the purchase order as shown in the following table:

Field or link	Value
Financing tab	
On blanket PO (bUsesBlanketPO)	Yes
Blanket PO contract (BlanketPOCntr)	Select the blanket PO contract



All purchase order lines are then taken into account.

Reconciling purchase order amounts with commitment levels

1 Display the contracts (Contracts/ Contracts menu).

- 2 Select the blanket PO contract.
- 3 Display the Orders tab.

The list in the tab shows the purchase orders financed by the blanket purchase order.

Click the calculator below the list to obtain the total of the purchase orders made.

This total can be reconciled with the **Commitment** (mPOCommitment) field.

4 Close all windows.

Being warned of the approaching end of term of a blanket purchase order

- 1 Display the contracts (Contracts/ Contracts menu).
- 2 Select the blanket PO contract.
- 3 Display the **General** tab.
- 4 Make sure the **End** (dEnd) field is populated.
- 5 Click .
- 6 Populate the detail of the alarm.
- 7 Save the detail of the alarm (**OK** button).
- 8 Save the modifications made to the contract (Modifier).
- 9 Close all windows.
- 10 Configure AssetCenter Server so that the alarms are monitored (Administration Guide, chapter AssetCenter Server, section Configuring the modules monitored by AssetCenter Server/ Verify alarms (Alarms) module).

Practical case 6 - Blanket POs

Presentation

This practical case aims to show you how to manage blanket purchase orders.

Prerequisites

You must have performed the practical cases first:

Practical case 1: Suitable reference records [page 36]

Practical case 2: Simple catalog [page 49]

Scenario

You commit to buying 100,000 dollars worth of goods and services from PC1 -MySupplier for the period of January 01, 2004 through December 31, 2004.

Steps to follow

Create the blanket PO contract

- 1 Display the contracts (Contracts/ Blanket purchase orders menu).
- 2 Click New.
- 3 Populate the fields and links shown in the following table:

Field or link	Value
Reference (Ref)	PC6 - BPO0001
General tab	
Company (Company)	PC1 - MySupplier
Start (dStart)	2004/01/01
End (dEnd)	2004/12/31
Orders tab	
Commitment (mPOCommitment)	100 000

- 4 Validate the creation of the contract (**Create** button).
- 5 Close all windows.

Create the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	

Field or link	Value
Create a new custom request	Yes

- 4 Validate execution of the wizard (**OK** button).
- 5 AssetCenter displays the detail of a new request.
- 6 Populate the fields and links shown in the following table:

Field or link	Value	
Purpose	PC6 - E500	
Number (ReqNumber)	PC6 - REQ001	
Financing tab		
On blanket PO (bUsesBlanketPO)	PC6 - BPO0001	

- 7 Validate the creation of the request (**Create** button).
- 8 Select the **Composition** tab.
- 9 Add the following request line by populating the fields and links as shown in the table below (+ button):

Field or link	Value
Quantity (fQty)	1
Model (Model)	PC1 - E500

- **10** Confirm the addition of the request line (**Add** button).
- 11 Populate the fields and links shown in the following table:

Field or link	Value
Req. status (seStatus)	Validated

- **12** Validate the modification of the request (**Modify** button).
- 13 Leave the detail of the request displayed.

Create a purchase order from the request

- 1 Make sure the detail of the request PC6 REQ001 is displayed.
- 2 Click the **Order** button.
- 3 Populate the Generate a purchase order wizard with the values shown in the following table:

Field or link	Value	
Select the lines to take into account page		
Choose from a catalog or a supplier	No	
Take all lines into account	Yes	
Click Next		
Modify the references used by the request page	2	
List of request lines list	PC1 - E500 1 1 PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000 USD 10%	
List of corresponding catalog references list	PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000 USD 10% 0 PC1 - MySupplier	
	Warning:	
	If you have performed practical case 4, the wizard will show more than one catalog reference.	
	Select the catalog reference below.	
Click Associate the request with the selected reference		
Validate execution of the wizard (Finish button)		
Exit the wizard (OK button)		

- 4 AssetCenter displays the detail of the purchase order generated using the purchase order.
- 5 Select the **Financing** tab and take a look at its contents: The link with the blanket purchase order has been propagated from the request.
- 6 Close all windows.

Check the status of purchase orders compared with commitment

- 1 Display the contracts (Contracts/ Blanket purchase orders menu).
- 2 Select the contract PC6 CO0001.
- 3 Display the **Orders** tab.

The list in the tab shows the purchase orders financed by the blanket purchase order.

Click the calculator below the list to obtain the total of the purchase orders made.

This total can be reconciled with the **Commitment** (mPOCommitment) field.

4 Close all windows.

Receiving executing, creating, and returning

Key concepts

There are many different ways of creating the objects in the database during or at the end of the procurement cycle:

Object acquired	Creation mode 1	Creation mode 2
Internal maintenance type work order	Executing the request Note:	Creating the ordered items before receiving them
	This is due to the fact that these objects are not ordered from an ex- ternal supplier.	
Linking a contract to a portfolio item	Executing the request Note:	Creating the ordered items before receiving them
	This is due to the fact that these objects are not ordered from an ex- ternal supplier.	

Object acquired	Creation mode 1	Creation mode 2
Portfolio item	Receiving the purchase order	Creating the ordered items before receiving them
On-contract mainten- ance or Off-contract maintenance type work order	Receiving the purchase order	Creating the ordered items before receiving them
Contract	Receiving the purchase order	Creating the ordered items before receiving them
Training	Receiving the purchase order	Creating the ordered items before receiving them
Cables	Receiving the purchase order	Creating the ordered items before receiving them

Any item that is received may also be returned.

Figure 9.1. Procurement cycle - Receipts



Procedures

Executing a request

This procedure is used to create items from a request that does not lead to the creation of a purchase order:

- Internal maintenance type work orders
- Linking a contract to a portfolio item

Prerequisites: A request may only be executed if the **Req. status** (seStatus) field is set to one of the following values:

- Validated
- Reserved

- Satisfied
- Reserved

To execute a request:

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Display the detail of the request to be executed.
- 3 Click Execute.
- 4 Populate the Create items not giving rise to a purchase order wizard paying particular attention to the values shown in the following table:

Field or link	Value	
Create items not giving rise to a purchase order page		
Specify the number of items to be created in the Quantity to create column		
Click Finish		

5 Exit the wizard (**OK** button).

After the wizard is executed, the following is performed in the database:

Object acquired	Operation performed
Internal maintenance type work order	The work order is created
Linking a contract to a portfolio item	The contract is linked to the portfolio item

Creating ordered items before receiving them

It is possible for you to create the records corresponding to items on order even before they have been received.

This is true for all ordered product natures.

Doing this enables you to start business processes for these items as soon as they have been ordered (such as planning work orders or training, for example).

Prerequisites

In order to be able to create the items on order before receipt, the Ord. status (seStatus) field at the purchase level must be set to one of the following values:

- Validated
- Issued
- Accepted by supplier
- Satisfied

Creating items before receiving them

To create an item on order before receiving it:

- 1 Display the purchase orders (**Procurement/ Purchase orders and estimates** menu).
- 2 Display the detail of the purchase order.
- 3 Click Create.
- 4 Populate the **Create items awaiting receipt** wizard paying particular attention to the values shown in the following table:

Field or link	Value
Create items awaiting receipt page	
Specify the number of items to be created in the Quantity to create column	
Click Finish	
Exit the wizard (OK button)	

Note concerning the creation of portfolio items

When the record created before receipt is a portfolio item, the **Assignment** (seAssignment) field is set to **In use**.

Note concerning the creation of reserved items

If you create a portion of the items on order only, and these items are reserved for specific persons, AssetCenter assigns the items received according to the Employee ID (IDNo) of the reservers.



An item is reserved using the **User** (User) link of the request line associated with the purchase order line.

The behavior is similar to when creating a portion of the items on order only, and which are to be linked to distinct items.



An item is linked using the **Component of** (Parent) link of the request line associated with the purchase order line.

Receiving purchase order items

Prerequisites

In order to be able to receive the items on order, the Ord. status (seStatus) field at the purchase level must be set to one of the following values:

- Issued
- Accepted by supplier

Receiving purchase order items

Solution 1: From the purchase order detail

To receive the items on a purchase order:

- 1 Display the purchase orders (Procurement/ Purchase orders and estimates menu).
- 2 Display the detail of the purchase order to be received
- 3 Click Receive.
- 4 Populate the **Receive** wizard paying particular attention to the values shown in the following table:

Field or link	Value
Receive page	
For each line in the list, enter the quantity to be	
received in the Quantity to receive column	
Click Finish	
Exit the wizard (OK button)	

Solution 2: From the receiving slips list

To receive the items on a purchase order:

- 1 Display the receiving slips (**Procurement/ Receiving slips**).
- 2 Create a new receiving slip (New button) and populate the following fields and links in particular:

Field or link	Value
Supplier (Supplier)	Select the supplier of the purchase order for which
	you wish to receive an item

- 3 Validate the creation of the receiving slip (Create button).
- 4 Select the Contents tab.
- 5 Add a contents line for each item to receive (+ button) and populate the following fields and links in particular:

Field or link	Value
Quantity received (fQty)	Enter the number of items of the same model to
	be received
Reference (CatalogRef)	Enter the catalog reference of the items to be re-
	ceived if you wish to filter the Order line (POrd-
	Line) link
Order line (POrdLine)	Select the order line to be received.
	AssetCenter only shows the order lines that have not been received in full.

Returning a received item

To return an item that has been received:

- 1 Display the detail of the receiving slip of the item to be returned:
 - Solution 1: From the detail of the purchase order
 - 1 Display the purchase orders (**Procurement/ Purchase orders and estimates** menu).
 - 2 Display the detail of the purchase order that includes an item to be returned.
 - 3 Select the **Tracking** tab.
 - 4 Unfold the Receipts branch.
 - 5 Display the detail of the receiving slip of the item to be returned (double-click the line).
 - Solution 2: From the list of receiving slips
 - 1 Display the receiving slips (**Procurement/ Receiving slips**).
 - 2 Select and display the detail of the receiving slip of the item to be returned.
- 2 Click Return.

3 Populate the **Return** wizard with the values shown in the following table:

Field or link	Value
Return page	
Select	Create a return slip: Creates a return slip to describe the return.
	This slip will be visible in the Returns tab of the receiving slip.
	Use the receiving slip as return slip: Creates a "negative" receiving slip to describe the return.
	This slip will be visible in the Returns tab and the Contents tab of the receiving slip.
	Associate with an existing return slip: Do not use this option in this version of AssetCenter
List	For each line concerned by a return, specify the number of items to be returned in the Quantity to return column
Return envelope	When this option is available, select the existing receiving slip to add the return slip to
Click Next	
Return page	
Select the items to be returned.	

Tip:

If the information in the list is not enough to identify the item to be returned, add columns to the list (right-click the list, and then select Utilities/ Configure the list from the shortcut menu).

Click Next	
Click Finish	

Field or link Value

Exit the wizard (**OK** button)

Practical case 7 - Creating ordered items before receiving them

Presentation

This practical case aims to show you how to pre-create requested and ordered items before receipt.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Scenario

You order a PC1 - Compaq PC1 - E500 computer for Mr. PC1 - Riddick, and an internal work order to connect the computer.

To do this:

- You save this need in the form of a request.
- This request is quoted in the form of an estimate linked to the company PC1
 MySupplier.
- The estimate is issued in the form of a purchase order.
- The computer and the work order are created.
- The computer is received.

Steps to follow

Create the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Value
Yes
PC7 - Purchase and connect computer
Select the following models together:
■ PC1 - E500
PC1 - Connect computer
Select this option and enter a quantity of 1

- 4 AssetCenter displays the detail of the request generated using the wizard.
- 5 Populate the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC7 - REQ001

- 6 Select the Composition tab.
- 7 Display the detail of the purchase order line 1 PC1 E500 PC1 Computer.
- 8 Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	Yes
General tab	
User (User)	PC1 - Riddick

9 Validate the modification to the request line (Modify button).

- **10** Close the detail of the request line (**Close** button).
- 11 Display the detail of the purchase order line 1 PC1 Connect computer PC1 Technician.
- **12** Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	Yes
General tab	
Port. item requested (UsedReqLineAsset)	1 PC1 - E500
User (User)	PC1 - Riddick

- 13 Validate the modification to the request line (Modify button).
- 14 Close the detail of the request line (Close button).
- **15** Validate the modification of the request (**Modify** button).
- 16 Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

- 1 Make sure the detail of the request PC7 REQ001 is displayed.
- 2 Click the **Quote** button.
- 3 Populate the **Generate an estimate** wizard with the values shown in the following table:

Field or link	Value
Select the lines to take into account page	
Choose from a catalog or a supplier	No
Take all lines into account	Yes
Click Next	
Modify the references used by the request pag	je
List of request lines list	PC1 - E500 1 1 PC2 - E500 (PC1 - MySupplier) PC2
	- E500 1,000 USD 10%
List of corresponding catalog references list	PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000
	USD 10% 0 PC1 - MySupplier
Click Associate the request with the selected re	eference
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

4 AssetCenter displays the detail of the estimate generated from the request.

5 Assign a number to the estimate and confirm the requested quote for this purchase order by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted
Number (PONumber)	PC7 - EST001

- 6 Validate these modifications (Modify button).
- 7 Leave the detail of the estimate displayed.

Issue the estimate in the form of purchase order

- 1 Make sure the detail of the estimate PC7 EST001 is displayed.
- 2 Click the Issue button.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (OK button).
- 5 Leave the detail of the purchase order displayed.

Create items awaiting receipt

- 1 Make sure the detail of the purchase order PC7 EST001 is displayed.
- 2 Click Create.
- 3 Populate the **Create items awaiting receipt** wizard with the values shown in the following table:

Field or link	Value
Create items awaiting receipt page	
Order lines to process	Select the line PC1 - E500 PC1 - E500 1 0 1 and in
	the Quantity to create column set the value to 1
Click Finish	
Exit the wizard (OK button)	

- 4 Display the **Tracking** tab.
- 5 Unfold the Assets branch.
- 6 Display the detail of the asset PC1 Compaq PC1 E500 (XXXXX) On order and take a look at the following fields and links:

Field or link	Value	
Portfolio tab, Computer sub-tab		
Assignment (seAssignment)	Awaiting receipt	

- 7 Close the detail of the asset.
- 8 Leave the detail of the purchase order displayed.

Create the internal work order

- 1 Display the detail of the request PC7 RFP001.
- 2 Modify the following fields and links:

Field or link	Value
Req. status (seStatus)	Validated

- 3 Validate these modifications (Modify button).
- 4 Click Execute.
- 5 Populate the Create items not giving rise to a purchase order wizard with the values shown in the following table:

Field or link	Value
Create items not giving rise to a purchase order	rpage
Request lines to process	Select the line PC1 - Connect computer PC1 -
	Connect computer 1 1 and set the Quantity to
	create column to 1.
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

- **6** Display the **Tracking** tab.
- 7 Unfold the Work orders branch.
- 8 Display the detail of the work order PC1 Connect computer and take a look at the following fields and links:

Field or link	Value
Notified on (dtNotif)	Date and time of creation of the work order
Asset (Asset)	PC1 - Compaq PC1 - E500 (001289)
Requester (Requester)	PC1 - Riddick

- 9 Close the work order detail.
- **10** Close the detail of the request.

Receive the purchase order

- 1 Display the detail of the purchase order **PC7 EST001**.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (OK button).
- 5 AssetCenter displays the detail of the portfolio item that was created.
- 6 Examine the following fields and links:

Field or link	Value
General tab	
Assignment (seAssignment)	In use
User (User)	PC1 - Riddick
In-service date (dAssignment)	Date of receipt
Unit value (mAvgPrice)	900
Maint. tab	
List of work orders	Internal maintenance PC1 - Connect computer , , () 0h Notified 0,00

7 Close all windows.

/A N	•	┍	ш	μ	ш	ш	-	п


10 Invoices

Key concepts

Several methods are available to you to register an invoice.

This chapter details each one of the methods.

Figure 10.1. Procurement cycle - invoices



Procedures

Prerequisites

You may only create an invoice for those items received.

Creating an invoice from a receiving slip

This method is the only one that enables you to align the invoice with the other steps in the procurement cycle.

- 1 Display the receiving slips (**Procurement/ Receiving slips**).
- 2 Select the receiving slip corresponding to the invoiced item.
- 3 Click Invoice.
- 4 Populate and execute in full the **Create an invoice** wizard.
- 5 AssetCenter displays the list of invoices generated by the wizard.
- 6 If necessary, complete the details of the invoices and invoice lines.

Creating a new invoice directly

If you use this method, the invoice will not be aligned with any receipt line.

- 1 Display the invoices (**Procurement/ Supplier invoices**).
- 2 Click New.
- **3** AssetCenter displays a new blank invoice.
- 4 Populate the **Supplier** (Supplier) field at least.
- 5 Validate the creation of the record (**Create** button).
- **6** Select the **Composition** tab.
- 7 Add invoice lines (+ button)

Adding a line to an invoice while maintaining the link with the receiving slips

This method is the only one that enables you to align the invoice with the other steps in the procurement cycle.

- 1 Display the receiving slips (**Procurement/ Receiving slips**).
- 2 Select the receiving slip corresponding to the item to be added to the existing invoice.
- 3 Click Invoice.
- 4 Populate and execute in full the Create an invoice wizard. In particular, populate the **Select an invoice** and **Merge invoice lines** fields.
- 5 AssetCenter displays the list of invoices generated by the wizard.
- 6 If necessary, complete the details of the invoices and invoice lines.

/A N	•	┍	ш	μ	ш	ш	-	п

11 Costs

Key concepts

The procurement cycle enables you to manage information linked to acquisition costs.

Acquisition expense lines are created on receiving the following items:

- Portfolio items when they lead to the creation of an asset
- Off-contract maintenance and On-contract maintenance type work orders
- Contracts
- Training sessions

The way in which expense lines are created for assets depends on how they are acquired:

Acquisition method of the asset	Expense line creation
Purchase	Created automatically and straight away on
	receiving the asset
Rental, lease or loan	Generated by AssetCenter Server

The following tables explain which information is to be populated and how this information is processed:

Table 11.1. Expenses - Assets

Information to provide	Result is the acqu	isition is a purchase	Result if the acquisition is a rental, lease or loan
	At the portfolio item or asset level	At the expense line level	At the portfolio item or asset level
Model			
A/C code (Acct- Code)	A/C code (Acct- Code)		A/C code (AcctCode)
Cost category (CostCategory), if the link with the same name is empty at the pur- chase order level	Cost category (CostCategory)	Cost category (CostCategory)	Cost category (CostCat- egory)
Type (DeprS- cheme)	Depreciation type (DeprS- cheme)		
Request line			
Financing con-			Schedule (AcquContract)
tract (AcquCon-			
tract)	_		
Cost center	Cost center	Cost center (CostCenter)	Cost center (CostCenter)
(CostCenter)	(CostCenter)		
Financing contract	ct		A source of the ord (so A sour Moth
Acq. method (seAcquMethod)			Acq. method (seAcquMethod)
Order line	D: ./ D:	D 1 :: (D 1 ::)	B:
Unit price (mUnit- Cost) and Dis-	Discount (pDis- count)	Debit (mDebit)	Discount (pDiscount) Market value (mMarket Val)
count (pDis- count)	Purchase price (mPrice)		
	Market value (mMarketVal)		
	Depreciation basis (mDeprBasis)		
	Unit value (mAvgPrice)		
Tax amount (mTaxValue)	Taxes (mTax)	Tax debit (mTaxDebit)	

Information to provide	Result is the acqu	iisition is a purchase	Result if the acquisition is a rental, lease or loan
	At the portfolio item or asset	At the expense line level	At the portfolio item or asset level
	level		
Cost category	Cost category	Cost category (CostCat-	Cost category (CostCat-
(CostCategory)	(CostCategory)	egory)	egory)
Supplier (Suppli-	Supplier (Suppli-		Lessor (Lessor)
er)	er)		Supplier (Supplier)

Table 11.2. Expenses - Training

Information to provide	Processing			
	At the training level	At the expense line level		
Model				
Cost category (CostCat-	Cost category (CostCat-	Cost category (CostCategory)		
egory)	egory)			
Request line				
Cost center (CostCenter)				
Purchase order				
Supplier (Supplier)				
Order line				
Unit price (mUnitCost)	Cost (mCost)	Debit (mDebit)		
and Discount (pDiscount)				
Tax amount (mTaxValue)	Taxes (mTax)	Tax debit (mTaxDebit)		

Table 11.3. Expenses - Contracts

Information to provide	Processing			
	At the contract level	At the expense line level		
Model				
Cost category (CostCat-	Cost category (CostCat-	Cost category (CostCategory)		
egory)	egory)			
Brand (Brand)	Company (Company)			
Request line				
Cost center (CostCenter)				
Purchase order				
Order line				
Unit price (mUnitCost)	Init. payment (mIntPay)	Debit (mDebit)		
and Discount (pDiscount)				

Information to provide	Processing			
	At the contract level	At the expense line level		
Tax amount (mTaxValue)	Taxes (mTax)	Tax debit (mTaxDebit)		

Table 11.4. Expenses - **Off-contract maintenance** and **On-contract maintenance** type work orders

Information to provide	Processing			
	At the work order level	At the expense line level		
Model				
Cost category (CostCat-	Cost category (CostCat-	Cost category (CostCategory)		
egory)	egory)			
Request line				
Cost center (CostCenter)				
Purchase order				
Supplier (Supplier)	Company (Supplier)			
Order line				
Unit price (mUnitCost)	Estimated cost (mEstim-	Debit (mDebit)		
and Discount (pDiscount)	Cost)			
	Init. cost (mCost)			
Tax amount (mTaxValue)	Taxes (mTax)	Tax debit (mTaxDebit)		

Table 11.5. Expenses - Internal maintenance type work orders

Information to provide	Processing
	At the work order level
Model	
Cost category (CostCategory)	Cost category (CostCategory)
Request line	
Cost center (CostCenter)	
Order line	
Unit price (mUnitCost) and Discount (pDis-	
count)	
Tax amount (mTaxValue)	

Practical case 15 - Costs

Presentation

This practical case aims to show you how acquisition costs are handled and how expense lines are generated.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Scenario

- You need to acquire the following items:
 - Asset PC1 E500
 - Off-contract maintenance type work order PC1 Install computer
 - Internal maintenance type work order PC1 Connect computer
 - Contract PC1 Warranty
 - Training PC1 Basic computer training
 - PC1 Coaxial cable cable
- You save this need in the form of a request.
- This request is transformed into a purchase order to be sent to the company
 PC1 MySupplier.
- The items on order are received.

Steps to follow

Create the request

- 1 Display the requests (Procurement/ Purchase requests menu).
- 2 Click New.

3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value	Usage
New request page		
Create a new request by	Yes	
selecting the models		
Purpose	PC15 - Cost management	
Cost center	PC1 - Headquarters	The cost center is propagated to the re-
		quest and request lines, Cost center (CostCenter) field
Click OK		
Add models to your reque	st page	
Models	Select together:	The model is propagated to the request
	■ PC1 - E500	line
	PC1 - Install computer	
	PC1 - Connect com- puter	
	PC1 - Warranty	
	PC1 - Basic computer	
	training	
	PC1 - Coaxial cable	
Detail quantities and units	Select this option and enter	The quantity is propagated to the request
	a quantity of 1	line
Click Add		
Click Next		

- 4 Validate execution of the wizard (Finish button).
- 5 Exit the wizard (**OK** button).
- 6 AssetCenter displays the detail of the request generated using the wizard.
- 7 Populate the fields and links shown in the following table:

Field or link	Value
Req. status (seStatus)	Validated
Number (ReqNumber)	PC15 - REQ001

- 8 Validate the modification of the request (Modify button).
- 9 Examine in particular the details of the following fields and links:

Field or link	Value	Usage
Allocation tab		
Cost center (CostCenter)	PC1 - Headquarters	This link is used as a default value for any request lines you might add.
		It will be propagated to the purchase order.

- **10** Select the **Composition** tab.
- 11 Display the detail of the request line 1 PC1 E500 PC1 Computer (Magnifier button).

Examine in particular the details of the following fields and links:

C1 - E500	On receipt, the Cost category (CostCat-
C1 - E500	On receipt, the Cost category (CostCat-
	egory), Type (DeprScheme) and A/C code (AcctCode) fields of the models will be propagated to the items received; The Cost category (CostCategory) link of the model is propagated to the expense line.
000	This field comes from the default catalog reference associated with the model.
	This field is not longer propagated further along the procurement cycle.
.75%	This field comes from the model.
	This field is propagated to the purchase order line.
7.50	This field is calculated based on the Unit price (mUnitCost) and Tax rates (pTaxRate) fields.
	This field is propagated to the purchase order line.
C1 - Headquarters	This field is populated by the wizard.
	On receipt, it will be propagated to the received item and used to calculate the expense line.
	75% 7.50

12 Close the detail of the request line.

13 Leave the detail of the request displayed.

Create the purchase order from the request

- 1 Make sure the detail of the request PC15 REQ001 is displayed.
- 2 Click the **Order** button.
- 3 Populate the Generate a purchase order wizard with the values shown in the following table:

Field or link	Value
Select the lines to take into account page	
Choose from a catalog or a supplier	No
Take all lines into account	Yes
	Note:
	It is normal that the request line corresponding the model PC1 - Connect computer is not selected: It is an internal work order, for which a purchase order does not need to be created.
Click Next	
Modify the references used by the request p	age
Thanks to the catalog references associated by	v default with the models you should be able accept

Thanks to the catalog references associated by default with the models, you should be able accept the page at it stands.

- 4 Validate execution of the wizard (Finish button).
- 5 Exit the wizard (**OK** button).
- 6 AssetCenter displays the detail of the purchase order generated from the request.
- 7 Populate the fields and links shown in the following table:

Field or link	Value	Origin and usage of certain data items
Number (ReqNumber)	PC15 - PO001	
General tab		
Ord. status (seStatus)	Validated	
Financing tab		
Acq. method (seAcquMeth-	Purchase	The acquisition method from the purchase
od)		is propagated to the items received.

8 Validate these modifications (Modify button).

- **9** Select the **Composition** tab.
- 10 Display the detail of the purchase order line 1 PC2 E500 (Magnifier button). Examine in particular the details of the following fields and links:

Field or link	Value	Origin and usage of certain data items
Purchase tab		
Unit price (mUnitCost)	1000	This field was populated from the catalog reference.
		On receipt, it will be propagated to the received item and used to calculate the expense line.
Discount (pDiscount)	10%	This field was populated from the catalog reference.
		On receipt, it will be propagated to the received item and used to calculate the expense line.
Tax rates (pTaxRate)	7.75%	This field was populated from the request line.
Tax amount (mTaxValue)	69.75	This field was populated from the request line.
		On receipt, it will be propagated to the received item and used to calculate the expense line.
Allocation tab		
Cost category (CostCategory)	PC1 - Computer	This field was populated from the request line.
		On receipt, it will not be used.
Cost center (CostCenter)	PC1 - Headquarters	This field was populated from the request line.
		On receipt, it will not be used.

- 11 Close the detail of the purchase order line.
- 12 Leave the detail of the purchase order displayed.

Issue the purchase order

- 1 Make sure the detail of the purchase order PC15 PO001 is displayed.
- 2 Click the Issue button.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).

5 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC15 PO001 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the detail of the portfolio item generated from the purchase order.

Examine the detail of this portfolio item, in particular the following fields and links:

Field or link	Value	Origin
General tab		
Unit value (mAvgPrice)	900	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)
Cost category (CostCategory)	PC1 - Computer	Model: Cost category (CostCategory)
Acquis. tab		
Purchase price (mPrice)	900	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)
Taxes (mTax)	69.75	Order line: Tax amount (mTaxValue)
Discount (pDiscount)	10%	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)
Fixed Asset tab		
Depreciation type (DeprScheme)	PC1 - Linear	Model: Type (DeprScheme)
Depreciation basis (mDeprBasis)	900	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)
Acquis. tab, Procurement sub-tab		
Acq. method (seAcquMethod)	Purchase	Purchase order: Acq. method (seAc-
		quMethod)
A/C code (AcctCode)	PC1 - CC001	Model: A/C code (AcctCode)
Supplier (Supplier)	PC1 - MySupplier	Purchase order: Supplier (Supplier)
Market value (mMarketVal)	900	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)

- 6 Go to the Costs tab.
- 7 Display the detail of the expense line (Magnifier button).
- 8 Examine in particular the fields and links in the following table:

Field or link	Value	Origin
General tab		
Debit (mDebit)	900	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)
Tax debit (mTaxDebit)	69.75	Order line: Tax amount (mTaxValue)
Cost category (CostCategory)	PC1 - Computer	Model: Cost category (CostCategory)

- 9 Close the detail of the expense line.
- 10 Close the detail of the portfolio item.
- 11 Close the detail of the purchase order.
- 12 Make sure the detail of the request PC15 REQ001 is displayed.
- **13** Select the **Tracking** tab.
- 14 Unfold the Cables branch.
- 15 Display the detail of the cable PC1 Coaxial cable.
 You will notice that information linked to the acquisition expenses is not available.
- 16 Close the detail of the cable.
- 17 Unfold the Work orders branch.
- **18** Display the detail of the work order **PC1 Install computer**.
- 19 Examine the detail of this record, in particular the following fields and links:

Field or link	Value	Origin
Acquis. tab		
Cost category (CostCategory)	PC1 - Work order	Model: Cost category (CostCategory)
Estimated cost (mEstimCost)	360	Order line: Unit price (mUnitCost) and
Init. cost (mCost)		Discount (pDiscount)
Taxes (mTax)	27.90	Order line: Tax amount (mTaxValue)

- 20 Select the Cost tab.
- 21 Display the detail of the expense line (Magnifier button).
- 22 Examine in particular the fields and links in the following table:

Value	Origin
360	Order line: Unit price (mUnitCost) and
	Discount (pDiscount)
27.90	Order line: Tax amount (mTaxValue)
	360

Field or link	Value	Origin
Cost category (CostCategory)	PC1 - Work order	Model: Cost category (CostCategory)

- 23 Close the detail of the expense line.
- 24 Close the work order detail.
- 25 Unfold the Training tab.
- **26** Display the detail of the training **PC1 Basic computer training**.
- 27 Examine the detail of this record, in particular the following fields and links:

Field or link	Value	Origin
General tab		
Cost category (CostCategory)	PC1 - Training	Model: Cost category (CostCategory)
Cost (mCost)	200	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)
Taxes (mTax)	15.50	Order line: Tax amount (mTaxValue)

- 28 Close the detail of the training.
- 29 Unfold the Contracts branch.
- **30** Display the detail of the contract **PC1 Warranty**.
- 31 Examine the detail of this record, in particular the following fields and links:

Field or link	Value	Origin
General tab		
Cost category (CostCategory)	PC1 - Contract	Model: Cost category (CostCategory)
Init. payment (mIntPay)	50	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)
Taxes (mTax)	3.88	Order line: Tax amount (mTaxValue)

- 32 Go to the Costs tab.
- **33** Display the detail of the expense line (**Magnifier** button).
- **34** Examine in particular the fields and links in the following table:

Field or link	Value	Origin
General tab		
Debit (mDebit)	50	Order line: Unit price (mUnitCost) and
		Discount (pDiscount)
Tax debit (mTaxDebit)	3.88	Order line: Tax amount (mTaxValue)

Field or link	Value	Origin
Cost category (CostCategory)	PC1 - Contract	Model: Cost category (CostCategory)

- 35 Close the detail of the expense line.
- 36 Close the detail of the contract.
- **37** Leave the detail of the request displayed.

Create the internal work order

- 1 Make sure the detail of the request PC15 REQ001 is displayed.
- 2 Click Execute.
- 3 Populate the Create items not giving rise to a purchase order wizard with the values shown in the following table:

Field or link	Value
Create items not giving rise to a purchase order	rpage
Request lines to process	Select the line PC1 - Install computer PC1 - Install computer 1 1 and set the Quantity to create column to 0.
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

- 4 Display the **Tracking** tab.
- 5 Unfold the Work orders branch.
- 6 Display the detail of the work order PC1 Connect computer.
- 7 Examine the detail of this record, in particular the following fields and links:

Field or link	Value	Origin
Acquis. tab		
Cost category (CostCat-	PC1 - Work order	Model: Cost category
egory)		(CostCategory)
Estimated cost (mEstim-	Not populated	
Cost)		
Init. cost (mCost)		
Taxes (mTax)		

- **8** Go to the **Costs** tab.
- 9 No expense line was created.
- 10 Close all windows.



/A N	•	┍	ш	μ	ш	ш	-	п

12 Composite products

Key concepts

What is a composite product?

A composite product is grouped product offering available at a supplier.

Types of composite products

There are 2 types of composite products:

 Composite products for which the main product leads to the creation of a record on receipt.

The main product is the parent of the products making it up.

Example: A composite product called **Compaq E500** to which an external CD writer is linked.

We obtain a composite product of this type by linking a main product to a model, itself linked to a nature whose **Create** (seBasis) field is set to a value other than **Nothing**.

 Composite products for which the main product does not lead to the creation of a record on receipt.

The main product serves as a container for the products making it up.

Example: A composite product called **Configuration for a sales engineer**, comprising a laptop and a printer.

We obtain a composite product of this type by linking a main product to a model, itself linked to a nature whose **Create** (seBasis) field is set to **Nothing**.

Practical case 8a: Composite products

Presentation

This practical case aims to show you how to create a composite product for the which the main product leads to the creation of a record upon receipt.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Scenario

You order a computer PC1 - Compaq E500 to which an external CD writer PC1 - Compag External CD writer is linked.

Your supplier **PC1 - MySupplier** offers special conditions for this composite product.

Steps to follow

Create the products

1 Display the catalog products (Procurement/ Products menu).

2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Description (Description)	PC8 - E500 with external CD writer
Brand (Brand)	PC1 - Compaq
Model (Model)	PC1 - E500

Field or link	Value
Description (Description)	PC8 - External CD writer associated with an E500
Brand (Brand)	PC1 - Compaq
Model (Model)	PC1 - External CD writer
Component of (Parent)	PC8 - E500 with external CD writer
Is an option (bOption)	No

3 Close all windows.

Create the catalog references

- 1 Display the catalog references (**Procurement/ References** menu).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC8 - E500 with external CD writer (PC1 - MySup-
	plier)
General tab	
Product (CatProduct)	PC8 - E500 with external CD writer
Description (Description)	PC8 - E500 with external CD writer
Price (fPrice)	1000
Discount (pDiscount)	10%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC8 - External CD writer associated with an E500
	(PC1 - MySupplier)
General tab	
Product (CatProduct)	PC8 - External CD writer associated with an E500
Description (Description)	PC8 - External CD writer associated with an E500

Field or link	Value
Price (fPrice)	100
Discount (pDiscount)	30%

Creating the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Upper frame	Create a new request by selecting the models
Purpose	PC8 - Computer with external CD writer
Click OK	
Add models to your request page	
Brand	PC1 - Compaq
Models	Select PC1 - E500
Detail quantities and units	Select this option and enter a quantity of 1
Click Add	
Click Finish	
Exit the wizard (OK button)	

- 4 AssetCenter displays the detail of the request generated by the wizard.
- 5 Select the **Composition** tab.
- **6** Examine the contents of this tab.
- 7 Modify the request by populating the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC8 - REQ001

8 Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

- 1 Make sure the detail of the request **PC8 REQ001** is displayed.
- 2 Click the Quote button.

3 Populate the **Generate an estimate** wizard with the values shown in the following table:

Field or link	Value
Select the lines to take into account page	
Choose from a catalog or a supplier	No
Take all lines into account	Yes
Click Next	
Choose from a catalog or a supplier page	
List of request lines	PC1 - E500 1 1 PC2 - E500 (PC1 - MySupplier) PC2
	- E500 1,000 USD 10%
List of corresponding catalog references	PC8 - E500 with external CD writer (PC1 - MySup-
	plier) PC8 - E500 with external CD writer 1,000
	USD 10% 0 PC1 - MySupplier
Click Associate the request with the selected re	ference
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	
Validate execution of the wizard (Finish button)	USD 10% 0 PC1 - MySupplier

4 AssetCenter displays the detail of the estimate generated from the request. Examine the detail of this estimate; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Ord. status (seStatus)	Quote requested
Initial request (Request)	PC8 - RFP001 (PC8 - Computer with external CD
	writer)
Composition tab	
List	Two purchase order lines are created by the wiz-
	ard Generate an estimate : One for the main
	product (PC8 - E500 with external CD writer),
	and another for its sub-product (PC8 - External
	CD writer associated with an E500).

5 Assign a number to the estimate and confirm its quoted status by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted

Field or link	Value
Number (PONumber)	PC8 - EST001

- 6 Validate these modifications (Modify button).
- 7 Leave the detail of the estimate displayed.

Issue the estimate in the form of a purchase order

- 1 Make sure the detail of the estimate PC8 EST001 is displayed.
- 2 Click the **Issue** button.
- 3 Populate the **Issue the purchase order** wizard with the values shown in the following table:

Field or link	Value	
Create the missing request lines for the purchase order page		
Create the request lines and link them to an exist-	Yes	
ing request		
Request	Select the request PC8 - REQ001	
Click Finish		

- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the detail of the purchase order generated from the estimate.

Examine the detail of this order; Certain fields and links are updated, in particular:

Field or link	Value	
Ord. status (seStatus)	Issued	
General tab		
Sent (dtSent)	Current date	

- **6** Select the **Tracking** tab.
- 7 Unfold the **Requests concerned** branch.
- 8 Display the detail of the line PC8 REQ001 (PC8 Computer with external CD writer) (double-click the line).
- **9** AssetCenter displays the detail of the initial request.
- 10 Select the Composition tab.
- 11 Display the detail of the line 1 PC8 External CD writer associated with an E500 PC1 External CD writer.

12 Link the request line to the other request line by populating the fields and links as shown in the following table:

Field or link	Value
Component of (Parent)	1 PC1 - E500

- 13 Validate the modification to the request line (Modify button).
- **14** Close the detail of the request line (**Close** button).
- 15 Close the detail of the request (Close button).
- **16** Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC8 EST001 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (OK button).
- 5 AssetCenter displays the list of the portfolio items generated from the purchase order.

Examine the detail of these portfolio items; Certain fields and links are already populated, in particular:

Value
The model selected in the initial request is shown
(PC1 - E500)
The price from the estimate line and purchase
order line is shown (900 USD)
The expense line corresponding to the acquisition
of the portfolio item is shown

Field or link	Value
Model (Model)	The model selected in the initial request is shown (PC1 - External CD writer)
General tab	
Unit value (mAvgPrice)	The price from the estimate line and purchase order line is shown (70 USD)
Component of (Parent)	1 Compaq PC1 - E500

Field or link	Value
Costs tab	
List	The expense line corresponding to the acquisition
	of the portfolio item is shown

Practical case 8b: Composite products

Presentation

This practical case aims to show you how to create and use a composite product for which the main product is used as a container for the products making it up.

Prerequisites

You must have performed the practical case Practical case 1: Suitable reference records [page 36].

Scenario

The scenario is the same as for practical case 4a.

However, the structures of the products are organized differently.

Steps to follow

Create the products

- 1 Display the catalog products (**Procurement/ Products** menu).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Description (Description)	PC8 - Configuration for a sales engineer

Field or link	Value
Model (Model)	PC1 - Configuration for a sales engineer

Field or link	Value
Description (Description)	PC8 - E500 for configuration
Brand (Brand)	PC1 - Compaq
Model (Model)	PC1 - E500
Component of (Parent)	PC8 - Configuration for a sales engineer
Is an option (bOption)	No

Field or link	Value
Description (Description)	PC8 - External CD writer for configuration
Brand (Brand)	PC1 - Compaq
Model (Model)	PC1 - External CD writer
Component of (Parent)	PC8 - Configuration for a sales engineer
Is an option (bOption)	No

Create the catalog references

- 1 Display the catalog references (**Procurement/ References** menu).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC8 - Configuration for a sales engineer (PC1 -
	MySupplier)
General tab	
Product (CatProduct)	PC8 - Configuration for a sales engineer
Description (Description)	PC8 - Configuration for a sales engineer
Price (fPrice)	1100
Discount (pDiscount)	10%
Product (CatProduct) Description (Description) Price (fPrice)	PC8 - Configuration for a sales engineer 1100

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC8 - E500 for configuration (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC8 - E500 for configuration

Field or link	Value
Description (Description)	PC8 - E500 for configuration
Price (fPrice)	1000
Discount (pDiscount)	10%

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC8 - External CD writer for configuration (PC1 -
	Compaq)
General tab	
Product (CatProduct)	PC8 - External CD writer for configuration
Description (Description)	PC8 - External CD writer for configuration
Price (fPrice)	100
Discount (pDiscount)	10%

Creating the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Upper frame	Create a new request by selecting the models
Purpose	PC8 - Configuration for a sales engineer
Click OK	
Add models to your request page	
Models	Select PC1 - Configuration for a sales engineer
Click Add	
Click Finish	
Exit the wizard (OK button)	

- 4 AssetCenter displays the detail of the request generated by the wizard.
- 5 Select the **Composition** tab.
- 6 Take a look at the detail of the composition line created by the wizard.
- 7 Modify the request by populating the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC8 - REQ002

8 Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

- 1 Make sure the detail of the request PC8 REQ002 is displayed.
- 2 Click the Quote button.
- 3 Populate the **Generate an estimate** wizard with the values shown in the following table:

Field or link	Value
Select the lines to take into account page	
Choose from a catalog or a supplier	No
Take all lines into account	Yes
Click Next	
Modify the references used by the request page	
List of request lines	Select PC1 - Configuration for a sales engineer
	1 1 PC8 - Configuration for a sales engineer (PC1
	- MySupplier PC8 - Configuration for a sales en-
	gineer 1,100 USD 10%
List of corresponding catalog references	Select PC8 - Configuration for a sales engineer
	(PC1 - MySupplier PC8 - Configuration for a sales
	engineer 1,100 USD 10% 0 PC1 - MySupplier
Click Associate the request with the selected reference	
Validate execution of the wizard (Finish button).	
Exit the wizard (OK button)	

4 AssetCenter displays the detail of the estimate generated from the request. Examine the detail of this estimate; Certain fields and links are already populated, in particular:

Field or link	Value
Ord. status (seStatus)	Quote requested
General tab	
Initial request (Request)	PC8 - REQ002 (PC8 - Configuration for a sales engineer)
Composition tab	

Field or link	Value
List	3 estimate lines are generated by the Generate
	an estimate wizard: One for the main product
	(PC8 - Configuration for a sales engineer), and
	2 for its sub-products (PC8 - E500 for configura-
	tion and PC8 - External CD writer for configura-
	tion).

5 Assign a number to the estimate and confirm its quoted status by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted
Number (PONumber)	PC8 - EST002

- 6 Validate these modifications (Modify button).
- 7 Leave the detail of the estimate displayed.

Issue the estimate in the form of a purchase order

- 1 Make sure the detail of the estimate PC8 EST002 is displayed.
- 2 Click the Issue button.
- 3 Populate the **Issue the purchase order** wizard with the values shown in the following table:

Field or link	Value	
Create the missing request lines for the purchase order page		
Create the request lines and link them to an exist-	Yes	
ing request		
Request	Select the request PC8 - REQ002	
Click Finish		
Exit the wizard (OK button)		

4 AssetCenter displays the detail of the purchase order. Examine the detail of this order; Certain fields and links are updated, in particular:

Field or link	Value
Ord. status (seStatus)	Issued
General tab	

Field or link	Value
Sent (dtSent)	Current date

5 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC8 EST002 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- **4** Exit the wizard (**OK** button).
- **5** AssetCenter displays the list of the portfolio items generated from the purchase order.

Examine the detail of these portfolio items; Certain fields and links are already populated, in particular:

Field or link	Value
Model (Model)	The model selected in the initial request is shown
	(PC1 - E500)
General tab	
Unit value (mAvgPrice)	The price from the estimate line and purchase
	order line is shown (900 USD)
Costs tab	
List	The price from the estimate line and purchase
	order line is shown (900 USD)

Field or link	Value
Model (Model)	The model selected in the initial request is shown
	(PC1 - External CD writer)
General tab	
Unit value (mAvgPrice)	The price from the estimate line and purchase order line is shown (90 USD)
Costs tab	

Field or link	Value
List	The price from the estimate line and purchase
	order line is shown (90 USD)




No portfolio item is created for the reference PC8REF003 - PC8 - Configuration for a sales engineer. This is intentional because the product linked to this reference is linked to a model whose nature does not lead to the creation of a record.

6 Close all windows.

13 Units of measure

Key concepts

Figure 13.1. Units of measure



Units of measure are defined at the product level ($\stackrel{\bullet}{\bullet}$) and at the model level ($\stackrel{\bullet}{\bullet}$). These units of measure can differ at the product and model levels.

When creating the received items, AssetCenter needs to know the relationship between the unit of measure of the product and that of the model (3).

This ratio is defined using the conversion rates between the units of measure.

Practical case 9: Units of measure

Presentation

This practical case aims to show you how to correctly use different units of measure between products and their associated models.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Scenario

You order 100 liters of a liquid. The liquid is measured in hectoliters at the product level and in liters at the model level.

Steps to follow

Create the units

- 1 Display the units (Administration/ Units).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC9 - Liter
Dimension (Dimension)	PC9 - Volume

Field or link	Value	
Symbol (Symbol)	PC9 - I	
Conv. coeff. (fConv)	1	

Field or link	Value
Name (Name)	PC9 - Hectoliter
Dimension (Dimension)	PC9 - Volume
Symbol (Symbol)	PC9 - hl
Conv. coeff. (fConv)	100

Create the nature

- 1 Display the natures (**Portfolio/ Natures**).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC9 - Liquid
Create (seBasis)	Portfolio item
Also create (OverflowTbl)	(No table)
Management constraint (seMgtConstraint)	Free

3 Close all windows.

Create the models

- 1 Display the models (Portfolio/ Models).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC9 - Gasoline
General tab	
Nature (Nature)	PC9 - Liquid
Certified for the purchase request (bRequestable)	Yes
Unit used (UseUnit)	PC9 - Liter
Indivisible qty. (fUseQty)	1

3 Close all windows.

Create the product

- 1 Display the catalog products (**Procurement/ Products** menu).
- 2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Description (Description)	PC9 - Gasoline
Model (Model)	PC9 - Gasoline
Acquis. tab	
Purchase unit (PurchUnit)	PC9 - Hectoliter
Conv. coeff. (fUnitConv)	100

3 Close all windows.

Create the catalog reference

- 1 Display the catalog references (**Procurement/ References** menu).
- 2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC9 - Gasoline (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC9 - Gasoline
Description (Description)	PC9 - Gasoline
Price (fPrice)	1
Discount (pDiscount)	5%
Min. qty (fMinQty)	1

3 Close all windows.

Create the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new request by selecting the models	Yes
Purpose	PC9 - Gasoline
Click OK	
Add models to your request page	
Brand	
Models	PC9 - Gasoline
Detail quantities and units	Select this option and enter a quantity of 100
Click Add	
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

4 AssetCenter displays the detail of the request generated using the wizard. Examine the detail of this request; Certain fields and links are already populated, in particular:

Value
PC9 - Gasoline
In preparation
Request line corresponding to the model PC9 -
Gasoline.
Looking at the detail of this request line, you will notice that the quantity ordered is 100 expressed in the unit PC9 - I .

- 5 If it is open, close the detail of the request line but leave the request detail displayed.
- 6 Populate the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC9 - REQ001

- 7 Validate the modification of the request (Modify button).
- 8 Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

1 Make sure the detail of the request **PC9 - REQ001** is displayed.

- 2 Click the Quote button.
- 3 Populate the **Generate an estimate** wizard with the values shown in the following table:

Field or link	Value	
Select the lines to take into account page		
Choose from a catalog or a supplier	No	
Take all lines into account	Yes	
Click Next		
Modify the references used by the request page		
You should to be able to accept the page is it stands.		
The table below shows PC9 - Gasoline 100 1 PC9 - Gasoline (PC1 - MySupplier) PC9 - Gasoline 1		
USD 5%.		
Validate execution of the wizard (Finish button)		
Exit the wizard (OK button)		

4 AssetCenter displays the detail of the estimate generated from the request. Examine the detail of this estimate; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Ord. status (seStatus)	Quote requested
Initial request (Request)	PC9 - REQ001 (PC9 - Gasoline)
Composition tab	
List	Purchase order line corresponding to the request line PC9 - REQ001 associated with the catalog reference PC9 - REF001 using the wizard Generate an estimate

5 Assign a number to the estimate and confirm its quoted status by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted
Number (PONumber)	PC9 - EST001

- **6** Validate these modifications (**Modify** button).
- 7 Leave the detail of the estimate displayed.

Issue the purchase order from the estimate

- 1 Make sure the detail of the estimate PC9 EST001 is displayed.
- 2 Click the Issue button.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the detail of the purchase order generated from the estimate.

Examine the detail of this order; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Ord. status (seStatus)	Issued
Sent (dtSent)	Current date
Composition tab	
List	Purchase order line corresponding to the model PC9 - Gasoline .
	Looking at the detail of this request line, you will notice that the quantity ordered is 1 expressed in the unit PC9 - hl.
	The conversion is correctly made in the unit corresponding to the product associated with the catalog reference.

6 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order **PC9 EST001** is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (OK button).
- 5 AssetCenter displays the detail of the portfolio item generated from the purchase order.
 - Examine the detail of this portfolio item; Certain fields and links are already populated, in particular:

Field or link	Value
Model (Model)	The model selected in the initial request is shown
	(PC9 - Gasoline)
General tab	
Quantity (fQty)	100
	PC9 - I
	A conversion is performed once more, so that the quantity is expressed in the unit of the model associated with the portfolio item received
Unit value (mAvgPrice)	The price from the estimate line and purchase order line is shown (0.95 USD)

14 Packaging

Key concepts

AssetCenter enables you to describe the packaging of products and take account of this in the procurement cycle.

The packaging is handled differently, depending on whether the product quantities are expressed:

As a number of items (without a unit of measure)
 Example: The product Ink cartridges available in batches of 6 cartridges.
 Lets imaging that you wish to order 12 cartridges:

Step	Procedure
Request	You request 12 cartridges
Estimate and order	You order 2 batches of 6 cartridges

Step Receipt	Procedure If the delivery is complete, you receive 2 batches of 6 cartridges.
	AssetCenter will create: If in the detail of the nature, the Management constraint (seMgtConstraint) field is set to Asset tag: 2 portfolio items of 6 units.
	If in the detail of the nature, the Management constraint (seMgtConstraint) field is set to Unique asset tag: 12 individual portfolio items.

In units of measure

Example: The product **Gasoline** is available in batches of 20 5-liter cans. Lets suppose that the model **Gasoline** and the product **Gasoline** are expressed in **Liters**.

Lets imaging that you wish to order 200 liters:

Step	Procedure
Request	You request 200 liters
Estimate and order	You order 40 5-liter cans
Receipt	If the delivery is complete, you receive 40 5-liter
	cans.
	AssetCenter will create 1 portfolio item of 200 liters

Procedure

To define the packaging conditions of a product:

- 1 Create the product (**Procurement/ Products** menu).
- 2 Populate the detail of the record, and in particular the following fields and links:

Field or link	Comment
Acquis. tab	
Is packaged (blsPackaged)	

Field or link	Comment
Number of items (ISetQty)	
Quantity per item (fPkgQty)	This field is available if the Purchase order (Purchunit) field is populated

Practical case 10a: Packaging

Presentation

This practical case aims to show you how to manage product packaging when no unit of measure is associated with the product.

Prerequisites

You must have performed the practical case Practical case 1: Suitable reference records [page 36].

Scenario

You request 12 cartridges and order 2 batches of 6 cartridges.

Steps to follow

Create the nature

- 1 Display the natures (Portfolio/ Natures).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC10 - Consumable
Create (seBasis)	Portfolio item
Also create (OverflowTbl)	(No table)

Field or link	Value
Management constraint (seMgtConstraint)	Free

Create the models

- 1 Display the models (Portfolio/ Models).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Name (Name)	PC10 - Ink cartridge
Nature (Nature)	PC10 - Consumable
Certified for the purchase request (bRequestable)	Yes

3 Close all windows.

Create the product

- 1 Display the catalog products (**Procurement/ Products** menu).
- 2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Description (Description)	PC10 - Ink cartridge
Model (Model)	PC10 - Ink cartridge
Acquis. tab	
Is packaged (blsPackaged)	Yes
Number of items (ISetQty)	6

3 Close all windows.

Create the catalog reference

- 1 Display the catalog references (**Procurement/ References** menu).
- 2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier

Field or link	Value
Reference (Ref)	PC10 - Ink cartridge (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC10 - Ink cartridge
Description (Description)	PC10 - Ink cartridge
Price (fPrice)	100
Discount (pDiscount)	5%

Create the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Value
Yes
PC10 - Ink cartridge
PC10 - Ink cartridge
Select this option and enter a quantity of 12

4 AssetCenter displays the detail of the request generated using the wizard. Examine the detail of this request; Certain fields and links are already populated, in particular:

Field or link	Value	
General tab		
Purpose	PC10 - Ink cartridge	
Ord. status (seStatus)	In preparation	
Composition tab		

Field or link	Value
List	Request line corresponding to model PC10 - Ink cartridge.
	Looking at the detail of this request line, you will notice that the requested quantity is 12 .

5 Populate the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC10 - REQ001

- 6 Validate the modification of the request (Modify button).
- 7 Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

- 1 Make sure the detail of the request PC10 REQ001 is displayed.
- 2 Click the Quote button.
- 3 Populate the Generate an estimate wizard with the values shown in the following table:

Field or link	Value	
Select the lines to take into account page		
Choose from a catalog or a supplier	No	
Take all lines into account	Yes	
Click Next		
Modify the references used by the request page		
You should to be able to accept the page is it stands.		
The table below shows PC10 - Ink cartridge 12 2 PC10 - Ink cartridge (PC1 - MySupplier) PC10 - Ink cartridge 100 USD 5%.		
Validate execution of the wizard (Finish button)		
Exit the wizard (OK button)		

4 AssetCenter displays the detail of the estimate generated from the request. Examine the detail of this estimate; Certain fields and links are already populated, in particular:

Field or link	Value	
General tab		
Ord. status (seStatus)	Quote requested	

Field or link	Value
Initial request (Request)	PC10 - REQ001 (PC10 - Ink cartridge)
Composition tab	
List	Estimate line corresponding to the request line
	PC10 - REQ001 associated with the catalog refer-
	ence PC10 - Ink cartridge (PC1 - MySupplier) us-
	ing the wizard Generate an estimate

5 Assign a number to the estimate and confirm its quoted status by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted
Number (PONumber)	PC10 - EST001

- 6 Validate these modifications (Modify button).
- 7 Leave the detail of the estimate displayed.

Issue the purchase order from the estimate

- 1 Make sure the detail of the estimate PC10 EST001 is displayed.
- 2 Click the **Issue** button.
- 3 Validate execution of the wizard (Finish button).
- **4** Exit the wizard (**OK** button).
- 5 AssetCenter displays the detail of the purchase order generated from the estimate.

Examine the detail of this order; Certain fields and links are already populated, in particular:

Field or link	Value	
General tab		
Ord. status (seStatus)	Issued	
Sent (dtSent)	Current date	
Composition tab		

Field or link	Value
List	Order line corresponding to model PC10 - Ink cartridge.
	Looking at the detail of this purchase order line, you will notice that the quantity ordered is now 2 batches of 6 cartridges.
	The conversion between the number of items requested and the number of batches ordered has been correctly performed.

6 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC10 EST001 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the detail of the portfolio item generated from the purchase order.

Examine the detail of this portfolio item; Certain fields and links are already populated, in particular:

Field or link	Value
Model (Model)	The model selected in the initial request is shown
	(PC10 - Ink cartridge)
General tab	
Quantity (fQty)	12
	A conversion is performed once more, so that the quantity is expressed in accordance with the nature of the portfolio item received
Unit value (mAvgPrice)	The price from the estimate line and purchase order line is shown (95 USD)

6 Close all windows.

Practical case 10b: Packaging

Presentation

This practical case aims to show you how to manage product packaging when a unit of measure is associated with the product.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 9: Units of measure [page 146]

Scenario

You request 400 liters of gasoline and order 4 batches of 20 5-liter gasoline cans.

Steps to follow

Create the product

- 1 Display the catalog products (**Procurement/ Products** menu).
- 2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Description (Description)	PC10 - Gasoline in 5-liter cans
Model (Model)	PC9 - Gasoline
Acquis. tab	
Purchase unit (PurchUnit)	PC9 - Liter
Conv. coeff. (fConv)	1
Is packaged (blsPackaged)	Yes
Number of items (ISetQty)	20

Field or link	Value
Quantity per item (fPkgQty)	5

Create the catalog reference

- 1 Display the catalog references (**Procurement/ References** menu).
- 2 Create the following record, by populating the fields and links as shown in the following table:

Field or link	Value
Catalog (Catalog)	PC1 - MySupplier
Reference (Ref)	PC10 - Gasoline in 5-liter cans (PC1 - MySupplier)
General tab	
Product (CatProduct)	PC10 - Gasoline in 5-liter cans
Description (Description)	PC10 - Gasoline in 5-liter cans
Price (fPrice)	1
	Tip:
	You must specify the price per unit of measure of the product (Purchase unit (PurchUnit) field), and not the price per batch.
Discount (pDiscount)	5%

3 Close all windows.

Create the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new request by selecting the models	Yes
Purpose	PC10 - Gasoline in 5-liter cans
Click OK	
Add models to your request page	
Brand	

Field or link	Value
Models	PC9 - Gasoline
Detail quantities and units	Select this option and enter a quantity of 400
Click Add	
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

4 AssetCenter displays the detail of the request generated using the wizard. Examine the detail of this request; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Purpose	PC10 - Gasoline in 5-liter cans
Req. status (seStatus)	In preparation
Composition tab	
List	Request line corresponding to the model PC9 -
	Gasoline.
	Looking at the detail of this request line, you will notice that the requested quantity is 400 expressed in PC9 - I .

5 Populate the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC10 - REQ002

- 6 Validate the modification of the request (Modify button).
- 7 Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

- 1 Make sure the detail of the request PC10 REQ002 is displayed.
- 2 Click the Ouote button.
- 3 Populate the Generate an estimate wizard with the values shown in the following table:

Field or link	Value
Select the lines to take into account page	
Choose from a catalog or a supplier	No

Field or link	Value
Take all lines into account	Yes
Click Next	
Modify the references used by the request page	ge
List of request lines	Select PC9 - Gasoline 400 4 PC9 - Gasoline (PC1
	- MySupplier) PC9 - Gasoline 1 USD 5%
List of corresponding catalog references	Select PC10 - Gasoline in 5-liter cans (PC1 -
	MySupplier) PC10 - Gasoline in 5-liter cans 1
	USD 5% 0 PC9 - Liter PC1 - MySupplier
Click Associate the request with the selected r	eference
Validate execution of the wizard (Finish button)
Exit the wizard (OK button)	

4 AssetCenter displays the detail of the estimate generated from the request. Examine the detail of this estimate; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Ord. status (seStatus)	Quote requested
Initial request (Request)	PC10 - REQ002 (PC10 - Gasoline in 5-liter cans)
Composition tab	
List	Estimate line corresponding to the request line PC10 - REQ002 associated with the catalog reference PC10 - Gasoline in 5-liter cans (PC1 - MySupplier) using the wizard Generate an estimate
	Looking at the detail of this purchase order line, you will notice that the quantity ordered is now 4 batches of 20 5-liter cans.
	The conversion between the number of items requested and the number of batches ordered has been correctly performed.

5 Assign a number to the estimate and confirm its quoted status by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted

Field or link	Value
Number (PONumber)	PC10 - EST002

- 6 Validate these modifications (**Modify** button).
- 7 Leave the detail of the estimate displayed.

Issue the purchase order from the estimate

- 1 Make sure the detail of the estimate **PC10 EST002** is displayed.
- 2 Click the Issue button.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (OK button).
- 5 AssetCenter displays the detail of the purchase order generated from the estimate.

Examine the detail of this order; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Ord. status (seStatus)	Issued
Sent (dtSent)	Current date
Composition tab	
List	Purchase order line corresponding to the model PC9 - Gasoline .

6 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC10 EST002 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the detail of the portfolio item generated from the purchase order.
 - Examine the detail of this portfolio item; Certain fields and links are already populated, in particular:

Field or link	Value
Model (Model)	The model selected in the initial request is shown
	(PC9 - Gasoline)
General tab	
Quantity (fQty)	400 PC9 - I
	Note:
	A conversion is performed once more, so that the quantity is expressed in accordance with the nature and the unit of the portfolio item received
Unit value (mAvgPrice)	The price from the estimate line and purchase order line is shown (0.95 USD)



Warning:

When receiving a product expressed by a quantity, AssetCenter will only create a new portfolio item if it does not find a portfolio item associated with the same model and associated with the same location, user, or stock.

When AssetCenter comes across such a portfolio item, the quantity received is simply added to the existing quantity of the portfolio item.

6 Close all windows.

15 Reservations

Key concepts

AssetCenter enables you to reserve:

- Portfolio items that are already in stock.
- Portfolio items that are going to be ordered.

A portfolio item is reserved when it is requested, at the level of the request lines.

The portfolio items reserved in stock are deducted from the number of portfolio items to be ordered.

Example: If you request 3 USB keys, and you reserve one in stock, only 2 are ordered.

Procedures

Reserving a portfolio item in stock

To reserve a portfolio item in stock:

1 Display the requests (Procurement/ Purchase requests menu).

- 2 Display the detail of the request.
- 3 Display the Composition tab.
- 4 Display the detail of the request line.
- 5 Display the Reservations tab.
- 6 Add a reservation and populate the following fields and links in particular:

Field or link	Value
General tab	
Portfolio item (Assignment)	Portfolio item in stock to reserve
Quantity (fQty)	Quantity to reserve when a unit is associated with the model of the portfolio item (Unit used (UseUnit) field)



Warning:

You must not add a reservation to a request line after an estimate or a purchase order based on this request line has been created.

In the eventuality that you add a reservation after creating an estimate, the estimate will not be able to be transformed into a purchase order (mismatching quantities between the request, reservation and estimate).

In the eventuality that you add a reservation after creating a purchase order, receiving the purchase order will lead to the creation of new portfolio items without taking into account the reserved portfolio item in stock.



Note:

The reservation information is then displayed in the detail of the portfolio item, Portfolio tab, Reservation sub-tab.

Reserving a portfolio item to be ordered

To reserved an model on order:

- 1 Display the requests (Procurement/ Purchase requests menu).
- 2 Display the detail of the request.
- 3 Display the Composition tab.
- 4 Display the detail of the request line of the model to reserve.
- 5 Populate the following fields and links:

Field or link	Value
General tab	
User (User)	Department or employee for whom the portfolio items are reserved
Immediate assignment (blnstantAssign)	If this option is selected, the items received will be populated as follows:

Field or link	Value
Assignment (seAssignment)	In use
User (User)	User designated in the re-
	quest line

• If this option is unselected, the items received will be populated as follows:

Field or link	Value
General tab	
Assignment (seAssignment)	In stock
Stock (Stock)	Stock selected in the request
	line
Reservation tab	
A reservation is created for the	user designated in the request
line	



Warning:

The User field only appears for requests and request lines. It does not appear for orders or order lines.

Practical case 11 - Reservations

Presentation

This practical case aims to show you how to reserve a portfolio item when requesting it and this impact this has on the procurement cycle.

In particular, you will discover that the process handles management constraints and the unit defined at the level of the nature associated with the model.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]
- Practical case 9: Units of measure [page 146]
- Practical case 10a: Packaging [page 155]

Scenario

You wish to request different portfolio items.

Among these models, certain will be reserved for Mr. PC1 - Riddick.

Among the remaining models, certain will be assigned immediately to Mr. PC1 - Riddick on receipt, others will be included in the portfolio without a user, and others will be assigned to stock.

Requested models	To reserve in stock PC1 - Stock for Mr. PC1 - Riddick	To order and immediately assign to Mr. PC1 - Riddick upon receipt		To order and place in stock PC1 - Stock without making any reservations
5 PC1 - Com-	1			4
paq E500				
computers				
20 PC10 -	1	6		12
Ink cartridge				
700 liters of	100		100	500
PC9 - Gasol-				
ine				

To do this:

- You save this need in the form of a request.
- This request is quoted in the form of an estimate linked to the company PC1
 MySupplier.
- The estimate is issued in the form of a purchase order.

- The portfolio items are received.
- The reserved items are taken out of stock.

Steps to follow

Create the portfolio items in stock

- 1 Display the portfolio items (Portfolio/ Portfolio items menu).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Model (Model)	PC1 - E500
Assignment (seAssignment)	In stock
Stock (Stock)	PC1 - Stock

Field or link	Value
Model (Model)	PC10 - Ink cartridge
Quantity (fQty)	2
Assignment (seAssignment)	In stock
Stock (Stock)	PC1 - Stock

Field or link	Value
Model (Model)	PC9 - Gasoline
Quantity (fQty)	200
Assignment (seAssignment)	In stock
Stock (Stock)	PC1 - Stock

3 Close all windows.

Create the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new request by selecting the models	Yes
Purpose	PC11 - Request with reservations
Click OK	
Add models to your request page	
Models	PC1 - E500
Detail quantities and units	Select this option and enter a quantity of 5
	Note:
	4 to order + 1 in stock
Click Add	
Models	PC10 - Ink cartridge
Detail quantities and units	Select this option and enter a quantity of 12
Click Add	
Models	PC10 - Ink cartridge
Detail quantities and units	Select this option and enter a quantity of 7
Click Add	
Models	PC9 - Gasoline PC9
Detail quantities and units	Select this option and enter a quantity of 500
Click Add	
Models	PC9 - Gasoline PC9
Detail quantities and units	Select this option and enter a quantity of 200
Click Add	
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	



We are forced to order the models PC10 - Ink cartridge and PC9 - Gasoline PC9 twice so that 2 request lines are created for each of the models.

We require 2 request lines for each of the models in order to distinguish between the request lines reserved for Mr. PC1 - Riddick and the request lines that have not been reserved (It is not possible to simply reserve part of a request line).

4 AssetCenter displays the detail of the request generated using the wizard. Examine the detail of this request; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Purpose	PC11 - Request with reservations
Ord. status (seStatus)	In preparation
Composition tab	
List	Request lines corresponding to the models PC1 - E500, PC10 - Ink cartridge and PC9 - Gasoline PC9

5 Populate the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC11 - REQ001

- 6 Select the Composition tab.
- 7 Display the detail of the purchase order line **5 PC1 E500 PC1 Computer**.
- 8 Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	No
User (User)	Leave this link empty
Purchase tab	
Deliv. stock (Stock)	PC1 - Stock

- 9 Select the Reservations tab.
- **10** Add a reservation and populate the fields and links specified in the following table:

Field or link	Value
Portfolio item (Assignment)	1 PC1 - Compaq PC1 - E500
Reserved by (Reserver)	PC1 - Riddick

- 11 Validate the modification to the request line (Modify button).
- ${\bf 12}$ Close the detail of the request line (${\bf Close}$ button).
- 13 Display the detail of the request line 7 PC10 Ink cartridge PC10 Consumable.
- **14** Populate the fields and links shown in the following table:

Field or link	Value
User (User)	PC1 - Riddick,

- 15 Select the Reservations tab.
- **16** Add a reservation and populate the fields and links specified in the following table:

Field or link	Value
Portfolio item (Assignment)	2 PC10 - Ink cartridge
Quantity (fQty)	1
Reserved by (Reserver)	PC1 - Riddick

- 17 Validate the modification to the request line (Modify button).
- **18** Close the detail of the request line (**Close** button).
- 19 Display the detail of the request line 12 PC10 Ink cartridge PC10 Consumable.
- **20** Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	No
User (User)	Leave this link empty
Purchase tab	
Deliv. stock (Stock)	PC1 - Stock

- 21 Validate the modification to the request line (Modify button).
- **22** Close the detail of the request line (**Close** button).
- 23 Display the detail of the purchase order line 200 PC9 Gasoline PC9 Liquid.
- **24** Populate the fields and links shown in the following table:

Value
No
PC1 - Riddick,
PC1 - Stock

- 25 Select the Reservations tab.
- **26** Add a reservation and populate the fields and links specified in the following table:

Field or link	Value
Portfolio item (Assignment)	200PC9 - I PC9 - Gasoline
Quantity (fQty)	100
Reserved by (Reserver)	PC1 - Riddick

- **27** Validate the modification to the request line (**Modify** button).
- 28 Close the detail of the request line (Close button).
- 29 Display the detail of the purchase order line 500 PC9 Gasoline PC9 Liquid.
- **30** Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	No
User (User)	Leave this link empty
Purchase tab	
Deliv. stock (Stock)	PC1 - Stock

- 31 Validate the modification to the request line (Modify button).
- **32** Close the detail of the request line (**Close** button).
- **33** Validate the modification of the request (**Modify** button).
- **34** Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

- 1 Make sure the detail of the request PC11 REQ001 is displayed.
- 2 Click the Quote button.
- 3 Populate the **Generate an estimate** wizard with the values shown in the following table:

Field or link	Value
Select the lines to take into account page	
Choose from a catalog or a supplier	No
Take all lines into account	Yes
Click Next	
Modify the references used by the request pag	e
List of request lines list	PC1 - E500 4 4 PC2 - E500 (PC1 - MySupplier) PC -
	E500 1,000 USD 10%
List of corresponding catalog references list	PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000
	USD 10% 0 PC1 - MySupplier
Click Associate the request with the selected reference	

Field or link	Value	
List of request lines list	PC10 - Ink cartridge 12 2 PC10 - Ink cartridge (PC1	
	- MySupplier) PC10 - Ink cartridge 100 USD 5%	
List of corresponding catalog references list	PC10 - Ink cartridge (PC1 - MySupplier) PC10 - Ink	
. 3	cartridge 100 USD 5% 0 PC1 - MySupplier	
Click Associate the request with the selected re	ference	
List of request lines list	PC10 - Ink cartridge 6 1 PC10 - Ink cartridge (PC1	
	- MySupplier) PC10 - Ink cartridge 100 USD 5%	
List of corresponding catalog references list	PC10 - Ink cartridge (PC1 - MySupplier) PC10 - Ink	
	cartridge 100 USD 5% 0 PC1 - MySupplier	
Click Associate the request with the selected reference		
List of request lines list	PC9 - Gasoline 500 5 PC9 - Gasoline (PC1 - My	
	supplier) PC9 - Gasoline 1 USD 5%	
List of corresponding catalog references list	PC9 - Gasoline (PC1 - My supplier) PC9 - Gasoline	
	1 USD 5% 0 PC9 - Hectoliter PC1 - MySupplier	
Click Associate the request with the selected re	ference	
List of request lines list	PC9 - Gasoline 100 1 PC9 - Gasoline (PC1 - My	
	supplier) PC9 - Gasoline 1 USD 5%	
List of corresponding catalog references list	PC9 - Gasoline (PC1 - My supplier) PC9 - Gasoline	
	1 USD 5% 0 PC9 - Hectoliter PC1 - MySupplier	
Click Associate the request with the selected reference		
Validate execution of the wizard (Finish button)		
Exit the wizard (OK button)		

4 AssetCenter displays the detail of the estimate generated from the request. Examine the detail of this estimate; Certain fields and links are already populated, in particular:

Field or link	Value
General tab	
Ord. status (seStatus)	Quote requested
Initial request (Request)	PC11 - REQ001 (PC11 - Request with reservations)
Composition tab	
List	Purchase order lines corresponding to the catalog references selected using the Generate an estim-ate wizard

5 Assign a number to the estimate and confirm the requested quote for this estimate by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted

Field or link	Value
Number (PONumber)	PC11 - EST001

- 6 Validate these modifications (Modify button).
- 7 Leave the detail of the estimate displayed.

Issue the estimate in the form of purchase order

- 1 Make sure the detail of the estimate PC11 EST001 is displayed.
- 2 Click the **Issue** button.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (OK button).
- 5 AssetCenter displays the detail of the purchase order generated from the estimate.

Examine the detail of this order; Certain fields and links are already populated, in particular:

Field or link	Value	
General tab		
Ord. status (seStatus)	Issued	
Sent (dtSent)	Current date	

6 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC11 EST001 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the list of the portfolio items generated from the purchase order.

Examine the detail of these portfolio items:

4 PC1 - E500 corresponding to 5 articles requested minus 1 article reserved in stock:

Field or link	Value	
Model (Model)	PC1 - E500	
General tab		

Field or link	Value	
Assignment (seAssignment)	In stock	
Stock (Stock)	PC1 - Stock	
Reservations tab		
List	The list is empty	

600 PC9 - Liters of PC9 - Gasoline:

Field or link	Value
Model (Model)	PC9 - Gasoline
General tab	
Quantity (fQty)	600, which is the sum of:
	500 liters on order and to be received in stockPC1 - Stock
	100 liters on order and to be received in stockPC1 - Stock
Assignment (seAssignment)	In stock
Stock (Stock)	PC1 - Stock
Reservations tab	
List	

14 PC10 - Ink cartridge

Field or link	Value
Model (Model)	PC10 - Ink cartridge
General tab	
Quantity (fQty)	14, which is the sum of:
	 2 cartridges already in stock PC1 - Stock before the purchase order
	12 cartridges on order and to be received in stock PC1 - Stock
Assignment (seAssignment)	In stock
Stock (Stock)	PC1 - Stock
Reservations tab	
List	1 reservation of 1 cartridge for Mr. PC1 - Riddick performed at the level of the request line

6 PC10 - Ink cartridge:

Field or link	Value
Model (Model)	PC10 - Ink cartridge

Field or link	Value
General tab	
Quantity (fQty)	6
User (User)	PC1 - Riddick

Issue the items in stock

- 1 Display the purchase orders (**Procurement/ Purchase orders and estimates** menu).
- 2 Display the detail of the purchase order PC11 EST001.
- 3 Select the Tracking tab.
- 4 Unfold the Reservations branch.
- 5 Display the detail of XXXXXX (1 PC1 E500) (double-click the line).
- 6 Display the detail of the reserved portfolio item (magnifier to the right of the **Portfolio item** link (Assignment)).
- 7 Populate the following fields and links:

Field or link	Value
Assignment (seAssignment)	In use
User (User)	PC1 - Riddick
In-service date (dAssignment)	Current date

- 8 Close the detail of the portfolio item (**Close** button).
- **9** Close the detail of the reservation (**Close** button).
- 10 Display the detail of XXXXXX (100 PC9 Gasoline) (double-click the line).
- 11 Display the detail of the reserved portfolio item (magnifier to the right of the **Portfolio item** link (Assignment)).
- 12 Divide the batch (Divide button).
- **13** Populate the **Divide a batch** wizard with the values shown in the following table:

Field or link	Value	
Divide a batch page		
Quantity to extract	100	
Assignment	In use	
User	PC1 - Riddick	
In-service date	Current date	

Field or link	Value
Validate execution of the wizard (OK button)	_

- **14** Close the detail of the portfolio item (**Close** button).
- **15** Close the detail of the reservation (**Close** button).
- 16 Display the detail of XXXXXX (100 PC9 Gasoline) (double-click the line).
- 17 Display the detail of the reserved portfolio item (magnifier to the right of the **Portfolio item** link (Assignment)).
- 18 Divide the batch (Divide button).
- **19** Populate the **Divide a batch** wizard with the values shown in the following table:

Field or link	Value
Divide a batch page	
Quantity to extract	100
Assignment	In use
User	PC1 - Riddick
Validate execution of the wizard (OK button)	

- 20 Close the detail of the portfolio item (Close button).
- 21 Close the detail of the reservation (Close button).
- 22 Display the detail of XXXXXX(1 PC10 Ink cartridge) (double-click the line).
- 23 Display the detail of the reserved portfolio item (magnifier to the right of the **Portfolio item** link (Assignment)).
- **24** Populate the following fields and links:

Field or link	Value
Assignment (seAssignment)	In use
User (User)	PC1 - Riddick
In-service date (dAssignment)	Current date

16 Replacements

Key concepts

The purchase request detail enables you to specify which assets are to be replaced.

The list of assets to be replaced is for informational purposes only; AssetCenter does not perform any operations linked to the replacement upon receipt.

Procedures

To specify that asset will be replaced by a purchase order:

- 1 Display the requests (Procurement/ Purchase requests menu).
- 2 Display the detail of the request.
- 3 Display the **Replacements** tab.
- 4 Add the assets to replace (+ button).

Practical case 12 - Replacements

Presentation

This practical case aims to show you how to process an asset replacement request.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Scenario

Mr. PC1 - Riddick has a computer PC1 - Compaq E500 that no longer works.

This computer should be replaced by an other computer of the same model. To do this:

- You save this need in the form of a request.
- This request is quoted in the form of an estimate linked to the company PC1
 MySupplier.
- The estimate is issued in the form of a purchase order.
- The new computer is received and assigned to Mr. PC1 Riddick.
- The old computer is retired.

Steps to follow

Create the old computer

- 1 Display the computers (**Portfolio/ Computers** menu).
- 2 Create the following records, by populating the fields and links as shown in the following tables:

Field or link	Value
Asset tag (AssetTag)	PC12 - CPU001
General tab	
Model (Model)	PC1 - E500
Assignment (seAssignment)	In use
User (User)	PC1 - Riddick

3 Close all windows.

Create the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new request by selecting the models	Yes
Purpose	PC12 - Replace computer for Mr. Riddick
Click OK	
Add models to your request page	
Models	PC1 - E500
Detail quantities and units	Select this option and enter a quantity of 1
Add the model (Add button)	
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

- 4 AssetCenter displays the detail of the request generated using the wizard.
- 5 Populate the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC12 - REQ001

- 6 Select the Composition tab.
- 7 Display the detail of the purchase order line 1 PC1 E500 PC1 Computer.
- 8 Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	Yes

Field or link	Value	
General tab		
User (User)	PC1 - Riddick	

- 9 Validate the modification to the request line (Modify button).
- **10** Close the detail of the request line (**Close** button).
- 11 Select the Replacements tab.
- 12 Add a link to asset PC12 CPU001.
- 13 Validate the modification of the request (Modify button).
- 14 Leave the detail of the request displayed.

Evaluate the request in the form of an estimate

- 1 Make sure the detail of the request PC12 REQ001 is displayed.
- 2 Click the Quote button.
- 3 Populate the **Generate an estimate** wizard with the values shown in the following table:

Field or link	Value	
Select the lines to take into account page		
Choose from a catalog or a supplier	No	
Take all lines into account	Yes	
Click Next		
Modify the references used by the request page		
List of request lines list	PC1 - E500 1 1 PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000 USD 10%	
List of corresponding catalog references list	PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000 USD 10% 0 PC1 - MySupplier	
Click Associate the request with the selected reference		
Validate execution of the wizard (Finish button)		
Exit the wizard (OK button)		

- 4 AssetCenter displays the detail of the estimate generated from the request.
- 5 Assign a number to the estimate and confirm its quoted status by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted

Field or link	Value
Number (PONumber)	PC12 - EST001

- **6** Validate these modifications (**Modify** button).
- 7 Leave the detail of the estimate displayed.

Issue the estimate in the form of purchase order

- 1 Make sure the detail of the estimate PC12 EST001 is displayed.
- 2 Click the Issue button.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the detail of the purchase order generated from the request.
- 6 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC12 EST001 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the list of the portfolio items generated from the purchase order.

Take a look at the detail of the computer of model PC1 - E500:

Field or link	Value
Model (Model)	The model selected in the initial request is shown
	(PC1 - E500)
General tab	
User (User)	PC1 - Riddick

6 Close all windows.

Retire PC1 - Riddick's old computer

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Display the detail of the request PC12 RFP001.
- **3** Select the **Replacements** tab.

- 4 Display the detail of PC1 Compaq PC1 E500 (PC12 CPU001) PC12 CPU001 (double-click on the line).
- 5 Populate the following fields and links:

Field or link	Value
Portfolio tab	
Assignment (seAssignment)	Retired (or consumed)

- 6 Validate the modifications (Modify button).
- 7 Close all windows.

17 Work orders

Key concepts

Work orders are services that can be managed within the procurement cycle. The way in which a work order is received depends on the its type (**Type** (seType) field):

- Internal maintenance
- On-contract maintenance or Off-contract maintenance

The line-of-business data related to the **Procurement** module includes the following workflow schemes:

- Auto-create work orders (BST_PROCUR_CREATEWO): Automates the creation of internal work orders.
- Work order tracking (BST_PROCUR_UPDATEWO): Creates a workflow task for the technician responsible for the work order; When requested, this workflow task triggers a wizard that is used to populate certain fields in the work order detail.

Procedures

Acquiring an Internal maintenance type work order

1 Create a request (Procurement/ Purchase requests menu).
Add a request line referencing a model whose nature has the following features:

Field or link	Value
Create (seBasis)	Work order

The model itself must have the following features:

Field or link	Value
Work order tab	
Type (seWOType)	Internal maintenance

2 Create an estimate from the request (**Quote** button).

Acquiring an On-contract maintenance or Off-contract maintenance type work order

1 Create a request (Procurement/ Purchase requests menu).
Add a request line referencing a model whose nature has the following features:

Field or link	Value
Create (seBasis)	Work order

The model itself must have the following features:

Field or link	Value	
Work order tab		

Field or link	Value
Type (seWOType)	On-contract maintenance or Off-contract main-
	tenance

2 Create an estimate from the request (Quote button).

Automating the creation of Internal maintenance type work orders

- 1 If it is not already done, import the line-of-business data linked to procurement into your AssetCenter database.
 - ▶ Preliminary steps [page 31].

In this way, the **Auto-create work orders** (BST_PROCUR_CREATEWO) workflow scheme is imported into your database.

- 2 Start AssetCenter Server.
- 3 Configure the module Execute workflow rules for execution group 'BST_PROCUR' (WkGroupBST_PROCUR) (Tools/ Configure modules menu).
 - ▶ Administration Guide, chapter AssetCenter Server, section Configuring the modules monitored by AssetCenter Server.

In this way, AssetCenter Server will execute the **Auto-create work orders** (BST_PROCUR_CREATEWO) workflow scheme according to the scheduling mode and options defined for the **Execute workflow rules for execution group 'STD_PROCUR'** module.

The following are the features of the **Auto-create work orders** (BST_PROCUR_CREATEWO) workflow scheme:

Table 17.1. Work orders - Auto-create work orders workflow scheme

Conditions for	Table name	Field name	Value of the field
the workflow	Requests (amRe-	Req. status (seStatus)	Other than Satisfied or
scheme to be	quest)		Closed
triggered	Natures (am-	Create (seBasis)	Work order
	Nature)		
	Models (amMod-	Type (seWOType)	Internal maintenance
	el)		
	Request lines	((fQty - fQtyReserved) - fQ-	> 0
	(amReqLine)	tyReceived)	

Action triggered
by the workflow
schema

The **Auto-create work orders** (BST_PROCUR_CREATEWO) workflow scheme creates the **Internal maintenance** type work order that appear in the request lines.

Automating the updating of Internal maintenance type work orders

- 1 If it is not already done, import the line-of-business data linked to procurement into your AssetCenter database.
 - ▶ Preliminary steps [page 31].

In this way, the **Work order tracking** (BST_PROCUR_UPDATEWO) workflow scheme and the associated wizard **Update a work order** (UpdateWO) are imported into your database.

- 2 Start AssetCenter Server.
- 3 Configure the module Execute workflow rules for execution group 'BST_PROCUR' (WkGroupBST_PROCUR) (Tools/ Configure modules menu).
 - ▶ Administration Guide, chapter AssetCenter Server, section Configuring the modules monitored by AssetCenter Server.

In this way, AssetCenter Server will execute the **Work order tracking** (BST_PROCUR_UPDATEWO) workflow scheme according to the scheduling mode and options defined for the **Execute workflow rules for execution group 'STD_PROCUR'** module.

The following are the features of the **Work order tracking** (BST_PROCUR_UPDATEWO) workflow scheme:

Table 17.2. Work orders - Work order tracking workflow scheme

Event triggering the workflow	Creation of a work order or modification of the Technician (Technician) field in the Work orders (amWorkOrder) table		
Conditions for	Table name	Field name	Value of the field
the workflow	Work orders (am-	Type (seType)	Internal maintenance
scheme to be	WorkOrder)		
triggered	Work orders (am- WorkOrder)	Technician (Technician)	Not empty
	Work orders (am- WorkOrder)	Status (seStatus)	Other than Closed

Action triggered by the workflow schema

The workflow scheme creates a workflow task:

- Called Update a work order
- Assigned to the person designated by the Technician (Technician) field
- Linked to the work order
- That prompts them to start the **Update a work order** (UpdateWO) wizard

The **Update a work order** (UpdateWO) wizard is used to rapidly populate certain key fields in the detail of a work order.

Practical case 13 - Work orders

Presentation

This practical case aims to illustrate the different stages in the procurement cycle for work orders and how they differ depending on the work order type.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Scenario

Mr. PC1 - Riddick requests a computer PC1 - Compaq E500, an off-contract work order to install the computer and an internal work order to connect the computer to the network.

To do this:

- You save this need in the form of a request.
- This request is quoted in the form of an estimate linked to the company PC1
 MySupplier.
- The estimate is issued in the form of a purchase order.
- The computer and the internal work order are created.
- The computer and the external work order are received.

Steps to follow

Create the request

- 1 Display the requests (Procurement/ Purchase requests menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new request by selecting the models	Yes
Purpose	PC13 - Purchase and connect computer
Click OK	
Add models to your request page	
Models	Select the following models together:
	■ PC1 - E500
	PC1 - Install computer
	PC1 - Connect computer
Detail quantities and units	Select this option and enter a quantity of 1
Click Add	
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

- 4 AssetCenter displays the detail of the request generated using the wizard.
- 5 Populate the fields and links shown in the following table:

Field or link	Value
Number (ReqNumber)	PC13 - REQ001

- **6** Select the **Composition** tab.
- 7 Display the detail of the purchase order line 1 PC1 E500 PC1 Computer.
- 8 Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	Yes
General tab	

Field or link	Value
User (User)	PC1 - Riddick

- **9** Validate the modification to the request line (**Modify** button).
- **10** Close the detail of the request line (**Close** button).
- 11 Display the detail of the purchase order line 1 PC1 Connect computer PC1 Technician.
- **12** Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	Yes
General tab	
User (User)	PC1 - Riddick
Port. item requested (UsedReqLineAsset)	1 PC1 - E500

- 13 Validate the modification to the request line (Modify button).
- **14** Close the detail of the request line (**Close** button).
- 15 Display the detail of the purchase order line 1 PC1 Install computer PC1 Technician.
- **16** Populate the fields and links shown in the following table:

Field or link	Value
Immediate assignment (blnstantAssign)	Yes
General tab	
User (User)	PC1 - Riddick
Port. item requested (UsedReqLineAsset)	1 PC1 - E500

- 17 Validate the modification to the request line (Modify button).
- **18** Close the detail of the request line (**Close** button).
- **19** Validate the modification of the request (**Modify** button).
- **20** Leave the detail of the request displayed.

Create the internal work order

- 1 Make sure the detail of the request PC13 REQ001 is displayed.
- 2 Modify the following fields and links:

Field or link	Value
Req. status (seStatus)	Validated

- 3 Validate these modifications (Modify button).
- 4 Click Execute.
- 5 Populate the Create items not giving rise to a purchase order wizard with the values shown in the following table:

Field or link	Value
Create items not giving rise to a purchase order	r page
Request lines to process	Select the line PC1 - Install computer PC1 - Install computer 1 1 and set the Quantity to create column to 0.
Validate execution of the wizard (Finish button)	
Exit the wizard (OK button)	

- 6 Display the **Tracking** tab.
- 7 Unfold the Work orders branch.
- 8 Display the detail of the work order PC1 Connect computer and take a look at the following fields and links:

Field or link	Value
Notified on (dtNotif)	Date and time of creation of the work order
Asset (Asset)	This link is not populated for the moment.
	It will be populated when the asset is created.
Requester (Requester)	PC1 - Riddick

- **9** Close the work order detail.
- **10** Leave the detail of the request displayed.

Create a purchase order from the request

- 1 Make sure the detail of the request PC13 REQ001 is displayed.
- 2 Click the Order button.
- 3 Populate the **Generate a purchase order** wizard with the values shown in the following table:

Field or link	Value
Select the lines to take into account page	

Field or link	Value
Choose from a catalog or a supplier	No
Take all lines into account	Yes

Tip:

Note that the work order PC1 - Connect computer is not selected.

Since its type is **Internal maintenance**, it does not require ordering from a supplier.

Click Next			
Modify the references used by the request pag	e		
List of request lines list	PC1 - E500 1 1 PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000 USD 10%		
List of corresponding catalog references list	PC2 - E500 (PC1 - MySupplier) PC2 - E500 1,000 USD 10% 0 PC1 - MySupplier		
Click Associate the request with the selected re	eference		
List of request lines list	PC1 - Install computer 1 1 PC2 - Install computer (PC1 - MySupplier) PC2 - Install computer 400 USD 10%		
List of corresponding catalog references list	PC2 - Install computer (PC1 - MySupplier) PC2 - Install computer 400 USD 10% 0 PC1 - MySupplier		
Click Associate the request with the selected reference			
Validate execution of the wizard (Finish button)			
Exit the wizard (OK button)			

- 4 AssetCenter displays the detail of the purchase order generated from the request.
- 5 Assign a number to the purchase order and confirm the requested quote for this estimate by populating the fields and links shown in the following table:

Field or link	Value
Ord. status (seStatus)	Quoted
Number (PONumber)	PC13 - PO001

- 6 Validate these modifications (**Modify** button).
- 7 Leave the detail of the purchase order displayed.

Issue the purchase order

- 1 Make sure the detail of the purchase order PC13 PO001 is displayed.
- 2 Click the Issue button.
- **3** Validate execution of the wizard (**Finish** button).
- 4 Exit the wizard (OK button).

5 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC13 PO001 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (**OK** button).
- 5 AssetCenter displays the detail of the portfolio item that was created.
- **6** Examine the following fields and links:

Field or link	Value	
General tab		
Assignment (seAssignment)	In use	
User (User)	PC1 - Riddick	
In-service date (dAssignment)	Date of receipt	

- 7 Display the Maint. tab.
- 8 Display the detail of the work order PC1 Install computer and take a look at the following fields and links:

Field or link	Value
Notified on (dtNotif)	Date and time of creation of the work order
Asset (Asset)	PC1 - Compaq PC1 - E500
Requester (Requester)	PC1 - Riddick

- **9** Close the work order detail.
- **10** Display the detail of the work order **PC1 Connect computer**.

This work order was created before receiving the work order, but the following link was not yet populated:

Field or link	Value
Asset (Asset)	PC1 - Compaq PC1 - E500

- 11 Close the work order detail.
- 12 Close all windows.

18 Automatic stock reordering

AssetCenter enables you to set up rules to create automatic purchase requests for stock replenishment.

AssetCenter Server monitors the stock rules and creates the re-order lines, if required.

Next, it is your job to look for these requests and to process them throughout the procurement cycle.

▶ Portfolio Guide, chapter Portfolio items, section Stocks.

					_					
Δ	c	c	ο'	м		Δ	n	٠	Δ	۳

19 Leasing

Key concepts

AssetCenter enables you to manage the acquisition of assets using leasing agreements.

Definition of leasing

A **leasing contract** is the description of a **leasing agreement**. We sometimes refer to this type of contract as a **financing contract**.

This type of contract is a form of long-term rental agreement. It gives the lessee the right to use an asset for a given period against the payment of rent.

The lessee or client has full use of the equipment without technically owning them.

The lessee pays rent to the lessor, who is the legal owner of the assets being rented.

How to manage the acquisition of leased assets using AssetCenter

Leasing contracts are described in the **Contracts** (amContract) table.§§§§ Purchase orders can then be created in reference to the leasing contract. The link with the leasing contract may be established at any of the following stages:

Stage	Effect
Request	Defines the default behavior of the request
	lines
Request line	Specifies that the requested items are financed
	by a leasing agreement



The **Financing contract** (AcquCntr) fields at the purchase order line level and the request line level are not taken into account.

Prerequisites

In order to be able to create a leasing contract, your AssetCenter user license must give you access to the **Contracts** module.

Procedures

Creating the leasing contract used to finance the acquisition of assets

To create a leasing contract to finance the acquisition of the assets:

- 1 Display the contracts (Contracts/ Contracts menu item).
- Create a new contract (New button).In particular, populate the fields and links shown in the following table:

Field or link	Value
Type (seType)	Lease schedule
General tab	
Nature of payments (sePayType)	On the other values available in the itemized list
Acq. method (seAcquMethod)	Rental
	Lease
Leasing tab	
Lessor (Lessor)	This link must be the same as the supplier that will
	be used in request, estimates, and purchase orders
Assets (leased) tab	Do not create the assets directly: They will be cre-
	ated upon receipt of the purchase orders
Rents tab	Do not create the rents before receiving the assets

Creating the requests for assets financed by the leasing contract

To create a request whose assets will be linked directly to the leasing contract upon receipt:

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- **2** Create a new request (**New** button).
- 3 Populate the detail of the request.
- 4 Save the new request (Create button).
- 5 Select the Composition tab.
- 6 Add a first request line for the asset. In particular, populate the fields and links shown in the following table:

Field or link	Value
Financing tab	
Linked to a schedule (bUsesAcquCntr)	Yes
Financing contract (AcquContract)	Select the financing contract

- 7 Save the request line created (Add button).
- 8 Save the changes made to the request (Modify button).
- 9 Add a second request line to link the asset to the financing contract. In particular, populate the fields and links shown in the following table:

Field or link	Value
Contract utilization (bCntrUtilization)	Yes

Field or link	Value
Contract requested (UsedReqLineCntr)	Leave this link empty
Port. item requested (UsedReqLineAsset)	Select the request line created for the asset

- 10 Save the request line created (Add button).
- 11 Save the modifications made to the request (Modify button).

Creating estimate, purchase orders, and receiving slips for assets financed by the leasing contract

For the remainder of the procurement cycle, proceed as in the general case.

The assets received will be associated with leasing contract.

Defining the rents for the assets financed by the leasing contract

Once the asset are received, you may proceed as described in the **Contracts Guide** to create the rents, accept the assets and generate the acquisition expense lines.

20 Contracts

Key concepts

The procurement cycle enables you to manage the association of an asset with a contract.

You can reference an existing contract or a contract to be acquired.

You can reference an existing asset or an asset to be acquired.

There are four possible combinations; The are described below.

Procedures

Associating an existing contract with an existing asset

- 1 Create a new request (Procurement/ Purchase requests menu).
- 2 Select the Composition tab.
- 3 Add a request line, populating in particular the following fields and links:

Field or link	Value	
General tab		
Contract utilization (bCntrUtilization)	Yes	
Click the 🗵 icon to the right of the Contract requested (UsedReqLineCntr) field		
Contract used (UsedContract)	Select the contract to associate with the asset	
Click the 🗷 icon to the right of the Port. item requested (UsedReqLineAsset) field		
Asset used (UsedAsset)	Select the asset to associate with the contract	

4 Continue the procurement cycle.

Associating an existing contract with a new asset

- 1 Create a new request (Procurement/ Purchase requests menu).
- 2 Select the Composition tab.
- 3 Add a request line for the asset, populating in particular the following fields and links:

Field or link	Value
General tab	
Contract utilization (bCntrUtilization)	No
Model (Model)	Select the model of the new asset

4 Add a request line for the contract, populating in particular the following fields and links:

Field or link	Value	
General tab		
Contract utilization (bCntrUtilization)	Yes	
Click the 🗵 icon to the right of the Contract requested (UsedReqLineCntr) field		
Contract used (UsedContract)	Select the contract to associate with the asset	
Port. item requested (UsedReqLineAsset)	Select the request line of the new asset	

5 Continue the procurement cycle.

Associating a new contract with an existing asset

- 1 Create a new request (Procurement/ Purchase requests menu).
- 2 Select the Composition tab.

3 Add a request line, populating in particular the following fields and links:

Field or link	Value	
General tab		
Contract utilization (bCntrUtilization)	No	
Model (Model)	Select the model of the new contract to be associ-	
	ated with the existing asset	
Click the 🗷 icon to the right of the Port. item requested (UsedReqLineAsset) field		
Asset used (UsedAsset)	Select the asset to associate with the contract	

4 Continue the procurement cycle.

Associating a new contract with a new asset

- 1 Create a new request (Procurement/ Purchase requests menu).
- 2 Select the Composition tab.
- 3 Add a request line for the asset, populating in particular the following fields and links:

Field or link	Value
General tab	
Contract utilization (bCntrUtilization)	No
Model (Model)	Select the model of the new asset

4 Add a request line for the contract, populating in particular the following fields and links:

Field or link	Value
General tab	
Contract utilization (bCntrUtilization)	No
Model (Model)	Select the model of the new contract
Port. item requested (UsedReqLineAsset)	Select the request line of the new asset

5 Continue the procurement cycle.

Practical case 14 - Contracts

Presentation

This practical case aims to show you how to associate a contract with an asset. The 4 combinations (existing or new contract, existing or new asset) are covered.

Prerequisites

You must have performed the practical cases first:

- Practical case 1: Suitable reference records [page 36]
- Practical case 2: Simple catalog [page 49]

Scenario

You wish to:

- Link an existing contract PC1 Maintenance contract with an existing asset
 PC1 E500.
- Link an existing contract PC1 Maintenance contract with a new asset PC1
 External CD writer.
- Link a new contract PC1 Warranty to an existing asset PC1 E500.
- Link a new contract PC1 Warranty with a new asset PC1 External CD writer.

Steps to follow

Create the existing asset

- 1 Display the assets (**Portfolio/ Assets and batches** menu).
- 2 Click New.
- 3 Populate the fields and links shown in the following table:

Field or link	Value
Model (Model)	PC1 - E500

Field or link	Value	
General tab		
Asset tag (AssetTag)	PC14 - 001	

- 4 Validate the creation of the asset (Create button).
- **5** Close all windows.

Create the existing contract

- 1 Display the contracts (Contracts/ Contracts menu).
- 2 Click New.
- 3 Populate the fields and links shown in the following table:

Field or link	Value
Reference (Ref)	PC14 - 001
Model (Model)	PC1 - Maintenance contract
General tab	
Company (Company)	PC1 - MySupplier

- 4 Validate the creation of the contract (**Create** button).
- 5 Close all windows.

Create the request

- 1 Display the requests (**Procurement/ Purchase requests** menu).
- 2 Click New.
- 3 Populate the **New request** wizard with the values shown in the following table:

Field or link	Value
New request page	
Create a new custom request	Yes
Validate execution of the wizard (OK button)	

- 4 AssetCenter displays the detail of a new request.
- 5 Populate the fields and links shown in the following table:

Field or link	Value
Purpose	PC14 - Associate contracts with portfolio items

Field or link	Value
Number (ReqNumber)	PC14 - REQ001

- 6 Validate the creation of the request (Create button).
- 7 Select the Composition tab.
- 8 Add the following request line by populating the fields and links as shown in the following tables (+ button):

Field or link	Value	
Description (LineDesc)	Link contract PC14 - 001 to asset PC14 - 001	
General tab		
Contract utilization (bCntrUtilization)	Yes	
Click the 🗷 icon to the right of the Contract requested (UsedReqLineCntr) field		
Contract used (UsedContract)	PC14 - 001 (PC1 - Maintenance contract)	
Click the 🗷 icon to the right of the Port. item requested (UsedReqLineAsset) field		
Asset used (UsedAsset)	PC1 - Compaq PC1 - E500 (PC14 - 001)	

Field or link	Value
Description (LineDesc)	New PC1 - External CD writer
General tab	
Contract utilization (bCntrUtilization)	No
Model (Model)	PC1 - External CD writer
In order to be able to create the following request line, you must first validate the changes to the	
request (Modify button)	

Field or link	Value
Description (LineDesc)	Attach contract PC14 - 001 to 1 New PC1 - External
	CD writer
General tab	
Contract utilization (bCntrUtilization)	Yes
Click the ■ icon to the right of the Contract requested (UsedReqLineCntr) field	
Contract used (UsedContract)	PC14 - 001 (PC1 - Maintenance contract)
Port. item requested (UsedReqLineAsset)	1 New PC1 - External CD writer

Field or link	Value
Description (LineDesc)	New PC1 - Warranty
General tab	
Contract utilization (bCntrUtilization)	No

Field or link	Value
Model (Model)	PC1 - Warranty

Field or link	Value
Description (LineDesc)	Link 1 New PC1 - Warranty to asset PC14 - 001
General tab	
Contract utilization (bCntrUtilization)	Yes
Contract requested (UsedReqLineCntr)	1 New PC1 - Warranty
Click the 🗵 icon to the right of the Port. item requested (UsedReqLineAsset) field	
Asset used (UsedAsset)	PC1 - Compaq PC1 - E500 (PC14 - 001)

Field or link	Value
Description (LineDesc)	Link 1 New PC1 - Warranty to 1 New PC1 - External CD writer
Conceptab	CD WITTEI
General tab	
Contract utilization (bCntrUtilization)	Yes
Contract requested (UsedReqLineCntr)	1 New PC1 - Warranty
Port. item requested (UsedReqLineAsset)	1 New PC1 - External CD writer

- 9 Close the detail of the request line created.
- 10 Populate the fields and links shown in the following table:

Field or link	Value
Req. status (seStatus)	Validated

- 11 Validate the modification of the request (Modify button).
- **12** Leave the detail of the request displayed.

Create a purchase order for the new items from the request

- 1 Make sure the detail of the request PC14 REQ001 is displayed.
- 2 Click the **Order** button.
- 3 Populate the **Generate a purchase order** wizard with the values shown in the following table:

Field or link	Value
Select the lines to take into account page	
Choose from a catalog or a supplier	No
Take all lines into account	Yes
Click Next	

Field or link	Value	
Modify the references used by the request page		
List of request lines list	New PC1 - External CD writer 1 1 PC2 - External	
	CD writer (PC1 - MySupplier) PC2 - External CD	
	writer 150 USD 0%	
List of corresponding catalog references list	PC2 - External CD writer (PC1 - MySupplier) PC2 -	
	External CD writer 150 USD 0% 0 PC1 - MySupplier	
Click Associate the request with the selected reference		
List of request lines list	New PC1 - Warranty 1 1 PC2 - Warranty (PC1 -	
	MySupplier) PC2 - Warranty 50 USD 0%	
List of corresponding catalog references list	PC2 - Warranty (PC1 - MySupplier) PC2 - Warranty	
	50 USD 0% 0 PC1 - MySupplier	
Click Associate the request with the selected reference		
Validate execution of the wizard (Finish button)		
Exit the wizard (OK button)		

- 4 AssetCenter displays the detail of the purchase order generated using the purchase order.
- 5 Assign a number to the purchase order and populate the fields and links shown in the following table:

Field or link	Value
Number (PONumber)	PC14 - PO001

- 6 Validate these modifications (Modify button).
- 7 Leave the detail of the purchase order displayed.

Issue the purchase order

- 1 Make sure the detail of the purchase order PC14 PO001 is displayed.
- 2 Click the **Issue** button.
- 3 Validate execution of the wizard (Finish button).
- **4** Exit the wizard (**OK** button).
- 5 Leave the detail of the purchase order displayed.

Receive the purchase order

- 1 Make sure the detail of the purchase order PC14 PO001 is displayed.
- 2 Click Receive.
- 3 Validate execution of the wizard (Finish button).
- **4** Exit the wizard (**OK** button).

- 5 AssetCenter displays the detail of the asset generated from the purchase order.
- 6 Close the detail of the asset.
- 7 Close the detail of the purchase order.
- 8 Leave the detail of the request displayed.

Create the links with the existing contract

- 1 Make sure the detail of the request PC14 REQ001 is displayed.
- 2 Click Execute.
- 3 Validate execution of the wizard (Finish button).
- 4 Exit the wizard (OK button).
- 5 Leave the detail of the request displayed.

Take a look at the results

- 1 Make sure the detail of the request PC14 REQ001 is displayed.
- 2 Select the **Tracking** tab.
- 3 Unfold the Assets branch.
- 4 You will find the new asset PC1 Compaq PC1 External CD writer: It has been created on receiving the purchase order.
- 5 Display the detail of the asset PC1 Compaq PC1 External CD writer and select the tab Contracts: The link with the existing contract PC1 Maintenance contract and the new contract PC1 Warranty received has been correctly made.
- 6 Close the detail of the asset.
- 7 Close all windows.
- 8 Display the assets (Portfolio/ Assets and batches menu).
- Display the detail of the asset whose Asset tag (AssetTag) field is set to PC14
 001.
- 10 Select the Contracts tab: The link with the existing contract PC1 -Maintenance contract and the new contract PC1 - Warranty received has been correctly made.
- 11 Close all windows.





This glossary includes definitions of the key terms used in the Procurement module.

Asset

A record in the Assets table is a portfolio item of significant value requiring individual tracking.

In AssetCenter, each asset corresponds to 2 linked records:

- The first record is in the Portfolio Items table
- The second is in the Assets table (which is an overflow table of the Portfolio Items table)

In order for a portfolio item created to create a record in the Assets table, the **Management constraint** (seMgtConstraint) field in the nature of the model of this portfolio item must be set to **Unique asset tag**.

While it is true that all assets are portfolio items, it is not true that all portfolio items are assets.

Related concepts

Portfolio item [page 220]

- Nature [page 224]
- Model [page 223]

AssetCenter database table that describes these objects

Asset (amAsset)

Catalog

A catalog is used to describe what you can obtain from your suppliers.

Related concepts

- Product [page 225]
- Catalog reference [page 226]

AssetCenter database table that describes these objects

Catalogs (amCatalog)

Classification standard

Standard used to classify products.

Related concepts

Classification code [page 216]

Classification code

Code defined by a classification standard used to classify products.

Related concepts

Classification standard [page 216]

AssetCenter database table that describes these objects

Classification codes (amProdClassCode)

Purchase order

A purchase order contains the list of catalog references that you wish to acquire from a given supplier.

The purchase orders and estimates are created in the same table. The **Ord. status** (seStatus) field is used to differentiate between them.

Related concepts

- Estimate [page 219]
- Order line [page 222]

AssetCenter database table that describes these objects

Orders (amPOrder)

Standard order

A model that you can use to create purchase orders.

Related concepts

Purchase order [page 217]

AssetCenter database table that describes these objects

Order (amPOrder)

Creating ordered items before receiving them

It is possible for you to create the records corresponding to items on order even before they have been received.

This is true for all ordered product natures.

Doing this enables you to start business processes for these items as soon as they have been ordered (such as planning work orders or training, for example).

Procurement cycle

The procurement cycle joins together the following steps:

- 1 Request [page 218]
- 2 Estimate [page 219]
- **3** Purchase order [page 217]
- 4 Receiving [page 226]
- 5 Invoice [page 221]

Request

A request enables you to describe needs by making reference to models and using catalog references, if required.

The hierarchical links between records created on receiving purchase orders are defined by the hierarchical links between the request lines.

AssetCenter makes a slight distinction between a purchase request (created using the Procurement/ Purchase requests menu) and an internal request (created using the Portfolio/ Internal requests menu).

Internal requests and purchase request are represented by the same records; The **Procurement/ Purchase requests** and **Portfolio/ Internal requests** menus both display the same list of requests; The detail screens of the internal requests are limited as follows: The **Estimate** and **Order** buttons are not included.

These differences mean that users who do not have access to the **Procurement** module (and therefore the **Procurement** menu), but do have access to the

Portfolio module, can still use the **Portfolio**/ **Internal requests** menu to create a request.

Related concepts

Request line [page 221]

AssetCenter database table that describes these objects

Request (amRequest)

Standard request

A model that you can use to create requests.

Related concepts

Request [page 218]

AssetCenter database table that describes these objects

Request (amRequest)

Estimate

An estimate enables you to describe potential real-life purchase orders.

The purchase orders and estimates are created in the same table. The **Ord. status** (seStatus) field is used to differentiate between them.

Typically, an estimate is created from a request.

By way of exception, you may create an estimate without creating a request.

In this case, a request is automatically created with you click the **Issue** button in the estimate.

Related concepts

Purchase order [page 217]

Order line [page 222]

AssetCenter database table that describes these objects

Orders (amPOrder)

Portfolio item

A record in the Portfolio Items table is based on a model from which it inherits its features.

Depending on the value of the portfolio item, a management constraint is selected at the level of the nature of the model on which the portfolio item is based.

This constraint makes it possible to create each item as an asset, a batch or a untracked batch.

Depending on the overflow table specified in the nature of the model of a portfolio item, a record created in the Portfolio Items table is created with a linked record in one of the following tables:

- Assets table
- Computers table
- Telephones table
- Software installations table

AssetCenter database table that describes these objects

Portfolio items (amPortfolio)

Execution

This procedure is used to create items from a request that does not lead to the creation of a purchase order:

- Internal maintenance type work orders
- Linking a contract to a portfolio item

Invoice

An invoice enables you to record an invoice sent to you be a supplier.

The most logical way of creating an invoice is from the detail of a receiving slip.

AssetCenter database table that describes these objects

Supplier invoices (amInvoice)

Option group

An option group is a group of options from which you may choose when selecting a product in a purchase order.

Example: The **Number of doors** group, which includes the options **3-door** and **5-door**.

Request line

A request is made up of request lines.

Each request line concerns a given model, and describes a need based on this model.

Related concepts

Request [page 218]

AssetCenter database table that describes these objects

Request lines (amReqLine)

Order line

A purchase order is made up of purchase order lines.

Each purchase order line concerns a given catalog reference, and describes the terms and conditions of this reference.

Related concepts

Purchase order [page 217]

AssetCenter database table that describes these objects

Order lines (amPOrdLine)

Estimate line

An estimate is made up of purchase order lines.

Each purchase order line concerns a given catalog reference, and describes the terms and conditions of this reference.

Related concepts

Estimate [page 219]

AssetCenter database table that describes these objects

Order lines (amPOrdLine)

Invoice line

An invoice is made up of invoice lines.

Each invoice line concerns a given catalog reference and describes the way in which the catalog reference has been invoiced by the supplier.

Related concepts

Invoice [page 221]

AssetCenter database table that describes these objects

Invoice lines (amInvoiceLine)

Receipt line

A receiving slip is made up of receiving lines.

Each receipt line concerns a given catalog reference and describes the way in which the catalog reference has been received.

Related concepts

Receiving [page 226]

AssetCenter database table that describes these objects

Receipt lines (amReceiptLine)

Model

A record in the Models table enables you to create records in the following tables:

Portfolio items

The creation of a portfolio item is sometimes accompanied by the simultaneous creation of a record in one of the following overflow tables:

- Assets table
- Computers table
- Telephones table
- Software installations table
- Work orders
- Contracts
- Trainings

Cables

One you create one of these items, you must specify the model on which it is based. The data entered for a model is automatically reproduced in the records of its items. Examples: the CPU type of a computer; the applied tax; the duration of a contract, etc.

The hierarchical structure of the Models table helps you organize your portfolio. We recommend that you create generic models that encompass more specific sub-models. Example: Printer/Laser printer/Laserjet printer 8000DN.

AssetCenter database table that describes these objects

Models (amModel)

Nature

A record in the Natures table determines the type of item a model can create. When you create a model, you must indicate its nature. The model is then based on this particular nature.

Natures are available for the following models:

- Portfolio items
- Work orders
- Contracts
- Trainings
- Cables

When you create a nature, you define certain parameters that will influence the models based on this nature. Example: Setting the nature's **Management constraint** field (seMgtConstraint) to **Free** enables you to create models of portfolio items that do not have records in the Assets table.

AssetCenter database table that describes these objects

Natures (amNature) Yes

Product option

Optional component available when ordering a product.

Options may be grouped together in option groups.

Related concepts

Option group [page 221]

AssetCenter database table that describes these objects

Product options (amProdOption)

Product

A product is an item, a set of items or a service that you may acquire.

A given product may be acquired from different suppliers with different conditions, which are described in the form of catalog references.

Example: The product **HP VECTRA VL 800** is available as a reference in the **Micro** catalog and is also referenced in the **Direct** catalog.

A product may correspond to a single object (a CPU) or a set of objects (a computer configuration).

Related concepts

Catalog reference [page 226]

AssetCenter database table that describes these objects

Products (amProduct)

Return

An operation that consists of returning an object to its supplier after receiving it.

AssetCenter database table that describes these objects

Receiving slips (amReceipt)

Receiving

Operation that consists of recognizing and registering the delivery of a goods or accepting services.

AssetCenter database table that describes these objects

Receiving slips (amReceipt)

Catalog reference

A catalog reference describes the terms and conditions of a given product at a given supplier.

The catalog references are grouped together within catalogs.

Related concepts

Catalog [page 216]

AssetCenter database table that describes these objects

Catalog references (amCatRef)

Reservation

AssetCenter enables you to reserve:

- Portfolio items that are already in stock.
- Portfolio items that are going to be ordered.

A portfolio item is reserved when it is requested, at the level of the request lines.

AssetCenter database table that describes these objects

Reservations (amReservation)

Overspecification

A principle of defining a request using multiple variables.

Example: The request for a cable is defined by the length and diameter of the cable.

Unit of measure

Unit in which a packaged product is expressed.

AssetCenter database table that describes these objects

Units (amUnit)



Menus and tabs

The data covered by the Procurement module can be accessed using the following menus, tabs, lists and fields:

Table B.1. Menus and tabs - list

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedic- ated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to con- sult
File menu	_				

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedic- ated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to consult
Activate modules	Does not apply	Does not apply	Does not apply	Enables you to enable and disable the modules required for procurement, if your license file allows it. This is the menu to use if you can't see the following menus in your application:	Preliminary steps [page 31]
Procurement r	nenu				
Catalogs	Catalogs (am- Catalog)	All	All	Consult and edit the records in this table.	Catalogs [page 23]Catalogs [page 45]
References	Catalog refer- ences (am- CatRef)	All	All	Consult and edit the records in this table.	Catalogs [page 23]Catalogs [page 45]
Products	Products (amProduct)	All	All	Consult and edit the records in this table.	Catalogs[page 23]Catalogs[page 45]
Purchase requests	 Requests (amRequest) Request lines (am-ReqLine) 	All	All	Consult and edit the re- cords in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Requests [page 67]

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedic- ated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to con- sult
Purchase or- ders and es- timates	 Orders (am- POrder) Order lines (am- POrdLine) 	All	All	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Estimates [page 79] Orders [page 85]
Receipts	 Receiving slips (am-Receipt) Receipt lines (am-ReceiptLine) 	All	All	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Supplier invoices Cable menu	 Supplier invoices (amInvoice) Invoice lines (amInvoiceLine) 	All	All	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Invoices [page 111]

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedic- ated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to con- sult
Cables	Cables (amC- able)	Procurement	None	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Cable devices	Asset (amAsset)	Acquis.	None	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Contracts men		D	Nisas	C +	Description of
 Contracts Blanket purchase orders Master leases Lease schedules Portfolio menu 	Contracts (amContract)	Procurement	None	Consult and edit the records in this table.	Receiving executing, creating, and returning [page 97]
r or trono ment	ı.				

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedic- ated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to consult
Natures	Natures (am- Nature)	None	None	Consult and edit the records in this table.	Suitable reference records [page 35]
Portfolio items	Portfolio items (amPort- folio)	Acquis.	None	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Assets	Asset (amAsset)	Acquis.	None	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedicated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to con- sult
Work orders	Work orders (am- WorkOrder)	Acquis.	None	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Standard requests	Requests (am- Request)	All	All	Consult and edit the records in this table.	Creating a new request from a stand- ard request [page 68]
Internal requests	Requests (am- Request)	All	All	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Requests [page 67]
Suppliers	Companies (amCompany)	CatalogsPayment	None	Consult and edit the records in this table.	Presentation [page 36]

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedic- ated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to con- sult	
Training sessions	Training (amTraining)	Purchase	None	Consult and edit the records in this table.	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97] 	
Stock	Stock (am- Stock)	Manage- mentAuto-re- quest	None	Consult and edit the records in this table.	??? [page 197]	
Tools menu						
Actions/ Edit	Actions (amAction)	None	None	Consult and edit the records in this table.	Actions and wizards [page 246]	
Actions/ <name of="" the<br="">action></name>	Does not apply	Does not apply	Does not apply	Proposes the actions that are either non-contextual or whose contexts are active. Enables you to trigger the selected action.	Actions and wizards [page 246]	

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedic- ated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to consult
Customize toolbar	Does not apply	Does not apply	Does not apply	Enables you to add icons to or drop icons from the toolbar.	Toolbar icons [page 237]
Reporting/ Reports	Reports (am- Report)	None	None	Consult and edit the records in this table.	Reports and forms [page 250]
Reporting/ Forms	Forms (am- Form)	None	None	Consult and edit the records in this table.	Reports and forms [page 250]
Tools/ Work- flow/ Work- flow schemes	Workflow schemes (am- WfScheme)	None	None	Consult and edit the records in this table.	Workflow schemes [page 256]
Administratio Itemized lists	n menu Itemized lists (amltemized- List)	None	None	Consult and edit the records in this table.	Itemized lists [page 243]
Counters	Counters (am- Counter)	None	None	Consult and edit the records in this table.	Counters [page 245]
Calculated fields	Calculated fields (amCal- cField)	None	None	Consult and edit the records in this table.	Calculated fields [page 244]
Units	Units (amUnit)	None	None	Consult and edit the records in this table.	Units of meas- ure [page 145]

Sub-menu	Table that the menu ac- cesses (label and SQL name)	Tabs dedic- ated to the Procurement module	Important fields or links (outside of the dedicated tabs)	Utilization	Section of the guide to con- sult
List of screens	Does not apply	Does not apply	Does not apply	to access tables that are not accessible by the present menus. This task is reserved for the administrator since these tables were not really designed to be modified.	

Toolbar icons

Some of the toolbar icons are specific to the Procurement module.

To obtain this list and add these icons to the toolbar:

- 1 Selecting the **Tools/ Customize toolbar** menu item.
- **2** Selecting the **Tools** tab.
- 3 Select **Procurement** from the **Categories** list.

For more information on customizing the toolbar, consult the **Tailoring** guide, chapter **Customizing a client workstation**, section **Customizing the toolbar**.

Interface options

Certain interface options are specific to the Procurement module.

To learn more about this list and how to configure it:

- 1 Select the **Edit/ Options** menu item.
- 2 Unfold the **Procurement** node.

For more information on configuring the interface options, consult the **Tailoring** guide, chapter **Customizing a client workstation**, section **General options**.

Tables

The Procurement module uses numerous tables.

The following tables are those linked directly to the Procurement module:

Table B.2. Tables - list

Table label	SQL name of the table	Menu item used to access the table	Section of the guide to consult
	y linked to the Pro	curement module	
Catalogs	amCatalog	Procurement/	Catalogs [page 23]
		Catalogs	Catalogs [page 45]
Catalog refer-	amCatRef	Procurement/	■ Catalogs [page 23]
ences		References	Catalogs [page 45]
Catalog reference	amCatRefScript	Administration/	
scripts		List of screens	
Formatted data	am Cat Script Data	Administration/	
from catalogs		List of screens	
Products	amCatProduct	Procurement/	Catalogs [page 23]
		Products	Catalogs [page 45]
Product options	amProdOption	Administration/	Product options [page 46]
		List of screens	
Requests	amRequest	Procurement/	Procurement cycle [page 25]
		Purchase re-	Procurement cycle [page 59]
		quests	Requests [page 67]
Request lines	amReqLine	Procurement/	■ Procurement cycle [page 25]
		Purchase re-	Procurement cycle [page 59]
		quests	Requests [page 67]
Orders	amPOrder	Procurement/	■ Procurement cycle [page 25]
		Purchase orders	Procurement cycle [page 59]
		and estimates	■ Estimates [page 79]
			Orders [page 85]

Table label	SQL name of the table	Menu item used to access the table	Section of the guide to consult
Order lines	amPOrdLine	Procurement/ Purchase orders and estimates	 Procurement cycle [page 25] Procurement cycle [page 59] Estimates [page 79] Orders [page 85]
Receiving slips	amReceipt	Procurement/Receiving slips	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Receipt lines	amReceiptLine	Procurement/Receiving slips	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Items received	amltemReceived	Administration/ List of screens	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Assets replaced	amRelAstReplReq	Administration/ List of screens	Replacements [page 181]
Supplier invoices	amInvoice	Procurement/ Supplier invoices	Procurement cycle [page 25]Procurement cycle [page 59]Invoices [page 111]
Invoice lines	amInvoiceLine	Procurement/ Supplier invoices	 Procurement cycle [page 25] Procurement cycle [page 59] Invoices [page 111]
Reservations	amReservation	Administration/ List of screens	Reservations [page 167]
Payment card types	amPCardType	Administration/ List of screens	
Payment cards	amPCard	Administration/ List of screens	
Tables indirectly	linked to the Procu	rement module	
Natures	amNature	Portfolio/Natures	Suitable reference records [page 35]
Models	amModel	Portfolio/ Models	Suitable reference records [page 35]
Suppliers	amCompany	Portfolio/ Com- panies	Suitable reference records [page 35]
Locations	amLocation	Portfolio/ Loca- tions	Suitable reference records [page 35]

Table label	SQL name of the table	Menu item used to access the table	Section of the guide to consult
Employees	amEmplDept	Portfolio/ Depart- ments and em- ployees	Suitable reference records [page 35]
Stock	amStock	Portfolio/ Stocks	Suitable reference records [page 35]
Stock rules	amStockRule	Portfolio/ Stocks	Suitable reference records [page 35]
Units	amUnit	Administration/ Units	Units of measure [page 145]
Cost centers	amCostCenter	Finance/ Cost centers	Suitable reference records [page 35]
Cost categories	amCostCategory	Finance/ Cost categories	Suitable reference records [page 35]
Tax formulas	amTaxFormula	Calculation for- mulas	
Fiscal jurisdic- tions	amTaxJuris	Tax jurisdictions and rates	
Contracts	amContract	Contracts/ Contracts	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Asset	amAsset	Portfolio/ Assets and batches	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Portfolio items	amPortfolio	Portfolio/ Portfo- lio items	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Work orders	am Work Order	Portfolio/ Work orders	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]
Training sessions	amTraining	Portfolio/ Train- ing	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97]

Table label	SQL name of the table	Menu item used to access the table	Section of the guide to consult	
Cables	amCable	Cable/ Cables	 Procurement cycle [page 25] Procurement cycle [page 59] Receiving executing, creating, and returning [page 97] 	

Interdependence of tables

The Procurement module uses several tables in the AssetCenter database. There are multitudes of links between these tables. It is thus convenient to optimize the order in which you populate these tables.

The order that we propose below is not mandatory: AssetCenter enables you to create missing records in linked tables whenever it is necessary.



We recommend that you create the products, catalogs and catalog references before placing an order.

Here is a table that optimizes the order of how you should create your records. It indicates which dependant tables you need to populate.

The practical case that is developed throughout the course of this guide respects these recommendations.

We will not discuss the secondary tables that are directly linked to the Procurement module. They are automatically populated when you create records in the main tables.

Table B.3. Interdependence of tables - table

Table (label and SQL name)	Tables to populate beforehand (label and SQL name)
Repository	
Cost centers (amCostCenter)	
Cost categories (amCostCategory)	
Tax formulas (amTaxFormula)	

Table (label and SQL name)	Tables to populate beforehand (label and SQL name)
Tax jurisdictions (amTaxJuris)	
Natures (amNature)	
Brands (amBrand)	
Models (amModel)	Natures (amNature)
	Brands (amBrand)
	Cost categories (amCostCategory)
	Cost centers (amCostCenter)
Employees (amEmplDept)	
Companies (amCompany)	
Contracts (amContract)	Companies (amCompany)
Portfolio items (amPortfolio)	
Stock (amStock)	
Stock rules (amStockRule)	
Payment card types (amPCardType)	
Payment cards (amPCard)	
Catalog	
Catalogs (amCatalog)	Companies (amCompany)
Product options (amProdOption)	
Products (amCatProduct)	Brands (amBrand)
	Models (amModel)
	Product options (amProdOption)
Classification codes (amProdClassCode)	
Catalog references (amCatRef)	Catalogs (amCatalog)
	Products (amCatProduct)
	 Classification codes (amProdClassCode)
Procurement cycle	
Requests (amRequest)	Models (amModel)
Request lines (amReqLine)	Units (amUnit)
	Employees (amEmplDept)
	■ Contracts (amContract)
	Stock (amStock)
	Portfolio items (amPortfolio)
Orders (amPOrder)	D
	• • • •
Order lines (amPOrdLine)	■ Request lines (amReqLine)
	Catalog references (amCatRef)
Receiving slips (amReceipt)	Orders (amPOrder)
Receipt lines (amReceiptLine)	Order lines (amPOrdLine)

Table (label and SQL name)	Tables to populate beforehand (label and SQL name)
Supplier invoices (amInvoice)	Receiving slips (amReceipt)
Invoice lines (amInvoiceLine)	Receipt lines (amReceiptLine)

Itemized lists

Certain fields can be populated by selecting their values from a list. These lists are called itemized lists.

You can access the Itemized lists table (amItemizedList) using the Administration/ Itemized lists menu item.

The Procurement module uses the following itemized lists:

Table B.4. Itemized lists - list

Itemized list	Field populated using an itemized	Table in which field is found (label	
identifier	list (label and SQL name)	and SQL name)	
amCertification	Certification (Certification)*	Products (amCatProduct)	
amCertification	Certification (Certification)*	Catalog references (amCatRef)	
amCertification	Certification (Certification)*	Orders (amPOrder)	
amCertification	Certification (Certification)*	Requests (amRequest)	
amDelivLinStatus	Status (Status)	Receipt lines (amReceiptline)	
amInvLineStatus	Status (Status)	Invoice lines (amInvoiceLine)	
amInvoiceStatus	Status (Status)	Supplier invoices (amInvoice)	
amInvoiceType	Type (Invoice Type)	Supplier invoices (amInvoice)	
amLanguage	Language (Language)	Orders (amPOrder)	
amOrdLineStatus	Status (Status)	Order lines (amPOrdLine)	
amOrdPriority	Priority (Priority)	Orders (amPOrder)	
amOrdStatus	Status (Status)	Orders (amPOrder)	
amOrdType	Type (Type)	Orders (amPOrder)	
amPackaging	Packaging (Packaging)	Products (amCatProduct)	
amProdClass	Classification (ProdClass)	Classification codes (amProd-	
		ClassCode)	
amProdClass	Classification (ProdClass)	Catalog (amCatalog)	
amReqLineStatus	Status (Status)	Request lines (amReqLine)	
amReqPriority	Priority (Priority)	Requests (amRequest)	
amReqStatus	Status (Status)	Requests (amRequest)	
amReqType	Type (Type)	Requests (amRequest)	

Itemized list identifier	Field populated using an itemized list (label and SQL name)	Table in which field is found (label and SQL name)
amRetReason	Reason for return (RetReason)	Receiving slips (amReceipt)
amShipMode	Shipping method (ShipMode)	Orders (amPOrder)
am Trans Method	Transmission (TransMethod)	Supplier invoices (amInvoice)
am Trans Method	Transmission (TransMethod)	Orders (amPOrder)
amWarrCond	Conditions (WarrCond)	Products (amCatProduct)

For more information on using itemized lists, refer to the **Advanced use** guide, chapter **Itemized lists**.

Calculated fields

The Procurement module uses numerous calculated fields.

These calculated fields are used in the default values of certain fields and for displaying lists.

You can access the **Calculated fields** table (**amCalcField**) using the **Administration/ Calculated fields** menu item.

The following calculated fields are directly related to the Procurement module:

Table B.5. Calculated fields - list

Label and SQL name of the calculated field	Label and SQL name of the table that is used as the context for the calculated field	Label and SQL name of the table that uses the calculated field	Utilization
Existing estim- ate (BstPro-	Request lines (amReqLine)		This calculated field returns the name of the supplier and the
cur_AvailEstim)			price of the model
Price (SysCore-	Catalog refer-	amCatRef	This calculated field concaten-
CatRefPrice)	ences (am-		ates the price of the catalog ref-
	CatRef)		erence and with the currency
			from the catalog

Label and SQL name of the calculated field	Label and SQL name of the table that is used as the context for the calculated field	Label and SQL name of the table that uses the calculated field	Utilization
Quantity	Order lines		This calculated field returns the
pending (Bst- Procur fQ-	(amPOrdLine)		amount remaining to be de- livered
tyPending)			
Quantity	Request lines		This calculated field returns the
pending (Bst-	(amReqLine)		quantity pending delivery taking
Procur_fQ-			into account reserved portfolio
tyPending)			items in stock
Unit (sysCore-	Order lines	amPOrdLine	This calculated field returns the
PoLineUnit)	(amPOrdLine)		symbol of the purchase unit of
			the product of the catalog refer-
			ence or the packaging
Unit (sysCore-	Products (amC-	 amInvoiceLine 	This calculated field displays the
ProductUnit)	atProduct)	amCatRef	symbol of the purchase unit or
			the packaging

You can customize these calculated fields.

For more information on using calculated fields, refer to the **Advanced use** guide, chapter **Calculated fields**.

For more information about writing scripts, refer to the **Advanced use** guide, chapter **Scripts**.

For more information on using APIs, refer to the **Programmer's reference** guide.

Counters

The Procurement module uses numerous counters.

These counters are used in the default values of certain fields.

You can access the **Counters** table (**amCounter**) using the **Administration**/ **Counters** menu item.

The following counters are directly related to the Procurement module:

Table B.6. Counters - list

SQL name of the counter	Label and SQL name of the table that uses the counter	Label and SQL name of the field that uses the counter	
amCatalog_Code	Catalog (amCatalog)	Code (Code)	
amDeliv_Number	Receiving slips (amReceipt)	Number (ReceiptNumber)	
amInvoice_InvoiceNumber	Supplier invoices (amInvoice)	Number (InvoiceNumber)	
amItemReceived_ItemNo	Items received (amItemRe-	Item number (ItemNo)	
	ceived)		
amPOrder_PONumber	Orders (amPOrder)	Number (PONumber)	
amPOrdLine_ItemNo	Order lines (amPOrdLine)	Item number (ItemNo)	
amReqLine_ItemNo	Request lines (amReqLine)	Item number (ItemNo)	
amRequest_ReqNumber	Requests (amRequest)	Number (ReqNumber)	
amResa_ItemNo	Reservations (amReservation)	Number (ItemNo)	

For more information about how to use counters, refer to the **Administration** guide, chapter **Customizing the database**, section **Counters in field default values**.

Actions and wizards

The Procurement module uses actions to automate common tasks.

You can access the **Actions** table (**amAction**) using the **Tools/ Actions/ Edit** menu item.

You can filter the actions linked to the Procurement module by using a simple filter on the following fields:

- Domain (Domain): Search for the value /Procurement/.
- Nature (Nature): Search for the values STD-PROCUR and BST_PROCUR.

The following actions are directly linked to the Procurement module and are documented here:

Table B.7. Actions and wizards - list

Name of ac- tion	SQL name of the action	Action type	Context of the action (SQL name of the table)	Section of the guide to consult
Add models to your re- quest	sysProcRequestAddModel		Requests (amRe- quest)	Adding request lines using the Add button [page 72]
New request	sysProcRequestNew	Wizard	Requests (amRe- quest)	Requests [page 67]
Add a request	sysProcRequestAddTem- plate	Wizard	Requests (amRe- quest)	Adding request lines using the + button [page 73]
Generate a purchase order	sysProcRequestGen- POrder	Wizard	Requests (amRe- quest)	Create a new purchase order from a standard request [page 87]
Create items not giving rise to a purchase order	sysProcRequestExecute	Wizard	Requests (amRe- quest)	Executing a request [page 98]
Issue the purchase order	sysProcPOrderTransmit	Wizard	Orders (am- POrder)	Transforming an estimate into a purchase order [page 86]
Complete the order using an or- der	sys Proc POrder Add Tem- plate	Wizard	Orders (am- POrder)	Adding estimate lines originating from a standard purchase order [page 82]
Complete the pur- chase order using cata- log refer- ences	sysProcPOrderAddCatRef	Wizard	Orders (am- POrder)	Adding estimate lines using the Cat. ref button [page 81]
Create items await-ing receipt	sysProcPOrderExec	Wizard	Orders (am- POrder)	Practical case 7 - Creating ordered items before receiving them [page 104]

Name of ac- tion	SQL name of the action	Action type	Context of the action (SQL name of the table)	Section of the guide to consult
Create an 'off catalog' reference	sysProcPOrderOffCatalog	Wizard	No table	Adding estimate lines for a model for which there is no catalog reference at the supplier of the estimate [page 81]
Receiving	sysProcPOrderReceipt	Wizard	Orders (am- POrder)	Receiving purchase order items [page 101]
Create a new version of this pur- chase order	sysProcPOrderVersion	Script	Orders (am- POrder)	Creating a new version of a purchase order [page 88]
Return	sysProcReceiptReturn	Wizard	Receiving slips (amRe- ceipt)	Returning a received item [page 102]
Create an invoice	sysProcReceiptInvoice	Wizard	Receiving slips (amRe- ceipt)	Creating an invoice from a receiving slip [page 112]

For more information on using actions, refer to the **Advanced use** guide, chapter **Actions**.

For more information on using scripts, refer to the **Advanced use** guide, chapter **Scripts**.

For more information on using APIs, refer to the **Programmer's reference** guide. You can create new actions or customize existing ones.

Modules of AssetCenter Server

The following modules of AssetCenter Server are dedicated to the Procurement module:

- Create assets, consumables, etc. corresponding to items received (Delivery)
- Execute workflow rules for execution group 'BST_PROCUR' (WkGroupBST_PROCUR)
- Execute workflow rules for execution group 'STD_PROCUR' (WkGroupSTD_PROCUR)

Verify stocks (Stock)

For more information on these modules, refer to the **Administration** guide, chapter **AssetCenter Server**, section **Configuring the modules monitored by AssetCenter Server**.

System data and Line-of-business data

AssetCenter is provided with a standard set of data.

These data sets are a part of one of the following groups:

- System data: data that is indispensable in order for AssetCenter to function.
- Line-of-business data: basic data to insert into your production database if you find it useful.

This data is divided into functional areas.

Sample data: data that is useful to familiarize yourself with AssetCenter.

System data specific to the Procurement module

System data contains data specific to the Procurement module in the following table:

- Calculated fields (amCalcField)
- Currency (amCurrency)
- Exchange rate (amCurRate)
- Actions

System data data specific to the Procurement module is automatically part of the demonstration database installed with AssetCenter.

System data specific to the Procurement module is automatically included in your production database.

Line-of-business data specific to the Procurement module

Line-of-business contains data specific to the Procurement module:

- Feature classes
- Features
- Feature parameters
- Actions
- Workflow

Calculated fields

Line-of-business data specific to the Procurement module is automatically part of the demonstration database installed with AssetCenter.

Line-of-business data specific to the Procurement module will be part of your working database if you select this option with AssetCenter Database Administrator.

▶ Preliminary steps [page 31]

Reports and forms

AssetCenter is provided with reports and forms. Certain of them are specific to the Procurement module.

In order for these reports and forms to be available in your database, you must import them from the AssetCenter Database Administrator.

Importing and identifying reports specific to the Procurement module

To find out how to import reports, refer to the **Advanced use** guide, chapter **Crystal Reports**, section **Installing and using the reporting tool**, sub-section **Installing preconfigured Crystal Reports in your database**.

To identify the reports specific to the Procurement module:

- 1 Display the list of reports (Tools/ Reporting/ Reports).
- 2 Right-click in the list.
- 3 Select Configure list from the shortcut menu.
- 4 Add the **Domain** link (Domain) to the columns in the list.
- 5 Click OK.
- 6 Sort the list on the **Domain** column.
- 7 The reports belonging to the Procurement module are identified by the domain /Catalog/Reports/.

Importing and identifying forms specific to the Procurement module

To find out how to import forms, refer to the **Advanced use** guide, chapter **Forms**, section **Installing preconfigured forms into your working database**.

To identify the forms specific to the Procurement module after importing them:

- 1 Display the list of forms (Tools/ Reporting/ Forms).
- 2 Right-click in the list.
- 3 Select Configure list.
- 4 Add the **Domain** link (Domain) to the columns in the list.
- 5 Click OK.
- 6 Sort the list on the **Domain** column.
- 7 The forms belonging to the Procurement module are identified by the domain /Procurement/Forms/.

Background processes

Certain fields in request, estimate, and order details are populated automatically.

This section explains:

- Automatic software mechanisms.
- How to update information in requests.



For more information on the automatic background processes executed by AssetCenter, refer to the following guides:

- Database structure. For each table described in this manual, there is a corresponding Automatic processes section
- Automatic software mechanisms

Automatic software mechanisms

Many automatic software mechanisms have been implemented in the procurement cycle.

Agents

The values of certain fields in the details of requests, estimates/orders, receiving slips, request lines, estimate/order lines are automatically calculated and updated. Examples:

- Let's look at the Total price field (SQL name: mCost) in the Purchase tab of the detail of a request composition line: This field is automatically calculated according to the values of the:
 - Quantity field (SQL name: IQty) in the General tab, the Tax rate (SQL name: pTaxRate) and Discount (SQL name: pDiscount) fields in the Purchase tab of the order line.
 - Discount (SQL name: pDiscount) and Price (SQL name: mPrice) fields in the General tab of a catalog reference.
- The Unit price field in the Purchase tab of a request line detail are populated in the same way as for an order line.



The automatic mechanisms relating to the price in a request are not active unless a model has been associated to a product. Once a product is linked to one or more catalog references, AssetCenter displays the price of the catalog reference by default using the following script:

RetVal = [Model.DefCatRef.mPrice]

 The values displayed in the **Tracking** tab in the details of requests, estimates/orders and invoices are automatically updated when an item goes through a stage in the procurement cycle.

Default values

Default values have also been implemented:

- When you create an estimate from a request, certain request and request-line data copies itself to the corresponding estimate detail and estimate lines. This is the case, for example, with the Purpose, Location, and Quantity fields (SQL names: ReqPurpose, Stock and IQty).
- Likewise, orders and order lines inherit information contained in the details of the **requests/ request lines** from which they originate.

The configuration of default values falls within the competences of the AssetCenter administrator.



The **Initial request** field (SQL name: Request) in the detail of an order: This field references the purchase request or the request line at the origin of the order. You can therefore use it to implement default values for orders that use values from purchase requests.

Updating information in purchase requests

When you create an order or an estimate from a request, AssetCenter uses, by default, the terms of purchase appearing on the request:

- Identification of the initial request (Initial request field (SQL name: Request).
- Financing
- Taxes

Prices applied by suppliers evolve constantly: You can update this information later on in the order or in the estimate. The modified information is not automatically changed in the request.

API

Certain AssetCenter APIs relate specifically to the Procurement module.

These APIs enable you to perform the following functions (among others):

- Add catalog reference to an order line.
- Return an item.
- Add an order line to an invoice.
- And so on.

To obtain a list and description of the APIs concerning the Procurement module, refer to the **Programmer's reference** guide, **Index**, **Available functions** - **'Procurement' module**.

Views

There are no views specifically dedicated to the Procurement module. For more information on using views, refer to the **Tailoring** guide, chapter **Using views**.

Other documentation

This guide does not provide information directly linked to the Procurement guide.

To obtain associated information not covered in this guide, we recommend that you read the following documents:

Table B.8. Other documentation - list

The document	Covers information	Format	Location in the AssetCenter install-
Installation	relating to the ♦ Installation of AssetCenter	Printed Online	<pre>ation folder \doc\pdf\Installation*.pdf \doc\chm\install*.chm</pre>
Introduction	 General interface of the application 	Printed Online	\doc\pdf\UserInterface*.pdf \doc\chm\userint*.chm
Portfolio	 Management of natures, models, assets, projects and work orders in general 	Printed Online	\doc\pdf\Portfolio*.pdf \doc\chm\portfol*.chm
Administration	 Itemized-list management Utilization of wizards Creation of scripts Customization of fields Utilization of calculated fields 	Printed Online	\doc\pdf\Administra- tion*.pdf \doc\chm\admin*.chm

The document	Covers information relating to the	Format	Location in the AssetCenter installation folder
Context-sensitive help for fields and links	 Utilization of data- base fields and links 	Online	This help is accessible using one of the following methods, after having selected the field or link: Right-click and select Help on this field from the shortcut menu. Use the Shift and F1 keys on your keyboard simultaneously. Select the Help/ Help on this field menu.
Programmer's reference	 Utilization of APIs 	Printed	\doc\pdf\ProgrammersRefer- ence*.pdf
		Online	\doc\progref*.chm
Database structure	 List of the data- base's tables, 	Text file	\doc\infos\database.txt\doc\infos\tables.txt
	fields, links and in- dexes	Online	\doc\chm\dbstruct*.chm
	 Automatic agents triggered by Asset- Center 		
Core tables	 Location manage- 	Printed	\doc\pdf\CommonTables*.pdf
	ment	Online	\doc\chm\common*.chm
	Employee management		
	Feature manage- ment		
	And so on.		
Using AssetCenter	General interface	Printed	\doc\pdf\UserInterface*.pdf
5	of the application	Online	\doc\chm\userint*.chm
Advanced use	Utilization of wiz-	Printed	\doc\pdf\AdvancedUse*.pdf
	ards	Online	\doc\chm\advanced*.chm
	Utilization of calculated fields		,
	Itemized-list management		
	Creation of scripts		
	<u> </u>		

The document	Covers information relating to the	Format	Location in the AssetCenter installation folder
General online help	 The functioning of the entire applica- tion 	Online	To access general online help, perform one of the following actions: 1 Press F1 on the keyboard. 2 Select the Help/ Index menu.

Workflow schemes

The Procurement module uses a number of workflow schemes to manage certain processes.

You can access the **Workflow schemes** table (**amWfScheme**) using the **Tools/Workflow/Workflow schemes** menu item.

You can easily filter the workflow groups linked to the Procurement module by using a simple filter on the **Execution group** (GroupName) field. Search for the values **BST PROCUR** or **STD PROCUR**.

The following workflow schemes directly linked to the Procurement module are presented in this document:

Table B.9. Workflow schemes - list

Name of the workflow scheme	Reference of the workflow scheme	Context of the workflow scheme (SQL name of the table)	Section of the guide to consult
Auto-create work orders	BST_PROCUR_CREATEWO	Requests (am- Request)	Auto-create work orders (BST_PROCUR_CREATEWO): Automates the creation of internal work orders. [page 187]
Purchase or- der satisfac- tion	POSATIS	Orders (am- POrder)	Automating the updating of purchase orders [page 87]
Purchase request satisfaction	REQSATIS	Requests (am- Request)	Automating the updating of request statuses [page 74]

Name of the workflow scheme	Reference of the workflow scheme	Context of the workflow scheme (SQL name of the table)	Section of the guide to consult
Work order tracking	BST_PROCUR_UPDATEWO	Work orders (am- WorkOrder)	Work order tracking (BST_PROCUR_UPDATEWO): Creates a workflow task for the technician responsible for the work order; When requested, this workflow task triggers a wizard that is used to populate certain fields in the work order detail. [page 187]
Purchase request validation	REQAPPR	Requests (am- Request)	Automating request validation [page 73]

For more information on using workflow, refer to the **Advanced use** guide, chapter **Workflow**.

You can create new workflow schemes or tailor the existing ones.

Index

PEREGRINE

A	Creation, 48
Acquisition (See Procurement cycle)	Definition, 226
Actions, 246	General concepts, 25
Agents, 251	Catalogs, 45
API, 253	(See Also Catalog references)
AssetCenter Database Administrator	(See Also Products)
Line-of-business data - import	Creation, 48
Existing database, 32	Order to respect, 48
New database, 32	Definition, 216
AssetCenter Server, 248	General concepts, 23
Assets	Importing, 46
(See Also Replacements)	Key concepts, 45
(See Also Reservations)	Practical case, 49
Definition, 215	Procedures, 48
Linking to a contract (See Contracts)	Suppliers - link, 46
Auto-create work orders (workflow), 189	Cat ref (button), 81
Automatic mechanisms, 251	Classifications (See Classification codes) (See
	Classification standards)
В	Classification standards
Background processes, 251	Definition, 216
Brands (See Repository)	Contracts, 203
, , , , , , , , , , , , , , , , , , , ,	Associate with an asset
C	Existing asset, 204, 203
Calculated fields, 244	New asset, 205, 204
Catalog references	Financing (See Leasing)

AssetCenter

Hierarchy, 30	Adding from a standard purchase order, 82
Key concepts, 203	Cat. ref. button, 81
Practical case, 206	Definition, 222
Procedures, 203	Model without catalog reference, 81
Cost categories (See Costs) (See Key concepts)	Procedures, 80
(See Practical case) (See Repository)	Estimates, 79
Cost centers (See Costs) (See Repository)	(See Also Procurement cycle)
Costs, 115	General concepts, 27
Assets, 115	Key concepts, 79
Contracts, 117	Execution
Key concepts, 115	(See Also Receipt)
Practical case, 119	Definition, 220
Training sessions, 117	Procedures, 98
Work orders	Expenses (See Costs)
Internal maintenance, 118	
Off-contract maintenance, 118	F
On-contract maintenance, 118	Forms, 250
Counters, 245	,
Creation	1
(See Also Receipt)	lcons, 237
Definition, 218	Procurement cycle - tracking, 61
Receiving items before receiving them	Installation, 33
(physically), 99	Interface options, 237
	Interface - options, 237
D	Invoices, 111
Database	(See Also Procurement cycle)
Line-of-business data - import	Creation
Existing database, 32	Direct, 112
New database, 32	From the receiving slip, 112
Preparation, 32	Prerequisites, 112
Default values, 252	Definition, 221
Departments (See Repository)	General concepts, 29
	Key concepts, 111
E	Lines
Employees (See Repository)	Adding, 112
Estimate	Definition, 222
Creating from a request	Procedures, 112
From a request, 80	Itemized lists, 243
Creation	
Direct creation, 80	L
Definition, 219	Lease (See Leasing)
Lines	Leasing, 199
+ button, 82	Creation, 200
Adding, 79	Definition, 199
	טכווווווטוו, ושש

Key concepts, 199	Lines - definition, 222
Management, 200	Modification, 85
Procedures, 200	Normal purchase orders, 86
Requests, 201	From an estimate, 86
License, 31	From a request, 87
Line-of-business data, 249, 32, 32	Procedures, 86
	Updating the status, 87
M	Versions, 88
Manuals, 254	Ordered items - Creation before receipt, 99
Measurement (See Units of measure)	Standard orders - definition, 217
Menus, 229	Overspecification - definition, 227
Models (See Repository)	
Definition, 223	P
Hierarchy, 29	Packaging, 153
Without catalog reference, 81	Key concepts, 153
Modules to be installed, 31	Practical case
	Without unit of measure, 155
N	With unit of measure, 161
Natures (See Repository)	Procedures, 154
Definition, 224	Portfolio items
Deminion, 221	(See Also Reservations)
0	Definition, 220
Option groups	Hierarchy, 30
(See Also Products)	Practical cases, 19
Definition, 221	Preliminary steps, 31
Options (See Products)	Prerequisites, 31
Order lines - hierarchy, 30	Procurement (See Procurement cycle)
Orders, 85	Procurement cycle
(See Also Procurement cycle)	(See Also Estimates)
Blanket purchase orders, 89	(See Also Invoices)
Amounts - Reconciliation, 91	(See Also Orders)
Creation, 90	(See Also Receipts)
Definition, 89	(See Also Requests)
Key concepts, 89	Definition, 218
Management, 89	General concepts, 25
Orders, 91	Key concepts, 59
Practical case, 92	Practical case, 61
Prerequisites, 200, 90	Steps, 59
Procedures, 90	Tracking, 60
Requests, 91	lcons, 61
Creating ordered items - Practical case, 104	Product classification codes
Definition, 217	Definition, 216
General concepts, 28	Products
Key concents 85	Composite products, 131

Definition, 131	Custom request, 71	
Practical case, 138, 132	From a standard request, 69, 68	
Types, 131	Definition, 218	
Creation, 48	General concepts, 26	
Definition, 225	Key concepts, 67	
General concepts, 24	Lines	
Hierarchy, 30	+ button, 73	
Options	Add button, 72	
Creation, 49	Adding, 67	
Definition, 225	Adding from a standard request, 72	
Principles, 46	Hierarchy, 30	
Packaging (See Packaging)	Lines - definition	
Purchase request satisfaction (workflow), 74	Definition, 221	
Purchase request validation (workflow), 73	Procedures, 68	
	Standard requests	
R	Creation, 68	
Receipt	Definition, 219	
(See Also Execution)	Practical case, 75	
(See Also Procurement cycle)	Transforming a request into, 68	
Lines - definition, 223	Status - Automating the updating of, 74	
Purchase order	Validation - automation	
From purchase orders, 101	Automation, 73	
Prerequisites, 101	Reservations, 167	
Receiving	Assets in stock, 100	
Definition, 226	Creating reserved items, 100	
General concepts, 28	Definition, 227	
Orders, 101	Key concepts, 167	
Purchase order	Portfolio items	
From the receiving slips, 101	In stock, 167	
Received items	To order, 168	
Hierarchy, 29	Practical case, 169	
Rental (See Leasing)	Procedures, 167	
Replacements, 181	Return	
Key concepts, 181	Procedures, 102	
Practical case, 182	Returns	
Procedures, 181	(See Also Receipt)	
Reports, 250	Definition, 226	
Repository, 35	General concepts, 28	
Request		
Execution, 98	S	
Requests, 67	Stocks (See Repository)	
(See Also Procurement cycle)	(See Also Reservations)	
Creation	Reordering, 197	
By selecting models, 70	Suppliers (See Repository)	

System data, 249

Т

Tables, 238 Interdependence of tables, 241 Tabs, 229 Toolbar, 237 Tools, 237

U

Units of measure, 145 Definition, 227 Key concepts, 145 Practical case, 146 User (field), 169

V

Views, 254

W

Wizards, 246 Workflow, 256 Workflow schemes, 256 Work orders, 187 Automating the creation of, 189 Automating the updating of, 190 Hierarchy, 30 Key concepts, 187 Practical case, 191 Procedures, 188 Internal maintenance, 188 Off-contract maintenance, 188 On-contract maintenance, 188 Work order tracking (workflow), 190

