

Closed Loop Incident Process (CLIP) Solution

HP Universal CMDB – HP Service Manager –
HP Business Service Management – HP Operations Orchestration

Solution Version: 9.10

Solution Concept Guide

Document Release Date: September 2011

Software Release Date: September 2011



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 2005 - 2011 Hewlett-Packard Development Company, L.P

Trademark Notices

Adobe® and Acrobat® are trademarks of Adobe Systems Incorporated.

Intel®, Pentium®, and Intel® Xeon™ are trademarks of Intel Corporation in the U.S. and other countries.

Java is a registered trademark of Oracle and/or its affiliates.

Microsoft®, Windows®, Windows NT®, and Windows® XP are U.S registered trademarks of Microsoft Corporation.

Oracle® is a registered US trademark of Oracle Corporation, Redwood City, California.

Unix® is a registered trademark of The Open Group.

Acknowledgements

- This product includes software developed by Apache Software Foundation (<http://www.apache.org/licenses>).
- This product includes OpenLDAP code from OpenLDAP Foundation (<http://www.openldap.org/foundation/>).
- This product includes GNU code from Free Software Foundation, Inc. (<http://www.fsf.org/>).

- This product includes JiBX code from Dennis M. Sosnoski.
- This product includes the XPP3 XMLPull parser included in the distribution and used throughout JiBX, from Extreme! Lab, Indiana University.
- This product includes the Office Look and Feels License from Robert Futrell (<http://sourceforge.net/projects/officelnfs>).
- This product includes JEP - Java Expression Parser code from Netaphor Software, Inc. (<http://www.netaphor.com/home.asp>).

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates, or to verify that you are using the most recent edition of a document, go to:

<http://h20230.www2.hp.com/selfsolve/manuals>

This site requires that you register for an HP Passport and sign-in. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

Or click the **New users - please register** link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

Visit the HP Software Support web site at:

<http://www.hp.com/go/hpsoftwaresupport>

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

To find more information about access levels, go to:

http://h20230.www2.hp.com/new_access_levels.jsp

Table of Contents

Welcome to This Guide	9
How This Guide Is Organized	9
Who Should Read This Guide	10
Additional Online Resources.....	10
Chapter 1: Introduction to CLIP.....	13
CLIP – Overview	13
CLIP 9.1 Solution Flow Diagram	15
User Roles	16
Terms and Definitions.....	17
Chapter 2: CLIP Customer Scenario.....	19
CLIP Use Case Solution	19
CLIP Customer Scenario.....	22
Index.....	27

Table of Contents

Welcome to This Guide

This guide provides general information about the Closed Loop Incident Process (CLIP) solution—what the solution can accomplish and for whom.

This chapter includes:

- ▶ How This Guide Is Organized on page 9
- ▶ Who Should Read This Guide on page 10
- ▶ Additional Online Resources on page 10

Note: If you have any feedback or comments about this document, please contact solutionpackagingandscp@hp.com.

How This Guide Is Organized

This guide contains the following chapters:

Chapter 1 Introduction to CLIP

Provides a brief description of the Closed Loop Incident Process (CLIP) solution and illustrates a typical deployment.

Chapter 2 CLIP Customer Scenario

Provides a sample customer scenario implementing the CLIP Solution capabilities. This section demonstrates what you can achieve with this solution.

Who Should Read This Guide

This guide explains the motivation to install and use the CLIP solution. It describes what the solution implementation will achieve, which ITIL processes it will answer, and describes the workflow between the products comprising the solution.

This guide is intended for:

- ▶ Customers
- ▶ Presales and sales personnel
- ▶ PSO
- ▶ Anyone who wants to learn about the solution, its workflow, and its contribution

The information in this guide may duplicate information available in other CLIP documentation, but is provided here for convenience.

Additional Online Resources

Troubleshooting & Knowledge Base accesses the Troubleshooting page on the HP Software Support Web site where you can search the Self-solve knowledge base. Choose **Help > Troubleshooting & Knowledge Base**. The URL for this Web site is <http://h20230.www2.hp.com/troubleshooting.jsp>.

HP Software Support accesses the HP Software Support Web site. This site enables you to browse the Self-solve knowledge base. You can also post to and search user discussion forums, submit support requests, download patches and updated documentation, and more. Choose **Help > HP Software Support**. The URL for this Web site is www.hp.com/go/hpsoftwaresupport.

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract.

To find more information about access levels, go to:

http://h20230.www2.hp.com/new_access_levels.jsp

To register for an HP Passport user ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

HP Software Web site accesses the HP Software Web site. This site provides you with the most up-to-date information on HP Software products. This includes new software releases, seminars and trade shows, customer support, and more. Choose **Help > HP Software Web site**. The URL for this Web site is www.hp.com/go/software.

Welcome to This Guide

1

Introduction to CLIP

This chapter includes:

Concepts

- ▶ CLIP – Overview on page 13
- ▶ CLIP 9.1 Solution Flow Diagram on page 15
- ▶ User Roles on page 16

Reference

- ▶ Terms and Definitions on page 17

Note: If you have any feedback or comments about this document, please contact solutionpackagingandscp@hp.com.

Concepts

CLIP – Overview

One of the objectives of IT organizations today is to maintain certain levels of service availability, as defined in the contracts between the IT organization and their customers. To do this, IT organizations aspire to reduce the Mean Time to Recovery (MTTR), as well as increasing the Mean Time between Failures (MTBF). The implementation of proactive and predictive service operation solutions can assist in fulfilling this objective, as well as other objectives by which the IT organization is measured.

The solution detailed in this document describes the Closed Loop Incident Process (CLIP), a solution that implements two linked Information Technology Infrastructure Library (ITIL) processes—Event Management and Incident Management. This solution enables an IT organization to:

- ▶ Reduce the recognition and diagnostic times of incidents
- ▶ Reduce the workload on Tier 1 Agents by automatically creating and escalating incidents to Tier 2
- ▶ Reduce repair and recovery times by suggesting possible resolutions
- ▶ Detect suspect behavior (also known as warning events), allowing problem resolution before thresholds are breached and reducing the number of incidents (exceptions)

CLIP Solution


The CLIP solution is comprised of four individual, but integrated products that are brought together. The products that comprise the CLIP solution are:

- ▶ HP Universal CMDB (UCMDB)
- ▶ HP Service Manager (Service Manager)
- ▶ HP Business Service Management (BSM), including HP Operations Manager *i* (OMi)
- ▶ HP Operations Orchestration (OO)

For deployment and configuration instructions, see the *Closed Loop Incident Process (CLIP) Deployment and Configuration Guide*.

CLIP 9.1 Solution Flow Diagram

The following diagram displays a high-level description of the major steps in a CLIP flow, implemented by the corresponding ITIL processes.



User Roles

The main user roles in the following CLIP core story line are as follows:

► Event Console Operator

Part of the Enterprise Operations Center (EOC). Responsible for identifying exceptions in critical application, system, and network behavior in order to assure maximum application availability for IT customers.

► Business Service Owner

Responsible for defined availability and performance levels of the application. If there is a problem with the application's operation, responsible for notifying the customers, as well as validating that the problem is handled and will be resolved according to the agreed service level.

► Tier 1 Service Desk Agent

Responsible for receiving and logging customer/user interactions, as well as contacting them in order to verify/notify resolution of their issues.

► Tier 2 Service Desk Agent

(also known as Domain Specialist) Part of Level 2 support. Provides more technical expertise in specific fields and escalates to the relevant Tier 3 representative when necessary.

► Tier 3 Service Desk Agent

(also known as Domain Expert) Part of Level 3 support. Provides even deeper technical expertise in specific fields in order to resolve incidents and perform root cause analysis for problems.

Reference

Terms and Definitions

Business Impact

Composed of associated business services and applications, the status of Service Level Agreements (SLAs), the current operational state of the business services and applications.

Configuration Item (CI)

Any component that needs to be managed in order to deliver an IT service. Information about each CI is recorded in a configuration record within the Configuration Management System and is maintained throughout its life cycle by Configuration Management. CIs typically include IT services, hardware, software, buildings, people, and formal documentation such as process documentation and SLAs.

Information Technology Infrastructure Library (ITIL)

Collection of volumes intended to assist and promote effective and efficient IT service management practices in organizations.

Enterprise Operations Center (EOC)

Central or regional location for monitoring the organization's IT operations.

Incident Management

Process responsible for managing the life cycle of all incidents. Primary objective of incident management is to return the IT service to users as quickly as possible.

Event Management

Process responsible for managing events throughout their life cycle. One of the main activities of IT operations.

Target CI

CI linked to the causal event/incident.

Suspect CI(s)

CI(s) thought to be the cause of the issue at hand.

Affected CI(s)

CI(s) that are impacted by the issue at hand. In most implementations, affected business CI(s) will give greater value to the operation's organization.

Operational Severity

Severity this issue was assigned by Business Service Management (BSM). The components of severity pertain to the seriousness of their effect on the quality of IT service(s) at hand (the Affected CI(s)).

Operational Business Impact

Business Impact this issue was assigned by BSM. Components of Business Impact pertain to the effect the issue has on the implementation of business processes.

Impact is often based on how service levels will be affected.

Impact and Urgency/Severity are used to assign priority.

2

CLIP Customer Scenario

The story detailed in this document describes the Closed Loop Incident Process (CLIP), a solution that implements two linked ITIL processes—Event Management and Incident Management.

Concepts

- CLIP Use Case Solution on page 19

Tasks

- CLIP Customer Scenario on page 22

Concepts

CLIP Use Case Solution

The CLIP use case solution that follows consists of a main story—with variations.

- "CLIP Story—Incident Initiated from Event" on page 20

Assumptions and Notes:

- ▶ The story focuses on manual incident submission, which is considered the main flow. The automatic capabilities are described in the variation section following the main story.
 - ▶ Incidents that require changes should be handled through the Problem Management process, which may result in the Change Management process. These two processes are not covered by the CLIP story.
-

CLIP Story—Incident Initiated from Event


- ▶ "Story Overview" on page 20
- ▶ "CLIP Story Summary Diagram" on page 21

Story Overview

The main story describes an incident that originates from an event detected by the Business Service Management monitoring solution. This story consists of two parts—**from Event to Incident** and **from Incident to Recovery**. Variations of the story are described in a separate section following the story.

CLIP Story Summary Diagram

The following diagram summarizes the flow detailed in the CLIP story, as well as matching the relevant ITIL processes to the corresponding HP products that implement them.



Tasks

CLIP Customer Scenario

This task illustrates the CLIP story.

- ▶ "CLIP Story—Incident Initiated from Event" on page 20

CLIP Story—Incident Initiated from Event

Story Main Flow

- ▶ "Part 1—From Event to Incident" on page 22
- ▶ "Part 2—From Incident to Recovery" on page 23
- ▶ "Story—Variations" on page 24

Part 1—From Event to Incident

- 1** The Event Console Operator receives multiple infrastructure events in the BSM Event Console, indicating that at least one Configuration Item (CI) is at fault.
- 2** The event-based correlation engine deduces that the events are related to the same underlying cause and are, therefore, symptoms of the same issue. These events contain (in addition to the severity as reported by the CI) a calculated business priority that is associated with the event and is based on an evaluation of the Business Impact.
- 3** The Business Service Owner of the impacted application/service receives an email notification that the application/service has performance issues. He is now aware of the issue and can respond to his customers, or even notify them in advance that there are certain performance issues.
- 4** The Event Console Operator is presented with a clear representation of the causal event and does not need to deal with mass quantities of separate events and manually correlate between them. Alerts can be generated to the relevant owners based on the correlated events.

- 5 The Event Console Operator first gets a deeper understanding of the event's Business Impact by accessing the BSM Service Impact Report. This report supplies the Event Console Operator with the affected business services and associated service level agreements.
- 6 As the Event Console Operator was not able to resolve the issue, he transfers the ownership to the Service Desk by manually creating an incident in the Service Desk ticketing system from within BSM (the resulting incident will be automatically associated with the event).
- 7 In the Event Console, the Event Console Operator can see that an open incident is linked to the event. He can, in turn, drill into the incident details in order to track its progress and get further details regarding its nature.

Part 2—From Incident to Recovery

- 8 A Tier 2 Service Desk Agent was automatically assigned to handle the incident.

Note: In parallel, the Event Console Operator sees that the incident's **Owner** field has been updated in the Event Console.

- 9 The Tier 2 Service Desk Agent starts by validating the updated status of the Business Impact in order to get the most recent picture of how the event is affecting business services and SLAs. For that purpose, he accesses the BSM Service Impact Report from the incident. He then accesses the related event information by opening a BSM Event Details window from within the incident. At the end of this process, the Service Desk Agent categorizes and prioritizes the incident accordingly.

Note: In parallel, the Event Console Operator sees that the incident's state is **In Progress** in the Event Console.

- 10 He then searches SM Knowledge Management to try and find related articles and possible solutions. He finds a related article, with an OO Flow attached to it.
- 11 He executes the OO Flow in order to resolve the incident. The result is attached to the incident record.
- 12 Once the resolution is applied, the agent changes the incident's status to **Resolved**.

Note: In parallel, the Event Console Operator sees that the incident's state has changed to **Resolved** in the Event Console.

- 13 The incident is then closed according to the Service Desk policy.

Note: The Event Console Operator sees that the incident status has changed to **Closed**.

- 14 Positive follow-up events indicating that the normal behavior has been restored arrive at the Event Console.
- 15 The event-based correlation engine correlates the positive events to the original events and closes them automatically.
- 16 The Business Service Owner receives an alert that the application is behaving as expected.

Story—Variations

- **Step 5:** The event can automatically launch OO Flows for diagnostic purposes. The results may assist the operator in understanding the nature of the fault. Moreover, the issue can be resolved using OO Flows or OM tools provided within the event.
- **Step 6:** The incident can be automatically opened when the triggering event fulfills specific criteria.

- ▶ **Step 8:** The incident can be first handled by a Tier 1 Service Desk Agent, who will dispatch it to the relevant Tier 2 Service Desk Agent.
- ▶ **Step 12:** The incident may be automatically resolved based on positive follow-up events.
- ▶ **Step 13:** The incidents can be closed automatically after a certain period of time has elapsed from resolution.
- ▶ **Step 15:** The incidents can be closed automatically after a clear event has arrived indicating that behavior is back to normal or the events can be closed manually by the Event Console Operator.

Index

C

CLIP

- Closed Loop Incident Process 14
- customer scenario 22
- overview 13
- Solution products 14

CLIP products

- Business Service Management 14
- Operations Manager i 14
- Operations Orchestration 14
- Service Manager 14
- Universal CMDB 14

Core Story 20, 22

- solution flow diagram 15

customer scenario 22

H

HP Software Support Web site 10

HP Software Web site 11

K

Knowledge Base 10

O

online resources 10

P

product components 14

T

Terms and Definitions 17

Troubleshooting and Knowledge Base 10

U

use case solution 19

