(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

OS Vendor	Managed Platform	Architecture	Versions Supported	Added in Release (SR if blank)	Notes
Cent OS	Cent OS 5	x86_32 x86_64	U2 -U5		
	HP-UX 11i v1	PA-RISC	All		
НР	HP-UX 11i v2	PA-RISC IA-64	All		
	HP-UX 11i v3	PA-RISC IA-64	All		
	AIX 5.3	Power	All		
IBM	AIX 6.1	Power	All		
IDIVI	RHEL 5 - POWER	Power	U2, U3, U5		
	SLES 11 - POWER	Power	GA		
	Windows Server 2003 (Standard, Enterprise)	x86_32 x86_64	SP1-SP2		
Microsoft	Windows Server 2003 R2 (Standard, Enterprise)	x86_32 x86_64	SP2		
	Windows Server 2008 (Standard, Enterprise)	x86_32 x86_64	GA: SP1-SP2		
	Windows 2008 R2	x86_64	GA		

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

OS Vendor	Managed Platform	Architecture	Versions Supported	Added in Release (SR if blank)	Notes
	SuSE Linux Enterprise Server 9	x86_32 x86_64	All		
Novell	SuSE Linux Enterprise Server 10	x86_32 x86_64	GA:SP2-SP3		
Noveli	SuSE Linux Enterprise Server 11	x86_32 x86_64	GA-SP1		
	Open Enterprise Server (OES 2)	x86_32 x86_64	SP2		
	Oracle Enterprise Linux 4	x86_32 x86_64	GA-U8		
	Oracle Enterprise Linux 5	x86_32 x86_64	U3-U5		
Oracle	Solaris 10	x86_32 x86_64	GA-U6		
	Solaris 10	SPARC- Sun4v (Niagara)	GA-U6		
	Solaris 10	x86_64	GA-U8		
	Solaris 10	SPARC - Sun4u	GA-U8		

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

OS Vendor	Managed Platform	Architecture	Versions Supported	Added in Release (SR if blank)	Notes
	RHEL 4 (AS, ES, WS editions)	x86_32 x86_64 IA-64	GA-U8		
Red Hat	RHEL 5 (Advanced Platform, Base)	x86_32 x86_64 IA-64	GA: U2-U5		
	RHEL 5 Desktop	x86_32 x86_64	GA-U8		
	RHEL 6	x86_32 x86_64	GA		

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

OS Vendor	Managed Platform	Architecture	Versions Supported	Added in Release (SR if blank)	Notes
	ESX Server 4.1	x86_64	GA		
	ESXi Server 4.1 Embedded	x86_64	GA		
	ESX Server 4.0	x86_32 x86_64	GA		
VMware	ESXi Server 4.0 Embedded	x86_32 x86_64	GA		
	ESXi Server 4.0 Installable	x86_32 x86_64	GA		
	ESX Server 3.5	x86_32 x86_64	GA-U4 GA-U5 (only x86_64)		
	ESXi Server 3.5 Embedded	x86_32 x86_64	GA-U4		

Storage Visibility and Automation SE Connector Runtime Environment Support

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

OS Vendor	Managed Platform	Architecture	Versions Supported	Added in Release (SR if blank)	Notes
Microsoft	Windows Server 2003 (Standard, Enterprise)	x86_32	SP2		
Novell	SuSE Linux Enterprise Server 11	x86_32 x86_64	GA		
Oracla	Solaris 10	SPARC- Sun4v (Niagara)	GA-U6		
Oracle	Solaris 10	SPARC - Sun4u	GA-U8		
	RHEL 5 (Advanced Platform, Base)	x86_32 x86_64	U3-U5		
Red Hat	RHEL 4 (AS, ES, WS editions)	x86_32	GA-U8		
	RHEL 4 (AS, ES, WS editions)	x86_64	GA-U8		

Storage Visibility and Automation SE Connector Runtime Environment Support

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

OS Vendor	Managed Platform	Architecture	Versions Supported	Added in Release (SR if blank)	Notes
	ESX Server 4.0	x86_32 x86_64	GA		VMs supported: RHEL 4 GA-U8 RHEL 5 GA, 5.2, 5.3 Windows Server 2003 (Standard, Enterprise) Windows Server 2003 R2 (Standard, Enterprise)
	ESXi Server 4.0 Embeded	x86_32 x86_64	GA		VMs supported: RHEL 4 GA-U8 RHEL 5 GA, 5.2, 5.3 Windows Server 2003 (Standard, Enterprise) Windows Server 2003 R2 (Standard, Enterprise)
VMware	ESXi Server 4.0	x86_32 x86_64	GA		VMs supported: RHEL 4 GA-U8 RHEL 5 GA, 5.2, 5.3 Windows Server 2003 (Standard, Enterprise) Windows Server 2003 R2 (Standard, Enterprise)
	ESX Server 3.5	x86_32 x86_64	GA-U4		VMs supported: RHEL 4 GA-U8 RHEL 5 GA, 5.2, 5.3 Windows Server 2003 (Standard, Enterprise) Windows Server 2003 R2 (Standard, Enterprise)
	ESXi Server 3.5 Embedded	x86_32 x86_64	GA-U4		VMs supported: RHEL 4 GA-U8 RHEL 5 GA, 5.2, 5.3 Windows Server 2003 (Standard, Enterprise) Windows Server 2003 R2 (Standard, Enterprise)

Storage Visibility and Automation SAN Arrays Support

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	Model and Versions Supported	Added in Release (SR if blank)	Notes
EMC	Clariion, Symmetrix, DMX		
Hitachi	ALL*		No WMS NAS
НР	XP, EVA, MSA		
NETAPP	V3020		

^{*} See the Storage Essentials SRM Enterprise Edition Support Matrix for detailed information about supported subsystems and models for these vendors

Storage Visibility and Automation Fibre Channel Adapter Support

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15,2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	HBA Models	OS Supported	Added in Release	Notes
	LP10000ExDC, LP1050Ex, LP10000DC, LP10000,LP1050DC, LP1050, LP9802DC, LP9802, LP982,LP9402DC, LP9002L, LP9002DC, LP9000, LP952L,LP8000, LP8000DC, LP850, LPe11000	RHEL 4.0, 5.0 (AS/ES/WS/Ent), SuSE Linux 9, 10	(SR if blank)	
Emulex	LP10000DC, LP10000, LP9802DC, LP9802, LP9402DC, LP9002L, LP9002C, LP9002S, LP9002DC, LP9000, LP8000DC, LP8000S, LP7000E, LPe1102-S-0	Solaris 10		
	LP10000ExDC, LP1050Ex, LP10000DC, LP10000,LP1050DC, LP1050, LP9802DC, LP9802, LP982,LP9402DC, LP9002L, LP9002DC, LP9000, LP952L,LP8000, LP8000DC, LP850, LP7000E, LP NC7782	Windows Server 2003 R2 (Enterprise), Windows Server 2008 (Enterprise)		
	FC6227-Emulex-7000, FC6228-Emulex-9002,FC6239-Emulex-9802, FC5716-Emulex-10000,FC5759/5758-Emulex 11002/11000	AIX 5.3 AIX 6.1		
	Tachyon Fibre Channel, A6684A, A6685A, A5158A,A6795A	HP-UX		
	PCI-X Single-Port 4GB Fibre Channel HBA for HP-UX AB378B	HP-UX		
	PCI-X Dual-Port 4GB Fibre Channel HBA for HP-UX AB379B	HP-UX		
	Dual port 4 GB Fibre Channel, PCI-e AD300A	HP-UX		
НР	Single port 4 GB Fibre Channel, PCI-e AD299A	HP-UX		
	Dual Port 4 GB Fibre Channel, PCI-e AD355A	HP-UX		
	PCI-X Dual Channel 2GB Fibre Channel HBA A6826A	HP-UX		
	PCI-X Single-Port 4GB Fibre Channel HBA for HP-UX AB378B, A6684A	HP-UX		
	HP PCI-X Dual-Port 4GB Fibre Channel HBA for HP-UX AB378B, AB378-60101, AB379-60101	HP-UX		

Storage Visibility and Automation Fibre Channel Adapter Support

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15,2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Vendor	HBA Models	OS Supported	Added in Release (SR if blank)	Notes
ІВМ	DF1080F9, DF1000FA	AIX 5.3 AIX 6.1		
Oracle	SG-XPCI1FC-JN2 SG-CPCI2FC-JN2 (OEM by AMCC) SG-XPCI2FC-EM4-Z SG-XPCI2FC-QF2-Z SG-XPCIE2FC-QF4	Solaris 10 Solaris 10 U8 SPARC Solaris 10 U8 x64 Solaris 10 U5 SPARC		
	QLA2200 Series, QLA2202F, QLA2204F, QLA2300 (F), QLA2302F, QLA2310 (F), (FL),QLA231x/2340, QLA 2342	RHEL 4.0, 5.0 (AS/ES/WS/Ent), SuSE Linux 9, 10		
Qlogic	QLA2200 Series, QLA2202F, QLA2204F, QLA2300 (F), QLA2302F, QLA2310 (F), (FL), QLA2340 (L), QLA2342 (L), QLA2344, 375-3108-xx	Solaris 10		
	QLA2200 Series, QLA2202F, QLA2204F, QLA2302F, QLA2310 (F), (FL), QLA2340 (L), QLA2342 (L), QLA2344, QLA2350, QLA2352, HPAE312A	Windows Server 2003 R2 (Enterprise), Windows Server 2008 (Enterprise)		

Note: the minimum requirements for supporting FCAs (HBAs) are:

- The FCA vendor provides both FCA drivers and API libraries that comply with the SNIA FCA API standard.
- The driver and API libraries that came together from a specific vendor are installed and maintained as a matched set. Do not upgrade or install drivers without also upgrading or installing the corresponding API libraries that were shipped with the driver from vendor.
- HBA drivers used must be SNIA HBA API compliant.
- Emulex HBAnyware is required with all Emulex Drivers to provide the SNIA API. The following list provides additional information about support for FCAs:
- IBM FCAs on AIX do not require API libraries.

Storage Visibility and Automation Fibre Channel Adapter Support

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15,2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

			Added in	
Vendor	HBA Models	OS Supported	Release	Notes
			(SR if blank)	

- HBAs were tested with recent firmware and drivers, as of this writing. Contact your management server software representative for additional firmware and driver details.
- Storage Visibility and Automation does not support multiple OEMs of HBAs in the same server.
- Dual-ported HBAs differ in how they appear to the management server software and is dependent on how the vendor implements their API. Some dual-ported HBAs appear as two separate adapters.
- Depending on the HBA Firmware and the API versions that are used to retrieve the information, Storage Visibility and Automation might report the HBA type differently from what it actually is on the HBA

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15,2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	Volume Manager	Versions Supported	OS Supported	Added in Release (SR if blank)	Notes
		v3.0.0, v4.0.x through 5.3 SP1	Solaris 10		
		5.3	RHEL 4, RHEL 5 , RHEL 5.4(Advanced Platform) RHEL 4 update 8		
			AIX 5.3, 6.1		
EMC	PowerPath	v2 0 0 v4 0 v through 5 2	Windows 2003, 2008 (x86_32, x86_64)		
		v3.0.0, v4.0.x through 5.3	HP-UX 11i v1 HP-UX 11i v2 HP-UX 11i v3		
		5.3 SP1	OEL 5.4 - i386,x64 CentOS 5.4 - x64 RHEL 5.5 -i386		
Hitachi	HDLM	5.9.3-01.0 thru 6.2.0-00	RH Linux AS/ES 4 RH Linux 5 SuSE Linux Ent Server 9 SuSE Linux Ent Server 10 Oracle Ent Linux 5 CentOS 5.3 -i386		Please see HDLM User's Guide for specific Kernel version needed
		5.6.1-01 thru 6.1.0-00	Solaris 10 Solaris 10 U8 SPARC		
Hitachi	HDLM	5.9.1-00 thru 6.2.0-00	Windows 2003 x86_32, x86_64 Windows 2003 R2 x86_32, x86_64 Windows 2008 x86_32, x86_64 SuSE Linux Enterprise Server 10 SP3 x32 RHEL4 update 8 IA64		Please see HDLM User's Guide for specific Kernel version needed

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15,2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	Volume Manager	Versions Supported	OS Supported	Added in Release (SR if blank)	Notes
	HP-UX LVM	Same as OS	HP-UX 11i v1 HP-UX 11i v2 HP-UX 11i v3		
	HP MPIO	Same as OS	HP-UX 11i v3 Windows 2003, 2008		
НР	HP MPIO DSM for Windows for EVA Disk Arrays	3.00.00 - 4.01.00	Windows 2003 Windows 2008 (x86_32, x86_64*) Windows 2008 R2		
	HP MPIO DSM for Windows for XP Disk Arrays	3.00.00 - 4.00.00	Windows 2003 Windows 2008 (x86_32, x86_64*) Windows 2008 R2		
IBM	Native MPIO	Same as OS	AIX 5.3 AIX 6.1		
Microsoft	Native LDM	Same as OS	Windows Server 2003 R2 (Enterprise) Windows Server 2008 (Enterprise) Windows 2008 SP2 Windows 2008 R2 (x64)		

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15,2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	Volume Manager	Versions Supported	OS Supported	Added in Release (SR if blank)	Notes
Novell	LVM Native MPIO	2.02	SuSE 9, 10 Suse 11 SP1 - x32 Suse 11 SP1 -x64 Suse 11 - Power		
Oracle	Native MPIO	Same as OS	Solaris 10 Solaris 10 U8 SPARC Solaris 10 U8 x64		
	Solaris Volume Manager	Same as OS	Solaris 10 Solaris 10 U8 SPARC Solaris 10 U8 x64		
	ZFS	Same as OS	Solaris 10 (x86_32, X86_64, SPARC Solaris 10 U8 SPARC Solaris 10 U8 x64		

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15,2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	Volume Manager	Versions Supported	OS Supported	Added in Release (SR if blank)	Notes
Red Hat	LVM2 Native MPIO	2.6 Kernels	RHEL 4.0, 5.0 (AS/ES/WS/Ent) RHEL 4 update 8 RHEL 5.4(Advanced Platform) RHEL 5 U5 IA64 RHEL 5 U2 PPC RHEL 5 U3 PPC RHEL 5 U4 PPC RHEL 5 U5 PPC RHEL 6 -x32 RHEL 6 -x64 OEL 5.5 -x32 OEL 5.5 -x64 CentOS 5.5 - i386 CentOS 5.5 - x64 SuSE 11 SP1 - i386 SuSE 11 SP1 - x64 SuSE 11 -POWER Novell OES2 SP2 - i386 Novell OES2 SP2 - x64		

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15,2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	Volume Manager	Versions Supported	OS Supported	Added in Release (SR if blank)	Notes
Veritas	Storage Foundation & DMP	v4.0 v4.1	RHEL 4, 5, SuSE Linux 9, 10 (x86_64) Solaris 10 (SPARC & x86_64) HP-UX 11i v1 HP-UX 11i v2 HP-UX 11i v3		
	Storage Foundation & DMP	v5.0	AIX 5.3, 6.1 HP-UX 11i v1 HP-UX 11i v2 HP-UX 11i v3 RHEL 4, RHEL 5 (x86_64) SuSE Linux 9, 10 (x86_64) Solaris,10 RHEL4 update 8 x64 SuSE Linux Enterprise Server 10 SP3 x64 Solaris 10 U8 x64 Solaris 10 U8 SPARC Cent OS 5.2 x64 OEL 4.8 - x64 CentOS 5.3 -x64 CentOS 5.4 - x64 OEL 5.5 -x64		
		v5.0 MP4	OEL 5.5 -x64 OES 2 SP - x64 RHEL 5.5 ppc SLES 11 ppc		
	Storage Foundation	v5.1	Windows 2003, 2008 (x86_32, x86_64)		

Storage Visibility and Automation Database Support

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	Versions Supported	OS Supported	Added in Release (SR if blank)	Notes
Oracle	Oracle 10g	AIX 6.1 HP-UX 11i v3 RHEL v4.0, (AS/ES/WS/Desktop) Solaris 10 Windows 2003 Windows 2008 Solaris 10 U8		
	Oracle ASM 10g	AIX 6.1 HP-UX 11i v3 RHEL v4.0, (AS/ES/WS/Desktop) Solaris 10 Windows 2003 Windows 2008 Solaris 10 U8		
	Oracle 11g	AIX 6.1 HP-UX 11i v3 RHEL v4.0, (AS/ES/WS/Desktop) Solaris 10 Windows 2003 Windows 2008		
	Oracle ASM 11g	AIX 6.1 HP-UX 11i v3 RHEL v4.0, (AS/ES/WS/Desktop) Solaris 10 Windows 2003 Windows 2008		

Storage Visibility and Automation SAN Switches Support

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

Vendor	Versions Supported	Added in Release (SR if blank)	Notes
Brocade	ALL*		
McData	ALL*		*McDATA 4Gb SAN Switch is excluded from SE Connector because it is a rebranded Qlogic switches are not supported.

^{*} Please see the Storage Essentials SRM Enterprise Edition Support Matrix for detailed information about supported subsystems and models for these vendors

Storage Visibility and Automation Cross-Product Compatibility

(9.00 - 9.06)

February 2012

© Copyright 2000-2012 Hewlett-Packard Development Company, L.P.

Last Modified: February 15, 2012

HP Software Support Online

This matrix does not contain all configuration and resource requirements. For more information, download the Server Automation 9.06 Release Notes from HP Software Support Online.

Warranty

HP Storage Essentials	Notes
6.2	Storage Visibility and Automation 9.06 is compatible with versions of the HP Products listed in this row
6.2.1	Storage Visibility and Automation 9.06 is compatible with versions of the HP Products listed in this row
6.3	Storage Visibility and Automation 9.06 is compatible with versions of the HP Products listed in this row
9.4	Storage Visibility and Automation 9.06 is compatible with versions of the HP Products listed in this row
9.5	Storage Visibility and Automation 9.06 is compatible with versions of the HP Products listed in this row