

HP OpenView Policy Server Using Radia

for the Windows and UNIX operating systems

Software Version: 4.1

Migration Guide

June 2005



Legal Notices

Warranty

Hewlett-Packard makes no warranty of any kind with regard to this document, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be held liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

A copy of the specific warranty terms applicable to your Hewlett-Packard product can be obtained from your local Sales and Service Office.

Restricted Rights Legend

Use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause in DFARS 252.227-7013.

Hewlett-Packard Company
United States of America

Rights for non-DOD U.S. Government Departments and Agencies are as set forth in FAR 52.227-19(c)(1,2).

Copyright Notices

© Copyright 2005 Hewlett-Packard Development Company, L.P.

No part of this document may be copied, reproduced, or translated into another language without the prior written consent of Hewlett-Packard Company. The information contained in this material is subject to change without notice.

Trademark Notices

Linux is a registered trademark of Linus Torvalds.

Microsoft®, Windows®, and Windows® XP are U.S. registered trademarks of Microsoft Corporation.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

RED HAT READY™ Logo and RED HAT CERTIFIED PARTNER™ Logo are trademarks of Red Hat, Inc.

Acknowledgements

PREBOOT EXECUTION ENVIRONMENT (PXE) SERVER
Copyright © 1996-1999 Intel Corporation.

TFTP SERVER
Copyright © 1983, 1993
The Regents of the University of California.

OpenLDAP
Copyright 1999-2001 The OpenLDAP Foundation, Redwood City, California, USA.
Portions Copyright © 1992-1996 Regents of the University of Michigan.

OpenSSL License
Copyright © 1998-2001 The OpenSSLProject.

Original SSLeay License
Copyright © 1995-1998 Eric Young (eay@cryptsoft.com)

DHTML Calendar
Copyright Mihai Bazon, 2002, 2003

Technical Support

Please go to the following web site:

<http://www.managementsoftware.hp.com/>

There you will find contact information and details about the products, services, and support that HP OpenView offers.

The support site includes:

- Downloadable documentation
- Troubleshooting information
- Patches and updates
- Problem reporting
- Training information
- Support program information

About this document

This book is for Radia system administrators who want to upgrade the Radia Policy Servers in their enterprise to Version 4.1

This guide contains information for the Windows and UNIX platforms.

You should be familiar with Radia products, such as the Radia Database, Radia Configuration Server, Radia System Explorer, and the Radia Management Portal.

What this Guide is about

This guide should be used by systems administrators who want to:

- Upgrade their Radia Policy Servers on Windows platforms from version 3.x to version 4.1.
- Upgrade their Radia Policy Servers on UNIX platforms from version 3.x to version 4.1.

Radia Policy Server Upgrade Instructions

Use these procedures to upgrade an existing Radia Policy Server from version 3.x to Version 4.1.

The procedure applies to both Windows and UNIX environments.

The procedure directs you to rename the pm.cfg file prior to running the install so that the new pm.cfg file is unpacked. After installation, you can merge your earlier customizations with the new pm.cfg file. For additional configuration information, see the *HP OpenView Policy Server Using Radia Guide*.

To upgrade a Policy Server version 3.x to version 4.0

You can perform an in-place upgrade of the current Policy Server using the install media located on the HP OpenView Infrastructure Using RadiaCD.

- 1 Prior to upgrading, create a backup of the entire Policy Server directory. See the Policy Server Guide if you need instructions on stopping the existing Integration Server [httpd] service.
- 2 Rename the pm.cfg file in the existing Integration Server's etc directory to pm32.bak. This step forces the install of the new pm.cfg file.
- 3 Run the Policy Server installation program from the computer where the existing Policy Server is installed. The install program is located on the \extended_infrastructure\policy_server\<platform> directory of the Infrastructure install media.

For details on running the install program, see the Installation chapter of the *Policy Server Guide*.

The components for Radia Policy Server 4.1 will be installed to the same location as your existing Radia Policy Server.

- 4 After installation, compare the contents of the new pm.cfg file that was installed to the Integration Server's etc directory with the pm32.bak file. Port any customizations you had in the pm32.bak file to the new pm.cfg file.
- 5 Place the merged pm.cfg file back in the Integration Server's etc directory.
- 6 Restart the Integration Server to start the Policy Server.