

# HP OpenView Performance Agent

For the UNIX® and Linux® Operating Systems

Software Version: 4.61

---

## User's Manual

Document Release Date: April 2007  
Software Release Date: April 2007



## Legal Notices

### Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notices

© Copyright 1983-2007 Hewlett-Packard Development Company, L.P.

### Trademark Notices

UNIX® is a registered trademark of The Open Group.

Adobe® and Acrobat® are trademarks of Adobe Systems Incorporated.

Windows® and MS Windows® are U.S. registered trademarks of Microsoft Corporation.

Microsoft® is a U.S. registered trademark of Microsoft Corporation.

Oracle® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

## Support

You can visit the HP OpenView Support web site at:

**<http://www.hp.com/go/hpsoftwaresupport>**

HP OpenView online support provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract.

To find more information about access levels, go to:

**[www.hp.com/managementsoftware/access\\_level](http://www.hp.com/managementsoftware/access_level)**

To register for an HP Passport ID, go to:

**[www.managementsoftware.hp.com/passport-registration.html](http://www.managementsoftware.hp.com/passport-registration.html)**



# Contents

<b>1 Overview of OpenView Performance Agent</b> .....	9
How OpenView Performance Agent Works .....	10
OV Performance Agent Components .....	12
Scopeux Data Collector .....	13
Collection Parameters File .....	13
DSI Log Files .....	13
ARM Transaction Tracking Capabilities .....	14
Extract and Utility Programs .....	14
Data Communication .....	14
Related Performance Products .....	16
OpenView Performance Manager .....	16
OpenView GlancePlus .....	16
OpenView Reporter .....	16
OpenView Operations .....	16
Chapter Summary and Related Documentation .....	17
<b>2 Managing Data Collection</b> .....	19
Introduction .....	19
Scopeux Data Collector .....	20
Scopeux Status .....	21
parm File .....	22
Modifying the parm File .....	22
parm File Parameters .....	23
Stopping and Restarting Data Collection .....	37
Stopping Data Collection .....	37
Restarting Data Collection .....	37
Automating Scopeux Startup and Shutdown .....	38
Effective Data Collection Management .....	39
Controlling Disk Space Used by Log Files .....	39
Data Archiving .....	40
<b>3 Using the Utility Program</b> .....	43
Introduction .....	43
Running the Utility Program .....	44
Using Interactive Mode .....	45
Example of Using Interactive and Batch Mode .....	45
Utility Command Line Interface .....	47
Example of Using the Command Line Interface .....	49
Utility Scan Report Details .....	50

Scan Report Information . . . . .	51
Initial Values . . . . .	51
Initial Parm File Application Definitions . . . . .	51
Chronological Detail . . . . .	52
Summaries . . . . .	54
<b>4 Utility Commands . . . . .</b>	<b>59</b>
Introduction . . . . .	59
analyze . . . . .	61
checkdef . . . . .	63
detail . . . . .	64
exit . . . . .	65
guide . . . . .	66
licheck . . . . .	67
help . . . . .	68
list . . . . .	69
logfile . . . . .	70
menu . . . . .	72
parmfile . . . . .	73
quit . . . . .	74
resize . . . . .	75
scan . . . . .	80
sh . . . . .	82
show . . . . .	83
start . . . . .	84
stop . . . . .	86
<b>5 Using the Extract Program . . . . .</b>	<b>89</b>
Introduction . . . . .	89
Running the Extract Program . . . . .	90
Syntax . . . . .	90
Using Interactive Mode . . . . .	91
Extract Command Line Interface . . . . .	92
Overview of the Export Function . . . . .	97
How to Export Data . . . . .	97
Sample Export Tasks . . . . .	98
Export Data Files . . . . .	99
Export Template File Syntax . . . . .	99
Creating a Custom Graph or Report . . . . .	102
Output of Exported Files . . . . .	103
Notes on ASCII and Datafile Formats . . . . .	104
Notes on Binary Format . . . . .	104
<b>6 Extract Commands . . . . .</b>	<b>111</b>
Introduction . . . . .	111
application . . . . .	115
class . . . . .	116

configuration	117
cpu	118
disk	119
exit	120
export	121
extract	124
filesystem	126
global	127
guide	128
help	129
licheck	130
list	131
logfile	132
lvolume	134
menu	135
monthly	136
netif	138
output	139
process	141
quit	142
report	143
sh	144
shift	145
show	146
Examples	146
start	148
stop	150
transaction	152
weekdays	153
weekly	154
yearly	156
<b>7 Performance Alarms</b>	<b>159</b>
Introduction	159
Processing Alarms	160
How Alarms Are Processed	160
Alarm Generator	160
Sending SNMP Traps to Network Node Manager	160
Sending Messages to OpenView Operations (OVO)	161
Executing Local Actions	161
Errors in Processing Alarms	162
Analyzing Historical Data for Alarms	162
Alarm Definition Components	164
Alarm Syntax Reference	165
Conventions	165

Common Elements . . . . .	165
ALARM Statement . . . . .	168
ALERT Statement . . . . .	173
EXEC Statement . . . . .	175
PRINT Statement . . . . .	176
IF Statement . . . . .	176
LOOP Statement . . . . .	177
INCLUDE Statement . . . . .	178
USE Statement . . . . .	179
VAR Statement . . . . .	181
ALIAS Statement . . . . .	181
SYMPTOM Statement . . . . .	182
Alarm Definition Examples . . . . .	184
Customizing Alarm Definitions . . . . .	186
<b>A Appendix</b> . . . . .	187
Viewing MPE Log Files . . . . .	187
Viewing and Printing Documents . . . . .	188
Viewing Documents on the Web . . . . .	188
Adobe Acrobat Files . . . . .	189
ASCII Text Files . . . . .	189
<b>Glossary</b> . . . . .	191
<b>Index</b> . . . . .	197



---

# 1 Overview of OpenView Performance Agent

This chapter contains the following information:

- [How OpenView Performance Agent Works](#)
- [Revisions to OV Performance Agent](#)
- [Brief overview of OV Performance Agent Components](#) such as, the `scopeux` collector, the `parm` file, utility and `extract` programs
- [Related Performance Products](#)

➤ OV Performance Agent version 4.0 and later, connects to OV Performance Manager (OVPM) 4.0 and later using the HTTP data communication protocol. OVPM 3.x (PerfView) connects to OV Performance Agent using the DCE or NCS data communication protocol, for all UNIX platforms except OV Performance Agent for Linux and Sun Solaris 10 on x86.

# How OpenView Performance Agent Works

OpenView Performance Agent (OVPA) collects, summarizes, timestamps, and detects alarm conditions on current and historical resource data across your system. OVPA provides performance, resource, and end-to-end transaction response time measurements, and supports network and database measurement information.

Data collected outside OVPA can be integrated using data source integration (DSI) capabilities. For example, network, database, and your own application data can be brought in through DSI and treated the same as data collected by OV Performance Agent. All DSI data is logged and time-stamped, and can be alarmed on. (For details, see the *HP OpenView Performance Agent for UNIX Data Source Integration Guide*.)

The data collected or received by OVPA can be analyzed using spreadsheet programs, analysis tools such as HP OV Performance Manager, and other third-party analysis products.

The comprehensive data logged by OV Performance Agent allows you to:

- Characterize the workloads in the environment.
- Analyze resource usage for load balancing.
- Perform trend analysis to isolate and identify bottlenecks.
- Perform service-level management based on transaction response time.
- Perform capacity planning.
- Respond to alarm conditions.
- Solve system management problems before they arise.

OV Performance Agent gathers comprehensive and continuous information on system activity without imposing significant overhead on the system. The design also provides scope for customization. You can accept default configurations or set parameters to collect data for specific conditions.

## Operating Systems Supported

OV Performance Agent 4.0 is supported on Linux, OV Performance Agent 4.5 and later is supported on HP-UX, Sun Solaris, IBM AIX, Tru64 UNIX and Linux. OV Performance Agent 4.6 version is also supported on VMware ESX Server, HP Integrity Virtual Machines 2.0, and LPARs.

For more information about the operating system versions, refer to the *HP OpenView Performance Agent Installation and Configuration Guide*.

## Revisions to OV Performance Agent

Substantial changes were made to the internal flow of metric data in OVPA 4.0 and later versions with the addition of the HTTP data communication mechanism to the existing DCE and NCS communication modes. In OVPA 4.5 and later versions, coda and perfalarm (HTTP mode) co-exist with the rep\_server and alarmgen<sup>1</sup> (DCE/NCS mode), while the datasources and perflbd.rc files are maintained as symbolic links to each other. In this

release, you can configure the data collection interval in the collection parameters file (`parm file`). In this release OVPA is also supported on virtualized environments: HPVM, AIX LPAR, and VMWare ESX server.



OVPA for Linux and Sun Solaris 10 on x86 supports only the HTTPS data communication mechanism.

1. To enable the DCE based alarm generator, `alarmgen`, stop OV Performance Agent, rename the `perfalarm` executable to `perfalarm.old`, and restart OV Performance Agent using the `mwa` script.


# OV Performance Agent Components

The main components of OV Performance Agent are the following:

- Scopeux Data Collector
- Collection Parameters File
- DSI Log Files
- Extract and Utility Programs
- Data Communication
- ARM Transaction Tracking Capabilities


The following diagrams show the relationships among components of the OV Performance Agent system. The following diagrams illustrate how the OV Performance Agent components interact.

**Figure 1 Component interaction with HTTP mode enabled**



**Figure 2 Component interaction with DCE or NCS mode enabled**

### OV Performance Agent Components



## Scopeux Data Collector

The `scopeux` data collector collects performance data from the operating system on which OV Performance Agent resides. The data is summarized, and recorded into the raw log files, according to the types of information required.

For detailed information about `scopeux`, see [Chapter 2, Managing Data Collection](#).

## Collection Parameters File

The type of data collected is determined by parameters set in the OV Performance Agent programs and in the collection parameters (`parm`) file, an ASCII file used to customize the collection environment. This file contains instructions for the `scopeux` to log specific performance measurements. The collection parameters file is commonly referred to in this manual as the `parm` file.

For detailed information about the `parm` file, see [Chapter 2, Managing Data Collection](#).

## DSI Log Files

DSI log files contain self-describing data that is collected outside of OV Performance Agent. These log files are created by OV Performance Agent's DSI programs. DSI processes and the creation of DSI log files are described in detail in the *HP OpenView Performance Agent for UNIX Data Source Integration Guide*.

## ARM Transaction Tracking Capabilities

OV Performance Agent includes transaction tracking capabilities that allow information technology (IT) managers to measure end-to-end response time of business application transactions. To collect transaction data, OV Performance Agent must have an application running that is instrumented with the Application Response Measurement (ARM) API.

This is valid for all supported UNIX systems, except for Tru64 UNIX, where ARM is not available. For more information, see the *HP OpenView Performance Agent & Glance Plus for UNIX Tracking Your Transactions guide* and *HP OpenView Performance Agent & Glance Plus for UNIX Application Response Measurement API Guide*.

## Extract and Utility Programs

Two OV Performance Agent programs, `extract` and `utility`, provide the means for managing both `scopeux` log files and DSI log files.

The `extract` program allows you extract data from raw log files or previously extracted `scopeux` log files and write it to extracted log files. The extracted log files contain selected performance data for specific analysis needs. The `extract` program also allows you export `scopeux` and DSI data for use by spreadsheet programs and other analysis products. For more information about `extract` and `extract` commands, see [Chapter 5, Using the Extract Program](#) and [Chapter 6, Extract Commands](#).

The `utility` program lets you generate reports on raw and extracted `scopeux` log files, resize raw `scopeux` log files, and check `parm` file syntax. It also lets you check the syntax in your alarm definitions file and analyze alarm conditions in historical `scopeux` and DSI log file data. For more information about `utility` and `utility` commands, see [Chapter 3, Using the Utility Program](#) and [Chapter 4, Utility Commands](#).

## Data Communication

OV Performance Agent uses the `coda` daemon or a set of repository servers that provide previously collected data to the alarm generator and the OV Performance Manager analysis product. The `coda` daemon uses the HTTP data communication mechanism, and the repository servers use the DCE or NCS mechanism. If both HTTP and DCE/NCS data communication mechanisms are enabled, OVPA uses both the `coda` daemon and the set of repository servers. For more information on configuring the data communication mechanism, see the *HP OpenView Performance Agent Installation and Configuration Guide*.

Each data source consists of a single log file set. The data source list that `coda` accesses is maintained in the `datasources` configuration file that resides in the `/var/opt/OV/conf/perf/` directory. The data source list that the repository servers access is maintained in the `perflbd.rc` file that resides in the `/var/opt/perf/` directory. The `perflbd.rc` file is maintained as a symbolic link to the `datasources` file.

There is a repository server for each specific data source such as `scopeux` log files or DSI log files. When you first start up OV Performance Agent after installation, a default data source named `SCOPE` is already configured and provides a `scopeux` log file set.

If you want to add other data sources, you can configure them in the `datasources` file. If you no longer want to view the OVPA or DSI log file data from OV Performance Manager, or process alarms for the log file, you can modify the `datasources` file to remove the data source and the path to the log file set. When you restart the `coda` daemon or the repository server, it reads the `datasources` file and makes the data available over `datacomm` linkages to analysis tools for each data source available.

You can also remove the log file set if you no longer need the data. If you remove the log file set but do not remove the data source from `datasources`, `coda` or the repository server will skip the data source.

You might also choose to stop logging DSI data to a log file set but keep the `coda` daemon or the repository server open so you can view the historical data in OV Performance Manager. In this case, stop the `dsilog` process but do not delete the data source from the `datasources` file.

## Related Performance Products

OV Performance Agent is one of three related compatible performance products from Hewlett-Packard. Each of these products are required for different purposes within the range of resource and performance management. This lets you purchase as much functionality as you need and add products over time without risking incompatibilities or overlapping product capabilities.

Related HP performance products include the following:

### OpenView Performance Manager

HP OpenView Performance Manager (OVPM) provides integrated performance management for multi-vendor distributed networks. OVPM provides a single interface and a common method for centrally monitoring, analyzing, and comparing resource measurement data supplied by OV Performance Agent running on many systems.



OV Performance Manager (OVPM) in this document refers only to versions 4.0 and later. The name OVPM 3.x is used throughout this document to refer to the product that was formerly known as PerfView.

### OpenView GlancePlus

GlancePlus (or Glance) is an online diagnostic tool that displays current performance data directly to a user terminal or workstation. It is designed to assist you in identifying and troubleshooting system performance problems as they occur.

### OpenView Reporter

OV Reporter creates web-based reports from data of targeted systems it "discovers." Discovery of a system can occur if the system is running OpenView agent and subagent software such as OV Performance Agent. Reporter can also generate reports on systems managed by OV Operations. After Reporter has run through its discovery, it gathers data based on pre-defined and user-specified lists of metrics, then formats the collected data into web page reports.

### OpenView Operations

OV Operations (OVO) also displays and analyzes alarm information sent by OV Performance Agent. OVO is a distributed client-server software solution designed to help system administrators detect, solve, and prevent problems occurring in networks, systems, and applications in any enterprise. OVO is a scalable and flexible solution that can be configured to meet the requirements of any information technology (IT) organization and its users.

For more information about any of these products, see the product documentation on the HP OpenView Manuals web site at:

**[http://ovweb.external.hp.com/lpe/doc\\_serv](http://ovweb.external.hp.com/lpe/doc_serv)**

Select **<product name>** from the product list box, select the release version, select the OS, and select the manual title. Click **[Open]** to view the document online, or click **[Download]** to place the file on your computer.



## Chapter Summary and Related Documentation

The information in this manual is organized as follows:

- The scopeux data collector is described in [Chapter 2, Managing Data Collection](#).
- The repositories, coda and data sources are described later in this chapter and in the *HP OpenView Performance Agent Installation and Configuration Guide*.
- Alarm generation components are described in [Chapter 7, Performance Alarms](#).
- Data source integration (DSI), including dsilog and other DSI components, is described in the *HP OpenView Performance Agent for UNIX Data Source Integration Guide*.



---

## 2 Managing Data Collection

### Introduction

This chapter provides instructions to manage the following data collection activities that are involved in using OV Performance Agent.

- The [Scopeux Data Collector](#) for collection and recording performance data.
- The collection parameters ([parm File](#)) file and its parameters
- [Stopping and Restarting Data Collection](#)
- [Effective Data Collection Management by Controlling Disk Space Used by Log Files and Data Archiving](#)

# Scopeux Data Collector

The `scopeux` daemon collects and summarizes performance measurements of system-resource utilization and records the data into the following log files, depending on the data classes specified in the `log` line of the `parm` file.

- The `logglob` file contains measurements of system-wide, or global, resource utilization information. Global data is summarized and recorded periodically at intervals specified in the `parm` file. For more information refer to the section [Configure Data Logging Intervals](#) on page 35.
- The `logappl` file contains aggregate measurements of processes in each user-defined application from the `parm` file. Application data is summarized periodically at intervals specified in the `parm` file and each application that had any activity during that interval is recorded. For more information refer to the section [Configure Data Logging Intervals](#) on page 35.
- The `logproc` file contains measurements of selected interesting processes. Process data is summarized periodically at intervals specified in the `parm` file. For more information refer to the section [Configure Data Logging Intervals](#) on page 35. However, only interesting processes are recorded.
- The `logdev` file contains measurements of individual device (such as disk and `netif`) performance. Device data is summarized periodically at intervals specified in the `parm` file and data from each device that had any activity during that interval is recorded. For more information refer to the section [Configure Data Logging Intervals](#) on page 35.
- The `logtran` file contains measurements of ARM transaction data. Transaction data is summarized periodically at intervals specified in the `parm` file and each transaction that had any activity is recorded. For more information refer to the section [Configure Data Logging Intervals](#) on page 35. (For more information, see the *HP OpenView Performance Agent & Glance Plus for UNIX Tracking Your Transactions guide*.)
  - ▶ The `logtran` file is not available on Tru 64 UNIX operating system.
- The `logls` file contains information about the logical systems. Data of logical systems is summarized periodically at intervals specified in the `parm` file. For more information refer to the section [Configure Data Logging Intervals](#) on page 35.
  - ▶
    - The `logls` file is available only on OV Performance Agent for HPVM, VMware ESX Server and AIX operating systems.
      - On AIX, for specific configuration instructions, refer to the section, *OV Performance Agent on a Virtualized Environment*, in the *HP OpenView Performance Agent Installation and Configuration Guide for AIX*.
    - The log files `logproc`, `logappl` and `logtran` are not available on OV Performance Agent on VMware ESX Server.
- The `logindx` file contains information needed to access data in the other log files.
  - ▶
    - The timestamps of the records in the log files indicate the starting time of data collection.
    - The concept of interesting processes is a filter that helps minimize the volume of data logged and is controlled from the `parm` file.

## Scopeux Status

In addition to the log files, two other files are created when `scopeux` is started. They are the `RUN` file that resides in the `/var/opt/perf/datafiles/` directory and the `status.scope` file that resides in the `/var/opt/perf/` directory.

The `RUN` file is created to indicate that the `scopeux` process is running. Removing this file causes `scopeux` to terminate.

The `/var/opt/perf/status.scope` file serves as a status/error log for the `scopeux` process. New information is appended to this file each time the `scopeux` collector is started, stopped, or when a warning or error is encountered. To view the most recent status and error information from `scopeux`, use the `perfstat -t` command.

# parm File

The `parm` file is a text file containing the instructions that tell `scopeux` to log specific performance measurements. The latest default `parm` file is installed with OV Performance Agent in the `/opt/perf/newconfig/` directory (`/usr/lpp/perf/newconfig/` on IBM AIX and `/usr/opt/perf/newconfig/` on Tru64 UNIX systems) and is copied into the `/var/opt/perf/` directory during installation if one does not already exist from a previous installation. `scopeux` reads the `/var/opt/perf/parm` file when it starts up.

If you have not run the product before, you can use the `/var/opt/perf/parm` file to become familiar with the type of data collected. The default values for each parameter are explained in the `parm` file.

Once you are familiar with the OV Performance Agent environment, you can customize the `/var/opt/perf/parm` file according to your performance data collection needs.

The `parm` file is set up to collect an average amount of log file data. The maximum amount depends on your system. For more information, refer to the section Disk Space in Chapter 1 of the *HP OpenView Performance Agent Installation & Configuration Guide*. Also see the description of the parameter `size` in [Parameter Descriptions](#) on page 25.

If you have used OV Performance Agent and are familiar with the `parm` file parameters, you may want to modify this file before starting the `scopeux` collector.

## Modifying the parm File

You can modify the `parm` file using any word processor or editor that can save a file in ASCII format.

When you modify the `parm` file, or create a new one, the following rules and conventions apply:

- Any parameter you specify overrides the default values. See the `parm` file for the default values.
- The order in which the parameters are entered into the `parm` file is not important except as follows:
  - If a parameter is entered more than once, the last one entered is used.
  - The `file`, `user`, `group`, `cmd`, `argv1`, and `or` parameters must follow the application statement that they define.
- ▶ The `cmd` and `argv1` parameters are not supported on Tru64 UNIX systems.
- Application parameters should be listed in order so that a process will be aggregated into the application when it is first matched.
- You can use uppercase letters, lowercase letters, or a combination of both for all commands and parameter statements.
- You can use blanks or commas to separate key words in each statement.
- You can comment the `parm` file. Any line starting with a comment code `(/*)` or pound sign `(#)` is ignored.

After modifying the `parm` file, you must issue the `ovpa restart scope` command for the changes to take effect. This command causes `scopeux` to restart and reread the `parm` file.

## parm File Parameters

Scopeux is controlled by specific parameters in the collection parameters (`parm`) file that do the following:

- Set maximum amount of disk space for the raw `scopeux` log files.
- Specify the data types to be logged.
- Specify the intervals at which data should be logged.
- Specify attributes of processes and metrics to be logged.
- Define types of performance data to be collected and logged.
- Specify the user-definable sets of applications that should be monitored. An application can be one or more programs that are monitored as a group.
- Specify when `scopeux` should perform daily log file maintenance activities so that they do not impact system availability.

You can modify these parameters to tell `scopeux` to log performance data that match the requirements of your particular system (see [Modifying the parm File](#) on page 22).

The `parm` file parameters listed in [Table 1](#) on page 23 are used by `scopeux`. Some of these parameters are for specific systems as indicated in the table. For detailed descriptions of these parameters, see [Parameter Descriptions](#) on page 25 and [Application Definition Parameters](#) on page 31.



The parameters listed in the following table that are applicable only to HP-UX are described in detail in Chapter 2 of the *HP OpenView Performance Agent Installation & Configuration Guide for HP-UX*.

**Table 1 parm File Parameters Used by Scopeux**

Parameter	Values or Options
<code>id</code>	system ID
<code>log</code>	<ul style="list-style-type: none"><li>• <code>global</code></li><li>• <code>application [=prm] [=all]</code> (not on VMware ESX Server, <code>[=prm]</code> on HP-UX only)</li><li>• <code>process</code> (not on VMware ESX Server)</li><li>• <code>device=disk,lvm,cpu,filesystem,all</code> (<code>lvm</code> on HP-UX only)</li><li>• <code>transaction=correlator,resource</code> (not on VMware ESX Server, <code>resource</code> on HP-UX only)</li><li>• <code>logicalsystem</code></li></ul>
<code>mainttime</code>	<code>hh:mm</code> (24-hour time format)
<code>scopetransactions</code>	<code>on</code> <code>off</code>
<code>subprocinterval</code>	value in seconds (not on HP-UX)

**Table 1 parm File Parameters Used by Scopeux (cont'd)**

<b>Parameter</b>	<b>Values or Options</b>
javaarg	true false (not on Tru64 UNIX)
procthreshold (same as threshold)	cpu= <i>percent</i> disk= <i>rate</i> (not on Linux or Windows) memory=nn (values in MBs) nonew nokilled shortlived
appthreshold	cpu= <i>percent</i>
diskthreshold	util= <i>rate</i>
bynetifthreshold	iorate= <i>rate</i>
fsthreshold	util= <i>rate</i>
lvthreshold	iorate= <i>rate</i>
bycputhreshold	cpu= <i>percent</i>
wait	cpu= <i>percent</i> (HP-UX only) disk= <i>percent</i> (HP-UX only) mem= <i>percent</i> (HP-UX only) sem= <i>percent</i> (HP-UX only) lan= <i>percent</i> (HP-UX only)
application	<i>application name</i> (not on VMware ESX Server)
file	<i>file name</i> [, ...]
argv1	first command argument [, ] (not on Tru64 UNIX)
cmd	command line regular expression (not on Tru64 UNIX)
user	<i>user login name</i> [, ]
group	<i>groupname</i> [, ]
or	
priority	low value-high value (range varies by platform)
size	global=nn (values are in MBs) application=nn process=nn device=nn transaction=nn
collectioninterval	process=ss (values in seconds) global=ss



**Table 1 parm File Parameters Used by Scopeux (cont'd)**

Parameter	Values or Options
gapapp	blank UnassignedProcesses ExistingApplicationName other
Flush	ss (values in seconds)

## Parameter Descriptions

Following are descriptions of each of the parm file parameters.

### ID

The system ID value is a string of characters that identifies your system. The default ID assigned is the system's host name. If you want to modify the default ID assigned, then make sure all the systems have unique ID strings. This identifier is included in the log files to identify the system on which the data was collected. You can specify a maximum of 40 characters.

### log

The log parameter specifies the data types to be collected by scopeux.

- log global enables scopeux to record global records to the logglob file. You must have global data records to view and analyze performance data on your system. Global metrics are not affected by logging options or values of application or process data.
- log application enables scopeux to record active application records to the logappl file. By default, only applications that have active processes during an interval are logged.
  - log application=all in the parm file enables scopeux to log all applications to the logappl file at every interval, regardless of whether the applications are active or not.

The application=all option may be desirable in specific circumstances in relation to the use of application alarms. For example, you can alarm on an application becoming inactive (APP\_ALIVE\_PROC).

Enabling this option causes the log file logappl to fill more quickly since all applications are logged at every interval. You can use the utility program's scan function to monitor the utilization of the scopeux log files.

- On HP-UX only, you may specify the parameter log application=prm to enable scopeux to record active Process Resource Manager (PRM) groups to the logappl file. If you specify this parameter, scopeux will not record user-defined application sets listed in the parm file. In addition, all application metrics collected will reflect a PRM context and will be grouped by the APP\_NAME\_PRM\_GROUPNAME metric.

Application logging options do not affect global or process data.

- log process enables scopeux to record information about interesting processes to the logproc file. A process may become interesting when it is first created, when it ends, and when it exceeds a threshold specified in the parm file for an application. Process threshold logging options have no affect on global or application data.

`log device=disk,lvm,cpu,filesystem` enables `scopeux` to record information about individual disks, logical volumes (HP-UX only), CPUs, and file systems to the `logdev` file. By default, only disks, volumes and interfaces that had I/O generated through them during an interval are logged. Note that `netif` (logical LAN device) records are always logged regardless of the selected log device options.

For example, to request logging of records for individual disks, logical volumes, CPUs, network interfaces, but *not* individual file systems, the log parameter in the `parm` file would include `device=disk,lvm,cpu`.

- When `filesystem` is specified, all mounted local file systems are logged every interval, regardless of activity.
- `log device=all` in the `parm` file will force `scopeux` to log all disk, logical volume, CPU, and network interface devices to the `logdev` file at every interval, regardless of whether the devices are active or not.

Enabling this option causes `logdev` to fill more quickly since all devices are logged at every interval. Use the utility program's `scan` function to monitor log file utilization and sizing.

- `log transaction` enables `scopeux` to record ARM transaction records to the `logtran` file. To enable `scopeux` to collect data, a process that is instrumented with the Application Response Measurement (ARM) API must be running on your system. (For more information, refer to the *HP OpenView Performance Agent & Glance Plus for UNIX Tracking Your Transactions guide*.)

The default values for the `log transaction` parameter are `no resource` and `no correlator`.

To turn on resource data collection (HP-UX only) or correlator data collection, specify **`log transaction=resource`** or **`log transaction=correlator`**. Both can be logged by specifying **`log transaction=resource, correlator`**.

- `log logicalsystems` enables `scopeux` to record information about the logical systems to the `logls` file. Data for logical systems is summarized periodically at intervals specified in the `parm` file.

The log files are created automatically irrespective of logging options. If a particular type of logging is disabled, the corresponding log file will not be removed.

If you specify `log` without options, by default the global and the process data are logged.

## Thresholds

The following parameters specify the thresholds for different classes of metrics. When the threshold value specified is exceeded for a particular instance of a class of data, a record for that instance will be logged by `scopeux`.

You can specify lower values for the threshold, to enable `scopeux` to log more data or you can specify higher values for the threshold, to enable `scopeux` to log lesser data so that you have fewer records logged on average. Listed below are the threshold parameters available:

- `Procthreshold`
- `apptreshold`
- `diskthreshold`
- `bynetifthreshold`
- `fsthreshold`
- `lvthreshold`

- `bycputhreshold`

### Procthreshold

The `procthreshold` parameter is used to set activity levels to specify criteria for interesting processes. To use this parameter, you must enable process logging. `procthreshold` affects only processes that are logged and do not affect other class of data. For example, not logging process data would not affect collection or values of application or global data.



The `procthreshold` parameter is same as the `threshold` parameter. The `threshold` parameter is also supported in OV Performance Agent version 4.6. If both the parameters are enabled, the latest value specified overrides the previous value.

Enter the options for thresholds on the same parameter line (separated by commas).

#### Procthreshold Options for Process Data

<code>cpu</code>	<p>Sets the percentage of CPU utilization that a process must exceed to become “interesting” and be logged.</p> <p>The value “percent” is a real number indicating overall CPU use. For example, <code>cpu=7.5</code> indicates that a process is logged if it exceeds 7.5 percent of CPU utilization in a 1-minute sample.</p>
<code>disk</code>	<p>(Not available on Linux or Windows). Sets the rate of physical disk I/O per second that a process must exceed to become “interesting” and be logged.</p> <p>The value is a real number. For example, <code>disk=8.0</code> indicates that a process will be logged, if the average physical disk I/O rate exceeds 8 KBs per second.</p>
<code>memory</code>	<p>Sets the memory threshold that a process must exceed to become “interesting” and be logged.</p> <p>The value is in megabyte units and is accurate to the nearest 100KB. If set, the memory threshold is compared with the value of the <code>PROC_MEM_VIRT</code> metric. Each process that exceeds the memory threshold will be logged, similarly to the disk and CPU process logging thresholds.</p>
<code>nonew</code>	<p>Turns off logging of new processes if they have not exceeded any threshold. If not specified, all new processes are logged. On HP-UX, if <code>shortlived</code> is <i>not</i> specified, then only new processes that lasted more than one second are logged.</p>

nokilled	Turns off logging of exited processes if they did not exceed any threshold. If not specified, all killed (exited) processes are logged. On HP-UX, if shortlived is <i>not</i> specified, then only killed processes greater than one second are logged.
shortlived	Turns on logging of processes that ran for less than one second in an interval. (This often significantly increases the number of processes logged.) If scopeux finds threshold shortlived in the parm file, it logs shortlived processes, regardless of the cpu or disk threshold, as long as the nonew and nokilled options are removed. The default is no shortlived processes will be logged. (Do not specify shortlived in the threshold parameter if you do not want shortlived processes logged.)
process	procthreshold specifies the thresholds for PROCESS class. The default values are as follows: <ul style="list-style-type: none"> <li>• processes that used more than 10% of a processor's worth of cpu during the last interval</li> <li>• processes had a virtual memory set size over 900 Megabytes</li> <li>• processes had an average physical disk I/O rate greater than 5 KB per second</li> </ul>

### apptreshold

The apptreshold parameter is used to specify threshold values for the APPLICATION data class (APP\_CPU\_TOTAL\_UTIL metric). The threshold criteria is based on the percentage of CPU utilization that an application must exceed for the application to be recorded in the log files.

The default threshold values records applications that use more than 10% of CPU.

### diskthreshold

The diskthreshold parameter is used to specify the threshold values for DISK class. The threshold criteria for DISK class is based on the percentage of time duration, a disk performs I/Os (BYDSK\_UTIL metric).

The default values records the disks that are busy performing I/Os for more than 10% of the time duration.

### bynetifthreshold

The bynetifthreshold specifies the thresholds for NETIF class. Netif data class threshold criteria is based on the number of packets transferred by the network interface per second (BYNETIF\_PACKET\_RATE metric).

The default values records network interfaces that transfer more than 60 packets per second.

### fsthreshold

The fsthreshold specifies the thresholds for FILESYSTEM class. The file system data class threshold criteria is based on the percentage of disk space utilized by the filesystems (FS\_SPACE\_UTIL metric).

The default values records filesystems that utilize more than 70% of disk space.

### lvthreshold

The lvthreshold specifies the thresholds for LOGICALVOLUME class. Logical volume data class threshold values are based on I/Os per second (LV\_READ\_RATE + LV\_WRITE\_RATE).

The default value records logical volumes that has more than 35 I/Os per second.

### bycputhreshold

The `bycputhreshold` specifies the thresholds for CPU class. CPU data class thresholds criteria is based on percentage of time the cpu was busy (`BYCPU_CPU_TOTAL_UTIL`).

The default value records CPUs that are busy more than 90% of time.

### Scopetransactions

The `scopeux` collector itself is instrumented with ARM (Application Response Measurement) API calls to log its own transactions. The `scopetransactions` flag determines whether or not `scopeux` transactions will be logged. The default is `scopetransactions=on`; `scopeux` will log two transactions, `Scope_Get_Process_Metrics` and `Scope_Get_Global_Metrics`. If you do not want these `scopeux` transactions to be logged, specify `scopetransactions=off`. A third transaction, `Scope_Log_Headers`, will always be logged; it is not affected by `scopetransactions=off`.

For more information about ARM, see your *HP OpenView Performance Agent & Glance Plus for UNIX Tracking Your Transactions* guide.

### Subprointerval

The `subprointerval` parameter, if specified, overrides the default that `scopeux` uses to sample process data. Process data and global data are logged periodically at intervals specified in the `parm` file. However, `scopeux` probes its instrumentation every few seconds to catch short-term activities. This instrumentation sampling interval is 5 seconds by default. The process data logging interval must be an even multiple of the `subprointerval`. For more information, refer to the section [Configure Data Logging Intervals](#) on page 35.

On some systems with thousands of active threads or processes, the `subprointerval` should be made longer to reduce overall `scopeux` overhead. On other systems with many short-lived processes that you may wish to log, setting the `subprointerval` lower could be considered, although the effect on `scopeux` overhead should be monitored closely in this case. This setting must take values that are factors of the process logging interval as specified in the `parm` file.



Lower values for the `subprointerval` will decrease the gap between global metrics and the sum of applications on all operating systems other than HP-UX.

### gapapp

The `gapapp` parameter in the `parm` file controls the modification of application class of data to account for any difference between the global (system-wide) data and the sum of application data.

Application data is derived from process-level instrumentation. Typically there is difference between the global metrics and the sum of applications. In systems which have high process creation rates the difference will be significant. You can choose from the following options:

- If `gapapp` is blank, an application named `gapapp` will be added to the application list.
- If `gapapp = UnassignedProcesses`, an application by the name `UnassignedProcesses` will be added to the application list.
- If `gapapp = ExistingApplicationName` (or) `gapapp = other`, The difference to the global values will be added to the specified application instead of being logged separately and adding a new entry to the application list.

## Size

The `size` parameter is used to set the maximum size (in megabytes) of any raw log file. You cannot set the size to be less than one megabyte.

The `scopeux` collector reads these specifications when it is initiated. If any of these log files achieve their maximum size during collection, they will continue to grow until `mainttime`, when they will be rolled back automatically. During a roll back, the oldest 25 percent of the data is removed from the log file. Raw log files are designed to only hold a maximum of one year's worth of data if not limited by the `size` parameter. See [Log File Contents Summary](#) on page 56 and [Log File Empty Space Summary](#) on page 56 in the [Utility Scan Report Details](#) section in Chapter 3.

If the `size` specification in the `parm` file is changed, `scopeux` detects it during startup. If the maximum log file size is decreased to the point where existing data does not fit, an automatic resize will take place at the next `mainttime`. If the existing data fits within the new maximum size specified, no action is taken.

Any changes you make to the maximum size of a log file take effect at the time specified in the `mainttime` parameter.



Regardless of the `size` parameters, the maximum size of the `scopeux` log files will be limited also by the amount of data stored over one year. Raw scope log files cannot contain more than one year of data, so if logs extend back that long, the data older than one year will be overwritten. See [extract](#) on page 124 for information about how to create archival log files if over a year of data is desired.

## Mainttime

Log files are rolled back if necessary by `scopeux` only at a specific time each day. The default time can be changed using the `mainttime` parameter. For example, setting `mainttime=8:30`, causes log file maintenance to be done at 8:30 am each day.

We suggest setting `mainttime` to a time when the system is at its lowest utilization.



Log file maintenance only rolls out data older than one day, so if a log file such as `logproc` grows very quickly and reaches its limit within 24 hours, its size can exceed the configured size limit.

## javaarg

The `javaarg` parameter is a flag that can be set to `true` or `false`. It ONLY affects the value of the `proc_proc_argv1` metric. This parameter is not supported on Tru64 UNIX systems.

When `javaarg` is set to `false` or is not defined in the `parm` file, the `proc_proc_argv1` metric is always set to the value of the first argument in the command string for the process.

When `javaarg` is set to `true`, the `proc_proc_argv1` metric is overridden, for java processes only, with the `class` or `jar` specification if that can be found in the command string. In other words, for processes whose file names are `java` or `jre`, the `proc_proc_argv1` metric is overridden with the first argument without a leading dash not following a `-classpath` or a `-cp`, assuming the data can be found in the argument list provided by the OS.

While this sounds complex, it is very plain when you have java processes running on your system: set `javaarg=true` and the `proc_proc_argv1` metric is logged with the `class` or `jar` name. This can be very useful if you want to define applications specific to java. When the class name is in `proc_proc_argv1`, then you can use the `argv1=` application qualifier (explained below) to define your application by class name.

## Flush

The `flush` parameter specifies the data logging intervals (in seconds) at which all instances of application and device data will be logged. The flush intervals must be in the range 300-32700 and be an even multiple of 300. The default value of `flush` interval is 3600 seconds for all instances of application and device data.

You can disable the `flush` parameter by specifying the value as 0 (zero). If the `flush` parameter is set to 0, `scopeux` will not log application and the device data which does not meet the thresholds specified in the `parm` file.

## Application Definition Parameters

The following parameters pertain to application definitions: `application`, `file`, `user`, `group`, `cmd`, `argv1`, and `or`.

OV Performance Agent groups logically related processes together into an application to log the combined effect of those processes on computing resources such as memory and CPU.

- ▶ In PRM mode (for HP-UX only), active PRM groups are logged and the user-defined application sets listed in the `parm` file are ignored.

An application can be a list of files (base program names), a list of commands, or a combination of these also qualified by user names, group names, or argument selections. All these application qualifiers can be used individually or in conjunction with each other. If, for example, `cmd` and `user` qualifiers are both used then a process must meet the specification of both the command string and the user name in order to belong to that application. Each qualifier is discussed in detail below.

- ▶ Any process on the system belongs to only one application. No process is counted into two or more applications.

## Application

The application name defines an application or class that groups together multiple processes and reports on their combined activities.

- The application name is a string of up to 19 characters used to identify the application.
- Application names can be lowercase or uppercase and can contain letters, numbers, underscores, and embedded blanks. Do not use the same application name more than once in the `parm` file.
- An equal sign (=) is optional between the application keyword and the application name.
- The `application` parameter must precede any combination of `file`, `user`, `group`, `cmd`, `argv1`, and `or` parameters that refer to it, with all such parameters applying against the last application workload definition.
- Each parameter can be up to 170 characters long including the carriage return character, with no continuation characters permitted. If your list of files is longer than 170 characters, continue the list on the next line after another `file`, `user`, `group`, `cmd` or `argv1` statement.
- You can define up to 998 applications. OV Performance Agent predefines an application named `other`. The `other` application collects all processes not captured by application statements in the `parm` file.

For example:

```
application Prog_Dev
file vi,cc,ccom,pc,pascomp,dbx,xdx
```

```
application xyz
file xyz*,startxyz
```

You can have a maximum of 4096 file, user, group, argv1, and cmd specifications for all applications combined. The previous example includes nine file specifications. (xyz\* counts as only one specification even though it can match more than one program file.)

If a program file is included in more than one application, it is logged in the first application that contains it.

The default parm file contains some sample applications that you can modify. The examples directory also contains other samples (in a file called parm\_apps) you can copy into your parm file and modify as needed.

## File

The file parameter specifies the program files that belong to an application. All interactive or background executions of these programs are included. It applies to the last application statement issued. An error is generated if no application statement is found.

The file name can be any of the following:

- A single UNIX program file such as vi.
- A group of UNIX program files (indicated with a wild card) such as xyz\*. In this case, any program name that starts with the letters xyz is included. A file specification with wild cards counts as only one specification toward the maximum allowed.

The name in the file parameter is limited to 15 characters in length. An equal sign (=) is optional between the file parameter and the file name.

You can enter multiple file names on the same parameter line (separated by commas) or in separate file statements. File names cannot be qualified by a path name. The file specifications are compared to the specific metric PROC\_PROC\_NAME, which is set to a process's argv[0] value (typically its base name). For example:

```
application = prog_dev
file = vi,vim,gvim,make,gmake,lint*,cc*,gcc,ccom*,cfront
file = cpp*,CC,cpass*,c++*
file = xdb*,adb,pxdb*,dbx,xlC,ld,as,gprof,lex,yacc,are,nm,gencat
file = javac,java,jre,aCC,ctcom*,awk,gawk
```

```
application Mail
file = sendmail,mail*,*mail,elm,xmh
```

If you do not specify a file parameter, all programs that satisfy the other parameters qualify.



The asterisk (\*) is the only wild card character supported for parm file application qualifiers except for the cmd qualifier (see below).

## argv1

The argv1 parameter specifies the processes that are selected for the application by the value of the PROC\_PROC\_ARGV1 metric. This is normally the first argument of the command line, except when javaarg=true, when this is the class or jar name for java processes. This parameter uses the same pattern matching syntax used by parm parameters like file= and user=. Each selection criteria can have asterisks as a wildcard match character, and you can have more than one selection on one line separated by commas.



For example, the following application definition buckets all processes whose first argument in the command line is either `-title`, `-fn`, or `-display`:

```
application = xapps
argv1 = -title,-fn,-display
```

The following application definition buckets a specific java application (when `javaarg=true`):

```
application = JavaCollector
argv1 = com.*Collector
```

The following shows how the `argv1` parameter can be combined with the `file` parameter:

```
application = sun-java
file = java
argv1 = com.sun*
```

## cmd

The `cmd` parameter specifies processes for inclusion in an application by their command strings, which consists of the program executed and its arguments (parameters). Unlike other selection parameters, this parameter allows extensive wildcarding besides the use of the asterisk character.

Similar to regular expressions, extensive pattern matching is allowed. For a complete description of the pattern criteria, see the UNIX man page for `fnmatch`. Unlike other parameters, you can have only one selection per line, however you can have multiple lines.

The following shows use of the `cmd` parameter:

```
application = newbie
cmd = *java *[Hh]ello[Ww]orld*
```

## User

The `user` parameter specifies which user login names belong to an application.

For example

```
application Prog_Dev
file vi,xb,abb,ld,lint
user ted,rebecca,test*
```

User specifications that include wildcards count as only one specification toward the maximum allowed.

If you do not specify a `user` parameter, all programs that satisfy the other parameters qualify.

The name in the `user` parameter is limited to 15 characters in length.

## Group

The `group` parameter specifies which user group names belong to an application.

For example:

```
application Prog_Dev_Group2
file vi,xb,abb,ld,lint
user ted,rebecca,test*
group lab, test
```

If you do not specify a `group` parameter, all programs that satisfy the other parameters qualify.

The name in the `group` parameter is limited to 15 characters in length.

Or

Use the `or` parameter to allow more than one application definition to apply to the same application. Within a single application definition, a process must match at least one of each category of parameters. Parameters separated by the `or` parameter are treated as independent definitions. If a process matches the conditions for any definition, it will belong to the application.

For example:

```
application = Prog_Dev_Group2
user julie
or
user mark
file vi, store, dmp
```

This defines the application (`Prog_Dev_Group2`) that consists of any programs run by the user `julie` plus other programs (`vi`, `store`, `dmp`) if they are executed by the user `mark`.

### Priority

You can restrict processes in an application to those belonging to a specified range by specifying values in the `priority` parameter.

For example:

```
application = swapping
priority 128-131
```

Processes can range in priority from -511 to 255, depending on which platform OV Performance Agent is running. The priority can be changed over the life of a process. The scheduler adjusts the priority of time-share processes. You can also change priorities programmatically or while executing.



The `parm` file is processed in the order entered and the first match of the qualifier will define the application to which a particular process belongs. Therefore, it is normal to have more specific application definitions prior to more general definitions.

### Application Definition Examples

The following examples show application definitions.

```
application firstthreesvrs
cmd = *appserver* *-option[123]*
application oursvrs
cmd = *appserver*
user = xyz,abc

application othersvrs
cmd = *appserver*
cmd = *appsvr*
or
argv1 = -xyz
```

The following is an example of how several of the programs would be logged using the preceding `parm` file.

Command String	User Login	Application
/opt/local/bin/appserver -xyz -option1	<b>xyz</b>	firstthreesvrs
./appserver -option5	<b>root</b>	othersvrs
./appserver -xyz -option2 -abc	<b>root</b>	firstthreesvrs
./appsvr -xyz -option2 -abc	<b>xyz</b>	othersvrs
./appclient -abc	<b>root</b>	other
./appserver -mno -option4	<b>xyz</b>	oursvrs
appserver -option3 -jkl	<b>xyz</b>	firstthreesvrs
/tmp/bleh -xyz -option1	<b>xyz</b>	othersvrs

## Configure Data Logging Intervals

The default collection intervals used by `scopeux` are 60 seconds for process data and 300 seconds for global and all other classes of data. You can override this using the `collectioninterval` parameter in the `parm` file. The values must satisfy the following conditions:

- The collection intervals for process data can be configured between 5 to 60 seconds in steps of 5 seconds. The collection intervals for process data must be a multiple of the `subprocinterval` (see [Subprocinterval](#)) and it must divide evenly into the global collection interval.
- The collection interval for global data can be configured to one of the following values: 15, 30, 60 and 300 seconds. The global collection interval must be greater than or equal to process interval, and a multiple of the process collection interval. The global collection interval applies to the global metrics and all non-process metric classes such as filesystem and application.

### Example 1:

```
collectioninterval process=15, global=30
subprocinterval = 5
```

In this example, the collection interval for process data is set to 15 seconds, global and all other classes of data to 30 seconds, and `subprocinterval` to 5 seconds:

The collection interval for process data is,

- is a valid value (this value is a multiple of 5)
- is a multiple of `subprocinterval`, 5 seconds ( $15\%5 = 0$ )
- divides evenly into collection interval for global data, 30 seconds ( $30\%15 = 0$ )

The collection interval for global data is,

- is a valid value (this value can be 15, 30, 60 or 300)
- is a multiple of process interval 15 seconds ( $30\%15 = 0$ )

Hence these values for the collection intervals are valid.

Example 2:

```
collectioninterval process=15, global=30
subprocinterval = 10
```

In this example, the collection interval for process data is set to 15 seconds, global and all other classes of data to 30 seconds, and subprocinterval to 10 seconds:

The collection interval for process data is

- is a valid value (this value is a multiple of 5)
- is *NOT* a multiple of subprocinterval 10 seconds ( $15\%10 \neq 0$ )
- divides evenly into global collection interval 30 seconds ( $30\%15 = 0$ )

The collection interval for global data is 30 seconds

- is a valid value (this value can be 15, 30, 60 or 300)
- is a multiple of process interval 15 seconds ( $30\%15 = 0$ )

Hence these values for the collection intervals are invalid.



For OV Performance Agent on VMware ESX Server, the logging interval for global data and all other classes of data other than process data, can be configured to 60 or 300 seconds.

## Stopping and Restarting Data Collection

The `scopeux` daemon and the other daemon processes that are part of OV Performance Agent are designed to run continuously. The only time you should stop them are when any of the following occurs:

- You are updating OV Performance Agent software to a new release.
- You are adding or deleting transactions in the transaction configuration file, `ttd.conf`. (For more information, see the *HP OpenView Performance Agent & Glance Plus for UNIX Tracking Your Transactions* guide.)
- You are modifying distribution ranges or service level objectives (SLOs) in the transaction configuration file, `ttd.conf`. (For more information, see the *HP OpenView Performance Agent & Glance Plus for UNIX Tracking Your Transactions* guide.)
- You are changing the `parm` file and want the changes to take effect. Changes made to the `parm` file take effect only when `scopeux` is started.
- You are using the utility program's `resize` command to resize a OV Performance Agent log file.
- You are shutting down the system.

OV Performance Agent provides the `ovpa` and `mwa` scripts that include options for stopping and restarting the processes. For a description of these options, see the respective man pages.

### Stopping Data Collection

The `ovpa` and `mwa` script's `stop` option ensures that no data is lost when `scopeux` and other OV Performance Agent processes are stopped. To manually stop data collection, use `<InstallDir>/ovpa stop` if you are using `coda`, or `<InstallDir>/mwa stop` if you are using the repository servers. Here, `InstallDir` is the directory where OV Performance Agent is installed.

### Restarting Data Collection

You have different options for restarting data collection after the OV Performance Agent daemon processes have stopped or configuration files have been changed and you want these changes to take effect.

To start `scopeux` and the other OV Performance Agent processes after the system has been down, or after you have stopped them, use `<InstallDir>/ovpa start` if you are using `coda`, or `<InstallDir>/mwa start` if you are using the repository servers. Here, `InstallDir` is the directory where OV Performance Agent is installed.

To restart `scopeux` and the other processes while they are running, use `<InstallDir>/ovpa restart` if you are using `coda`, or `<InstallDir>/mwa restart` if you are using the repository servers. Here, `InstallDir` is the directory where OV Performance Agent is installed. This stops the currently running processes and starts them again.

When you restart `scopeux`, OV Performance Agent continues to use the same log files (`logglob`, `logappl`, `logproc`, `logdev`, `logtran`, `logls` and `logindx`) used before stopping the program. New records are appended to the end of the existing files. If you want to collect data to a new set of files, and not retain any historical information, you should rename or archive, and remove *all* the `scopeux` log files together before you restart, because data is synchronized among the files.

For more information, see “Stopping and Restarting OV Performance Agent” in Chapter 2 of your *HP OpenView Performance Agent Installation and Configuration Guide*.

## Automating Scopeux Startup and Shutdown

OV Performance Agent's startup can be automated to ensure that `scopeux` is always running while the system is operating and that any shutdown of the system includes a shutdown of `scopeux` without any loss of data. The process of starting OV Performance Agent and its processes automatically when the system reboots is controlled by the configuration file in the system startup directory. For more information about this file and how to modify it, see “Starting and Stopping Automatically” in Chapter 2 of your *HP OpenView Performance Agent Installation and Configuration Guide*.

# Effective Data Collection Management

Efficient analysis of performance depends on how easy it is to access the performance data you collect. This section discusses effective strategies for activities such as managing log files, data archiving, and system analysis to make the data collection process easier, more effective, and more useful.

## Controlling Disk Space Used by Log Files

OV Performance Agent provides for automatic management of the log files it creates. You can configure this automatic process or use alternate manual processes for special purposes. The automatic log file management process works as follows:

- Each log file has a configured maximum size. Default maximum sizes are provided when the OV Performance Agent is first installed. However, you can reconfigure these values.
- As each log file reaches its maximum size, a “roll back” is performed at `mainttime` by the `scopeux` data collector. During this roll back, the oldest 25 percent of the data in the log file is removed to make room for new data to be added.

Automatic log file maintenance is similar, but not identical, for data collected by `scopeux` and by the DSI logging process. For more information on DSI log file maintenance, see the *HP OpenView Performance Agent for UNIX Data Source Integration Guide*.

## Setting Mainttime

Normally, `scopeux` will only perform log file roll backs at a specific time each day. This is to ensure that the operation is performed at off peak hours and does not impact normal system usage. The time the log files are examined for roll back is set by the `mainttime` parameter in the `parm` file.

## Setting the Maximum Log File Size

Choosing a maximum log file size should be a balance between how much disk space is used and how much historical data is available for immediate analysis. Smaller log file sizes save disk space, but limit how much time can be graphed by tools such as OV Performance Manager. Some ways to reconfigure the `scopeux` log file sizes are discussed below.

`Scopeux` logs different types of data into their own log files. This is to allow you to choose how much disk space you want to dedicate to each type independently. For example, global data is fairly compact, but you will often want to go back and graph data for a month at a time. This allows a good statistical base for trending and capacity planning exercises.

Process data can consume more disk space than global data because it is possible to have many interesting processes every minute. Also, the time-value of process data is not as high as for global data. It may be very important to know details about which process was running today and yesterday. You might occasionally need to know which processes were running last week. However, it is unlikely that knowing exactly which processes were run last month would be helpful.

A typical user might decide to keep the following data online:

- Three months of global data for trending purposes
- One month of process data for troubleshooting
- Three months of application data for trending and load balancing

- Two months of device data for disk load balancing

You can edit the `parm` file to set the `size` parameters for each different log file. The sizes are specified in megabytes. For example:

```
SIZE GLOBAL=10.0 PROCESS=30.0 APPLICATION=20.0 DEVICE=5.0
```

The number of megabytes required to hold a given number of days of data can vary by data type, system configuration, and system activity. The best way to determine how big to make the log files on your system is to collect data for a week or so, then use the `utility` program's `resize` command to change your log file size. The `resize` command scans the log files and determines how much data is being logged each day. It then converts from days to megabytes for you. This function also updates the `parm` file.

## Managing Your Resizing Processes

No additional activities are required once automatic log file maintenance is set up. As log files reach their configured maximum sizes, they will automatically be resized by `scopeux`.

`Scopeux` rolls back log files at the `mainttime` specified in the `parm` file. If you edit the `parm` file and restart `scopeux`, the log files will not be rolled to the new sizes until the `mainttime` occurs. It is important to have `scopeux` running at the specified `mainttime` time or log files may never be rolled back.

Log files may exceed their configured maximum size during the time between maintenance times without causing an immediate roll back.

A log file will never be resized so that it holds less than one full day's data. That means that the log file will be allowed to grow to hold at least one day's worth of data before it is rolled back. Normally this is not an issue, but if you set the `parm` file parameters to collect a large volume of process or application data or set the size to be too small, this can result in a log file significantly exceeding its configured maximum size before it is rolled back.

The `scopeux` checks the available disk space on the file system where the log files reside, periodically at intervals specified in the `parm` file for global data collection. If the available disk space falls below one megabyte, `scopeux` takes steps to ensure that it does not use any more available space by doing the following:

- Immediately performs the log file maintenance without waiting for the regular log file maintenance time. If any log files exceed their maximum sizes (and have more than one day's worth of data in them), they will be rolled back.
- If, following the log file maintenance, the available disk space is still not greater than one megabyte, `scopeux` writes an appropriate error message to its `status.scope` file and stops collecting data.

## Data Archiving

Automatic log file management keeps the latest log file data available for analysis. Data from the raw log files are archived. Process data and global data are logged periodically at intervals specified in the `parm` file. For more information, refer to the section [Configure Data Logging Intervals](#) on page 35. To make room for new data, older data is removed when the log files reach their maximum sizes. If you want to maintain log file data for longer periods of time, you should institute a data archiving process. The exact process you choose depends on your needs. Here are a few possibilities:

- Size the raw log files to be very large and let automatic log file maintenance do the rest. This is the easiest archiving method, but it can consume large amounts of disk space after several months.



- Extract the data from the raw log files into extracted archive files before it is removed from the raw log files. Formulate a procedure for copying the archive files to long term storage such as tape until needed.
- Extract only a subset of the raw log files into extracted archive files. For example, you may not want to archive process data due to its high volume and low time-value.
- Some combination of the preceding techniques can be used.

We recommend the following procedures for data archiving:

- Size the raw log files to accommodate the amount of detail data you want to keep online.
- Once a week, copy the detailed raw data into files that will be moved to offline storage.

## Managing Your Archiving Processes

Resize your raw log files as described in the preceding section. Choose log file sizes that will hold at least two week's worth of data (assuming the archival processing will only be done once a week).

Once a week, schedule a process that runs the `extract` program. The following example shows a script that would perform the weekly processing:

```
#extract -gapdt -xm
```

Each week during the month the data will be appended to the prior week's data. When a new month starts, `extract` creates a new archive log file and splits that week's data into the appropriate monthly archive log file. The log files are named `rxmo` followed by four digits for the year and two more digits for the month. (For example, data for December 1999 would be available in a file named `rxmo199912`.)

At the beginning of each month the previous month's log file is completed and a new log file is started. Therefore, whenever more than one `rxmo` log file is present, it is safe to copy all but the latest one to offline storage until it is needed. When you need to access archived data, restore the desired archival file and access it using the `extract` or `utility` programs.

Depending on your system configuration and activity levels, the amount of disk space accumulated in one month may be large. If this is the case, you can break the detail archive file into smaller files by substituting the weekly command `-xw` in place of `-xm` as shown in the example.

Another alternative is to choose not to archive the detailed process data.

The detailed extraction discussed in the previous example preserves all of your collected performance data. If ever you need to investigate a situation in depth, these files can be restored to disk and analyzed.



You can use the `extract` program to combine data from multiple extracted files or to make a subset of the data for easier transport and analysis.

For example, you can combine data from several yearly extracted files in order to do multiple-year trending analysis. (See yearly on page 206 in Chapter 6.)



Moving log files that were created on a new version of OV Performance Agent to a system using an older version of OV Performance Agent is not supported.



# 3 Using the Utility Program

## Introduction

The `utility` program is a tool for managing and reporting information on log files, the collection parameters (`parm`) file, and the alarm definitions (`alarmdef`) file. You can use the `utility` program interactively or in batch mode to perform the following tasks.

- Scan raw or extracted log files and produce a report showing:
  - dates and times covered
  - times when the `scopeux` collector was not running
  - changes in `scopeux` parameter settings
  - changes in system configuration
  - log file disk space
  - effects of application and process settings in the collection parameters (`parm`) file
- Resize raw log files
- Check the `parm` file for syntax warnings or errors
- Check the `alarmdef` file for syntax warnings or errors
- Process log file data against alarm definitions to detect alarm conditions in historical data

This chapter covers the following topics:

- [Running the Utility Program](#)
- [Using Interactive Mode](#)
- [using the Utility Command Line Interface](#)
- [Utility Scan Report Details](#)

Detailed descriptions of the `utility` program's commands are in [Chapter 4, Utility Commands](#).

# Running the Utility Program

There are three ways to run the `utility` program:

- Command line mode - You control the `utility` program using command options and arguments in the command line.
- Interactive mode - You supply interactive commands and parameters while executing the program with `stdin` set to an interactive terminal or workstation. If you are an experienced user, you can quickly specify only those commands required for a given task. If you are a new user, you may want to use the `utility` program's `guide` command to get some assistance in using the commands. In guided mode, you are asked to select from a list of options to perform a task. While in guided mode, the interactive commands that accomplish each task are listed as they are executed, so you can see how they are used. You can quit and re-enter guided mode at any time.
- Batch mode - You can run the program and redirect `stdin` to a file that contains interactive commands and parameters.

The syntax for the command line interface is similar to typical UNIX command line interfaces on other programs and is described in detail in this chapter.

For interactive and batch mode the command syntax is the same. Commands can be entered in any order; if a command has a parameter associated with it, the parameter must be entered immediately after the corresponding command.

There are two types of parameters - required (for which there are no defaults) and optional (for which defaults are provided). How `utility` handles these parameters depends on the mode in which it is running.

- In interactive mode, if an optional parameter is missing, the program displays the default argument and lets you either confirm it or override it. If a required parameter is missing, the program prompts you to enter the argument.
- In batch mode, if an optional parameter is missing, the program uses the default values. If a required parameter is missing, the program terminates.

Errors and missing data are handled differently for interactive mode than for command line and batch mode. You can supply additional data or correct mistakes in interactive mode, but not in command line and batch mode.

## Using Interactive Mode

Using the `utility` program's interactive mode requires you to issue a series of commands to execute a specific task.

For example, if you want to check a log file to see if alarm conditions exist in data that was logged during the current day, you issue the following commands after invoking the `utility` program:

```
checkdef /var/opt/perf/alarmdef
detail off
start today-1
analyze
```

The `checkdef` command checks the alarm definitions syntax in the `alarmdef` file and then sets and saves the file name for use with the `analyze` command. The `detail off` command causes the `analyze` command to show only a summary of alarms. The `start today-1` command specifies that only data logged yesterday is to be analyzed. The `analyze` command analyzes the raw log files in the default SCOPE data source against the `alarmdef` file.

## Example of Using Interactive and Batch Mode

The following example shows the differences between how the `utility` program's `resize` command works in batch mode and in interactive mode.

The `resize` command lets you set parameters for the following functions:

- Type of log file to be resized.
- Size of the new file.
- Amount of empty space to be left in the file.
- An action specifying whether or not the resize is to be performed.

This example of the `resize` command resizes the global log file so that it contains a maximum of 120 days of data with empty space equal to 45 days. The command and its parameters are:

```
resize global days=120 empty=45 yes
```

The results are the same whether you enter this command interactively or from a batch job.

The first parameter—`global`—indicates the log file to be resized. If you do not supply this parameter, the consequent action for interactive and batch users would be the following:

- Batch users — the batch job would terminate because the `logfile` parameter has no default.
- Interactive users — you would be prompted to choose which type of log file to resize to complete the command.

The last parameter—`yes`—indicates that resizing will be performed unconditionally.

If you do not supply the `yes` parameter, the consequent action for interactive and batch users would be the following:

- Batch users — resizing would continue since `yes` is the default action.
- Interactive users — you would be prompted to supply the action before resizing takes place.



Before using the `resize` command in either batch mode or interactive mode, you must first stop 58. For details, see [Stopping and Restarting Data Collection](#) on page 37 in Chapter 2.

## Utility Command Line Interface

In addition to the interactive and batch mode command syntax, command options and their associated arguments can be passed to the `utility` program through the command line interface. The command line interface fits into the typical UNIX environment by allowing the `utility` program to be easily invoked by shell scripts and allowing its input and output to be redirected to UNIX pipes.

For example, to use the command line equivalent of the example shown in the previous section “Using Interactive Mode” enter:

```
utility -xr global days=120 empty=45 yes
```

Command line options and arguments are listed in the following table. The referenced command descriptions can be found in [Chapter 4, Utility Commands](#).

**Table 2 Command Line Arguments**

<b>Command Option</b>	<b>Argument</b>		<b>Description</b>
-b	date	time	Specifies the starting date and time of an analyze or scan function. (See <a href="#">start</a> command in Chapter 4.)
-e	date	time	Specifies the ending date and time of an analyze or scan function. (See <a href="#">stop</a> command in Chapter 4.)
-l	logfile		Specifies which log file to open. (See <a href="#">logfile</a> command in Chapter 4.)
-f	listfile		Specifies an output listing file. (See <a href="#">list</a> command in Chapter 4.)
-D			Enables details for <code>analyze</code> , <code>scan</code> and <code>parm file</code> checking. (See <a href="#">detail</a> command in Chapter 4.)
-d			Disables details for <code>analyze</code> and <code>parm file</code> for checking. (See <a href="#">detail</a> command in Chapter 4.)
-v			Echoes command line commands as they are executed.
-xp	parmfile		Syntax checks a <code>parm file</code> . (See <a href="#">parmfile</a> command in Chapter 4.)
-xc	alarmdef		Syntax checks and sets the <code>alarmdef</code> file name to use with <code>-xa</code> (or <code>analyze</code> command). (See <a href="#">checkdef</a> command in Chapter 4.)
-xa			Analyzes log files against the <code>alarmdef</code> file. (See <a href="#">analyze</a> command in Chapter 4.)

**Table 2 Command Line Arguments (cont'd)**

<b>Command Option</b>	<b>Argument</b>		<b>Description</b>
-xs	logfile		Scans a log file and produces a report. (See <a href="#">scan</a> command in Chapter 4.)
-xr	global application process device transaction ls  EMPTY=nnn SPACE=nnn	SIZE=nn n DAYS=nn n  YES NO MAYBE	Resizes a log file. (See <a href="#">resize</a> command in Chapter 4.)
-? or ?			Displays command line syntax.



## Example of Using the Command Line Interface

The following situation applies when you enter command options and arguments on the command line:

Errors and missing data are handled exactly as in the corresponding batch mode command. That is, missing data is defaulted if possible and all errors cause the program to terminate immediately.

Echoing of commands and command results is disabled. `Utility` does not read from its `stdin` file. It terminates following the actions in the command line.

```
utility -xp -d -xs
```

Which translates into:

- xp      Syntax checks the default `parm` file.
- d      Disables details in the scan report.
- xs      Performs the `scan` operation. No log file was specified so the default log file is scanned.

## Utility Scan Report Details

The utility program's `scan` command reads a log file and writes a report on its contents. The report's contents depend on the commands issued prior to issuing the `scan` command. (For more information, see the description of the `scan` command in [Chapter 4, Utility Commands](#).)

The following table summarizes the information contained in all scan reports and in reports that are produced only when the `detail on` command is used (the default) with the `scan` command

**Table 3 Information Contained in Scan Report**

<b>Initial Values</b>	
Initial <code>parm</code> file global information and system configuration information	Printed only if <code>detail on</code> is specified.
Initial <code>parm</code> file application definitions	Printed only if <code>detail on</code> is specified.
<b>Chronological Detail</b>	
<code>parm</code> file global changes	Printed only if <code>detail on</code> is specified.
<code>parm</code> file application changes	Printed only if <code>detail on</code> is specified.
Collector off-time notifications	Printed only if <code>detail on</code> is specified.
Application-specific summary reports	Printed only if <code>detail on</code> is specified.
<b>Summaries</b>	
Process summary report	Always printed if process data was scanned.
Collector coverage summary	Always printed.
Log file contents summary	Always printed. Includes space and dates covered.
Log file empty space summary	Always printed.

# Scan Report Information

The information in a utility scan report is divided into three types:

- Initial values
- Chronological details
- Summaries

## Initial Values

This section describes the following initial values:

- Initial `parm` file global information
- Initial `parm` file application definitions

## Initial Parm File Global Information

To obtain this report, use the `scan` command with its default `detail on`.

This report lists the configuration settings of the `parm` file at the time of the earliest global record in the log file. Later global information change notifications are based on the values in this report. If no change notification exists for a particular parameter, it means that the parameter kept its original setting for the duration of the scan.

The following example shows a portion of a report listing the contents of the `parm` file.

```
06/03/99 15:28 System ID="Homer"
scopeux/UX A.10.00 SAMPLE INTERVAL = 300,300,60 Seconds, Log version=D
Configuration: 9000/855, O/S A.10.00 CPUs=1
Logging Global Process records
      Device= Disk FileSys records
Thresholds: CPU= 10.00%, Disk=10.0/sec, First=5.0 sec, Resp=30.0 sec,
           Trans=100 Nonew=FALSE, Nokilled=FALSE, Shortlived=FALSE
           (<1 sec)
HP-UX Parms: Buffer Cache Size = 16384KB, NPROC = 532
Wait Thresholds: CPU=100.00%, Memory=100.00%
Impede=100.00%
Memory: Physical = 84.0 MB, Swap = 124304.0 MB, Available to users = 66.5
MB. There are 2 LAN interfaces: 0, 1.
06/03/99 15:28 There are 2 disk devices:
      Disk #1976      = "/dev/hdisk0"
      Disk #1987      = "/dev/hdisk1"
```

The date and time listed on the first line correspond to the *first date and time* in the global log file and indicate when `scopeux` was started. Data records may have been rolled out of the global log file so the date and time on this report do not necessarily indicate the *first global record* in the log file.

## Initial Parm File Application Definitions

To obtain this report, use the `scan` command with its default `detail on` and have application data in the log file.

This report lists the name and definition of each application at the time the first application record is listed in the log file. Any application addition or deletion notifications you receive are based on this initial list of applications. For example:

```
06/01/99 08:39 Application(1) = "other"
Comment=all processes not in user-defined applications

06/01/99 08:39 Application(2) = "Real_TimeSystem"
Priority range = 0-127

06/01/99 08:39 Application(3) = "Prog_Development"
File=vi,ed,sed,xdb,ld,lint,cc,ccom,pc,pascomp
```



During the scan, you are notified of applications that were added or deleted. Additions and deletions are determined by comparing the spelling and case of the old application names to the new set of logged application names. No attempt is made to detect a change in the definition of an application. If an application with a new name is detected, it is listed along with its new definition.

The date and time on this record is the last time `scopeux` was started before logging the first application record currently in the log file.

## Chronological Detail

This section describes the following chronological details:

- parm file global change notifications
- parm file application addition and deletion notifications
- scopeux off-time notifications
- Application-specific summary report

### Parm File Global Change Notifications

To obtain this report, use the `scan` command with its default `detail on`.

This report is generated any time a record is found that `scopeux` started.

The following example shows the change notifications that occur when two new disk drives are added to the system.

```
03/13/99 17:30 The number of disk drives changed from 9 to 11
03/13/99 17:30 New disk device scsi-4 = "c4d0s*"
03/13/99 17:30 New disk device scsi-3 = "c3d0s*"
```

### Parm File Application Addition/Deletion Notifications

To obtain this report, use the `scan` command with its default `detail on` and have application data in the log file.

User-defined applications can be added or deleted each time `scopeux` is started. If an application name is found that does not match the last set of applications, an application addition, deletion, or change notification is printed. If the name of an application has not changed, it is not printed.

The following example shows that a new application was started.

03/13/99 17:30 Application 4 "Accounting\_Users\_1" was added  
User=ted,rebecca,test\*,mark,gene



Application definitions are not checked for changes. They are listed when an application name is changed, but any change to an existing application's definition without an accompanying name change is not detected.

## Scopeux Off-Time Notifications

To obtain this report, use the `scan` command with its default `detail on`.

If an extracted file contains only summary information, times are rounded to the nearest hour. For example:

```
06/03/99 11:00 - 06/03/99 12:34 collector off (01:34:04)
```

The first date and time (06/03/99 11:00) indicates the last valid data record in the log file before `scopeux` was restarted. The second date and time (06/03/99 12:34) indicates when `scopeux` was restarted.

The last field (in parentheses) shows how long `scopeux` was *not* running. The format is `ddd/hh:mm:ss`, where `ddd` are days and `hh:mm:ss` are hours, minutes, and seconds. Zeros to the left are deleted.

In this example, `scopeux` was off on June 3, 1999 between 11:00 am and 12:34 pm. The summary information shows that data was not collected for one hour, 34 minutes, and four seconds.

## Application-Specific Summary Report

To obtain this report, use the `scan` command with its default `detail on` and have application data in the log file.

This report can help you define applications. Use the report to identify applications that are accumulating either too many or too few system resources and those that could be consolidated with other applications. Applications that accumulate too many system resources might benefit by being split into multiple applications.

You should define applications in ways that help you make decisions about system performance tuning. It is unlikely that system resources will accumulate evenly across applications.

The application-specific summary report is generated whenever the application definitions change to allow you to access the data of the application definitions before and after the change.

A final report is generated for all applications. This report covers only the time since the last report and not the entire time covered by the log file. For example:

Application	PERCENT OF TOTAL			
	Records	CPU	DISK	TRANS
-----	-----	-----	-----	-----
OTHER	22385	45.7%	20.9%	63.0%
Resource_Sharing	7531	6.0%	2.2%	17.1%
SPOOLING	13813	2.4%	0.3%	0.0%
ON_LINE_COMPILE	13119	2.9%	1.7%	0.1%
BATCH_COMPILE	8429	2.9%	0.1%	2.2%
ORDER_ENTRY	387	0.1%	0.0%	0.0%

ELECTRONIC_MAIL	6251	3.8%	1.3%	9.6%
PROGRAM_DEVELOPMENT	3141	9.1%	2.4%	0.6%
RESEARCH_DEPARMENT	3968	8.7%	2.0%	6.0%
BILL_OF_MATERIALS	336	0.6%	1.5%	0.1%
FINANCIALS	1080	5.0%	1.5%	0.5%
MARKETING_DEPT	2712	12.9%	67.3%	0.0%
GAMES	103	0.1%	0.0%	0.0%
-----				
All user applications	73.1%	54.3%	79.1%	37.0%

## Summaries

This section describes the following summaries:

- Process log reason summary
- Scan start and stop actual dates and times
- Application overall summary
- scopeux coverage summary
- Log file contents summary
- Log file empty space summary

### Process Log Reason Summary

To obtain this report, you must have process data in the log file.

This report helps you set the interesting process thresholds for scopeux. The report lists every reason a process might be considered interesting and thus get logged, along with the total number of processes logged that satisfied each condition.

The following example shows a process log reason summary report:

```
Process Summary Report: 04/13/99 3:32 PM to 05/04/99 6:36 PM
There were 93.8 hours of process data
Process records were logged for the following reasons:
```

Log Reason	Records	Percent	Recs/hr
-----	-----	-----	-----
New Processes	17619	53.9%	44.7
Killed Processes	16047	49.1%	40.7
CPU Threshold	3169	9.7%	8.0
Disk Threshold	1093	3.3%	2.8

NOTE: A process can be logged for more than one reason at a time. Record counts and percentages will not add up to 100% of the process records.

If the `detail on` command is issued, this report is generated each time a threshold value is changed so you can evaluate the effects of that change. Each report covers the period since the last report. A final report, generated when the scan is finished, covers the time since the last report.

If the `detail off` command is issued, only one report is generated covering the entire scanned period.

You can reduce the amount of process data logged by `scopeux` by modifying the `parm` file's `threshold` parameter and raising the thresholds of the interest reasons that generate the most process log records. To increase the amount of data logged, lower the threshold for the area of interest.

In the previous example, you could decrease the amount of disk space used for the process data (at the expense of having less information logged) by raising the CPU threshold or setting the `nonew` threshold.

## Scan Start and Stop

This summary report is printed if any valid data was scanned. It gives actual dates and times that the scan was started and stopped. For example:

```
Scan started on      03/03/99 12:40 PM
Scan stopped on     03/11/99  1:25 PM
```

## Application Overall Summary

To obtain this report, you must have application data in the log file.

This report is an overall indicator of how much system activity is accumulated in user-defined applications, rather than in the other application. If a significant amount of a critical resource is not being captured by user applications, you might consider scanning the process data for processes that can be included in user applications.

For example:

```
OVERALL, USER DEFINED APPLICATIONS ACCOUNT FOR
 82534 OUT OF 112355 RECORDS ( 73.5%)
 218.2 OUT OF 619.4 CPU HOURS ( 35.2%)
 24.4 OUT OF 31.8 M DISC IOS ( 76.8%)
 0.2 OUT OF 0.6 M TRANS ( 27.3%)
```

## Collector Coverage Summary

This report is printed if any valid global or application data was scanned. It indicates how well `scopeux` is being used to collect system activity. If the percentage of time `scopeux` was off is high, as in the example below, you should review your operational procedures for starting and stopping `scopeux`.

```
The total time covered was      108/16:14:51 out of 128/00:45:02
Time lost when collector was off 19/08:30:11 15.12%
The scopeux collector was started 45 times
```

This report will be more complete if global detail data is included in the scan. If only summary data is available, you determine the time `scopeux` was stopped and started only to the nearest hour. (An appropriate warning message is printed with the report if this is the case.)

The total time covered is determined by accumulating all the interval times from the logged data. The "out of" time value is calculated by subtracting the starting date and time from the ending date and time. This should represent the total time that could have been logged. The "Time lost when collector was off" value is the total time less the covered time.

The formats for the three times mentioned are:

*ddd/hh:mm:ss*

where *ddd* are days and *hh:mm:ss* are hours, minutes, and seconds.

In the previous example, the total time collected was 108 days, 16 hours, 14 minutes, and 51 seconds.

## Log File Contents Summary

The log file contents summary is printed *if any* valid data was scanned. It includes the log file space and the dates covered. This summary is helpful when you are resizing your log files with the `resize` command.

```

-----Total-----  -----Each Full Day-----  -----Dates-----  Full
Type                Records  MBytes  Records  MBytes  Start          Finish  Days
Global              1376    0.27    288.9    0.057  05/23/99 to 05/28/99  4.8
Application         6931    0.72    1455.0   0.152  05/23/99 to 05/28/99  4.8
Process             7318    1.14    1533.6   0.239  05/23/99 to 05/28/99  4.8
Disk                2748    0.07    567.6    0.014  05/23/99 to 05/28/99  4.8
Transaction        no data found
Overhead            0.29
                    -----  -----  -----  -----
TOTAL               18373   2.49    3845.0   0.461

```

The columns are described as follows:

### Column Explanation

Type	The general type of data being logged. One special type, Overhead, exists: Overhead is the amount of disk space occupied (or reserved) by the log file <i>versus</i> the amount actually used by the scanned data records. If less than the entire log file was scanned, Overhead includes the data records that were not scanned. If the entire file was scanned, Overhead accounts for any inefficiencies in blocking the data into the file <i>plus</i> any file-access support structures. It is normal for extracted log files to have a higher overhead than raw log files since they have additional support structures for quicker positioning.
Total	The total record count and disk space scanned for each type of data.
Each Full Day	The number of records and amount of disk space used for each 24-hour period that <code>scopeux</code> runs.
Dates	The first and last valid dates for the data records of each data type scanned.
Full Day	The number of full (24-hour) days of data scanned for this data type. Full Days may not be equal to the difference between the start and stop dates if <code>scopeux</code> coverage did not equal 100 percent of the scanned time.

The TOTAL line (at the bottom of the listed data) gives you an idea of how much disk space is being used and how much data you can expect to accumulate each day.

## Log File Empty Space Summary

This summary is printed for each log file scanned. For example:

```

The Global      file is now 13.9% full with room for 61 more full days
The Application file is now 15.1% full with room for 56 more full days
The Process     file is now 23.5% full with room for 32 more full days
The Device      file is now  1.4% full with room for 2896 more full days

```



The amount of room available for more data is calculated based on the amount of unused space in the file and the scanned value for the number of megabytes of data being logged each 24-hour day (see). If the megabytes-scanned-per-day values appear unrealistically low, they are replaced with default values for this calculation.

If you scan an extracted file, you get a single report line because all data types share the same extracted file.



# 4 Utility Commands

## Introduction

This chapter describes the `utility` program's commands. It includes a syntax summary and a command reference section that lists the commands in alphabetical order.

Utility commands and parameters can be entered with any combination of uppercase and lowercase letters. Only the first three letters of the command name are required. For example, the `logfile` command can be entered as `logfile` or it can be abbreviated as `log` or `LOG`.

Examples of how these commands are used can be found in online help for the `utility` program.

The table on the next pages contains a summary of `utility` command syntax and parameters.

**Table 4 Utility Commands: Syntax and Parameters**

Command	Parameter
<code>analyze</code>	
<code>checkdef</code>	<code>alarmdef file</code>
<code>detail</code>	<code>on</code> <code>off</code>
<code>exit</code> <code>e</code>	
<code>guide</code>	
<code>licheck</code>	
<code>list</code>	<i>filename or *</i>
<code>logfile</code>	<code>logfile</code>
<code>menu</code> <code>?</code>	
<code>parmfile</code>	<code>parmfile</code>
<code>quit</code> <code>q</code>	

**Table 4 Utility Commands: Syntax and Parameters (cont'd)**

<b>Command</b>	<b>Parameter</b>
resize	global application process device transaction days=maxdays size=max MB empty=days space=MB yes no maybe
scan	<i>logfile</i> (Operation is also affected by the list, start, stop, and detail commands.)
show	all
sh !	system command
start	<i>date [time]</i> today [-days] [time] last [-days] [time] first [+days] [time]
stop	<i>date [time]</i> today [-days] [time] last [-days] [time] first [+days] [time]

# analyze

Use the `analyze` command to analyze the data in a log file against alarm definitions in an alarm definitions (`alarmdef`) file and report resulting alarm status and activity. Before issuing the `analyze` command, you should run the `checkdef` command to check the alarm definitions syntax. `checkdef` also sets and saves the alarm definitions file name to be used with `analyze`. If you do not run `checkdef` before `analyze`, you are prompted for an alarm definitions file name.

If you are using command line mode, the default alarm definitions file `/var/opt/perf/alarmdef` is used.

For detailed information about alarm definitions, see [Chapter 7, Performance Alarms](#).

## Syntax

```
analyze
```

## How to Use It

When you issue the `analyze` command, it analyzes the log files specified in the data sources configuration file, `datasources`, against the alarm definitions in the `alarmdef` file.

The `analyze` command allows you to evaluate whether or not your alarm definitions are a good match against the historical data collected on your system. It also lets you decide if your alarm definitions will generate too many or too few alarms on your analysis workstation.

Also, you can perform data analysis with definitions (IF statements) set in the alarm definitions file because you can get information output by PRINT statements when conditions are met. For explanations of how to use the IF and PRINT statements in an alarm definition, see [Chapter 7, Performance Alarms](#).

You can optionally run the `start`, `stop`, and `detail` commands with `analyze` to customize the `analyze` process. You specify these commands in the following order:

```
checkdef
start
stop
detail
analyze
```

Use the `start` and `stop` commands if you want to analyze log file data that was collected during a specific period of time. (Descriptions of the `start` and `stop` commands appear later in this chapter.)

While the `analyze` command is executing, it lists alarm events such as `alarm start`, `end`, and `repeat status` plus any text in associated print statements. Also, any text in PRINT statements is listed as conditions (in IF statements) become true. EXEC statements are not executed but are listed so you can see what would have been executed. An alarm summary report shows a count of the number of alarms and the amount of time each alarm was active (on). The count includes `alarm starts` and `repeats`, but not `alarm ends`.

If you want to see the alarm summary report only, issue the `detail off` command. However, if you are using command line mode, `detail off` is the default so you need to specify `-D` to see the alarm events as well as the alarm summary.

## Example

The `checkdef` command checks the alarm definitions syntax in the `alarmdef` file and saves the name of the `alarmdef` file for later use with the `analyze` command. The `start today` command specifies that only data logged today is to be analyzed. Lastly, the `analyze` command analyzes the log file in the default SCOPE data source specified in the `datasources` file against the alarm definitions in the `alarmdef` file.

```
utility>  
checkdef /var/opt/perf/alarmdef  
start today  
analyze
```

To perform the above task using command line arguments, enter:

```
utility -xc -D -b today -xa
```

# checkdef

Use the `checkdef` command to check the syntax of the alarm definitions in an alarm definitions file and report any warnings or errors that are found. This command also sets and saves the alarm definitions file name for use with the `analyze` command.

For descriptions of the alarm definitions syntax and how to specify alarm definitions, see [Chapter 7, Performance Alarms](#).

## Syntax

```
checkdef [/directorypath/alarmdef]
```

## Parameters

`alarmdef`     The name of any alarm definitions file. This can be a user-specified file or the default `alarmdef` file. If no directory path is specified, the current directory will be searched.

## How to Use It

When you have determined that the alarm definitions are correct, you can process them against the data in a log file using the `analyze` command.

In batch mode, if no alarm definitions file is specified, the default `alarmdef` file is used.

In interactive mode, if no alarm definitions file is specified, you are prompted to specify one.

## Example

The `checkdef` command checks the alarm definitions syntax in the `alarmdef` file and then saves the name of the `alarmdef` file for later use with the `analyze` command.

```
utility>  
checkdef /var/opt/perf/alarmdef
```

To perform the above task using command line arguments, enter:

```
utility -xc
```

# detail

Use the `detail` command to control the level of detail printed in the `analyze`, `parmfile`, and `scan` reports.

The default is `detail on` in interactive and batch modes and `detail off` in command line mode.

## Syntax

```
detail    [on]
           [off]
```

## Parameters

- `on` Prints the effective contents of the `parm` file as well as `parm` file errors. Prints complete `analyze` and `scan` reports.
- `off` In the `parm` file report, application definitions are *not* printed. In the `scan` report, `scopeux` collection times, initial `parm` file global information, and application definitions are *not* printed. In the `analyze` report, alarm events and alarm actions are *not* printed.

## How to Use It

For explanations of how to use the `detail` command with the `analyze`, `scan`, and `parmfile` commands, see the [analyze](#), [parmfile](#), and [scan](#) command descriptions in this chapter.

## Examples

For examples of using the `detail` command, see the descriptions of the [analyze](#), [parmfile](#), and [scan](#) commands in this chapter.



## exit

Use the `exit` command to terminate the utility program. The `exit` command is equivalent to the utility program's `quit` command.

### Syntax

```
exit  
e
```

# guide

Use the `guide` command to enter guided commands mode. The guided command interface leads you through the various `utility` commands and prompts you to perform the most common tasks that are available.

## Syntax

`guide`

## How to Use It

- To enter guided commands mode from `utility`'s interactive mode, type `guide` and press **Return**.
- To accept the default value for a parameter, press **Return**.
- To terminate guided commands mode and return to interactive mode, type `q` at the `guide>` prompt.

This command does not provide all possible combinations of parameter settings. It selects settings that should produce useful results for the majority of users.

# licheck

Use this command to check the validity of the product license. If the license is valid, it can be a trial version or a permanent version.

## Syntax

```
licheck
```

## Example

To check the validity of the license, type the command:

```
utility -licheck
```

If the license is valid and permanent, the following message appears:

```
The permanent OVPA software has been installed
```

# help

Use the `help` command to access the `utility` program's online help facility.

## Syntax

```
help [keyword]
```

## How to Use It

You can enter parameters to obtain information on `utility` commands and tasks, or on help itself. You can navigate to different topics by entering a key word. If more than one page of information is available, the display pauses and waits for you to press **Return** before continuing. Type **q** or **quit** to exit the help system and return to the `utility` program.

You can also request help on a specific topic. For example,

```
help tasks
```

or

```
help resize parmfile
```

When you use this form of the `help` command, you receive the help text for the specified topic and remain in the `utility` command entry context. Because you do not enter the help subsystem interactively, you do not have to type **quit** before entering the next `utility` command.

# list

Use the `list` command to specify the output file for all `utility` reports. The contents of the report depends on which other commands are issued after the `list` command. For example, using the `list` command before the `logfile`, `detail on`, and `scan` commands produces the list file for a detailed summary report of a log file.

## Syntax

```
list [filename] | *
```

where `*` sets the output back to `stdout`.

## How to Use It

There are two ways to specify the list file for reports:

- Redirect `stdout` when invoking the `utility` program by typing:

```
utility > utilrept
```

- Or, use the `list` command when `utility` is running by typing:

```
list utilrept
```

In either case, user interactions and errors are printed to `stderr` and reports go to the file specified.

The *filename* parameter in the `list` command must represent a valid filename to which you have write access. Existing files have the new output appended to the end of existing contents. If the file does not exist, it will be created.

To determine the current output file, issue the `list` command without parameters:

If the output file is not `stdout`, most commands are echoed to the output file as they are entered.

## Example

The `list` command produces a summary report on the extracted log file `rxlog`. The `list utilrept` command directs the scan report listing to a disk file. `Detail off` specifies less than full detail in the report. The `scan` command reads `rxlog` and produces the report.

The `list *` command sets the list device back to the default `stdout`. `!lp utilrept` sends the disk file to the system printer.

```
utility>  
logfile rxlog  
list utilrept  
detail off  
scan  
list *  
!lp utilrept
```

To perform the above task using command line arguments, enter:

```
utility -l rxlog -f utilrept -d -xs print utilrept
```

# logfile

Use the `logfile` command to open a log file. For many utility program functions, a log file must be opened. You do this explicitly by issuing the `logfile` command or implicitly by issuing some other command. If you are in batch or command line mode and do not specify a log file name, the default `/var/opt/perf/datafiles/logglob` file is used. If you are in interactive mode and do not specify a log file name, you are prompted to provide one or accept the default `/var/opt/perf/datafiles/logglob` file.

## Syntax

```
logfile [logfile]
```

## How to Use It

You can specify the name of either a raw or extracted log file. If you specify an extracted log file name, all information is obtained from this single file. You do not need to specify any of the raw log files other than the global log file, `logglob`. Opening `logglob` gives you access to all of the data in the other logfiles.

Raw log files have the following names:

<code>logglob</code>	global log file
<code>logappl</code>	application log file
<code>logproc</code>	process log file
<code>logdev</code>	device log file
<code>logtran</code>	transaction log file
<code>logls</code>	logical systems log file
<code>logindx</code>	index log file

Once a log file is opened successfully, a report is printed or displayed showing the general content of the log file (or log files), as shown in the example on the next page.

Global file: /var/opt/perf/datafiles/logglob version D  
Application file: /var/opt/perf/datafiles/logappl  
Process file: /var/opt/perf/datafiles/logproc  
Device file: /var/opt/perf/datafiles/logdev  
Transaction file: /var/opt/perf/datafiles/logtran  
Index file: /var/opt/perf/datafiles/logindx  
System ID: homer  
System Type 9000/715 S/N 6667778899 O/S HP-UX B.10.20. A  
Data Collector: SCOPE/UX C.02.30  
File Created: 06/14/99  
Data Covers: 27 days to 7/10/99  
Shift is: All Day

Data records available are:  
Global Application Process Disk Volume Transaction

Maximum file sizes:  
Global=10.0 Application=10.0 Process=20.0 Device=10.0 Transaction=10.0 MB  
The first GLOBAL record is on 06/14/99 at 12:00 AM  
The first APPLICATION record is on 06/25/99 at 12:00 AM  
The first PROCESS record is on 07/06/99 at 12:01 AM  
The first DEVICE record is on 05/01/99 at 11:50 AM  
The first TRANSACTION record is on 05/01/99 at 11:55 AM  
The default starting date & time = 05/01/99 11:50 AM (FIRST + 0)  
The default stopping date & time = 07/10/99 11:59 PM (LAST - 0)

You can verify the log file you opened with the `show` command, as described later.

You can open another log file at any time by entering another `logfile` command. Any currently opened log file is closed before the new log file is opened.

The `resize` and `scan` commands require a log file to be open. If no log file is currently open, an implicit `logfile` command is executed.



**Do not rename raw log files.** Access to these files assumes that the standard log file names are in effect.

If you must have more than one set of raw log files on the same system, create a separate directory for each set of files. Although the log file names cannot be changed, different directories may be used. If you want to resize the log files in any way, you must have read/write access to all the log files.

## menu

Use the `menu` command to print a list of the available utility commands.

### Syntax

`menu`

### Example

```
utility> menu
Command Parameters      Function
HELP      topic]       Get information on commands and options
GUIDE
LOGFILE   [logname]    Specify a log file to be processed
LIST      [filename|*] Specify the listing file
START     [startdate time] Set starting date & time for SCAN or ANALYZE
STOP      [stopdate time] Set ending date & time for SCAN or ANALYZE
DETAIL    [ON|OFF]     Set report detail for SCAN, PARMFILE, or ANALYZE
SHOW      [ALL]        Show the current program settings
PARMFILE  [parmfile]   Check parsing of a parameter file
SCAN      [logname]    Read the log file and produce a summary report
RESIZE    [GLOB|APPL|PROC|DEV|TRAN]
           [DAYS=][EMPTY=] Resize raw log files
CHECKDEF  [alarmdef]   Check parsing and set the alarmdef file
ANALYZE
! or Sh  [command]     Execute a system command
MENU or ?
EXIT or Q
utility>
```



# parmfile

Use the `parmfile` command to view and syntax check the OV Performance Agent `parm` file settings that are used for data collection.

## Syntax

```
parmfile [/directorypath /parmfile]
```

## How to Use It

You can use the `parmfile` command to do any of the following:

- Examine the `parm` file for syntax warnings and review the resulting settings. All parameters are checked for correct syntax and errors are reported. After the syntax check is completed, only the applicable settings are reported.
- Find out how much room is left for defining applications.
- If `detail on` is specified, print the effective contents of the `parm` file plus any default settings that were not overridden, and print application definitions.

In batch mode, if no `parm` file name is specified, the default `parm` file is used.

In interactive mode, if no `parm` file name is supplied, you are prompted to supply one.

## Example

The `parmfile` command checks the syntax of the current `parm` file and reports any warnings or errors. `Detail on` lists the logging parameter settings.

```
utility>  
detail on  
parmfile parm
```

To perform the above task using command line arguments, enter:

```
utility -xp -D
```

# quit

Use the `quit` command to terminate the utility program. The `quit` command is equivalent to the utility program's `exit` command.

## Syntax

```
quit  
q
```

## resize

Use the `resize` command to manage the space in your raw log file set. This is the *only* program you should use to resize the raw log files in order to preserve coordination between the files and their internal control structures. If you use other tools you might remove or destroy the validity of these control structures.

The utility program *cannot* be used to resize extracted files. If you want to resize an extracted file, use the `extract` program to create a new extracted log file.

### Syntax

```
resize [global      ] [days=maxdays] [empty=days] [yes  ]
      [application] [size=maxMB   ] [space=MB  ] [no   ]
      [process     ]                               [maybe]
      [device      ]
      [transaction]
```

### Parameters

log file type	Specifies the type of raw data you want to resize: global, application, process, device, or transaction, which correspond to the raw log files <code>logglob</code> , <code>logappl</code> , <code>logproc</code> , <code>logdev</code> , and <code>logtran</code> . If you do not specify a data type and are running <code>utility</code> in batch mode, the batch job terminates. If you are running <code>utility</code> interactively, you are prompted to supply the data type based on those log files that currently exist.
days & size	Specify the maximum size of the log file. The actual size depends on the amount of data in the file.
empty & space	Specify the minimum amount of room required in the file after the resizing operation is complete. This value is used to determine if any of the data currently in the log file must be removed in the resizing process.

You might expect that a log file would not fill up until the specified number of days after a resizing operation. You may want to use this feature of the `resize` command to minimize the number of times a log file must be resized by the `scopeux` collector because resizing can occur any time the file is filled. Using `resize` to force a certain amount of empty space in a log file causes the log file to be resized when you want it to be.

The `days` and `empty` values are entered in units of days; the `size` and `space` values are entered in units of megabytes. Days are converted to megabytes by using an average megabytes-per-day value for the log file. This conversion factor varies depending on the type of data being logged and the particular characteristics of your system.

More accurate average-megabytes-per-day conversion factors can be obtained if you issue the `scan` command on the existing log file before you issue the `resize` command. A `scan` measures the accumulation rates for your system. If no `scan` is done or if the measured conversion factor seems unreasonable, the `resize` command uses a default conversion factor for each type of data.

- `yes` Specifies that resizing should be unconditionally performed. This is the default action if `utility` is not running interactively. If no action is specified when `utility` is running interactively, you are prompted to supply the action.
- `no` Specifies that resizing should not be performed. This parameter can be specified as an action if you want to see the resizing report but do not want to perform the resizing at that time.
- `maybe` Specifies that `utility` should decide whether or not to resize the file. This parameter forces `utility` to make this decision based on the current amount of empty space in the log file (before any resizing) and the amount of space specified in the `resize` command. If the current log file contains at least as much empty space as specified, resizing does *not* occur. If the current log file contains less than the specified empty space, resizing occurs.
- `maybe (continued)` If the resizing can be made without removing any data from the log file (for example, increasing the maximum log file size, or reducing the maximum log file size without having to remove any existing data), resizing occurs. The `maybe` parameter is intended primarily for use by periodic batch executions. See the “Examples” subsection below for an explanation of how to use the `resize` command in this manner.

Default resizing parameters are shown in the following table.

**Table 5 Default Resizing Parameters**

Parameter	If Executed Interactively	If Executed in Batch
log file type	You are prompted for each available log file type.	No default. This is a required parameter.
days size	The current file size.	The current file size.
empty space	The current amount of empty space or enough empty space to retain all data currently in the file, whichever is smaller.	The current amount of empty space or enough empty space to retain all data currently in the file, whichever is smaller.

**Table 5 Default Resizing Parameters (cont'd)**

Parameter	If Executed Interactively	If Executed in Batch
yes no maybe	You are prompted following the reported disk space results.	Yes. Resizing will occur.

## How to Use It

Before you resize a log file, you *must* stop OV Performance Agent using the steps under [Stopping and Restarting Data Collection](#) on page 37 in Chapter 2.

A raw log file must be opened before resizing can be performed. Open the raw log file with the `logfile` command before issuing the `resize` command. The files cannot be opened by any other process.

The `resize` command creates the new file `/tmp/scopelog` before deleting the original file. Make sure there is sufficient disk space in the `/var/tmp` directory (`/tmp` on IBM AIX 4.1 and later) to hold the original log file before doing the resizing procedure.

After resizing, a log file consists of data plus empty space. The data retained is calculated as the maximum file size minus the required empty space. Any data removed during the resizing operation is lost. To save log file data for longer periods, use `extract` to copy this data to an extracted file *before* doing the resize operation.

## Resize Command Reports

One standard report is produced when you resize a raw log file. It shows the three interrelated disk space categories of maximum file size, data records, and empty space, before and after resizing. For example:

```
resize global days=120;empty=10
empty space raised to match file size and data records
final resizing parameters:
file: logglob                                megabytes / day: 0.101199
---currently-----      --after resizing---
maximum size:  65 days ( 6.6 mb)  120 days ( 12.1 mb)  83% increase
data records:  61 days ( 6.2 mb)   61 days ( 6.2 mb)  no data removed
empty space:   4 days ( 0.5 mb)   59 days ( 6.0 mb)  1225% increase
```

The megabytes per day value is used to convert between days and megabytes. It is either the value obtained during the scan function or a default for the type of data being resized.

The far right-hand column is a summary of the net change in each category of log file space. Maximum size and empty space can increase, decrease, or remain unchanged. Data records have either no data removed or a specified amount of data removed during resizing.

If the resize is done interactively and one or more parameters are defaults, you can get a preliminary resizing report. This report summarizes the current log file contents and any parameters that were provided. The report is provided to aid in answering questions on the unspecified parameters. For example:

```
resize global days=20
file resizing parameters (based on average daily
space estimates and user resizing parameters)
file: logglob                                megabytes / day: 0.101199
-----currently-----      --after resizing--
maximum size:  65 days ( 6.6 mb)   20 days ( 2.0 mb)
```

```
data records: 61 days ( 6.2 mb) ??
empty space:  4 days ( 0.5 mb) ??
```

In this example, you are prompted to supply the amount of empty space for the file before the final resizing report is given. If no action parameter is given for interactive resizing, you are prompted for whether or not to resize the log file immediately following the final resizing report.

## Examples

The following commands are used to resize a raw process log file. The scan is performed before the resize to increase the accuracy of the number-of-days calculations.

```
logfile /var/opt/perf/datafiles/logglob
detail off
scan
resize process days=60 empty=30 yes
```

`days=60` specifies holding a maximum of 60 days of data. `empty=30` specifies that 30 days of this file are currently empty. That is, the file is resized with no more than 30 days of data in the file to leave room for 30 more days out of a total of 60 days of space. `yes` specifies that the resizing operation should take place regardless of current empty space.

The next example shows how you might use the `resize` command in batch mode to ensure that log files do not fill up during the upcoming week (forcing `scopeux` to resize them). You could schedule a `cron` script using the `at` command that specifies a minimum amount of space such as 7 days - or perhaps 10 days, just to be safe.

The following shell script accomplishes this:

```
echo detail off > utilin
echo scan >> utilin
echo resize global empty=10 maybe >> utilin
echo resize application empty=10 maybe >> utilin
echo resize process empty=10 maybe >> utilin
echo resize device empty=10 maybe >> utilin
echo quit >> utilin
utility < utilin > utilout 2> utilerr
```

Specifying `maybe` instead of `yes` avoids any resizing operations if 10 or more days of empty space currently exist in any log files. Note that the maximum file size defaults to the current maximum file size for each file. This allows the files to be resized to new maximum sizes without affecting this script.



If you use the script described above, remember to stop `scopeux` before running it. See the “Starting & Running OV Performance Agent” chapter in your *HP OpenView Performance Agent Installation & Configuration Guide* for information about stopping and starting `scopeux`.

# scan

Use the `scan` command to read a log file and write a report on its contents. (For a detailed description of the report, see [Utility Scan Report Details](#) on page 50 in Chapter 3.)

## Syntax

`scan`

## How to Use It

The `scan` command requires a log file to be opened. The log file scanned is the first of one of the following:

- The log file named in the `scan` command itself.
- The last log file opened by any previous command.
- The default log file.

In this case, interactive users are prompted to override the default log file name if desired.

The following commands affect the operation of the scan function:

<code>detail</code>	Specifies the amount of detail in the report. The default, <code>detail on</code> , specifies full detail.
<code>list</code>	Redirects the output to another file. The default is to list to the standard list device.
<code>start</code>	Specifies the date and time of the first log file record you want to scan. The default is the beginning of the log file.
<code>stop</code>	Specifies the date and time of the last log file record you want to scan. The default is the end of the log file.

For more information about the `detail`, `list`, `start`, and `stop` commands, see their descriptions in this chapter.

The `scan` command report consists of 12 sections. You can control which sections are included in the report by issuing the `detail` command prior to issuing `scan`.



The following four sections are always printed (even if `detail off` is specified):

- Scan start and stop actual dates and times
- Collector coverage summary
- Log file contents summary
- Log file empty space summary

The following sections are printed if `detail on` (the default) is specified:

- Initial `parm` file global information and system configuration information
- Initial `parm` file application definitions
- `parm` file global changes
- `parm` file application addition/deletion notifications
- Collector off-time notifications
- Application-specific summary reports

The following section is always printed if application data was scanned (even if `detail off` is specified):

- Application overall summary

The following section is always printed if process data was scanned (even if `detail off` is specified):

- Process log reason summary

## Example

The scan of the current default global log file starts with records logged from June 1, 1999 at 7:00 AM until the present date and time.

```
utility>
logfile /var/opt/perf/datafiles/logglob
detail on
start 6/1/99 7:00 am
scan
```

To perform the above task using command line arguments, enter:

```
utility -D -b 6/1/99 7:00 am -xs
```

# sh

Use `sh` to enter a shell command without exiting `utility` by typing `sh` or an exclamation point (!) followed by a shell command.

## Syntax

```
sh or ! [shell command]
```

## Parameters

<code>sh ls</code>	Executes the <code>ls</code> command and returns to <code>utility</code> .
<code>!ls</code>	Same as above.

## How to Use It

Following the execution of the single command, you automatically return to `utility`. If you want to issue multiple shell commands without returning to `utility` after each one, you can start a new shell. For example,

```
sh ksh  
or  
!ksh
```

# show

Use the `show` command to list the names of the files that are open and the status of the utility parameters that can be set.

## Syntax

```
show [all]
```

## Examples

Use `show` to produce a list that may look like this:

```
Logfile: /var/opt/perf/datafiles/logglob
List:    "stdout"
Detail:  ON for ANALYZE, PARMFILE and SCAN functions
The default starting date & time = 10/08/99 08:17 AM (FIRST + 0)
The default stopping date & time = 11/20/99 11:59 PM (LAST - 0)
The default shift = 12:00 AM - 12:00 AM
```



The default shift time is shown for information only. Shift time cannot be changed in utility.

Use `show all` to produce a more detailed list that may look like this:

```
Logfile: /var/opt/perf/datafiles/logglob
Global      file: /var/opt/perf/datafiles/logglob
Application file: /var/opt/perf/datafiles/logappl
Process     file: /var/opt/perf/datafiles/logproc
Device      file: /var/opt/perf/datafiles/logdev
Transaction file: /var/opt/perf/datafiles/logtran
Index       file: /var/opt/perf/datafiles/logindx
System ID:  homer
System Type 9000/715 S/N 66677789 OS/ HP-UX B.10.20 A
Data Collector: SCOPE/UX C.02.30
File created: 10/08/99
Data Covers: 44 days to 11/20/99
Shift is:    All Day
Data records available are:
Global Application Process Disk Volume Transaction
Maximum file sizes:
Global=10.0 Application=10.0 Process=20.0 Device=10.0 Transaction 10.0
MB
List      "stdout"
Detail    ON for ANALYZE, PARMFILE and SCAN functions
The default starting date & time = 10/08/99 11:50 AM (FIRST + 0)
The default stopping date & time = 11/20/99 11:59 PM (LAST - 0)
The default shift = 12:00 AM - 12:00 AM
```

# start

Use the `start` command to specify the beginning of the subset of a log file that you want to scan or analyze. `start` lets you start the scan or analyze process at data that was logged at a specific date and time.

The default starting date and time is set to the date and time of the first record of any type in a log file that has been currently opened with the `logfile` command.

## Syntax

```
start    [date    [time]]  
         [today [-days]    [time]]  
         [last  [-days]    [time]]  
         [first [+days]    [time]]
```

## Parameters

<code>date</code>	The date format depends on the native language configured on the system being used. If you do not use native languages or have the default language set to C, the date format is <i>mm/dd/yy</i> (month/day/year) or 06/30/99 for June 30, 1999.
<code>time</code>	The time format also depends on the native language being used. For C, the format is <i>hh:mm</i> am or <i>hh:mm</i> pm (hour:minute in 12-hour format with the am/pm suffix) such as 07:00 am for 7 o'clock in the morning. Twenty-four hour time is accepted in all languages. For example, 23:30 would be accepted for 11:30 pm. If the date or time is entered in an unacceptable format, an example in the correct format is shown. If no start time is given, a midnight (12 am) is assumed. A starting time of midnight for a given day starts at the <i>beginning</i> of that day (00:00 on a 24-hour clock).
<code>today</code>	Specifies the current day. The parameter <i>today-days</i> specifies the number of days prior to today's date. For example, <i>today-1</i> indicates yesterday's date and <i>today-2</i> , the day before yesterday.
<code>last</code>	Can be used to represent the last date contained in the log file. The parameter <i>last-days</i> specifies the number of days prior to the last date in the log file.
<code>first</code>	Can be used to represent the first date contained in the log file. The parameter <i>first+days</i> specifies the number of days after the first date in the log file.

## How to Use It

The `start` command is useful if you have a very large log file and do not want to scan or analyze the entire file. You can also use it to specify a specific time period for which data is scanned. For example, you can scan a log file for data that was logged for a period beginning 14 days before the present date by specifying **`today-14`**.

You can use the `stop` command to further limit the log file records you want to scan.

If you are not sure whether native language support is installed on your system, you can force `utility` to use the C date and time formats by issuing the following statement before running `utility`:

```
LANG=C; export LANG
```

or in C Shell

```
setenv LANG C
```

## Example

The scan of the default global log file starts with records logged from August 5, 1999 at 8:00 AM until the present date and time.

```
utility>  
logfile /var/opt/perf/datafiles/logglob  
detail on  
start 8/5/99 8:00 AM  
scan
```

To perform the above task using command line arguments, enter:

```
utility -D -b 8/5/99 8:00 am -xs
```

# stop

Use the `stop` command to specify the end of a subset of a log file that you want to scan or analyze. `stop` lets you terminate the scan or analyze process at data that was logged at a specific date and time.

The default stopping date and time is set to the date and time of the last record of any type in a log file that has been currently opened with the `logfile` command.

## Syntax

```
stop    [date      [time]]
        [today    [-days]  [time]]
        [last     [-days]  [time]]
        [first    [+days]  [time]]
```

## Parameters

date	The date format depends on the native language configured on the system being used. If you do not use native languages or have the default language set to C, the date format is <i>mm/dd/yy</i> (month/day/year) or 06/30/99 for June 30, 1999.
time	The time format also depends on the native language being used. For C, the format is <i>hh:mm</i> am or <i>hh:mm</i> pm (hour:minute in 12-hour format with the am/pm suffix) such as 07:00 am for 7 o'clock in the morning. Twenty-four hour time is accepted in all languages. For example, 23:30 would be accepted for 11:30 pm. If the date or time is entered in an unacceptable format, an example in the correct format is shown. If no stop time is given, one minute before midnight (11:59 pm) is assumed. A stopping time of midnight (12 am) for a given day stops at the <i>end</i> of that day (23:59 on a 24-hour clock).
today	Specifies the current day. The parameter <i>today-days</i> specifies the number of days prior to today's date. For example, <i>today-1</i> indicates yesterday's date and <i>today-2</i> , the day before yesterday.
last	Can be used to represent the last date contained in the log file. The parameter <i>last-days</i> specifies the number of days prior to the last date in the log file.
first	Can be used to represent the first date contained in the log file. The parameter <i>first+days</i> specifies the number of days after the first date in the log file.

## How to Use It

The `stop` command is useful if you have a very large log file and do not want to scan the entire file. You can also use it to specify a specific time period for which data is scanned. For example, you can scan a log file for seven-days worth of data that was logged starting a month before the present date.

If you are not sure whether native language support is installed on your system, you can force `utility` to use the C date and time formats by issuing the following statement before running `utility`:

```
LANG=C; export LANG
```

or in C Shell

```
setenv LANG C
```

## Example

The scan of 14 days worth of data starts with records logged from July 5, 1999 at 8:00 AM and stops at the last record logged July 18, 1999 at 11:59 pm.

```
utility>  
logfile /var/opt/perf/datafiles/logglob  
detail on  
start 7/5/99 8:00 am  
stop 7/18/99 11:59 pm  
scan
```

To perform the above task using command line arguments, enter:

```
utility -D -b 7/5/99 8:00 am -e 7/18/99 11:59pm -xs
```





# 5 Using the Extract Program

## Introduction

The `extract` program has two main functions: it lets you extract data from raw log files and write it to extracted log files. `Extract` also lets you export log file data for use by analysis products such as spreadsheets.

▶ After the initial installation of OV Performance Agent, services must be started for file installation to complete, before `extract` will function.

The `extract` and `export` functions *copy* data from a log file; *no* data is removed.

Three types of log files are used by OV Performance Agent:

- `scopeux` log files, which contain data collected in OV Performance Agent by the `scopeux` collector.
- extracted log files, which contain data extracted from raw `scopeux` log files.
- DSI (data source integration) log files, which contain user-defined data collected by external sources such as applications and databases. The data is subsequently logged by OV Performance Agents DSI programs.

Use the `extract` program to perform the following tasks:

- Extract subsets of data from raw `scopeux` log files into an extracted log file format that is suitable for placing in archives, for transport between systems, and for analysis by OV Performance Manager. Data *cannot* be extracted from DSI log files.
- Manage archived log file data by extracting or exporting data from extracted format files, appending data to existing extracted log files, and subsetting data by type, date, and shift (hour of day).
- Export data from raw or extracted `scopeux` log files and DSI log files into ASCII, binary, datafile, or WK1 (spreadsheet) formats suitable for reporting and analysis or for importing into spreadsheets or similar analysis packages.

▶ The `extract` function cannot produce summarized data. Summary data can only be produced by the `export` function.

Examples of how various tasks are performed and how `extract` commands are used can be found in online help for the `extract` program.

This chapter covers the following topics:

- [Running the Extract Program](#)
- [Using Interactive Mode](#)
- [Extract Command Line Interface](#)
- [Overview of the Export Function](#)

# Running the Extract Program

There are three ways to run the `extract` program:

## Command line mode

You control the `extract` program using command options and arguments in the command line.

## Interactive mode

You supply interactive commands and parameters while executing the program with `stdin` set to an interactive terminal or workstation.

If you are an experienced user, you can quickly specify only those commands required for a given task. If you are a new user, you may want to specify guided mode to receive more assistance in using `extract`. In guided mode, you are asked to select from a list of options in order to perform a task. While in guided mode, the interactive commands that accomplish each task are listed as they are executed, so you can see how they are used. You can quit or re-enter guided mode at any time.

## Batch mode

You can run the program and redirect `stdin` to a file that contains interactive commands and parameters.

## Syntax

The syntax for the command line interface is similar to standard UNIX command line interfaces on other programs and is described in detail in this chapter.

For interactive and batch mode the command syntax is the same: a command followed by one or more parameters. Commands can be entered in any order; if a command has a parameter associated with it, the parameter must be entered immediately after the corresponding command.

There are two types of parameters - *required* (for which there are no defaults) and *optional* (for which defaults are provided). How the `extract` program handles these parameters depends on the mode in which it is running.

- In interactive mode, if an *optional* parameter is missing, the program displays the default parameter and lets you either confirm it or override it. If a *required* parameter is missing, the program prompts you to enter the parameter.
- In batch mode, if an *optional* parameter is missing, the program uses the default values. If a *required* parameter is missing, the program terminates.

Errors and missing data are handled differently for interactive mode than for command line and batch mode, because you can supply additional data or correct mistakes in interactive mode, but not in command line and batch mode.

## Using Interactive Mode

Using the `extract` program's interactive mode requires you to issue a series of commands to execute a specific task.

For example, if you want to export application data collected starting May 15, 2003, from the default global log file, you issue the following commands after invoking the `extract` program

```
logfile /var/opt/perf/datafiles/logglob  
application detail  
start 5/15/2003  
export
```

The `logfile` command opens `/var/opt/perf/datafiles/logglob`, the default global log file. The `start` command specifies that only data logged after 5/15/03 will be exported. The `export` command starts the exporting of the data.

## Extract Command Line Interface

In addition to the interactive and batch mode command syntax, command options and arguments can be passed to the `extract` program through the command line interface. The command line interface fits into the typical UNIX environment by allowing the `extract` program to be easily invoked by shell scripts and allowing its input and output to be redirected into UNIX pipes.

For example, the command line equivalent of the example shown in the previous section [Using Interactive Mode](#) on page 91 is:

```
extract -l -a -b 5/15/02 -xp
```

In command line mode, the global log file `/var/opt/perf/datafiles/logglob` is the default; you do not have to specify it.

Command line options and arguments are listed in the following table. The referenced command descriptions can be found in [Chapter 6, Extract Commands](#).

**Table 6 Command Line Arguments**

Command Option	Argument		Description
-b	date	time	Specifies starting date and time of an <code>extract</code> or <code>export</code> function. (See <code>start</code> command in Chapter 6.)
-B		UNIX <i>start time</i>	Specifies starting time in UNIX format for an <code>extract</code> or <code>export</code> function.
-e	date	time	Specifies ending date and time of an <code>extract</code> or <code>export</code> function. (See <code>stop</code> command in Chapter 6.)
-E		UNIX <i>stop time</i>	Specifies stopping time in UNIX format for an <code>extract</code> or <code>export</code> function.
-s	time-time	noweekends	Specifies start and end time for specific periods excluding weekends. (See <code>shift</code> command in Chapter 6.)
-l	logfile		Specifies input log file. (See <code>logfile</code> command in Chapter 6.) <code>/var/opt/perf/datafiles/logglob</code> is the default.
-r	export template file		Specifies an export template file for <code>export</code> function. (See <code>report</code> command in Chapter 6.)
-C	classname	opt	Specifies scopeux data to <code>extract</code> or <code>export</code> , or self-describing (DSI) data to <code>export</code> . (See <code>class</code> command in Chapter 6.) opt = detail (default) summary both off

**Table 6 Command Line Arguments (cont'd)**

<b>Command Option</b>	<b>Argument</b>	<b>Description</b>
-i		Specifies scopeux data to extract or export data from logical systems.
-k		Exports killed processes only. If you use this option, include the PROC_INTEREST metric in reptfile.
gapkcdzntuy iGADZNTUYI		Specifies types of data to extract/export:  g = global detail. (See <a href="#">global</a> command in Chapter 6.) global detail is off by default.  a = application detail. (See <a href="#">application</a> command in Chapter 6.)  p = process detail (See <a href="#">process</a> command in Chapter 6.)  k = process killed. (See <a href="#">process</a> command in Chapter 6.)  c = configuration detail (See <a href="#">configuration</a> command in Chapter 6.)  d = disk device detail (See <a href="#">disk</a> command in Chapter 6.)  z = lvolume detail (See <a href="#">lvolume</a> command in Chapter 6.)  n = netif detail (See <a href="#">netif</a> command in Chapter 6.)

**Table 6 Command Line Arguments (cont'd)**

Command Option	Argument		Description
gapkcdzntuy iGADZNTUYI (continued)			<p>t = transaction detail (See <a href="#">transaction</a> command in Chapter 6.)</p> <p>u = CPU detail (See <a href="#">cpu</a> command in Chapter 6.)</p> <p>y = filesystem detail (See <a href="#">filesystem</a> command in Chapter 6.)</p> <p>i = logical systems detail</p> <p><b>NOTE:</b> The following summary options are for <code>export</code> only; the <code>extract</code> function does not support data summarization.</p> <p>G = global summary (See <a href="#">global</a> command in Chapter 6.) Global summary is off by default.</p> <p>A = application summary (See <a href="#">application</a> command in Chapter 6.)</p> <p>D = disk device summary (See <a href="#">disk</a> command in Chapter 6.)</p> <p>Z = lvolume summary (See <a href="#">lvolume</a> command in Chapter 6.)</p> <p>N = netif summary (See <a href="#">netif</a> command in Chapter 6.)</p> <p>I = logical systems summary</p>
gapkcdzntuy GADZNTUY (continued)			<p>T = transaction summary (See <a href="#">transaction</a> command in Chapter 6.)</p> <p>U = CPU summary (See <a href="#">cpu</a> command in Chapter 6.)</p> <p>Y = filesystem summary (See <a href="#">filesystem</a> command in Chapter 6.)</p>
-v			Generates verbose output report formats.
-f	filename	, new , append , purge	Sends <code>extract</code> or <code>export</code> data to a file. If no filename, sends data to default output files. (See <a href="#">output</a> command in Chapter 6.)
-ut			Shows date and time in UNIX format in exported DSI log file data.
-we	1.....7		Specifies days to exclude from <code>export</code> ; 1=Sunday. (See <a href="#">weekdays</a> command description.)

**Table 6 Command Line Arguments (cont'd)**

Command Option	Argument	Description
-xp	xopt	Exports data to external format files. (See <a href="#">export</a> command in Chapter 6.)
-xt	xopt	Extracts data in system internal format. (See <a href="#">extract</a> command in Chapter 6.)  xopt = <i>dwmy</i> (Day Week Month Year) <i>dwmy</i> -[offset] <i>dwmy</i> [absolute]
-xw	week	Extracts a calendar week's data. (See <a href="#">weekly</a> command in Chapter 6.)
-xm	month	Extracts a calendar month's data. (See <a href="#">monthly</a> command in Chapter 6.)
-xy	year	Extracts a calendar year's data. (See <a href="#">monthly</a> command in Chapter 6.)
-? or ?		Displays command line syntax.

When you are evaluating arguments and entering command options on the command line, the following rules apply:

- Errors and missing data are handled exactly as in the corresponding batch mode command. That is, missing data will be defaulted if possible and all errors cause the program to terminate immediately.
- Echoing of commands and command results is disabled unless the `-v` argument is used to enable verbose mode.
- If no valid action is specified (`-xp`, `-xw`, `-xm`, `-xy`, or `-xt`), `extract` starts reading commands from its `stdin` file after all parameters have been processed.
- If an action is specified (`-xp`, `-xw`, `-xm`, `-xy`, or `-xt`), the program will execute those command options after all other parameters are evaluated, regardless of where they were positioned in the list of parameters.
- If an action is specified in the command line, the `extract` program will not read from its `stdin` file; instead it will terminate following the action:

```
extract -f rxdata -r /var/opt/perf/rept1 -xp d-1 -G
```

Which translates into:

```
-f rxdata    Outputs to a file named rxdata in current directory
-r rept1    File /var/opt/perf/rept1 contains the desired export format
-xp d-1     Exports data for this day minus 1 (yesterday)
-G         Exports global summary data.
```

Note that the actual exporting is not done until the end so the `-G` parameter is processed before the export is done.

Also notice that the log file was not specified so it uses the default `logglob` file.

Because an action was specified (`-xp`), once the export is finished the `extract` program terminates without reading from its `stdin` file. In addition, verbose mode was not set with the `-v` command option so all extraneous output to `stdout` is eliminated.



# Overview of the Export Function

The `extract` program's `export` command converts OV Performance Agent raw, extracted, or DSI log file data into exported files. The `export` command writes files in any one of four possible formats: ASCII, datafile, binary, and WK1 (spreadsheet). Exported files can be used in a variety of ways, such as reports, custom graphics packages, databases, and user-written analysis programs.

## How to Export Data

In the simplest form, you can export data by:

- specifying the default global log file, `/var/opt/perf/datafiles/logglob`, from which you want to export data
- specifying the default export template file, `/var/opt/perf/reptfile`, that defines the format of the exported data
- starting the export function.

The exported data is placed in a default output file named `xfrdGLOBAL.asc` in your current directory. The output file's ASCII format is suitable for printing.

If you want to export something other than this default set of data, you can use other commands and files in conjunction with the `export` command.

You can export the following types of data:

<code>global</code>	5-minute and hourly summaries
<code>application</code>	5-minute and hourly summaries
<code>process</code>	One-minute details
<code>disk device</code>	5-minute and hourly summaries
<code>lvolume</code>	5-minute and hourly summaries
<code>transaction</code>	5-minute and hourly summaries
<code>configuration</code>	One record containing parm file information, and system configuration information, for each time the data collector started.
<code>any DSI class</code>	Intervals and summaries for DSI log files
<code>netif</code>	5-minute and hourly summaries
<code>cpu</code>	5-minute and hourly summaries
<code>filesystem</code>	5-minute and hourly summaries

- You can specify which data items (metrics) are needed for each type of data.
- You can specify starting and ending dates for the time period in which the data was collected along with shift and weekend exclusion filters.
- You can specify the desired format for the exported data in an export template file. This file can be created using any text editor or word processor that lets you save a file in ASCII (text) format.
- You can also use the default export template file, `/var/opt/perf/reptfile`. This file specifies the following output format settings:
  - ASCII file format

- a 0 (zero) for the missing value
- a blank space as the field separator
- 60-minute summaries
- column headings are included
- a recommended set of metrics for a given data type is included in the export

▶ If you extracting or exporting data from log files which are created from a specific platform, it is recommended that you use the `reptall` file from the same platform. This is because the list of metric classes supported are different on different platforms.

## Sample Export Tasks

Two sample export template files, `repthist` and `reptall`, are furnished with OV Performance Agent. These files are located in the `/var/opt/perf/` directory. You can use `repthist` and `reptall` to perform common export tasks or as a starting point for custom tasks, such as the task described next.

### Generating a Printable CPU Report

The `repthist` export template file contains the specifications to generate a character graph of CPU and disk usage for the system over time. This graph consists of printable characters that can be printed on any device capable of 132 column printing. For example, you could use the following `extract` program commands to generate a graph of the last seven days and should produce approximately two pages (34 pages if 5-minute detail is specified instead of hourly summaries).

```
logfile /var/opt/perf/datafiles/logglob
report /var/opt/perf/repthist
global summary
start today-7
export
```

The exported data is in an export file named `xfrsGLOBAL.asc`. To print it, type:

```
lp xfrsGLOBAL.asc
```

### Producing a Customized Export File

If you want to create a totally new export template file, copy the export template file and customize it using the `extract` program's `guide` command. In guided mode, you copy the `reptall` file from the `/var/opt/perf/` directory and read the `scopeux` or DSI log file specified to dynamically create the list of data types and metric names.

The `reptall` file contains every possible metric for each type of `scopeux` log file data so you need only uncomment those metrics that are of interest to you. This is easier than retyping the entire export template file.

## Export Data Files

If you used the `output` command to specify the name of an output file prior to issuing the `export` command, all exported data will be written to this single file. If you are running the `extract` program interactively and want to export data directly to your workstation (standard output file), specify the `extract` command `output stdout` prior to issuing the `export` command.

If the output file is set to the default, the exported data is separated into as many as 14 different default output files depending on the type of data being exported.

The default export log file names are:

<code>xfrdGLOBAL.ext</code>	Global detail data file
<code>xfrsGLOBAL.ext</code>	Global hourly summary data file
<code>xfrdAPPLICATION.ext</code>	Application detail data file
<code>xfrsAPPLICATION.ext</code>	Application hourly summary data file
<code>xfrdPROCESS.ext</code>	Process detail data file
<code>xfrdDISK.ext</code>	Disk device detail data file
<code>xfrsDISK.ext</code>	Disk device hourly summary data file
<code>xfrdVOLUME.ext</code>	Logical volume detail data file
<code>xfrsVOLUME.ext</code>	Logical volume summary data file
<code>xfrdNETIF.ext</code>	Netif detail data file
<code>xfrsNETIF.ext</code>	Netif summary detail data file
<code>xfrdCPU.ext</code>	CPU detail data file
<code>xfrsCPU.ext</code>	CPU summary data file
<code>xfrdFILESYSTEM.ext</code>	Filesystem detail data file
<code>xfrsFILESYSTEM.ext</code>	Filesystem summary data file
<code>xfrdTRANSACTION.ext</code>	Transaction detail data file
<code>xfrsTRANSACTION.ext</code>	Transaction summary data file
<code>xfrdCONFIGURATION.ext</code>	Configuration data file

where `ext`= `asc` (ASCII), `bin` (binary), `dat` (datafile), or `wk1` (spreadsheet).



No output file is created *unless* you specify the type and associated items that match the data in the export template file prior to issuing the `export` command.

## Export Template File Syntax

The export template file can contain all or some of the following information, depending on how you want your exported data to be formatted and what you want the export file to contain:

```
report      "export file title"
```

```

format      [ASCII]
            [datafile]
            [binary]
            [WK1] or
            [spreadsheet]
headings    [on]
            [off]
separator= "char"
summary=value
missing=value
layout=single | multiple
output=filename
data type datatype
items

```

## Parameters

`report` Specifies the title for the export file. For more information, see the following section, [Export File Title](#) on page 102.

`format` Specifies the format for the exported data.

### ASCII

ASCII (or text) format is best for copying files to a printer or terminal. It does not enclose fields with double quotes (").

### Datafile

The `datafile` format is similar to ASCII format except that non-numerical fields are enclosed in double quotes. Because double quotes prevent strict column alignment, files in `datafile` format are not recommended for direct printing. The `datafile` format is the easiest format to import into most spreadsheets and graphics packages.

### Binary

The `binary` format is more compact because numerical values are represented as binary integers. It is the most suitable format for input into user-written analysis programs because it needs the least conversion, and it maintains the highest metric accuracy. It is not suitable for direct printing.

### WK1 (spreadsheet)

The `WK1` (spreadsheet) format is compatible with Microsoft Excel and other spreadsheet and graphics programs.

`headings` Specifies whether or not to include column headings for the metrics listed in the export file. If `headings off` is specified, no column headings are written to the file. The first record in the file is exported data. If `headings on` is specified, ASCII and `datafile` formats place the export title plus column headings for each column of metrics written *before* the first data records. Column headings in `binary` format files contain the description of the metrics in the file. `WK1` formats always contain column headings.

separator	Specifies the character that is printed between each field in ASCII or datafile formatted data. The default separator character is a blank space. Many programs prefer a comma as the field separator. You can specify the separator as any printing or nonprinting character.
summary	Specifies the number of minutes for each summary interval. The value determines how much time is included in each record for summary records. The default interval is 60 minutes. The summary value can be set between 5 and 1440 minutes (1 day).
missing	Specifies the data value to be used in place of missing data. The default value for missing data is zero. You can specify another value in order to differentiate missing from zero data. A data item may be missing if it was: <ul style="list-style-type: none"> <li>not logged by a particular version of the scopeux collector</li> <li>not logged by scopeux because the instance (application, disk, transaction, netif) it belongs to was not active during the interval, or</li> <li>in the case of DSI log files, no data was provided to the dsilog program during an interval, resulting in “missing records”.</li> </ul> Missing records are, by default, excluded from exported data.
layout	Specifies either single or multiple layouts (output per record output) for data types such as application, disk, transaction, lvolume, or netif. <ul style="list-style-type: none"> <li>Single layout writes one instance per record, for every application that was active during the time interval. Example: One disk exported in one record.</li> <li>Multiple layout writes multiple instances in one record for each time interval, with part of that record reserved for each configured application. Example: All disks exported in one record.</li> </ul>
output	Specifies the name of the output file where the exported data will be written. output can be specified for each class or data type exported by placing output <i>filename</i> just after the line indicating the data type that starts the list of exported data items. Any valid file name can be specified for output. You can also specify the name interactively using the output command. Any name you specify overrides the default output file name.
data type	Specifies one of the exportable data types: global, application, process, disk, transaction, lvolume, netif, configuration, or DSI class name. This starts a section of the export template file that lists the data items to be copied when this type of data is exported.
items	Specifies the metrics to be included in the exported file. Metric names are listed, one per line, in the order you want them listed in the resulting file. You must specify the proper data type before listing items. The same export template file can include item lists for as many data types as you want. Each data type will be referenced <i>only</i> if you choose to export that type of data.

The output and layout parameters can be used more than once within an export template file. For example:

```

data type global
    output=myglobal
    gbl_cpu_total_util

data type application

```

```
output=myapp
layout=multiple
app_cpu_total_util
```

You can have more than one export template file on your system. Each one can define a set of exported file formats to suit a particular need. You use the `report` command to specify the export template file to be used with the `export` function.



You cannot specify different layouts within a single data type. For example, you cannot specify **data type disk** once with **layout = multiple** and again with **layout = single** within the same export file.

## Export File Title

The following items can be substituted in the export file title string:

<code>!date</code>	The date the export function was performed.
<code>!time</code>	The time the export function was performed.
<code>!logfile</code>	The fully qualified name of the source log file.
<code>!class</code>	The type of data requested.
<code>!collector</code>	The name and version of the collector program. (Not valid with DSI log files.)
<code>!system_id</code>	The identifier of the system that collected the data. (Not valid with DSI log files.)

For example, the string

```
report "!system_id data from !logfile on !date !time"
```

generates an export file title similar to

```
barkley data from logglob on 02/02/99 08:30 AM
```

## Creating a Custom Graph or Report

Suppose you want to create a custom graph or report containing exported global and application data. You would do the following:

- 1 Determine which data items (metrics) are needed from each data type and in what format you will access them.

For this example, you want an ASCII file without headings and with fields separated by commas.

- 2 Create and save the following ASCII export template file in the `/var/opt/perf/` directory. Name the file `report1`.

```
REPORT "sample export template file (report1)"
FORMAT ASCII
HEADINGS OFF
```

```
DATA TYPE GLOBAL
  GBL_CPU_TOTAL_UTIL
  GBL_DISK_PHYS_IO_RATE
```

```

DATA TYPE APPLICATION
APP_CPU_TOTAL_UTIL
APP_DISK_PHYS_IO_RATE
APP_ALIVE_PROCESSES

```

- 3 Run the `extract` program.
- 4 Issue the `report` command to specify the export template file you created.
 

```
report /var/opt/perf/report1
```
- 5 Specify global summary data and application summary data using the `global` and `application` commands.
 

```
global summary
application summary
```
- 6 Issue the `export` command to start the export.
 

```
export
```
- 7 Because you did not specify where the program should get the performance data from, you are prompted to do so. In this example, since the default log file is correct, just press **Enter**.
- 8 The output looks like this:

```

exporting global data .....50%.....100%
exporting application data .....50%.....100%
The exported file contains 31 days of data from 01/01/99 to 01/31/99

```

data type	examined records	exported records	space
global summaries		736	0.20 Mb
application summaries		2560	0.71 Mb
			0.91 Mb

The two files you have just created — `xfrsglobal.asc` and `xfrsapplication.asc` — contain the global and application summary data in the specified format.

## Output of Exported Files

The contents of each exported file are:

<code>export</code> title line	If <code>export</code> title and headings on were specified.
Names (application, netif, lvolume, or transaction)	If headings on was specified along with a multiple layout file.
Heading line1	If headings on was specified.
Heading line2	If headings on was specified.
first data record	
second data record	
...	
last data record	

Report title and heading lines are not repeated in the file.

## Notes on ASCII and Datafile Formats

The data in these format files is printable ASCII format. ASCII and datafile formats are identical except that in the latter, all non-numeric fields are enclosed with double quotes. Even the datafile header information is enclosed with double quotes.

The ASCII file format does not enclose fields with double quotes. Therefore, the data in ASCII files will be properly aligned when printed.

Numerical values are formatted based on their range and internal accuracy. Since all fields will not be the same length, be sure to specify the separator you want to use to start each field.

The user-specified separator character (or the default blank space) separates the individual fields in ASCII and datafile formats. Blank spaces, used as separators, can be visually more attractive if you plan to print the report. Other characters can be more useful as separators if you plan to read the export template file with another program.

Using the comma as a separator is acceptable to many applications, but some data items may contain commas *that are not separators*. These commas can confuse analysis programs. The date and time formats can contain different special characters based on the native language specified when you execute the `extract` program.



To use a nonprinting special character as a separator, enter it into your export template file immediately following the first double quote in the `separator` parameter.



- Most spreadsheets accept files in datafile format using `separator=","`.
- Many spreadsheet packages accept a maximum of 256 columns in a single sheet. Use care when exporting multiple layout types of data because it is easy to generate more than 256 total items. You can use the output of the report `reportfile, show` command to determine if you are likely to see this problem.
- If you have a printer that supports underlining, you can create a more attractive printout by specifying ASCII format and the vertical bar character (`separator=|`) and then printing the file with underlining turned on.

## Notes on Binary Format

In binary format files, numerical values are written as 32-bit integers. This can save space by reducing the overall file size, but your program must be able to read binary files. We do not recommend copying a binary format file to a printer or a terminal.

In binary format, non-numerical data is written the same as it was in the ASCII format except separator characters are not used. To properly use a binary format file, you should use the record layout report printed by `extract` when you specify `report reportfile, show`. This report gives you the starting byte for each item specified.

To maintain maximum precision and avoid nonstandard, binary floating-point representations, all numerical values are written as scaled, 32-bit integers. Some items might be multiplied by a constant before they are truncated into integer format.

For example, the number of seconds the CPU was used is multiplied by 1000 before being truncated. To convert the value in the exported file back to the actual number of seconds, divide it by 1000. For ease in conversion, specify `headings on` to write the scale factors to the exported file. The report title and special header records are written to binary format files to assist in programmatic interpretation.



Binary integers are written in the format that is native to the system on which the `extract` program is being run. For example, Intel systems write “little endian” integers while HP-UX, IBM AIX, and Sun systems write “big endian” integers. Use care when transporting binary exported files to systems that use different “endians”.

## Binary Header Record Layout

Each record in a binary format exported file contains a special 16-byte record header preceding any user-specified data. The `report` *reportfile*, `show` command includes the following four fields that make up this record header:

### Binary Record Header Metrics

Record Length	Number of bytes in the record, including the 16 byte record header.
Record ID	A number to identify the type of record (see below).
Date_Seconds	Time since January 1, 1970 (in seconds).
Number_of_vars	Number of repeating entries in this record.

The Record ID metric uniquely identifies the type of data contained in the record. Current Record ID values are:

-1	Title Record
-2	First header Record (Contains Item Numbers)
-3	Second header Record (Contains Item Scale Factors)
-4	Application Name Record (for Multiple Instance Application Files)
-5	Transaction Name Record (for Multiple Instance Transaction Files)
-7	Disk Device Name Record (for Multiple Instance Disk Device Files)
-8	Logical Volume Name Record (for Multiple Instance Lvolume Files)
-9	Netif Name Record (for Multiple Instance Netif Files)
-10	Filesystem Name Record (for Multiple Instance Netif Files)
-11	CPU Name Record (for Multiple Instance Netif Files)
1	Global Data Record ( 5 minute detail record)
101	Global Data Record (60 minute summary record)
2	Application Data Record ( 5 minute detail record)
102	Application Data Record (60 minute summary record)
3	Process Data Record ( 1 minute detail record)
4	Configuration Data Record
7	Disk Device Data Record ( 5 minute detail record)
107	Disk Device Data Record (60 minute summary record)
8	Logical Volume Data Record ( 5 minute detail record)
108	Logical Volume Data Record (60 minute summary record)
9	Filesystem Data Record ( 5 minute detail record)
109	Filesystem Data Record (60 minute summary record)
11	Netif Data Record ( 5 minute detail record)
111	Netif Data Record (60 minute summary record)
12	Transaction Data Record ( 5 minute detail record)

112 Transaction Data Record (60 minute summary record)  
13 CPU Data Record ( 5 minute detail record)  
113 CPU Data Record ( 60 minute summary record)  
ClassID +1,000,000 Class Data Record ( 5 minute detail record)  
ClassID +1,000,000+100 Class Data Record (60 minute summary record)

The `Date_Seconds` metric is identical to the user selectable `Date_Seconds` metric and is provided to ensure that records can be scanned easily for desired dates and times.

The `Number_of_vars` metric indicates how many groups of repeating fields are contained in the record. For single instance data types, this value is zero.

For Multiple Instance application records, the `Number_of_vars` metric is the number of applications configured. For Multiple Instance disk device records, the `Number_of_vars` metric is the number of disk devices configured. For all header records, this metric is the maximum number of repeating groups allowed.

Binary format files have special formats for the title and header records. These records contain the information needed to describe the contents of the file so that a program can properly interpret it. If `headings off` is specified, only data records will be in the file. If `headings on` is specified, the following records will precede all data records.

## Binary Header Records

Title Record	This record (Record ID -1) is written whenever headings on, regardless of whether the user specified a report title. It contains information about the log file and its source.
First Header Record	The first header record (Record ID -2) contains a list of unique item identification numbers corresponding to the items contained in the log file. The position of the item ID numbers can be used to determine the position and size of each exported item in the file.
Second Header Record	The second header record (Record ID -3) contains a list of scale factors which correspond to the exported items. For more details, see the discussion of “Scale Factors” later in this section.
Application Name Record	This record (Record ID -4) will only be present in application data files that utilize the Multiple Layout format. It lists the names of the applications that correspond to the groups of application metrics in the rest of the file.
Transaction Name Record	This record (Record ID -5) will only be present in transaction tracking data files that utilize the Multiple Layout format. It lists the names of the transactions that correspond to the groups of transaction metrics in the rest of the file.
Disk Device Name Record	This record (Record ID -7) will only be present in disk device data files that utilize the Multiple Layout format. It lists the names of disk devices that correspond to the groups of disk device metrics in the rest of the file.
Logical Volume Name Record	This record (Record ID -8) will only be present in logical volume data files that utilize the Multiple Layout format. It lists the names of logical volumes that correspond to the groups of logical volume metrics in the rest of the file.
Netif Name Record	This record (Record ID -9) will only be present in netif (LAN) data files that utilize the Multiple Layout format. It lists the names of netif devices that correspond to the groups of netif device metrics in the rest of the file.
Filesystem Name Record	This record (Record ID -12) will only be present in filesystem data files that utilize the Multiple Layout format. It lists the names of filesystems that correspond to the groups of filesystem metrics in the rest of the file.
Cpu Name Record	This record (Record ID -13) will only be present in CPU data files that utilize the Multiple Layout format. It lists the names of CPUs that correspond to the groups of CPU metrics in the rest of the file.

## Binary Title Record

The Title Record for BINARY files contains information designed to assist programmatic interpretation of the exported file's contents. This record will be written to the exported file whenever `headings on` is specified.

The contents of the Binary Title Record are:

Record Length	4 byte Int	Length of Title Record
Record ID	4 byte Int	-1
Date_Seconds	4 byte Int	Date exported file was created
Number_of_vars	4 byte Int	Maximum number of repeating variables
Size of Fixed Area	4 byte Int	Bytes in nonvariable part of record
Size of Variable Entry	4 byte Int	Bytes in each variable entry
GMT Time Offset	4 byte Int	Seconds offset from Greenwich Mean Time
Daylight Savings Time	4 byte Int	=1 indicates Daylight Savings Time
System ID	40 Characters,	System Identification
Collector Version	16 Characters,	Name & version of the data collector
Log File Name	72 Characters,	Name of the source log file
Report Title	100 Characters,	User specified report title

The `Date_Seconds`, `GMT Time Offset`, and `Daylight Savings Time` metrics in the Binary Title Record apply to the system and time when the export file was created. If this is not the same system that logged the data, these fields cannot properly reflect the data in the file.

## Binary Item Identification Record

The first header record (record ID -2) in the binary file contains the unique item numbers for each item exported. Each Item ID is a 4-byte integer number that can be cross referenced using the `rxitemid` file supplied with this product. The Item ID fields are aligned with the data fields they represent in the rest of the file. All binary exported data items will occupy a multiple of 4 bytes in the exported file and each will start on a 4-byte boundary. If a data item requires more than 4 bytes of space, its corresponding item ID field will be zero filled on the left.

For example, the process metric Program requires 16 bytes. Its data and item ID records would be:

```
Header 1 (Item Id Record) ...| 0| 0| 0|2012|
Process Data Record      |Prog|ram_|name| _aa|
```

## Binary Scale Factor Record

The second header record (record ID -3) in the binary file contains the scale factors for each of the exported items. Numeric items are exported to binary files as 32-bit (4-byte) integers in order to minimize problems with the way in which different computer architectures implement floating point. Before being truncated to fit into the integer format, most items are multiplied by a fixed scale factor. This allows floating point numbers to be expressed as a fraction, using the scale factor as a denominator.

Each scale factor is a 32-bit (4-byte) integer to match the majority of data items. Special values for the scale factors are used to indicate non-numeric and other special valued metrics.

## Special Scale Factors

Non-numeric metrics, such as ASCII fields, have zero scale factors. A negative 1 scale factor should not occur, but if it does it indicates an internal error in the extract program and should be reported.

The DATE format is MPE CALENDAR format in the least significant 16 bits of the field (the 16 bits farthest right). The scale factor for date is 512. Scaling this as a 32-bit integer (dividing by 512) isolates the year as the integer part of the date and the day of the year (divided by 512) as the fractional part.

TIME is a 4-byte binary field (hour, minute, second, tenths of seconds). The scale factor for time is 65536. Dividing it by 65536 forms a number where the integer part is the (hour \* 256) + minute.

It is easier to handle a Date\_Seconds value in a binary file.

## Application Name Record

When application data is exported in the Multiple Layout format, a special Application Name Record is written to identify the application groups. For binary format files, this record has record ID -4. It consists of the binary record 16-byte header and a 20-byte application name for each application which was defined at the starting date of the exported data.

If applications are added or deleted during the time covered in the data extraction, the Application Name Record is repeated with the new application names.

## Transaction Name Record

When transaction data is exported in the Multiple Layout format, a special Transaction Name Record is written to identify the application-transaction name. For binary format files, this record has a record ID -5. It consists of the binary record 16-byte header and a 60-byte truncated application-transaction name for each transaction that was configured at the starting date of the exported data. If transactions are added during the time covered in the data extraction, the Transaction Name Record will be repeated with the new application-transaction name appended to the end of the original list. Transactions that are deleted after the start of the data extraction will not be removed from the Multiple Layout data record. For more information, see the *HP OpenView Performance Agent & GlancePlus for UNIX: Tracking Your Transactions* guide.

## Disk Device Name Record

When disk device data is exported in the Multiple Layout format, a special Disk Device Name Record is written to identify the disk device name. For binary format files, this record has a record ID -7. It consists of the binary record 16-byte header and a 20-byte disk device name for each disk device that was configured at the starting date of the exported data.

If disk devices are added during the time covered in the data extraction, the Disk Device Name Record will be repeated with the new disk device name appended to the end of the original list. Disk devices that are deleted after the start of the data extraction will not be removed from the Multiple Layout data record.

## Logical Volume Name Record

When logical volume data is exported in the Multiple Layout format, a special Logical Volume Name Record is written to identify the logical volume name. For binary format files, this record has a record ID -8. It consists of the binary record 16-byte header and a 20-byte disk device name for each logical volume that was configured at the starting date of the exported data.

If logical volumes are added during the time covered in the data extraction, the Logical Volume Name Record will be repeated with the new logical volume name appended to the end of the original list. Logical volumes that are deleted after the start of the data extraction will not be removed from the Multiple Layout data record.

## Netif Name Record

When `netif` data is exported in the Multiple Layout format, a special Netif Name Record is written to identify the netif device name. For binary format files, this record has a record ID -11. It consists of the binary record 16-byte header and a 20-byte `netif` device name for each `netif` device that was configured at the starting date of the exported data.

If `netif` devices are added during the time covered in the data extraction, the Netif Name Record will be repeated with the new device name appended to the end of the original list. Netif devices that are deleted after the start of the data extraction will not be removed from the Multiple Layout data record.

# 6 Extract Commands

## Introduction

This chapter describes the `extract` program's commands. It includes a table showing command syntax, a table of commands for extracting and exporting data, and a command reference section describing the commands in alphabetical order.

Commands and parameters for `extract` can be entered with any combination of uppercase and lowercase letters. Only the first three letters of the command's name are required, *except* for the `weekdays` and `weekly` commands that require you to enter the whole name. For example, the command `application detail` can be abbreviated as `app det`.

Examples of how these commands are used can be found in online help for the `extract` program.

The table on the following pages summarizes the syntax of the `extract` commands and their parameters.



The `extract` function cannot produce summarized data. Summary data can only be produced by the `export` function.

**Table 7 Extract Commands: Syntax and Parameters**

Command	Parameter
<code>application</code>	<code>on</code> <code>detail</code> <code>summary (export only)</code> <code>both (export only)</code> <code>off (default)</code>
<code>class</code>	<code>detail (default)</code> <code>summary (export only)</code> <code>both (export only)</code> <code>off</code>
<code>cpu</code>	<code>detail</code> <code>summary (export only)</code> <code>both (export only)</code> <code>off (default)</code>
<code>configuration</code>	<code>on</code> <code>detail</code> <code>off (default)</code>

**Table 7 Extract Commands: Syntax and Parameters (cont'd)**

<b>Command</b>	<b>Parameter</b>
disk	on detail summary (export only) both (export only) off (default)
exit e	
export	day[ddd] [-days] week [ww] [-weeks] month[mm] [-months] year [yy] [-years]
extract	day[ddd] [-days] week [ww] [-weeks] month[mm] [-months] year [yy] [-years]
filesystem	detail summary (export only) both (export only) off (default)
global	on detail (default) summary (export only) both (export only) off
guide	
help	
licheck	
list	filename *
logfile	logfile
lvolume	on detail summary (export only) both (export only) off (default)
menu	
monthl	
y	yyymm mm



**Table 7 Extract Commands: Syntax and Parameters (cont'd)**

<b>Command</b>	<b>Parameter</b>
netif	on detail summary (export only) both (export only) off (default)
output	<i>outputfile</i> ,new ,purgeboth ,append
process	on detail [app#[-#],...] off (default) killed
quit q	
report	[ <i>export template file</i> ], show
shift	<i>starttime - stoptime</i> all day noweekends
sh !	shell command
show	all
start	<i>date[time]</i> today[- <i>days</i> ][ <i>time</i> ] last[- <i>days</i> ][ <i>time</i> ] first[+ <i>days</i> ][ <i>time</i> ]
stop	<i>date[time]</i> today[- <i>days</i> ][ <i>time</i> ] last[- <i>days</i> ][ <i>time</i> ] first[+ <i>days</i> ][ <i>time</i> ]
transaction	on detail summary (export only) both (export only) off (default)
weekdays	1.....7
weekly	<i>yyww</i> <i>ww</i>
yearly	<i>yyyy</i> <i>yy</i>

The following table lists the commands that are used for extracting and exporting data and the types of log files used (scopeux log files or DSI log files).

**Table 8 Extract Commands: Extracting and Exporting Data**

<b>Command</b>	<b>Extract Data</b>	<b>Export Data</b>	<b>Scopeux Log Files</b>	<b>DSI Log Files</b>
application	x	x	x	
class	x	x	x	x
configuration		x	x	
cpu	x	x	x	
disk	x	x	x	
export		x	x	x
extract	x		x	
filesystem	x	x	x	
global	x	x	x	
logfile	x	x	x	x
lvolume	x	x	x	
monthly	x		x	
netif		x	x	
output	x	x	x	x
process	x	x	x	
report		x	x	x
shift	x		x	x
start	x	x	x	x
stop	x	x	x	x
transaction	x	x	x	x
weekdays		x	x	x
weekly	x		x	
yearly	x		x	
logicalsystems	x	x	x	

# application

Use the `application` command to specify the type of application data that is being extracted or exported.

The default is `application off`

## Syntax

```
application [on]
            [detail]
            [summary]
            [both]
            [off]
```

## Parameters

<code>on</code> or <code>detail</code>	Specifies that raw, 5-minute detail data should be extracted or exported.
<code>summary</code> ( <code>export only</code> )	Specifies that data should be summarized by: <ul style="list-style-type: none"><li>• the number of minutes specified with the <code>summary</code> parameter in the specified export template file (<code>export only</code>)</li><li>• the default summary interval of one hour (<code>export</code> or <code>extract</code>)</li></ul> Summarization can significantly reduce the size of the resulting extracted or exported data, depending on the summarization interval used. For example, hourly summary data is about one-tenth the size of 5-minute detail data.
<code>both</code> ( <code>export only</code> )	Specifies that detail data and summary data are to be extracted or exported.
<code>off</code>	Specifies that no data of this type is to be extracted or exported.

▶ If you are using OV Performance Manager, detail data must be included in an extracted file before drawing application graphs with points every 5 minutes.

## Example

In this example, the `application` command causes detailed application log file data to be exported: The output `export` file contains the application metrics specified in the `myrept` export template file.

```
logfile /var/opt/perf/datafiles/logglob
global off
application detail
report /var/opt/perf/myrept
export
```

To perform the above task using command line arguments, enter:

```
extract -a -r /var/opt/perf/myrept -xp
```

# class

Use the `class` command to specify the class of DSI data to be exported, or `scopeux` data to be extracted or exported.

The default is `class detail`.

## Syntax

```
class      [classname]      [detail]  
                                     [summary]  
                                     [both]  
                                     [off]
```

## Parameters

<code>classname</code>	Name of a group similarly classified metrics.
<code>detail</code>	For DSI log files, specifies how much detail data is exported according to the time set in DSI log file. (For more information, see the <i>HP OpenView Performance Agent for UNIX Data Source Integration Guide</i> .) For <code>scopeux</code> log files, specifies that raw, 5-minute detail should be extracted or exported.
<code>summary</code>	See “Parameters” in the description of the command <a href="#">application</a> on page 115.
<code>bothoff</code>	<code>Summary</code> and <code>both</code> can only be exported.

## Examples

To export summary data in a DSI log file that contains a class named `acctg_info`, issue the following command:

```
class acctg_info summary
```

Once the log file is specified by the user and opened by the `extract` program, the `acctg_info` class is verified to exist in the log file and can subsequently be exported.

Other variations of this command are:

```
CLASS ACCTG_INFO SUMMARY  
class ACCTG_INFO summary  
class acctg_info sum
```

Commands can be either uppercase or lowercase. Class names are always upshifted and then compared.

In the following example, summary data in a class named `fin_info` is exported.

```
extract>  
class fin_info summary  
export
```

To perform the above task using command line arguments, enter:

```
extract -l dsi.log -C fin_info summary -xp
```

# configuration

Use the `configuration` command to specify whether or not to export system configuration information.

The default is `configuration off`.

## Syntax

```
configuration    [on]
                  [detail]
                  [off]
```

## Parameters

`on` or `detail` Specifies that all configuration records should be exported.

`off` Specifies that no configuration data is to be exported.

All configuration information available in the log file is exported. Any `begin`, `end`, `shift`, `start`, `stop` or `noweekends` commands that are used with the `configuration` command are ignored.



The `configuration` command affects only the `export` function. The `extract` function is not affected because it always extracts system configuration information.

## Example

In this example, the `configuration` command causes system configuration information to be exported. The output `export` file contains the configuration metrics specified in the `myrept` export template file.

```
logfile /var/opt/perf/datafiles/logglob
configuration on
report /var/opt/perf/myrept
export
```

To perform the above task using command line arguments, enter:

```
extract -c -r /var/opt/perf/myrept -xp
```

## cpu

Use the `cpu` command to specify the summarization level of CPU.

The default is `cpu off`.

### Syntax

```
cpu          [detail]
             [summary]
             [both] [off]
```

### Parameters

<code>detail</code>	Extracts or exports 5-minute detail records.
<code>summary</code>	Exports summary records.
<code>both</code>	Exports both detail and summary records.
<code>off</code>	Extracts or exports no CPU data.

### Example

In this example, the `cpu` command causes CPU `detail` data that was collected starting July 26, 2001 to be exported. Because no export template file is specified, the default export template file, `reptfile`, is used. All disk metrics are included in the output file as specified by `reptfile`.

```
logfile /var/opt/perf/datafiles/logglob
global off
cpu detail
start 7/26/01
export
```

To perform the above task using command line arguments, enter:

```
extract -u -b 7/26/01 -xp
```

# disk

Use the `disk` command to specify the type of disk device data that is being extracted or exported.

The default is `disk off`.

## Syntax

```
disk [on]
      [detail]
      [summary]
      [both]
      [off]
```

## Parameters

<code>on</code> or <code>detail</code>	See “Parameters” in the description of the <a href="#">application</a> command at the beginning of this chapter. <code>Summary</code> and <code>both</code> can only be exported.
<code>summary</code>	
<code>both</code> or <code>off</code>	

## Example

In this example, the `disk` command causes `disk detail` data that was collected starting July 5, 1999 to be exported. Because no export template file is specified, the default export template file, `reptfile`, is used. All disk metrics are included in the output file as specified by `reptfile`.

```
logfile /var/opt/perf/datafiles/logglob
global off
disk detail
start 7/5/99
export
```

To perform the above task using command line arguments, enter:

```
extract -D -b 7/5/99 -xp
```

## exit

Use the `exit` command to terminate the `extract` program. The `exit` command is equivalent to the `extract` program's `quit` command.

### Syntax

```
exit  
e
```



# export

Use the `export` command to start the process of copying data into an exported file format.

## Syntax

```
export      [day          [ddd] [yyddd] [-days]]  
             [week        [ww]  [yyww] [-weeks]]  
             [month       [mm]  [yymm] [-months]]  
             [year        [yy]  [yyyy] [-years]]
```

## Parameters

Use one of the following parameters to export data for a particular interval.

<code>day</code>	Represents a single day
<code>week</code>	Represents a single week, Monday through Sunday
<code>month</code>	Represents a single month, first through last calendar day
<code>year</code>	Represents a single year, first through last calendar day

If no parameters are used with the `export` command, the interval used for the exported data is set by the `start` and `stop` commands.

## How to Use It

There are four ways to specify a particular interval (`day`, `week`, `month`, `year`).

- Current interval - Specify the parameter only. For example, `month` means the current month.
- Previous interval - Specify the parameter, a minus, and the number of intervals before the current one desired. For example, `day-1` is yesterday, `week-2` is two weeks prior to the current week.
- Absolute interval - Specify the parameter and a positive number. The number indicates the absolute interval desired in the current year. For example, `day 2` is January 2 of the current year.
- Absolute interval plus year - Specify the parameter and a large positive number. The number should consist of the last two digits of the year and the absolute interval number in that year. In this format the absolute day would have 5 digits (99002 means January 2, 1999) and all other parameters would have four digits (month 9904 means April of 1999).

If you have not previously specified a log file or an export template file, the `logfile` command uses the default global log file `logglob` and the `report` command uses the default export template file `reptfile`.

The settings or defaults for all other parameters are used. For details on their actions, see descriptions of the `application`, `configuration`, `global`, `process`, `disk`, `lvolume`, `netif`, `CPU`, `filesystem`, `transaction`, `output`, `shift`, `start`, and `stop` commands.

The `export` command creates up to 16 different default output files based on the types of data and level of summarization specified.

<code>xfrdGLOBAL.ext</code>	Global detail data file
<code>xfrsGLOBAL.ext</code>	Global hourly summary data file
<code>xfrdAPPLICATION.ext</code>	Application detail data file
<code>xfrsAPPLICATION.ext</code>	Application hourly summary data file
<code>xfrdPROCESS.ext</code>	Process detail data file
<code>xfrdDISK.ext</code>	Disk device detail data file
<code>xfrsDISK.ext</code>	Disk device summary data file
<code>xfrdVOLUME.ext</code>	Logical volume detail data file
<code>xfrsVOLUME.ext</code>	Logical volume summary data file
<code>xfrdNETIF.ext</code>	Netif detail data file
<code>xfrsNETIF.ext</code>	Netif summary data file
<code>xfrdCPU.ext</code>	CPU detail data type
<code>xfrsCPU.ext</code>	CPU summary data type
<code>xfrdFILESYSTEM.ext</code>	Filesystem detail data type
<code>xfrsFILESYSTEM.ext</code>	Filesystem summary data type
<code>xfrdTRANSACTION.ext</code>	Transaction detail data file
<code>xfrsTRANSACTION.ext</code>	Transaction summary data file
<code>xfrdCONFIGURATION.ext</code>	Configuration detail data file

where `ext` = `asc`, `dat`, `bin`, or `wk1`

The default file names are created from the data type name. The prefix is either `xfrd` or `xfrs` depending if the data is detailed or summary data. The extension is the specified `asc` (ASCII), `bin` (binary), `dat` (datafile), or `wk1` (spreadsheet) data format.

For example, `classname = ACCTG_INFO` would have `export` file names of:

```
xfrdACCTG_INFO.wk1  detailed spreadsheet data for ACCT_INFO
xfrsACCTG_INFO.asc  summarized ASCII data for ACCT_INFO
```

For more information about exporting data, see [Overview of the Export Function](#) on page 97 in Chapter 5.

## Example

In this example, the `export` command causes log file data collected yesterday from 8:00 am to 5 pm to be exported. Because no export template file is specified, the default export template file, `reptfile`, is used. All global metrics are included in the output file as specified by `reptfile`

```
logfile /var/opt/perf/datafiles/logglob
start today-1 8:00 am
stop today-1 5:00 pm
global both
export
```

To perform the above task using command line arguments, enter:

```
extract -gG -b today-1 8:00 am -e today-1 5:00 pm -xp
```

## extract

Use the `extract` command to start the process of copying data from raw log files into an extracted file format. Extracted files can be used for archiving or for analysis by analyzer programs such as OV Performance Manager. You can extract data from raw log files and from extracted files.

The `extract` command cannot be used to process data from DSI log files.

### Syntax

```
extract    [day          [ddd] [yyddd] [-days]]
            [week        [ww]  [yyww] [-weeks]]
            [month       [mm]  [yymm] [-months]]
            [year        [yy]  [yyyy] [-years]]
```

### Parameters

Use one of the following parameters to extract data for a particular interval:

<code>day</code>	Represents a single day
<code>week</code>	Represents a single week, Monday through Sunday
<code>month</code>	Represents a single month, first through last calendar day
<code>year</code>	Represents a single year, first through last calendar day

If no parameters are used with the `extract` command, the interval used for data extraction is set by the `start` and `stop` commands.

### How to Use It

There are four ways to specify a particular interval (`day`, `week`, `month`, `year`).

- **Current interval** - Specify the parameter only. For example, `month` means the current month.
- **Previous interval** - Specify the parameter, a minus, and the number of intervals before the current one desired. For example, `day-1` is yesterday, `week-2` is two weeks prior to the current week.
- **Absolute interval** - Specify the parameter and a positive number. The number indicates the absolute interval desired in the current year. For example, `day 2` is January 2 of the current year.
- **Absolute interval plus year** - Specify the parameter and a large positive number. The number should consist of the last two digits of the year and the absolute interval number in that year. In this format, the absolute day would have five digits (99002 means January 2, 1999) and all other parameters would have four digits (month 99904 means April of 1999).

The `extract` command starts data extraction. If not previously specified, the `logfile` and `output` commands assume the following defaults when the `extract` command is executed:

```
log file = /var/opt/perf/datafiles/logglob
output file = rxlog,new
```

The settings or defaults for all other parameters are used. For details on their actions, see descriptions of the application, global, process, disk, lvolume, netif, CPU, filesystem, transaction, shift, start, and stop commands.

The size of an extracted log file cannot exceed 3.5 gigabytes.

## Example

In the first example, data collected from March 1, 2000 to June 30, 2000 during the hours 8:00 am to 5:00 pm on weekdays is extracted. Only global and application detail data is extracted.

```
logfile /var/opt/perf/datafiles/logglob
start 03/01/00
stop 06/30/00
shift 8:00 am - 5:00 pm noweekends
global detail
application detail
extract
```

To perform the above task using command line arguments, enter:

```
extract -ga -b 03/01/00 -e 6/30/00 -s 8:00 am - 5:00 noweekends -xt
```

In the second example, a new extracted log file named rxjan00 is created. Any existing file that has this name is purged. All raw log file data collected from January 1, 2000 through January 31, 2000 is extracted:

```
logfile /var/opt/perf/datafiles/logglob
output rxjan00,purge
start 01/01/00
stop 01/31/00
global detail
application detail
transaction detail
process detail
disk detail
lvolume detail
netif detail
filesystem detail
cpu detail
extract
```

To perform the above task using command line arguments, enter:

```
extract -f rxjan00,purge -gatpdznyu -b 01/01/00 -e 01/31/00 -xt
```

# filesystem

Use this command to specify the summarization level of filesystem data to extract or export.

The default is `filesystem off`.

## Syntax

```
filesystem    [detail]
                [summary]
                [both]
                [off]
```

## Parameters

<code>detail</code>	Extracts or exports 5-minute detail records.
<code>summary</code>	Exports summary records.
<code>both</code>	Exports both detail and summary records.
<code>off</code>	Extracts or exports no filesystem data.

## Example

In this example, the `filesystem` command causes filesystem detail data that was collected starting July 26, 2001 to be exported. Because no export template file is specified, the default export template file, `reptfile`, is used. All filesystem metrics are included in the output file as specified by `reptfile`.

```
logfile /var/opt/perf/datafiles/logglob
global off
filesystem detail
start 7/26/01
export
```

To perform the above task using command line arguments, enter:

```
extract -y -b 7/26/01 -xp
```

# global

Use the `global` command to specify the amount of global data to be extracted or exported. The default is `global detail`. (In command line mode, the default is `global off`.)

## Syntax

```
global [on]
       [detail]
       [summary]
       [both]
       [off]
```

## Parameters

<code>detail</code> or <code>on</code>	See “Parameters” in the description of the <a href="#">application</a> command at the beginning of this chapter. <code>Summary</code> and <code>both</code>
<code>summary</code>	can only be exported.
<code>both</code>	
<code>off</code>	

## How to Use It

Detail data must be extracted if you want to draw OV Performance Manager global graphs with points every 5 minutes.

Summarized data is graphed by OV Performance Manager more quickly since fewer data records are needed to produce a graph. If only global summaries are extracted, OV Performance Manager global graphs cannot be drawn with data points every 5 minutes.

The `both` option maintains the access speed gained with the hourly summary records while permitting you to draw OV Performance Manager global graphs with points every 5 minutes.

The `off` parameter is not recommended if you are using OV Performance Manager because you must have global data to properly understand overall system behavior. OV Performance Manager global graphs cannot be drawn unless the extracted file contains at least one type of global data.

## Example

The `global` command is used here to specify that *no* global data is to be exported (`global detail` is the default). Only detailed transaction data is exported. The output `export` file contains the transaction metrics specified in the `myrept` export template file.

```
extract>
logfile /var/opt/perf/datafiles/logglob
global off
transaction detail
report /var/opt/perf/myrept
export
```

To perform the above task using command line arguments, enter:

```
extract -l -t -r /var/opt/perf/myrept -xp
```

# guide

Use the `guide` command to enter guided commands mode. The guided command interface leads you through various `extract` commands and prompts you to perform some of the most common tasks that are available.

## Syntax

`guide`

## How to Use It

- To enter guided commands mode from `extract`'s interactive mode, type `guide`.
- To accept the default value for a parameter, press **Return**.
- To terminate guided commands mode and return to interactive mode, type `q` at the `guide>` prompt.

This command does not provide all possible combinations of parameter settings. It selects settings that should produce useful results for the majority of users. You can obtain full control over `extract`'s functions through `extract`'s interactive command mode.



If you are exporting DSI log file data, we recommend using guided commands mode to create a customized export template file and export the data.



# help

Use the `help` command to access online help.

## Syntax

```
help [keyword]
```

## How to Use It

You can enter parameters to obtain information on `extract` commands and tasks, or on help itself. You can navigate to different topics by entering a key word. If more than one page of information is available, the display pauses and waits for you to press **Return** before continuing. Type `q` or `quit` to exit the help system and return to the `extract` program.

You can also request help on a specific topic. For example,

```
help tasks
```

or

```
help resize parms
```

When you use this form of the `help` command, you receive the help text for the specified topic and remain in the `extract` command entry context. Because you do not enter the help subsystem interactively, you do not have to type `quit` before entering the next `extract` command.

# licheck

Use this command to check the validity of the product license. If the license is valid, it can be a trial version or a permanent version.

## Syntax

```
licheck
```

## Example

To check the validity of the license, type the command:

```
extract -licheck
```

If the license is valid and permanent, the following message appears:

```
The permanent OVPA software has been installed
```

# list

Use the `list` command to specify the list file for all extract program reports.

## Syntax

```
list    [file]
         [*]
```

## How to Use It

You can use `list` at any time while using `extract` to specify the list device. It uses a file name or list device name to output the user-specified settings. If the list file already exists, the output is appended to it.

The data that is sent to the list device is also displayed on your screen.

While `extract` is running, type:

```
list outfilename
```

To return the listing device to the user terminal, type:

```
list stdout
```

or

```
list *
```

To determine the current list device, type the `list` command without parameters as follows:

```
list
```

If the list file is not `stdout`, most commands are echoed to the list file as they are entered.

## Example

The following example, the list device is set to `mylist`. The results of the next commands are printed to `mylist` and displayed on your screen.

```
extract>
logfile /var/opt/perf/datafiles/logglob
list mylist
global detail
shift 8:00 AM - 5:00 PM
extract
```

# logfile

Use the `logfile` command to open a log file. You must open a log file for all `extract` program functions. You can do this explicitly by issuing the `logfile` command, or implicitly by issuing the `extract` command or `export` command. If you do not specify a log file name, the `extract` program prompts you for a log file name and displays the default global log file `/var/opt/perf/datafiles/logglob`. You can either accept the default or specify a different log file.

## Syntax

```
logfile [logfile]
```

## How to Use It

To open a log file, you can specify the name of either a raw or extracted log file. You cannot specify the name of a file created by the `export` command. If you specify an extracted log file name, all information is obtained from this single file. If you specify a raw log file name, you must specify the name of the global log file before you can access the raw log file. This is the only raw log file name you should specify.

If the log file is not in your current working directory, you must provide its path.

The global log file and other raw log files must be in the same directory. They have the following names:

<code>logglob</code>	global log file
<code>logappl</code>	application log file
<code>logproc</code>	process log file
<code>logdev</code>	device log file
<code>logtran</code>	transaction log file
<code>logindx</code>	index log file

The general contents of the log file are displayed when the log file is opened.



Do not rename raw log files! When accessing these files, the program assumes that the standard log file names are in effect. If you must rename log files to place log files from multiple systems on the same system for analysis, you should first extract the data and then rename the extracted log files.

## Example

This is a typical listing of the default global log file.

```
Global      file: /var/opt/perf/datafiles/logglob, version D
Application file: /var/opt/perf/datafiles/logappl
Process     file: /var/opt/perf/datafiles/logproc
Device      file: /var/opt/perf/datafiles/logdev
Transaction file: /var/opt/perf/datafiles/logdev
Index       file: /var/opt/perf/datafiles/logindx
System ID:  homer
System Type 9000/715/ S/N 2223334442 O/S HP-UX B.10.20 A
Data collector: SCOPE/UX C.02.30
File Created: 10/08/99
Data Covers: 44 days to 11/20/99
```

Shift is: All Day  
Data records available are:  
Global Application Process Disk Volume Transaction  
Maximum file sizes:  
Global=10.0 Application=10.0 Process=20.0 Device=10.0 Transaction=10.0 MB  
The first GLOBAL record is on 10/08/99 at 08:17 AM  
The first NETIF record is on 10/08/99 at 08:17 AM  
The first APPLICATION record is on 11/17/99 at 12:15 PM  
The first PROCESS record is on 10/08/99 at 08:17 AM  
The first DEVICE record is on 10/31/99 at 10:45 AM  
The Transaction data file is empty  
The default starting date & time = 10/08/99 11:50 AM (LAST -30)  
The default stopping date & time = 11/20/99 11:59 PM (LAST -0)

# lvolume

Use the `lvolume` command to specify the type of logical volume data that is being extracted or exported. (This command is used only on HP-UX systems.)

The default is `lvolume off`.

## Syntax

```
lvolume [on]
        [detail]
        [summary]
        [both]
        [off]
```

## Parameters

<code>on</code> or <code>detail</code>	See “Parameters” in the description of the <a href="#">application</a> command at the beginning of this chapter. <code>Summary</code> and <code>both</code> can only be exported.
<code>summary</code>	
<code>both</code>	
<code>off</code>	

## Example

In this example, a new extracted log file named `rx899` is created and any existing file that has that name is purged. All logical volume data collected from August 1 through August 31 is extracted.

```
logfile /var/opt/perf/datafiles/logglob
output rx899,purge
start 08/01/99
stop 08/31/99
global detail
lvolume detail
month 9908
```

To perform the above task using command line arguments, enter:

```
extract -f rx899,purge -gz -xm 9908
```

## menu

Use the `menu` command to print a list of the available extract commands.

### Syntax

`menu`

### Example

Command	Parameters	Function
HELP	[topic]	Get information on commands and options
GUIDE		Enter guided commands mode for novice users
LOGFILE	[logname]	Specify a log file to be processed
LIST	[filename]*]	Specify the listing file
OUTPUT	[filename] [,NEW/PURGE/APPEND]	Specify a destination file
REPORT	[filename][,SHOW]	Specify an Export Format file for EXPORT"
GLOBAL	[DETAIL/SUMMARY/BOTH/OFF]	Extract GLOBAL records
APPLICATION	[DETAIL/SUMMARY/BOTH/OFF]	Extract APPLICATION records
PROCESS	[DETAIL/OFF/KILLED][APP=]	Extract PROCESS records
DISK	[DETAIL/SUMMARY/BOTH/OFF]	Extract DISK DEVICE records
LVOLUME	[DETAIL/SUMMARY/BOTH/OFF]	Extract Logical VOLUME records
NETIF	[DETAIL/SUMMARY/BOTH/OFF]	Extract Logical NETIF records
CPU	[DETAIL/SUMMARY/BOTH/OFF]	Extract CPU records
FILESYSTEM	[DETAIL/SUMMARY/BOTH/OFF]	Extract FILESYSTEM records
CONFIG	[DETAIL/OFF]	Export CONFIGURATION records
CLASS	classname[DETAIL/SUMMARY/BOTH/OFF]	Export classname records
TRANSACTION	[DETAIL/SUMMARY/BOTH/OFF]	Extract TRANSACTION records
START	[startdate time]	Specify a starting date and time for SCAN
STOP	[stopdate time]	Specify an ending date and time for SCAN
SHIFT	[starttime - stoptime] [NOWEEKENDS]	Specify daily shift times
SHOW	[ALL]	Show the current program settings
EXPORT	[d/w/m/y][-offset]	Copy log file records to HOST format files
EXTRACT	[d/w/m/y][-offset]	Copy selected records to output (or append) file
WEEKLY	[ww/yyww]	Extract one calendar week's data with auto file names
MONTHLY	[mm/yyymm]	Extract one calendar month's data with auto file names
YEARLY	[yy/yyyy]	Extract one calendar year's data with auto file names
WEEKDAYS	[1...7]	Set days to exclude from export 1=Sunday ! or SH
	[command]	Execute a system command
MENU or ?		List the command menu (this listing)
EXIT or Q		Terminate the program

# monthly

Use the `monthly` command to specify data extraction based on a calendar month. During execution, this command sets the start and stop dates to the proper dates, based on the month and year of the data extracted.

The name of the output file consists of the letters `rxmo` followed by the four digits of the year and the two-digit number of the month being extracted. For example, data extracted in March 1999 would be output to a file named `rxmo199903`.

## Syntax

```
monthly    [yymm]  
            [mm]
```

## Parameters

<code>monthly</code>	Extracts data from the current (default) month.
<code>monthly <i>mm</i></code>	Extracts data for a specific month from the current year's data (where <i>mm</i> is a number from 01 to 12).
<code>monthly <i>yymm</i></code>	Extracts data for a specific month and year (where <i>yymm</i> is a single number consisting of the last two digits of the year and two-digit month number). For example, to extract data for February 1999, specify <b><code>monthly 9902</code></b> .

If you do not specify the log file before executing the `monthly` command, the default `logglob` file is used.

## How to Use It

Use the `monthly` command when you are extracting data for archiving on a monthly basis.

The type of data extracted and summarized follows the normal rules for the `extract` command and can be set before executing the `monthly` command. These settings are honored unless a monthly output file already exists. If it does, data is appended to it based on the type of data that was originally specified.

The `monthly` command has a feature that opens the previous month's extracted file and checks to see if it is filled--whether it contains data extracted up to the last day of the month. If not, the `monthly` command appends data to this file to complete the previous month's extraction.

For example, a `monthly` command is executed on May 7, 1999. This creates a log file named `rxmo199905` containing data from May 1 through the current date (May 7).

On June 4, 1999, another `monthly` command is executed. Before the `rxmo199906` file is created for the current month, the `rxmo199905` file from the previous month is opened and checked. When it is found to be incomplete, data is appended to it to complete the extraction through May 31, 1999. Then, the `rxmo199906` file is created to hold data from June 1, 1999 to the current date (June 4).



As long as you execute the `monthly` command at least once a month, this feature will complete each month's file before creating the next month's file. When you see two adjacent monthly files--for example, `rxmo199905` (May) and `rxmo199906` (June)--you can assume that the first file is complete for that month and it can be archived and purged.



The `monthly` and `extract month` commands are similar in that they both extract one calendar month's data. The `monthly` command ignores the setting of the `output` command, using instead predefined output file names. It also attempts to append missing data to the previous month's extracted log file if it is still present on the system. The `extract month` command, on the other hand, uses the settings of the `output` command. It cannot append data to the previous month's extracted file since it does not know its name.

## Example

In this example, detail application data logged during May 1999 is extracted.

```
logfile /var/opt/perf/datafiles/logglob
global off
application detail
monthly 9905
```

To perform the above task using command line arguments, enter:

```
extract -a -xm 9905
```

# netif

Use the `netif` command to specify the type of logical network interface (LAN) data to extract or export. Netif data is logged in the `logdev` file.

The default is `netif off`.

## Syntax

```
netif [on]
      [detail]
      [summary]
      [both]
      [off]
```

## Parameters

<code>on</code> or <code>detail</code>	See “Parameters” in the description of the <a href="#">application</a> command at the beginning of this chapter. Summary and both can only be exported.
<code>summary</code>	
<code>both</code>	
<code>off</code>	

## Example

In this example, `netif detail` data collected from March 1, 2000 to June 30, 2000 during the hours 8:00 am to 5:00 pm on weekdays is extracted.

```
logfile /var/opt/perf/datafiles/logglob
start 03/01/00
stop 06/30/00
shift 8:00 AM - 5:00 PM noweekends
netif detail
extract
```

To perform the above task using command line arguments, enter:

```
extract -n -b 03/01/00 -e 6/30/00 -s 8:00 am - 5:00 noweekends -xt
```

## output

Use the `output` command to specify the name of an output file for the `extract` or `export` functions.

The optional second parameter specifies the action to be taken if an output file with the same name exists.

### Syntax

```
output  [filename]  [,new]  
          [,purge]  
          [,append]
```

### Parameters

- `,new` Specifies that the output file must be a new file. This is the default action in batch mode. If a file with the same name exists, the batch job terminates.
- `,purge` Specifies that any existing file should be purged to make room for the new output file.
- `,append` Specifies that an existing extracted file should have data appended to it. If no file exists with the output file name specified, a new file is created.

### How to Use It

If you do not specify an action in batch mode, the default action, `,new` is used. In interactive mode, you are prompted to enter an action if a duplicate file is found.

If you do not specify an output file, default output files are created. The default output file names are:

For `extract`: `rxlog`

For `export`:

```
xfrdGLOBAL.ext  
xfrsGLOBAL.ext  
xfrdAPPLICATION.ext  
xfrsAPPLICATION.ext  
xfrdPROCESS.ext  
xfrdDISK.ext  
xfrsDISK.ext  
xfrdLVOLUME.ext  
xfrsLVOLUME.ext  
xfrdNETIF.ext  
xfrsNETIF.ext  
xfrdCPU.ext  
xfrsCPU.ext  
xfrdFILESYSTEM.ext  
xfrsFILESYSTEM.ext
```

```
xfrdTRANSACTION.ext
xfrsTRANSACTION.ext
xfrdCONFIGURATION.ext
```

where `ext` = `asc` (ASCII), `dat` (datafile), `bin` (binary), or `wk1` (spreadsheet).

A special file name, `stdout` (or `*`), can be used with the export operation to direct the output to the `stdout` file (normally your terminal or workstation, although this can be redirected using shell commands).

```
output stdout
```

or

```
output *
```

To return the output to its default settings, type:

```
output default
```

or

```
output -
```



You can override the default output file names for exported files using the `output` parameter in the export template file.

You should not output extract operation files to `stdout`, because they are incompatible with ASCII devices. You should also not output binary or WK1 formats of the export operation to the `stdout` file for the same reason.

Care should be taken to avoid appending *extracted* data to an existing *exported* data file and to avoid appending exported data to an existing extracted file. Attempts to append the wrong data type will result in an error condition.

## Example

In this example, no output file is specified so the default output file, `rxlog` is used for the application summary data being extracted. The `,purge` option specifies that any existing output file should be purged.

```
extract>
logfile /var/opt/perf/datafiles/logglob
output rxlog,purge
global off
application detail
extract month 9905
```

To perform the above task using command line arguments, enter:

```
extract -f rxlog,purge -a -xm 9905
```

## process

Use the `process` command to specify whether or not to extract or export process data.

The default is `process off`.

### Syntax

```
process      [on]
              [detail]      [application=#[-#] ,...]
              [off]
              [killed]
```

### Parameters

<code>on</code>	Specifies that process data <i>should</i> be extracted or exported.
<code>detail</code>	Specifying <code>process detail</code> is the same as specifying <code>process on</code> .
<code>off</code>	Specifies that process data <i>should not</i> be extracted or exported.
<code>killed</code>	Specifies only processes that have an interest reason that includes <code>killed</code> . (Processes that terminated in the measurement interval.)
<code>application</code>	Specifies only processes that belong to selected applications. An application can be entered as a single number or as a range of application numbers (7-9 means applications 7, 8, and 9). The application number is determined by the order of the application definition in the <code>parm</code> file when the data was collected. If you are specifying multiple applications, separate each one with a comma.



Process data can increase the size of an extracted log file significantly. If you plan to copy the log file to a workstation for analysis, you might want to limit the amount of process data extracted.

### Example

In this example, the `process` command specifies processes that terminated during an interval and belong to applications 1, 4, 6, 7, 8, or 10. Use the `utility` program's `scan` command to find the application numbers for specific applications.

```
process killed applications=1,4,6-8,10
```

# quit

Use the `quit` command to terminate the `extract` program. The `quit` command is equivalent to the `extract` program's `exit` command.

## Syntax

```
quit
```

```
q
```

# report

Use the `report` command to specify the export template file to be used by the `export` function. If no export template file is specified, the default export template file, `reptfile`, is used. The export template file is used to specify various output format attributes used in the `export` function. It also specifies which metrics will be exported.

If you are in interactive mode and specify no export template file, all metrics for the data types requested will be exported in ASCII format.

## Syntax

```
report [exporttemplatefile] [ ,show]
```

## Parameters

`,show` Specifies that the field positions and starting columns should be listed for all metrics specified in the export template file. This listing can be used when export files are processed by other programs.

## How to Use It

When you issue this command, you are prompted by a message that asks whether or not you want to validate metrics in the export template with the previously specified log file. Validation ensures that the metrics specified in the export template file exist in the log file. This allows you to check for possible errors in the export template file. If no validation is performed, this action is deferred until you perform an export.



The `,show` parameter of the `report` command discussed here is different from the `show` command discussed later.

# sh

Use `sh` to enter a shell command without exiting `extract` by typing `sh` or an exclamation point (!) followed by a UNIX shell command.

## Syntax

```
sh or ! [shell command]
```

## Parameters

<code>sh ls</code>	Executes the <code>ls</code> command and returns to <code>extract</code> . The shell command is any system command.
<code>!ls</code>	Same as above.
<code>!ksh</code>	Starts a Korn shell. Does not return immediately to <code>extract</code> . Type <b>exit</b> or <b>CTRL-d Return</b> to return to the <code>extract</code> program.

## How to Use It

Following the execution of the single command, you automatically return to `extract`. If you want to issue multiple shell commands without returning to `extract` after each one, you can start a new shell.

If you issue the `sh` command without the name of the shell command, you are prompted to supply it. For example,

```
sh
enter SYSTEM command: ls
```



# shift

Use the `shift` command to limit data extraction to certain hours of the day corresponding to work shifts and to exclude weekends (Saturday and Sunday).

The default is `shift all day` to extract data for all day, every day including weekends.

## Syntax

```
shift      [starttime-stoptime]
           [all day]
           [noweekends]
```

## Parameters

The `starttime` and `stoptime` parameters are entered in the same format as the time in the `start` command. Shifts that span midnight are permitted. If `starttime` is scheduled *after* the `stoptime`, the shift will start at the start time and proceed past midnight, ending at the *stoptime* of the next day.

`all day` Specifies the default shift of 12:00 am - 12:00 am (or 00:00 -00:00 on a 24-hour clock).

`noweekends` Specifies the exclusion of data which was logged on Saturdays and Sundays. If `noweekends` is entered in conjunction with a shift that spans midnight, the weekend will consist of those shifts that *start* on Saturday or Sunday.

## Example

In this example, disk detail data collected between 10:00 am and 4:00 pm every day starting June 15, 1999 is extracted.

```
extract>
logfile /var/opt/perf/datafiles/logglob
global off
disk detail
shift 10:00 am - 4:00 PM
start 6/15/99
extract
```

To perform the above task using command line arguments, enter:

```
extract -d -b 6/15/99 -s 10:00 AM-4:00 PM -xt
```

# show

Use the `show` command to list the names of the opened files and the status of the extract parameters that can be set.

## Syntax

```
show [all]
```



The `show` command discussed here is different from the, `show` parameter of the report command discussed earlier.

## Examples

Use `show` by itself to produce a list that may look like this:

```
Logfile: /var/opt/perf/datafiles/logglob
Output:  Default
Report:  Default
List:    "stdout"
The default starting date & time = 10/08/99 12:00 AM (LAST -30)
The default stopping date & time = 11/20/99 11:59 PM (LAST -0)
The default shift = 12:00 AM - 12:00 PM
GLOBAL          DETAIL          records will be processed
APPLICATION. . . . . NO records will be processed
PROCESS . . . . . NO records will be processed
DISK DEVICE. . . . . NO records will be processed
LVOLUME. . . . . NO records will be processed
TRANSACTION. . . . . NO records will be processed
NETIF . . . . . .NO records will be processed
CPU . . . . . .NO records will be processed
FILESYSTEM. . . . . .NO records will be processed
Configuration . . . . . .NO records will be processed
Use show all to produce a more detailed list that may look like this:
Logfile: /var/opt/perf/datafiles/logglob
Global   file: /var/opt/perf/datafiles/logglob,version D
Application file: /var/opt/perf/datafiles/logappl
Process  file: /var/opt/perf/datafiles/logproc
Device   file: /var/opt/perf/datafiles/logdev
Transaction file: /var/opt/perf/datafiles/logdev
Index    file: /var/opt/perf/datafiles/logindx
System ID: homer
System Type 9000/715/ S/N 2223334442 O/S HP-UX B.10.20 A
Data collector: SCOPE/UX C.02.30
File Created: 10/08/99
Data Covers: 44 days to 11/20/99
Shift is: All Day
Data records available are:
Global Application Process Disk Volume Transaction
Maximum file sizes:
Global=10.0 Application=10.0 Process=20.0 Device=10.0
Transaction=10.0 MB
```

```
Output: Default
Report: Default
List: "stdout"
The default starting date & time = 10/08/99 11:50 AM (LAST -30)
The default stopping date & time = 11/20/99 11:59 PM(LAST - 0)
The default shift = 12:00 AM - 12:00 PM
GLOBAL.....DETAIL.....records will be processed
APPLICATION.....NO records will be processed
PROCESS.....NO records will be processed
DISK DEVICE.....NO records will be processed
LVOLUME.....NO records will be processed
TRANSACTION.....NO records will be processed
NETIF.....NO records will be exported
CPU.....NO records will be processed
FILESYSTEM.....NO records will be processed
Configuration .....NO records will be exported
Export Report Specifications:
  Interval = 3600, Separator = " "
  Missing data will not be displayed
  Headings will be displayed
  Date/time will be formatted
  Days to exclude: None
```

# start

Use the `start` command to set a starting date and time for the `extract` and `export` functions. The default starting date is the date 30 full days before the last date in the log file, or if less than 30 days are present, the date of the earliest record in the log file.

## Syntax

```
start      [date [time]]  
            [today [-day] [time]]  
            [last [-days] [time]]  
            [first [+days] [time]]
```

## Parameters

date	The date format depends on the native language that is configured for your system. If you do not use native languages or you have set C as the default language, the data format is <i>mm/dd/yy</i> (month/day/year) such as 09/30/99 for September 30, 1999, for the <code>extract</code> or <code>export</code> function.
time	The time format also depends on the native language used. For the C language, the format is <i>hh:mm am</i> or <i>hh:mm pm</i> (hour:minute in a 12-hour format with the <i>am</i> or <i>pm</i> suffix). For example, 07:00 am is 7 o'clock in the morning. Twenty-four hour time is accepted in all languages. For example, 23:30 would be accepted for 11:30 pm. If the format of the date or time is unacceptable, you are prompted with an example in the correct format. If no start time is given, midnight (12:00 am) is assumed. A starting time of midnight for a given day starts at the <i>beginning</i> of that day (00:00 on a 24-hour clock).
today	Specifies the current day. The qualification of the parameter, such as <code>today-days</code> , specifies the number of days <i>prior</i> to today's date. For example, <code>today-1</code> indicates yesterday's date and <code>today-2</code> , the day before yesterday.
last	Can be used to represent the last date contained in the log file. The parameter <code>last-days</code> specifies the number of days <i>prior</i> to the last date in the log file.
first	Can be used to represent the first date contained in the log file. The parameter <code>first+days</code> specifies the number of days <i>after</i> the first date in the log file.

## How to Use It

The following commands override the starting date set by the `start` command.

- `weekly`
- `monthly`
- `yearly`
- `extract` (If day, week, month, or year parameter is used)
- `export` (If day, week, month, or year parameter is used)

## Example

In this example, the `start` command specifies June 5, 1999 8:00 am as the start time of the first interval to be extracted. The `output` command specifies an output file named `myout`.

```
logfile /var/opt/perf/datafiles/logglob
start 6/5/99 8:00 am
output myout
global detail
extract
```

To perform the above task using command line arguments, enter:

```
extract -g -b 06/05/99 8:00 AM -f myout -xt
```

# stop

Use the `stop` command to terminate an `extract` or `export` function at a specified date and time.

The default stopping date and time is the *last* date and time recorded in the log file.

## Syntax

```
start      [date [time]]  
            [today [-day] [time]]  
            [last [-days] [time]]  
            [first [+days] [time]]
```

## Parameters

date	The date format depends on the native language that is configured for your system. If you do not use native languages or you have set C as the default language, the data format is <i>mm/dd/yy</i> (month/day/year) such as 09/30/99 for September 30, 1999, for the <code>extract</code> or <code>export</code> function.
time	The time format also depends on the native language used. For the C language, the format is <i>hh:mm</i> am or <i>hh:mm</i> pm (hour:minute in a 12-hour format with the am or pm suffix). For example, 07:00 am is 7 o'clock in the morning. Twenty-four hour time is accepted in all languages. For example, 23:30 would be accepted for 11:30 pm. If the format of the date of time is unacceptable, you are prompted with an example in the correct format. If no stop time is given, one minute before midnight (11:59 pm) is assumed. A stopping time of midnight (12:00 am) for a given day stops at the <i>end</i> of that day (23:59 on a 24-hour clock).
today	Specifies the current day. The qualification of the parameter, such as <code>today-days</code> , specifies the number of days prior to today's date. For example, <code>today-1</code> indicates yesterday's date and <code>today-2</code> the day before yesterday.
last	Can be used to represent the last date contained in the log file. The parameter <code>last-days</code> specifies the number of days <i>prior</i> to the last date in the log file.
first	Can be used to represent the first date contained in the log file. The parameter <code>first+days</code> specifies the number of days <i>after</i> the first date in the log file.

## How to Use It

The following commands override the stopping date set by the `stop` command.

- `weekly`
- `monthly`
- `yearly`
- `extract` (If `day`, `week`, `month`, or `year` parameter is used)
- `export` (If `day`, `week`, `month`, or `year` parameter is used)

## Example

In this example, the `stop` command specifies June 5, 1999 5:00 pm as the stopping time of the last interval to be extracted. The `output` command specifies an output file named `myout`.

```
extract>  
logfile /var/opt/perf/datafiles/logglob  
start 6/5/99 8:00 AM  
stop 6/5/99 5:00 PM  
output myout  
global detail  
extract
```

To perform the above task using command line arguments, enter:

```
extract -g -b 6/5/99 8:00 AM -e 6/5/99 5:00 PM -f myout -xt
```

## transaction

Use the `transaction` command to specify the type of transaction data that is being extracted or exported.

### Syntax

```
transaction [on]
            [detail]
            [summary]
            [both]
            [off]
```

### Parameters

<code>on</code> or <code>detail</code>	See “Parameters” in the description of the <a href="#">application</a> command at the beginning of this chapter. <code>Summary</code> and <code>both</code> can only be exported.
<code>summary</code>	
<code>both</code>	
<code>off</code>	

### Example

A new extracted log file called `rxmay99` is created on June 1, 1999. Any existing file that has this name is purged. All raw transaction log file data collected from May 1, 1999 to May 31, 1999 is extracted.

```
extract>
logfile /var/opt/perf/datafiles/logglob
output rxmay99,purge
global detail
transaction detail
month 9905
```

To perform the above task using command line arguments, enter:

```
extract -gt -f rxmay99,purge -xm 9905
```



# weekdays

Use the `weekdays` command to exclude data for specific days from being exported (day 1 = Sunday).

## Syntax

```
weekdays [1|2.....7]
```

## How to Use It

If you want to export data from only certain days of the week, use this command to exclude the days from which you *do not* want data. Days have the following values:

Sunday	=1
Monday	=2
Tuesday	=3
Wednesday	=4
Thursday	=5
Friday	=6
Saturday	=7

For example, if you want to export data that was logged only on Monday through Thursday, *exclude* data from Friday, Saturday, and Sunday from your export.

## Example

In this example, any detailed global data logged on Tuesdays and Thursdays is excluded from the export. The output export file contains the global metrics specified in the `myrept` export template file.

```
extract>  
logfile /var/opt/perf/datafiles/logglob  
global detail  
report myrept  
weekdays 35  
export
```

# weekly

Use the `weekly` command to specify data extraction based on a calendar week. A week is defined as seven days starting on Monday and ending on Sunday.

During execution, this command sets the start and stop dates to the proper dates, based on the week and year of the extracted data.

## Syntax

```
weekly    [yyww]  
           [ww]
```

## Parameters

<code>weekly</code>	Extracts the current week's data (the default).
<code>weekly ww</code>	Extracts data for a specific week from this year's data (where <i>ww</i> is any number from 01 to 53).
<code>weekly yyww</code>	Extracts data for a specific week <i>and</i> year (where <i>yyww</i> is a single number consisting of the last two digits of the year and the two-digit week-of-the-year number). For example, the 20th week of 1999 would be <code>weekly 9920</code> .

If you do not specify the log file before executing the `weekly` command, the default `logglob` file in the `datafiles` directory is used.

## How to Use It

Use the `weekly` command when you are extracting data for archiving on a weekly basis.

The name of the output file consists of the letters `rxwe` followed by the last two digits of the year, and the two-digit week number for the week being extracted. For example, the 12th week of 1999 (from Monday, March 22 to Sunday, March 29) would be output to a file named `rxwe9912`.

The type of data extracted and summarized follow the normal rules for the `extract` command and can be set before executing the `weekly` command. These settings are honored unless a weekly output file already exists. If it does, data is appended to it, based on the type of data selected originally.

The `weekly` command has a feature that opens the *previous* week's extracted file and checks to see if it is filled--whether it contains data extracted up to the last day of the week. If not, the `weekly` command appends data to this file to complete the previous week's extraction.

For example, a `weekly` command is executed on Thursday, May 20, 1999. This creates a log file named `rxwe199920` containing data from Monday, May 17 through the current date (May 20).

On Wednesday, May 26, 1999, another `weekly` command is executed. Before the `rxwe199921` file is created for the current week, the `rxwe199920` file from the previous week is opened and checked. When it is found to be incomplete, data is appended to it to complete the extraction through Sunday, May 23, 1999. Then, the `rxwe199921` file is created to hold data from Monday, May 24, 1999 to the current date (May 26).

As long as you execute the `weekly` command at least once a week, this feature will complete each week's file before creating the next week's file. When you see two adjacent weekly files (for example, `rxwe199920` and `rxwe199921`), you can assume that the first file is complete for that week, and it can be archived and purged.



The weeks are numbered based on their starting day. Thus, the first week of the year (week 01) is the week starting on the *first* Monday of that year. Any days before that Monday belong to the last week of the previous year. The `weekly` and `extract week` commands are similar in that they both extract one calendar week's data. The `weekly` command ignores the setting of the `output` command, using instead predefined output file names. It also attempts to append missing data to the previous week's extracted log file if it is still present on the system. The `extract week` command, on the other hand, uses the settings of the `output` command. It cannot append data to the previous week's extracted file because it does not know its name. The output file is named `rxwe` followed by the current year (`yyyy`) and week of the year (`ww`).

## Example

In this example, the `weekly` command causes the current week's data to be extracted and complete the previous week's extracted file, if it is present.

```
extract>
logfile /var/opt/perf/datafiles/logglob
global detail
application detail
process detail
weekly
```

To perform the above task using command line arguments, enter:

```
extract -gap -xw
```

# yearly

Use the `yearly` command to specify data extraction based on a calendar year.

During execution, the command sets the start and stop dates to the proper dates, based on the year being extracted.

## Syntax

```
yearly    [yyyy]  
           [yy]
```

## Parameters

<code>yearly</code>	Extracts the current year's data (the default).
<code>yearly yy</code>	Extracts a specific year's data (where <code>yy</code> is a number from 00 to 99). The specifications 00 to 27 assume the years 2000 to 2027, whereas 71 to 99 assume the years 1971 to 1999.
<code>yearly yyyy</code>	Extracts a specific year's data (where <code>yyyy</code> is the full-year numbered 1971 to 2027).

If you do not specify the log file before executing the `yearly` command, the default `logglob` file is used.

## How to Use It

Use the `yearly` command when you are extracting data for archiving on a yearly basis.

The name of the output file consists of the letters `rxyr` followed by the four digits of the year being extracted. Thus, data from 1999 would be output to a file named `rxyr1999`.

The type of data extracted and summarized follow the normal rules for the `extract` command and can be set before executing the `yearly` command. These settings are honored unless a yearly output file already exists. If it does, data is appended to it, based upon the type of data selected originally.

The `yearly` command has a feature that opens the *previous* year's extracted file and checks to see if it is filled--whether it contains data extracted up to the last day of the year. If not, the `yearly` command appends data to this file to complete the previous year's extraction.

For example, a `yearly` command was executed on December 15, 1998. This created a log file named `rxyr1998` containing data from January 1, 1998 to the current date (December 15).

On January 5, 1999, another `yearly` command is executed. Before the `rxyr1999` file is created for the current year, the `rxyr1998` file from the previous year is opened and checked. When it is found to be incomplete, data is appended to it to complete its extraction until December 31, 1998. Then, the `rxyr1999` file is created to hold data from January 1, 1999 to the current date (January 5).

As long as you execute the `yearly` command at least once a year, this feature will complete each year's file before creating the next year's file. When you see two adjacent yearly files (for example, `rxyr1998` and `rxyr1999`), you can assume that the first file is complete for that year, and it can be archived and purged.

The previous paragraph is true *only* if the raw log files are sized large enough to hold *one full year* of data. It would be more common to size the raw log files smaller and execute the `yearly` command more often (such as once a month).



The `yearly` and `extract year` commands are similar in that they both extract one calendar year's data. The `yearly` command ignores the setting of the `output` command, using instead predefined output file names. It also attempts to append missing data to the previous year's extracted log file if it is still present on the system. The `extract year` command, on the other hand, will use the settings of the `output` command. It cannot append data to the previous year's extracted file since it does not know its name.

## Example

In this example, application and global detail data is appended to the existing yearly summary file (or creates it, if necessary). The output file is `rxyr yyyy` (where `yyyy` represents the current year).

```
extract>
logfile /var/opt/perf/datafiles/logglob
global detail
application detail
process off
yearly
```

To perform the above task using command line arguments, enter:

```
extract -ga -xy
```



---

# 7 Performance Alarms

## Introduction

This chapter describes what an alarm is, the syntax used to define an alarm, how an alarm works, and how alarms can be used to monitor performance.

You can use OV Performance Agent to define alarms. These alarms notify you when `scopeux` or DSI metrics meet or exceed conditions that you have defined.

To define alarms, you specify conditions on each OV Performance Agent system that when met, trigger an alert or action. You define alarms in the OV Performance Agent alarm definitions text file, `alarmdef`.

As data is logged by `scopeux` or DSI, it is compared to the alarm definitions to determine if a condition is met. When this occurs an alert or action is triggered.

With the real time alarm generator you can configure where you want alert notifications sent and whether you want local actions performed. SNMP traps can be sent to HP OpenView Network Node Manager. Alert notifications can also be sent to OpenView Operations (OVO). Local actions can be performed on your OV Performance Agent system.

You can analyze historical log file data against the alarm definitions and report the results using the utility program's `analyze` command.

## Processing Alarms

As performance data is collected by OV Performance Agent, it is compared to the alarm conditions defined in the `alarmdef` file to determine whether the conditions have been met. When a condition is met, an alarm is generated and the actions defined for alarms (ALERTs, PRINTs, and/or EXECs) are performed. You can set up how you want the alarm information communicated once an alarm is triggered. For example, you can:

- send SNMP traps to Network Node Manager
- send messages to OVO
- execute a UNIX command on the local system to send yourself a message

## How Alarms Are Processed

When you first start up OV Performance Agent, the `coda` daemon or the repository servers look for each data source configured in the `datasources` configuration file and then starts the alarm generator. Every data source mentioned in your alarm definitions must have a corresponding entry in `datasources`. For more information about `datasources` and starting and stopping the alarm generator, see Chapter 2 of the *HP OpenView Performance Agent Installation and Configuration Guide*.

As data is collected in the log files, it is compared to the alarm definitions in the `alarmdef` file. When an alarm condition is met, the actions defined in the alarm definition are carried out. Actions can include:

- local actions performed via UNIX commands
- messages sent to Network Node Manager, and OVO

## Alarm Generator

The OV Performance Agent alarm generator handles the communication of alarm notifications. The alarm generator consists of the alarm generator server (`perfalarm`), the alarm generator database (`agdb`), and the utility program `agsysdb`.

The `agdb` contains a list of SNMP nodes. The `agsysdb` program is used for displaying and changing the actions taken by alarm events.

When you start up OV Performance Agent, `perfalarm` starts and reads the `agdb` at startup to determine where and whether to send alarm notifications. It also checks to see if an OVO agent is on the system.

Use the following command line option to see a list showing where alert notifications are being sent:

```
agsysdb -l
```

## Sending SNMP Traps to Network Node Manager

To send SNMP traps to Network Node Manager, you must add your system name to `agdb` in OV Performance Agent using the command:

```
agsysdb -add systemname
```



Every ALERT generated will cause an SNMP trap to be sent to the system you defined. The trap text will contain the same message as the ALERT.

To stop sending SNMP traps to a system, you must delete the system name from `agdb` using the command:

```
agsysdb -delete systemname
```

## Sending Messages to OpenView Operations (OVO)

You can have alert notifications sent to OVO if there is an OVO agent on the same system as OV Performance Agent. The OVO agent communicates with the central OVO system.

By default, if the OVO agent is running on the OV Performance Agent system, the alarm generator does *not* execute local actions that are defined in any alarms in the EXEC statement. Instead, it sends a message to OVO's event browser. If the OVO agent is *not* running on the OV Performance Agent system, the alarm generator does not try to send alert notifications to OVO and local actions are executed.

You can change the default to stop sending information to OVO, even though an OVO agent is running on the OV Performance Agent system, using the command:

```
agsysdb -ovo OFF
```

## Executing Local Actions

Without an OVO agent running on the OV Performance Agent system, local actions in EXEC statements will be executed.

You can change the default to turn off local actions as follows:

```
agsysdb -actions off
```

If you want local actions to *always* execute even if the OVO agent is running, type:

```
agsysdb -actions always
```

The following table lists the settings for sending information to OVO and for executing local actions:

**Table 9 Settings for sending information to OVO and executing local actions**

<b>Flags</b>	<b>OVO Agent Running</b>	<b>OVO Agent Not Running</b>
<b>OVO Flag</b>		
<code>off</code>	No alert notifications sent to OVO.	No alert notifications sent to OVO.
<code>on</code>	Alert notifications sent to OVO.	No alert notifications sent to OVO.
<b>Local Actions Flag</b>		

**Table 9 Settings for sending information to OVO and executing local actions**

Flags	OVO Agent Running	OVO Agent Not Running
off	No local actions executed.	No local actions executed.
always	Local actions executed even if OVO agent is running.	Local actions executed.
on	Local actions sent to OVO.	Local actions executed.

## Errors in Processing Alarms

The last error that occurred when sending an alarm is logged in `agdb`. To view the contents of `agdb`, type:

```
agsysdb -1
```

The following information is displayed:

```
MeasureWare alarming status:
SystemDB Version : 2
OVO messages : on    Last Error : <error number>
Exec Actions : on    (See status.alarmgen file for errors)
Analysis system: <hostname>, Key=<ip address>
PerfView : no      Last Error : <error number>
SNMP      : yes     Last Error : <error number>
```

## Analyzing Historical Data for Alarms

You can use the utility program's `analyze` command to find alarm conditions in log file data (see [Chapter 4, Utility Commands](#)). This is different from the processing of real-time alarms explained earlier because you are comparing historical data in the log file to the alarm definitions in the `alarmdef` file to determine what alarm conditions would have been triggered.

### Examples of Alarm Information in Historical Data

The following examples show what is reported when you analyze alarm conditions in historical data.

For the first example, `START`, `END`, and `REPEAT` statements have been defined in the alarm definition. An alarm-start event is listed every time an alarm has met all of its conditions for the specified duration. When these conditions are no longer satisfied, an alarm-end event is listed. If an alarm condition is satisfied for a period long enough to generate another alarm without having first ended, a repeat event is listed.

Each event listed shows the date and time, alarm number, and the alarm event. `EXEC` actions are *not* performed, but they are listed with any requested parameter substitutions in place.

```
05/10/99 11:15 ALARM [1] START
CRITICAL: CPU test 99.97%
05/10/99 11:20 ALARM [1] REPEAT
WARNING: CPU test 99.997%
```

```
05/10/99 11:25 ALARM [1] END
RESET: CPU test 22.86%
EXEC: end.script
```

If you are using a color workstation, the following output is highlighted:

```
CRITICAL statements are RED

MAJOR statements are MAGENTA

MINOR statements are YELLOW

WARNING statements are CYAN

NORMAL statements are GREEN
```

The next example shows an alarm summary that is displayed after alarm events are listed. The first column lists the alarm number, the second column lists the number of times the alarm condition occurred, and the third column lists the total duration of the alarm condition.

Performance Alarm Summary:

Alarm	Count	Minutes
1	574	2865
2	0	0

Analysis coverage using "alarmdef":

Start: 05/04/99 08:00 Stop: 05/06/99 23:59

Total time analyzed: Days: 2 Hours: 15 Minutes: 59

# Alarm Definition Components

An alarm occurs when one or more of the conditions you define continues over a specified duration. The alarm definition can include an action to be performed at the start or end of the alarm.

A condition is a comparison between two or more items. The compared items can be metric names, constants, or variables. For example:

```
ALARM gbl_cpu_total_util > 95 FOR 5 MINUTES
```

An action can be specified to be performed when the alarm starts, ends, or repeats. The action can be one of the following:

- an ALERT, which sends a message to OV Performance Manager or OVO or an SNMP trap to Network Node Manager
- an EXEC, which performs a UNIX command, or
- a PRINT, which sends a message to stdout when processed using the `utility` program.

For example:

```
ALARM gbl_swap_space_util > 95 FOR 5 MINUTES
  START
    RED ALERT "Global swap space is nearly full"
  END
  RESET ALERT "End of global swap space full condition"
```

You can create more complex actions using Boolean logic, loops through multiple-instance data such as applications, and variables. (For more information, see the next section, [Alarm Syntax Reference](#)).

You can also use the INCLUDE statement to identify additional alarm definition files you want used. For example, you may want to break up your alarm definitions into smaller files.

# Alarm Syntax Reference

This section describes the statements that are available in the alarm syntax. You may want to look at the `alarmdef` file for examples of how the syntax is used to create useful alarm definitions.

## Alarm Syntax

```
ALARM condition [[AND,OR]condition]
  FOR duration [SECONDS, MINUTES]
  [TYPE="string"]
  [SERVICE="string"]
  [SEVERITY=integer]
  [START action]
  [REPEAT EVERY duration [SECONDS, MINUTES] action]
  [END action]
[RED, CRITICAL, ORANGE, MAJOR, YELLOW, MINOR, CYAN, WARNING,
GREEN, NORMAL, RESET] ALERT message
EXEC "UNIX command"
PRINT message
IF condition
  THEN action
  [ELSE action]
{APPLICATION, PROCESS, DISK, LVOLUME, TRANSACTION, NETIF, CPU,
FILESYSTEM} LOOP action
INCLUDE "filename"
USE "data source name"
[VAR] name = value
ALIAS name = "replaced-name"
SYMPTOM variable [ TYPE = {CPU, DISK, MEMORY, NETWORK}]
  RULE condition PROB probability
  [RULE condition PROB probability]
.
.
```

## Conventions

- Braces ( { } ) indicate that one of the choices is required.
- Brackets ( [ ] ) indicate an optional item.
- Items separated by commas within brackets or braces are options. Choose only one.
- Italics indicate a variable name that you replace.
- All syntax keywords are in uppercase.

## Common Elements

The following elements are used in several statements in the alarm syntax and are described below.

- comments
- compound statements

- conditions
- constants
- expressions
- metric names
- messages

## Comments

You can precede comments either by double forward slashes (//) or the pound sign (#). In both cases, the comment ends at the end of the line. For example:

```
# any text or characters
or
// any text or characters
```

## Compound Statements

Compound statements allow a list of statements to be executed as a single statement. A compound statement is a list of statements inside braces ({}). Use the compound statement with the IF statement, the LOOP statement, and the START, REPEAT, and END clauses of the ALARM statement. Compound statements cannot include ALARM and SYMPTOM statements.

```
{
  statement
  statement
}
```

In the example below, `highest_cpu = 0` defines a variable called `highest_cpu`. The `highest_cpu` value is saved and notifies you only when that `highest_cpu` value is exceeded by a higher `highest_cpu` value.

```
highest_cpu = 0
IF gbl_cpu_total_util > highest_cpu THEN
  // Begin compound statement
  {
    highest_cpu = gbl_cpu_total_util
    ALERT "Our new high CPU value is ", highest_cpu, "%"
  }
  // End compound statement
```

## Conditions

A condition is defined as a comparison between two items.

```
item1 {>, <, >=, <=, ==, !=}item2
[AND, OR[item3 {>, <, >=, <=, ==, !=}item4]]
```

where "==" means "equal", and "!=" means "not equal".

Conditions are used in the ALARM, IF, and SYMPTOM statements. An item can be a metric name, a numeric constant, an alphanumeric string enclosed in quotes, an alias, or a variable. When comparing alphanumeric items, only == or != can be used as operators.

## Constants

Constants can be either numeric or alphanumeric. An alphanumeric constant must be enclosed in double quotes. For example:

```
345
345.2
"Time is"
```

Constants are useful in expressions and conditions. For example, you may want to compare a metric against a constant numeric value inside a condition to generate an alarm if it is too high, such as

```
gbl_cpu_total_util > 95
```

## Expressions

Arithmetic expressions perform one or more arithmetic operations on two or more operands. You can use an expression anywhere you would use a numeric value. Legal arithmetic operators are:

```
+, -, *, /
```

Parentheses can be used to control which parts of an expression are evaluated first.

For example:

```
Iteration + 1
gbl_cpu_total_util - gbl_cpu_user_mode_util
( 100 - gbl_cpu_total_util ) / 100.0
```

## Metric Names

When you specify a metric name in an alarm definition, the current value of the metric is substituted. Metric names must be typed exactly as they appear in the metric definition, except for case sensitivity. Metrics definitions can be found in the *HP OpenView Performance Agent Dictionary of Operating Systems Performance Metrics*. If you are using OV Performance Manager, choose On Metrics from the OV Performance Manager help menu to display a list of metrics by platform.

It is recommended that you use fully-qualified metric names if the metrics are from a data source other than the SCOPE data source (such as DSI metrics).

The format for specifying a fully qualified metric is:

```
data_source:instance(class):metric_name
```

A global metric in the SCOPE data source requires no qualification. For example:

```
metric_1
```

An application metric, which is available for each application defined in the SCOPE data source, requires the application name. For example,

```
application_1:metric_1
```

For multi-instance data types such as application, process, disk, netif, transaction, lvolume, cpu and filesystem, you must associate the metric with the data type name, except when using the LOOP statement. To do this, specify the data type name followed by a colon, and then the metric name. For example, `other_apps:app_cpu_total_util` specifies the total CPU utilization for the application `other_apps`.

- ▶ When specifying fully qualified multi-instance metrics and using aliases within aliases, if one of the aliases has a class identifier, we recommend you use the syntax shown in this example:

```
alias my_fs="/dev/vg01/lvol1 (LVOLUME) "  
alarm my_fs:LV_SPACE_UTIL > 50 for 5 minutes
```

If you use an application name that has an embedded space, you must replace the space with an underscore (\_). For example, application 1 must be changed to application\_1. For more information on using names that contain special characters, or names where case is significant, see [ALIAS Statement](#) on page 181.

If you had a disk named “other” and an application named “other”, you would need to specify the class as well as the instance:

```
other (disk):metric_1
```

A global metric in an extracted log file (where scope\_extract is the data source name) would be specified this way:

```
scope_extract:application_1:metric_1
```

A DSI metric would be specified this way:

```
dsi_data_source:dsi_class:metric_name
```

- ▶ Any metric names containing special characters (such as asterisks) must be aliased before they are specified.

## Messages

A message is the information sent by a PRINT or ALERT statement. It can consist of any combination of quoted alphanumeric strings, numeric constants, expressions, and variables. The elements in the message are separated by commas. For example:

```
RED ALERT "cpu utilization=", gbl_cpu_total_util
```

Numeric constants, metrics, and expressions can be formatted for width and number of decimals. *Width* specifies how wide the field should be formatted; *decimals* specifies how many decimal places to use. Numeric values are right-justified. The - (minus sign) specifies left-justification. Alphanumeric strings are always left-justified. For example:

```
metric names [[[-]width[|decimals]]  
gbl_cpu_total_util|6|2   formats as '100.00'  
(100.32 + 20)|6         formats as '  120'  
gbl_cpu_total_util|-6|0  formats as '100  '  
gbl_cpu_total_util|10|2  formats as '   99.13'  
gbl_cpu_total_util|10|4  formats as '  99.1300'
```

## ALARM Statement

The ALARM statement defines a condition or set of conditions and a duration for the conditions to be true. Within the ALARM statement, you can define actions to be performed when the alarm condition starts, repeats, and ends. Conditions or events that you might want to define as alarms include:

- when global swap space has been nearly full for 5 minutes



- when the memory paging rate has been too high for 1 interval
- when your CPU has been running at 75 percent utilization for the last ten minutes

## Syntax

```
ALARM condition [[AND,OR]condition]
  FOR duration{SECONDS, MINUTES}
  [TYPE="string"]
  [SERVICE="string"]
  [SEVERITY=integer]
  [START action]
  [REPEAT EVERY duration {SECONDS, MINUTES} action]
  [END action]
```

- The **ALARM** statement must be a top-level statement. It cannot be nested within any other statement. However, you can include several **ALARM** conditions in a single **ALARM** statement. If the conditions are linked by **AND**, all conditions must be true to trigger the alarm. If they are linked by **OR**, any one condition will trigger the alarm.
- **TYPE** is a quoted string of up to 38 characters. If you are sending alarms to OV Performance Manager, you can use **TYPE** to categorize alarms and to specify the name of a graph template to use. OV Performance Manager can only accept up to eight characters, so up to eight characters are shown.
- **SERVICE** is a quoted string of up to 200 characters. If you are using ServiceNavigator, which is being released with ITO 5.0, you can link your OV Performance Agent alarms with the services you defined in ServiceNavigator (see the *HP Open View ServiceNavigator Concepts and Configuration Guide*).

```
SERVICE="Service_id"
```

- **SEVERITY** is an integer from 0 to 32767. If you are sending alarms to OV Performance Manager, you can use this to categorize alarms.
- **START**, **REPEAT**, and **END** are *keywords* used to specify what action to take when alarm conditions are met, met again, or stop. You should always have at least one of **START**, **REPEAT**, or **END** in an **ALARM** statement. Each of these keywords is followed by an *action*.
- *action* – The action most often used with an **ALARM START**, **REPEAT**, or **END** is the **ALERT** statement. However, you can also use the **EXEC** statement to mail a message or run a batch file, or a **PRINT** statement if you are analyzing historical log files with the *utility* program. Any syntax statement is legal except another **ALARM**.

**START**, **REPEAT**, and **END** actions can be compound statements. For example, you can use compound statements to provide both an **ALERT** and an **EXEC**.

- *Conditions* – A condition is defined as a comparison between two items.

```
item1 {>, <, >=, <=, ==, !=}item2
  [AND, OR[item3 {>, <, >=, <=, ==, !=}item4]]
```

where "==" means "equal", and "!=" means "not equal"

An item can be a metric name, a numeric constant, an alphanumeric string enclosed in quotes, an alias, or a variable. When comparing alphanumeric items, only == or != can be used as operators.

You can use compound conditions by specifying the “OR” and “AND” operator between subconditions. For example:

```
ALARM gbl_cpu_total_util > 90 AND
gbl_pri_queue > 1 for 5 minutes
```

- You also can use compound conditions *without* specifying the “OR” and “AND” operator between subconditions. For example:

```
ALARM gbl_cpu_total_util > 90
gbl_cpu_sys_mode_util > 50 for 5 minutes
```

will cause an alarm when both conditions are true.

**FOR** *duration* **SECONDS**, **MINUTES** specifies the time period the condition must remain true to trigger an alarm.

Use caution when specifying durations of less than one minute, particularly when there are multiple data sources on the system. Performance can be seriously degraded if each data source must be polled for data at very small intervals. The duration must be a multiple of the longest collection interval of the metrics mentioned in the alarm condition.

For *scopeux* data, the duration is five minutes; however, the duration for process data is one minute. For DSI data, the duration is five seconds or longer

- **REPEAT EVERY** *duration* **SECONDS**, **MINUTES** specifies the time period before the alarm is repeated.

## How It Is Used

The alarm cycle begins on the first interval that all of the ANDed, or one of the ORed alarm conditions have been true for at least the specified duration. At that time, the alarm generator executes the *START action*, and on each subsequent interval checks the REPEAT condition. If enough time has transpired, the *action* for the REPEAT clause is executed. (This continues until one or more of the alarm conditions becomes false.) This completes the alarm cycle and the END statement is executed if there is one.

In order for OV Performance Manager to be notified of the alarm, you should use the ALERT statement within the START and END statements. If you do not specify an END ALERT, the alarm generator will automatically send one to OV Performance Manager and OVO and send an SNMP trap to Network Node Manager.

## Examples

The following ALARM example sends a red alert when the swap utilization is high for 5 minutes. It is similar to an alarm condition in the default `alarmdef` file. Do not add this example to your `alarmdef` file without removing the default alarm condition, or your subsequent alert messages may be confusing.

```
ALARM gbl_swap_space_util > 90 FOR 5 MINUTES
START
  RED ALERT "swap utilization is very high "
REPEAT EVERY 15 MINUTES
  RED ALERT "swap utilization is still very high "
END
  RESET ALERT "End of swap utilization condition"
```

This ALARM example tests the metric `gbl_swap_space_util` to see if it is greater than 90. Depending on how you configured the alarm generator, the ALERT can be sent to the Alarms window in OV Performance Manager, to Network Node Manager via an SNMP trap, or as a message to OVO. If you have OV Performance Manager configured correctly, the RED ALERT statement places the “swap utilization still very high” message in the OV Performance Manager Alarms window.

The **REPEAT** statement checks for the `gbl_swap_space_util` condition every 15 minutes. As long as the metric remains greater than 90, the **REPEAT** statement will send the message “swap utilization is still very high” every 15 minutes.

When the `gbl_swap_space_util` condition goes below 90, the **RESET ALERT** statement with the “End of swap utilization condition” message is sent.

The following example defines a compound action within the **ALARM** statement. This example shows you how to cause a message to be mailed when an event occurs.

```
ALARM gbl_cpu_total_util > 90 FOR 5 MINUTES
  START
  {
    RED ALERT "Your CPU is busy."
    EXEC "echo 'cpu is too high'| mailx root"
  }
  END
  RESET ALERT "CPU no longer busy."
```

The **ALERT** can trigger an **SNMP** trap to be sent to Network Node Manager or a message to be sent to **OVO**. The **EXEC** can trigger a mail message to be sent as a local action on your **OV Performance Agent** system, depending on how you configured your alarm generator. If you set up **OV Performance Manager** to receive alarms from this system, the **RED ALERT** statement places the “Your CPU is busy” message in the **OV Performance Manager Alarms** window and causes a message to be sent.

By default, if the **OVO** agent is running, the local action will not execute. Instead, it will be sent as a message to **OVO**.

The following two examples show the use of multiple conditions. You can have more than one test condition in the **ALARM** statement. In this case, each statement must be true for the **ALERT** to be sent.

The following **ALARM** example tests the metric `gbl_cpu_total_util` and the metric `gbl_cpu_sys_mode_util`. If both conditions are true, the **RED ALERT** statement sends a red alert. When either test condition becomes false, the **RESET** is sent.

```
ALARM gbl_cpu_total_util > 90
  AND gbl_cpu_sys_mode_util > 50 FOR 5 MINUTES
  START
  RED ALERT "CPU busy and Sys Mode CPU util is high."
  END
  RESET ALERT "The CPU alert is now over."
```

The next **ALARM** example tests the metric `gbl_cpu_total_util` and the metric `gbl_cpu_sys_mode_util`. If either condition is true, the **RED ALERT** statement sends a red alert.

```
ALARM gbl_cpu_total_util > 90
  OR
  gbl_cpu_sys_mode_util > 50 FOR 10 MINUTES
  START
  RED ALERT "Either total CPU util or sys mode CPU high"
```



Do not use metrics that are logged at different intervals in the same alarm. For example, you should not loop on a process (logged at 1-minute intervals) based on the value of a global metric (logged at 5-minute intervals) in a statement like this:

```
IF global_metric THEN  
  PROCESS LOOP...
```

The different intervals cannot be synchronized as you might expect, so results will not be valid.

## ALERT Statement

The ALERT statement allows a message to be sent to OV Performance Manager, Network Node Manager, or OVO. It also allows the creation and deletion of the alarm symbols in the Network Node Manager map associated with OV Performance Manager and controls the color of the alarm symbols, depending on the severity of the alarm. (For more information, see OV Performance Manager online Help.)

The ALERT statement is most often used as an action within an ALARM. It could also be used within an IF statement to send a message as soon as a condition is detected instead of after the duration has passed. If an ALERT is used outside of an ALARM or IF statement, the message will be sent at every interval.

### Syntax

```
[RED, CRITICAL, ORANGE, MAJOR, YELLOW, MINOR, CYAN,  
WARNING, GREEN, NORMAL, RESET] ALERT message
```

- **RED** is synonymous with **CRITICAL**, **ORANGE** is synonymous with **MAJOR**, **YELLOW** is synonymous with **MINOR**, **CYAN** is synonymous with **WARNING**, and **GREEN** is synonymous with **NORMAL**. These keywords turn the alarm symbol to the color associated with the alarm condition in the Network Node Manager map associated with OV Performance Manager. They also send the message with other information to the OV Performance Manager Alarms window. **CYAN** is the default. However, if you are using version C.00.08 or earlier of OV Performance Manager, **YELLOW** is the default.
- **RESET** records the message in the OV Performance Manager Alarms window and deletes the alarm symbol in the Network Node Manager map associated with OV Performance Manager. A **RESET ALERT** without a message is sent automatically when an **ALARM** condition **ENDs** if you do not define one in the alarm definition.
- *message* — A combination of strings and numeric values used to create a message. Numeric values can be formatted with the parameters [ | [-]width [ |decimals] ]. *Width* specifies how wide the field should be formatted; *decimals* specifies how many decimal places to use. Numeric values are right-justified. The - (minus sign) specifies left-justification. Alphanumeric strings are always left-justified.

### How It Is Used

The ALERT can also trigger an SNMP trap to be sent to Network Node Manager or a message to be sent to OVO, depending on how you configured your alarm generator. If you configured OV Performance Manager to receive alarms from this system, the ALERT sends a message to the OV Performance Manager Alarms window.

If an ALERT statement is used outside of an ALARM statement, the alert message will show up in the OV Performance Manager Alarms window but no symbol will be created in the Network Node Manager map.

For alert messages sent to OVO, the WARNINGS will be displayed in blue in the message browser

### Example

An typical ALERT statement is:

```
RED ALERT "CPU utilization = ", gbl_cpu_total_util
```

If you have OV Performance Manager and Network Node Manager, this statement creates a red alarm symbol in the Network Node Manager map associated with OV Performance Manager and sends a message to the OV Performance Manager Alarms window that reads:

```
CPU utilization = 85.6
```

## EXEC Statement

The EXEC statement allows you to specify a UNIX command to be performed on the local system. For example, you could use the EXEC statement to send mail to an IT administrator each time a certain condition is met.

EXEC should be used within an ALARM or IF statement so the UNIX command is performed only when specified conditions are met. If an EXEC statement is used outside of an ALARM or IF statement, the action will be performed at unpredictable intervals.

### Syntax

```
EXEC "UNIX command"
```

- *UNIX command* — a command to be performed on the local system.

Do not use embedded double quotes (") in EXEC statements. Doing so causes perfalarm to fail to send the alarm to OVO. Use embedded single (') quotes instead. For example:

```
EXEC "echo 'performance problem detected' "
```

### How It Is Used

The EXEC can trigger a local action on your local system, depending on how you configured your alarm generator. For example, you can turn local actions on or off. If you configured your alarm generator to send information to OVO, local actions will not usually be performed.

### Examples

In the following example, the EXEC statement performs the UNIX mailx command when the gbl\_disk\_util\_peak metric exceeds 20.

```
IF gbl_disk_util_peak > 20 THEN
    EXEC "echo 'high disk utilization detected'| mailx root"
```

The next example shows the EXEC statement sending mail to the system administrator when the network packet rate exceeds 1000 per second average for 15 minutes.

```
ALARM gbl_net_packet_rate > 1000 for 15 minutes
    TYPE = "net busy"
    SEVERITY = 5
    START
    {
        RED ALERT "network is busy"
        EXEC "echo 'network busy condition detected'| mailx root"
    }
    END
    RESET ALERT "NETWORK OK"
```



Be careful when using the EXEC statement with commands or scripts that have high overhead if it will be performed often.

The alarm generator executes the command and waits until it completes before continuing. We recommend that you not specify commands that take a long time to complete.

## PRINT Statement

The `PRINT` statement allows you to print a message from the `utility` program using its `analyze` function. The alarm generator ignores the `PRINT` statement.

### Syntax

**PRINT** *message*

- *message* — A combination of strings and numeric values that create a message. Numeric values can be formatted with the parameters `[|[-]width[|decimals]]`. *Width* specifies how wide the field should be formatted; *decimals* specifies how many decimal places to use. Alphanumeric components of a message must be enclosed in quotes. Numeric values are right-justified. The `-` (minus sign) specifies left-justification. Alphanumeric strings are always left-justified.

### Example

```
PRINT "The total time the CPU was not idle is",  
      gbl_cpu_total_time |6|2, "seconds"
```

When executed, this statement prints a message such as the following:

```
The total time the CPU was not idle is 95.00 seconds
```

## IF Statement

Use the `IF` statement to define a condition using `IF-THEN` logic. The `IF` statement should be used within the `ALARM` statement. However, it can be used by itself or any place in the `alarmdef` file where `IF-THEN` logic is needed.

If you specify an `IF` statement outside of an `ALARM` statement, you do not have control over how frequently it gets executed.

### Syntax

**IF** *condition* **THEN** *action* [**ELSE** *action*]

- **IF** *condition* — A condition is defined as a comparison between two items.

```
item1 {>, <, >=, <=, ==, !=}item2  
      [AND, OR[item3 {>, <, >=, <=, ==, !=}item4]]
```

where `"=="` means "equal", and `"!="` means "not equal".

An item can be a metric name, a numeric constant, an alphanumeric string enclosed in quotes, an alias, or a variable. When comparing alphanumeric strings, only `==` or `!=` can be used as operators.

- *action* — Any action, or set a variable. (`ALARM` is not valid in this case.)

### How It Is Used

The `IF` statement tests the *condition*. If the *condition* is true, the *action* after the `THEN` is executed. If the *condition* is false, the *action* depends on the optional `ELSE` clause. If an `ELSE` clause has been specified, the *action* following it is executed; otherwise the `IF` statement does nothing.



## Example

In this example, a CPU bottleneck symptom is calculated and the resulting bottleneck probability is used to define cyan or red ALERTs. If you have OV Performance Manager configured correctly, the message “End of CPU Bottleneck Alert” is displayed in the OV Performance Manager Alarms window along with the percentage of CPU used.

The ALERT can also trigger an SNMP trap to be sent to Network Node Manager or a message to be sent to OVO, depending on how you configured your alarm generator.

```
SYMPTOM CPU_Bottleneck > type=CPU
  RULE gbl_cpu_total_util > 75 prob 25
  RULE gbl_cpu_total_util > 85 prob 25
  RULE gbl_cpu_total_util > 90 prob 25
  RULE gbl_cpu_total_util > 4 prob 25
  ALARM CPU_Bottleneck > 50 for 5 minutes
  TYPE="CPU"
  START
    IF CPU_Bottleneck > 90 then
      RED ALERT "CPU Bottleneck probability= ",
        CPU_Bottleneck, "%"
    ELSE
      CYAN ALERT "CPU Bottleneck probability= ",
        CPU_Bottleneck, "%"
  REPEAT every 10 minutes
    IF CPU_Bottleneck > 90 then
      RED ALERT "CPU Bottleneck probability= ",
        CPU_Bottleneck, "%"
    ELSE
      CYAN ALERT "CPU Bottleneck probability= ",
        CPU_Bottleneck, "%"
  END
  RESET ALERT "End of CPU Bottleneck Alert"
```



Do not use metrics that are logged at different intervals in the same statement. For instance, you should not loop on a process (logged at 1-minute intervals) based on the value of a global metric (logged at 5-minute intervals) in a statement like this:

```
IF global_metric THEN
  PROCESS LOOP ...
```

The different intervals cannot be synchronized as you might expect, so results will not be valid.

## LOOP Statement

The LOOP statement goes through multiple-instance data types and performs the *action* defined for each instance.

## Syntax

```
{APPLICATION, PROCESS, LVOLUME, DISK, CPU, FILESYSTEM, TRANSACTION,
NETIF, LOGICAL}
LOOP
    action
```

- **APPLICATION, PROCESS, LVOLUME, DISK, CPU, FILESYSTEM, TRANSACTION, NETIF, LOGICAL** — OV Performance Agent data types that contain multi-instance data.
- *action* — PRINT, EXEC, ALERT, set variables.

## How It Is Used

As LOOP statements iterate through each instance of the data type, metric values change. For instance, the following LOOP statement prints the name of each application to stdout if you are using the utility program's analyze command.

```
APPLICATION LOOP
    PRINT app_name
```

A LOOP can be nested within another LOOP statement up to a maximum of five levels.

In order for the LOOP to execute, the LOOP statement must refer to one or more metrics of the same data type as the type defined in the LOOP statement.

## Example

You can use the LOOP statement to cycle through all active applications.

The following example shows how to determine which application has the highest CPU at each interval.

```
highest_cpu = 0
APPLICATION loop
    IF app_cpu_total_util > highest_cpu THEN
    {
        highest_cpu = app_cpu_total_util
        big_app = app_name
    }
    ALERT "Application ", app_name, " has the highest cpu util at
",highest_cpu_util|5|2, "%"
    ALARM highest_cpu > 50
    START
        RED ALERT big_app, " is the highest CPU user at ", highest_cpu, "%"
    REPEAT EVERY 15 minutes
        CYAN ALERT big_app, " is the highest CPU user at ", highest_cpu, "%"
    END
    RESET ALERT "No applications using excessive cpu"
```

## INCLUDE Statement

Use the INCLUDE statement to include another alarm definitions file along with the default alarmdef file.

## Syntax

```
INCLUDE "filename"
```

where *filename* is the name of another alarm definitions file. The file name must always be fully qualified.

## How It Is Used

The `INCLUDE` statement could be used to separate logically distinct sets of alarm definitions into separate files.

## Example

For example, if you have some alarm definitions in a separate file for your transaction metrics and it is named

```
trans_alarmdef1
```

You can include it by adding the following line to the alarm definitions in your `alarmdef1` file:

```
INCLUDE "/var/opt/perf/trans_alarmdef1"
```

## USE Statement

You can add the `USE` statement to simplify the use of metric names in the `alarmdef` file when data sources other than the default `SCOPE` data source are referenced. This allows you to specify a metric name without having to include the data source name.

The data source name must be defined in the `datasources` file. The `alarmdef` file will fail its syntax check if an invalid or unavailable data source name is encountered.



The appearance of a `USE` statement in the `alarmdef` file does not imply that all metric names that follow will be from the specified data source.

## Syntax

```
USE "datasourcename"
```

## How It Is Used

As the alarm generator checks the `alarmdef` file for valid syntax, it builds an ordered search list of all data sources that are referenced in the file. `Perfalarm` sequentially adds entries to this data source search list as it encounters fully-qualified metric names or `USE` statements. This list is subsequently used to match metric names that are not fully qualified with the appropriate data source name. The `USE` statement provides a convenient way to add data sources to `perfalarm`'s search list, which then allows for shortened metric names in the `alarmdef` file. For a discussion of metric name syntax, see [Metric Names](#) on page 167 earlier in this chapter.

`Perfalarm`'s default behavior for matching metric names to a data source is to look first in the `SCOPE` data source for the metric name. This implied `USE "SCOPE"` statement is executed when `perfalarm` encounters the first metric name in the `alarmdef` file. This feature enables

a default search path to the SCOPE data source so that SCOPE metrics can be referenced in the alarmdef file without the need to fully qualify them. This is shown in the following example on the next page.

```
ALARM gbl_cpu_total_util > 80 FOR 10 MINUTES
    START RED ALERT "CPU utilization too high"
USE "ORACLE7"
ALARM ActiveTransactions >= 95 FOR 5 MINUTES
    START RED ALERT "Nearing limit of transactions for ORACLE7"
```

When perfalarm checks the syntax of the alarmdef file containing the above statements, it encounters the metric "gbl\_cpu\_total\_util" and then tries to find its data source. Perfalarm does not yet have any data sources in its search list of data sources, so it executes an implied USE "SCOPE" statement and then searches the SCOPE data source to find the metric name. A match is found and perfalarm continues checking the rest of the alarmdef file.

When perfalarm encounters the USE "ORACLE7" statement, it adds the ORACLE7 data source to the search list of data sources. When the "ActiveTransactions" metric name is encountered, perfalarm sequentially searches the list of data sources starting with the SCOPE data source. SCOPE does not contain that metric name, so the ORACLE7 data source is searched next and a match is found.

If perfalarm does not find a match in any data source for a metric name, an error message is printed and perfalarm terminates.

To change the default search behavior, a USE statement can be added to the beginning of the alarmdef file before any references to metric names. This will cause the data source specified in the USE statement to be added to the search list of data sources before the SCOPE data source. The data source(s) in the USE statement(s) will be searched before the SCOPE data source to find matches to the metrics names. This is shown in the following example.

Once a data source has been referenced with a USE statement, there is no way to change its order or to remove it from the search list.

```
USE "ORACLE7"
ALARM gbl_cpu_total_util > 80 FOR 10 MINUTES
    START RED ALERT "CPU utilization too high"
ALARM ActiveTransactions >= 95 FOR 5 MINUTES
    START RED ALERT "Nearing limit of
    transactions for ORACLE7"
```

In the example above, the order of the statements in the alarmdef file has changed. The USE "ORACLE7" statement is defined before any metric names are referenced, therefore the ORACLE7 data source is added as the first data source in the search list of data sources. The implied USE "SCOPE" statement is executed when perfalarm encounters the first metric name "gbl\_cpu\_total\_util." Because the "gbl\_cpu\_total\_util" metric name is not fully-qualified, perfalarm sequentially searches through the list of data sources starting with ORACLE7. ORACLE7 does not contain that metric name so the SCOPE data source is searched next and a match is found.

Perfarm continues checking the rest of the alarmdef file. When perfalarm encounters the "ActiveTransactions" metric, it sequentially searches the list of data sources starting with ORACLE7. A match is found and perfalarm continues searching the rest of the alarmdef file. If perfalarm does not find a match in any data source for a metric name (that is not fully-qualified), an error message will be printed and perfalarm terminates.

Be careful how you use the USE statement when multiple data sources contain the same metric names. Perfalarm sequentially searches the list of data sources. If you are defining alarm conditions from different data sources that use the same metric names, you must

qualify the metric names with their data source names to guarantee that the metric value is retrieved from the correct data source. This is shown in the following example where the metric names in the alarm statements each include their data sources.

```
ALARM ORACLE7:ActiveTransactions >= 95 FOR 5 MINUTES
  START RED ALERT "Nearing limit of transactions for ORACLE7"
ALARM FINANCE:ActiveTransactions >= 95 FOR 5 MINUTES
  START RED ALERT "Nearing limit of transactions for FINANCE"
```

## VAR Statement

The VAR statement allows you to define a variable and assign a value to it.

### Syntax

```
[VAR] name = value
```

- *name* — Variable names must begin with a letter and can include letters, digits, and the underscore character. Variable names are not case-sensitive.
- *value* — If the value is an alphanumeric string, it must be enclosed in quotes.

### How It Is Used

VAR assigns a value to the user variable. If the variable did not previously exist, it is created.

Once defined, variables can be used anywhere in the `alarmdef` file.

### Examples

You can define a variable by assigning something to it. The following example defines the numeric variable *highest\_CPU\_value* by assigning it a value of zero.

```
highest_CPU_value = 0
```

The next example defines the alphanumeric variable *my\_name* by assigning it an empty string value.

```
my_name = ""
```

## ALIAS Statement

The ALIAS statement allows you to substitute an alias if any part of a metric name (class, instance, or metric) has a case-sensitive name or a name that includes special characters. These are the only circumstances where the ALIAS statement should be used.

### Syntax

```
ALIAS name = "replaced-name"
```

- *name* — The name must begin with a letter and can include letters, digits, and the underscore character.
- *replaced-name* — The name that must be replaced by the ALIAS statement to make it uniquely recognizable to the alarm generator.

## How It Is Used

Because of the way the `alarmdef` file is processed, if any part of a metric name (class, instance, or metric name) can be identified uniquely only by recognizing uppercase and lowercase, you will need to create an alias. You will also need to create an alias for any name that includes special characters. For example, if you have applications called "BIG" and "big," you'll need to alias "big" to ensure that they are viewed as different applications. You must define the alias somewhere in the `alarmdef` file before the *first* instance of the name you want substituted.

## Examples

Because you cannot use special characters or upper and lower case in the syntax, using the application name "AppA" and "appa" could cause errors because the processing would be unable to distinguish between the two. You would alias "AppA" to give it a uniquely recognizable name. For example:

```
ALIAS appa_uc = "AppA"  
ALERT "CPU alert for AppA.util is", appa_uc:app_cpu_total_util
```

If you are using an alias for an instance with a class identifier, include both the instance name and the class name in the alias. The following example shows the alias for the instance name 'other' and the class name 'APPLICATION.'

```
ALIAS my_app="other (APPLICATION) "  
ALERT my_app:app_cpu_total_util > 50 for 5 minutes
```

## SYMPTOM Statement

A `SYMPTOM` provides a way to set a single variable value based on a set of conditions. Whenever any of the conditions is true, its probability value is added to the value of the `SYMPTOM` variable.

### Syntax

```
SYMPTOM variable  
  RULE condition PROB probability  
  [RULE condition PROB probability]  
  .  
  .  
  .
```

- The keywords **SYMPTOM** and **RULE** are used exclusively in the `SYMPTOM` statement and cannot be used in other syntax statements. The `SYMPTOM` statement must be a top-level statement and cannot be nested within any other statement. No other statements can follow `SYMPTOM` until all its corresponding `RULE` statements are finished.
- *variable* is a variable name that will be the name of this symptom. Variable names defined in the `SYMPTOM` statement can be used in other syntax statements, but the variable value should not be changed in those statements.
- **RULE** is an option of the `SYMPTOM` statement and cannot be used independently. You can use as many **RULE** options as needed within the `SYMPTOM` statement. The `SYMPTOM` variable is evaluated according to the rules at each interval.
- *condition* is defined as a comparison between two items.

```
item1 {>, <, >=, <=, ==, !=}item2  
[item3 {>, <, >=, <=, ==, !=}item4]
```

where "==" means "equal" and "!=" means "not equal".

An item can be a metric name, a numeric constant, an alphanumeric string enclosed in quotes, an alias, or a variable. When comparing alphanumeric items, only == or != can be used as operators.

- *probability* is a numeric constant. The probabilities for each true SYMPTOM RULE are added together to create a SYMPTOM value.

## How It Is Used

The sum of all probabilities where the condition between measurement and value is true is the probability that the symptom is occurring.

## Example

```
SYMPTOM CPU_Bottleneck  
RULE gbl_cpu_total_util > 75  PROB 25  
RULE gbl_cpu_total_util > 85  PROB 25  
RULE gbl_cpu_total_util > 90  PROB 25  
RULE gbl_run_queue    > 3    PROB 50  
IF CPU bottleneck > 50 THEN  
CYAN ALERT "The CPU symptom is: ", CPU_bottleneck
```

# Alarm Definition Examples

The following examples show typical uses of alarm definitions.

## Example of a CPU Problem

If you have OV Performance Manager configured correctly, this example turns the alarm symbol CYAN in the Network Node Manager map (whenever CPU utilization exceeds 90 percent for 5 minutes and the CPU run queue exceeds 3 for 5 minutes), and sends a message to the OV Performance Manager Alarms window.

```
ALARM gbl_cpu_total_util > 90 AND
  gbl_run_queue > 3 FOR 5 MINUTES
START
  CYAN ALERT "CPU too high at", gbl_cpu_total_util, "%"
REPEAT EVERY 20 MINUTES
{
  RED ALERT "CPU still to high at ", gbl_cpu_total_util, "%"
  EXEC "/usr/bin/pager -n 555-3456"
}
END
  RESET ALERT "CPU at ", gbl_cpu_total_util, "% - RELAX"
```

The ALERT could also trigger an SNMP trap to be sent to Network Node Manager or a message to be sent to OVO, depending on how you configured the alarm generator.

If both conditions continue to hold true after 20 minutes, a red alert is generated, the alarm symbol turns red in the Network Node Manager map, and another message is sent to the OV Performance Manager Alarms window. A program is then run to page the system administrator.

When either one of the alarm conditions fails to be true, the alarm symbol is deleted and a message is sent to the OV Performance Manager Alarms window showing the global CPU utilization, the time the alert ended, and a note to RELAX.

## Example of Swap Utilization

If you have OV Performance Manager configured correctly, this example turns the alarm symbol red in the Network Node Manager map (whenever swap space utilization exceeds 95 percent for 5 minutes) and a message is written to the OV Performance Manager Alarms window.

```
ALARM gbl_swap_space_util > 95 FOR 5 MINUTES
START
  RED ALERT "GLOBAL SWAP space is nearly full "
END
  RESET ALERT "End of GLOBAL SWAP full condition"
```

The ALERT can trigger an SNMP trap to be sent to Network Node Manager or a message to be sent to OVO, depending on how you configured your alarm generator.



## Example of Time-Based Alarms

You can specify a time interval during which alarm conditions can be active. For example, if you are running system maintenance jobs that are scheduled to run at regular intervals, you can specify alarm conditions for normal operating hours and a different set of alarm conditions for system maintenance hours.

In this example, the alarm will only be triggered during the day from 8:00AM to 5:00PM.

```
start_shift = "08:00"
end_shift = "17:00"
ALARM gbl_cpu_total_util > 80
    TIME > start_shift
    TIME < end_shift for 10 minutes
    TYPE = "cpu"
    START
        CYAN ALERT "cpu too high at ", gbl_cpu_total_util, "%"
    REPEAT EVERY 10 minutes
        RED ALERT "cpu still too high at ", gbl_cpu_total_util, "%"
    END
    IF time == end_shift then
        {
        IF gbl_cpu_total_util > 80 then
            RESET ALERT "cpu still too high, but at the end of shift"
        ELSE
            RESET ALERT "cpu back to normal"
        }
    ELSE
        RESET ALERT "cpu back to normal"
```

## Example of Disk Instance Alarms

Alarms can be generated for a particular disk by identifying the specific disk instance name and corresponding metric name.

The following example of alarm syntax generates alarms for a specific disk instance. Aliasing is required when special characters are used in the disk instance.

```
ALIAS diskname="2/0/1.5.0"
ALARM diskname:bydisk_phys_read > 1000 for 5 minutes
TYPE="Disk"
    START
        RED ALERT "Disk 2/0/1.50 red alert"
    REPEAT EVERY 10 MINUTES
        CYAN ALERT "Disk 2/0/1.5.0 cyan alert"
    END
        RESET ALERT "Disk 2/0/1.5.0 reset alert"
```

## Customizing Alarm Definitions

You specify the conditions that generate alarms in the alarm definitions file `alarmdef`. When OV Performance Agent is first installed, the `alarmdef` file contains a set of default alarm definitions. You can use these default alarm definitions or customize them to suit your needs.

You can customize your `alarmdef` file as follows:

- 1 Revise your alarm definition(s) as necessary. You can look at examples of the alarm definition syntax elsewhere in this chapter.
- 2 Save the file.
- 3 Validate the alarm definitions using the OV Performance Agent utility program:

- a Type `utility`

- b At the prompt, type

```
heckdef
```

This checks the alarm syntax and displays errors or warnings if there any problems with the file.

- 4 In order for the new alarm definitions to take affect, type:

```
ovpa restart alarm
```

or

```
mwa restart alarm
```

This causes the alarm generator to stop, restart, and read the customized `alarmdef` file.

You can use a unique set of alarm definitions for each OV Performance Agent system, or you can choose to standardize monitoring of a group of systems by using the same set of alarm definitions across the group.

If the `alarmdef` file is very large, the OVPA alarm generator and utility programs may not work as expected. This problem may or may not occur based on the availability of system resources.

The best way to learn about performance alarms is to experiment with adding new alarm definitions or changing the default alarm definitions.

# Appendix

## Viewing MPE Log Files

MPE log file data collected by the `scopeXL` collector can be viewed with OV Performance Manager. Before viewing the data, you must first extract it and then load the log files as a local data source on your OV Performance Manager system.

To view your MPE log file data using OV Performance Manager, follow these steps:

- 1 Login to your HP 3000 system as **MANAGER.SYS, SCOPE.**
- 2 Run the Performance Collection Software (for MPE Systems) extract program, `EXTRACT.SCOPE.SYS`.
- 3 Extract the `scopeXL` log file data that you want to view. (For more information about extracting log file data, see the *HP Performance Collection Software User's Manual (for MPE Systems)* or online Help for the `extract` program.)
- 4 Using binary mode, `ftp` the extracted log file to a system where OV Performance Agent and OV Performance Manager are running.
- 5 Login to your OV Performance Manager system (if you have not already done so). Make sure that you have the system name and path to the file that you just downloaded from your MPE system. You cannot access the data through NFS.
- 6 Run OV Performance Manager.
- 7 Add the extracted MPE log file data as a local data source. (For more information, see “Add a Local Data Source” in OV Performance Manager's online Help.)
- 8 View the data.

## Viewing and Printing Documents

OV Performance Agent software includes the standard OV Performance Agent documentation set in viewable and printable file formats. The documents are listed in the following table along with their file names and online locations.

**Table 10 OV Performance Agent Documentation Set**

Document	Filename	UNIX Location
<i>HP OpenView Performance Agent for HP-UX Installation &amp; Configuration Guide</i>	ovpainst.pdf	<OVPAInstallDir> <sup>a</sup> / paperdocs/ovpa/C/
<i>HP OpenView Performance Agent for UNIX User's Manual</i>	ovpausers.pdf	<OVPAInstallDir>/ paperdocs/ovpa/C/
<i>HP OpenView Performance Agent for UNIX Data Source Integration Guide</i>	ovpadsi.pdf	<OVPAInstallDir>/ paperdocs/ovpa/C/
<i>HP OpenView Performance Agent &amp; GlancePlus for UNIX Tracking Your Transactions</i>	tyt.pdf	<OVPAInstallDir>/ paperdocs/arm/C/
<i>Application Response Measurement (ARM) API Guide</i>	arm2api.pdf	<OVPAInstallDir>/ paperdocs/arm/C/
<i>HP OpenView Performance Agent Dictionary of Operating System Metrics</i>	methpux.txt mettable.txt (HP-UX only)	<OVPAInstallDir>/ paperdocs/ovpa/C/

- a. OVPAInstallDir is the directory where OVPA is installed. The installation directory is /usr/lpp/perf/ on IBM AIX systems, /usr/opt/perf/ on Tru64 UNIX systems, and /opt/perf/ on HP-UX, Sun Solaris and Linux systems.

You can view the Adobe Acrobat format (\*.pdf) documents online and print as needed. The ASCII text (\*.txt) documents are printable. However, you can view a text file on your screen using any UNIX text editor such as vi.

## Viewing Documents on the Web

The listed documents can also be viewed on the HP OpenView Manuals web site at:

**[http://ovweb.external.hp.com/lpe/doc\\_serv](http://ovweb.external.hp.com/lpe/doc_serv)**

Select **Performance Agent** from the product list box, select the release version, select the OS, and select the manual title. Click **[Open]** to view the document online, or click **[Download]** to place the file on your computer.

## Adobe Acrobat Files

The Adobe Acrobat files were created with Acrobat 7.0 and are viewed with the Adobe Acrobat Reader versions 4.0 and higher. If the Acrobat Reader is not in your Web browser, you can download it from Adobe's web site:

**<http://www.adobe.com>**

While viewing a document in the Acrobat Reader, you can print a single page, a group of pages, or the entire document.

## ASCII Text Files

To print a `.txt` file, type:

```
lp -dprintername filename
```

For example,

```
lp -dros1234 Metrics.txt
```



---

# Glossary

## **alarm**

An indication of a period of time in which performance meets or exceeds user-specified alarm criteria. Alarm information can be sent to an OV Performance Manager analysis system and to HP OpenView Network Node Manager and OpenView Operations (OVO). Alarms can also be identified in historical log file data.

## **alarm generator**

The service that handles the communication of alarm notification. It consists of `perfalarm` and the `agdb` database. The `agsysdb` program uses a command line interface for displaying and changing the actions taken by alarm events.

## **alarmdef file**

An OV Performance Agent text file containing the alarm definitions in which alarm conditions are specified.

## **application**

A user-defined group of related processes or program files. Applications are defined so that performance software can collect performance metrics for and report on the combined activities of the processes and programs.

## **application log file**

See **logappl**.

## **coda daemon**

A daemon that provides collected data to the alarm generator and analysis product data sources including `scopeux` log files or DSI log files. `coda` reads the data from the data sources listed in the `datasources` configuration file.

## **data source**

A data source consists of one or more classes of data in a single `scopeux` or DSI log file set. For example, the default OV Performance Agent data source, is a `scopeux` log file set consisting of global data. See also **datasources file**, **coda** and **perflbd.rc**.

## **datasources file**

A configuration file residing in the `/var/opt/OV/conf/perf/` directory. Each entry in the file represents a `scopeux` or DSI data source consisting of a single log file set. See also **perflbd.rc**, **coda** and **data source**.

## **data source integration (DSI)**

The technology that enables OV Performance Agent to receive, log, and detect alarms on data from external sources such as applications, databases, networks, and other operating systems.

**data type**

A particular category of data collected by a data collection process. Single-instance data types, such as `global`, contain a single set of metrics that appear only once in any data source. Multiple-instance data types, such as `application`, `disk`, and `transaction`, may have many occurrences in a single data source, with the same set of metrics collected for each occurrence of the data type.

**device**

A device is an input and/or output device connected to a system. Common devices include disk drives, tape drives, printers, and user terminals.

**device log file**

See **logdev**.

**DSI**

data source integration.

**dsilog**

The OV Performance Agent process that logs self-describing data received from `stdin`.

**DSI log files**

Log files, created by the `dsilog` process, that contain self-describing data collected outside of OV Performance Agent. See also **dsilog**.

**empty space**

The difference between the maximum size of a log file and its current size.

**extract**

An OV Performance Agent program that helps you manage your data. In `extract` mode, raw or previously extracted log files can be read in, reorganized or filtered as desired, and the results are combined into a single, easy-to-manage extracted log file. In `export` mode, raw or previously extracted log files can be read in, reorganized or filtered as desired, and the results are written to class-specific exported data files for use in spreadsheets and analysis programs.

**extracted log file**

An OV Performance Agent log file containing a user-defined subset of data extracted (copied) from a raw or previously extracted log file. Extracted log files are also used for archiving performance data. See also **rxlog**.

**global**

A qualifier that implies the whole system. Thus, “global metrics” are metrics that describe the activities and states of each system. Similarly, application metrics describe application activity; process metrics describe process activity.

**global log file**

See **logglob**.



**interesting process**

A process becomes interesting when it is first created, when it ends, and when it exceeds user-defined thresholds for CPU use, disk use, response time, and other resources.

**logappl**

The raw log file that contains summary measurements of the processes in each user-defined application.

**logdev**

The raw log file that contains measurements of individual device (such as disk) performance.

**logglob**

The raw log file that contains measurements of the system-wide, or global, workload.

**logindx**

The raw log file that contains additional information required for accessing data in the other log files.

**logproc**

The raw log file that contains measurements of selected interesting processes.

*See also* **interesting process**.

**logls**

The raw log file that contains information about logical systems, when OV Performance Agent is running on a virtualized environment.

**logtran**

The raw log file that contains measurements of transaction data.

**mwa script**

The OV Performance Agent script that has options for starting, stopping and restarting OV Performance Agent processes such as the `scopeux` data collector, `coda`, `ovc`, `ovbbccb`, `perflbd`, `rep_server`, and the alarm generator. See also the `mwa` man page.

**ovbbccb**

The OpenView Operations Communication Broker for HTTP(S) based communication controlled by `ovcd`. See also **coda** and **ovc**.

**ovc**

The OpenView Operations controlling and monitoring process. In a standalone OVPA installation, `ovcd` monitors and controls `coda` and `ovbbccb`. If OVPA is installed on a system with OpenView Operations for UNIX 8.x agent installed, `ovcd` also monitors and controls OpenView Operations for UNIX 8.x processes. See also **coda** and **ovbbccb**.

**ovpa script**

The OV Performance Agent script that has options for starting, stopping and restarting OV Performance Agent processes such as the `scopeux` data collector, alarm generator, `ttd`, `midaemon`, and `coda`. *See also* the `ovpa` man page.

## **OV Performance Manager**

OV Performance Manager provides integrated performance management for multi-vendor distributed networks. It uses a single workstation to monitor environment performance on networks that range in size from tens to thousands of nodes.

### **parm file**

An OV Performance Agent file that contains the collection parameters used by `scopeux` to customize data collection.

### **perflbd**

The performance location broker daemon that reads the `perflbd.rc` file when OV Performance Agent is started and starts a repository server for each data source that has been configured.

### **perflbd.rc**

A configuration file residing in the `/var/opt/perf/` directory. Each entry in the file represents a `scopeux` or DSI data source consisting of a single log file set. This file is maintained as a symbolic link to the `datasources` file. *See also* **perflbd**, **data source**, and **repository server**.

### **performance alarms**

*See* **alarms**

### **process**

Execution of a program file. It can represent an interactive user (processes running at normal, nice, or real-time priorities) or an operating system process.

### **process log file**

*See* **logproc**.

### **process resource manager (PRM)**

Stand-alone resource management tool developed by Hewlett-Packard that is used to control the amount of resources that processes use during a peak system load. PRM can guarantee both a minimum and, depending on the resource, a maximum amount of resources available to a group of processes.

### **PRM**

*See* **process resource manager**.

### **raw log file**

A file containing summarized measurements of system data. The `scopeux` data collector collects and logs data into raw log files. *See also* **logglob**, **logappl**, **logproc**, **logdev**, **logtran**, and **logindx**.

### **real time**

The actual time in which an event takes place.

**repeat time**

An action that can be specified for performance alarms. Repeat time designates the amount of time that must pass before an activated and continuing alarm condition triggers another alarm signal.

**repository server**

A server that provides data to the alarm generator and the OV Performance Manager analysis product. There is one repository server for each data source configured in the `perflbd.rc` configuration file consisting of a `scopeux` or DSI log file set. A default repository server is provided at start up that contains a single data source consisting of a `scopeux` log file set.

**resize**

Changing the overall size of a raw log file using the utility program's `resize` command.

**roll back**

Deleting one or more days worth of data from a log file, oldest data deleted first. Roll backs are performed when a raw log file exceeds its maximum size parameter.

**RUN file**

The file created by the `scopeux` collector to indicate that the collection process is running. Removing the RUN file causes `scopeux` to terminate.

**rxlog**

The default output file created when data is extracted from raw log files.

**scopeux**

The OV Performance Agent collector program that collects performance data and writes (logs) this raw measurement data to raw log files for later analysis or archiving.

**scopeux log files**

The six log files that are created by the `scopeux` collector: `logglob`, `logappl`, `logproc`, `logdev`, `logtran`, and `logindx`.

**status.scope**

The file created by the `scopeux` collector to record status, data inconsistencies, or errors.

**transaction tracking**

The OV Performance Agent capability that allows information technology (IT) resource managers to measure end-to-end response time of business application transactions. To collect transaction data, OV Performance Agent must have a process running that is instrumented with the Application Response Measurement (ARM) API.

**utility**

An OV Performance Agent program that lets you open, scan, and generate reports on raw and extracted log files. You can also use it to resize raw log files, check `parm` file syntax, check the `alarmdef` file syntax, and obtain alarm information from historical log file data.



# Index

## A

- accessing help
  - extract program, 129
  - utility program, 68
- agdb, 161
- agdb database, 160
- agdbserver, 160
- agsysdb, 160
- alarm conditions in historical log file data, 61, 162
- alarmdef file, 61, 63, 159, 160, 179, 186
- alarm definitions, 159
  - application metrics, 167
  - components, 164
  - customizing, 186
  - examples, 184
  - file, 61, 159
  - metric names, 167
  - syntax checking, 63
- alarm generator, 159, 160
- alarm processing errors, 162
- alarms, 159
  - local actions, 161
  - processing, 160
  - sending messages to OVO, 161
- ALARM statement, alarm syntax, 168
- alarm syntax, 165
  - ALARM statement, 168
  - ALERT statement, 173
  - ALIAS statement, 181
  - comments, 166
  - common elements, 165
  - compound statements, 166
  - conditions, 166, 170, 176
  - constants, 167
  - conventions, 165
  - EXEC statement, 175
  - expressions, 167
  - IF statement, 176
  - INCLUDE statement, 178
  - LOOP statement, 177
  - messages, 168
  - metric names, 167
  - PRINT statement, 176
  - reference, 165
  - SYMPTOM statement, 182
  - USE statement, 179
  - variables, 181
  - VAR statement, 181
- alert notifications, 159
- ALERT statement, alarm syntax, 173
- ALIAS statement, alarm syntax, 181
- analyze command, utility program, 61
- analyzing
  - historical log file data, 61, 162
  - log files, 61, 162
- application command, extract program, 115
- application definition parameters, parm file, 31
- application LOOP statement, alarm syntax, 178
- application metrics, in alarm definitions, 167
- application name parameter, parm file, 31
- application name record, 109
- Application Response Measurement (ARM), 26
- archiving log file data, 40, 136, 154, 156
- archiving processes, managing, 41
- argv1 keyword, parm file, 32
- ASCII format, export file, 100
- ASCII record format, 104

## B

- binary format, export file, 100
- binary header record layout, 105
- binary record format, 104

## C

- checkdef command, utility program, 63
- class command, extract program, 116
- cmd parameter, parm file, 33
- collection parameters, 13, 23
- command abbreviations

- extract, 111
  - utility, 59
- command line arguments
  - extract program, 92
  - utility program, 47
- command line interface
  - extract program, 90, 92
  - utility program, 44, 47
- commands
  - extract program, 111
  - perfstat, 21
  - utility program, 59
- comments, using in alarm syntax, 166
- compound actions in ALARM statement, 171
- compound statements in alarm syntax, 166
- conditions
  - alarm syntax, 166, 176
  - in alarm syntax, 170
- configuration command, extract program, 117
- Configure Data Logging Intervals, 35
- configuring
  - data sources, 14
- constants, in alarm syntax, 167
- controlling disk space used by log files, 39
- conventions, alarm syntax, 165
- cpu command, extract program, 118
- cpu option, 27
- creating custom graphs or reports, 102
- customized export template files, 98

## D

- data collection, 13, 19
  - management, 19, 39
  - stopping, 37
- datafile format, export file, 100
- datafile record format, 104
- data source integration (DSI), 10, 13
- data sources, 160, 179
  - configuring, 14
  - deleting, 14
  - DSI, 14
  - SCOPE, 14
  - scopeux, 14
- datasources file, 160
- data type parameter, export template file, 101
- data types, 97

- default values, parm file, 22
- deleting data sources, 14
- detail command, utility program, 64
- disk command, extract program, 119
- disk device name record, 109
- disk option, 27
- disk space used by log files, controlling, 39
- documentation, viewing and printing, 188
- DSI data sources, 14
- DSI log files, 13, 124, 128

## E

- errors, alarm processing, 162
- EXEC statement, alarm syntax, 175
- executing local actions, 161
- exit command, extract program, 120
- exit command, utility program, 65
- export command, extract program, 97, 121
- export data types, 97
- export default output files, 121
- export file
  - title, 102
- export function
  - data files, 99
  - export template files, 97
  - export template file syntax, 99
  - overview, 97
  - process, 97
  - sample tasks, 98
  - using, 102
- exporting DSI log file data, 128
- exporting log file data, 121
- export template file
  - data type, 101
  - export file title, 102
  - format, 100
  - headings, 100
  - items, 101
  - layout, 101
  - missing, 101
  - output, 101
  - parameters, 100
  - report, 100
  - separator, 101
  - summary, 101
  - syntax, 99
- expressions, in alarm syntax, 167

extract command, extract program, 124

extract commands

- application, 115
- class, 116
- configuration, 117
- cpu, 118
- disk, 119
- exit, 120
- export, 97, 121
- extract, 124
- filesystem, 126
- global, 127
- guide, 128
- help, 129
- list, 131
- lvolume, 134
- menu, 135
- monthly, 136
- output, 139
- process, 141
- quit, 142
- report, 143
- sh, 144
- shift, 145
- show, 146
- start, 148
- stop, 150
- weekdays, 153
- weekly, 154
- yearly, 156

extracting log file data, 124

extract program, 14, 89

- command line arguments, 92
- command line interface, 92
- commands, 111
- interactive versus batch, 90
- running, 90

## F

file parameter, parm file, 32

files

- alarmdef, 61, 63, 159, 160, 186
- alarm definitions, 61, 159
- datasources, 160
- export template, 97
- logappl, 20, 25
- logdev, 20, 26
- logglob, 20, 25
- logindx, 20
- logproc, 25
- logtran, 20, 26
- parm, 13, 23
- perflbd.rc, 14

- reptall, 98
- reptfile, 97, 143
- repthist, 98
- status.scope, 21

filesystem command, extract program, 126

Flush, 31

format parameter

- export template file, 100

## G

gapapp, 29

GlancePlus, 16

global command, extract program, 127

group parameter, parm file, 33

guide command, extract program, 128

guide command, utility program, 66

guided mode

- extract, 128
- utility, 66

## H

headings parameter, export template file, 100

help command, extract command, 129

help command, utility program, 68

HP Open View, 159

HP Open View Network Node Manager, 160

## I

ID parameter

- parm file, 25

IF statement, alarm syntax, 176

INCLUDE statement, alarm syntax, 178

interactive mode

- extract program, 91
- utility program, 45

interesting processes, 25, 39

items parameter, export template file, 101

## J

javaarg parameter, parm file, 30

## L

layout parameter, export template file, 101

list command, extract program, 131

list command, utility program, 69

- local actions
  - alarms, 175
  - executing, 161
- logappl file, 20, 25
  - PRM groups, 25
- logdev file, 20, 26
- logfile command, utility program, 70
- log file data
  - analyzing for alarm conditions, 162
  - archiving, 136, 154, 156
  - exporting, 121
  - extracting, 124
- log files
  - archiving data, 40
  - controlling disk space, 39
  - DSI, 13, 124
  - MPE, 187
  - resizing, 75
  - rolling back, 39, 40
  - scanning, 80
  - setting maximum size, 30, 39
- logglob file, 20, 25, 156
- logical volume name record, 110
- logindx file, 20
- log parameter, parm file, 25
- logproc file, 25
- logtran file, 20, 26
- LOOP statement, alarm syntax, 177
- lvolume command, extract program, 134

**M**

- maintenance time, parm file, 30
- mainttime parameter, parm file, 30, 39
- managing data collection, 19
- memory option, 27
- menu command
  - extract program, 135
  - utility program, 72
- messages in alarm syntax, 168
- metric names in alarm syntax, 167, 182
- missing parameter, export template file, 101
- modifying
  - collection parameters, 22
  - parm file, 22
- monthly command, extract program, 136
- MPE log files, viewing, 187
- mwa script, 37

**N**

- netif name record, 110
- nokilled option, 28

**O**

- OpenView Operations (OVO), 159, 161
  - or parameter, parm file, 34
- output command, extract program, 139
- output parameter, export template file, 101
- OV Operations, 16
- OV Performance Agent
  - components, 13
  - data collection, 13
  - description, 10
  - extract program, 14, 89
  - Operating Systems Supported, 10
  - utility program, 14, 43
- OV Performance Manager, 10, 16
- OV Reporter, 16

**P**

- parameter
  - subprocinterval, 29
- parameters, 23
- parm file, 13, 23
  - application definition parameters, 31
  - configure data logging intervals, 35
  - default values, 22
  - flush, 31
  - gapapp, 29
  - modifying, 22
  - parameters, 23, 25
  - subprocinterval parameter, 29
  - syntax check, 73
- parm file application keywords
  - argv1, 32
- parm file application parameters
  - cmd, 33
- parmfile command, utility program, 73
- parm file parameters
  - application name, 31
  - file, 32
  - group, 33
  - ID, 25
  - javaarg, 30
  - log, 25
  - mainttime, 30, 39
  - or, 34
  - priority, 34



- scopeprocinterval, 29
- scopetransactions, 29
- size, 30
- user, 33

perfalarm, 160, 179, 180

perflbd, 160

perflbd.rc file, 14

performance alarms, 159

perfstat command, 21

printing documentation, 188

PRINT statement, alarm syntax, 176

priority parameter, parm file, 34

PRM application logging mode, 31

PRM groups

- APP\_NAME\_PRM\_GROUPNAME, 25

process command, extract program, 141

processing alarms, 160

## Q

quit command

- extract program, 142
- utility program, 74

## R

raw log files

- managing space, 75
- names, 70

record formats

- ASCII, 104
- binary, 104
- datafile, 104

report command, extract program, 143

report parameter, export template file, 100

repository servers, 160

reptall file, 98

reptfile file, 97, 143

repthist file, 98

resize command

- default resizing parameters, 76
- reports, 77
- utility program, 45, 75

resizing

- log files, 75
- tasks, 40

rolling back log files, 40

running

- extract program, 90
- utility program, 44

## S

scan command, utility program, 80

scanning a log file, 80

SCOPE default data source, 14, 167, 179, 180

scopeprocinterval parameter, parm file, 29

scopetransactions parameter, parm file, 29

scopeux, 13, 20

- data sources, 14
- stopping, 37

sending alarm messages, 161, 173

sending SNMP traps, 159, 160

separator parameter, export template file, 101

setting maximum size of log files, 39

sh command

- extract program, 144
- utility program, 82

shift command, extract program, 145

shortlived option, 28

show command

- extract program, 146
- utility program, 83

size parameter, parm file, 30

SNMP

- nodes, 160
- service, 160
- traps, 159, 160

start command

- extract program, 148
- parameters, 84
- utility program, 84

status.scope file, 21

stop command

- extract program, 150
- parameters, 86
- utility program, 86

stopping

- data collection, 37
- scopeux, 37

summary parameter, export template file, 101

SYMPTOM statement, alarm syntax, 182

## T

terminating

- extract program, 120, 142

- utility command, 74
- utility program, 65
- threshold parameter, parm file
  - cpu option, 27
  - disk option, 27
  - memory option, 27
  - nokilled option, 28
  - nonew option, 27
  - shortlived option, 28
- transaction name record, 109
- transaction tracking, 14

## U

- user parameter, parm file, 33
- USE statement, alarm syntax, 179

### utility commands

- analyze, 61
- checkdef, 63
- detail, 64
- exit, 65
- guide, 66
- help, 68
- list, 69
- logfile, 70
- menu, 72
- parmfile, 73
- quit, 74
- resize, 45, 75
- scan, 80
- sh, 82
- show, 83
- start, 84
- stop, 86

- utility program, 14, 43, 59, 162
  - batch mode, 44
  - batch mode example, 45
  - command line arguments, 47
  - command line interface, 44, 47
  - entering shell commands, 82
  - interactive mode, 45
  - interactive program example, 45
  - interactive versus batch, 44
  - running, 44

### utility scan report

- application overall summary, 55
- application-specific summary report, 53
- collector coverage summary, 55
- initial parm file application definitions, 51
- initial parm file global information, 51
- log file contents summary, 56
- log file empty space summary, 56

- parm file application addition/deletion
  - notifications, 52
- parm file global change notifications, 52
- process log reason summary, 54
- scan start and stop, 55
- scopeux off-time notifications, 53

## V

- Variable Data Logging, 35
- variables, alarm syntax, 181
- VAR statement, alarm syntax, 181
- viewing
  - documentation, 188
- viewing MPE log files, 187

## W

- weekdays command, extract program, 153
- weekly command, extract program, 154
- WK1 format, export file, 100

## Y

- yearly command, extract program, 156