

HP OpenView Configuration Management

Messaging Server

for the HP-UX, Linux, Solaris, and Windows operating system

Software Version: 5.00

Migration Guide

Document Release Date: May 2007

Software Release Date: April 2007



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 2007 Hewlett-Packard Development Company, L.P.

Trademark Notices

Linux is a registered trademark of Linus Torvalds.

Microsoft®, Windows®, and Windows® XP are U.S. registered trademarks of Microsoft Corporation.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Acknowledgements

PREBOOT EXECUTION ENVIRONMENT (PXE) SERVER
Copyright © 1996-1999 Intel Corporation.

TFTP SERVER
Copyright © 1983, 1993
The Regents of the University of California.

OpenLDAP
Copyright 1999-2001 The OpenLDAP Foundation, Redwood City, California, USA.
Portions Copyright © 1992-1996 Regents of the University of Michigan.

OpenSSL License
Copyright © 1998-2001 The OpenSSLProject.

Original SSLeay License
Copyright © 1995-1998 Eric Young (eay@cryptsoft.com)

DHTML Calendar
Copyright Mihai Bazon, 2002, 2003

Documentation Updates

This guides title page contains the following identifying information:

- Version number, which indicates the software version
- Document release date, which changes each time the document is updated

To check for recent updates or to verify that you are using the most recent edition, visit the following URL:

http://ovweb.external.hp.com/lpe/doc_serv/

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

You can visit the HP Software support web site at:

www.hp.com/managementsoftware/support

This Web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online software support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract.

To find more information about access levels, go to:

www.hp.com/managementsoftware/access_level

To register for an HP Passport ID, go to:

www.managementsoftware.hp.com/passport-registration.html

Contents

1	Introduction	7
	About this Guide.....	7
	Who this Guide is for	7
2	Upgrading to CM Messaging Server 5.00.....	9
	Upgrading your RCS ZTASKEND REXX Method	10
	Upgrading from previous versions (Windows and UNIX)	10
	Migrating Custom SQL Code from an Inventory Manager Server.....	12
	About the Scripts and SQL Queries used with the Data Delivery Agents	12
	Set the DBTYPE for a Patch ODBC Database on Oracle.....	13
	Verifying the Patch Method Connections and Queue Name.....	14
	Using Store and Forward Configurations (to Place Objects Close to a SQL-compliant Database).....	15
	Using the HP-Supplied Datadirect Connect ODBC drivers.....	15
	Conversion of Database to Unicode Datatypes (Optional)	15
	Why convert the database for Unicode support?	15
	About the SQL Server Migration Scripts.....	16
	SQL Server Migration for Unicode:.....	16
	Oracle Migration.....	17
A	Inventory Manager Database - Tables and Scripts	19

1 Introduction

About this Guide

Who this Guide is for

This migration guide is for system administrators who want to upgrade their HP OpenView Configuration Management Messaging Server (CM Messaging Server) environment to Version 5.00.

This guide contains information for the Windows and UNIX platforms.

You should be familiar with CM infrastructure products such as the CM Configuration Server and Database, methods such as ZTASKEND, the Inventory Manager application and the CM Reporting Server. If using CM Patch Manager, you should be familiar with that product.

For details, see the appropriate guides for each product.

2 Upgrading to CM Messaging Server 5.00

Use the following procedures to upgrade from an existing Messaging Server 2.x or 3.x environment to a CM Messaging Server 5.00 environment.

The CM Messaging Server 5.00 release is a drop-in replacement for previously released versions of the Messaging Server that have Data Delivery Agent (.dda) support. The upgrade allows you to use existing configuration files and any customized scripts that you have for mapping client object data into backend databases.

The installation program for this CM Messaging Server 5.00 release has been updated in the following ways:

- The default installation path has changed to:

```
C:/Program Files/Hewlett-Packard/CM/MessagingServer for Windows
/opt/HP/CM/MessagingServer for UNIX
```

The default path can be changed during the installation process to point at an existing Messaging Server path, if desired.

- This version adds several scripts needed to generate standard tables for wbem/cim.
- Use of the newest generation of nvdkit allows support for new database character sets that support multiple-languages, such as the nvarchar datatype for SQL Server and nvarchar2 datatype for Oracle. To take advantage of these new datatypes, conversion of the backend database must be performed. Scripts included with this release can be used for this database conversion.
- Datadirect Connect ODBC drivers for the supported Unix and Linux platforms will be installed by default using the CM Messaging Server 5.00. These ODBC drivers will allow data posting to a database directly from these platforms.

The Messaging Server install program will:

- Create a new `rms.cfg` file (as long as you rename your existing one).
- Create `*.dda.cfg` configuration files for each Data Delivery Agent that is selected during the install. There are four available Data Delivery Agents: CORE, INVENTORY, WBEM and PATCH. The Data Delivery Agents can be used to post data to a SQL Database or Oracle Database.
- Add the same scripts and `*.sql` code to the Messaging Server that is provided with the (now retired) Inventory Manager Server for creating the SQL tables and to modify the data in the Inventory database.
- The procedures include a post-install task of relocating custom SQL code from an existing Inventory Manager Server to your CM Messaging Server.



The procedures include a post-install task of relocating any custom SQL code from your previous Inventory Manager Server to your CM Messaging Server.

The Messaging Server install program will not:

- Install a CM Messaging Server fully configured for store and forward capabilities. Following the installation, you need to edit the appropriate configuration files and switch

the routing options to forward messages to another CM Messaging Server. For details, refer to the Store and Forward Configuration topics in the *CM Messaging Server Guide*.

Upgrading your RCS ZTASKEND REXX Method

Prior to upgrading the CM Messaging Server, it is a best practice to adopt the latest version of the ZTASKEND REXX delivered on the CM 5.00 media with the CM Configuration Server.

It is also a best practice to upgrade the ZTASKEND REXX method before upgrading the Messaging Server.

Upgrading from previous versions (Windows and UNIX)

To upgrade to CM Messaging Server 5.00 from an existing Messaging Server 2x or 3.x Installation

HP recommends performing this upgrade after you have upgraded the ZTASKEND method on the RCS to version 1.12. See the earlier procedures Upgrading your RCS ZTASKEND REXX Method.

CM Messaging Server 5.00 requires the Data Delivery Agents delivered with Version 5.00, and vice versa, as well as the latest version of nvdkit. All of these modules are installed by default. Be sure to re-install each Data Delivery Agent that was previously installed so that the Data Delivery Agent modules are updated as well as the Messaging Service module.

- 1 Stop the Messaging Server (RMS) service (RMS.TKD).



Stopping the RMS service automatically stops message processing for each Data Delivery Agent queue.

- 2 Create a backup of the directory where your existing Messaging Server is installed.
- 3 Delete the following subdirectories from the `etc` directory of where the Messaging Server is installed:

```
/etc/core/sql  
/etc/core/lib  
/etc/inventory/sql  
/etc/inventory/lib  
/etc/wbem/sql
```

- 4 The installation program will upgrade the Messaging Server and Data Delivery Agent modules, but does not replace the associated configuration files with the new ones. Optionally, delete an existing configuration file prior to running the install to obtain the newest default configuration for it:

```
rms.cfg  
core.dda.cfg  
inventory.dda.cfg  
wbem.dda.cfg
```

- 5 Launch the installation program for the CM Messaging Server, available from the following platform-specific location on the CM 5.00 media:

```
Infrastructure\extended_infrastructure\messaging_server\<<platform>
```

— For Windows, click on **setup.exe** to launch the installation program.

- For a UNIX platform, enter the following command:

```
setup
```

and press **Enter**.

Follow the prompts to complete the installation, making sure to select the installation of all existing data delivery agents.

- 6 Following installation, reapply any customizations to the *.SQL and *.TCL files located in the \etc\core, \etc\inventory and \etc\wbem directories.




The Data Delivery Agents for CM Messaging Server 5.00 unpack the default versions of the .sql files into subdirectories named \etc\

- 7 If your Messaging Server 3.x environment used an Inventory Manager Server, you need to now port any existing customizations you have on the Inventory Manager Server to the appropriate Messaging Server locations. See Migrating Custom SQL Code from an Inventory Manager Server on page 12.

This completes the steps to apply CM Messaging Server 5.00 to an existing 3.x installation.

HP-Recommended Best Practices for Messaging Server 5.x

The Data Delivery Agent modules for CORE, INVENTORY, and WBEM objects allow for posting of these objects directly into a back-end SQL compliant database using ODBC. HP recommends that the CM Messaging Server used to post these objects via ODBC be placed as close to the SQL compliant database as possible to minimize the network response time. Often this means using the CM Messaging Server co-located with the CM Configuration Server as a forwarding messaging server, and installing a downstream CM Messaging Server close to the SQL compliant database that is configured to do the actual ODBC posting. This is illustrated in the following figure.



Migrating Custom SQL Code from an Inventory Manager Server

If you elected to install any of the Data Delivery Agents for posting CORE, INVENTORY, and WBEM objects to the Inventory Manager using ODBC, the customized versions of any files listed in Table 1 on page 13 can be copied from their locations on your Inventory Manager Server to the equivalent locations on the Messaging Server. Details are given in the following section.

The Data Delivery Agents can be used to post data directly to a SQL Database or Oracle Database.



You only need to port the custom code to a CM Messaging Server that is being used to post data using ODBC to an Inventory database. It is not necessary to port any customizations to a CM Messaging Server that is forwarding data to another CM Messaging Server.

About the Scripts and SQL Queries used with the Data Delivery Agents

The Data Delivery Agents for CORE, WBEM and INVENTORY data post their message data into the same SQL tables created by the previous Inventory Manager Server. These Data Delivery Agents use the exact same table definitions used by the legacy Inventory Manager Server to create tables, update and delete data. If the SQL tables have not been already created by an instance of the Inventory Server, when the Data Delivery Agent that uses the SQL table is started, the table will be created.

The definitions for these tables and associated SQL queries (as delivered from HP) are contained in the `/etc/<module name>/sql/hp` directories. However, custom versions of these `.sql` files are to be placed in the `/etc/<module name>/sql` directories; this means the customized versions will be executed instead of the HP-delivered versions placed in the lower level `hp` subdirectories.

The script necessary to map the CORE object data to the related SQL table column is `taskend.tcl`. This script is identical to the version of `taskend.tcl` previously used on the Inventory Manager Server. The script necessary to map the INVENTORY object data (FILEPOST object) is called `filepost.tcl`. Both these scripts are found in the `/etc/<module name>/lib` directory of the CM Messaging Server. Using the identical scripts found on the Inventory Manager Server allows previous users of this Infrastructure service to migrate any customized scripts directly into the directory for the associated Data Delivery Agent module.

To migrate custom code from an Inventory Manager Server to a Messaging Server

- 1 If necessary, stop the service for the Messaging Server.
- 2 Create a backup of the Messaging Server `\etc` directory before porting any customized code.
- 3 Stop the [httpd] service for the Inventory Manager server.
- 4 Use Table 1 on page 13 to locate the appropriate Messaging Server directory and file for each object type. Copy any customized versions of the code on your Inventory Manager Server to the appropriate location on the Messaging Server.

Table 1 Directory Locations for Migrating Custom Code from RIM to RMS

Data Directory Agent: and Files	Inventory Server Directory Location	Messaging Server Directory Location
core.dda support:		
taskend.tcl	<RIS>\etc\rim\lib	<RMS>\etc\core\lib
*.sql files	<RIS>\etc\sql	<RMS>\etc\core\sql
inventory.dda support		
filepost.tcl	<RIS>\etc\rim\lib	<RMS>\etc\inventory\lib
*.sql files	<RIS>\etc\sql	<RMS>\etc\inventory\sql
wbem.dda support		
*.sql files	<RIS>\etc\sql\wbem	<RMS>\etc\wbem\sql

For example, if you have a customized version of `taskend.tcl` on your Inventory Manager Server, copy it to the `<RMS>\etc\core\lib` location on the Messaging Server.

- 5 Restart the Messaging Server service or process.
- 6 If you have used Data Delivery Agents with the ODBC routing options to post the CORE, INVENTORY, and WBEM inventory objects directly to an Inventory database, you do not need to restart the Inventory Manager Server.

Set the DBTYPE for a Patch ODBC Database on Oracle

If you installed the `patch.dda` and the Patch ODBC Database is running on Oracle, you must change the `DBTYPE` parameter in the `patchddaodbc` section of the `patch.dda.cfg` file from `"MSSQL"` to `"ORACLE"`.

To change the `DBTYPE` for `ORACLE`:

- 1 Use a text editor to edit the `patch.dda.cfg` file located in the `\etc` folder of where the Messaging Server was installed.
- 2 Locate the `patchddaodbc` section, and set the `DBTYPE` to `"ORACLE"`. Enclose the value in quotes. An example is shown below:

```
msg::register patchddaodbc {
    TYPE          PATCHODBC
    DSN           "PATCHMGR"
    USER          "CMPATCH"
    PASS          "<encrypted password>{AES256}"
    DBTYPE       "ORACLE"
```

- 3 Save your changes, and restart the Messaging Server service.

Verifying the Patch Method Connections and Queue Name


- CM Patch Manager requires four method connections in the CM Configuration Server Database. For details, refer to the *CM Patch Manager Guide*.
- If you installed the `patch.dda` and changed the name of the Patch Message Directory to Scan value during the CM Messaging Server installation (the expected value is `patch`), you must change the `-queue patch` value in the ZMTHPRMS attribute of the following four PRIMARY.SYSTEM.ZMETHOD instances to match the Patch Directory to Scan value:

PATCH_DEERROR
PATCH_BUSTATUS
PATCH_DESTATUS
PATCH_RESTATUS

To modify the queue name in the four PATCH_* methods

- 1 Use the CM Admin CSDB Editor to edit the ZMTHPRMS attribute of the PRIMARY.SYSTEM.ZMETHOD.PATCH_DEERROR instance, as shown in Figure 1 below.
- 2 Adjust the `-queue patch` value to reflect the directory named as the "Patch Message Directory to Scan".

Figure 1 Specify the Patch queue name in ZMTHPRMS.



For example: if you entered "`.. \ConfigurationServer\data\mypatch`" as the Patch Directory to Scan for the `patch.dda`, change the value of ZMTHPRMS in the PATCH_DEERROR instance from:

```
-to PATCH5 -queue patch DEERROR
```

to

```
-to PATCH5 -queue mypatch DEERROR
```

- 3 Save your changes.
- 4 Make the same change to the ZMTHPRMS `-queue` value in these PRIMARY.SYSTEM methods:

PATCH_BUSTATUS

PATCH_DESTATUS

PATCH_RESTATUS

- 5 Save your changes.

Using Store and Forward Configurations (to Place Objects Close to a SQL-compliant Database)

As previously mentioned, the installation program does not install a CM Messaging Server fully configured for store and forward capabilities. Following the installation, you need to edit the appropriate configuration files and switch the routing options to forward messages to another CM Messaging Server.

For details, refer to the Store and Forward Configuration topics in the *CM Messaging Server Guide*.

Using the HP-Supplied Datadirect Connect ODBC drivers

Messaging Servers installed on UNIX platforms require the configuration of the HP-provided Datadirect Connect drivers in order to post data to a backend database. For information on how to configure these drivers, refer to the topic in the *Messaging Server Installation and Configuration Guide*, located in the \pubs folder of the CM v 5.00 media.

Conversion of Database to Unicode Datatypes (Optional)

Modifications must be made to your CM Inventory Database if they were created with varchar datatypes to take advantage of multilingual support available using nvarchar datatype. This conversion is not required and the CM Messaging Server 5.00 will work with the existing database tables without conversion.

Why convert the database for Unicode support?

Storing data in multiple languages within one database is difficult to manage when you use only character data and code pages. It is also difficult to find one code page for the database that can store all the required language-specific characters. Additionally, it is difficult to guarantee the correct translation of special characters when being read or updated by different clients running various code pages. Databases that support international clients should always use Unicode data types instead of non-Unicode data types.

For example, consider a database of customers in North America that must handle three major languages:

- Spanish names and addresses for Mexico
- French names and addresses for Quebec
- English names and addresses for the rest of Canada and the United States

When you use only character columns and code pages, you must take care to make sure the database is installed with a code page that will handle the characters of all three languages. You must also take care to guarantee the correct translation of characters from one of the languages when read by clients running a code page for another language.

With the growth of the Internet, it is even more important to support many client computers that are running different locales. Selecting a code page for character data types that will support all the characters required by a worldwide audience would be difficult.

The easiest way to manage character data in international databases is to always use the Unicode nchar, nvarchar, and nvarchar(max) data types, instead of their non-Unicode equivalents, char, varchar, and text.

Unicode is a standard for mapping code points to characters. Because it is designed to cover all the characters of all the languages of the world, there is no need for different code pages to handle different sets of characters. SQL Server 2005 supports the Unicode Standard, Version 3.2.

If all the applications that work with international databases also use Unicode variables instead of non-Unicode variables, character translations do not have to be performed anywhere in the system. Clients will see the same characters in the data as all other clients.

SQL Server 2005 stores all textual system catalog data in columns having Unicode data types. The names of database objects, such as tables, views, and stored procedures, are stored in Unicode columns. This enables applications to be developed by using only Unicode, and helps avoid all issues with code page conversions.

About the SQL Server Migration Scripts

There are scripts included in a migrate directory with the Messaging Server install for converting SQL Server and Oracle databases to convert the varchar datatype to nvarchar. All default conversion scripts will address the standard tables created by the Messaging Server and previously by RIM Server. Additional custom tables must be converted separately. See the Appendix on page 19 for the listing of the standard tables created by the included scripts.

All scripts must be reviewed by a Data Base Administrator familiar with the specific custom environment. The scripts are given as guidelines and in some cases must be edited prior to execution.

Always backup your existing database prior to performing this type of conversion.

SQL Server Migration for Unicode:

There are four scripts for the conversion of a SQL Server database. The scripts can be run using the Microsoft SQL Server Enterprise Manager Query Analyzer tool.

- Step1_Drop_Indexes_MSSQL.sql

The first script will drop the indexes from the standard table in the database

- Step2_Alter_Database_MSSQL.sql

Follow these instructions before executing a script:

- a Replace RIMDB by your Inventory manager database Name.
- b Replace [NEW Collation Name] by your new desired Name for example French_CI_AS etc.
- c To run the script, the program needs to set the database into single user mode.

You should therefore ensure that there are no open connections on the database before running the script (use the stored -- procedure SP_WHO to identify any open connections).

You may want to use Kill command to Force logout the connections to the database.

- d If you are running these commands from SQL Query Analyzer, its preferable Choose a different database eg Master and Run -- the below commands.
- Step3_Alter_Inventory_Tables_MSSQL.sql
This script alters the Table columns to support Unicode strings with the Collate of your choice.
Replace Latin1_General_CI_AS with the Desired Collate of your choice
- Step4_Add_Indexes_MSSQL.sql
This script adds the indexes back to the standard tables.

Oracle Migration

- Step1_Drop_Indexes_Oracle.sql
- Step2_Alter_Tables_Oracle.sql
- Step3_Create_Indexes_Oracle.sql

A Inventory Manager Database - Tables and Scripts

Presently there are 142 Inventory Manager Database tables created by default from the .sql scripts in the etc\core, etc\wbem and etc\inventory directories of the Messaging Server

Scripts added in this Messaging Server V 5.0 release include:

- hpprov_biosenumeration.sql
- hpprov_biospassword.sql
- hpprov_biosstring.sql
- hpprov_biosorderedlist.sql
- win32_portablebattery
- win32_baseboard.sql
- win32_quickfixengineering.sql

Tables created with the .sql files included in the CM Messaging Server 5.00 release

SQL Filename	Table in Inventory Manager Database
apps.jobparm.sql	JOBPARM
apps.jobstat.sql	JOBSTAT
apps.jobstat.sql	HJOBSTAT
apps.jobtask.sql	JOBTASK
apps.msiseservices.sql	AppMSIEvent
apps.msiseservices.sql	HAppMSIEvent
apps.rnpservices.sql	AppRNPEvent
apps.rnpservices.sql	HAppRNPEvent
apps.services.sql	AppEvent
apps.services.sql	HAppEvent
device.config.sql	DeviceConfig
device.config.sql	HDeviceConfig
device.errors.sql	DeviceErrors
device.errors.sql	HDeviceErrors

device.map.sql	DeviceMap
device.services.sql	DeviceServices
device.state.sql	DeviceState
device.state.sql	HDeviceState
device.status.sql	DeviceStatus
device.status.sql	HDeviceStatus
device.synopsis.sql	DeviceSynopsis
device.zrstate.sql	DeviceZRState
device.zrstates.sql	DeviceZRStates
fileaudit.sql	FileAudit
notify.sql	DeviceNotify
query.sql	Query
smbios.info.sql	SMBiosInfo
usergroup.sql	DeviceUserGroup
fileaudit.sql	FileAudit

cim_cdromdrive.sql	rCIM_CDROMDrive
cim_computersystem.sql	rCIM_ComputerSystem
cim_directory.sql	rCIM_Directory
cim_diskdrive.sql	rCIM_DiskDrive
cim_dvddrive.sql	rCIM_DVDDrive
cim_ethernetadapter.sql	rCIM_EthernetAdapter
cim_export.sql	rCIM_Export
cim_hpux_swbundles.sql	rCIM_HPUX_SwBundles
cim_idecontroller.sql	rCIM_IDEController
cim_logicaldisk.sql	rCIM_LogicalDisk
cim_logicaldiskbasedonvolume.sql	rCIM_LogicalDiskBasedOnVolume

cim_mediapresent.sql	rCIM_MediaPresent
cim_nfs.sql	rCIM_NFS
cim_operatingsystem.sql	rCIM_OperatingSystem
cim_parallelcontroller.sql	rCIM_ParallelController
cim_process.sql	rCIM_Process
cim_processor.sql	rCIM_Processor
cim_product.sql	rCIM_Product
cim_productsoftwarefeatures.sql	rCIM_ProductSoftwareFeatures
cim_residesonextent.sql	rCIM_ResidesOnExtent
cim_scsicontroller.sql	rCIM_SCSIController
cim_scsiinterface.sql	rCIM_SCSIInterface
cim_service.sql	rCIM_Service
cim_softwareelement.sql	rCIM_SoftwareElement
cim_softwarefeature.sql	rCIM_SoftwareFeature
cim_softwarefeaturesoftwareelements.sql	rCIM_SoftwareFeatureElements
cim_storagevolume.sql	rCIM_StorageVolume
cim_unixcomputersystem.sql	rCIM_UnixComputerSystem
cim_unixlocalfilesystem.sql	rCIM_UnixLocalFileSystem
cim_unixoperatingsystem.sql	rCIM_UnixOperatingSystem

hp_biosenumeration.sql	rhpbiosenumeration
hp_biosevent.sql	rhpbiosevent
hp_biosinteger.sql	rhpbiosinteger
hp_biosorderedlist.sql	rhpbiosorderedlist
hp_biospassword.sql	rhpbiospassword
hp_biossensor.sql	rhpbiossensor
hp_biosstring.sql	rhpbiosstring

nvd_downloadstatistics.sql	rNVD_DownloadStatistics
nvd_groupaccount.sql	rNVD_GroupAccount
nvd_groupmember.sql	rNVD_GroupMember
nvd_installed_apps.sql	rNVD_INSTALLED_APPS
nvd_installed_uninstall.sql	rNVD_INSTALLED_UNINSTALL
nvd_multicaststatistics.sql	rNVD_MulticastStatistics
nvd_nisgroupaccount.sql	rNVD_NISGroupAccount
nvd_nisuseraccount.sql	rNVD_NISUserAccount
nvd_pdasystem.sql	rNVD_PDASystem
nvd_product.sql	rNVD_Product
nvd_solarispatch.sql	rNVD_SolarisPatch
nvd_useraccount.sql	rNVD_UserAccount
nvd_wbemstatus.sql	rNVD_WBEMStatus

registry.sql	rRegistry
wifi_networkadapter.sql	rWiFi_NetworkAdapter

win32_baseboard.sql	rwin32_baseboard
win32_bios.sql	rWin32_BIOS
win32_bootconfiguration.sql	rWin32_BootConf
win32_bus.sql	rWin32_Bus
win32_cachememory.sql	rWin32_CacheMemory
win32_cdromdrive.sql	rWin32_CDROMDrive
win32_computersystem.sql	rWin32_ComputerSystem
win32_computersystemproduct.sql	rWin32_ComputerSystemProduct
win32_desktop.sql	rWin32_Desktop

win32_desktopmonitor.sql	rWin32_DesktopMonitor
win32_devicememoryaddress.sql	rWin32_DeviceMemoryAddress
win32_diskdrive.sql	rWin32_DiskDrive
win32_diskpartition.sql	rWin32_DiskPartition
win32_displayconfiguration.sql	rWin32_DisplayConf
win32_displaycontrollerconfiguration.sql	rWin32_DisplayControllerConf
win32_dmachannel.sql	rWin32_DMACHannel
win32_environment.sql	rWin32_Environment
win32_floppycontroller.sql	rWin32_FloppyController
win32_floppydrive.sql	rWin32_FloppyDrive
win32_group.sql	rWin32_Group
win32_idecontroller.sql	rWin32_IDEController
win32_irqresource.sql	rWin32_IRQResource
win32_keyboard.sql	rWin32_Keyboard
win32_loadordergroup.sql	rWin32_LoadOrderGroup
win32_logicaldisk.sql	rWin32_LogicalDisk
win32_logicalmemoryconfiguration.sql	rWin32_LogicalMemoryConf
win32_logicalprogramgroup.sql	rWin32_LogicalProgramGroup
win32_memoryarray.sql	rWin32_MemoryArray
win32_memorydevice.sql	rWin32_MemoryDevice
win32_motherboarddevice.sql	rWin32_MotherboardDevice
win32_networkadapter.sql	rWin32_NetworkAdapter
win32_networkadapterconfiguration.sql	rWin32_NetworkAdapterConf
win32_networkconnection.sql	rWin32_NetworkConnection
win32_networkloginprofile.sql	rWin32_NetworkLoginProfile
win32_operatingsystem.sql	rWin32_OperatingSystem
win32_pagefile.sql	rWin32_PageFile

win32_pagefilesetting.sql	rWin32_PageFileSetting
win32_pagefileusage.sql	rWin32_PageFileUsage
win32_parallelport.sql	rWin32_ParallelPort
win32_pnpentity.sql	rWin32_PnPEntity
win32_pointingdevice.sql	rWin32_PointingDevice
win32_portablebattery.sql	rwin32_portablebattery
win32_portresource.sql	rWin32_PortResource
win32_printer.sql	rWin32_Printer
win32_process.sql	rWin32_Process
win32_processor.sql	rWin32_Processor
win32_product.sql	rWin32_Product
win32_quickfixengineering.sql	rwin32_quickfixengineering
win32_serialport.sql	rWin32_SerialPort
win32_service.sql	rWin32_Service
win32_share.sql	rWin32_Share
win32_softwareelement.sql	rWin32_SoftwareElement
win32_softwarefeature.sql	rWin32_SoftwareFeature
win32_sounddevice.sql	rWin32_SoundDevice
win32_startupcommand.sql	rWin32_StartupCommand
win32_systemdriver.sql	rWin32_SystemDriver
win32_systemenclosure.sql	rWin32_SystemEnclosure
win32_timezone.sql	rWin32_TimeZone
win32_usbcontroller.sql	rWin32_USBController
win32_useraccount.sql	rWin32_UserAccount
win32_videocontroller.sql	rWin32_VideoController