HP Project and Portfolio Management Center

Software Version: 7.1

Reports Guide and Reference

Document Release Date: March 2007 Software Release Date: March 2007



Legal Notices

This document, and the accompanying software and other documentation, is protected by U.S. and international copyright laws, and may be used only in accordance with the accompanying license agreement. Features of the software, and of other products and services of Mercury Interactive Corporation, may be covered by one or more of the following patents: United States: 5,511,185; 5,657,438; 5,701,139; 5,870,559; 5,958,008; 5,974,572; 6,137,782; 6,138,157; 6,144,962; 6,205,122; 6,237,006; 6,341,310; 6,360,332, 6,449,739; 6,470,383; 6,477,483; 6,549,944; 6,560,564; 6,564,342; 6,587,969; 6,631,408; 6,631,411; 6,633,912; 6,694,288; 6,738,813; 6,738,933; 6,754,701; 6,792,460 and 6,810,494. Australia: 763468 and 762554. Other patents pending. All rights reserved.

U.S. GOVERNMENT RESTRICTED RIGHTS. This Software Documentation is a "commercial item" as defined at 48 C.F.R. 2.101 (October 1995). In accordance with 48 C.F.R. 12.212 (October 1995), 48 C.F.R. 27.401 through 27.404 and 52.227-14 (June 1987, as amended) and 48 C.F.R. 227.7201 through 227.7204 (June 1995), and any similar provisions in the supplements to Title 48 of the C.F.R. (the "Federal Acquisition Regulation") of other entities of the U.S. Government, as applicable, all U.S. Government users acquire and may use this Documentation only in accordance with the restricted rights set forth in the license agreement applicable to the Computer Software to which this Documentation relates.

Mercury, Mercury Interactive, the Mercury logo, the Mercury Interactive logo, LoadRunner, WinRunner, SiteScope and TestDirector are trademarks of Mercury Interactive Corporation and may be registered in certain jurisdictions. The absence of a trademark from this list does not constitute a waiver of Mercury's intellectual property rights concerning that trademark.

All other company, brand and product names may be trademarks or registered trademarks of their respective holders. Mercury disclaims any responsibility for specifying which marks are owned by which companies or which organizations.

Intel®, Intel® Itanium®, Intel® Xeon™, and Pentium® are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

JavaTM is a U.S. trademark of Sun Microsystems, Inc.

Microsoft®, Windows®, and Windows® XP are U.S. registered trademarks of Microsoft Corporation.

Oracle® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

UNIX® is a registered trademark of The Open Group.

Mercury provides links to external third-party Web sites to help you find supplemental information. Site content and availability may change without notice. Mercury makes no representations or warranties whatsoever as to site content or availability.

© 1997-2007 Mercury Interactive Corporation. All rights reserved.

Documentation Updates

This manual's title page contains the following identifying information:

- Software version number, which indicates the software version
- Document release date, which changes each time the document is updated
- Software release date, which indicates the release date of this version of the software

To check for recent updates, or to verify that you are using the most recent edition of a document, go to: http://ovweb.external.hp.com/lpe/doc_serv/.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

Mercury Product Support

You can obtain support information for products formerly produced by Mercury as follows:

- If you work with an HP Software Services Integrator (SVI) partner (www.hp.com/managementsoftware/svi_partner_list), contact your SVI agent.
- If you have an active HP Software support contract, visit the HP Software Support site and use the Self-Solve Knowledge Search to find answers to technical questions.
- For the latest information about support processes and tools available for products formerly produced by Mercury, we encourage you to visit the HP-Mercury Software Support web site at: support.mercury.com.
- Contact your HP Sales Representative if you have additional questions.

HP Software Support

You can visit the HP Software Support web site at www.hp.com/managementsoftware/services.

HP Software online support provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To find more information about access levels, go to: www.hp.com/managementsoftware/access_level.

To register for an HP Passport ID, go to: www.managementsoftware.hp.com/passport-registration.html.

Table of Contents

List of Figures	ix
List of Tables	xiii
Chapter 1: Getting Started with HP Project and Portfolio Management Center Reports .	17
Introduction to HP Project and Portfolio Management Center Reports	
Report Categories	
Related Information	20
Chapter 2: Running Reports	21
The Reports Menu	22
Submitting Reports	23
Viewing Previously Submitted Report Results	
Using My Reports	
Using View Reports	
Viewing and Cancelling Running Reports	35
Deleting Report Results	
Chapter 3: Administrative Reports	39
Contact Synchronization Report	40
Data Source Detail Report	43
Environment Comparison Report	44
Environment Detail Report	45
Environment Group Detail Report	46
Import Requests Report	48
Import Users Report	48
Lookup Types Report	49
Notification History Report	50
Object Type Detail Report	52
Overview Section Detail Report	54
Portlet Definition Detail Report	
RCS Check In Report	
RCS Check Out Report	58

	Report Type Detail Report	
	Request Header Type Detail Report	60
	Request Type Detail Report	61
	Run Field Security Denormalization Report	63
	Run PPM Organization Unit Interface Report	64
	Run PPM Package Interface Report	64
	Run Workflow Transaction Interface Report	64
	SOX - Security Change Report	65
	SOX - Security Validation Report	66
	Security Group Detail Report	67
	Special Command Detail Report	69
	Synchronize Meta Layer Report	70
	User Data Detail Report	71
	User Detail Report	72
	Validations Report	74
	Workflow Detail Report	75
	Workflow Statistics Report	77
Ch	hapter 4: Deployment Management Reports	79
	Compare Custom Database Setup Report	90
	Compare Filesystem Environments Report	
	Compare Filesystem Environments Report	83
		83 86
	Compare MS SQL Server 7 Environments Report	83 86 88
	Compare MS SQL Server 7 Environments Report	83 86 88
	Compare MS SQL Server 7 Environments Report Compare Oracle Environments Report Distribution Detail Report Environment Comparison by Objects Migrated Report	83 86 88 92
	Compare MS SQL Server 7 Environments Report Compare Oracle Environments Report Distribution Detail Report	83 86 92 94
	Compare MS SQL Server 7 Environments Report Compare Oracle Environments Report Distribution Detail Report Environment Comparison by Objects Migrated Report Environments / Objects Detail Report	83 86 92 94 96
	Compare MS SQL Server 7 Environments Report Compare Oracle Environments Report Distribution Detail Report Environment Comparison by Objects Migrated Report Environments / Objects Detail Report Object History Report	83 86 92 94 96 97
	Compare MS SQL Server 7 Environments Report Compare Oracle Environments Report Distribution Detail Report Environment Comparison by Objects Migrated Report Environments / Objects Detail Report Object History Report Objects / Environments Detail Report	83 86 92 94 96 97 99
	Compare MS SQL Server 7 Environments Report Compare Oracle Environments Report Distribution Detail Report Environment Comparison by Objects Migrated Report Environments / Objects Detail Report Object History Report Objects / Environments Detail Report Package Change History Report	83 86 92 94 96 97 99 100
	Compare MS SQL Server 7 Environments Report Compare Oracle Environments Report Distribution Detail Report Environment Comparison by Objects Migrated Report Environments / Objects Detail Report Object History Report Objects / Environments Detail Report Package Change History Report Package Details Report	83869294969799100102
	Compare MS SQL Server 7 Environments Report Compare Oracle Environments Report Distribution Detail Report Environment Comparison by Objects Migrated Report Environments / Objects Detail Report Object History Report Objects / Environments Detail Report Package Change History Report Package Details Report Package History Report	83869294969799100105105

vi Table of Contents

Release Notes Report	114
Chapter 5: Demand Management Reports	117
Contact Detail Report	118
Demand Creation History Report	120
Historical SLA Violations Report	123
Request Detail (Filter by Custom Fields) Report	126
Request Detail Report	130
Request History Report	134
Request Quick View Report	138
Request Summary (Filter by Custom Fields) Report	141
Request Summary Report	
Satisfied Demand History Report	
Chapter 6: Project Management Reports	153
Baseline Comparison Report	
Project Cost Breakdown Report	
Project Cost Details Report	
Chapter 7: Time Management Reports	159
Actual Time Summary Report	160
Delinquent Time Sheets	163
Time Sheet Details Report	165
Time Sheet Summary Report	
Work Allocation Details Report	
Chapter 8: Report Types	173
Overview of the Report Type Workbench	174
Using the Report Type Workbench	174
Logging On	174
Creating an Entirely New Report Type Creating a New Report Type From an Existing Report Type	
Modifying an Existing Report Type	
Report Type Windows	178
General Information Fields	179
Fields TabField Window General Information	
Attributes Tab	

Table of Contents vii

Default Tab	
Dependencies Tab	185
Layout Tab	186
Commands Tab	187
Security Tab	189
Ownership Tab	191
Index	193

List of Figures

Figure 2-1	Reports menu in the standard interface	22
Figure 3-1	Contact Synchronization report fields	41
Figure 3-2	Data Source Detail report fields	43
Figure 3-3	Environment Comparison report fields	44
Figure 3-4	Environment Detail report fields	45
Figure 3-5	Environment Group Detail report fields	47
Figure 3-6	Lookup Types report fields	49
Figure 3-7	Notification History report fields	50
Figure 3-8	Object Type Detail report fields	52
Figure 3-9	Overview Section Detail report fields	54
Figure 3-10	Portlet Definition Detail report fields	56
Figure 3-11	RCS Check In report fields	57
Figure 3-12	RCS Check Out report fields	58
Figure 3-13	Report Type Detail report fields	59
Figure 3-14	Request Header Type Detail report fields	60
Figure 3-15	Request Type Detail report fields	61
Figure 3-16	Run Field Security Denormalization report fields	
Figure 3-17	SOX - Security Change report fields	65
Figure 3-18	SOX - Security Validation report fields	66
Figure 3-19	Security Group Detail report fields	67
Figure 3-20	Special Command Detail report fields	69
Figure 3-21	Synchronize Meta Layer report fields	70
Figure 3-22	User Data Detail report fields	71
Figure 3-23	User Detail report fields	72
Figure 3-24	Validations report fields	74
Figure 3-25	Workflow Detail report fields	75
Figure 3-26	Workflow Statistics report fields	77
Figure 4-1	Compare Custom Database Setup report fields	81
Figure 4-2	Compare Filesystem Environments report fields	83
Figure 4-3	Compare MS SQL Server 7 Environments report fields	86
Figure 4-4	Compare Oracle Environments report fields	89
Figure 4-5	Distribution Detail report fields	92
Figure 4-6	Environment Comparison by Objects Migrated report fields	94

Figure 4-7	Environments / Objects Detail report fields	96
Figure 4-8	Object History report fields	97
Figure 4-9	Objects / Environments Detail report fields	99
Figure 4-10	Package Change History report	100
Figure 4-11	Package Details report fields	102
Figure 4-12	Package History report fields	105
Figure 4-13	Package Impact Analysis report fields	107
Figure 4-14	Packages Pending report fields	108
Figure 4-15	Release Detail report fields	111
Figure 4-16	Release Notes report fields	114
Figure 5-1	Contact Detail report parameters	118
Figure 5-2	Demand Creation History report fields	120
Figure 5-3	Historical SLA Violations report fields	123
Figure 5-4	Request Detail (Filter by Custom Fields) report fields	126
Figure 5-5	Request Detail report fields	130
Figure 5-6	Request History report fields	134
Figure 5-7	Request Quick View report fields	138
Figure 5-8	Request Summary (Filter by Custom Fields) report fields	141
Figure 5-9	Request Summary report fields	145
Figure 5-10	Satisfied Demand History report fields	150
Figure 6-1	Baseline Comparison report fields	154
Figure 6-2	Project Cost Breakdown report fields	156
Figure 6-3	Project Cost Details report fields	157
Figure 7-1	Actual Time Summary report fields	160
Figure 7-2	Delinquent Time Sheets fields	163
Figure 7-3	Time Sheet Details report fields	165
Figure 7-4	Time Sheet Summary report fields	167
Figure 7-5	Work Allocation Details report fields	170
Figure 8-1	Report Type window Fields tab	180
Figure 8-2	Field window	180
Figure 8-3	Field window Attributes tab.	182
Figure 8-4	Field window Default tab	183
Figure 8-5	Field window Dependencies tab	185
Figure 8-6	Report Type window Layout tab	
Figure 8-7	Report Type window Commands tab	187
Figure 8-8	New Command window	188

x List of Figures

Figure 8-9	Edit Command window	.188
•	Report Type window Security tab	
Figure 8-11	Report Type window Ownership tab	.191

List of Figures xi

xii List of Figures

List of Tables

Table 3-1	Contact Synchronization report field descriptions	42
Table 3-2	Data Source Detail report field descriptions	43
Table 3-3	Environment Comparison report field descriptions	44
Table 3-4	Environment Detail report field descriptions	45
Table 3-5	Environment Group Detail report field descriptions	47
Table 3-6	Lookup Types report field descriptions	49
Table 3-7	Notification History report field descriptions	50
Table 3-8	Object Type Detail report field descriptions	52
Table 3-9	Overview Section Detail report field descriptions	54
Table 3-10	Portlet Definition Detail report field descriptions	56
Table 3-11	RCS Check In report field descriptions	57
Table 3-12	RCS Check Out report field descriptions	58
Table 3-13	Report Type Detail report field descriptions	59
Table 3-14	Request Header Type Detail report field descriptions	60
Table 3-15	Request Type Detail report field descriptions	62
Table 3-16	Run Field Security Denormalization report field descriptions	63
Table 3-17	SOX - Security Change report field descriptions	65
Table 3-18	SOX - Security Validation report field descriptions	66
Table 3-19	Security Group Detail report field descriptions	68
Table 3-20	Special Command Detail report field descriptions	69
Table 3-21	Synchronize Meta Layer report field descriptions	70
Table 3-22	User Data Detail report field descriptions	71
Table 3-23	User Detail report field descriptions	72
Table 3-24	Validations report field descriptions	74
Table 3-25	Workflow Detail report field descriptions	75
Table 3-26	Workflow Statistics report field descriptions	77
Table 4-1	Compare Custom Database Setup report field descriptions	81
Table 4-2	Compare Filesystem Environments report field descriptions	84
Table 4-3	Compare Custom Database Setup report field descriptions	86
Table 4-4	Compare Oracle Environments report field descriptions	89
Table 4-5	Distribution Detail report field descriptions	92

Table 4-6	Environment Comparison by Objects Migrated report field descriptions	95
Table 4-7	Environments / Objects Detail report field descriptions	96
Table 4-8	Object History report field descriptions	97
Table 4-9	Objects / Environments Detail report field descriptions	99
Table 4-10	Package Change History field descriptions	100
Table 4-11	Package Details report field descriptions	103
Table 4-12	Package History report field descriptions	106
Table 4-13	Package Impact Analysis report field descriptions	107
Table 4-14	Packages Pending report field descriptions	109
Table 4-15	Release Detail report field descriptions	112
Table 4-16	Release Notes report field descriptions	114
Table 5-1	Contact Detail report field descriptions	118
Table 5-2	Demand Creation History report field descriptions	120
Table 5-3	Historical SLA Violations report field descriptions	123
Table 5-4	Request Detail (Filter by Custom Fields) report field descriptions	127
Table 5-5	Request Detail report field descriptions	131
Table 5-6	Request History report field descriptions	135
Table 5-7	Request Quick View report field descriptions	138
Table 5-8	Request Summary (Filter by Custom Fields) report field descriptions	142
Table 5-9	Request Summary report field descriptions	145
Table 5-10	Resource Load by Priority report field descriptions	149
Table 5-11	Satisfied Demand History report field descriptions	150
Table 6-1	Baseline Comparison report field descriptions	154
Table 6-2	Project Cost Breakdown report field descriptions	156
Table 6-3	Project Cost Details report field descriptions	157
Table 7-1	Actual Time Summary report field descriptions	161
Table 7-2	Delinquent Time Sheets field descriptions	163
Table 7-3	Time Sheet Details report field descriptions	165
Table 7-4	Time Sheet Summary report field descriptions	168
Table 7-5	Work Allocation Details report field descriptions	171
Table 8-1	Report Type window general information fields descriptions	179
Table 8-2	Field window general information field descriptions	181
Table 8-3	Field window Attributes tab field descriptions	182
Table 8-4	Field window Default tab field descriptions	184

xiv List of Tables

Table 8-5	Field window Dependencies tab field descriptions	185
Table 8-6	Report Type window Layout tab field descriptions	186
Table 8-7	Command window field descriptions	188
Table 8-8	Report Type window Security tab field descriptions	190
Table 8-9	Report Type window Ownership tab field descriptions	191

List of Tables xv

xvi List of Tables

1 Getting Started with HP Project and Portfolio Management Center Reports

In This Chapter:

- Introduction to HP Project and Portfolio Management Center Reports
 □ Report Categories
- Related Information

Introduction to HP Project and Portfolio Management Center Reports

HP Project and Portfolio Management Center (PPM Center) provides a predefined set of reports that allow you to view (in a Web browser) the current status of your PPM Center data.

Within PPM Center, the term "report" has multiple meanings based on its context.



- You can create and submit a "report" that is actually a query.
- In response to this query, PPM Center provides a "report" that is actually the result of the query.

To submit and view report queries you must have the System: Submit Reports access grant. Additionally, submitting and viewing report results may be further limited by your:

- Product licenses
- Security group assignments

When you prepare to submit a report, you are presented with a set of filter fields from which you can specify the criteria for the report. The resulting report shows only the data that matches the criteria. Chapter 2, *Running Reports*, on page 21 describes how to create and submit report queries, as well as how to access and view the results. Chapter 8, *Report Types*, on page 173 provides information about report types, the mechanism you can use to create reports tailored to meet your business needs.

The majority of the PPM Center reports are submitted and viewed from the standard interface. Another type of report in PPM Center (not discussed in this document) are server reports, which gather administrative diagnostics and are submitted and viewed from the PPM Workbench. For information about server reports, see the *System Administration Guide and Reference*.

Report Categories

The following report categories are provided in PPM Center and include the HP-supplied reports. Any reports created for your company should also be found in these categories.

- **Administrative.** These reports focus on administrative tasks and are available to users with a variety of licenses (depending on the report) and are detailed in Chapter 3, *Administrative Reports*, on page 39.
 - Also included in this category are reports related to the HP Open Interface. For more information about these reports, see the *Open Interface Guide and Reference*.
- **Deployment Management.** These reports are available to users with HP Deployment Management application license and are detailed in Chapter 4, *Deployment Management Reports*, on page 79.
- **Demand Management.** These reports are available to users with a HP Demand Management application license and are detailed in Chapter 5, *Demand Management Reports*, on page 117.
- **Financial Management.** HP Financial Management reports are available to users with different licenses (depending on the report). These reports appear in multiple categories and are described in Chapter 6, *Project Management Reports*, on page 153.
- **Portfolio Management.** No HP-supplied reports are provided for HP Portfolio Management. However, this category is provided as a place to organize for your company's portfolio management reports.
- **Program Management.** No reports are supplied for HP Program Management and the category is provided for your convenience.
- **Project Management.** These reports are available to users with a HP Project Management application license and are detailed in Chapter 6, *Project Management Reports*, on page 153.
- Resource Management. HP Resource Management reports are available to users with different licenses (depending on the report). These reports appear in multiple categories and are described in Chapter 3, *Administrative Reports*, on page 39 and Chapter 7, *Time Management Reports*, on page 159.
- **Time Management.** These reports are available to users with a HP Time Management application license and are detailed in Chapter 7, *Time Management Reports*, on page 159.

Extension. These reports are available to users with the appropriate HP Deployment Management Extension license.

Extension-related reports are included in the relevant Extension documentation.

Related Information

This document presumes a basic working knowledge of PPM Center usage and application configuration.

The following documents include information related to PPM Center reports:

- Security Model Guide and Reference
- *HP-Supplied Entities Guide* (includes brief descriptions, licensing information, and access grants for all PPM Center reports)

2 Running Reports

In This Chapter:

- The Reports Menu
- Submitting Reports
- Viewing Previously Submitted Report Results
 - □ Using My Reports
 - □ Using View Reports
- Viewing and Cancelling Running Reports
 - Reports That Can Be Cancelled
- Deleting Report Results

The Reports Menu

Use the **Reports** menu in the standard interface (shown in *Figure 2-1*) to submit and view reports. Note that three of the HP Demand Management reports are also available from the **Demand Management** menu.




Figure 2-1. Reports menu in the standard interface

For information about submitting and running PPM Server reports in the PPM Workbench interface, see the *System Administration Guide and Reference*.

Submitting Reports



Users must have the System: Submit Report access grant to view or submit any report.

To submit a report:

- 1. Log on to PPM Center.
- 2. From the menu bar, select Reports > Create a Report.


The Submit New Report page opens.



- 3. Select the report to be submitted:
 - From the Recently Submitted Reports section:
 - Click the link for the desired report.
 - From the Select Report by Category section:
 - For **Report Category**, select the appropriate category.
 - Click the link for the desired report.

You have access to only those report categories for which you are licensed. In addition, the list of available reports might be further restricted by security settings on individual report types. For more information about report security, see the *Security Model Guide and Reference*.

Once a report is selected, the Submit Report: <*Report Name*> window opens. This window is sometimes termed the "report submission page."



The Submit Report: <*Report Name*> window has the following sections:


- **Report Parameters.** This section contains the set of filter fields relevant to the selected report.
- **Scheduling.** This section allows you to choose whether to run the report immediately, schedule it for a later time, or automatically run the report on a periodic basis. It also allows you to request that an email be sent to selected users when the report is finished.
- Advanced Notifications. This section allows you to send notifications when the report completes, fails, or either results.

Each report has its own set of fields. For information about report fields, see the description in:

- The relevant chapter in this document (for example, to find information about HP Deployment Management reports, see Chapter 4, *Deployment Management Reports*, on page 79)
- The appropriate HP Deployment Management Extension document (for example, to find out information about a PeopleSoft-related report, see the HP Deployment Management Extension for PeopleSoft Enterprise Guide)
- 4. Type or change information in the fields to define the report results you want.
- 5. To run the report at a later time, on a periodic basis, or provide a brief notification once the report is finished, expand the **Scheduling** section, then follow the steps for the task you want to accomplish.
 - To run the report (once) at a later time:
 - a. Select Run Report On.
 - b. Provide a valid date (using the field to the right of Run Report On).
 - To run the report on a periodic basis:
 - a. Select Run Report On.
 - b. Provide the date when you want the report first run (using the field to the right of **Run Report On**).
 - c. Select Repeat Every.
 - d. Provide the frequency and the date when you want the report run last (using the three fields to the right of **Repeat Every**).
 - To include a brief notification:
 - a. Select Send email to.
 - b. Provide the user IDs of the users who should receive the notification (using the field to the right of **Send email to**).

- 6. To add a notification that has more comprehensive features than those available with **Send email to**:
 - a. Expand the Advanced Notifications section.
 - b. Click Add a Notification.

The Edit Advanced Notifications window opens.



- c. Provide relevant information in this window.
- d. Click Add.

The Edit Advanced Notifications window closes.

7. Click Submit.

- For reports that are run immediately:
- a. The Submit Report window opens. The status is refreshed until the report is complete.



The completed report is displayed in a separate window.



b. (Optional) To print the completed report, click **Print.**



The print feature is not available for all reports. If a given report does not have a **Print** button, use your browser's print facility.

- For reports that are scheduled to run at a later time:
- a. The Schedule Report window opens.



b. The report results, or its status, can be accessed from the **Recently Submitted Reports** section of your My Reports page. See *Viewing Previously Submitted Report Results* for details.

Viewing Previously Submitted Report Results

You can view the results (or status) of previously submitted reports by selecting one of two menu items:


- My Reports
- View Reports

Using My Reports

To view the results of previously submitted reports using the **My Reports** menu:


- 1. Log on to PPM Center.
- 2. From the menu bar, select Reports > My Reports.

The My Reports page appears. This page lists the results of the reports you submitted in the **Search Results: Reports** section as well as provides additional search functionality in the **Search for Reports** section.



- 3. To view the report results, either:
 - Click the link of the desired report in the Report # column.
 - Provide the number associated with the desired report in View Report # field and click Go.

The report results are displayed in a new window in your Web browser.




Using View Reports

To view the results of previously submitted reports using the **View Reports** menu:


- 1. Log on to PPM Center.
- 2. From the menu bar, select Reports > View Reports.

The View Reports page appears.



- 3. In the **Search for Reports** section, provide the search criteria in the appropriate fields.
- 4. Click Search.

The View Reports page is updated to display the search results.



- 5. To view the report results, either:
 - Click the link of the desired report in the Report # column.
 - Provide the number associated with the desired report in View Report # field and click Go.

The report results are displayed in a new window in your Web browser.




Viewing and Cancelling Running Reports

To access the View Running Reports page, you must have the Administrator License and the Sys Admin: Server Tools: Execute Admin Tools access grant.

To view, and optionally cancel, a running report:

- 1. Log in to PPM Center.
- 2. From the menu bar, select Administration > Report Execution > View Running Reports.

The View Running Reports page appears.



The **Report Details** section identifies reports that are running and waiting to be run, and also provides some information about these reports.

The fields for the View Running Reports page are described in the following table:

Field Name	Description	
Summary section		
Currently Running	Provides the number of reports currently running.	
Waiting to Run	Provides the number of reports that have been submitted and are waiting to run. Note that these are not the reports scheduled to be run—these are reports that are not running due to the current load on the system. These reports will automatically run when current reports complete.	
Report Details section		
Report #	Lists the report ID.	
Report Type	Lists the name of the report.	
Launched By	Provides the full name of the user who submitted the report.	

Field Name	Description
Launched Time	Provides the timestamp when the report was submitted.
Running	Indicates whether the report is running (Yes) or waiting (No).
Server	Provides the name of the server running the report.
Session ID	Identifies Oracle® database session ID for the session used by the report to query data.
Process ID	Provides the Oracle database process ID for the process used by the report.
Cancel	Cancels a report that is currently running or waiting to be run. Available only for the reports listed in <i>Reports That Can Be Cancelled</i> on page 35.

3. To cancel a report, click the associated **Cancel** button for that report.

Once the report submission has been cancelled, the page refreshes and the cancelled report is no longer displayed in the list.



Reports that do not use the ksc_run_jsp_report special command are subject to some limitations and cannot be cancelled in the View Running Reports page. Reports that can be cancelled are listed in *Reports That Can Be Cancelled*.

Reports That Can Be Cancelled

The following reports can be cancelled:

- Contact Detail Report
- Import Users
- Notification History Report
- Project Cost Breakdown
- Project Cost Details
- Request Detail (Filter by Custom Fields) Report
- Request Detail Report
- Request History Report
- Request Quick View
- Request Summary (Filter by Custom Fields Report)

- Request Type Detail Report
- Time Sheet Details
- Time Sheet Summary
- User Detail Report


Deleting Report Results

It is conceivable that, over time, report results become outdated and are no longer useful.

To delete unwanted report results:

- 1. Log on to PPM Center.
- 2. From the menu bar, select **Reports > My Reports**.

The My Reports page appears. The results of the reports you submitted are found in the **Search Results: Reports** section.



- 3. You can delete one or more report results.
 - To delete all the report results:
 - a. Click Check All.

If you change your mind about your choices, you can either deselect checkboxes one at a time, or click **Clear All** to deselect all the checkboxes.

b. Click Delete.

Running Reports 37

- To delete one or more report results:
- a. Select the checkbox to the left of the unwanted report results.

If you change your mind about your choices, you can either deselect checkboxes one at a time, or click **Clear All** to deselect all the checkboxes.

b. Click Delete.

3 Administrative Reports

In This Chapter:

- Contact Synchronization Report
- Data Source Detail Report
- Environment Comparison Report
- Environment Detail Report
- Environment Group Detail Report
- Import Requests Report
- Import Users Report
- Lookup Types Report
- Notification History Report
- Object Type Detail Report
- Overview Section Detail Report
- Portlet Definition Detail Report
- RCS Check In Report
- RCS Check Out Report
- Report Type Detail Report
- Request Header Type Detail Report
- Request Type Detail Report
- Run Field Security Denormalization Report
- Run PPM Organization Unit Interface Report
- Run PPM Package Interface Report
- Run Workflow Transaction Interface Report
- SOX Security Change Report
- SOX Security Validation Report
- Security Group Detail Report
- Special Command Detail Report
- Synchronize Meta Layer Report
- User Data Detail Report
- User Detail Report
- Validations Report
- Workflow Detail Report
- Workflow Statistics Report

Contact Synchronization Report

This report provides an interface for checking whether HP Demand Management contacts are properly defined. This report can detect all PPM Center users with no corresponding contact record and then create a contact record for them. This report also searches for and corrects discrepancies between the contact and PPM Center user information within the system.

The Contact Synchronization report can be used to locate and correct the following problems:

- Users without a contact
- Users with multiple contacts
- Contacts associated to nonexistent usernames
- Contacts with the same first and last names as a PPM Center user, but are not associated with that user
- Enabled contacts that have disabled users
- Enabled users that have disabled contacts
- Associated user and contact pairs that have different data in common fields (such as a different first name)

The Contact Synchronization report corrects the above discrepancies in the following ways:

- Creates contacts for users which have none
- Updates contact names and email addresses that are out of sync with their user records

This report is restricted to users having a Configuration license and belonging to one or more of the following security groups:

- PPM Administrator
- PPM All Access Grants
- PPM Billing Approver
- PPM Cost Manager
- PPM Demand Management Administrator
- PPM Demand Manager

- PPM Deployment Management Administrator
- PPM Program Manager
- PPM Project Manager
- PPM Resource Manager
- PPM Service Security Group
- PPM Team Manager
- PPM Time Administrator
- PPM Time Manager
- PPM User
- PPM User Admin



Figure 3-1. Contact Synchronization report fields



Table 3-1. Contact Synchronization report field descriptions

Field Name	Description
	Indicate whether or not to create contacts for users without an associated contact. Note that some of these contacts may need to be manually associated with users.
	Choices include:
	Yes. To create new contact records.
Create Contacts	 No. To review the results of the report without creating any contacts.
	HP recommends running this report using No to verify the correct processing of the section detailing contacts having the same first and last names as a user. If no manual updates are needed, then run the report using Yes .
	Indicate whether or not to create or update contacts for users associated with a contact whose name, email, or enabled status is out of date.
	Choices include:
	Yes. To update the contact records.
Update Contacts	 No. To review the results of the report without updating any contacts.
	HP recommends running this report using No to verify the correct processing of the section detailing associated user and contact pairs that have different data in common fields. If no manual updates are needed, then run the report using Yes.
Driver	Select how the records should be synchronized.
	Choices include:
	User. Based on the user record.
	Contact. Based on the contact record.
	 Last Update Date. Based on the most recently updated record.

Data Source Detail Report

This report displays the configuration details of one or more data sources. The report details all filter fields, displayed columns, query, and used by for each data source.

This report is restricted to users having a Configuration license.

Figure 3-2. Data Source Detail report fields



Table 3-2. Data Source Detail report field descriptions

Field Name (*Required)	Description
Data Source From	Select the starting data source. The report will include only data sources whose name is equal to or greater than this value. Choices are limited to those data sources available on your PPM Center instance.
Data Source To	Select the ending data source. The report will include only data sources whose name is equal to or less than this value. Choices are limited to those data sources available on your PPM Center instance.
*Show Columns	Indicate whether or not to show columns and their details.
*Show Filter Fields	Indicate whether or not to show filter fields.
*Show Full Query	Indicate whether or not to show the full query.
*Show Used By	Indicate whether or not to list the portlets that rely on these data sources.

Environment Comparison Report

This report helps audit environment definitions when different environments (for example, development and production) are similar to each other.

Use this report to compare the definitions of two PPM Center environments for any significant differences. The report queries every major field in each environment and, if different from that same field in the other environment, lists the different values. The Environment Comparison report also compares the applications tied to each environment.

This report is restricted to users having a Deployment Management license.

Figure 3-3. Environment Comparison report fields




Table 3-3. Environment Comparison report field descriptions

Field Name (*Required)	Description
*Environment 1	Select the first environment. Choices are limited to those environments available on your PPM Center instance.
*Environment 2	Select the second environment. Choices are limited to those environments available on your PPM Center instance.

Environment Detail Report

This report lists:

- The detailed definitions of a given environment or group of environments
- The major attributes of the environments
- Attributes of the applications tied to the environments

Encrypted information (for example, database or operation system passwords) is not displayed. Use this report as a way to textually audit the environment definition.

This report is restricted to users having a Deployment Management license.

Figure 3-4. Environment Detail report fields




Table 3-4. Environment Detail report field descriptions

Field Name (*Required)	Description
*Environment From	Select the starting environment. The report will include only environments whose name is equal to or greater than this value.
	Choices are limited to those environments available on your PPM Center instance.
*Environment To	Select the ending environment. The report will include only environments whose name is equal to or less than this value.
	Choices are limited to those environments available on your PPM Center instance.
*Show User Data	Indicate whether or not to show the custom user data fields.
*Show Mainframe Parameters	Indicate whether or not to show associated applications.

Environment Group Detail Report

This report contains detailed information about the specified environment groups. Users can specify a range of environment groups using the Environment Group From and Environment Group To fields. The report output includes:

- Header information on an environment group
- Constituent Environments of the environment group
- Applications defined for the environment group.

This report is restricted to users having a Deployment Management license and belonging to one or more of the following security groups:

- PPM 6.0 Upgrade Workbench Access
- PPM Administrator
- PPM All Access Grants
- PPM Billing Approver
- PPM Cost Manager
- PPM Demand Management Administrator
- PPM Demand Manager
- PPM Deployment Management Administrator
- PPM Program Manager
- PPM Project Manager
- PPM Resource Manager
- PPM Service Security Group
- PPM Team Manager
- PPM Time Administrator
- PPM Time Manager
- PPM User
- PPM User Admin
- PFM Finance Review Board

- PFM IT Steering Committee
- PFM Standards Committee

Figure 3-5. Environment Group Detail report fields




Table 3-5. Environment Group Detail report field descriptions

Field Name	Description
Environment Group From	Select the starting environment group. The report will include only environment groups whose name is equal to or greater than this value.
	Choices are limited to those environment groups available on your PPM Center instance.
Environment Group To	Select the ending environment group. The report will include only environment groups whose name is equal to or less than this value.
	Choices are limited to those environment groups available on your PPM Center instance.

Import Requests Report

This report runs the Request Open Interface. It validates and loads request data from the Request Open Interface tables into the standard HP Demand Management data model.

This report is restricted to users having a Configuration license.

For More Information

For more information about this report, see the *Open Interface Guide and Reference*.

Import Users Report

This report runs the User Open Interface. It imports and validates data from the user interface tables or an LDAP server into the PPM Center user data model.

This report is restricted to users having a User Administration license.

For More Information

For more information about this report, see the *Open Interface Guide and Reference*.

Lookup Types Report

This report provides information about one or more lookups.

This report is restricted to users having a Configuration license.

Figure 3-6. Lookup Types report fields




Table 3-6. Lookup Types report field descriptions

Field Name	Description
Lookup Type From	Select the starting lookup type. The report will include only lookup types whose name is equal to or greater than this value.
	Choices are limited to those lookup types available on your PPM Center instance.
Lookup Type To	Select the ending lookup type. The report will include only lookup types whose name is equal to or less than this value.
	Choices are limited to those lookup types available on your PPM Center instance.

Notification History Report

This report provides information about notifications that have been sent or are pending. It contains information like:

- Notification date
- Entity type
- Subject of the notification
- Sent and reminder flags

This report is restricted to users having a Configuration license.

Figure 3-7. Notification History report fields




Table 3-7. Notification History report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Trigger Date From	Select the starting date. The report will include only notifications triggered on or after this date.
Trigger Date To	Select the ending date. The report will include only notifications triggered on or before this date.
*Unsent Notifications Only	Indicate whether or not to show only unsent notifications.
Sent on Date From	Select the starting date. The report will include only notifications sent on or after this date.
Sent on Date To	Select the ending date. The report will include only notifications sent on or before this date.

Table 3-7. Notification History report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Type of Notification Parent	Select a type of parent. Choices include: Request Package Project Module
For a Specific Parent	Select a parent entity. Choices are limited to those entities available on your PPM Center instance.
Workflow	Select a workflow. Choices are limited to those workflows available on your PPM Center instance.
Workflow Step	Select a particular workflow step associated with Workflow .
Email Subject Line Contains	Specify the email subject line. Type any alphanumeric string (up to 200 characters in length).
Sent to Email Address	Specify the email address. Type any alphanumeric string (up to 200 characters in length).
Sent to User	Specify the user. Choices are limited to users available on your PPM Center instance.
Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).

Object Type Detail Report

This report lists all parameters and commands associated with a given object type. In addition to auditing object types, use this report as a good tool for debugging problems associated with entering information or migrating a package line of a specific object type.

You can use this report to audit the description of an object type or a group of object types.



This report is also useful when debugging problems associated with entering information or migrating a package line of a specific object type.

This report is restricted to users having a Configuration license.

Figure 3-8. Object Type Detail report fields




Table 3-8. Object Type Detail report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Object From	Select the starting object. The report will include only object types whose name is equal to or greater than this value.
	Choices are limited to those object types available on your PPM Center instance.
Object To	Select the ending object. The report will include only object types whose name is equal to or less than this value.
	Choices are limited to those object types available on your PPM Center instance.
Object Category	Select an object category.
	Choices are limited to those categories available on your PPM Center instance.

Table 3-8. Object Type Detail report field descriptions (page 2 of 2)

Field Name (*Required)	Description
*Show Parameters	Indicate whether or not to show the parameters and validations.
*Show Commands	Indicate whether or not to show the commands and command steps.
*Expand Special Commands	Indicate whether or not to expand user-defined special commands.

Overview Section Detail Report

This report provides information about a portlet or range of portlets. It lists the portlet's columns, as well as the SQL query used by the portlet to retrieve data from the system. The portlet's filter fields and security configuration can also be listed.

This report is restricted to users having a Configuration license.

Figure 3-9. Overview Section Detail report fields




Table 3-9. Overview Section Detail report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Overview Section From	Select the starting overview section. The report will include only overview sections whose name is equal to or greater than this value.
	Choices are limited to those portlets available on your PPM Center instance.
Overview Section To	Select the ending overview section. The report will include only overview sections whose name is equal to or less than this value. Choices are limited to those portlets available on your PPM Center instance.
*Show Columns	Indicate whether or not to show columns and their details.
*Show Filter Fields	Indicate whether or not to show filter fields.
*Show Full Query	Indicate whether or not to show the full query.
*Show User Access	Indicate whether or not to show the detailed security access rules.

Table 3-9. Overview Section Detail report field descriptions (page 2 of 2)

Field Name (*Required)	Description
*Show Overview Section URL	Indicate whether or not to show the URL for the overview sections.
*Show Used By	Indicate whether or not to show what users rely on these overview pages.
*Show Help Content	Indicate whether or not to show the help content.

Portlet Definition Detail Report

This report displays the configuration details of one or more portlet definitions. The report details all preferences, display options, access, and help for each portlet definition.

This report is restricted to users having a Configuration license.

Figure 3-10. Portlet Definition Detail report fields




Table 3-10. Portlet Definition Detail report field descriptions

Field Name	Description
Portlet Definitions	Select one or more portlets. Choices are limited to those portlet definitions available on your PPM Center instance.
Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).

RCS Check In Report

This is the template of a report used to check files into the RCS repository (if the RCS file management system is being used).

This report is restricted to users having a Deployment Management license.

Figure 3-11. RCS Check In report fields




Table 3-11. RCS Check In report field descriptions

Field Name (*Required)	Description
*Application	Select an associated application.
	Choices are limited to those applications available on your PPM Center instance.
	Select a check-in path.
	Choices are:
	• forms
Sub Path	• bin
Sub Fair	■ srw
	scripts
	• sql
	plsql
	Specifiy the name of the file.
*File Name	Type any alphanumeric string (up to 40 characters in length).
	Specify the version label of the file.
Version Label	Type any alphanumeric string (up to 40 characters in length).
*Change Description	Specify the description of the change made to the file.
	Type any alphanumeric string (up to 200 characters in length).

RCS Check Out Report

This is the template of a report used to check files out of the RCS repository (if the RCS file management system is being used).

This report is restricted to users having a Deployment Management license.

Figure 3-12. RCS Check Out report fields




Table 3-12. RCS Check Out report field descriptions

Field Name (*Required)	Description
*Application	Select an associated application.
	Choices are limited to those applications available on your PPM Center instance.
	Select a check-out path.
	Choices are:
	• forms
Path	■ bin
1 401	■ srw
	scripts
	• sql
	■ plsql
	Specify the name of the file.
*File Name	Type any alphanumeric string (up to 40 characters in length).
Version Label / Revision #	Specify the version label of the file.
	Type any alphanumeric string (up to 40 characters in length).
Lock	Indicate whether or not to lock the checked out file.
Read-Only	Indicate whether or not the checked out file should be read-only.

Report Type Detail Report

This report provides information about report type definitions. Use the report to see the parameters and parameter details for each report type, as well as the exact commands used to run the report.

This report is restricted to users having a Configuration license.

Figure 3-13. Report Type Detail report fields




Table 3-13. Report Type Detail report field descriptions

Field Name (*Required)	Description
Report From	Select the starting report type. The report will include only report types whose name is equal to or greater than this value.
	Choices are limited to those report types available on your PPM Center instance.
Report To	Select the ending report type. The report will include only report types whose name is equal to or less than this value.
	Choices are limited to those report types available on your PPM Center instance.
*Show Parameters	Indicate whether or not to show the parameters and validations.
*Show Commands	Indicate whether or not to show the commands and command steps.
*Expand Special Commands	Indicate whether or not to expand user-defined special commands.
*Show Security	Indicate whether or not to show the security groups.

Request Header Type Detail Report

This report lists detailed definitional information for request header types. You can use this report to audit request header definition, as well as to help debug problems with requests using a given request header type.

This report also displays information about field filters that have been selected for the **Assigned To, Assigned To Group,** and **Contacts** fields.

This report details information about one or more request header types.



This report is also useful when debugging problems with requests using a given request header type.

This report is restricted to users having a Configuration license.

Figure 3-14. Request Header Type Detail report fields




Table 3-14. Request Header Type Detail report field descriptions

Field Name (*Required)	Description
Request Header Type From	Select the starting request header type. The report will include only request header types whose name is equal to or greater than this value.
	Choices are limited to those request header types available on your PPM Center instance.
Request Header Type To	Select the ending request header type. The report will include only request header types whose name is equal to or less than this value.
	Choices are limited to those request header types available on your PPM Center instance.
*Show Filters	Indicate whether or not to show information about field filters.

Request Type Detail Report

This report lists detailed definitional information for request types. This report displays:

- All custom fields for the request type
- All requests statuses that the request type can have
- Any commands the request type would have
- Which security groups are allowed to create requests of a specific request type
- Which workflows can be used in a specific request type

Use this report to audit the definitional information, as well as help debug any problems with requests of a given request type.



The report is also useful when debugging problems with requests of a given request type.

This report is restricted to users having a Configuration license.

Figure 3-15. Request Type Detail report fields




Table 3-15. Request Type Detail report field descriptions

Field Name (*Required)	Description
Request Type From	Select the starting request type. The report will include only request types whose name is equal to or greater than this value. Choices are limited to those request types available on your PPM Center instance.
Request Type To	Select the ending request type. The report will include only request types whose name is equal to or less than this value. Choices are limited to those request types available on your PPM Center instance.
*Show Fields	Indicate whether or not to show the fields and validations.
*Show Statuses	Indicate whether or not to show the linked requests statuses.
*Show Rules	Indicate whether or not to show the default rules.
*Show Commands	Indicate whether or not to show the commands and command steps.
*Show Status Dependencies	Indicate whether or not to show the status dependencies.
*Expand Special Commands	Indicate whether or not to expand user-defined special commands.
*Show Workflows	Indicate whether or not to show the workflows that can be selected for this request type.
*Show User Access	Indicate whether or not to show the detailed security access rules.
*Show Help Content	Indicate whether or not to show the help content.
*Show Default Display Columns	Indicate whether or not to show the columns specified to display in request listing portlets.

Run Field Security Denormalization Report

This report runs field level security-related denormalization tasks for particular entities.

This report is restricted to users having a Configuration license.

Figure 3-16. Run Field Security Denormalization report fields




Table 3-16. Run Field Security Denormalization report field descriptions

Field Name (*Required)	Description
Request Type	Select a request type. Choices are limited to those request types available on your PPM Center instance.
Request Header Type	Select a request header type. Choices are limited to those request header types available on your PPM Center instance.
User Data Context	Select a user data context. Choices are limited to the user data available on your PPM Center instance.
Contact	Select a contact. Choices are limited to those contacts available on your PPM Center instance.
*Entity State	Select a state. Choices include: Active All Closed

Run PPM Organization Unit Interface Report

This report runs the Organization Unit Open Interface. It validates and imports data from the organization unit interface tables or an LDAP server into the standard PPM Center organization data model.

This report is restricted to users having a User Administration license.

For More Information

For more information about this report, see the *Open Interface Guide and Reference*.

Run PPM Package Interface Report

This report validates and loads package data from the package open interface tables into the standard HP Deployment Management data model.

This report is restricted to users having a Configuration license.

For More Information

For more information about this report, see the *Open Interface Guide and Reference*.

Run Workflow Transaction Interface Report

This report validates and runs workflow transactions based on data in the workflow open interface tables.

Use this report to start process steps from outside the PPM Center end-user screens.

This report is restricted to users having a Configuration license.

For More Information

For more information about this report, see the *Open Interface Guide and Reference*.

SOX - Security Change Report

This report provides the history of security changes.

This report can be submitted and viewed by all users having the System: Submit Report access grant.

Figure 3-17. SOX - Security Change report fields



Table 3-17. SOX - Security Change report field descriptions

Field Name	Description
User Name	Select one or more user names.
	Choices are limited to users of your PPM Center instance.
	Select one or more security groups.
Security Group	Choices are limited to those security groups available on your PPM Center instance.
From	Select the starting date. The report will include only changes that occurred on or after this date.
То	Select the ending date. The report will include only changes that occurred on or before this date.
Show User Security Group Changes	Indicate whether or not to show changes to security groups.
Show Security Access Grant Changes	Indicate whether or not to show changes to access grants.

SOX - Security Validation Report

This report lists users with multiple roles through security groups linked to workflow steps.

This report can be submitted and viewed by all users having the System: Submit Report access grant.

Figure 3-18. SOX - Security Validation report fields




Table 3-18. SOX - Security Validation report field descriptions

Field Name (*Required)	Described
*Workflow	Select a workflow.
*Workflow Steps	Select one or more workflow steps associated with Workflow .
*Order By	Select the sort criteria. Choices include: Step User Name Step Name Security Group Name

Security Group Detail Report

This report lists definitional information for one or more security groups. This report lists:

- Which users belong to the group
- What workflow steps the security group has access to
- Other information such as what screens the users in the security group will have update access to
- Which transactional entities (requests, packages, projects, or tasks) can use a security group's information in its search fields
- Which request types that members of a designated security group are allowed to create.

This report is restricted to users having a User Administration license.

Figure 3-19. Security Group Detail report fields



Table 3-19. Security Group Detail report field descriptions

Field Name (*Required)	Description
Security Group From	Select the starting security group. The report will include only security groups whose name is equal to or greater than this value.
	Choices are limited to those security groups available on your PPM Center instance.
Security Group To	Select the ending security group. The report will include only security groups whose name is equal to or less than this value.
	Choices are limited to those security groups available on your PPM Center instance.
User Name	Select a user name.
	Choices are limited to users of your PPM Center instance.
	Select a workflow.
Workflow Name	Choices are limited to those workflows available on your PPM Center instance.
*Show Workflow Steps	Indicate whether or not to show all the workflow steps.
*Show Users	Indicate whether or not to show all users in the security group.
*Show Attributes	Indicate whether or not to show entity types that can use this security group's information in its search fields.
*Show User Data	Indicate whether or not to show user data custom fields.

Special Command Detail Report

This report provides details for a command (special command) or a range of commands.

This report can be submitted and viewed by all users having the System: Submit Report access grant.

Figure 3-20. Special Command Detail report fields




Table 3-20. Special Command Detail report field descriptions

Field Name (*Required)	Description
Special Command From	Select the starting special command. The report will include only special commands whose name is equal to or greater than this value.
	Choices are limited to those special commands available on your PPM Center instance.
Special Command To	Select the ending special command. The report will include only special commands whose name is equal to or less than this value.
	Choices are limited to those special commands available on your PPM Center instance.
*Show References	Indicate whether or not to show entities that refer to the special commands.

Synchronize Meta Layer Report

This report assesses or synchronizes the RML (Reporting Meta Layer).

This report is restricted to users having a Configuration license.

Figure 3-21. Synchronize Meta Layer report fields




Table 3-21. Synchronize Meta Layer report field descriptions

Field Name (*Required)	Description
*Action	Select an action. Choices are limited to actions available on your PPM Center instance.
*Scope	Select a scope. Choices include: Entire Meta Layer. To include all of the RML. Specific View. To limit the Action to a specific view. Specific Template. To limit the Action to a specific template.
View Name	Select a Meta Layer view name. Choices are limited to those views available on your PPM Center instance. This field is enabled only if Specific View is selected in the Scope field.
Template File Name	Select a Meta Layer template name. Choices are limited to those templates available on your PPM Center instance. This field is enabled only if Specific Template is selected in the Scope field.

User Data Detail Report

This report displays the definition of custom user data field (for example, fields on entities like packages, requests, workflows, and security groups). The report is grouped by entity and lists all the custom fields for each entity as well as the validations that the fields reference.

This report is restricted to users having a Configuration license.

Figure 3-22. User Data Detail report fields




Table 3-22. User Data Detail report field descriptions

Field Name	Description
User Data From	Select the starting user data. The report will include only user data whose name is equal to or greater than this value.
	Choices are limited to user data available on your PPM Center instance.
User Data To	Select the ending user data. The report will include only user data whose name is equal to or less than this value.
	Choices are limited to user data available on your PPM Center instance.

User Detail Report

This report lists the users who have been defined in the PPM Center system, as well as the security groups attached to each user.



This report also appears in the Resource category.

This report is restricted to users having a User Administration license.

Figure 3-23. User Detail report fields




Table 3-23. User Detail report field descriptions (page 1 of 2)

Field Name	Description
Last Name From	Specify the starting last name. The report will include only users whose last name is equal to or greater than this value.
	Type any alphanumeric string (up to 200 characters in length).
Last Name To	Specify the ending last name. The report will include only users whose last name is equal to or less than this value.
	Type any alphanumeric string (up to 200 characters in length).
User	Select one or more user IDs. Choices are limited to users of your PPM Center instance.

Table 3-23. User Detail report field descriptions (page 2 of 2)

Field Name	Description
Security Group	Select one or more security groups. Choices are limited to those security groups available on your PPM Center instance.
Organization Unit	Select one or more organization units. Choices are limited to those organization units available on your PPM Center instance.
Show Cascading Members	Indicate whether or not to show child organizations.
Role	Select one or more roles. Choices are limited to those roles available on your PPM Center instance.
Product License	Select one or more product licenses. Choices are limited to those licenses available on your PPM Center instance.
Access to Workflow	Select one or more workflows. Choices are limited to those workflows available on your PPM Center instance.
Include Disabled	Indicate whether or not to include disabled users.
Show Resource Information	Indicate whether or not to include additional resource information (for example, skills, capacity, or direct manager).
Show Security	Indicate whether or not to show security group memberships.
Show Org Units	Indicate whether or not to show organization unit memberships.
Show User Data	Indicate whether or not to show the user data custom fields.
Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).

Administrative Reports 73

Validations Report

This report provides information about the various custom validations that have been entered into the system as well as those that are standard with PPM Center products.

This report is restricted to users having a Configuration license.

Figure 3-24. Validations report fields




Table 3-24. Validations report field descriptions

Description
Select the starting validation. The report will include only validations whose name is equal to or greater than this value.
Choices are limited to those validations available on your PPM Center instance.
Select the ending validation. The report will include only validations whose name is equal to or less than this value.
Choices are limited to those validations available on your PPM Center instance.
Indicate whether or not to show the values for those validations that rely on a list of values.
Indicate whether or not to show the values for those validations that rely on a list of command.
Indicate whether or not to expand the user-defined special commands for any validations using special commands.

Workflow Detail Report

This report provides detailed configuration information about specific workflows or sets of workflows. Information includes all steps in the workflow, all transitions in and out of each workflow step, possible results of each step, and all notifications attached to the workflow.



Use this report both as an audit of the workflow business process definition, as well as a tool to analyze those business processes.

This report is restricted to users having a Configuration license.

Figure 3-25. Workflow Detail report fields




Table 3-25. Workflow Detail report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Workflow From	Select the starting workflow. The report will include only workflows whose name is equal to or greater than this value.
	Choices are limited to those workflows that are available on your PPM Center instance.
Workflow To	Select the ending workflow. The report will include only workflows whose name is equal to or less than this value.
	Choices are limited to those workflows that are available on your PPM Center instance.
*Show Valid Results	Indicate whether or not to show the valid result values for each workflow step.
*Show Transitions	Indicate whether or not to show the transitions in and out of each workflow step.

Administrative Reports 75

Table 3-25. Workflow Detail report field descriptions (page 2 of 2)

Field Name (*Required)	Description
*Show Security	Indicate whether or not to show the security groups that have access to act on each workflow step.
*Show Notifications	Indicate whether or not to show the notifications attached to each workflow step.
*Show User Data	Indicate whether or not to show the user data custom fields.
*Show Subworkflows	Indicate whether or not to show subworkflows.
*Show Workflow Step Commands	Indicate whether or not to show the workflow step commands if a step is a command execution step.
*Expand Special Commands	Indicate whether or not to expand user-defined special commands.
*Show Filters	Indicate whether or not to show information about field filtering for Deployment Management header fields.

Workflow Statistics Report

Given a date range and a workflow (or a range of workflows), this report provides statistical information regarding workflow usage—for example:

- How many times the workflow was used compared to the total number of packages or requests
- Average, minimum, and maximum completion time for packages/ requests using this workflow within the date range
- For each workflow step, the percentage that the step is traversed of the total packages/requests within that workflow
- For each workflow step, the average, minimum, and maximum completion times
- For each workflow step, the breakdown of the results and transitions that lead out of the step

This report is restricted to users having a Configuration license.

Figure 3-26. Workflow Statistics report fields




Table 3-26. Workflow Statistics report field descriptions (page 1 of 2)

Field Name (*Required)	Description
*Txn Start Date	Select the starting date. The report will include only transactions started on or after this date.
*Txn End Date	Select the ending date. The report will include only transactions started on or before this date.
*Workflow Scope	Select a scope. Choices are limited to the scope available on your PPM Center instance.

Administrative Reports 77

Table 3-26. Workflow Statistics report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Workflow From	Select the starting workflow. The report will include only workflows whose name is equal to or greater than this value.
	Choices are limited to those workflows that are available on your PPM Center instance.
Workflow To	Select the ending workflow. The report will include only workflows whose name is equal to or less than this value. Choices are limited to those workflows that are available on your PPM Center instance.
*Show Steps	Indicate whether or not to show the statistical analysis for individual workflow steps.
*Show Transitions	Indicate whether or not to show the statistical analysis of the transaction history for each workflow.

4 Deployment Management Reports

In This Chapter:

- Compare Custom Database Setup Report
- Compare Filesystem Environments Report
- Compare MS SQL Server 7 Environments Report
- Compare Oracle Environments Report
- Distribution Detail Report
- Environment Comparison by Objects Migrated Report
- Environments / Objects Detail Report
- Object History Report
- Objects / Environments Detail Report
- Package Change History Report
- Package Details Report
- Package History Report
- Package Impact Analysis Report
- Packages Pending Report
- Release Detail Report
- Release Notes Report

Compare Custom Database Setup Report

This report compares database objects in two separate database schemas. Objects to be compared are defined in the tables KENV_OBJECTS and KENV_OBJECT_ATTRIBUTES. These tables include HP-supplied objects that compare two separate PPM Center entities across two IT Governance schemas:

- Commands (also called special commands)
- Object types
- Request header types
- Request types
- Security groups
- User data
- Validations
- Workflows
- Workflow step sources (in the execution and decision categories)

Custom comparison entities allow for the comparison of actual data within a database as well as within the data model. Custom entities can be generated for both Oracle and SQL Server.

A filter can be applied to each entities. You can view all the entities in the category along with their associated attributes, or only the entities and attributes that contain differences. In order to run the report, you must define an environment or application code for each schema.

This report is restricted to users having a Deployment Management license.

Figure 4-1. Compare Custom Database Setup report fields




Table 4-1. Compare Custom Database Setup report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Comparison Name	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Reference Environment	Select the first environment. Choices are limited to those environments available on your PPM Center instance.
*Compared Environment	Select the second environment. Choices are limited to those environments available on your PPM Center instance.
Reference AppCode	Select the application code to be used to override the parameters for the reference environment. Choices are limited to those application codes available on your PPM Center instance.
Compared AppCode	Select the application code to be used to override the parameters for the compared environment. Choices are limited to those application codes available on your PPM Center instance.

Table 4-1. Compare Custom Database Setup report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Only Report Differences	Indicate whether or not to display only the differences between the two environments.
	Select these objects.
*Object 1 Object 2–5	Choices are limited to those custom SQL Server or Oracle objects available on your PPM Center
•	instance.
Object 1–5 Filter	Select these corresponding object values.
	Type any alphanumeric string (up to 200 characters in length).

Compare Filesystem Environments Report

This report compares the files and file structures of two machines. In order to run this report, an environment or application code for each machine must be defined. The file system can be any for which an environment is defined; this means that a Windows® file system can be compared with a UNIX® file system, or the many types of UNIX file systems can be compared with each other.

Some of the options available with this report provide the following capabilities:

- The base path can be overridden when the report is run.
- The user may choose to view all the files and directories, or only the ones which are different.
- The user may select any or all of the following comparisons to perform: Owner, Permissions, or Content.
- The user may opt to include or exclude certain file types and directory names.

This report is restricted to users having a Deployment Management license.

■ Report Parameters Restore Default 囯 田 1881 Ħ 'Reference Tier: Only Report Differences: O Yes O No Use Entered Base Paths: O Yes O No O Yes O No Reference Base Path: Oyes ONo Compare Owners: O Yes O No OYes ONo File Type Include All Except Include All Except File Type 1: Directory 1: File Type 2: Directory 3: File Type 3: Directory 4: File Type 4:

Figure 4-2. Compare Filesystem Environments report fields

Table 4-2. Compare Filesystem Environments report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Comparison Name	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Reference Environment	Select the first environment. Choices are limited to those environments available on your PPM Center instance.
*Compared Environment	Select the second environment. Choices are limited to those environments available on your PPM Center instance.
Reference AppCode	Select the application code to be used to override the parameters for the reference environment. Choices are limited to those application codes available on your PPM Center instance.
Compared AppCode	Select the application code to be used to override the parameters for the compared environment. Choices are limited to those application codes available on your PPM Center instance.
*Reference Tier	Choices include: Server Client
*Compared Tier	Choices include: Server Client
Only Report Differences	Indicate whether or not to display only the differences between the two environments.
Use Entered Base Paths	Indicate whether or not to use the base paths specified in Reference Base Path and Compared Base Path.
Examine Subdirectories	Indicates whether or not subdirectories should be included.
Reference Base Path	Specify the base path for the reference environment. Type any alphanumeric string (up to 200 characters in length).

Table 4-2. Compare Filesystem Environments report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Compared Base Path	Specify the base path for the compared environment.
	Type any alphanumeric string (up to 200 characters in length).
Compare Content	Indicate whether or not to compare the contents of each file.
Compare Owners	Indicate whether or not to compare the ownership of each file, including directories.
Compare Permissions	Indicate whether or not to compare the permissions of each file, including directories.
	Select which directories to include.
	Choices include:
*Directory Choice	 Include All Except. Include all directories except for those specified in Directory 1–4.
	 Exclude All Except. Exclude all directories except for those specified in Directory 1–4.
	Select which file types to include.
	Choices include:
*File Type Choice	 Include All Except. Include all file types except for those specified in File Type 1–4.
	Exclude All Except. Exclude all file types except for those specified in File Type 1-4.
Directory 1–4	Specify these directories associated with Directory Choice .
	Type any alphanumeric string (up to 200 characters in length).
File Type 1–4	Specify these file types associated with File Type Choice .
	Type any alphanumeric string (up to 200 characters in length).



For best results, define the base paths using absolute paths.

Compare MS SQL Server 7 Environments Report

This report compares the data model of two SQL Server Version 7 databases. The report can compare tables, views, procedures, and triggers. A unique filter can be specified for each category. Users is also given the option of viewing all the objects in the category along with their associated attributes, or only the objects and attributes which contain differences. In order to run the report, an environment or application code for each schema must be defined within PPM Center.

This report is restricted to users having a Deployment Management license.






Table 4-3. Compare Custom Database Setup report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Comparison Name	Specify a unique name for the report.
	Type any alphanumeric string (up to 200 characters in length).
*Reference Environment	Select the first environment.
	Choices are limited to those environments
	available on your PPM Center instance.
*Compared Environment	Select the second environment.
	Choices are limited to those environments
	available on your PPM Center instance.
Reference AppCode	Select an application code to be used to override the parameters for the reference environment.
	Choices are limited to those application codes available on your PPM Center instance.

Table 4-3. Compare Custom Database Setup report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Compared AppCode	Select an application code to be used to override the parameters for the compared environment. Choices are limited to those application codes available on your PPM Center instance.
Only Report Differences	Indicate whether or not to show only the differences between the two environments.
Compare Tables	Indicate whether or not to compare tables.
Table Filter	Specify a table. Type any alphanumeric string (up to 200 characters in length).
Compare Views	Indicate whether or not to compare views.
View Filter	Specify a view. Type any alphanumeric string (up to 200 characters in length).
Compare Procedures	Indicate whether or not to compare procedures.
Procedure Filter	Specify a procedure. Type any alphanumeric string (up to 200 characters in length).
Compare Triggers	Indicate whether or not to compare triggers.
Trigger Filter	Specify a trigger. Type any alphanumeric string (up to 200 characters in length).

Compare Oracle Environments Report

This report compares the data model of two Oracle schemas. Specifically, the report can compare:

- Functions
- Grants
- Indexes
- Packages
- Procedures
- Sequences
- Synonyms
- Tables
- Triggers
- Views

A unique filter can be specified for each category. Users are also given the option of viewing all objects in the category along with their associated attributes, or only the objects and attributes that contain differences. In order to run the report, an environment or application code for each schema must be defined in PPM Center.

This report is restricted to users having a Deployment Management license.

Figure 4-4. Compare Oracle Environments report fields




Table 4-4. Compare Oracle Environments report field descriptions (page 1 of 3)

Field Name (*Required)	Description
Comparison Name	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Reference Environment	Select the first environment. Choices are limited to those environments available on your PPM Center instance.
*Compared Environment	Select the second environment. Choices are limited to those environments available on your PPM Center instance.
Reference AppCode	Select the application code to be used to override the parameters for the reference environment. Choices are limited to those application codes available on your PPM Center instance.
Compared AppCode	Specify the application code to be used to override the parameters for the compared environment. Choices are limited to those application codes available on your PPM Center instance.
Only Report Differences	Indicate whether or not to display only the differences between the two environments.

Table 4-4. Compare Oracle Environments report field descriptions (page 2 of 3)

Indicate whether or not to compare tables.	Field Name (*Required)	Description
Table Filter Type any alphanumeric string (up to 200 characters in length). Compare Sequences Indicate whether or not to compare sequences. Specify a sequence. Type any alphanumeric string (up to 200 characters in length). Compare Indexes Indicate whether or not to compare indexes. Specify an index. Type any alphanumeric string (up to 200 characters in length). Compare Views Indicate whether or not to compare views. Specify a view. Type any alphanumeric string (up to 200 characters in length). Compare Packages Indicate whether or not to compare packages. Specify a package. Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Compare Tables	Indicate whether or not to compare tables.
Specify a sequence. Type any alphanumeric string (up to 200 characters in length). Compare Indexes Indicate whether or not to compare indexes. Specify an index. Type any alphanumeric string (up to 200 characters in length). Compare Views Indicate whether or not to compare views. Specify a view. Type any alphanumeric string (up to 200 characters in length). Compare Packages Indicate whether or not to compare packages. Specify a package. Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Type any alphanumeric string (up to 200	Table Filter	Type any alphanumeric string (up to 200
Sequence Filter Type any alphanumeric string (up to 200 characters in length). Compare Indexes Indicate whether or not to compare indexes. Specify an index. Type any alphanumeric string (up to 200 characters in length). Compare Views Indicate whether or not to compare views. Specify a view. Type any alphanumeric string (up to 200 characters in length). Compare Packages Indicate whether or not to compare packages. Specify a package. Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Filter Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Compare Sequences	Indicate whether or not to compare sequences.
Specify an index. Type any alphanumeric string (up to 200 characters in length). Compare Views Indicate whether or not to compare views. Specify a view. Type any alphanumeric string (up to 200 characters in length). Compare Packages Indicate whether or not to compare packages. Specify a package. Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Tringers Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Sequence Filter	Type any alphanumeric string (up to 200
Index Filter Type any alphanumeric string (up to 200 characters in length). Compare Views Indicate whether or not to compare views. Specify a view. Type any alphanumeric string (up to 200 characters in length). Compare Packages Indicate whether or not to compare packages. Specify a package. Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Compare Indexes	Indicate whether or not to compare indexes.
View Filter Specify a view. Type any alphanumeric string (up to 200 characters in length). Compare Packages Indicate whether or not to compare packages. Specify a package. Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Index Filter	Type any alphanumeric string (up to 200
Type any alphanumeric string (up to 200 characters in length). Compare Packages Indicate whether or not to compare packages. Specify a package. Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200 characters in length).	Compare Views	Indicate whether or not to compare views.
Package Filter Specify a package. Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	View Filter	Type any alphanumeric string (up to 200
Package Filter Type any alphanumeric string (up to 200 characters in length). Compare Procedures Indicate whether or not to compare procedures. Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Compare Packages	Indicate whether or not to compare packages.
Specify a procedure. Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Package Filter	Type any alphanumeric string (up to 200
Procedure Filter Type any alphanumeric string (up to 200 characters in length). Compare Functions Indicate whether or not to compare functions. Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Compare Procedures	Indicate whether or not to compare procedures.
Specify a function. Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Procedure Filter	Type any alphanumeric string (up to 200
Function Filter Type any alphanumeric string (up to 200 characters in length). Compare Triggers Indicate whether or not to compare triggers. Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Compare Functions	Indicate whether or not to compare functions.
Specify a trigger. Trigger Filter Type any alphanumeric string (up to 200	Function Filter	Type any alphanumeric string (up to 200
Trigger Filter Type any alphanumeric string (up to 200	Compare Triggers	Indicate whether or not to compare triggers.
cnaracters in length).	Trigger Filter	1
Compare Synonyms Indicate whether or not to compare synonyms.	Compare Synonyms	Indicate whether or not to compare synonyms.

Table 4-4. Compare Oracle Environments report field descriptions (page 3 of 3)

Field Name (*Required)	Description
Synonym Filter	Specify a synonym. Type any alphanumeric string (up to 200 characters in length).
Compare Grants	Indicate whether or not to compare grants.
Grant Filter	Specify a grant. Type any alphanumeric string (up to 200 characters in length).

Distribution Detail Report

This report lists the contents and results of a distribution. It is useful in getting a high-level view of a distribution and analyzing the execution results.



This report is also useful when used to get a high-level view of a distribution as well as to analyze the execution results.

This report is restricted to users having a Deployment Management license.

Figure 4-5. Distribution Detail report fields




Table 4-5. Distribution Detail report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Distribution From	Select the starting distribution. The report will include only distributions whose name is equal to or greater than this value.
	Choices are limited to those distributions that are available on your PPM Center instance.
Distribution To	Select the ending distribution. The report will include only distributions whose name is equal to or less than this value.
	Choices are limited to those distributions that are available on your PPM Center instance.
	Select a release.
Release	Choices are limited to those product releases available on your PPM Center instance.
Transaction Date From	Select the starting date. The report will include only transactions started on or after this date.
Transaction Date To	Select the ending date. The report will include only transactions started on or before this date.
	Type any valid date.

Table 4-5. Distribution Detail report field descriptions (page 2 of 2)

Field Name (*Required)	Description
*Include Closed Distribtutions	Indicate whether or not to include closed distributions.
*Show Package level Subworkflow Steps	Indicate whether or not to show subworkflow steps at the package level.
*Order By	Select the sort criteria. Choices include: Distribution Name Release

Environment Comparison by Objects Migrated Report

Given two environments, this report looks at the history of all the objects migrated into each environment (using HP Deployment Management) and lists any differences. These differences include objects migrated into:

- One environment but not the other
- Both environments but at different times

This report uses an internal object inventory table for information on objects migrated to each environment. At the time of execution, the workflow engine uses the workflow definition to determine the environment an object is being migrated to and updates the object inventory table accordingly.

The workflow engine will not recognize any cases where the destination environment is overwritten in the object command while it is being migrated.



This report serves as a good mechanism to compare one environment versus the other, but only compares the environments based on the Deployment Management migrations into that environment. It does not make any comparisons at the file system or database levels.

This report is restricted to users having a Deployment Management license.

Figure 4-6. Environment Comparison by Objects Migrated report fields




Table 4-6. Environment Comparison by Objects Migrated report field descriptions

Field Name (*Required)	Description
*Environment Name 1	Select the first environment. Choices are limited to those environments available on your PPM Center instance.
*Environment Name 2	Select the second environment. Choices are limited to those environments available on your PPM Center instance.
Object Type	Select an object type. Choices are limited to those objects available on your PPM Center instance.
Specific Object	Select an object. Choices are limited to those objects available on your PPM Center instance.
*Include Matches	Indicate whether or not in include matches.

Environments / Objects Detail Report

This report lists objects that have been migrated into a given environment or set of environments. Use this report as an object inventory for newly migrated objects.

This report uses an internal object inventory table for information on objects migrated to each environment. At the time of execution, the workflow engine uses the workflow definition to determine the environment an object is being migrated to and updates the object inventory table accordingly.

The workflow engine will not recognize any cases where the destination environment is overwritten in the object command while it is being migrated.

This report is also useful when used to create an object inventory for newly migrated objects.

This report is restricted to users having a Deployment Management license.

Figure 4-7. Environments / Objects Detail report fields




Table 4-7. Environments / Objects Detail report field descriptions

Field Name (*Required)	Description
Environment	Select an environment. Choices are limited to those environments available on your PPM Center instance.
Object Type	Select an object type. Choices are limited to those object types available on your PPM Center instance.
Migration Date From	Select the starting date. The report will include only migrations started on or after this date.
Migration Date To	Select the ending date. The report will include only migrations started on or before this date.
*Include Prior Migrations	Indicate whether or not to include objects that were migrated to the same environment more than once.

Object History Report

This report provides a workflow step transaction history for packages. Use this report to view:

- All transactions matching the selection criteria
- All executions for a given object type and/or a given date range
- If the same object has been migrated/executed by multiple packages

For migration steps, this report uses the workflow definitions to determine when a step occurred and to which environment it was migrated. It looks at completed execution type workflow steps and at the attached destination environment to report the object's final destination environment.

This report will not recognize any cases where the destination environment is overwritten in the object command while it is being migrated.

This report is restricted to users having a Deployment Management license.

Figure 4-8. Object History report fields



Table 4-8. Object History report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Object Type	Select an object type. Choices are limited to those object types available on your PPM Center instance.
Object Name	Specify an object name. Type any alphanumeric string (up to 40 characters in length).
Performed By	Select a user. Choices are limited to users of your PPM Center instance.

Table 4-8. Object History report field descriptions (page 2 of 2)


Field Name (*Required)	Description
Transaction Date From	Select the starting date. The report will include only transactions started on or after this date.
Transaction Date To	Select the ending date. The report will include only transactions started on or before this date.
	Select a destination environment.
Dest. Environment	Use this option to view all the deployment management activity for a specific environment.
	Choices are limited to those environments available on your PPM Center instance.
*Execute Steps Only	Indicate whether or not to show transactions for execution type workflow steps.
	Select the sort criteria.
*Order By	Choices include:
	Transaction Date
	Package Creation Date
	Object Name

Objects / Environments Detail Report

This report lists objects that have been migrated into a given environment or a set of environments, grouping the report output by object type name. Use this report as an object inventory for newly migrated objects.

This report uses an internal object inventory table for information on objects migrated to each environment. At time of execution, the workflow engine uses the workflow definition to determine the environment an object is being migrated to and updates the object inventory table accordingly.

The workflow engine will not recognize any cases where the destination environment is overwritten in the object command while it is being migrated.



This report is restricted to users having a Deployment Management license.

Figure 4-9. Objects / Environments Detail report fields



Table 4-9. Objects / Environments Detail report field descriptions

Field Name (*Required)	Description
Object Type	Select an object type. Choices are limited to those object types available on your PPM Center instance.
Environment	Select an environment. Choices are limited to those environments available on your PPM Center instance.
Migration Date From	Select the starting date. The report will include only migrations started on or after this date.
Migration Date To	Select the ending date. The report will include only migrations started on or before this date.
*Include Prior Migrations	Indicate whether or not to include objects that were migrated to the same environment more than once.

Package Change History Report

This report audits the package changes and includes assignment information, line order, and line details for each selected package.

This report is restricted to users having a Deployment Management license.

Figure 4-10. Package Change History report




Table 4-10. Package Change History field descriptions

Field Name (*Required)	Description
Package From	Select the starting package. The report will include only packages whose name is equal to or greater than this value.
	Choices are limited to those packages that are available on your PPM Center instance.
Package To	Select the ending package. The report will include only packages whose name is equal to or less than this value.
	Choices are limited to those packages that are available on your PPM Center instance.
Package No. Contains	Specify a string that must be included in the package number.
	Type any alphanumeric string (up to 40 characters in length).
	Select a user.
Assigned User	Choices are limited to users of your PPM Center instance.
	Select a workflow.
Workflow	Choices are limited to those workflow available on your PPM Center instance.

Table 4-10. Package Change History field descriptions

Field Name (*Required)	Description
Creation Date From	Select the starting date. The report will include only packages created on or after this date.
Creation Date To	Select the ending date. The report will include only packages created on or before this date.
*Show Package Change History	Indicate whether or not to show the package change history.
*Show Deleted Packages and Package Lines	Indicate whether or not to show deleted packages and deleted package lines.

Package Details Report

Returns details about a given package. Based on the selection criteria, this report lists:

- Individual packages and detailed data regarding each package
- Header information about the package such as package priority and description
- Detailed information such as package notes, package lines and their parameters
- Current workflow status for each package line on each selected package

This report is restricted to users having a Deployment Management license.

Figure 4-11. Package Details report fields




Table 4-11. Package Details report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Package From	Select the starting package. The report will include only packages whose name is equal to or greater than this value.
	Choices are limited to those packages that are available on your PPM Center instance.
Package To	Select the ending package. The report will include only packages whose name is equal to or less than this value.
	Choices are limited to those packages that are available on your PPM Center instance.
Package No. Contains	Specify a string that must be included in the package number.
	Type any alphanumeric string (up to 40 characters in length).
*Include Closed Packages	Indicate whether or not to include packages with an overall status of Cancelled, Closed [Success], Closed [Failure], and Closed [Mixed].
	Select a user.
Requested By	Choices are limited to users of your PPM Center instance.
*Show Line Statuses	Indicate whether or not to show the workflow steps and current step status for each package line.
	Select a user.
Assigned To	Choices are limited to users of your PPM Center instance.
*Show Line Parameters	Indicate whether or not to show all the visible parameters for each package line.
	Select a workflow.
Workflow	Choices are limited to those workflow available on your PPM Center instance.
*Show Notes	Indicate whether or not to show the notes.
Package Group	Select a package group.
	Choices are limited to those package groups available on your PPM Center instance.
*Show User Data	Indicate whether or not to show the user data custom fields.

Table 4-11. Package Details report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Creation Date From	Select the starting date. The report will include only packages created on or after this date.
*Show Full Header	Indicate whether or not to show the full header.
Creation Date To	Select the ending date. The report will include only packages created on or before this date.
*Show References	Indicate whether or not to show associated references.

Package History Report

This report lists the complete workflow history for each selected package—for example:

- Each change in the status of each workflow step
- The date and time the status changed
- The person who caused the change
- The new status of that step

For example, a different entry will be displayed when a step became eligible versus when the step was completed and had a result. The report breaks down each package into its package lines and gives the workflow history separately for each line.

This report is restricted to users having a Deployment Management license.

Figure 4-12. Package History report fields




Table 4-12. Package History report field descriptions

Field Name (*Required)	Description
Package From	Select the starting package. The report will include only packages whose name is equal to or greater than this value.
	Choices are limited to those packages that are available on your PPM Center instance.
Package To	Select the ending package. The report will include only packages whose name is equal to or less than this value.
	Choices are limited to those packages that are available on your PPM Center instance.
Package No. Contains	Specify a string that must be included in the package number.
	Type any alphanumeric string (up to 40 characters in length).
Requested By	Select a user.
	Choices are limited to users of your PPM Center instance.
Assigned To	Select a user.
	Choices are limited to users of your PPM Center instance.
*Include Closed Packages	Indicate whether or not to include packages with an overall status of Cancelled, Closed [Success], Closed [Failure], and Closed [Mixed].

Package Impact Analysis Report

Use this report to analyze the impact of a given package based on the audit history stored in PPM Center. After listing summary information on the given package and package lines, the report lists three separate sections for analysis:

- Other packages that contain common objects with a given package.
- Objects that have migrated alongside one or more of the objects being migrated on the given package but are not included in the given package.
 - These objects might be affected by the current object changes (if these objects were once tied to the objects being changed in the same package, there is probably a relationship between the objects).
- Recent migrations for each object in the package, showing where changes to the given objects have recently been deployed.

This report is restricted to users having a Deployment Management license.

Figure 4-13. Package Impact Analysis report fields



Table 4-13. Package Impact Analysis report field descriptions

Field Name (*Required)	Description
*Package	Select a package. Choices are limited to those packages available on your PPM Center instance.
Ignore Pkgs Created Before	Select a date. The report will include only the package if it was created on or after this date.
*Show Details	Indicate whether or not to list all the specific common objects between the queried packages and the given package.

Packages Pending Report

Use this report as a worklist for pending work on packages. Based on the selection criteria, this report lists:

- Open packages with pending activity
- Details about each package
- Pending work for a group of users

Using this information, query the package using HP Deployment Management and perform the appropriate action(s).

This report is restricted to users having a Deployment Management license.

Figure 4-14. Packages Pending report fields




Table 4-14. Packages Pending report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Package From	Select the starting date. The report will include only packages whose name is equal to or greater than this value.
	Choices are limited to those packages that are available on your PPM Center instance.
Package To	Select the ending date. The report will include only packages whose name is equal to or less than this value.
	Choices are limited to those packages that are available on your PPM Center instance.
	Select a user.
Executable by User	Choices are limited to users of your PPM Center instance.
	Select a security group.
Executable by Sec Group	Choices are limited to those security groups available on your PPM Center instance.
	Select a user.
Assigned to User	Choices are limited to users of your PPM Center instance.
	Select a security group.
Assigned to Sec Group	Choices are limited to those security groups available on your PPM Center instance.
	Select a workflow.
Workflow	Choices are limited to those workflows available on your PPM Center instance.
Dest Environment	Select a destination environment.
	Use this option to see which packages are ready to migrate to a given environment.
	Choices are limited to those environments available on your PPM Center instance.

Table 4-14. Packages Pending report field descriptions (page 2 of 2)

Field Name (*Required)	Description
*Execution Steps Only	Indicate whether or not to select open package lines with an active execution type step with the given destination environment.
	This is useful when you want to see which packages are ready to migrate to any environment.
*Filter For	Select a filter. Choices include: All Active Steps Eligible Steps Only Scheduled Steps Only
*Order By	Select the sort criteria. Choices include: Package Number Step name Workflow Name

Release Detail Report

This is a management report that lists all requests, packages, and distributions associated with a release.



This report is also useful when used to determine if everything that should be included with a release has been included, and whether or not there are proper dependencies.

This report is restricted to users having a Deployment Management license and belonging to the appropriate security group.




Figure 4-15. Release Detail report fields

Table 4-15. Release Detail report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Release From	Select the starting date. The report will include only releases whose name is equal to or greater than this value.
	Choices are limited to those releases that are available on your PPM Center instance.
*Show Distributions	Indicate whether or not to show distributions.
Release To	Select the ending date. The report will include only releases whose name is equal to or less than this value.
	Choices are limited to those releases that are available on your PPM Center instance.
*Show Packages	Indicate whether or not to show packages.
	Select a release number.
Release Contains	Type any alphanumeric string (up to 40 characters in length).
*Show Requests	Indicate whether or not to show requests.
	Select a user.
Created By	Choices are limited to users of your PPM Center instance.
*Show References	Indicate whether or not to show references.
Release Manager	Select a release manager.
	Choices are limited to users of your PPM Center instance.
*Show Notes	Indicate whether or not to show notes.
Release Team	Select a release team.
	Choices are limited to those release teams available on your PPM Center instance.
*Include Closed Releases	Indicate whether or not to show closed releases.
	Select a package group.
Package Group	Choices are limited to those package groups available on your PPM Center instance.

Table 4-15. Release Detail report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Description	Specify a string that must be included in the description.
	Type any alphanumeric string (up to 200 characters in length).
Creation Date From	Select the starting date. The report will include only releases created on or after this date.
Creation Date To	Select the ending date. The report will include only releases created on or before this date.
Dist. Creation Date From	Select the starting date. The report will include only distributions created on or after this date.
Dist. Creation Date To	Select the ending date. The report will include only distributions created on or before this date.

Release Notes Report

This report shows all of the requests and packages in a release as well as their associations. You can use this report to create a list of bugs fixed and patches applied within a specific release.



This report is also useful when used to create a list of bugs fixed and patches applied within a specific release.

This report is restricted to users having a Deployment Management license.

Figure 4-16. Release Notes report fields




Table 4-16. Release Notes report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Release From	Select the starting release. The report will include only releases whose name is equal to or greater than this value.
	Choices are limited to those releases that are available on your PPM Center instance.
Show Requests	Indicate whether or not to show requests.
Release To	Select the ending release. The report will include only releases whose name is equal to or less than this value.
	Choices are limited to those releases that are available on your PPM Center instance.
Show Packages	Indicate whether or not to show packages.
Release Manager	Select a release manager. Choices are limited to users of your PPM Center instance.

Table 4-16. Release Notes report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Show Notes	Indicate whether or not to show notes.
	Select a release team.
Release Team	Choices are limited to those release team available on your PPM Center instance.
Update Date From	Select the starting date. The report will include only releases updated on or after this date.
Update Date To	Select the ending date. The report will include only releases updated on or before this date.
*Include Closed Distribtutions	Indicate whether or not to show closed distributions.

5 Demand Management Reports

In This Chapter:

- Contact Detail Report
- Demand Creation History Report
- Historical SLA Violations Report
- Request Detail (Filter by Custom Fields) Report
- Request Detail Report
- Request History Report
- Request Quick View Report
- Request Summary (Filter by Custom Fields) Report
- Request Summary Report
- Satisfied Demand History Report

Contact Detail Report

This report is primarily a request manager tool. Use this report to query the contacts already entered in the Demand Management system that are available for entering and updating requests.

This report is restricted to users having a Demand Management license.

Figure 5-1. Contact Detail report parameters




Table 5-1. Contact Detail report field descriptions (page 1 of 2)

Field Name	Description
Last Name From	Specify the starting last name. The report will include only contacts whose last name is equal to or greater than this value.
	Type any alphanumeric string (up to 200 characters in length).
Last Name To	Specify the ending last name. The report will include only contacts whose last name is equal to or less than this value.
	Type any alphanumeric string (up to 200 characters in length).
Full Name Contains	Specific a string that must be included in the full name.
	Type any alphanumeric string (up to 200 characters in length).

Table 5-1. Contact Detail report field descriptions (page 2 of 2)

Field Name	Description
Email Contains	Specify a string that must be include in the email address.
	Type any alphanumeric string (up to 200 characters in length).
Company Name	Specify one or more companies.
	Choices are limited to those companies available on your PPM Center instance.
Report Title	Specify a unique name for the report.
	Type any alphanumeric string (up to 200 characters in length).

Demand Creation History Report

Use this report to show the history of demand creation for a specified demand set. Demand can be grouped by any of the demand set fields, and further filtered by specific values of those fields.

This report is restricted to users having a Demand Management license.






Table 5-2. Demand Creation History report field descriptions (page 1 of 3)

Field Name (*Required)	Description
*Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Demand Set Name	Select a demand set. Choices are limited to those demand sets available on your PPM Center instance.
Request Type	Select one or more request types. Choices are limited to those request types available on your PPM Center instance.
Requestor Department	Select a department. Choices are limited to those departments available on your PPM Center instance.

Table 5-2. Demand Creation History report field descriptions (page 2 of 3)

Field Name (*Required)	Description
Priority	Select a priority. Choices include: Low Normal High Critical
Assigned to Group	Select one or more security groups. Choices are limited to those security groups available on your PPM Center instance.
Demand Disposition	Select one or more dispositions. Choices include: Satisfied Backlog New Scheduled Rejected
Application	Select one or more applications. Choices are limited to those applications available on your PPM Center instance.
*Demand Grouped By	The report will include only the demand set grouped by this demand field. Choices are limited to those demand fields available on your PPM Center instance.
*Period Type	Select a time period. Choices include: Months Weeks

Table 5-2. Demand Creation History report field descriptions (page 3 of 3) $\,$

Field Name (*Required)	Description
*Past Periods	Specify the number of historic periods of Period Type. Type any integer (in the range of -150 to 150).
Demand Field 1–5	Select these demand fields. Choices are limited to those demand fields available on your PPM Center instance.
Field Value 1–5	Select these corresponding demand field values. Type any alphanumeric string (up to 40 characters in length). This value should exactly match the visible field. For Yes/No options, type Y for yes and N for no.

Historical SLA Violations Report

Use this report to show the history of SLA violations for a specified demand set. Demand that has violated SLA can be grouped by any of the demand set fields, and further filtered by specific values of those fields.

This report is restricted to users having a Demand Management license.






Table 5-3. Historical SLA Violations report field descriptions (page 1 of 3)

Field Name (*Required)	Description
*Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Demand Set Name	Select a demand set. Choices are limited to those demand sets available on your PPM Center instance.
Request Type	Select one or more request types. Choices are limited to those request types available on your PPM Center instance.
Requestor Department	Select a department. Choices are limited to those departments available at your site.

Table 5-3. Historical SLA Violations report field descriptions (page 2 of 3)

Field Name (*Required)	Description
Priority	Select one or more priorities. Choices include: Low Normal High Critical
Assigned to Group	Select one or more security groups. Choices are limited to those security groups available on your PPM Center instance.
Demand Disposition	Select one or more dispositions. Choices include: Satisfied Backlog New Scheduled Rejected
Application	Select one or more applications. Choices are limited to those applications available on your PPM Center instance.
*Demand Grouped By	Select a demand set grouping. Choices are limited to those demand fields available on your PPM Center instance.
*Period Type	Select a time period. Choices include: Months Weeks

Table 5-3. Historical SLA Violations report field descriptions (page 3 of 3)

Field Name (*Required)	Description
*Past Periods	Specify the number of historic periods of Period Type. Type any integer (in the range of -9,999,999,999 to 9,999,999,999 and without a comma separator).
Demand Field 1–5	Specify these demand fields. Choices are limited to those demand fields available on your PPM Center instance.
Field Value 1–5	Specify the corresponding demand field values. Type any alphanumeric string (up to 40 characters in length). This value should exactly match the visible field. For Yes/No options, type Y for yes and N for no.

Request Detail (Filter by Custom Fields) Report

This report is similar to the Request Detail report except that requests can be filtered by values in custom fields. Once the request type is specified for the report, select up to four custom fields for that request type. Run the report for specific values for each of those fields.

This report is restricted to users having a Demand Management license.






Table 5-4. Request Detail (Filter by Custom Fields) report field descriptions (page 1 of 3)

Field Name (*Required)	Description
Request Numbers	Select one or more request numbers. Choices are limited to those request numbers available on your PPM Center instance.
*Include Closed Requests	Indicate whether or not to include closed requests.
*Request Type	Select a request type. Choices are limited to those request types available on your PPM Center instance.
Status	Select one or more statuses. Choices are limited to those statuses available on your PPM Center instance.
Priority	Select one or more priorities. Choices are limited to those priorities available on your PPM Center instance.
Assigned To	Select one or more users. Choices are limited to users of your PPM Center instance.
Assigned To Group	Select one or more security groups. Choices are limited to those security groups available on your PPM Center instance.
Created By	Select one or more users. Choices are limited to users of your PPM Center instance.
Request Sub Type	Select one or more subtypes of the specified Request Type. Choices are limited to those request subtypes available on your PPM Center instance.
Department	Select one or more departments. Choices are limited to those departments available on your PPM Center instance.
Application	Select one or more applications. Choices are limited to those applications available on your PPM Center instance.
Workflow	Select one or more workflows. Choices are limited to those workflows available on your PPM Center instance.

Table 5-4. Request Detail (Filter by Custom Fields) report field descriptions (page 2 of 3)

Field Name (*Required)	Description
Request Group	Select one or more request groups. Choices are limited to those request groups available on your PPM Center instance.
Contact	Select one or more contacts. Choices are limited to those contacts available on your PPM Center instance.
Company Name	Select one or more companies. Choices are limited to those companies available on your PPM Center instance.
Creation Date From	Select the starting date. The report will include only those requests created on or after this date.
Creation Date To	Select the ending date. The report will include only those requests created on or before this date.
Last Update Date From	Select the starting date. The report will include only those requests updated on or after this date.
Last Update Date To	Select the ending data. The report will include only requests updated on or before this date.
Description Contains	Specify the string that must appear in the description. Type any alphanumeric string (up to 200 characters in length).
Field Prompt 1–4	Select these field prompts. Choices are limited to those field prompts available on your PPM Center instance.
Field Value 1–4	Select these corresponding field prompt values. Type any alphanumeric string (up to 200 characters in length). This value should exactly match the visible field. For Yes/No options, type Y for yes and N for no.
Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).

Table 5-4. Request Detail (Filter by Custom Fields) report field descriptions (page 3 of 3)

Field Name (*Required)	Description
*Order By	Select the sort criteria. Choices include: Request Number Application Assigned To Created By Creation Date Department Last Updated Date Priority Request Group Request Sub Type Request Type Status
*Show Header Fields	Indicate whether or not to show header fields.
*Show Detail Fields	Indicate whether or not to show details (custom fields).
*Hide Prompts For Empty Fields	Indicate whether or not to hide prompts for empty fields.
*Show Contents of Table Fields	Indicate whether or not to show the contents of table component fields.
*Show Field Audit History	Indicate whether or not to show the transaction history.
*Show Notes	Indicate whether or not to show notes.
*Filter Notes	Indicate the scope of the notes. Choices include: Show all notes Show only user notes
*Show Status	Indicate whether or not to show workflow steps and their current status.
*Show References	Indicate whether or not to show references.

Request Detail Report

This report provides information about requests using a number of selection criteria. For each request, the report displays:

- All notes attached to the request
- Current status of the request
- Listing of future steps
- All populated detail fields for the request
- Requests assigned to a user
- Requests ready for review
- All new requests that need to be tracked

This report is restricted to users having a Demand Management license.




Figure 5-5. Request Detail report fields

Table 5-5. Request Detail report field descriptions (page 1 of 3)

Field Name (*Required)	Description
B (N)	Select one or more request numbers.
Request Numbers	Choices are limited to those request numbers available on your PPM Center instance.
*Include Closed Requests	Indicate whether or not to include closed requests.
	Select one or more request types.
Request Type	Choices are limited to those request types available on your PPM Center instance.
	Select one or more statuses.
Status	Choices are limited to those statuses available on your PPM Center instance.
	Select one or more priorities.
Priority	Choices are limited to those priorities available on your PPM Center instance.
	Select one or more users.
Assigned To	Choices are limited to users of your PPM Center instance.
	Select one or more security groups.
Assigned To Group	Choices are limited to those security groups available on your PPM Center instance.
	Select one or more users.
Created By	Choices are limited to users of your PPM Center instance.
Paguagt Sub Typa	Select one or more subtypes of the specified Request Type.
Request Sub Type	Choices are limited to those request subtypes available on your PPM Center instance.
	Select one or more departments.
Department	Choices are limited to those departments available on your PPM Center instance.
	Select one or more applications.
Application	Choices are limited to those applications available on your PPM Center instance.
	Select one or more workflows.
Workflow	Choices are limited to those workflows available on your PPM Center instance.

Table 5-5. Request Detail report field descriptions (page 2 of 3)

Field Name (*Required)	Description
	Select one or more request groups.
Request Group	Choices are limited to those request groups available on your PPM Center instance.
	Select one or more contacts.
Contact	Choices are limited to those contacts available on your PPM Center instance.
	Select one or more companies.
Company Name	Choices are limited to those companies available on your PPM Center instance.
Creation Date From	Select the starting date. The report will include only those requests created on or after this date.
Creation Date To	Select the ending date. The report will include only those requests created
Last Update Date From	Select the starting date. The report will include only those requests updated on or after this date.
Last Update Date To	Select the ending date. The report will include only requests updated on or before this date.
Description Contains	Specify the string that must be included in the description.
	Type any alphanumeric string (up to 200 characters in length).
	Specify a unique name for the report.
Report Title	Type any alphanumeric string (up to 200 characters in length).

Table 5-5. Request Detail report field descriptions (page 3 of 3)

Field Name (*Required)	Description
*Order By	Select the sort criteria. Choices include: Request Number Application Assigned To Created By Creation Date Department Last Updated Date Priority Request Group Request Sub Type Request Type Status
*Show Header Fields	Indicate whether or not to show the header field
*Show Detail Fields	Indicate whether or not to show details (custom fields).
*Hide Prompts for Empty Fields	Indicate whether or not to hide the prompts for empty fields.
*Show Contents of Table Fields	Indicate whether or not to show the contents of table component fields.
*Show Field Audit History	Indicate whether or not to show the transaction history.
*Show Notes	Indicate whether or not to show notes.
*Filter Notes	Indicates the scope of the notes to show. Choices include: Show all notes Show only user notes
*Show Status	Indicate whether or not to show workflow steps and their current status.
*Show References	Indicate whether or not to show references.

Request History Report

This report lists the complete workflow and field change history for each selected Request. For each request, this report provides the following details on each change in the status of each workflow step:

- Date and time the status changed
- Person who caused the change
- New status of that step

For example, a different entry is displayed when a step became eligible versus when the step was completed and had a result. It is possible to see data changes for fields that have been configured to have transaction history auditing. Use this report for auditing the transaction history of individual requests.

This report is restricted to users having a Demand Management license.




Figure 5-6. Request History report fields

Table 5-6. Request History report field descriptions (page 1 of 3)

Field Name (*Required)	Description
	Select one or more request numbers.
Request Numbers	Choices are limited to those request numbers available on your PPM Center instance.
*Include Closed Requests	Indicate whether or not to include requests with completed workflows.
Request Type	Select one or more request types. Choices are limited to those request types available on your PPM Center instance.
	Select one or more statuses.
Status	Choices are limited to those statuses available on your PPM Center instance.
	Select one or more priorities.
Priority	Choices are limited to those priorities available on your PPM Center instance.
	Select one or more users.
Assigned To	Choices are limited to users of your PPM Center instance.
	Select one or more security groups.
Assigned To Group	Choices are limited to those security groups available on your PPM Center instance.
	Select one or more users.
Created By	Choices are limited to users of your PPM Center instance.
Request Sub Type	Select one or more subtypes of the specified Request Type.
	Choices are limited to those request subtypes available on your PPM Center instance.
	Select one or more departments.
Department	Choices are limited to those departments available on your PPM Center instance.
	Select one or more applications.
Application	Choices are limited to those applications available on your PPM Center instance.
	Select one or more workflows.
Workflow	Choices are limited to those workflows available on your PPM Center instance.

Table 5-6. Request History report field descriptions (page 2 of 3)

Field Name (*Required)	Description
Request Group	Select one or more request groups. Choices are limited to those request groups available on your PPM Center instance.
Contact	Select one or more contacts. Choices are limited to those contacts available on your PPM Center instance.
Company Name	Select one or more companies. Choices are limited to those companies available on your PPM Center instance.
Creation Date From	Select the starting date. The report will include only those requests created on or after this date.
Creation Date To	Select the ending date. The report will include only those requests created on or before this date.
Last Update Date From	Select the starting date. The report will include only requests those updated on or after this date.
Last Update Date To	Select the ending date. The report will include only those requests updated on or before this date.

Table 5-6. Request History report field descriptions (page 3 of 3)

Field Name (*Required)	Description
Description Contains	Specify the string that must be included in the description.
	Type any alphanumeric string (up to 200 characters in length).
	Specify a unique name for the report.
Report Title	Type any alphanumeric string (up to 200 characters in length).
	Select the sort criteria.
	Choices include:
	Application
	Assigned To
	Created By
	Creation Date
*Order By	Department
	Last Updated Date
	Priority
	Request Group
	Request Number
	Request Type
	Request Sub Type
	Status

Request Quick View Report

This report lists a quick summary of open and closed requests, breaking down the requests by priority. The report also shows the request activity for the current week (using a Sunday to Saturday week) such as requests opened and requests closed. The report can also show selected request information for each open request, allowing managers to view both a summary view on request activity and drill down into request details.

This report is restricted to users having a Demand Management license.




Figure 5-7. Request Quick View report fields

Table 5-7. Request Quick View report field descriptions (page 1 of 3)

Field Name (*Required)	Description
Request Numbers	Specify one or more request numbers. Choices are limited to those request numbers available on your PPM Center instance.
Include Closed Requests	Indicate whether or not to include closed requests.
Request Type	Select one or more request types. Choices are limited to those request types available on your PPM Center instance.

Table 5-7. Request Quick View report field descriptions (page 2 of 3)

Field Name (*Required)	Description
Status	Select one or more statuses.
	Choices are limited to those statuses available on your PPM Center instance.
Priority	Select one or more priorities.
	Choices are limited to those priorities available on your PPM Center instance.
Assigned To	Select one or more users.
	Choices are limited to users of your PPM Center instance.
	Select one or more security groups.
Assigned To Group	Choices are limited to those security groups available on your PPM Center instance.
	Select one or more users.
Created By	Choices are limited to users of your PPM Center instance.
Request Sub Type	Select one or more subtypes of the specified Request Types.
	Choices are limited to those request subtypes available on your PPM Center instance.
	Select one or more departments.
Department	Choices are limited to those departments available on your PPM Center instance.
	Select one or more applications.
Application	Choices are limited to those applications available on your PPM Center instance.
Workflow	Select one or more workflows.
	Choices are limited to those workflows available on your PPM Center instance.
Request Group	Select one or more request groups.
	Choices are limited to those request groups available on your PPM Center instance.
Contact	Select one or more contacts.
	Choices are limited to those contacts available on your PPM Center instance.

Table 5-7. Request Quick View report field descriptions (page 3 of 3)

Field Name (*Required)	Description
Company Name	Select one or more companies. Choices are limited to those companies available on your PPM Center instance.
Creation Date From	Select the starting date. The report will include only those requests created on or after this date.
Creation Date To	Select the ending date. The report will include only those requests created on or before this date.
Last Update Date From	Select the starting date. The report will include only those requests updated on or after this date.
Last Update Date To	Select the ending date. The report will include only those requests updated on or before this date.
Description Contains	Specify the string that must be included in the description. Type any alphanumeric string (up to 200 characters in length).
Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Order By	Select the sort criteria: Choices include: Request Number Created By Creation Date Priority Request Type Status Description Assigned User
*Show Details	Indicate whether or not to show details.
Show Summary	Indicate whether or not to show the summary.
*Columns to Display (8 max)	Select one to eight columns of information. Choices are limited to those columns available on your PPM Center instance.

Request Summary (Filter by Custom Fields) Report

This report is similar to the Request Summary report except that requests can be filtered by values in custom fields. Once the request type is specified for the report, select up to four of the custom fields for that request type. Run the report for specific values for each of those fields.

This report is restricted to users having a Demand Management license.






Table 5-8. Request Summary (Filter by Custom Fields) report field descriptions (page 1 of 3)

Field Name (*Required)	Description
Request Numbers	Select one or more request numbers. Choices are limited to those request numbers available on your PPM Center instance.
*Include Closed Requests	Indicate whether or not to include closed requests.
Request Type	Select a request type. Choices are limited to those request types available on your PPM Center instance.
Status	Select one or more statuses. Choices are limited to those statuses available on your PPM Center instance.
Priority	Select one or more priorities. Choices are limited to those priorities available on your PPM Center instance.
Assigned To	Select one or more users. Choices are limited to users of your PPM Center instance.
Assigned To Group	Select one or more security groups. Choices are limited to those security groups available on your PPM Center instance.
Created By	Select one or more users. Choices are limited to users of your PPM Center instance.
Request Sub Type	Select one or more subtypes of the specified Request Types. Choices are limited to those request subtypes available on your PPM Center instance.
Department	Select one or more departments. Choices are limited to those departments available on your PPM Center instance.
Application	Select one or more applications. Choices are limited to those applications available on your PPM Center instance.
Workflow	Select one or more workflows. Choices are limited to those workflows available on your PPM Center instance.

Table 5-8. Request Summary (Filter by Custom Fields) report field descriptions (page 2 of 3)

Field Name (*Required)	Description
Request Group	Select one or more request groups.
	Choices are limited to those request groups available on your PPM Center instance.
Contact	Select one or more contacts.
	Choices are limited to those contacts available on your PPM Center instance.
Company Name	Select one or more companies.
	Choices are limited to those companies available on your PPM Center instance.
Creation Date From	Select the starting date. The report will include only those requests created on or after this date.
Creation Date To	Select the ending date. The report will include only those requests created on or before this date.
Last Update Date From	Select the starting date. The report will include only those requests updated on or after this date.
Last Update Date To	Select the ending date. The report will include only those requests updated on or before this date.
Description Contains	Specify the string that must be included in the description.
	Type any alphanumeric string (up to 200 characters in length).
	Select these field prompts.
Field Prompt 1–4	Choices are limited to those field prompts available on your PPM Center instance.
	Select these corresponding field prompt values.
Field Value 1–4	Type any alphanumeric string (up to 200 characters in length). This value should exactly match the visible field. For Yes/No options, type Y for yes and N for no.

Table 5-8. Request Summary (Filter by Custom Fields) report field descriptions (page 3 of 3)

Field Name (*Required)	Description
Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Group By	Select one or more sort criteria. Choices include: Assigned Group Assigned User Company Name Contact Email Contact Phone Created By Created On Department Description Last Updated On Application Priority Request Group Request Number Request Sub Type Request Type Status Days Open Workflow Percent Complete
*Include Subtotals for First Group Column	Indicate whether or not to include subtotals for the first group.

Request Summary Report

This report displays the total counts for groups of requests matching the selection criteria. Selected requests can be grouped in up to five categories. For example, a report can display the counts for requests in each department/assigned user combination or for each department/application/priority combination.

This report is restricted to users having a Demand Management license.




Figure 5-9. Request Summary report fields

Table 5-9. Request Summary report field descriptions (page 1 of 4)

Field Name (*Required)	Description
Request Numbers	Select one or more request numbers. Choices are limited to those request numbers available on your PPM Center instance.
*Include Closed Requests	Indicate whether or not to include closed requests.
Request Type	Select one or more request types. Choices are limited to those request types available on your PPM Center instance.
Status	Select one or more statuses. Choices are limited to those statuses available on your PPM Center instance.

Table 5-9. Request Summary report field descriptions (page 2 of 4)

Field Name (*Required)	Description
Priority	Select one or more priorities. Choices are limited to those priorities available on your PPM Center instance.
Assigned To	Select one or more users. Choices are limited to users of your PPM Center instance.
Assigned To Group	Select one or more security groups. Choices are limited to those security groups available on your PPM Center instance.
Created By	Select one or more users. Choices are limited to users of your PPM Center instance.
Request Sub Type	Select one or more subtypes of the specified Request Types. Choices are limited to those request subtypes available on your PPM Center instance.
Department	Select one or more departments. Choices are limited to those departments available on your PPM Center instance.
Application	Select one or more applications. Choices are limited to those applications available on your PPM Center instance.
Workflow	Select one or more workflows. Choices are limited to those workflows available on your PPM Center instance.
Request Group	Select one or more request groups. Choices are limited to those request groups available on your PPM Center instance.
Contact	Select one or more contacts. Choices are limited to those contacts available on your PPM Center instance.
Company Name	Select one or more companies. Choices are limited to those companies available on your PPM Center instance.
Creation Date From	Select the starting date. The report will include only those requests created on or after this date.

Table 5-9. Request Summary report field descriptions (page 3 of 4)

Field Name (*Required)	Description
Creation Date To	Select the ending date. The report will include only those requests created on or before this date.
Last Update Date From	Select the starting date. The report will include only those requests updated on or after this date.
Last Update Date To	Select the ending date. The report will include only requests updated on or before this date.
Description Contains	Specify the string that must be included in the description.
	Type any alphanumeric string (up to 200 characters in length).

Table 5-9. Request Summary report field descriptions (page 4 of 4)

Field Name (*Required)	Description
Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Group By	Select one or more sort criteria. Choices include: Assigned Group Assigned User Company Name Contact Email Contact Name Contact Phone Created By Created On Department Description Last Updated On Application Priority Request Group Request Number Request Sub Type Request Type Status Days Open Workflow Percent Complete
*Include Subtotals for First Group Column	Indicate whether or not to include subtotals for the first group.


Table 5-10. Resource Load by Priority report field descriptions

Field Name (*Required)	Description
Security Group	Specifies that the report include only requests belonging to this security group.
	Choices are limited to those security groups available on your PPM Center instance.
	Specifies that the report include only requests having this priority.
	Choices include:
Priority	■ Low
,	Normal
	■ High
	Critical
Department	Specifies that the report include only requests associated with this department.
	Choices are limited to those departments available on your PPM Center instance.
Application	Specifies that the report include only requests associated with this application.
	Choices are limited to those applications available on your PPM Center instance.
Dogwood Crown	Specifies that the report include only requests associated with this request group.
Request Group	Choices are limited to those request groups available on your PPM Center instance.
Requests Created Since	Specifies that the report include only requests created on or after this date.
	Type any valid date.
Dogwoot Type	Specifies that the report include only requests having these (one or more) request types.
Request Type	Choices are limited to those request types available on your PPM Center instance.
Request Status	Specifies that the report include only requests having these (one or more) statuses.
	Choices are limited to those statuses available on your PPM Center instance.

Satisfied Demand History Report

Use this report to show the history of demand that has been satisfied for a specified demand set. Demand can be grouped by any of the demand set fields, and further filtered by specific values of those fields.

This report is restricted to users having a Demand Management license.






Table 5-11. Satisfied Demand History report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Report Title	Specify a unique name for the report. Type any alphanumeric string (up to 200 characters in length).
*Demand Set Name	Select a demand set. Choices are limited to those demand sets available on your PPM Center instance.
Request Type	Select one or more request types. Choices are limited to those request types available on your PPM Center instance.
Requestor Department	Select a department. Choices are limited to those departments available at your site.

Table 5-11. Satisfied Demand History report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Priority	Select one or more priorities. Choices include: Low Normal High Critical
Assigned to Group	Select one or more security groups. Choices are limited to those PPM Center security groups available on your PPM Center instance.
Demand Disposition	Read-only field.
Application	Select one or more applications. Choices are limited to those applications a available on your PPM Center instance.
Demand Grouped By	Select a demand set grouping. Choices are limited to those demand fields available on your PPM Center instance.
Period Type	Specify the time period. Choices include: Months Weeks
Past Periods	Specify the number of historic periods of Period Type. Type any integer (in the range of -9,999,999,999 to 9,999,999,999 and without a comma separator).
Demand Field 1–5	Select these demand fields. Choices are limited to those demand fields available on your PPM Center instance.
Field Value 1–5	Select these corresponding demand field values. Type any alphanumeric string (up to 40 characters in length). This value should exactly match the visible field. For Yes/No options, type Y for yes and N for no.

6 Project Management Reports

In This Chapter:

- Baseline Comparison Report
- Project Cost Breakdown Report
- Project Cost Details Report

Baseline Comparison Report

This report compares a project's schedule to a baseline or compares two baselines.

This report is restricted to users having a Project Management license.

Figure 6-1. Baseline Comparison report fields




Table 6-1. Baseline Comparison report field descriptions (page 1 of 2)

Field Name (*Required)	Description
4D : 4	Select a project.
*Project	Choices are limited to those projects available on your PPM Center instance.
	Select a baseline or work plan from this project.
*Compare	Choices are limited to those work plans or baselines available on your PPM Center instance.
	Select another baseline or work plan from this project.
*To	Choices are limited to those projects or baselines available on your PPM Center instance.

Table 6-1. Baseline Comparison report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Show Only Changes	Indicate whether or not to show changes only. Use this when you want to see only the differences between the entities.
Show Only Summary Tasks	Indicate whether or not to show summary tasks only.
Show Start Date Changes	Indicate whether or not to show changes in task start dates.
Show Finish Date Changes	Indicate whether or not to show changes in task finish dates.
Show Duration Changes	Indicate whether or not to show changes in task durations.
Show Effort Changes	Indicate whether or not to show changes in task effort.
Only Indicate Changes Later Than(days)	Specify the number of days that should be ignored. That is, changes smaller than the specified amount will not be shown. Type any integer (in the range of –999 to 9,999 and without a comma separator).
Show Cost Changes For	Select one or more cost categories. Choices include: Planned Labor Planned Non-Labor Planned Cost Planned Capital Cost Planned Operating Cost
Only Indicate Cost Changes Larger Than	Specify the minimum cost changes to report upon. Type any integer (in the range of –999 to 9,9999 and without a comma separator).
Show Resource Changes	Indicate whether or not to compare tasks having resource changes.
Include Completed Tasks	Indicate whether or not to compare tasks having Completed status.
Include Cancelled Tasks	Indicate whether or not to compare tasks having Cancelled status.

Project Management Reports 155

Project Cost Breakdown Report

This report shows the costs for a project, and the activities with which the costs are associated. Totals include both labor and non-labor costs.



This report also appears in the Financial Management category.

This report is restricted to users having a Project Management license.

Figure 6-2. Project Cost Breakdown report fields



Table 6-2. Project Cost Breakdown report field descriptions

Field Name (*Required)	Description
*Project	Select one or more projects. Choices are limited to those projects available on your PPM Center instance.
*Breakdown Period	Select a breakdown period. Choices include: Project to Date. Costs are displayed for the entire project(s). Month. Costs are displayed for month and year specified in Period.
Period	If reporting on costs for a specific month, select the month and year. Choices are limited to those periods available on your PPM Center instance.
Local Currency	Indicate whether or not the costs should be displayed in local currency or in the PPM Center system base currency.

Project Cost Details Report

This report shows the cost details for select project work plans, grouped by labor and non-labor or operating categorizations.



This report also appears in the Financial Management category.

This report is restricted to users having a Project Management license.

Figure 6-3. Project Cost Details report fields




Table 6-3. Project Cost Details report field descriptions (page 1 of 2)

Field Name	Description
Project Name	Specify one or more projects. Choices are limited to those projects available on your PPM Center instance.
Project Manager	Select one or more project managers. This will limit the report results to only the selected project managers. Choices are limited to those users available on your PPM Center instance.
Department	Select a department. Choices are limited to those departments available on your PPM Center instance.

Table 6-3. Project Cost Details report field descriptions (page 2 of 2)

Field Name	Description
Limit Hierarchy Depth to	Specify the level of cost details to show.
	Type any integer (in the range of 0 to 999,999,999 and without a comma separator). Realistically, however, the range should be from 1 to 10.
	A depth of 1 will show costs at the work plan level.
Group costs by Capital and Operating	Indicate whether or not costs should be grouped as capital and operating.
	Choices include:
	 Yes. Costs are grouped as capital or operating.
	No. Costs are grouped as labor and non-labor.
Local Currency	Indicate whether or not the costs should be displayed in local currency or in the PPM Center system base currency.

7 Time Management Reports

In This Chapter:

- Actual Time Summary Report
- *Delinquent Time Sheets*
- Time Sheet Details Report
- Time Sheet Summary Report
- Work Allocation Details Report

Actual Time Summary Report

This report summarizes actual time information entered in non-cancelled time sheets. Different parameters provide different views into the data—for example:

- The total time entered per resource for each time period
- The total time entered per project
- The total time entered in each given time period

This report is similar to the Time Sheet Summary Report, except it does not show work allocation budget information.

This report is restricted to users having a Time Management license.



This report has been re-written in this version. Use of the earlier version should be discontinued and customized reports based on the earlier version should be re-implemented.




Figure 7-1. Actual Time Summary report fields

Table 7-1. Actual Time Summary report field descriptions (page 1 of 2)

Field Name (*Required)	Description
*Group By	Select one or more grouping criteria. Choices include: Work Item Type Work Item Set Work Item Activity Resource Time Period Charge Code Time Sheet #
*Period Type	Select a time period. Choices are limited to those period types available on your PPM Center instance.
*Starting Time Period	Select the starting date. Choices are limited to those date ranges available on your PPM Center instance.
Resource	Select one or more resources. Choices are limited to those resources available on your PPM Center instance.
*Ending Time Period	Select the ending date. Choices are limited to those date ranges available on your PPM Center instance.
Resource Group	Select one or more resource groups. Choices are limited to those resource groups available on your PPM Center instance.
Work Item Type	Select a work item type. Choices include: Request Package Task Misc
Work Item Set	Select a work item set. Choices are limited to those work item sets available on your PPM Center instance.

Time Management Reports 161

Table 7-1. Actual Time Summary report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Show Groups with Actual Hours Greater Than or Equal To	Specify the minimum total actual hours of a group, where the grouping is specified in the Group By field.
	Type any integer (in the range of -9,999,999,999 to 9,999,999,999 and without a comma separator).
	This allows you to filter for the areas with large time charges.
	Select a work item.
Work Item	Choices are limited to those work items available on your PPM Center instance.
Include Unsubmitted Time Sheets	Indicate whether or not unsubmitted time sheets should be shown.
	Select an activity.
Activity	Choices are limited to those activities available on your PPM Center instance.
Show Subtotals	Indicate whether or not subtotals should be shown.
Charge Code	Select a charge code.
	Choices are limited to those charge codes available on your PPM Center instance.
Show Actual Cost	Indicate whether or not actual costs should be shown.

Delinquent Time Sheets

This report list the time sheets that are delinquent.

This report is restricted to users having a Time Management license.

Figure 7-2. Delinquent Time Sheets fields




Table 7-2. Delinquent Time Sheets field descriptions (page 1 of 2)

Field Name (*Required)	Description
*Previous Time Periods to Show	Specify the number of previous time periods to show.
Frevious Time Fellous to Show	Type any numeric value (between 0 and 12).
*Include Current Period	Indicate whether or not to include the current time period.
*Grace Period in Days (affects past	Specify the number of days to include in the grace period.
periods only)	Type any numeric value (between 0 and 31).
_	Select one or more resources.
Resource	Choices are limited to those resources available on your PPM Center instance.
	Select a manager.
Direct Manager	Choices are limited to those managerial resources available on your PPM Center instance.
	Select a time approver.
Default Time Approver	Choices are limited to those time approvers available on your PPM Center instance.

Time Management Reports 163

Table 7-2. Delinquent Time Sheets field descriptions (page 2 of 2)

Field Name (*Required)	Description
Organization Unit	Select an organization. Choices are limited to those organizations available on your PPM Center instance.
Time Sheet Status	Select a status. Choices are limited to those statuses available on your PPM Center instance.
Sort by	Select the sort criteria. Choices include: Resource Period Name

Time Sheet Details Report

This report summarizes multiple time sheets displays their details. The report displays the following information:

- Header information
- Daily time information
- Line information, for example, work item, actuals to date, charge code, activity information, and notes details

This report is restricted to users having a Time Management license.

Figure 7-3. Time Sheet Details report fields




Table 7-3. Time Sheet Details report field descriptions (page 1 of 2)

Field Name (*Required)	Description
*Period Type	Select a time period. Choices are limited to those period types available on your PPM Center instance.
*Time Period	Select a time period. Choices are limited to those time periods available on your PPM Center instance.
Include Frozen and Closed	Indicate whether or not to include frozen and closed time sheets.
Resource	Select one or more resources. Choices are limited to those resources available on your PPM Center instance.
Include Cancelled	Indicate whether or not to include cancelled time sheets.

Time Management Reports 165

Table 7-3. Time Sheet Details report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Resource Group	Select one or more resource groups.
	Choices are limited to those resource groups available on your PPM Center instance.
	Select a status.
Status	Choices are limited to those statuses available on your PPM Center instance.
	Specify a description filter.
Description Contains	Type any alphanumeric string (up to 200 characters in length).
	Specify a time sheet number.
Time Sheet #	Type any numeric value (between 0 and 999,999,999 and without a comma separator).
	Specify a unique name for the report.
Report Title	Type any alphanumeric string (up to 200 characters in length).
	Select the sort criteria.
Order By	Choices include:
Order by	Time Period, followed by Resource
	Resource, followed by Time Period
Show Time Sheet Notes	Indicate whether or not to show the header notes.
Show Line Notes	Indicate whether or not to show the notes attached to each time sheet line.
Show Charge Codes	Indicate whether or not to show the charge codes.
Show Activity Details	Indicate whether or not to show activity details.


Time Sheet Summary Report


This report summarizes time information entered in non-cancelled time sheets. Different parameters provide different views into the data, for example:

- The total time entered per resource for time period
- The total time entered per project versus the budget for that project
- The total time entered in each give time period

This report is similar to the Actual Time Summary report except that this report shows work allocation budget information.

This report is restricted to users having a Time Management license.





Time Management Reports 167

Table 7-4. Time Sheet Summary report field descriptions (page 1 of 2)

Field Name (*Required)	Description
*Group By	Select one or more grouping criteria. Choices include: Work Item Type Work Item Set Work Item Activity Resource Time Period Tlme Sheet # Time Sheet Status
*Period Type	Select a time period. Choices are limited to those period types available on your PPM Center instance.
Starting Time Period	Select the starting date. Choices are limited to those date ranges available on your PPM Center instance.
Resource	Select one or more resources. Choices are limited to those resources available on your PPM Center instance.
Ending Time Period	Select the ending date. Choices are limited to those date ranges available on your PPM Center instance.
Resource Group	Select one or more resource groups. Choices are limited to those resource groups available on your PPM Center instance.
Current Plus Last <x> Periods</x>	Specify the number of previous periods to include. Type any integer (in the range of -9,999,999,999 to 9,999,999,999 and without a comma separator).
Work Item Type	Select a work item type. Choices include: Request Package Task Misc

Table 7-4. Time Sheet Summary report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Time Sheet #	Specify a time sheet number. Type any numeric value (between -999,999,999 and 999,999,999 and without a comma separator).
Work Item Set	Select a work item set. Choices are limited to those work items sets available on your PPM Center instance.
Include Closed Time Sheets	Indicate whether or not to include closed time sheets.
Work Item	Displays time sheets for a given set of work items (package, request, project, or task).
Include Unsubmitted Time Sheets	Indicate whether or not to include unsubmitted time sheets.
Activity	Select an activity. Choices are limited to those activities available on your PPM Center instance.
Charge Code	Select a charge code. Choices are limited to those charge codes available on your PPM Center instance.

Time Management Reports 169

Work Allocation Details Report

This report shows much of the same information shown on the Work Allocation definition page. This includes the:

- Allocation work item information
- Budget and actuals to date
- Charge code allocations
- Resource restrictions

This report also returns hyperlinks allowing modification of the work allocation (the Edit Work Allocations access grant is required).

This report is restricted to users having a Time Management license.



This report also appears in the Resource category.

Figure 7-5. Work Allocation Details report fields




Table 7-5. Work Allocation Details report field descriptions (page 1 of 2)

Field Name (*Required)	Description
Work Item Type	Select a work item type. Choices include: Request Package Task Misc
Work Item Set	Select a work item set. Choices are limited to those work items sets available on your PPM Center instance.
Work Item	Specify a work item. Choices are limited to those work items available on your PPM Center instance.
Charge Code	Select a charge code. Choices are limited to those charge codes available on your PPM Center instance.
Creation Date From	Select the starting creation date. The report will include only work allocations created on or after this date.
Creation Date To	Select the ending creation date. The report will include only work allocations created on or before this date.
Actuals/Budget Over <x>%</x>	Specify the minimum percentage for which you want to show work allocations with the actuals are close to (or over) budget.
Include Closed	Indicate whether or not to include closed work allocations.
Show Resource Restrictions	Indicate whether or not to include restricted resources and resource groups.

Time Management Reports 171

Table 7-5. Work Allocation Details report field descriptions (page 2 of 2)

Field Name (*Required)	Description
Show Detailed Actuals	Indicate whether or not to include the total actuals to date for the work allocation, as well as the breakdown of the actuals entered by each resource.
Show Discounts	Indicate whether or not to include the standard and billing discounts.
*Sort By	Select the sort criteria. Choices include: Work Item Type Work Item Set Work Item Original Budget (Hrs) Current Budge (Hrs)

8 Report Types

In This Chapter:

- Overview of the Report Type Workbench
- Using the Report Type Workbench
 - □ Logging On
 - □ Creating an Entirely New Report Type
 - □ Creating a New Report Type From an Existing Report Type
 - □ *Modifying an Existing Report Type*
- Report Type Windows
 - □ General Information Fields
 - □ Fields Tab
 - □ Layout Tab
 - □ Commands Tab
 - □ Security Tab
 - Ownership Tab

Overview of the Report Type Workbench

Use the Report Type Workbench to configure report types. Report types define the reports that are available from the Submit New Report page. The definitions include such features as:

- What categories list the report
- What fields are displayed on the report submission page, and how they are constructed and validated
- Who can access and submit the report, including any required licenses or access grants
- Who can modify the report type
- What commands are actually executed when the report is submitted



Do not change the name of the Baseline Comparison report. Doing so disables the **Compare Baselines** button on the View Baselines page (accessible from the Project Overview page).


Using the Report Type Workbench

Logging On

To access the Report Type Workbench:

- 1. Log on to PPM Center.
- From the menu bar, select Administration > Open Workbench.The PPM Workbench opens.
- 3. From the shortcut bar, select **Configuration > Report Types**.

 The Report Type Workbench opens.



Creating an Entirely New Report Type

To define a new report type that is not based on any existing report type:

From the Report Type Workbench, click New Report Type.
 The Report Type window opens.



2. Configure the settings using the information provided in *Report Type Windows* on page 178.


Report Types 175

Creating a New Report Type From an Existing Report Type

To use an existing report type as the basis of a new report type:


- 1. From the Report Type Workbench, select the existing report type.
- 2. Click Copy.

The Copy Report Type window opens.




- 3. Type a Report Type Name.
- 4. Click Copy to continue. Otherwise, click Cancel to abort.

If you continued, the Question window appears.



5. Click **Yes** if you want to make modifications. Otherwise, click **No**. If you continued, the Report Type: <*Report*> window opens.



6. View or modify the settings using the information provided in *Report Type Windows* on page 178.


Modifying an Existing Report Type

To update an existing report type:

- 1. From the Report Type Workbench, select the desired report type.
- 2. Open the report type either by double-clicking the highlighted row or clicking **Open**.

The Report Type: <*Report*> window opens.

Report Types 177



3. View or modify the settings using the information provided in *Report Type Windows* on page 178.

Report Type Windows

The Report Type window and the Report Type: <*Report>* window are essentially the same—one lacks data and the other has data. Consequently, the information contained in the following sections applies to both windows and, for simplicity, these windows will be termed the Report Type window throughout the following sections.

The Report Type window is composed of:

- General information fields
- Fields tab
- Layout tab
- Commands tab
- Security tab
- Ownership tab

General Information Fields

The general information fields define the report identification information displayed in the Submit New Report page.

View or modify the general information fields for the given report type using the information described in *Table 8-1*.

Table 8-1. Report Type window general information fields descriptions

Field Name	Description
Report Type Name	Specify a unique name of the report type. Type any alphanumeric string.
Description	Specify a brief description of the report type. Type any alphanumeric string.
Requires License	Select the product license that must be configured for users of this report. If no specific license is required, select Any . Choices are limited to licenses available on your PPM Center instance.
Enabled	Indicate whether or not the report type is available for use.
Report Category	Select the one (or more) categories that should include this report. Choices are limited to categories available on your PPM Center instance.

Fields Tab

Report type "fields" define the filter fields displayed in the Submit Report: <*Report Name>* window.

Use the Fields tab to view and edit the fields for the given report type. Each field in a report type is represented by its own row on the **Fields** tab. Settings for each field are configured using the Field window (as shown in *Figure 8-2*). Select any existing field to modify its settings or click **New** to create a new field.

Report Types 179

File Edit Tools Navigate Window Product Information Demand Mgmt Propert Type Workbench Report Type
Release Detail Report
Release Notes
Rep dy Report Type : Request Quick View
Reg
Reg
Reg Report Type Name: Request Quick View Deployment Mgmt Description Review the contents of a release. Lists all requests,... De Time Mgmt Dashboard Environments Configuration Description: ts, categorized by priority. Also shows request activity for the current week and other selected information Sys Admin Requires License: Demand Management Enabled:

Yes Req Req Ret Run Run Report Category: Demand Management Fields Layout | Commands | Security | Ownership Prompt
Application:
Assigned To:
Assigned To Group:
Columns to Display (8 max):
Company Name:
Contact PARAMETER 12 Y
PARAMETER 5 Y
PARAMETER 6 Y V Component Type Auto Complete List Auto Complete List Auto Complete List P_MODULE
P_ASSGN_USER
P_SEC_GROUP
P_COLUMNS
P_COMPANY_NAME
P_CONTACT
P_CREATED_BY PARAMETER 25
PARAMETER 17
PARAMETER 15
PARAMETER 7
DADAMETER 0 Auto Complete List Auto Complete List Auto Complete List 1 Re User Data Created By: Auto Complete List 1 Edit Notification Templates Ready

Figure 8-1. Report Type window Fields tab

Figure 8-2. Field window



The Field window consists of the following:

- General information fields
- Attributes tab
- Default tab
- Dependencies tab

Field Window General Information

View or modify the general information fields using the information described in *Table 8-2*.

Table 8-2. Field window general information field descriptions

Field Name	Description
Field Prompt	Specify the prompt that is visible in Submit Report: <report name=""> window.</report>
	Type any alphanumeric string.
	Specify the unique token that identifies this field.
Token	Type any string. Only uppercase letters, numbers, and underscore are permitted.
Description	Specify a brief description of the field.
Description	Type any alphanumeric string.
Enabled	Indicate whether or not the field is enabled.
	Select the logic used to validate the user input.
Validation	Choices are limited to validations available on your PPM Center instance.
	Click New to create a new validation or click Open to review the validation you selected.
Component Type	Select the visual characteristics of the field such as a drop-down list or free-form text field.
	Choices are limited to characteristics (defined in the corresponding validation) available on your PPM Center instance.
Multiselect	Indicate whether or not the field allows users to select more than one entry.
	This option is only valid for fields using the auto-complete component.

Attributes Tab

View or modify each field on the **Attributes** tab as described in *Table 8-3*.

Figure 8-3. Field window Attributes tab



Table 8-3. Field window Attributes tab field descriptions (page 1 of 2)

Field Name	Description
Parameter Col	Select the unique internal database table column for storing the value of this field.
	Choices are limited to 50 columns.
Display Only	Select whether the field can be updated or is read-only.
	Choices include:
	 Always. The field is only displayed and cannot be modified. (The field appears grayed-out similar to Component Type in Figure 8-3.)
	Never. The value for the field can be modified.
	 Use Dependency Rules. Display of the field relies on the settings in the Dependencies tab.
Display	Indicate whether or not the field is visible is visible in Submit Report: < Report Name > window.

Table 8-3. Field window Attributes tab field descriptions (page 2 of 2)

Field Name	Description
	Select whether a value must be supplied for this field.
	Choices include:
Required	Always. A value for this field is always required. (An asterisk will precede the field prompt in the report as shown for Show Columns in Figure 3-2 on page 43.)
	Never. A value for this field is optional.
	 Use Dependency Rules. Requiring a value for this field relies on the settings in the Dependencies tab.

Default Tab

View or modify each field on the **Default** tab as described in *Table 8-4*.

Figure 8-4. Field window Default tab



Table 8-4. Field window Default tab field descriptions

Field Name	Description
Default Type	Select the type of default value to use. Choices include:
	 Constant. Specifies that the constant value provided in the Visible Value field should be displayed.
	 Parameter. Specifies that the dynamic value provided in the Depends On field should be displayed.
	 None. Specifies that no default value should be displayed.
Visible Value	Specify the default value. This value should be what the user would typically enter in the field. If the report type field that you are defining is validated using a drop-down or an auto-complete list, this field displays only valid values. For example, if you have selected a drop-down list validation with possible values of High, Medium, or Low, you can specify a Visible Value of only High, Medium, or Low. This field is enabled only if Constant is chosen as the Default Type.
Depends On	Select the default value. This value should be what the user would typically enter in the field. Choices are limited to those tokens defined for this report type This field is enabled only if Parameter is chosen as the Default Type .

Dependencies Tab

View or modify each field on the **Default** tab as described in *Table 8-5*.

Figure 8-5. Field window Dependencies tab



Table 8-5. Field window Dependencies tab field descriptions

Field Name	Description
Clear When The Following Changes	Select whether the current field is cleared when the specified field changes. Choices are limited to those field prompts defined for this report type or select None if the field should not be cleared.
Display Only When	Select whether the current field is editable only when certain criteria are satisfied. The criteria is specified using the two fields to the right. Choices are limited to those field prompts defined for this report type or select None if the field should not be cleared. This field is enabled only when Use Dependency Rules in the Display Only field on the Attributes tab is selected.
Required When	Select whether the current field is required when certain criteria are satisfied. The criteria is specified using the two fields to the right. Choices are limited to those field prompts defined for this report type or specify None if the field should not be cleared. This field is enabled only when Use Dependency Rules in the Required field on the Attributes tab is selected.

Layout Tab

Use the **Layout** tab to specify the graphical presentation (visual layout) of the fields. This tab details the order of the fields, as well as some of their physical characteristics.

View or modify each field on the **Layout** tab as described in *Table 8-6*. Note that clicking **Preview** allows you to experiment with the organization and presentation of the fields.




Figure 8-6. Report Type window Layout tab

Table 8-6. Report Type window Layout tab field descriptions

Field Name	Description
	Select the width of the field (in columns).
Field Width	Note that if you select two columns, the rightmost columns contains a placeholder () to indicate that it is in use.
Move Field	Use the arrow buttons to modify the order of the fields.

Commands Tab

Use the **Commands** tab to define the steps that must be executed for each report to run successfully. These commands tell PPM Center precisely which steps must be executed to generate the results for the given report type.




Figure 8-7. Report Type window Commands tab

PPM Center commands are designed to have a similar look and feel to the Unix operating system command structure. In fact, the specific parts of a command, the command steps, are often just command-line directives.

A report type can have many commands, and each command can have many command steps. A command may be viewed as a particular function for a report. For example, calling the ksc_run_jsp_report special command to call a report's JSP code, or running command-line SQL*Plus to call a database procedure. To perform these functions, a series of events needs to take place and these events are defined in the command steps.

On the **Commands** tab, select any existing command to modify its settings or click **New Cmd** to create a new command.

View, enter, or modify each field of the Edit Command (shown in *Figure 8-9*) or New Command window (shown in *Figure 8-8*) as described in *Table 8-7*. (Similar to Report Type windows, the only difference in these two windows is whether they include data.)

Figure 8-8. New Command window




Figure 8-9. Edit Command window




Table 8-7. Command window field descriptions (page 1 of 2)

Field Name	Description
Command	Specify a brief name for the command. Type any alphanumeric string.
Condition	Specify the conditions that determine whether the command steps for the command are executed or not.
	See the Commands, Tokens, and Validations Guide and Reference for details on the types of conditions that can be used.

Table 8-7. Command window field descriptions (page 2 of 2)

Field Name	Description
Description	Specify a brief description of the command. Type any alphanumeric string.
Timeout(s)	Specify the amount of time (in seconds) the command will be allowed to run before its process is terminated.
	This mechanism allows commands that are hanging, or taking much more than the normal amount of time, to be aborted.
Enabled	Indicate whether or not the command is enabled for execution.

Security Tab

Use the **Security** tab to control which users can create or view reports of this report type. Security can be established using one of the following options:

- Viewable by creator only
- Viewable by selected security groups
- Viewable by users with the System: Submit Reports access grant

View or modify each field on the Security tab as described in *Table 8-8*.



The report manager (any PPM Center user with the System: Edit All Reports access grant) has permission to override the security group settings.

File Edit Tools Navigate Window Product Information Demand Mgmt Proport Type Workbench Deployment Mgmt Report Type
Release Detail Report
Release Notes
Report Type Detail Report
Reques
Reques
Reques
Reques
Description: Is, categorized by p
Resoues Description

New the contents of a release. Lists all requests, __De Audit all requests and packages contained in a r... De View the configuration details of one or more rep... Co Time Mgmt Dashboard Environments Configuration Sys Admin Description: ts, categorized by priority. Also shows request activity for the current week and other selected information Reques Reques Reques Run Fie Run ITG Requires License: Demand Management Enabled:

Yes Report Category: Demand Management Fields | Layout | Commands | Security | Ownership | \mathbf{V} Reports can be submitted and viewed by: All users with Report Browsing access 1 Report Users in the allowed Security Groups can submit, but each report can be viewed only by its creator User Data Restricted Security Groups Allowed Security Groups 1 Facilities Management
IT Business Relationship Specialist IT Development Team Leads Always restrict new Security Groups 1 Notification Templates OK Cancel

Figure 8-10. Report Type window Security tab

Table 8-8. Report Type window Security tab field descriptions

Field Name	Description
	Select the users who can use this report. Choices include:
Reports can be submitted and viewed by	 All users with Report Browsing access (meaning users with the System: Submit Reports access grant)
	Only users in the allowed Security Groups
	only when the value for Reports can be submitted sers in the allowed Security Groups.
Users in the allowed Security Groups can submit, but each report can only be viewed by its creator	Indicate whether the results of the report are can be viewed only by its creator.
Restricted Security Groups	Select the one (or more) security groups that are restricted from using this report type.
Allowed Security Groups	Select the one (or more) security groups that are allowed to use this report type.
Always restrict new Security Groups	Indicate whether any new security groups are automatically added to the list of Restricted Security Groups .

Ownership Tab

Members of ownership groups are the only users who have the right to edit, copy, or delete this report type.

Use the **Ownership** tab to view and edit ownership groups for the given report type. View or modify each field on the **Ownership** tab as described in *Table 8-9*.



See the Security Model Guide and Reference for more information about setting ownership for a new or existing report type.




Figure 8-11. Report Type window Ownership tab

Table 8-9. Report Type window Ownership tab field descriptions

Field Name	Description
	Indicate who should have the ability to copy, edit, or delete this report type.
	Choices include: All users with the Edit Report Types Access
Give ability to edit this Report Type to	Grant. Enables all users with the Edit Report Type access grant.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Only Groups listed below that have the Edit Report Types Access Grant. Limits the users to members of the group listed in the panel below this field. Use the Add and Remove buttons to manage this list.

A	E
Actual Time Summary report 160	Environment Comparison by Objects Migrated
administrative reports 19, 39	report 94
Attributes tab 182	Environment Comparison report 44
	Environment Detail report 45
В	Environment Group Detail report 46
Baseline Comparison report 154	Environments/Objects Detail report 96, 99
1	Extension reports 20
C	_
cancellable reports 35	F
cancelling	Field window 179
reports 33	Attributes tab 182
Commands tab 187	Default tab 183
Compare Custom Database Setup report 80	Dependencies tab 185
Compare Filesystem Environments report 83	Financial Management reports 19
Compare MS SQL Server 7 Environments report 86	Н
Compare Oracle Environments report 88	Historical SLA Violations report 123
Contact Detail report 118	
Contact Synchronization report 40	I
	Import Requests report 48
D	Import Users report 48
Data Source Detail report 43	
Default tab 183	K
deleting	ksc_run_jsp_report special command 35
report results 36	
Delinquent Time Sheets report 163	L
Demand Creation History report 120	Layout tab 186
Demand Management reports 19, 117	Lookup Types report 49
Dependencies tab 185	
Deployment Management reports 19, 79	M
Distribution Detail report 92	My Reports 28

N	modifying 177
Notification History report 50	Report Types Workbench 174
J 1	reports
0	See also report types.
Object History report 97	cancellable 35
Object Type Detail report 52	cancelling (running) 33
Objects/Environments Detail report 99	deleting results 36 submitting 23
Overview Section Detail report 54	viewing (running) 33
Ownership tab 191	viewing previously submitted 28
Ownership tao 191	Request Detail (Filter by Custom Fields)
P	report 126
	Request Detail report 130
Package Change History report 100	Request Header Type Detail report 60
Package Details report 102	Request History report 134
Package History report 105	Request Quick View report 138
Package Impact Analysis report 107	Request Summary (Filter by Custom Fields)
Packages Pending report 108	report 141
Portfolio Management reports 19	Request Summary report 145
Portlet Definition Detail report 56	Request Type Detail report 61
Program Management reports 19	Resource Management reports 19
Project Cost Breakdown report 156	Run Field Security Denormalization report 63
Project Cost Details report 157	Run PPM Organization Unit Interface report 64
Project Management reports 153	Run PPM Package Interface report 64
	Run Workflow Transaction Interface report 64
R	real working transaction interface report of
RCS Check In report 57	S
RCS Check Out report 58	
Release Detail report 111	Satisfied Demand History report 150 Security Group Detail report 67
Release Notes report 114	• •
Report Type Detail report 59	Security tab 189
Report Type window 178	SOX - Security Validation report 65
Commands tab 187	SOX - Security Validation report 66
Fields tab 179	Special Command Detail report 69
Layout tab 186	submitting reports 23
Ownership tab 191	-
Security tab 189	Synchronize Meta Layer report 70
report types 173 creating (new) 175	Т
creating (new, based on existing) 176	-
creating (new, oused on existing) 170	Time Management reports 19, 159

```
Time Sheet Details report 165
Time Sheet Summary report 167

U
User Data Detail report 71
User Detail report 72

V
Validations report 74
View Reports 30
viewing
previously submitted reports 28
running reports 33
```

W

Work Allocation Details report 170 Workbench, Report Types 174 Workflow Detail report 75 Workflow Statistics report 77