

# HP Select Identity Software

## Connector for Oracle® PeopleSoft Human Capital Management and Enterprise Financial Management

Connector Version: 2.11

---

### Installation and Configuration Guide

Document Release Date: September 2007  
Software Release Date: September 2007



## Legal Notices

### Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notices

© Copyright 2006-2007 Hewlett-Packard Development Company, L.P.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Portions Copyright © 1999-2003 The Apache Software Foundation. All rights reserved.

Select Identity uses software from the Apache Jakarta Project including:

- Commons-beanutils
- Commons-collections
- Commons-logging
- Commons-digester
- Commons-httpclient
- Element Construction Set (ecs)
- Jakarta-poi
- Jakarta-regexp
- Logging Services (log4j)

Additional third party software used by Select Identity includes:

- JasperReports developed by SourceForge
- iText (for JasperReports) developed by SourceForge
- BeanShell
- Xalan from the Apache XML Project
- Xerces from the Apache XML Project
- Java API for XML Processing from the Apache XML Project
- SOAP developed by the Apache Software Foundation
- JavaMail from SUN Reference Implementation
- Java Secure Socket Extension (JSSE) from SUN Reference Implementation
- Java Cryptography Extension (JCE) from SUN Reference Implementation
- JavaBeans Activation Framework (JAF) from SUN Reference Implementation

- OpenSPML Toolkit from OpenSPML.org
- JGraph developed by JGraph
- Hibernate from Hibernate.org
- BouncyCastle engine for keystore management, bouncycastle.org

This product includes software developed by Teodor Danciu (<http://jasperreports.sourceforge.net>). Portions Copyright © 2001-2004 Teodor Danciu (teodord@users.sourceforge.net). All rights reserved.

Portions Copyright © 1994-2004 Sun Microsystems, Inc. All Rights Reserved.

This product includes software developed by the Waveset Technologies, Inc. ([www.waveset.com](http://www.waveset.com)). Portions Copyright © 2003 Waveset Technologies, Inc. 6034 West Courtyard Drive, Suite 210, Austin, Texas 78730. All rights reserved.

Portions Copyright © 2001-2004, Gaudenz Alder. All rights reserved.

#### Trademark Notices

AMD and the AMD logo are trademarks of Advanced Micro Devices, Inc.

Intel and Pentium are trademarks or registered trademarks of Intel Corporation in the United States, other countries, or both.

JAVA™ is a US trademark of Sun Microsystems, Inc.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

Oracle® is a registered US trademark of Oracle Corporation, Redwood City, California

UNIX® is a registered trademark of The Open Group.

## Support

You can visit the HP software support web site at:

**<http://www.hp.com/go/hpsoftwaresupport>**

HP Software online support provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require an active support contract.

To find more information about support access levels, go to:

**[http://h20230.www2.hp.com/new\\_access\\_levels.jsp](http://h20230.www2.hp.com/new_access_levels.jsp)**

# Contents

<b>1</b>	<b>Documentation Map</b> .....	<b>7</b>
<b>2</b>	<b>Introduction</b> .....	<b>9</b>
	About HP Select Identity .....	9
	About Connectors .....	9
	About the PeopleSoft Connector .....	9
	Overview of Installation Tasks .....	11
<b>3</b>	<b>Installing the Connector</b> .....	<b>13</b>
	PeopleSoft Connector Files .....	14
	System Requirements .....	16
	Extracting Contents of the Schema File .....	16
	Installing the Connector RAR .....	16
	Extracting Contents of Setup Files .....	17
	Modifying Properties Files .....	17
	Deploying the Agent File on Application Server .....	18
	WebLogic .....	18
	WebSphere .....	18
	Encrypt Select Identity User Password .....	19
	Verify the Agent Deployment .....	19
<b>4</b>	<b>Configuring PeopleSoft Integration Broker</b> .....	<b>21</b>
	Prerequisites .....	21
	Configuration Steps .....	24
<b>5</b>	<b>Configuring the Connector with Select Identity</b> .....	<b>29</b>
	Configuration Procedure .....	29
	Add a New Connector .....	29
	Add New Resources .....	29
	Map Attributes .....	31
<b>6</b>	<b>Uninstalling the Connector</b> .....	<b>35</b>
	Uninstalling the Agent .....	35
	Uninstall from WebLogic .....	35
	Uninstall from WebSphere .....	35
<b>A</b>	<b>Sample Images</b> .....	<b>37</b>
<b>B</b>	<b>Verifying Messages</b> .....	<b>41</b>



# 1 Documentation Map

This chapter describes the organization of HP Select Identity connector documentation and provides necessary information on how to use the documentation set to install and configure the connectors.

[Figure 1](#) illustrates the documentation map for Select Identity connector. For a list of available product documentation, refer to the [Table 1](#).

**Figure 1 Documentation Map**



**Table 1 Connector Documentation**

<b>Document Title and Filename</b>	<b>Contents</b>	<b>Location</b>
<i>Release Note</i> PeopleSoft Connector v2.11 Release Note.htm	This file contains necessary information on new features of the connector, enhancements, known problems or limitations, and support information.	/Docs/ subdirectory under the connector directory.
<i>Connector Deployment Guide (for Select Identity 4.20)</i> connector_deploy_SI4.20.pdf	Connector deployment guides provide detailed information on: <ul style="list-style-type: none"> <li>• Deploying a connector on an application server.</li> <li>• Configuring a connector with Select Identity.</li> </ul> Refer to these guides when you need generic information on connector installation.	/Docs/ root directory on the product's CD media.
<i>Connector Deployment Guide (for Select Identity 4.10-4.13)</i> connector_deploy_SI4.13.pdf		
<i>Connector Deployment Guide (for Select Identity 4.0-4.01)</i> connector_deploy_SI4.pdf		
<i>Connector Deployment Guide (for Select Identity 3.3.1)</i> connector_deploy_SI3.3.1.pdf		
<i>Connector Installation and Configuration Guide</i> PeopleSoft_guide.pdf	Connector installation and configuration guide provides installation instructions for a specific connector. It contains resource specific configuration details.	/Docs/ subdirectory under the connector directory.



---

## 2 Introduction

This chapter gives an overview of the HP Select Identity connector for Oracle PeopleSoft Human Capital Management and Oracle PeopleSoft Enterprise Financial Management. An HP Select Identity connector for Oracle PeopleSoft Human Capital Management and Oracle PeopleSoft Enterprise Financial Management enables you to provision users and manage identities on PeopleSoft Human Resource module. At the end of this chapter, you will be able to know about:

- The benefits of HP Select Identity.
- The role of a connector.
- The connector for Oracle PeopleSoft Human Capital Management and Oracle PeopleSoft Enterprise Financial Management.

### About HP Select Identity

HP Select Identity provides a new approach to identity management. Select Identity helps you automate the process of provisioning and managing user accounts and access privileges across platforms, applications, and corporate boundaries. Select Identity communicates with the enterprise information system through connectors, and automates the tasks of identity management. The enterprise information system, which is also referred to as **resource**, can be a database, a directory service, or an ERP package, among many others.

### About Connectors

You can establish a connection between a resource and Select Identity by using a connector. A connector is resource specific. The combination of Select Identity and connector helps you perform a set of tasks on the resource to manage identity. A connector can be **unidirectional** or **bidirectional**. A unidirectional connector helps you manage identities from Select Identity, but if any change takes place in resource, it cannot communicate that back to Select Identity. On the other hand, a bidirectional connector can reflect the changes made on resource back to Select Identity. This property of bidirectional connectors is known as **reverse synchronization**.

### About the PeopleSoft Connector

The connector for Oracle PeopleSoft Human Capital Management and Oracle PeopleSoft Enterprise Financial Management — hereafter referred to as the PeopleSoft connector — enables Select Identity to provision users in the Human Resources module of a PeopleSoft

Human Capital Management (HCM) 8.8 system and Oracle PeopleSoft Enterprise Financial Management (EFM) 8.8 system. The PeopleSoft connector is a two-way connector and provides an agent that can send changes made to data in PeopleSoft to Select Identity.

Specifically, the connector's agent can capture the creation of an employee in PeopleSoft Human Resources management system (HRMS) including personal and job information. The agent also captures employee modifications performed in the HRMS application. All captured data is sent through the connector to the Select Identity server.

When the employee status changes from Active to any other state, the user is disabled on the Select Identity server and the user's status is shown as S (for suspended). If the employee regains Active status, the employee is enabled in the PeopleSoft applications and status is changed to A (for active).

Also, the PeopleSoft connector can maintain PeopleSoft HCM application and PeopleSoft EFM application users. The connector can provision users into PeopleSoft applications and can reconcile changes done on PeopleSoft applications. This functionality is implemented using the Component Interface functionality of PeopleSoft. In addition, the connector can capture when PeopleSoft HCM application and EFM application users are created, modified, or deleted using the Integration Broker technology.

All connector functionality was implemented using the integration Broker capabilities of the PeopleSoft applications. As much as possible, all default messages and message channels provided by the PeopleSoft applications are used. The changes are captured and sent to the Select Identity Web Service, which handles requests and generates SPML requests that are forwarded to the Select Identity server. All changes are captured in the real time and sent immediately. When the Web Service receives a request from the connector, it parses the request using the XSL file provided with the connector. You can modify the XML and XSL file to add attributes. However, the defined attributes should not be removed from the files.

The Enable and Disable Employee functions are provided by using an external call, which generates disables or enables all Service request for the user in all Services. This external call is triggered by a modify user request, which uses a new workflow template that is invoked when the EMPL\_STATUS attribute changes from A to S or vice versa.

The Username attribute is required for all users in the Select Identity. However, there is no Username attribute associated with employee information in PeopleSoft. This is resolved with the following option:

- The user name is the same as the employee ID

Password is also a required field for the user in the Select Identity. The default password can be generated or hard coded in the XSL file so that it is passed to the Select Identity; it can be changed later.

The connector can perform the following operations on PeopleSoft applications.

- Add, update, and remove users
- Retrieve user attributes
- Enable and disable users
- Verify a user's existence
- Reset user passwords
- Retrieve all entitlements
- Grant and revoke entitlements to and from users



This connector can be used with Select Identity 3.3.1-4.20.

# Overview of Installation Tasks

Before you start installing the connector, you must ensure that system requirements and all the installation prerequisites are met. Refer to the [Table 2](#) for an overview of installation tasks.

**Table 2 Organization of Tasks**

Task Number	Task Name	Reference
1	Install the connector on the Select Identity server.	See <a href="#">Installing the Connector</a> on page 13.
	— Meet the system requirements.	See <a href="#">System Requirements</a> on page 16.
	— Extract contents of the Schema file (file that contains the mapping files for the connector) to location on the Select Identity server.	See <a href="#">Extracting Contents of the Schema File</a> on page 16.
	— Install the Resource Adapter Archive (RAR) of the connector on an application server.	See <a href="#">Installing the Connector RAR</a> on page 16.
	— Extract contents of the Setup files.	See <a href="#">Extracting Contents of Setup Files</a> on page 17.
	— Modify properties files.	See <a href="#">Modifying Properties Files</a> on page 17.
	— Deploy the agent on the application server.	See <a href="#">Deploying the Agent File on Application Server</a> on page 18.
2	— Configure PeopleSoft Integration Broker.	See <a href="#">Configuring PeopleSoft Integration Broker</a> on page 21.
3	Configure the connector with the Select Identity server.	See <a href="#">Configuring the Connector with Select Identity</a> on page 29.



---

## 3 Installing the Connector

This chapter elaborates the procedure to install PeopleSoft connector on Select Identity server. At the end of this chapter, you will know about

- Software requirements to install the PeopleSoft connector.
- Prerequisite conditions to install PeopleSoft connector.
- Procedure to install PeopleSoft connector.

## PeopleSoft Connector Files

The PeopleSoft connector is packaged in the following files in the `PeopleSoft` directory on the Select Identity Connector CD:

**Table 3 PeopleSoft Connector Files**

Serial Number	File Name	Description
1	<ul style="list-style-type: none"><li>• <code>PeopleSoftConnector_420.rar</code> for WebSphere</li><li>• <code>PeopleSoftConnector_420WL9.rar</code> for WebLogic</li></ul>	This is the Resource Adapter Archive (RAR) file. It contains the binaries for the connector.
2	<code>PSEmpSchema.jar</code>	It contains the following mapping files, which control how Select Identity and PeopleSoft fields are mapped to each other: <ul style="list-style-type: none"><li>• <code>PeopleSoftEmp.xml</code> — It maps the Select Identity fields to the PeopleSoft fields, which enables Select Identity to provision data in PeopleSoft HCM systems.</li><li>• <code>PeopleSoftEmp.xsl</code> — It maps attributes on the PeopleSoft HCM server to attributes on the Select Identity server. This file is used by the agent during reverse synchronization.</li></ul>
3	<code>PSEmpSetup.jar</code>	It contains the agent configuration files for employees. Major constituents of this JAR file are: <ul style="list-style-type: none"><li>• <code>PSEmpOpAttr.properties</code> — It contains the operational attributes required in the SPML request for reverse synchronization for HRMS employees.</li><li>• <code>PeopleSoftEmployeeStatus.sql</code> — This contains SQL statements.</li><li>• <code>PSProperties.ini</code> — It contains the configuration attributes.</li></ul>

**Table 3 PeopleSoft Connector Files (cont'd)**

<b>Serial Number</b>	<b>File Name</b>	<b>Description</b>
4	PSUsrSchema.jar	<p>It contains the following mapping files:</p> <ul style="list-style-type: none"><li>• <code>PeopleSoftUsr.xml</code> — It maps the Select Identity user attributes to those on the PeopleSoft HCM Application server.</li><li>• <code>PeopleSoftUsr.xsl</code> — It maps attributes on the PeopleSoft HCM Application server to attributes on the Select Identity server. This file is used by the agent during reverse synchronization.</li></ul>
5	PSUsrSetup.jar	<p>It contains the agent configuration files for application users. Major constituents of this JAR file are:</p> <ul style="list-style-type: none"><li>• <code>PSUsrOpAttr.properties</code> — It contains the operational attributes required in the SPML request for reverse synchronization for application users.</li><li>• <code>PSProperties.ini</code> — It contains the configuration attributes.</li></ul>
6	PeopleSoftAgent.war	<p>It contains the files that comprise the PeopleSoft agent.</p>



MANIFEST.MF and `PSProperties.ini` are bundled with both `PSEmpSetup.jar` and `PSUsrSetup.jar` files. If you extract both the files, overwrite `MANIFEST.MF` and `PSProperties.ini`.

# System Requirements

The PeopleSoft connector is supported in the following environment:

**Table 4 Platform Matrix for PeopleSoft connector**

Select Identity Version	Application Server	Database
3.3.1	WebLogic 8.1.4 on Windows 2003	SQL Server 2000
	WebLogic 8.1.4 on Red Hat Enterprise Linux 3.0	Oracle 9i
	WebLogic 8.1.4 on Solaris 9	Oracle 9i
4.0-4.20	The PeopleSoft connector is supported on all the platform configurations of Select Identity 4.0-4.20.	

This connector supports PeopleSoft Human Capital Management (HCM), Human Resources module, version 8.8 and PeopleSoft Enterprise Financial Management version 8.8 (People Tools version 8.4.5). The connector supports forward/reverse provisioning of user for both HCM and EFM; and reverse provisioning of employee for HCM.

- ▶ The connector also works with other versions of PeopleSoft HCM that provide the Integration Broker functionality and similar APIs for the Component Interface.

## Extracting Contents of the Schema File

The Schema file of the connector contains necessary mapping information to map resource attributes to Select Identity. Extract contents of the `PSEmpSchema.jar` and `PSUsrSchema.jar` files to a directory that is in the application server `CLASSPATH`. Refer to the *HP Select Identity Connector Deployment Guide* for detailed instruction to extract contents of the Schema file.

## Installing the Connector RAR

To install the RAR file of the connector (such as `PeopleSoftConnector_420.rar`) on the Select Identity server, you must copy the file to a local subdirectory on the Select Identity server, and then deploy on the application server. Refer to the *HP Select Identity Connector Deployment Guide* for detailed information on deploying a RAR file on an application server.



While deploying the RAR on WebSphere, enter the JNDI Pool Name as `eis/PeopleSoftConnector`.



## Extracting Contents of Setup Files

PeopleSoft connector also comes with the setup JAR files, which are `PSEmpSetup.jar` and `PSUsrSetup.jar`. These files contain agent configuration information. Extract the contents of the `PSEmpSetup.jar` and `PSUsrSetup.jar` files to the same directory where the schema file is present.

## Modifying Properties Files

*For Reverse PeopleSoft User and PeopleSoft Employees*

Modify the `PSProperties.ini` file to include the corresponding add/modify status in the messages sent out from PeopleSoft Integration Broker:

```
PEOPLESOFT_USR_ADD=  
PEOPLESOFT_USR_MODIFY=C  
PEOPLESOFT_EMP_ADD=A  
PEOPLESOFT_EMP_MODIFY=
```

See [Verifying Messages](#) on page 41 for details about how to verify the message.

*For PeopleSoft Employees*

Modify the `PSEmpOpAttr.properties` file to include the corresponding mapping file name and the resource ID:

```
urn:trologica:conceroc:2.0#resourceType=PeopleSoftEmp  
urn:trologica:conceroc:2.0#resourceId=<PeopleSoft Empl res ID>
```

Then, modify `PSProperties.ini` to include the Select Identity URL. The SPML request needs to be changed, as in this example:

```
CONCERO_SERVER_URL=http://localhost:7001/lmz/webservice
```

*For PeopleSoft Application User*

Modify the `PSUsrOpAttr.properties` file to include the corresponding mapping file name and the resource ID:

```
urn:trologica:conceroc:2.0#resourceType=PeopleSoftUsr  
urn:trologica:conceroc:2.0#resourceId=<PeopleSoft User res ID>
```

Then, modify `PSProperties.ini` to include the Select Identity URL. The SPML request needs to be changed, as in this example:

```
CONCERO_SERVER_URL=http://localhost:7001/lmz/webservice
```

Modify this line:

```
PEOPLESOFT_SI_USR_ADMIN=<PeopleSoft admin user for SI's use>
```

where the PeopleSoft admin user is the user that Select Identity will use to provision users in the PeopleSoft HCM Application module. This attribute is introduced to prevent cyclic blocks.



It is assumed that the user created for Select Identity will be used to log in to the PeopleSoft application using the PeopleSoft connector. If changes are made directly in the PeopleSoft application using the same login information, the changes will not be synchronized back to Select Identity and will be ignored (for cyclic requests).

# Deploying the Agent File on Application Server

The connector's agent is packaged in a Web Application Archive (WAR) file. You must deploy it on an application server ([WebLogic](#) and [WebSphere](#)) before using it.

## WebLogic

Perform the following steps to deploy the agent on WebLogic:

- 1 Sign in to WebLogic console and go to the same domain where the connector has been deployed.
- 2 In the left pane, click and expand **Deployments**.
- 3 Click **Web Application Modules**. Web Applications page appear at the right pane.
- 4 Click the link **Deploy a new Web Application Module**. Deploy a Web Application Module page appears on right pane.
- 5 Browse and select the `PeopleSoftAgent.war` file.
- 6 Click **Target Module**.
- 7 Select **My Server** (your server instance) checkbox, and then click **Continue**.
- 8 Review your choice, keep the default setting, and then click **Deploy**.
- 9 The Status of Last Action column should display Success.


## WebSphere

Perform the following steps to deploy the agent on WebSphere:

- 1 In WebSphere console, click **Applications** → **Install New Application** in the left pane.
- 2 In the right pane, select the Local file system radio button and click **Browse** to specify the location of the agent WAR file (`PeopleSoftAgent.war`).
- 3 In the Context root text box, type `/PeopleSoftAgent`, and then click **Next**.
- 4 Keep the default settings under the Choose to generate default bindings and mappings section and click **Next**.
- 5 Under the Application Security Warnings section, click **Continue**.
- 6 Keep the default settings under the Select Installation Options section and click **Next**.
- 7 Keep the default settings under the Map modules to servers section and click **Next**.
- 8 Click **Save to Master Configuration**.
- 9 Under the Save section, click **Save**.
- 10 Restart WebSphere.

## Encrypt Select Identity User Password

To encrypt the password, run `encode.bat` (on Windows) or `encode.sh` (on UNIX), which is provided in the `weblogic/keystore` subdirectory in the Select Identity home directory. This utility prompts you for the password to encrypt and will generate the encrypted password. Be sure to copy the entire encrypted password in the field, as shown here:



```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 5.2.3790]
(C) Copyright 1985-2003 Microsoft Corp.

C:\Documents and Settings\gadiap>cd C:\si3.3.1\weblogic\keystore

C:\si3.3.1\weblogic\keystore>encode.bat
Please enter the string to encode :abc123
Please enter the string to encode again :abc123
<ENC:1:cfrM1Gvylj+a8XEWiWo5cx9A+PC0WeS2ZWLieW0dUbeK/jGrgha54K0k060hImrvND2tkUzjo
GvYeEEDBpUmWo2dTM1lywhxwEDnsZLFxT4r349W/0/6sgoPhuJt3C4wYs8rQkOKpeUnq2IG9hftJbuU0
Bjyk6vU5qCTS7Rr1Ds=>

C:\si3.3.1\weblogic\keystore>
```

## Verify the Agent Deployment

You can run following url to verify whether the agent is deployed correctly in your internet browser:

- For PeopleSoft HRMS Employees:

**`http://<server>:<port>/PeopleSoftAgent/PeopleSoftEmpServlet?&siusername=<siusername>&siuserpasswd=<encrypted siuserpasswd>`**

where `<server>` is the name of the server where the PeopleSoft connector agent is deployed and `<port>` is the port on which it is available

For example:

**`http://ob-stlpool2.hpqcorp.net:7001/PeopleSoftAgent/PeopleSoftEmpServlet?&siusername=<siusername>&siuserpasswd=<encrypted siuserpasswd>`**

- For PeopleSoft Application User:

**`http://<server>:<port>/PeopleSoftAgent/PeopleSoftUsrServlet?&siusername=<siusername>&siuserpasswd=<encrypted siuserpasswd>`**

where `<server>` is the name of the server where the PeopleSoft connector agent is deployed and `<port>` is the port on which it is available

For example:

**`http://ob-stlpool2.hpqcorp.net:7001/PeopleSoftAgent/PeopleSoftUsrServlet?&siusername=<siusername>&siuserpasswd=<encrypted siuserpasswd>`**

A message saying `This is a Parser Servlet` in the browser indicates the PeopleSoft Agent is properly deployed and properties file, which it uses, is in classpath.

After installing the connector RAR and deploying the agent, refer to the [Configuring PeopleSoft Integration Broker](#) on page 21 to configure PeopleSoft Integration Broker.

# 4 Configuring PeopleSoft Integration Broker

This chapter describes how to configure the PeopleSoft Integration Broker to enable it to capture employee and Application user changes that are made on the PeopleSoft resource.

## Prerequisites

Ensure that the following prerequisites are met before proceeding:

- Obtain a user who has permission on the Integration Broker (People Tools) and access to the Portal
- Ensure that the Default Gateway (Local) is configured with all default connectors
- Make sure the Integration Broker is configured and all related processes are running
- Generate PeopleSoft APIs for the Component Interface as follows:
  - a Open any Component Interface definition in the PeopleSoft Application Designer. You can open any definition because you can build APIs for all of them regardless of which one is open.
  - b Select **Build** → **PeopleSoft APIs**. The Build PeopleSoft API Bindings dialog displays.
  - c Select the **Build** check box in the Java Classes group box.
  - d For the target directory, enter the directory in which you want the Java class source files to be created. This directory is typically *PS\_HOME\class*.
  - e Click **OK** to build the bindings that you selected.

The files that constitute the bindings are built in the specified location. If the operation is successful, a Done message displays in the PeopleSoft Application Designer Build window.

- f Compile the APIs that you generated. You can use these commands:

```
cd %PS_HOME%\class\PeopleSoft\Generated\CompIntfc
javac ?classpath %PS_HOME%\class\psjoa.jar *.java
cd c:\pt8\class\PeopleSoft\Generated\PeopleSoft
javac ?classpath %PS_HOME%\class\psjoa.jar *.java
```

- g Package these generated class files into a JAR file called *PeopleSoft.jar*.
- h Place these generated JAR file (*PeopleSoft.jar*) and the *psjoa.jar* file in the classpath of the application server. Here is an example of an entry in the *myStartWL.cmd* on a WebLogic server on Windows:

```
set CLASSPATH=C:\si3.3.1\weblogic\sysArchive\
connector.jar;C:\si3.3.1\weblogic\sysArchive\psjoa.jar;C:\si3.3.1\webl
ogic\sysArchive\PeopleSoft.jar;C:\si3.3.1\weblogic\sysArchive\sapjco.j
ar;C:\si3.3.1\weblogic\sysArchive;C:\si3.3.1\weblogic\sysArchive\ovsii
18n.jar;C:\si3.3.1\weblogic\lib\commons-logging.jar;C:\si3.3.1\weblogi
```


```
c:\lib\commons-collections.jar;C:\si3.3.1\weblogic\lib\commons-digester-1.3.jar;C:\si3.3.1\weblogic\lib\commons-httpclient-2.0.jar;C:\si3.3.1\weblogic\lib\ecs-1.4.1.jar;C:\si3.3.1\weblogic\lib\commons-pool-1.2.jar;%CLASSPATH%
```

- *For PeopleSoft HRMS employees only*  
Verify that the PERSON\_DATA channel status is Active and Running

Channel Name	Status	Action
PAY_ERECRUIT_ACHNOWLEDGE	Paused	Run
PAY_ERECRUIT_ISSUED	Paused	Run
PAY_ERECRUIT_REQUEST	Paused	Run
PAY_EXPENSES_ACHNOWLEDGE	Paused	Run
PAY_EXPENSES_ISSUE	Paused	Run
PAY_EXPENSES_REQUEST	Paused	Run
PERF_MEASUREMENT_SETUP	Paused	Run
PERSON_DATA	Running	Pause
PERSON_SETUP	Running	Pause
PM_CHANNEL	Running	
PREEMPLOYMENT_REQUEST	Paused	Run
PROJECTS_SETUP	Paused	Run
PSHARING_PAYROLL_INTERFACE	Paused	Run
PSRF_REPORTING_FOLDERS	Running	
PUNCHED_TIME	Paused	Run
RATING_MODEL	Paused	Run
RECRUTUSA	Paused	Run
ROLESYNCH_CHANNEL	Running	Pause
ROLE_MANT	Running	Pause
SDK_BUS_EXP_MBO_CHNL	Running	Pause
STATUTE_BELGIUM	Paused	Run
STATE_CONTROL	Paused	Run


- *For a PeopleSoft Application user only*  
Verify that the USER\_PROFILE and DELETE\_USER\_PROFILE channel status are Active and Running

Channel Name	Status	Action
ACTION_REASON	Paused	Run
ACTUAL_TIME	Paused	Run
AFE_INDUSTRY	Paused	Run
BANK	Paused	Run
BUDGET_POSITION	Paused	Run
COMMIT_CNTRL_BUDGET_UPDATE	Paused	Run
COMPANY_PROPERTY	Paused	Run
COMPETENCY	Paused	Run
CORPORATE_CARD	Paused	Run
CO_DFK_ELIG	Paused	Run
DELETE_ROLE	Paused	Run
DELETE_USER_PROFILE	Running	Pause
DETAIL_CALENDAR	Paused	Run
DIRECT_DEPOSIT_SETUP	Paused	Run
DIRGROUPS	Running	Pause
DSCHNL	Paused	Run
DEMANCHNL	Paused	Run



- Verify that the user has permission on the PERSON\_DATA channel and the following:
  - For a PeopleSoft HRMS employee  
Verify that the user has permission on the PERSON\_BASIC\_SYNC and WORKFORCE\_SYNC messages
  - For a PeopleSoft Application user  
Verify that the user has permission on the USER\_PROFILE and DELETE\_USER\_PROFILE messages


➤ For each message, check the message properties and ensure that the status is active (by checking the Status checkbox)




# Configuration Steps

Complete the following steps using the web client to configure the Integration Broker:

- 1 Edit the properties of the HTTPTARGET in LOCAL gateway to include two new HEADER properties — `siusername` and `siuserpasswd`, and set the values of these new HEADER properties to asterik (\*).



- 2 Create a node with the following properties and options set:





- 3 Click the **Connector** tab and enter the following values:

PeopleSoft

Menu

- Enterprise and Labor
- North American Payroll
- Global Payroll
- Payroll Interface
- Workforce Development
- Organizational Development
- Enterprise Learning
- Workforce Monitoring
- Pension
- Partners
- Catalog Management
- Set Up HRMS
- Enterprise Components
- Worklist
- Application Diagnostics
- Tree Manager
- Reporting Tools
- PeopleTools
  - Security
  - Utilities
  - Workflow
  - Portal
  - Search Engine
  - Personalization
  - Process Scheduler
  - Cube Manager
  - Application Engine
- Integration Broker
  - Monitor
  - Utilities
  - Web Services
    - Gateways
    - Integration Point Wizard
    - Integration Point Viewer
  - Node Definitions
  - Relationships
  - Codeset Groups
  - Codesets
  - Codeset Values
- REN Server Configuration
- MultiChannel Framework

Node Definitions | Contacts | Properties | **Connectors** | Transactions | Portal

Node Name TESTNODE

Details

Gateway ID LOCAL

Connector ID HTTPTARGET

Properties

*Property ID	*Property Name	Required	Value
1	sendUncompressed	<input checked="" type="checkbox"/>	Y
2	siusername	<input type="checkbox"/>	sis
3	siuserpasswd	<input type="checkbox"/>	{ENC:1:FVW4huNWcdZ4kaUTXWdIE
4	Method	<input checked="" type="checkbox"/>	POST
5	URL	<input checked="" type="checkbox"/>	http://silp5.hpqcorp.net:7001/People

Save Return to Search

Node Definitions | Contacts | Properties | Connectors | Transactions | Portal

Set the value of `siusername` as the Select Identity administrative username.

Set the value of `siuserpasswd` as the encrypted password for the above mentioned Select Identity user.

Refer to [Encrypt Select Identity User Password](#) on page 19 to encrypt Select Identity user password.

*For a PeopleSoft HRMS employee*

Enter the following for the PRIMARY URL value:

**http://<server>:<port>/PeopleSoftAgent/PeopleSoftEmpServlet**

where <server> is the name of the server where the PeopleSoft connector agent is deployed and <port> is the port on which it is available.

For example:

**http://ob-stlpool2.hpqcorp.net:7001/PeopleSoftAgent/PeopleSoftEmpServlet**

*For a PeopleSoft HCM Application user*

Enter the following for the PRIMARY URL value:

**http://<server>:<port>/PeopleSoftAgent/PeopleSoftUsrServlet**


where <server> is the name of the server where the PeopleSoft connector agent is deployed and <port> is the port on which it is available.

For example:

**http://ob-stlpool2.hpqcorp.net:7001/PeopleSoftAgent/PeopleSoftUsrServlet**


- 4 *For a PeopleSoft HRMS employee*

Create a node transaction for employee personal information. Specify these properties:




Also, make sure the transaction is active.

- 5 For a PeopleSoft HRMS employee  
Create a node transaction for employee job information. Specify the following properties:




Make sure the transaction is active.

- 6 For a PeopleSoft HCM Application user  
Create a node transaction for user's personal information. Specify these properties:




Also, make sure the transaction is active.

- 7 *For a PeopleSoft HCM Application user*  
Create a node transaction for deleting a user's information. Specify the following properties:



Also, make sure the transaction is active.

- 8 *For a PeopleSoft HCM Application user*  
Generate the `pstools.properties` file for the PeopleSoft HCM installation. To do so, open the configuration manager in your PeopleSoft Installation as shown below:



Export the configuration to a file and save the file as `pstools.properties`. Place this file in the Select Identity home directory where other configuration file for the connector are kept.

# 5 Configuring the Connector with Select Identity

This chapter describes the procedure to configure the PeopleSoft connector with Select Identity and the connector specific parameters that you must provide while configuring the connector with Select Identity.

## Configuration Procedure

After you deploy the connector RAR on application server, you must configure the connector with Select Identity. Perform the following steps to configure the PeopleSoft connector with Select Identity.

- 1 Add a New Connector
- 2 Add New Resources
- 3 Map Attributes

### Add a New Connector

Add a new connector in Select Identity by using the user interface. While adding the connector, do the following:

- In the Connector Name text box, specify a name for the connector.
- In the Pool Name text box, enter **eis/PeopleSoftConnector**.
- Select No for the Mapper Available section.

Refer to the *HP Select Identity Connector Deployment Guide* for detailed information on adding a new connector in Select Identity.

### Add New Resources

Add new resources in Select Identity that uses the newly added connector. The PeopleSoft connector uses two resources (PeopleSoft Employee and PeopleSoft Application). Refer to the *HP Select Identity Connector Deployment Guide* for detailed instructions on adding a resource in Select Identity.

Refer to the following table while entering the parameters in the Basic Information and the Access Information pages:

**Table 5 Resource Configuration Parameters**

Field Name	Sample Values	Description	Comment
Resource Name	PeopleSoftEmp or PeopleSoftAppUser	Name given to the resource. If you enabled reverse synchronization, this must be the same as the value provided for the urn:trulog-ica:concerno:2.0#resourceId attribute on the agent console.	
Connector Name	PeopleSoftHCM	The newly deployed connector.	Known as Resource Type on Select Identity 3.3.1.
Authoritative Source	No/ Yes	Whether this resource is a system that is considered to be the authoritative source for user data in your environment. Specify <b>No</b> if the connector is not enabled for reverse synchronization. Specify <b>Yes</b> if you want to add users through reverse synchronization. If the resource is not authoritative, the resource can only modify user entitlements during reverse synchronization.	
Associate to Group	Selected	Whether the system uses the concept of groups. For the PeopleSoft connector, select this option.	Applicable only on Select Identity 3.3.1.
Host Name	Peoplesoft.hp.com	The NETBIOS name or IP address of the PeopleSoft server.	
Server Port	9000	The Jolt port of the PeopleSoft server.	
UserName	PeopleSoftuser	The user name on the PeopleSoft server.	
User Password	password	The user's password.	

**Table 5 Resource Configuration Parameters (cont'd)**

Field Name	Sample Values	Description	Comment
MappingFile	PeopleSoftEmp.xml or PeopleSoftUsr.xml	The XML mapping file used to map resource attributes to Select Identity attributes: PeopleSoftEmp.xml for PeopleSoft HRMS Employees and PeopleSoftUsr.xml for PeopleSoft Application User.	
Symbolic ID	Sa1	The symbolic ID that will be assigned to the PeopleSoft application user and the user that is created should have the same value. This is the value which is assigned to the PeopleSoft admin user, which Select Identity will use to provision. Note: This is relevant for PeopleSoft application user only.	
isEmployee	Yes/No	Whether the user is an employee. Specify <b>Yes</b> for PeopleSoft employee and <b>No</b> for PeopleSoft Application user.	

## Map Attributes

After successfully adding a resource for the PeopleSoft connector, you must map the resource attributes to Select Identity attributes. Refer to the *HP Select Identity Connector Deployment Guide* for information on mapping and creating attributes. While mapping attributes, refer to the following table for resource specific mapping information.

**Table 6 PeopleSoft HRMS Employees Mapping Information**

Select Identity Resource Attribute	PeopleSoft Resource Attribute	Description
UserName	UserName	User Name of an employee in PeopleSoft HRMS.
Password	Password	Password of the employee in PeopleSoft HRMS.
BASE_LANGUAGE_CD	BASE_LANGUAGE_CD	
EMPLID	EMPLID	Employee ID

**Table 6 PeopleSoft HRMS Employees Mapping Information (cont'd)**

<b>Select Identity Resource Attribute</b>	<b>PeopleSoft Resource Attribute</b>	<b>Description</b>
EMAIL_ADDR	EMAIL_ADDR	Email Address of the employee.
FIRST_NAME	FIRST_NAME	First name of the employee.
MIDDLE_NAME	MIDDLE_NAME	Middle name of the employee.
LAST_NAME	LAST_NAME	Last name of the employee.
NAME_PREFIX	NAME_PREFIX	Name prefix of the employee.
PhBus	PhBus	Business Phone number of the employee.
PhRes	PhRes	Residential ph no. of the employee.
Fax	Fax	Fax no. of the employee.
Effective Date	EFFDT	Effective Joining date of the employee.
BusCity	BusCity	Business City of the employee.
BusAddr1	BusAddr1	First line of Business Address of the employee.
BusAddr2	BusAddr2	Second line of business address of the employee.
BusZip	BusZip	Zip code of business address of the employee.
BusCountry	BusCountry	Country of the employee.
Addr1	Addr1	First line of residential Address of the employee.
Addr2	Addr2	Second line of residential Address of the employee.
BIRTHCOUNTRY	BIRTHCOUNTRY	Birth country of the employee.
BIRTHDATE	BIRTHDATE	Birth date of the employee.
ORIG_HIRE_DT	ORIG_HIRE_DT	Original hire date of the employee.
EMPL_STATUS	EMPL_STATUS	Employee status.
EMPL_STATUS_REASON	EMPL_STATUS_REASON	Description for employee status



**Table 6 PeopleSoft HRMS Employees Mapping Information (cont'd)**

Select Identity Resource Attribute	PeopleSoft Resource Attribute	Description
SUPERVISOR_ID	SUPERVISOR_ID	Supervisor id of the employee.
DEPTID	DEPTID	Department ID.
BUSINESS_UNIT	BUSINESS_UNIT	Business unit.
LOCATION	LOCATION	Location.
COMPANY	COMPANY	Company.
JOBCODE	JOBCODE	Job code.
State	State	State.
Zip	Zip	Zip
City	City	City
Cell	Cell	
Country	Country	

**Table 6 PeopleSoft HCM Application Users Mapping Information**

Select Identity Resource Attribute	PeopleSoft Resource Attribute	Description
UserName	OPRID	Must be unique
Password	Password	
Language	BASE_LANGUAGE_CD	
UserDescription	UserDescription	
PrimaryPermissionList	PrimaryPermissionList	
RowSecurityPermission-List	RowSecurityPermission-List	
NavigatorHomePage	NavigatorHomePage	
ProcessProfile	ProcessProfile	
CurrencyCode	CurrencyCode	
UserIDAlias	UserIDAlias	Must be unique
AlternateUserID	AlternateUserID	
SupervisingUserID	SupervisingUserID	
EMPLID	EMPLID	

**Table 6 PeopleSoft HCM Application Users Mapping Information**

Select Identity Resource Attribute	PeopleSoft Resource Attribute	Description
EMAILID	EMAILID	Any other type of email address created in the PeopleSoft HCM Application other than pre-defined email types
EMAILTYPE	EMAILTYPE	Works in tandem with EMAILID; if a value is assigned to EMAILTYPE such as HOME, BUS, WORK, or BB, EMAILTYPE is set to the email value of the corresponding type.
PrimaryEmail	PrimaryEmail	Takes the values HOME, BUS, WORK, and BB and makes the corresponding email address the primary email address for the user; by default, it sets the value of EMAILID to OTH email address and makes it primary
BusEmail	BusEmail	Business email address
WorkEmail	WorkEmail	Work email address
HomeEmail	HomeEmail	Home email address
BbEmail	BbEmail	BlackBerry email address
EFFDT_FROM	EFFDT_FROM	
EFFDT_TO	EFFDT_TO	

After mapping the attributes, you can use the connector to create a service, or you can associate the connector with an existing service. Refer to the *Service Studio* chapter of the *HP Select Identity Administration Online Help* for information on Select Identity services.

## 6 Uninstalling the Connector

If you want to uninstall a connector from Select Identity, perform the following steps:

- Remove all resource dependencies.
- Delete the connector from Select Identity.
- Delete the connector from application server.

See the *HP Select Identity Connector Deployment Guide* for more information on deleting the connector from application server and Select Identity.

### Uninstalling the Agent

Perform the following to delete the PeopleSoft agent (`PeopleSoftAgent.war`) from the application server:

#### Uninstall from WebLogic

- 1 Log on to the WebLogic Server Console in the Select Identity domain.
- 2 Expand the Deployments folder on the left pane, and then double click on **Web Application Modules**. The right pane of the console displays a table showing all the deployed web application modules. Click the delete icon next to the web application that you want to uninstall.
- 3 Click the delete icon next to the web application (`PeopleSoftAgent.war`) that you want to uninstall.
- 4 Click **Yes** to confirm the deletion.
- 5 Click **Continue**.

#### Uninstall from WebSphere

- 1 In WebSphere console, click **Applications** → **Enterprise Applications** in the left pane.
- 2 In the right pane, select `PeopleSoftAgent_war` and click **Uninstall**.
- 3 Restart WebSphere.




# A Sample Images

This appendix illustrates some sample Images of Select Identity when PeopleSoft connector is deployed on it.

- Select Identity 4.0-4.01 displays the Resource Access Information page in the following format, when a PeopleSoft resource is deployed on it.


*For PeopleSoft Employee:*



The screenshot shows a web page titled "PeopleSoftEmp: Resource Access Information". Below the title is a sub-header: "Review the access information about the resource and edit as necessary. Click Apply. Select the next link to continue updating the resource." The main content area is labeled "Required Field \*" and contains the following information:

Host Name: *	sint2.india.hp.com
Server Port: *	9000
User Name: *	pankaj
User Password: *	*****
Mapping File: *	PeopleSoftEmp.xml ( <a href="#">View</a> )
Symbolic ID: *	sa1
isEmployee: *	Yes

*For PeopleSoft Application User:*



The screenshot shows a web page titled "PeopleSoftAppUser: Resource Access Information". Below the title is a sub-header: "Review the access information about the resource and edit as necessary. Click Apply. Select the next link to continue updating the resource." The main content area is labeled "Required Field \*" and contains the following information:

Host Name: *	sint2.india.hp.com
Server Port: *	9000
User Name: *	pankaj
User Password: *	*****
Mapping File: *	PeopleSoftUsr.xml ( <a href="#">View</a> )
Symbolic ID: *	sa1
isEmployee: *	no

- Select Identity 4.0-4.01 displays the View Attribute page in the following format, when a PeopleSoft resource is deployed on it and resource attributes are mapped to Select Identity 4.0-4.01.

*For PeopleSoft Employee:*

PeopleSoftEmp: Resource Attribute Mapping				
Review the attribute mapping and edit as necessary. Click Apply.				
Resource Attribute	↓	Attribute	Sync In	Sync Out
Addr1		Addr1	true	true
Addr2		Addr2	true	true
BASE_LANGUAGE_CD		BASE_LANGUAGE_CD	true	true
BIRTHCOUNTRY		BIRTHCOUNTRY	true	true
BIRTHDATE			true	true
BUSINESS_UNIT			true	true
BusAddr1			true	true
BusAddr2			true	true
BusCity			true	true
BusCountry			true	true
BusZip			true	true
COMPANY			true	true
Cell			true	true

*For PeopleSoft Application User:*

PeopleSoftAppUser: Resource Attribute Mapping				
Review the attribute mapping and edit as necessary. Click Apply.				
Resource Attribute	↓	Attribute	Sync In	Sync Out
AlternateUserID			true	true
ElbEmail			true	true
BusEmail			true	true
CurrencyCode		CurrencyCode	true	true
Description			true	true
EFFDT_FROM			true	true
EFFDT_TO			true	true
EMAILID			true	true
EMAILTYPE			true	true
EMPLID			true	true
HomeEmail			true	true
LASTUPDOPRID			true	true
Language		Language	true	true

- Select Identity 3.3.1 displays the Resource Access Information page in the following format, when a PeopleSoft resource is deployed on it.

For PeopleSoft Employee:

Resource Access Information	
* Resource Name:	PeopleSoftConnector
* Host Name:	sint2.india.hp.com
* Server Port:	9000
* User Name:	PS
* User Password:	**
* Mapping File:	PeopleSoftEmp.xml
* Symbolic ID:	sa1
* isEmployee:	Yes

For PeopleSoft Application User:

Resource Access Information	
* Resource Name:	PeopleSoftUser
* Host Name:	15.70.182.125
* Server Port:	9000
* User Name:	PS
* User Password:	**
* Mapping File:	PeopleSoftUser.xml
* Symbolic ID:	sa1
* isEmployee:	No

- Select Identity 3.3.1 displays the View Attribute page in the following format, when a PeopleSoft resource is deployed on it and resource attributes are mapped to Select Identity 3.3.1.

For PeopleSoft Employee:

Resource Name=PeopleSoftConnector				
<< Page 1 of 1 >>				Total Records:38
Name	Min Length	Max Length	Attribute Mapped To	Authorative
Addr1	1	128	Addr1	N
Addr2	1	128	Addr2	N
BASE_LANGUAGE_CD	1	64	Language	N
BIRTHCOUNTRY	1	64	Country	N
BIRTHDATE	1	64	Birthdate	N
BusAddr1	1	128	BusAttr1	N
BusAddr2	1	128	BusAddr2	N
BusCity	1	64	BusCity	N
BusCountry	1	64	BusCountry	N
BUSINESS_UNIT	1	64	CostCenter	N
BusZip	1	64	BusZip	N
Cell	1	64	PHMobile	N
City	1	64	City	N
COMPANY	1	128	Company	N
Country	1	64		
DEPTID	1	64	DEPTID	N
Effective Date	1	64	Effective Date	N
EMAIL_ADDR	1	64	Email	N
EMPL_STATUS	1	64	EMPL_STATUS	N
EMPL_STATUS_REASON	1	64	EMP_STATUS_REASON	N
EMPLID	1	64	EmployeeID	N
Fax	1	64	Fax	N

*For PeopleSoft Application User:*


Resource Name- PeopleSoftUser				
<< < Page 1 of 1 > >>				Total Records: 26
Name	Min Length	Max Length	Attribute Mapped To	Authoritative
AlternateUserID	1	64	AlternateUserID	N
BbEmail	1	64	BbEmail	N
BusEmail	1	64	BusEmail	N
CurrencyCode	1	64	CurrencyCode	N
Description	1	64	Description	N
EFFDT_FROM	1	64	EFFDT_FROM	N
EFFDT_TO	1	64	EFFDT_TO	N
EMAILID	1	64	Email	N
EMAILTYPE	1	64	EMAILTYPE	N
EMPLID	1	64	EmployeeID	N
HomeEmail	1	64	HomeEmail	N
Language	1	64	Language	N
LASTUPDOPRID	1	64	LASTUPDOPRID	N
NavigatorHomePage	1	64	NavigatorHomePage	N
Password	1	64	Password	N
PeopleSoftUser_ENTITLEMENTS	1	255	PeopleSoftUser_ENTITLEMENTS	Y
PeopleSoftUser_KEY	1	255	PeopleSoftUser_KEY	Y
PrimaryEmail	1	64	PrimaryEmail	N
PrimaryPermissionList	1	64	PrimaryPermissionList	N
ProcessProfile	1	64	ProcessProfile	N
RowSecurityPermissionList	1	64	RowSecurityPermissionList	N
SupervisingUserID	1	64	SupervisingUserID	N
UserDescription	1	64	UserDescription	N
UserDAlias	1	64	UserDAlias	N
UserName	1	64	UserName	N



## B Verifying Messages

Perform the following steps to verify the messages sent out from PeopleSoft Intergration Broker:

- 1 In the Menu pane of PeopleSoft console, click **PeopleTools** → **Integration Broker** → **Monitor** → **Monitor Message** to list all messages.



The screenshot shows the PeopleSoft console interface. The left-hand menu is expanded to 'Monitor' > 'Monitor Message'. The main content area shows the 'Message Criteria' section with filters for 'Publish Node', 'Last 99 Days', 'Archived', '\*Queue Type: Message Instance', and '\*Group By: Message'. Below this is a 'Result' table with the following data:

Message Name	Error	New	Started	Working	Contracts Created	Retry	Timeout	Edited	Canceled
DELETE_USER_PROFILE	0	0	0	0	2	0	0	0	0
PERSON_BASIC_SYNC	0	0	0	0	4	0	0	0	0
USER_PROFILE	0	0	0	0	34	0	0	0	0
WORKFORCE_SYNC	0	0	0	0	2	0	0	0	0

If there is no change to the numbers displayed in Contracts Created column for the messages, then the messages are not sent out.

- 2 Click the number in Contracts Created column for the message you want to check.

Check status of the message instances in Status column.

Message Criteria

Publish Node: [ ] Last 99 Days  Archived

Channel Name: [ ] Status: Done

Message Name: USER\_PROFILE [ ] Refresh

Select	Publishing Node	Channel	Pub ID	Sub Channel	Message	Status	Time Stamp	Details
<input type="checkbox"/>	PSFT_HR	USER_PROFILE	34	Sub Channel	USER_PROFILE	Done	02/12/2007 2:28:20PM	Details
<input type="checkbox"/>	PSFT_HR	USER_PROFILE	33	Sub Channel	USER_PROFILE	Done	02/09/2007 4:05:23PM	Details
<input type="checkbox"/>	PSFT_HR	USER_PROFILE	32	Sub Channel	USER_PROFILE	Done	02/09/2007 4:05:22PM	Details
<input type="checkbox"/>	PSFT_HR	USER_PROFILE	31	Sub Channel	USER_PROFILE	Done	02/09/2007 4:05:21PM	Details
<input type="checkbox"/>	PSFT_HR	USER_PROFILE	30	Sub Channel	USER_PROFILE	Done	02/09/2007 4:01:59PM	Details
<input type="checkbox"/>	PSFT_HR	USER_PROFILE	29	Sub Channel	USER_PROFILE	Done	01/16/2007 5:23:39PM	Details
<input type="checkbox"/>	PSFT_HR	USER_PROFILE	28	Sub Channel	USER_PROFILE	Done	01/16/2007 5:01:09PM	Details
<input type="checkbox"/>	PSFT_HR	USER_PROFILE	27	Sub Channel	USER_PROFILE	Done	01/16/2007 4:24:53PM	Details

- 3 Click **Details**. Message details are displayed. Note that the status is “Done”, which means that the message instance is sent out already.

Message Details | Message Errors | XML Message Viewer

Message Instance Information

Pub Node: PSFT\_HR Process: USERMAINT

Channel: USER\_PROFILE Time Stamp: 02/12/2007 2:28:20PM

Pub ID: 34 Publisher: PS

Message: USER\_PROFILE Status: Done

Version: VERSION\_84 NRID

Trans Type: OA Data Length: 9196

Data Length View Limit: 100000

Actions: Resubmit, Cancel, Archive, View XML, View IB Info

Publication Contracts


Subscriber Node	Status	Resubmit	Cancel	View XML	View IB Info
HP_USER_NODE	Done				

Subscription Contracts

Subscription	Status

Save | Return to Search | Notify

- Click **View XML** to view XML content.



- Check the status of Add/Modify for User or Employee.

The screenshot below shows the message file for adding user from PeopleSoft. You can see that the value for AUDIT\_ACTN is blank.

```
<?xml version="1.0" ?>
<USER_PROFILE>
  <FieldTypes>
    <PSROLEXLATOPRVW class="R">
    <PSOPRDEFN class="R">
    <PSOPRALIAS class="R">
    <PSROLEUSER_VW class="R">
    <PSUSEREMAIL class="R">
    <RTE_CNTL_USERVW class="R">
    <PSCAMA class="R">
  </FieldTypes>
  <MsgData>
    <Transaction>
      <PSROLEXLATOPRVW class="R">
      <PSOPRDEFN class="R">
      <PSCAMA class="R">
        <LANGUAGE_CD>ENG</LANGUAGE_CD>
        <AUDIT_ACTN/>
        <BASE_LANGUAGE_CD>ENG</BASE_LANGUAGE_CD>
        <MSG_SEQ_FLG/>
        <PROCESS_INSTANCE>0</PROCESS_INSTANCE>
        <PUBLISH_RULE_ID/>
        <MSGNODENAME/>
      </PSCAMA>
    </Transaction>
  </MsgData>
</USER_PROFILE>
```

The connector's default value for user\_add is blank. You can also check it in the PSProperties.ini file.

