

HP Project and Portfolio Management Center

Software Version: 8.00

Security Model Guide and Reference

Document Release Date: August 2009

Software Release Date: July 2009



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 1997-2009 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

Intel®, Intel® Itanium®, Intel® Xeon™, and Pentium® are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Java™ is a U.S. trademark of Sun Microsystems, Inc.

Microsoft®, Windows®, and Windows® XP are U.S. registered trademarks of Microsoft Corporation.

Microsoft Vista® is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

Oracle® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

UNIX® is a registered trademark of The Open Group.

Documentation Updates

This manual's title page contains the following identifying information:

- Software version number, which indicates the software version
- Document release date, which changes each time the document is updated
- Software release date, which indicates the release date of this version of the software

To check for recent updates, or to verify that you are using the most recent edition of a document, go to:

h20230.www2.hp.com/selfsolve/manuals

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

You can visit the HP Software Support Web site at:

hp.com/go/hpsoftwaresupport

HP Software Support Online provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract.

To find more information about access levels, go to:

h20230.www2.hp.com/new_access_levels.jsp

To register for an HP Passport ID, go to:

h20229.www2.hp.com/passport-registration.html

Contents

1	Getting Started with the PPM Center Security Model	11
	Security-Related Features in PPM Center	12
	Providing Access to the PPM Center Applications	14
	Related Documents	15
2	Users and Security Groups	17
	Defining PPM Center Users	17
	Creating Users	17
	Linking Users to Security Groups	21
	Configuring Resource Information	24
	Importing Users from a Database or LDAP Server	24
	Creating Security Groups	25
	Creating a Security Group by Specifying a List of Users	28
	Using Resource Management to Control User Security	31
	Using the Deployment Management App Codes Tab	33
	Using the Charge Code Rules Tab	34
3	Managing HP Project and Portfolio Management Center Licenses	35
	Overview of License Management	35
	Assigning Licenses from the User Workbench	36
	Assigning Licenses to Multiple Users in the License Workbench	38
	Removing Licenses Using the Assign Licenses Wizard	42
	Assigning Licenses Using the Open Interface	43
4	Request Security	45
	Overview of Request Security	45
	Prerequisite Settings for Users and Security Groups	46
	Licenses	46
	Access Grants	47

Viewing a Request	49
Creating a Request	52
Enabling Users to Create Requests	52
Restricting Users from Selecting a Specific Workflow	54
Processing a Request	56
Enabling Users to Edit Fields on a Request	56
Enabling Users to Cancel or Delete a Request	58
Enabling Users to Act on a Specific Workflow Step	61
Viewing and Editing Fields on a Request	65
Field-Level Data Security Overview	65
Field Window: Attributes Tab	67
Field Window: Security Tab	69
Request Type Window: Status Dependencies Tab	72
Overriding Request Security	73
5 Package Security	75
Overview of Package Security	75
Viewing a Package	77
Restricting Package Viewing to Participants	78
Creating a Package	79
Enabling Users to Create Packages	79
Preventing Users from Selecting a Specific Workflow	81
Preventing Users from Selecting a Specific Object Type	82
Approving Package Lines	83
Enabling Users to Act on a Specific Workflow Step	83
Deleting a Package	84
Overriding Package Security	85
6 Project and Task Security	87
Overview of Project and Task Security	87
Viewing Projects and Tasks	88
Controlling Resources on the Project	92
Creating Projects	92
Editing Project Information	93
Editing Work Plan Information	94
Managing Project Baselines	94
Updating Tasks	95
Overriding Project Security	96

7	Resource Management Security	97
	Overview of Resource Management Security	97
	Working with Resources	98
	Viewing Resource Information	98
	Modifying Resource Information	98
	Working with Resource Pools	99
	Viewing Resource Pools	100
	Creating Resource Pools	101
	Modifying Resource Pools	102
	Working with Skills	103
	Viewing Skills	103
	Creating, Modifying, and Deleting Skills	103
	Working with the Organization Model	103
	Viewing the Organization Model	103
	Modifying Organization Definitions	104
	Working with Staffing Profiles	104
	Viewing Staffing Profiles	105
	Creating Staffing Profiles	106
	Modifying Staffing Profiles	107
	Deleting Staffing Profiles	108
	Working with Calendars	109
	Viewing and Editing Regional Calendars	109
	Viewing and Editing Resource Calendars	110
	Additional Protection for Resource Information	111
	Users Who Are Assigned the Configurator License	111
	Members of Security Groups with View or Edit Access to Cost Data	111
	Members of Security Groups with View or Edit Access to Resource Data	112
	Users Who Have the Administrator Password	112
	Users Who Run the Unsecured "User Detail Report"	112
	Users with the Sys Admin: Server Tools - Execute SQL Runner Access Grant	113
8	Cost and Financial Data Security	115
	Overview of Cost and Financial Data Security	115
	Working with Cost Data	116
	Viewing Cost Data	116
	Making Project Cost Data Visible to Users	116
	Making Program Cost Data Visible to Users	118
	Modifying Cost Data	119

Working with Financial Summaries	119
Viewing Approved Budgets	119
Modifying Approved Budgets	120
Modifying Approved Budgets on All Financial Summaries	121
Viewing Costs	122
Viewing Costs on All Financial Summaries	122
Modifying Costs	123
Modifying Costs on All Financial Summaries	123
Modifying Cost Security	124
Modifying Cost Security on All Financial Summaries	124
Viewing Financial Benefits	125
Viewing Financial Benefits on All Financial Summaries	126
Modifying Financial Benefits	127
Modifying Financial Benefits on All Financial Summaries	128
Setting the Plan of Record	129
Setting the Plan of Record on All Financial Summaries	129
Working with Activities	130
Viewing Activities	130
Creating and Modifying Activities	130
Working with Regions	130
Working with Financial Exchange Rates and Currencies	131
9 PPM Dashboard Security	133
Controlling User Access to Portlets in the PPM Dashboard	133
Disabling Custom Portlets	134
Restricting User Access	135
Restricting Data to Participants	137
10 Configuration Security	139
Overview of Configuration Security	139
Setting Ownership for Configuration Entities	139
Removing Access Grants	143
11 Service Provider Functionality	145
Recommended Practice: Service Provider Functionality	145
Step 1. Create a service provider user.	145
Step 2. Create the service provider security group.	146
Step 3. Set ownership on the user.	147
Step 4. Set ownership on the security group.	148

Step 5: Add a server configuration parameter.	149
Step 6. Test the functionality.	149
Step 7. Create another user to assign to the Restricted Users security group.	150
A Access Grants	151
B License Types	175
C Licenses and User Roles	179
Index	189

1 Getting Started with the PPM Center Security Model

Businesses must often control access to information and business processes. This is done to protect sensitive data, such as employee salaries, or to simplify business processes by hiding data that is irrelevant to the user. HP Project and Portfolio Management Center (PPM Center) includes a set of features to help control data and limit the following:

- Who can access specific windows and pages
- Who can view or edit specific data
- Data displayed in restricted fields and on pages
- Who can view, create, edit, or process PPM Center entities (requests, packages, projects, portfolios, and so on)
- Who can view, create, or edit configuration entities (workflow, request types, object types, security groups, and so on)
- Who can change security settings

This document presents an overview of the PPM Center data security model and provides instructions on how you can control access to PPM Center entities using a combination of licenses, access grants, and other security-related features.

Security-Related Features in PPM Center

To control data and process security and secure the PPM Center system, you use a combination of the following features:

- **Licenses**

After you assign a license to a user, you can grant that user access to a set of PPM Center user interface and functionality. Licenses determine available behavior but must be used with access grants to enable specific fields and functions. For example, a user with a Demand Management license, but with no access grants, can log on to the system, but cannot create requests.

Chapter 3, Managing HP Project and Portfolio Management Center Licenses, on page 35 provides instructions on how to assign licenses to individual users or to groups of users. *Appendix B, License Types, on page 175* provides information about the specific access that each license provides. *Appendix C, Licenses and User Roles, on page 179* contains detailed information about product licenses.

- **Access grants**

Access grants are linked to users through security groups. They determine the windows and functions in which users can view information or perform actions. Access grants also provide levels of control over specific entities and fields. *Chapter 2, Users and Security Groups, on page 17* contains information on how to create users and give them access to information and functionality in PPM Center. The tables in *Appendix A, Access Grants, on page 151* provide information about all of the access grants used to control user access to specific features and parts of the PPM Center user interface.

- **Entity-level restrictions**

Settings on the entity that specify who can create, edit, process, and delete PPM Center entities (such as requests, packages, or projects). Entity-level restrictions also let you determine which request types and object types can be used with certain workflows. These restrictions are often set in the configuration entities (workflows, request types, object types, and so on).

- **Field-level restrictions**

For each custom field that you define in the PPM Center, you can configure when it is visible or editable. For some fields, you can also specify who can view or edit the field.

- **Configuration-level restrictions**

To specify who can modify configuration entities in the system, you can use ownership group settings. For example, you can control who can edit existing workflows. This ensures that only qualified users can modify your PPM Center–controlled processes. For information about the security settings and permissions required to configure PPM Center, see [Chapter 10, *Configuration Security*, on page 139](#).

HP recommends that you maintain two levels of system administrators for your organization. [Chapter 11, *Service Provider Functionality*, on page 145](#) contains information about how to create administrator-level users whose records cannot be modified by other users.

Providing Access to the PPM Center Applications

The process for configuring security for individual PPM Center applications can vary:

- For information about the security settings required to create, process, and manage requests in HP Demand Management, see [Chapter 4, *Request Security*, on page 45](#).
- For information about the security settings required to create, process, and manage packages in HP Deployment Management, see [Chapter 5, *Package Security*, on page 75](#).
- For information about the security settings required to create, process, and manage projects in HP Project Management, see [Chapter 6, *Project and Task Security*, on page 87](#).
- For details on the security settings related to HP Resource Management, see [Chapter 7, *Resource Management Security*, on page 97](#).
- For details on the security settings related to HP Financial Management, see [Chapter 8, *Cost and Financial Data Security*, on page 115](#).
- All PPM Center user and configuration guides contain some security-related information about the product that the document describes.
- For information about the security settings that users must have to access and use the PPM Dashboard, see [Chapter 9, *PPM Dashboard Security*, on page 133](#).

Related Documents

For more information related to this document, see the following user and configuration guides:

- *HP Demand Management User's Guide*
- *HP Demand Management Configuration Guide*
- *HP Deployment Management User's Guide*
- *HP Deployment Management Configuration Guide*
- *HP Project Management User's Guide*
- *HP Project Management Configuration Guide*
- *HP Program Management User's Guide*
- *HP Program Management Configuration Guide*
- *HP Portfolio Management User's Guide*
- *HP Portfolio Management Configuration Guide*
- *HP Resource Management User's Guide*
- *HP Time Management User's Guide*
- *HP Time Management Configuration Guide*
- *Commands, Tokens, and Validations Guide and Reference*
- *HP-Supplied Entities Guide* (includes descriptions of all PPM Center portlets, request types, and workflows)

2 Users and Security Groups

Defining PPM Center Users

To create and define PPM Center users, you use the PPM Workbench. This section provides the detailed steps to create users.

Creating Users

To create a PPM Center user:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Sys Admin > Users**.

The User Workbench window opens.

4. Click **New User**.

The User window opens.

The screenshot shows the 'User: Untitled1' window with the following details:

- Username:** [Empty field]
- First Name:** [Empty field]
- Last Name:** [Empty field]
- Email Address:** [Empty field]
- Company:** [Empty field]
- Phone Number:** [Empty field]
- Authentication Mode:** PPM
- Password:** [Empty field]
- Start Date:** July 16, 2009
- End Date:** [Empty field]
- Last Login:** [Empty field]
- Domain:** [Empty field]
- New password on login:** Yes (selected), No
- Password Exp. Days:** [Empty field]
- Password Exp. Date:** July 16, 2009
- System Level Licenses:**
 - ☐ Configuration - Access to all Applications and their configuration, except User Administration
 - ☐ User Administration - Create Users, Security Groups, and assign Licenses
- Application Licenses:**
 - ☐ Demand Management
 - ☐ Deployment Management
 - ☐ Portfolio Management - Requires Demand Management
 - ☐ Program Management - Requires Demand Management and Project Management
 - ☐ Project Management
 - ☐ Time Management

5. In the **Username**, **First Name**, and **Last Name** fields, type the required names.



You must specify a user name that is unique in PPM Center.

6. You can provide information in the optional **Email Address**, **Company**, and **Phone Number** fields.

- **Company.** The company for which the user works. The values in this list are set by the CRT - Company validation.
- **Email Address.** The user's email address in the format `name@domain.com`. This address is referenced elsewhere in the application.
- **Phone Number.** The user's phone number.

7. In the **Authentication** section, do the following:

- a. In the **Authentication Mode** list, select a user authentication method for the new user.

Possible values are **PPM**, **LDAP**, **NTLM**, and **SITEMINDER**. If you select **PPM**, then authentication is performed using the internal user database of PPM Center. If you select another authentication mode, authentication is performed using the enterprise directory database server.

For details, see the *Open Interface Guide and Reference*.

For information about the `AUTHENTICATION_MODE` server configuration parameter, see the *Installation and Administration Guide*.

- b. In the **Password** field, provide a PPM Center password for the user.

This password is encrypted in the user interface and in the database.

- c. If you want the user to create a password during the initial log on to PPM Center, next to **New password on login**, leave **Yes** selected. Otherwise, select **No**.

- d. (Optional) Provide the date on which a user account is to be activated in **Start Date**.

- e. (Optional) Provide the date on which a user account expires. You can leave this field empty.

- f. To specify the number of days the password is to remain valid, in the **Password Exp. Days** field, type the number of days that the user has to change the password.

After you type a value, the **Password Exp. Date** field displays the password expiration date. The value in this field is calculated based on the Password Expiration Days value or the Ask New Password On Logon attribute.

- 8. If you use NTLM authentication, set the value for **Domain** in the `<PPM_Home>/integration/ntlm/ntlm.conf` file.

9. To assign the user a system-level license, under **System Level Licenses**, do one or both of the following:

- To give the user access to all product functionality available through the PPM Workbench and standard interfaces in PPM Center (except for user and security group administration), select **Configuration - Access to all Applications and their configuration, except User Administration**.
- To give the user permission to administer the users and security groups for all HP products licensed at your site, select **User Administration - Create Users, Security Groups, and assign Licenses**.



To assign licenses to multiple users at one time, use the License Workbench. For details on how to do this, see [Assigning Licenses to Multiple Users in the License Workbench](#) on page 38.

10. If, under **System Level Licenses**, you did not select the **Configuration - Access to all applications and their configuration, except User Administration** option, then under **Application Licenses**, select the checkboxes for the products to which you want to give the user access.



You can only assign licenses that your company has purchased. If you do not have licenses for a given PPM Center product, then that license field is unavailable.

HP Deployment Management Extension licenses are issued on a site-wide basis and are, therefore, not included as an option in the User window.

11. Click the **Security Groups** tab, and then link the user to the security groups that provide functional roles and access grants required.

For information about how to link the user to security groups, see [Linking Users to Security Groups](#).

12. Click the **Ownership** tab, and then select the users or groups that can edit, copy, or remove this user.

For information about how to select the users or security groups that can configure a user, see [Setting Ownership for Configuration Entities](#) on page 139.

13. Each user has associated resource settings such as Title, Direct Manager, and Capacity. To view or edit these resource settings, click **Edit Resource**.
14. Click **OK**.

The new user can now log on to PPM Center.



If your organization has many users, you can import user information from other databases into interface tables, and then directly into the PPM Center database. You can also import users from an LDAP server through the interface tables. For information on how to import users from an LDAP server, see the *Open Interface Guide and Reference*.

Linking Users to Security Groups

To link users to security groups, you can use the **Security Groups** tab in the User window or use an organization model defined in PPM Center. This section provides the steps you perform from the **Security Groups** tab.

To link a user to a security group:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.


3. From the shortcut bar, select **Sys Admin > Users**.

The User Workbench opens.

4. Use the **Query** tab to locate the user you want to add to security groups.
5. On the **Results** tab, double-click the row that displays the user name.


The User window opens to the record for the user.

6. Click the **Security Groups** tab.



7. Click **New**.

The Security Groups window opens.



8. In the **Security Groups** field, click the auto-complete button.


The Validate window opens.

9. Under **Available**, in the **Security Group** column, select one or more security groups to link to the user.

You can use the **ctrl** or **shift** key to select multiple groups.

10. To add these groups to the **Selected** list, click the right-pointing arrow.

11. Click **OK**.
12. In the Security Groups window, click **OK**.



In the User window, the **Directly Linked Security Groups** field lists the selected security groups, which are now linked to the user.

A user associated with an organization unit, as defined in the HP Resource Management functionality, may inherit security group associations. The **Security Groups Linked by Organization Association** field lists these security groups, if any are indirectly linked to the selected user.

For more information, see the *HP Resource Management User's Guide*.

13. Click **OK**.

Configuring Resource Information

A resource is something or someone assigned to work. Resources can include employees, contractors, managers, consulting groups, supplies, or any other category your organization requires. A user is considered a resource in PPM Center. You can capture user information specific to the user's roles and skills as a resource, such as "database administrator" or "programmer."

Providing resource information for each user is optional. For information about how to configure resource information, see the *HP Resource Management User's Guide*.

The hourly rate (chargeback or billed labor cost) associated with the resource or skill is defined on the Cost Rate page.



Workload capacity, represented as the percentage of the working day that a resource is available for planned work items, is defined through the resources's association with different resource pools.

Importing Users from a Database or LDAP Server

If your organization has many users, you can use the PPM Center open interface to create user accounts. This API uses interface tables within the PPM Center database instance. Data added to these interface tables is validated and eventually imported into standard database tables to generate users who you can then process normally within PPM Center. You can also import user information from LDAP servers.

For detailed information, see the *Open Interface Guide and Reference*, which provides an overview of relevant database tables and complete instructions on how to import users.

Creating Security Groups

To control access to specific sections of the PPM Center user interface and its functionality, you create security groups, specify their members, and then configure their access grants.

To create a security group:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Sys Admin > Security Groups**.

The Security Group Workbench window opens.

4. Click **New Security Group**.

The Security Group window opens.

Security Group : Untitled1

Name: _____ Enabled: ☐ Yes ☒ No

Reference Code: _____

Description: _____

This Security Group will be used by: ☒ Requests ☒ Projects ☒ Packages ☐ Time Sheets

Deployment Management App Codes | Charge Code Rules | Ownership | User Data | Used By

Users | Access Grants | Deployment Management Workflows

Add New User to this Group

Filter Users

User: _____

Show only enabled users? ☒ Yes ☐ No

Users

New Delete

Membership

Members are:

☒ Specified Directly
Use this screen to add or remove users.

☐ Determined by Organization Unit
Modify the associated org unit to add or remove users.

Organization Unit: _____

☒ Direct Members Only
Only direct members of this org unit are members.

☐ All Members (Cascading)
Include members of this org unit and its child org units.

OK Save Cancel

Filtered to 0 of 0 total user(s)

5. In the **Name** field, type a name for the group.

6. In the **Reference Code** field, accept or type a new value.

The Reference Code field value is used to uniquely identify the security group across all the languages being used in your PPM Center implementation.

The reference code value must be unique across all languages, use capital letters and ASCII characters, not start with an underscore (`_`), and not use any of the following special characters:

`~!@#$%^&*() + } { " : ? > < ` - = [' ' ' ' ; / . , ' ,`

System data reference codes start with an underscore (`_`) and should not be modified.

7. To enable the new group, next to **Enabled**, click **Yes**.
8. In the **Description** field, you can type a description of the group.

To add members to the security group, you can either select a list of users or associate the group with an organization unit that has been defined in PPM Center.

9. To make this group selectable, do one of the following:

- To select group members directly:
 - i. On the **Users** tab, click **Add New User to this Group**.
 - ii. The Users dialog box opens.
 - iii. In the **Users** field, click the selector button.
 - iv. The Validate window opens.
 - v. In the **Available** section, select the users to add to the security group.
 - vi. Click **OK**.
 - vii. In the Users dialog box, click **OK**.

- To add users based on their organization unit associations:
 - i. In the **Membership** section of the **Users** tab, under **Members are**, select **Determined by Organization Unit**.
 - ii. In the **Organization Unit** field, provide the name of an organizational unit.
 - iii. If you want to associate just the members of this organization unit with the new security group, leave **Direct Members Only** selected. If you also want to include members of the child organization units of the selected unit, click **All Members (Cascading)**.
- 10. To specify user interface and feature access, click the **Access Grants** tab, and then select the access grants to assign to the security group.

For a complete list of access grants, see [Appendix A, Access Grants](#), on page 151.

11. If the security group is to be used in deployment, do the following:
 - a. Click the **Deployment Management Workflows** tab, and then specify the workflows that members of this security group can use to deploy changes.
 - b. On the **Deployment Management App Codes** tab, restrict the security group from using specific application codes in creating package lines.

This restricts the applications through which each user can process objects.

To minimize the maintenance of a security model around processes, consider creating and maintaining the following security groups to control who can:

- Act on specific workflow steps by defining a list of users with no special access grants
- Access a particular screen or function by defining a list of users and required access grants

As new users are added to the system, you can grant them the required screen and function access and associated with specific workflows.

Creating a Security Group by Specifying a List of Users

To create a security group:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Sys Admin > Security Groups**.

The Security Group Workbench opens.

4. Click **New Security Group**.

The Security Group window opens.

5. In the **Name** field, type a name for the group.

6. In the **Reference Code** field, accept or type a new value.

The Reference Code field value is used to uniquely identify the security group across all the languages being used in your PPM Center implementation.

The reference code value must be unique across all languages, use capital letters and ASCII characters, not start with an underscore (_), and not use any of the following special characters:

~!@#%\$%^&*() + } { " : ? > < ` - = [' ' ' ' ; / . , ' ,

System data reference codes start with an underscore (_) and should not be modified.

7. In the **Description** field, you can type text that describes the group and its purpose.
8. To enable this security group, next to **Enabled**, select **Yes**.

Only the names of enabled security groups are available when generating or updating users or workflows.

9. For **This Security Group will be used by**, select the checkboxes for the PPM Center entities that you want to be able to use the security group.

The following table lists the available checkboxes.

Field Name	Description
Requests	Determines whether this security group can be used in request processing. If this checkbox is not selected, the security group is not displayed in: <ul style="list-style-type: none">• Assigned Group field on the request• User Access tab in the Request Type window—this restricts users in the security group from selecting a request type when creating a request. Note: If a user has the System: Override Key Fields Segmentation access grant, then the security group is displayed in the Assigned Group field.
Projects	Determines whether this security group participates in project management activities.
Packages	Determines whether this security group can be used in package processing. If the checkbox is cleared, the security group is not displayed in the Assigned Group field in the Package window. Note: If a user has the System: Override Key Fields Segmentation access grant, then the security group is displayed in the Assigned Group field.
Timesheets	Selecting this checkbox enables the Charge Code Rules tab. You can use this tab to specify who has access to certain charge codes in HP Time Management.

10. To link selected users to the security group:

- a. On the **Users** tab, click **New**.

The Users window opens.

- b. In the **Users** field, select one or more users.
- c. Click **OK**.

11. Link the access grants, as follows:



Each access grant enables certain functions performed on a screen. For a description of each access grant, see [Appendix A, Access Grants, on page 151](#).

- a. In the **Available Access Grants** list, select one or more access grants.
- b. Click the right-pointing arrow.
- c. Click **OK**.

12. Restrict the security group from using certain workflows when processing packages, as follows:

- a. Click the **Deployment Management Workflows** tab.
- b. Select the workflows in the **Allowed Deployment Management Workflows** list.
- c. Click the left-pointing arrow.

The **Restricted Deployment Management Workflows** lists the selected workflows.

- d. To exclude all future workflows, select the **Always restrict new Workflows** checkbox.

13. Restrict the security group from using certain application codes when creating a package line.

This restricts the applications through which each user can process objects.

- a. Click the **Deployment Management App Codes** tab.
- b. Select the app codes in the **Allowed Deployment Management App Codes** list.
- c. Click the left-pointing arrow.

The selected items move to the **Restricted Deployment Management App Codes** list.

- d. To exclude all future app codes, select the **Always restrict new App Codes** checkbox.

14. Click the **Ownership** tab, and then select the ownership groups that you want to be able to edit, copy, or delete the current security group.

For more information about how to set ownership for a security group, see [Chapter 10, *Configuration Security*, on page 139](#).

15. On the **User Data** tab, provide any necessary information.
16. To save your changes, do one of the following:
 - To register the current security group and close the Security Group window, click **OK**.
 - To save the information and leave the Security Group window open, click **Save**.

Using Resource Management to Control User Security

You can associate users with security groups by including them in an organization model definition. Use the PPM Center resource management capabilities to place a user into a model that includes security and access information. For information on how to do this, see the *HP Resource Management User's Guide*.

To define a security group to use the members of an organization unit:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Sys Admin > Security Groups**.


The Security Group Workbench opens.

4. Click **New Security Group**.

The Security Group window opens.

5. On the **Users** tab, in the **Membership** section, select **Determined by Organization Unit**.

A dialog box opens and displays a message that explains that the group membership is to be determined by the organization unit to which the group is linked (and not users that you added to this tab), and prompts you to indicate whether you want to continue.



6. Click **Yes**.



If you select an organization unit to control user access to the security group, any users in the **Users** list are replaced by the members of the organization unit.

7. Select the organization unit.
8. Select one of the following:
 - To include only direct members of the specified organization unit, and exclude its child organization units, select **Direct Members Only**.
 - To include members of this organization unit and its child unit, select **All Members (Cascading)**.

For example, suppose your Quality Assurance organization unit consists of the Testers and Bug Fixers sub-units. If you elect to include members of child organization units for the Quality Assurance unit, then the list of users contains all of the resources defined in each of the units (Quality Assurance, Testers, and Bug Fixers).

9. Click **OK**.

For information about how to associate users with an organization model, see the *HP Resource Management User's Guide*.

Using the Deployment Management App Codes Tab

Application codes (or *app codes*) are part of each HP Deployment Management environment definition. If a site is not licensed for Deployment Management, the **App Codes** tab is unavailable in Deployment Management.

If a security group contains Deployment Management users, you can limit the application codes available to its members when new package lines are generated. This way, you restrict the applications through which each user can process objects. For example, you could assign software changes for an ERP system to one set of users, and assign access to Front Office application changes to a different set of users.

By default, a new security group gives its members access to all Deployment Management app codes. Use the left- and right-pointing arrows between the two lists on this tab to move app codes to and from the **Restricted** list. Any app code in the **Restricted Deployment Management App Codes** list is unavailable for use by the security group members. To completely restrict a user from using a specific app code, exclude that app code from all security groups to which the user belongs.

As you add lines to a package, Deployment Management normally has an app code default of **NONE**. You can exclude this **NONE** selection out of the **App Code** field. The workflow definition includes a checkbox labeled **Force App Code Selection**.

Using the Charge Code Rules Tab

The **Charge Code Rules** tab lets you control charge code access for security groups used with HP Time Management. Specify the charge codes that are to be visible to members of the security group member here. You can restrict charge codes based on category, client, or department.

A charge code that satisfies a value set by a charge code rule is visible to a members of the security group. For example, a charge code rule of the Category type with the value Billable makes charge codes in the Billable category visible security group members. No other categories are displayed.



If a user belongs to a security group that has no restrictions imposed on it, that user has access to all charge codes. HP recommends that you enable charge code rules for all security groups.

Table 2-1. Security Group window - Charge Code Rules tab fields

Field Name	Description
Restrict Charge Codes to the following rules	Determines whether to restrict charge codes for this security group. If this is not selected, the security group has access to all charge codes.
Type	The type of charge code rule. You can restrict charge codes based on charge code category, client, or department.
Value	The value of the category, client, or department for the allowed charge code.

3 Managing HP Project and Portfolio Management Center Licenses

Overview of License Management

Each user who is to view data or perform work in a PPM Center product must have the required product license. Different licenses provide access to, and allow user to perform different actions in different parts of the application. For example, a Project Management license grants a user access to the project planning interface, whereas a Deployment Management license grants access to the interface for creating and processing packages.

The following sections contain the procedures you use to assign PPM Center product licenses from the User Workbench and using the Assign Licenses wizard. For a detailed description of each license, see [Appendix B, *License Types*](#), on page 175.

Assigning Licenses from the User Workbench

To assign a license to a user from the User Workbench:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Sys Admin > Users**.

The User Workbench opens.

4. Click **List**.

The **Results** tab lists all user records.

5. Double-click the record for the user to whom you want to assign a license.

The User window opens and displays the record for the user you selected.

The screenshot shows the 'User : bgetty' window with the following details:

- User Information:** Username: bgetty, Company: [blank], First Name: Barbara, Last Name: Getty, Email Address: [blank], Phone Number: [blank].
- Authentication:** Authentication Mode: PPM, Password: [masked], Start Date: January 1, 2007, End Date: [blank], Last Login: December 12, 2008 05:11:10 PM PST, Domain: [blank].
- System Level Licenses:** Configuration - Access to all Applications and their configuration, except User Administration; User Administration - Create Users, Security Groups, and assign Licenses.
- Application Licenses:** Demand Management (checked), Deployment Management (unchecked), Portfolio Management - Requires Demand Management (checked), Program Management - Requires Demand Management and Project Management (checked), Project Management (checked), Time Management (checked).

Buttons at the bottom: Edit Resource, OK, Save, Cancel. Status: Ready.

6. To assign the user a system-level license, under **System Level Licenses**, do one or both of the following:
 - To give the user access to all product functionality available through the PPM Workbench and standard interfaces in PPM Center (except for user and security group administration), select the **Configuration - Access to all Applications and their configuration, except User Administration** checkbox.
 - To give the user permission to administer the users and security groups for all HP products licensed at your site, select the **User Administration - Create Users, Security Groups, and assign Licenses** checkbox.
7. Under **Application Licenses**, select all of the checkboxes that correspond to the application licenses you want to assign to the user.

You can only assign licenses that your company has purchased. If you do not have licenses for a given PPM Center product, then that license field is unavailable.

HP Deployment Management Extension licenses are issued on a site-wide basis and are, therefore, not included as an option in the User window.

8. Click **Save**.

To assign a license to a user, you must have the license in the system. If you do not have enough licenses available, after you click **Save**, the PPM Workbench displays an error.

Assigning Licenses to Multiple Users in the License Workbench

You can use the License Administration window to assign licenses to a group of users. This window provides a single access point from which to view current license usage and availability in the system. You can then use the Assign Licenses wizard to step through the process.


To assign licenses using the Assign Licenses wizard:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **System Admin > License**.

The License Administration window opens. This window lists the licenses available to assign and shows how many of each have been used and how many are available. It also lists the Deployment Management Extensions, if any, installed at your site.



The screenshot shows the 'License Administration' window with a title bar containing the HP logo and window controls. The main content area is titled 'Product License Usage' and contains a table with five columns: License, Expiration Date, Number Used, Number Available, and Total Charge. Below the table, there is a section for 'Installed Extensions' which states 'No Extensions installed'. At the bottom of the window, there are two buttons: 'Assign Licenses' and 'Refresh'.

License	Expiration Date	Number Used	Number Available	Total Charge
Configuration	Dec 12, 3000	16	9983	9999
Demand Management	Dec 12, 3000	267	9732	9999
Deployment Management	Dec 12, 3000	147	9852	9999
Portfolio Management	Dec 12, 3000	29	9970	9999
Portfolio Optimization	Dec 12, 3000	n/a	n/a	n/a
Program Management	Dec 12, 3000	20	9979	9999
Project Management	Dec 12, 3000	110	9889	9999
Time Management	Dec 12, 3000	71	9928	9999
User Administration	Dec 12, 3000	15	9984	9999

Installed Extensions
No Extensions installed

Assign Licenses Refresh

4. Click **Assign Licenses**.

The Assign Licenses wizard opens to the **Find Users** step.

Assign Licenses

Find Users

Choose Licenses

Confirm Changes

The following fields allow you to select which users you would like to Assign Licenses to. The User's information must match all of the criteria you enter below to be returned. Users with Administrator license cannot be assigned additional licenses.

Security Group:

User:

Company:

Currently Assigned Licenses:

Cancel < Back Next >

5. In one or more of the fields listed in the following table, provide search criteria to locate the users to whom you want to assign licenses.

Field Name	Description
Security Group	Locates users who belong to a specific security group. You can select multiple security groups in this field. The search returns a list of all users who belong to any of the selected security groups.
User	Locates users specified in this field.
Company	Locates users associated with a specific company. Companies are associated with users in the Contact window in the Contact Workbench.

Field Name	Description
Currently Assigned Licenses	Locates all users who have a license specified in this field.
User Data Fields (if any are defined)	Search for users based on the custom user data fields defined at your site.

If you do not select one or more users, all users are selected by default.

6. Click **Next**.

The wizard advances to the **Choose Licenses** step.

Username	First Name	Last Name	Enabled	Email Address	P
bgetty	Barbara	Getty	Y		
bjames	Brian	James	Y		
bkasem	Blossom	Kasem	Y		555
bkramer	Barbara	Kramer	Y		555
bmurray	Bill	Murray	Y		


		Current Usage	Current Available	Required Licenses	Remaining Licenses
Configuration	No Change	16	9983	0	9983
User Administration	No Change	15	9984	0	9984
Demand Management	No Change	267	9732	0	9732
Deployment Management	No Change	147	9852	0	9852
Portfolio Management	No Change	29	9970	0	9970
Program Management	No Change	20	9979	0	9979
Project Management	No Change	110	9889	0	9889
Time Management	No Change	71	9928	0	9928

7. On the **Choose Licenses** step, review the listed users, and then select the licenses that you want to assign to them from the license fields.

Although you can select only a subset of users in the users list, the licenses specified are applied to all users who meet the requirements you specified on the **Find Users** step.

8. Click **Next**.

The wizard advances to the **Confirm Changes** step.



9. Review the license assignments and ensure that the number in the **Remaining Licenses** column is greater than or equal to zero.

A negative number indicates that you do not have enough licenses to apply to the users, and cannot complete the license assignment.

10. Click **Finish**.

The Assign Licenses wizard only assigns an available license if the selected user does not already have the license. Licenses append, but do not overwrite, the license specifications for a user (unless you select **Remove License**).



For example, for the Choose License step, you specify that every user is to be granted a Demand Management license. But because Chris Smith already has a Configuration license, the Demand Management license is not assigned to Chris.

Removing Licenses Using the Assign Licenses Wizard

You can use the Assign Licenses wizard to remove licenses from a set of users.

To remove licenses:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Sys Admin > License**.

The License Administration window opens.

4. Click **Assign Licenses**.

The Assign Licenses wizard opens.

5. On the **Find Users** step, provide the search criteria to locate the users from which you want to remove licenses, and then click **Next**.
6. On the **Choose Licenses** step, from the list to the right of the license name you want to remove, select **Remove License**, and then click **Next**.
7. On the **Confirm Changes** step, review the license changes, and then click **Finish**.

Assigning Licenses Using the Open Interface

You can also use the PPM Center open interface to assign licenses to users. This API uses interface tables within the PPM Center database instance. Data added to these interface tables is validated and eventually imported into standard database tables, generating or updating user account information.

For detailed information about this feature, see the *Open Interface Guide and Reference*.

4 Request Security

Overview of Request Security

This chapter addresses the data and process security related to creating and processing requests in HP Demand Management. HP Demand Management lets you control who can participate in request resolution. You can restrict user participation based on the following:

- **Request creation**
 - Who can create requests
 - Who can use a specific workflow
 - Who can use specific request types
- **Request processing**
 - Who can act on each step in the workflow

For this restriction, enable access by specifying users or security groups. Access can also be provided dynamically by having a token resolve to provide access.

- Who can view or edit certain fields in a request

For this restriction, enable view or edit access to request fields by specifying users or security groups. You can also have a token resolve to provide access dynamically.

- **Managing request resolution**
 - Who can change the workflow
 - Who can change each request type

Configuring this data and process security often involves setting the following:

- Licenses
- Access grants
- Request type settings on the **User Access** tab
- Field-level settings set in the Field definition window

Prerequisite Settings for Users and Security Groups

General access to request types and certain functions related to processing requests are controlled by access grants associated with security groups. Users in those security groups have access to all of the functionality enabled by those access grants. You can impose restrictions on request viewing or processing at the request type level.

This section addresses the license and access grants settings required to enable general access to request processing.



Only users with the Administrator license can create or modify user and security group accounts. Work with your administrator to provide users with the basic settings required to process requests. Process and data restrictions can later be implemented using settings in the workflow and request type definitions.

Licenses

To create and process requests, users must have either the Demand Management license or the Configuration license.

For details on the functionality associated with each license, see [Licenses and User Roles on page 179](#). The following sections address how the functionality provided with each access grant depends on the license type the user has.

Access Grants

Table 4-1 lists the access grants that provide general access to request processing functionality.

Table 4-1. Access grants related to request creation and processing
(page 1 of 2)

Access Grant	Description
Demand Mgmt: Edit Requests	<p>Perform basic request processing actions.</p> <p>Lets the user:</p> <ul style="list-style-type: none">• Generate requests.• Edit the request as specified on the User Access tab in the Request Type window.• Delete the request as specified on the User Access tab in the Request Type window.• Cancel the request as specified on the User Access tab in the Request Type window. <p>Prevents the user from:</p> <ul style="list-style-type: none">• Changing the workflow when creating or editing a request.
Demand Mgmt: Edit All Requests	<p>Perform advanced request processing actions.</p> <p>User can:</p> <ul style="list-style-type: none">• Always edit the request.• Always delete or cancel a request.• Change the workflow when creating and editing a request.• Override and remove any references on any request.
Demand Mgmt: Change Request Type	<p>Change the request type for existing requests.</p>

Table 4-1. Access grants related to request creation and processing
(page 2 of 2)

Access Grant	Description
Demand Mgmt: Edit Request Header Types	Create, update, and delete request header types in the Request Header Types Workbench.
Demand Mgmt: Edit Request Types	Create, update, and delete request types in the Request Types Workbench.
Demand Mgmt: Override Demand Mgmt Participant Restriction	This access grant lets the user review a request, regardless of whether that user has viewing permission as defined on the User Access tab for the request type.

Screen and function access provided through access grants is cumulative. A user who belongs to three different security groups has the access to all of the user interface and functionality granted to all of the groups combined. To restrict certain screen and feature access, remove the user from any security group that has access to those areas.

Use the **Access Grants** tabs in the User window to see all security groups that have been given specific access grants, and then:

- Remove the user from the security group (using the **Security Group** tab in the User window).
- Remove the access grants from the security group (in the Security Group window). Do this only if no one in that security group requires the access that the access grant provides.



The PPM Center includes additional access grants that you can use to control access to other functions in HP Demand Management. For more information, see [Appendix A, Access Grants, on page 151](#).

Viewing a Request

You can control which users can view requests of a specific type.

To enable all users to view a specific type of request:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Demand Mgmt > Request Types**.

The Request Type Workbench opens.

4. Click **List**.
5. On the **Results** tab, locate, and then double-click the row that displays the request type that you want all users to be able to view.

The Request Type window opens to the **Fields** tab.

6. Click the **User Access** tab.

The screenshot shows the 'Request Type: ENHANCEMENT' window with the 'User Access' tab selected. The window contains a form for configuring user access rights. At the top, there are fields for 'Request Type Name' (Enhancement), 'Reference Code' (ENHANCEMENT), 'Creation Action Name' (Enhancement), 'Category', 'Extension', and 'Request Header Type' (Default). Below these is a 'Description' field (Enhancement Request type) and a 'Meta Layer View' section with 'MREQ_' and 'ENHANCEMENT' fields. A 'Max Fields' dropdown is set to 50, and 'Enabled' is set to Yes. A tabbed interface at the bottom includes 'Fields', 'Layout', 'Display Columns', 'Request Status', 'Status Dependencies', 'Rules', 'Commands', 'Sub-Types', 'Workflows', 'User Access' (selected), 'Notifications', 'User Data', 'Ownership', 'Help Content', and 'Resources'. A text box explains that this tab configures participants and that participants can be given specific access rights. Below this is a table with columns: Participant, Create, View, Edit, Cancel, and Delete. The table has three rows: 'All Users' (all checkboxes checked), 'Workflow Security' (Create checked, View checked, Edit checked, Cancel unchecked, Delete unchecked), and 'Created By' (Create checked, View checked, Edit checked, Cancel unchecked, Delete unchecked). At the bottom of the table, there is a checkbox for 'Rows cannot be removed.' and buttons for 'New', 'Edit', and 'Remove'. The window ends with 'OK', 'Save', and 'Cancel' buttons.

Participant	Create	View	Edit	Cancel	Delete
All Users	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Workflow Security	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Created By	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7. In the **All Users** row, if the **View** checkbox is cleared, select it.
8. Click **Save**.

To allow only members of a specific security group to view requests of a specific type:

1. On the **User Access** tab, in the **All Users** row, clear the **View** checkbox.

By default, the **View** checkbox in the **Workflow Security** row is selected. This indicates that any user included in security for the associated workflow (defined in any workflow step in the Workflow window) can view the request.

2. Click **New**.

The Participant Security window opens.



3. In the list at the top of the window, leave **Enter a Security Group Name** selected.
4. In the **Security Group** field, provide the names of the security groups that can view requests of this type.
5. Click **OK**.

The **User Access** tab now lists the selected security groups.

6. In the Request Type window, click **Save**.

To enable specific users to view a request:

1. On the **User Access** tab, in the **All Users** row, clear the **View** checkbox.
2. Click **New**.

The Participant Security dialog box opens.

3. In the list at the top of the dialog box, select one of the following items:
 - **Enter a Username.** Restricts request access to the users you specify.
 - **Enter a Standard Token.** Control request security dynamically, depending on the value in a standard field. Select from a list of system tokens that correspond to a user or security group.
 - **Enter a User Defined Token.** Control request security dynamically, depending on the value in a custom field. Select any field token that corresponds to a user or security group.

The field labels under the list change dynamically, depending on which item you select from the list.

4. In the field under the list, which is now labeled **Username**, **Standard Token**, or **User Defined Token**, provide one or more values (usernames or tokens).
5. Click **OK**.

The **User Access** tab now lists the items you specified.

6. In the Request Type window, click **Save**.

Creating a Request

You can determine who can create certain requests or use specific request types and workflows.



The following sections assume that your users have the required license and access grants to create and process requests.

Enabling Users to Create Requests

You can use the **User Access** tab in the Request Type window to determine which users can create requests of a specific request type. You can enable all users with required access grants to create a specific request type, or enable only certain users to create requests of a specific type.

The **User Access** tab can include multiple lines that grant access to create or process the requests. A user who meets any of the requirements listed on the tab can perform that action in the request.

To enable all users to create and submit a specific request type:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Demand Mgmt > Request Types**.

The Request Type Workbench opens.

4. Click **List**.

The **Results** tab lists all existing request types.

5. Double-click the row that displays the request type that you want all users to be able to create.
6. Click the **User Access** tab.
7. In the **All Users** row, select the **Create** checkbox.

8. Click **Save**.

To enable only members of a specific security group to create requests of a specific type:

1. On the **User Access** tab, in the **All Users** row, clear the **Create** checkbox.
2. Click **New**.

The Participant Security window opens.

3. In the list at the top of the window, leave **Enter a Security Group Name** selected.
4. In the **Security Group** field, provide the name of the security group that you want to enable to create requests of the selected type.
5. Click **OK**.

The **User Access** tab now lists the selected security group.

6. Click **Save**.

To enable specific users to create a request:

1. On the **User Access** tab, in the **All Users** row, clear the **Create** checkbox.
2. Click **New**.

The Participant Security window opens.

3. In the list at the top of the dialog box, select one of the following items:
 - **Enter a Username.** Restricts request access to the users you specify.
 - **Enter a Standard Token.** Control request security dynamically, depending on the value in a standard field. Select from a list of system tokens that correspond to a user or security group.
 - **Enter a User Defined Token.** Control request security dynamically, depending on the value in a custom field. Select any field token that corresponds to a user or security group.
4. In the field, which is labeled **Username**, **Standard Token**, or **User Defined Token**, provide one or more values (usernames or tokens).
5. Click **OK**.

The **User Access** tab now lists the items you specified.

6. Click **Save**.

Restricting Users from Selecting a Specific Workflow

When a user creates a request, a workflow must be selected for the request to follow to its resolution. You can control which workflows users can apply to which request types.

To restrict users from selecting a specific workflow to apply to a new request of a specific type:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Demand Mgmt > Request Types**.

The Request Type Workbench opens.

4. Click **List**.

The **Results** tab lists all existing request types.

5. Double-click the row that displays the request type for which you want to restrict applied workflows.

The Request Type window opens.

6. In the Request Type window, click the **Workflows** tab.

The screenshot shows the 'Request Type' window with the 'Workflows' tab selected. The window has a title bar 'Request Type' and standard window controls. The main area contains several fields: 'Request Type Name' (Program Issue), 'Reference Code' (PROGRAM_ISSUE), 'Creation Action Name' (Log Program Issue), 'Category' (dropdown), 'Extension' (dropdown), 'Description' (A standard Request Type for logging program Issues), 'Meta Layer View' (MREQ, PROGRAM_ISSUE), and 'Max Fields' (50). There are 'New' and 'Open' buttons next to the 'Request Header Type' field. Below these fields is a tabbed interface with tabs: 'Fields', 'Layout', 'Display Columns', 'Request Status', 'Status Dependencies', 'Rules', 'Commands', 'Sub-Types', 'Workflows' (selected), 'User Access', 'Notifications', 'UserData', 'Ownership', 'Help Content', and 'Resources'. The 'Workflows' tab contains a section titled 'Select which Workflows can be used with this Request Type. Allow all Workflows or limit by adding the Workflows to the table below.' with a checked checkbox 'All Workflows are allowed for this Request Type'. Below this is a table with columns 'Workflow Name', 'Description', and 'Workflow Enabled'. At the bottom of the table are 'New' and 'Remove' buttons. The window has 'OK', 'Save', and 'Cancel' buttons at the bottom right and a 'Ready' status bar at the bottom left.

7. Clear the **All Workflows are allowed for this Request Type** checkbox.

8. Click **New**.

The Workflow: New window opens.

The screenshot shows the 'Workflow: New' window with a title bar 'Workflow: New' and standard window controls. The main area contains a 'Workflow' field with a text input and a list icon. Below the field are 'OK', 'Add', and 'Cancel' buttons. The window has a 'Ready' status bar at the bottom left.

9. In the **Workflow** field, provide the names of the workflows that users can apply to this request type.
10. Click **OK**.

The **Workflow** tab lists the selected workflows.

11. Click **Save**.

Only workflows specified on the **Workflow** tab can be applied to requests of this selected type.

Request types can be associated with workflows such that only certain request types can be processed through the workflow. The selected request type must be enabled so that the user can create a request when using that workflow.



You can opt to restrict all new request types. You can also specify the default request type to be used with this workflow. This is set on the Workflow window **Request Types** tab.

Processing a Request

You can control who can process requests following a request submission. This includes specifying who can edit fields on request, cancel a request, and delete a request. You can also control who can act on certain steps (decisions and executions) in a process.



The following sections assume that your users have the required license and access grants to perform basic request creation and processing.

Enabling Users to Edit Fields on a Request

You can determine who can edit fields on requests of a specific type.

To enable all users to edit fields on a specific request type:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Demand Mgmt > Request Types**.

The Request Type Workbench opens.

4. Click **List**.

The **Results** tab lists all existing request types.

5. Double-click the row that displays the request type for which you want to configure field editability.

The Request Type window opens to the **Fields** tab for the request type.

6. Click the **User Access** tab.

7. In the **All Users** row, select the **Edit** checkbox.

8. Click **Save**.

To enable only members of a specific security group to edit a request:

1. On the **User Access** tab, in the **All Users** row, clear the **Edit** checkbox.



By default, the **Edit** checkbox in the **Workflow Security** row is selected. This indicates that any user included in the security for the associated workflow (defined in any workflow step in the Workflow window) can edit request fields.

2. Click **New**. The Participant Security dialog box opens.

3. In the list at the top of the window, leave **Enter a Security Group Name** selected.

4. In the **Security Group** field, select the security groups whose members can edit requests of the selected type.

5. Click **OK**.

The **User Access** tab now lists the selected security groups. The **Edit** checkbox is selected by default.

6. Click **Save**.

To enable only specific users to edit requests of a given type:

1. On the **User Access** tab, in the **All Users** row, clear the **Edit** checkbox.
2. Click **New**.

The Participant Security dialog box opens.

3. In the list, select one of the following items:
 - **Enter a Username.** Specify individual user names.
 - **Enter a Standard Token.** Control request security dynamically, depending on the value in a standard field. Select from a list of system tokens that corresponds to a user or security group.
 - **Enter a User Defined Token.** Control request security dynamically, depending on the value in a custom field. Select from any field token that corresponds to a user or security group.

The field labels under the list change dynamically, depending on which item you select from the list.

4. In the field now labeled **Username, Standard Token, or User Defined Token**, provide one or more values (usernames or tokens).
5. Click **OK**.

The **User Access** tab displays a new line that shows the selected user or token. By default, the **Edit** field is selected.

6. In the Request Type window, click **Save**.

Enabling Users to Cancel or Delete a Request

You can determine who has permission to cancel or delete requests of a specific type.

To enable all users to cancel or delete requests of a given type:

1. Log on to PPM Center.

2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Demand Mgmt > Request Types**.

The Request Type Workbench opens.

4. Click **List**. The **Results** tab lists all existing request types.

5. Double-click the row that displays the request type you want to configure.

The Request Type window opens.

6. Click the **User Access** tab.

7. In the **All Users** row, select the **Cancel** and **Delete** checkboxes.

8. Click **Save**.

To allow only specific users or members of a specific security group to cancel or delete a request:

1. On the **User Access** tab, click **New**.

The Participant Security dialog box opens.

- 2.

3. In the list, select one of the following items:

- **Enter a Security Group.** Specify all users in a security group.
- **Enter a Username**
- **Enter a Standard Token.** Control request security dynamically, depending on the value in a standard field. Select from a list of system tokens that corresponds to a user or security group.
- **Enter a User Defined Token.** Control request security dynamically, depending on the value in a custom field. Select from any field token that corresponds to a user or security group.

The field labels under the list change dynamically, depending on which item you select from the list. For example, selecting **Enter a Username** changes the field label below the list to **Username**.

4. Provide the specific value that corresponds to the recipient type you selected.
5. Click **OK**.

The **User Access** tab displays a new line that shows the selected user or token.

6. In the new row, select the **Cancel** and **Delete** checkboxes.
7. In the Request Type window, click **Save**.

To enable the user who logged the request to cancel or delete that request:

1. Open the Request Type window.
2. Click the **User Access** tab.
3. In the **Created By** row, select the **Cancel** and **Delete** checkboxes.
4. Click **Save**.

Enabling Users to Act on a Specific Workflow Step

You must specify who can act on each step in the request resolution workflow. Only users who are specified on the **Security** tab in the Workflow Step window can process a request at that step.

To specify who can act on a specific workflow step:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.


The PPM Workbench opens.

3. From the shortcut bar, select **Configuration > Workflows**.

The Workflow Workbench opens.

4. Click **List**.
5. On the **Results** tab, locate and open the workflow.

The Workflow window opens to the **Layout** tab.



6. Double-click the step you want to configure.

The Workflow Step window opens.


The screenshot shows a 'Workflow Step' configuration window with a blue title bar and a standard Windows-style interface. The window has a tabbed interface with the following tabs: Properties, Security, Segregation of Duties, Notifications, Timeout, UserData, and Results. The 'Properties' tab is currently selected. The form contains the following fields and controls:

- Step Number: 5
- Step Name: Finance Review
- Action Summary: (empty text box)
- Description: (empty text box)
- Source Type: Decision
- Source Name: PFM - Review Step
- Enabled: ☒ Yes ☐ No
- Display: Always (dropdown menu)
- Workflow Parameter: NONE (dropdown menu)
- Avg Lead Time: (empty text box)
- Request Status: Finance Review (dropdown menu)
- Current % Complete: (empty text box)
- Parent Assigned To User: (empty text box with user icon)
- Parent Assigned To Group: (empty text box with group icon)
- Workflow Step Information: (empty text box with 'U' icon)
- Authentication Required: None (dropdown menu)

At the bottom right of the form are three buttons: OK, Apply, and Cancel. Below the form is a status bar that says 'Ready'.

7. Click the **Security** tab, and then click **New**.

The Workflow Step Security dialog box opens.



8. In the list at the top of the window, select one of the following methods for specifying the step security:

- **Security Group Name**
- **Username**
- **Standard Token**
- **User Defined Token**

Selecting a value from this list automatically updates the other fields in the window. For example, selecting **Enter a Username** changes the **Security Group** field label to **Username**.

9. Specify the security groups, usernames, or tokens to control the access to this step.

10. Click **OK**.

The security specification is added to the **Security** tab. You can add more specifications to the step by clicking **New** and repeating these steps. You can, therefore, control step security using a combination of security groups, usernames, and tokens.

11. Click **OK**.

Consider assigning a security group to each decision, execution and condition step, even if many of the steps proceed automatically. If a command fails, or a condition is not met, it may be necessary to manually override the step.

Also consider assigning a “Request Manager” security group to each step. You can provide that group with global access to act on every step in the process. This helps avoid bottlenecks by giving a small group permission to process stalled requests.

Avoid allowing just one person to act on a workflow step. If that user changes roles or leaves the company, a process update (reconfiguration) would be required. Instead, use a token or security group to configure access dynamically.



Viewing and Editing Fields on a Request

You can use several features to prevent users from viewing or editing specific fields on a request. You configure this field-level data security using the Request Type and Request Header Type windows in the PPM Workbench.



Information presented in the following sections is based on the assumption that the user has been granted standard access to view and edit the request, but does not have the Demand Mgmt: Edit All Requests access grant.


Field-Level Data Security Overview

You can configure field editability and visibility in the following areas of the PPM Workbench:

- **Field window.** Use the **Attributes** tab to set general view and edit access for all users.
- **Field window.** Use the **Security** tab to set view and edit access for a specific user list.
- **Request Type window.** Use the **Status Dependencies** tab to set view and edit access for a field based on request status.

Figure 4-1 shows the settings that determine whether a field is visible to a given user.

Figure 4-1. Field visibility interactions



Field Window: Attributes Tab

You can use the **Attributes** tab in the Fields window to set general field view and edit access.

To open the **Attributes** tab in the Fields window and set field visibility and editability:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Demand Mgmt > Request Types**.

The Request Type Workbench opens.

4. Click **List**.
5. Open the request type with fields that you want to configure.

The Request Type window opens to the **Fields** tab.

6. To view the fields associated with the request type, in the **Prompt** column, expand the listed nodes.

7. Double-click the row that displays information about the field you want to configure.

The Field window opens to the **Attributes** tab.

The screenshot shows a configuration window titled "Field: Business Function:". The window has several tabs: "Attributes" (selected), "Default", "Storage", and "Security".

Field Prompt: Business Function
Token: P_BUS_FUNCTION

Description: rpe is a Business Function then this field should capture the business function that is affected.

Enabled: ☒ Yes ☐ No

Validation: Text Area - 1800 (with a list icon and "New" and "Open" buttons)

Component Type: Text Area (dropdown menu)

Multi-Select Enabled: ☐ Yes ☒ No

Attributes Tab:

Section Name: Issue Details (dropdown menu)

Display Only: ☐ Yes ☒ No

Transaction History: ☐ Yes ☒ No

Notes History: ☐ Yes ☒ No

Display on Search and Filter: ☐ Yes ☒ No

Display: ☒ Yes ☐ No

Search Validation: (with a list icon and "Open" button)

Buttons at the bottom: OK, Apply, Cancel.

Status bar: Ready

8. To make the selected field editable on a request, next to **Display Only**, leave **No** selected. To make it a read-only field, select **Yes**.
9. To make the selected field visible on a request of the selected type, next to **Display**, leave **Yes** selected. To hide the field, select **No**.

Field Window: Security Tab

Use the **Security** tab to set view and edit access for a specific user list.

To limit field visibility and editability to a specific group of users:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Demand Mgmt > Request Types**.

The Request Type Workbench opens.

4. Click **List**.
5. Open the request type with fields that you want to configure.

The Request Type window opens.

6. Click the **Fields** tab.
7. To view the fields associated with the request type, in the **Prompt** column, expand the listed nodes.


Double-click the row that displays information about the field you want to configure.

The Field window opens.

8. Click the **Security** tab.

9. Click **Edit**.

The Edit Field Security window opens.



10. Clear the **Visible to all users** checkbox.



This also clears the **Editable by all users** checkbox.

11. In the list under **Select Users/Security Groups that can view this field**, select one of the following:

- **Security Group**
- **Username**
- **Standard Token**
- **User Defined Token**

The value you select from this list updates the other fields in the window. For example, selecting **Enter a Username** changes the **Security Group** field label to **Username**.

12. Select the security groups, usernames, or tokens to control access to the step.

13. Click the **Add** arrow to add the selection to the table on the right.

Edit Field Security: Business Function:

Set default security for this field.
Note: Security may still be affected by Status Dependencies, Field Level Dependencies, etc.

This field is: ☐ Visible to all users
☐ Editable by all users

Select Users/Security Groups that can view this field:

Security Group ▼

Security Group:

☒ Provide Editing Rights

Tokens Add: ➡

This field is visible to these Users/Security Groups:

Security Type	Security	Visible	Editable
Security Group Name	Program Execution Oversight	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Security Group Name	ITG Program Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Remove

OK Cancel

Ready

14. Click **OK**.

Request Type Window: Status Dependencies Tab

You can directly link request field behavior to the status values for the request. Select a field and a request status and assign that field's attributes under the given request status. This is done by selecting among the options at the bottom of the screen.

You can set view and edit access for a field depending on request status using the following controls on the **Status Dependencies** tab:

- **Visible.** This option determines whether or not a field is visible at a specific request status. To hide the field at the request status, select **No**.
- **Editable.** This option determine whether the field can be edited at a specific request status. To make the field read-only at this request status, select **No**. To make the field modifiable at the request status, select **Yes**. If the **Required**, **Reconfirm**, or **Clear** option is set to **Yes**, then **Editable** must be set to **Yes**.

Request Type Name: Project Issue
Creation Action Name: Log Project Issue
Category: [Dropdown]
Extension: [Dropdown]
Description: A standard Request Type for logging project issues
Meta Layer View: MREQ_ [Dropdown] REFERENCE_PROJECT_IS [Dropdown]
Max Fields: 50
Enabled: ☒ Yes ☐ No

Reference Code: PROJECT_ISSUE
Request Header Type: Project Issue [New] [Open]

Sub-Types | Workflows | User Access | Notifications | User Data | Ownership | Help Content | Resources

Fields | Layout | Display Columns | Request Status | **Status Dependencies** | Rules | Commands

Request Status: [Cancelled] [Closed] [Escalated] [New] [Not Submitted] [Open] [Pending Closure]

Field	Prompt	Visible	Editable	Required	Reconfirm	Clear
Summary		Y	Y	[L]		
Issue Details		Y	Y			

Visible: ☐ Yes ☐ No
Editable: ☐ Yes ☐ No
Required: ☐ Yes ☐ No
Reconfirm: ☐ Yes ☐ No
Clear: ☐ Yes ☐ No

[OK] [Save] [Cancel]

Overriding Request Security

Users with the following settings can view, edit, and delete any request.

Table 4-2. Settings required to override request security

Setting	Value	Description
Access Grants linked to the Security Group	Demand Mgmt: Edit All Requests	Perform the following advanced request processing actions: <ul style="list-style-type: none">• creating• editing• deleting• changing the request's workflow• overriding references
	Demand Mgmt: Override Demand Mgmt Participant Restriction	View the detailed information on a restricted request for which the user is not an active participant.

Users who have the System: Ownership Override access grant can edit request types, regardless of ownership restrictions.

5 Package Security

Overview of Package Security

This chapter addresses the data and process security related to creating and processing packages in HP Deployment Management. HP Deployment Management lets you determine who can participate in package deployment. You can restrict user actions based on the following:

- **Package creation**
 - Who can create packages
 - Who can use a specific workflow
 - Who can use specific object types
- **Package processing**
 - Who can approve or process each step in the workflow
 - Whether you only want participants to process the packages.
Participants are defined as the assigned user, the creator of the package, members of the assigned group, or any users who have access to the workflow steps.

- **Managing deployment**

- Who can change the workflow
- Who can change each object type
- Who can change the environment and environment group definitions
- Who can change the security group definitions


Configuring this data and process security often involves setting a number of parameters, such as:

- Licenses
- Access grants
- Object type, workflow, and security group settings
- Field-level settings

This lets you control which processes are used for deployments and which environments are affected.

The screen and function access that access grants provide is cumulative. A user who belongs to three different security groups has access to all of the user interface and functionality available to the three groups combined. To restrict certain screen and feature access, remove the user from any security group that grants that access.

You can use the **Access Grants** tabs in the User window to see all security groups where specific access grants are included. You can then:

- 
- Remove the user from the security group (on the **Security Group** tab in the User window).
 - Remove the access grants from the security group (in the Security Group window). Do this only if no one in that security group needs the access that the access grant provides.

This chapter provides information about how to allow a user to view or edit items in HP Deployment Management. To restrict access, you can change settings or remove the access grants or licenses.

Viewing a Package

You can control which users can view a package. To enable a user to view packages, modify the settings listed in [Table 5-1](#).

Table 5-1. Settings to view packages

Setting	Value	Description
License (only one is required)	Deployment Management or Configuration	The Deployment Management license provides a user with access to the PPM Workbench or standard interface where they can view the package approval page.
Access Grants linked to the Security Group	Deployment Management: View Packages	<p>This access grant allows the user to view packages.</p> <p>Note: The Deployment Management: Edit Packages and Deployment Management: Edit All Packages access grants also provide viewing privileges, but enable more advanced editing and processing functions.</p> <p>You configure access grants in the Security Group window.</p>

Restricting Package Viewing to Participants

To determine who can have access to packages that use the current workflow, you use the **Package Security** option on the **Deployment Management Settings** tab in the Workflow window. Restricting access to participants means that a nonparticipant user who searches for packages cannot see packages that use the current workflow. In this instance, participants are defined as one of the following:

- Assigned user
- Package creator
- Members of the assigned security group
- Any user who has access to the workflow steps

To give all HP Deployment Management users access to packages that use the applied workflow, select **All Users**.

To restrict the users who can access packages associated with this workflow to participants, select **Participants Only**.

Creating a Package

You can control who can create packages or use specific object types and workflows. This provides a great deal of control over who can process changes of a certain type to specific environments.

Enabling Users to Create Packages

To enable a user to create and submit packages, configure the settings listed in *Table 5-2*.

Table 5-2. Settings to enable package creation (page 1 of 2)

Setting	Value	Description
License	Deployment Management or Configuration	The Deployment Management license gives a user access to the PPM Workbench, where the package is defined.
Access Grants linked to the Security Group (only one is required.)	Deployment Management: Edit Packages	This access grant allows the user to generate, edit and delete certain packages. The user cannot delete a package if it has been released or if the user is not the owner. To edit the package, the user must be its creator, the assigned user, a member of the assigned security group, or a member of the workflow step security.
	Deployment Management: Edit All Packages	This access grant lets the user create, edit, and delete packages at any time.

Table 5-2. Settings to enable package creation (page 2 of 2)

Setting	Value	Description
Allowed Deployment Management Workflows in the Security Group window	You must allow at least one workflow.	<p>A package must have an applied workflow to follow. To create and submit a package, you must select the workflow to process the deploying objects.</p> <p>This is set on the Deployment Management Workflows tab in the Security Group window.</p>
Allowed Deployment Management Object Types in the Workflow window.	You must allow at least one object type in each workflow used to deploy changes.	<p>You can associate object types with workflows so that only certain object types can be processed through the workflow. You must enable at least one object type so that the user can create a package line using that workflow.</p> <p>Set this in the Workflow window, on the Deployment Management Settings tab, with the Package Line option selected.</p>

Preventing Users from Selecting a Specific Workflow

You can restrict users from selecting specific workflows when creating a new package. To do this, ensure that the following conditions are met.

Table 5-3. Settings to restrict workflow selection

Setting	Value	Description
Restricted Deployment Management Workflows in the Security Group window	Include the workflows that you want to restrict.	<p>To create a package, a user must select a workflow for the package to follow. Users (in the security group) cannot select a workflow included in the Restricted Deployment Management Workflows list.</p> <p>Note: If a user belongs to another security group that is allowed to use that workflow, the user can select it. This is set on the Deployment Management Workflows tab in the Security Group window.</p>



Because the source and destination environments are defined in the workflow step, restricting the workflow selection also determines who can deploy changes to specific environments.

Preventing Users from Selecting a Specific Object Type

You can prevent users from selecting specific object types as they add lines to a package. *Table 5-4* contains the information you need to restrict HP Deployment Management object types.

Table 5-4. Settings to restrict object type selection

Setting	Value	Description
Restricted Deployment Management Object Types in the Workflow window.	Include the object type that you want to restrict.	<p>You can associate object types with workflows so that only certain object types can be processed through the workflow. Users cannot select any object types included in the Restricted Deployment Management Object Types list.</p> <p>This is set in the Workflow window, on the Deployment Management Settings tab, with the Package Line option selected.</p>

Approving Package Lines

All users who process package lines must meet the following conditions.

Table 5-5. Settings to enable package processing

Setting	Value	Description
License	Deployment Management or Configuration	This license gives a user access to the PPM Workbench and standard interface. Users can act on all workflow steps (decisions and executions) in the PPM Workbench.
Access Grants linked to the Security Group	Deployment Mgmt: Edit Packages	This access grant lets the user generate, edit, and delete packages. To edit the package, user must be its creator, an assigned user, a member of the assigned security group, or a member of the security group for the workflow step.
	Deployment Mgmt: Edit All Packages	This access grant lets the user edit or delete packages at any time.

Enabling Users to Act on a Specific Workflow Step

You must specify who can act on each step in a deployment workflow. Only users listed on the **Security** tab in the Workflow Step window can process that step.

Deleting a Package

To determine who can delete a package, use the settings listed in *Table 5-6*.

Table 5-6. Settings required to enable a user to delete packages

Setting	Value	Description
License	Deployment Management	This license provides a user with access to the PPM Workbench and advanced package processing options.
Access Grants linked to the Security Group	Deployment Mgmt: Edit Packages	A user with this access grant can delete a package he owns but has not submitted.
	Deployment Mgmt: Edit All Packages	A user with this access grant can delete any package to which the user has access.

Overriding Package Security

Table 5-7 lists the settings you must configure to enable a user to view, edit, and delete any package.

Table 5-7. Settings to override package security

Setting	Value	Description
License	Deployment Management or Configuration	This license gives a user access to the PPM Workbench and advanced package processing options.
Access Grants	Deployment Mgmt: Edit All Packages	A user with this access grant can view, edit, and delete any package.
	Deployment Mgmt: Override Deployment Mgmt Participant Restriction	A user with this access grant can view the detailed information on a restricted package in which the user is not an active participant.

Users with the System: Ownership Override access grant can edit HP Deployment Management configuration entities, regardless of ownership restrictions.

6 Project and Task Security

Overview of Project and Task Security

This chapter addresses the data and process security related to creating and processing projects in HP Project Management. Configuring this data and process security typically involves changing several settings, including licenses, access grants, entity-level settings, and field-level settings. This section provides information about the settings required to secure the specified actions or data.

The screen and function access that access grants provide is cumulative. To restrict certain screen and feature access, you must remove the user from any and all security groups that have that access.

To see all security groups that are assigned specific access grants, use the **Access Grants** tabs in the User window. You can then:

- Remove the user from the security group (using the **Security Group** tab in the User window).
- Remove the access grants from the security group (in the Security Group window). Do this only if no one in that security group needs the access that this access grant provides.

Viewing Projects and Tasks

To allow users to view projects and tasks, assign one of the licenses and access grant combinations listed in *Table 6-1*.

Table 6-1. Settings required to view projects and tasks (page 1 of 2)

Setting	Value	Description
License	<ul style="list-style-type: none">• Project Management• Portfolio Management• Demand Management• Time Management• Program Management• Configuration	Any one of these licenses makes project-level information on the Project Summary tab available.
License	Project Management	The Project Management license allows users to: <ul style="list-style-type: none">• Access to work plans, tasks, work-plan baselines, and earned value information.• Log and manage project control requests (issues, risks, scope changes).• Define or manage project types or work-plan templates.• Access task-level information and to log actuals (assigned resources only).
License	Time Management	The Time Management license allows resources to: <ul style="list-style-type: none">• Log time through a timesheet (for projects that allow it).• Access task-level information and to log actuals (assigned resources only).
License	Demand Management	The Demand Management license allows users to log and manage project control requests (issues, risks, scope changes) and access the all HP Demand Management functionality.

Table 6-1. Settings required to view projects and tasks (page 2 of 2)

Setting	Value	Description
License	Portfolio Management	The Portfolio Management and Configuration licenses allow resources to log and manage project control requests (issues, risks, scope changes).
Access Grants linked to the Security Group	Project Mgmt: View Projects	The Project Mgmt: View Projects access grant lets resources view project definitions in the standard interface. Note: The Project Mgmt: Edit Projects and Project Mgmt: Edit All Projects access grants also provide viewing privileges, but enable editing and processing functions.

To restrict users from viewing projects and tasks, use the settings listed in *Table 6-2*.

Table 6-2. Settings to restrict a user from viewing projects and tasks
(page 1 of 2)

Setting	Value	Description
License	(REMOVE) Project Management	<p>Removing the Project Management license from users prevents them from viewing project- or task-related pages or windows in HP Project Management. It also restricts their use of methodology entities (project types and work plan templates).</p> <p>Note: Removing just the Project Management license is not sufficient to remove all project access, because other licenses are sufficient.</p>
Access Grant	(REMOVE) Project Mgmt: View Projects; Edit Projects; Edit All Projects	<p>Removing these access grants from users prevents them from viewing projects and tasks through HP Project Management.</p>
Access Grant	(REMOVE) Financial Mgmt: Edit Work Plan Cost Data; View/Edit Costs on All Financial Summaries; View/Edit Costs on Financial Summary; View All Financial Benefits; View Financial Benefits	<p>Further restricts who can view or edit the costs associated with the project. Removing the access grants for financial summaries, benefits, staffing profiles prevents the user from looking at these entities across all projects. Participants on the project process are also considered project participants. This means that anything specified in the request and workflow can add to the participants. If you want to restrict project participants, you must also configure security for the request type and workflow.</p> <p>To limit visibility of the project-level fields and lifecycle, set up security on the request type and workflow used for the project. (This includes field-level security.)</p>

Table 6-2. Settings to restrict a user from viewing projects and tasks
(page 2 of 2)

Setting	Value	Description
Users who can view this project and its tasks	All Users Only participants (Project Managers, Summary Task Owners, Assigned Resources, Assigned Resource Groups, Stakeholders, and Process Participants)	Restricts who can view projects and tasks to participants. A participant can be a: <ul style="list-style-type: none"> • Project manager • Assigned task resource or task owner • Member of an assigned security group • Program manager • Stakeholder
Financial Summary and Workplan Costs can be viewed by	<ul style="list-style-type: none"> • All Users who can view the project and its tasks • Project Managers and Stakeholders • Project Managers, Stakeholders, Summary Task Owners and Process Participants 	Restricts who can view the costs associated with the project and its tasks.

Controlling Resources on the Project

Project managers can specify which users can serve as project resources. The project's staffing profile typically defines the resources available to the project.

When assigning resources to the project work plan, the project manager can choose from resources named on the staffing profile and resources that are members of resource pools that the project manager manages. Any resources that are not available by these means must be requested from other resource pools, using staffing profiles.

Creating Projects

You can control which users can create projects and tasks. Any users with the licenses and access grants list in [Table 6-3](#) can create projects.

Table 6-3. Settings required to create a project

Setting	Value	Description
License	<ul style="list-style-type: none">• Project Management• Portfolio Management• Configuration• Demand Management	Lets users create projects from HP Project Management in the standard interface. The Demand Management license lets a user create a project through a workflow.
Access Grants (only one is required)	Project Mgmt: Create Projects and Project Mgmt: Edit Projects	Lets users create projects.
	Project Mgmt: Edit All Projects	Lets users edit projects and override (or remove) references on projects or tasks.

Editing Project Information

To edit project information, a user must have one of the following licenses:

- Project Management
- Demand Management
- Portfolio Management
- Program Management
- Configuration

And a user must have one of the following access grants to edit project information:

- **Edit Projects.** Gives edit access to project-level fields and process, subject to any restrictions defined through the request type or workflow.
- **Edit All Projects.** Gives edit access to any project, including those for which the user would not otherwise meet participant requirements. This includes the ability to perform edits reserved for the project manager.

Some editing functions are limited to the project managers assigned to the project. These are:

- Modify settings
- Modify participant groups
- Override the overall project health
- Create, edit, schedule, or delete the project work plan
- Create the project staffing profile from the project overview page (also requires access grants for this entity)
- Create, delete, and set the active work plan baselines (requires additional grants)
- Delete projects (requires additional grants)

Editing Work Plan Information

To edit work plan information, a user must have one of the following:

- Project Management license and either the Edit Projects or Edit All Projects access grant
- Configuration license

Users who have permission to edit work plan information can create, update, schedule, and delete work plans and their associated tasks. They can also access earned value data.

Managing Project Baselines

To manage project baselines, a user must have one of the following licenses:

- Project Management
- Configuration

In addition to a required license, a user must also have one of the following access grants to manage project baselines:

- **Manage Work Plan Baselines.** The Manage Work Plan Baselines access grant (in addition to the grants required to edit work plan information) allows users to create and manage work plan baselines.
- **Manage All Work Plan Baselines.** The Manage All Work Plan Baselines access grant allows users to manage baselines, even if the user cannot otherwise edit the work plan.



To strictly limit who can take baselines to a small group, you can remove the Managing Work Plan Baselines access grant from all users, and then provide the Manage All Work Plan Baselines grant to the small central group. This prevents a project manager from baselining his or her own project, thereby centralizing control.

Updating Tasks

You can determine which users can record progress on their assigned work plan tasks by using the licenses and access grants listed in [Table 6-4](#) and [Table 6-5](#).

Table 6-4. Settings required to update tasks

Setting	Value	Description
License	Project Management or Configuration	The Project Management, Time Management, and Configuration licenses let resources update progress on their assigned tasks in the My Tasks portlet.
	Time Management	The Time Management license allows unassigned resources to log time against the project through HP Time Management (if the project settings allow it.)
Access Grants	Project Mgmt: Update Tasks (Required)	If a user is specified as a resource on the project, the user can update tasks.
	Project Mgmt: Edit All Projects	If a user is assigned to tasks in the work plan, the user can use the My Tasks portlet to report progress on multiple tasks.
	Project Mgmt: Edit Projects	If the user is assigned to tasks in the work plan, the user can use the My Tasks portlet to record progress on multiple tasks.

To prevent users with Time Management licenses from logging time through HP Time Management, the project manager can change the HP Time Management integration setting on the project that determines who can log time. Alternatively, the project manager can turn off HP Time Management integration.

To prevent users from updating tasks, set the following.

Table 6-5. Settings to restrict a user from updating tasks

Setting	Value	Description
License	(REMOVE) Project Management	Remove this license from users to prevent them from accessing projects and tasks.
Access Grant	(REMOVE) Project Mgmt: Update Tasks	Remove this access grant from users to prevent them from updating tasks in the My Tasks portlet.

Overriding Project Security

Users who have the access grants listed in *Table 6-6* can view and edit any project.

Table 6-6. Settings to override request security

Setting	Value	Description
Access Grants	Project Mgmt: Edit All Projects	View and edit any project.
	Project Mgmt: View All Projects	View the detailed information on a restricted project on which the user is not an active participant. Also add projects to programs including projects that the user is not a participant.

7 Resource Management Security

Overview of Resource Management Security

This chapter addresses the data and process security related to HP Resource Management in PPM Center. Configuring data and process security typically involves configuring licenses, access grants, entity-level settings, and field-level settings. The following sections provide information about the settings required for to secure actions or data related to HP Resource Management features.

The screen and function access that access grants provide is cumulative. A user who belongs to three different security groups has access to the user interface and functionality provided to all three groups combined. Therefore, to restrict screen and feature access, you remove the user from any and all security groups that has that access.



To see all security groups that are assigned specific access grants, use the **Access Grants** tabs in the User window. You can then:

- Remove the user from the security group (using the **Security Group** tab in the User window).
- Remove the access grants from the security group (in the Security Group window). Do this only if no one in that security group requires the access that this access grant provides.

This chapter provides information on how to enable certain functions. By default, users are not expected to have access to or be able to modify information related to resources, resource pools, skills, organization model, staffing profiles, or calendars. The following sections provide instructions on how to enable the viewing and editing of these areas.

Working with Resources

Each user has an associated resource information page that is used to capture information about the user such as his title, direct manager, and work capacity.

Viewing Resource Information

To allow a user to view resource information, use the settings described in [Table 7-1](#).

Table 7-1. Settings to allow users to view resource information

Setting	Value	Description
Access Grant (only one is required)	Resource Mgmt: View my personal resource info only	Lets users view only their own personal resource information.
	Resource Mgmt: View all resources	Lets users view any resource information in the system.

Modifying Resource Information

To allow a user to modify resource information, assign him one of the access grants listed in [Table 7-2](#).

Table 7-2. Settings to allow users to modify resource information

Setting	Value	Description
Access Grant (only one is required)	Resource Mgmt: Edit only resources that I manage	Edit resource information for resources that list the current user as the Direct Manager. A resource's Direct Manager is displayed on the View Resource page.
	Resource Mgmt: Edit All Resources	Edit the resource information for any resource.

Working with Resource Pools

To control user actions on resource pools, use a combination of access grants and settings in the Configure Access for Resource Pool page, which is shown in *Figure 7-1*.

Figure 7-1. Configure Access for Resource Pool page

Configure Access for Resource Pool: Shared Developers

The following users have access to view the Resource Pool for HP Project and Portfolio Management Center. Provide additional editing access on an individual basis.

View Access			
Username	Edit Header	Edit Unnamed Headcount	Edit Security
Bridget Holbrook	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Allen Zumwalt	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Barbara Getty	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Add User

DoneCancel

Viewing Resource Pools

To allow a user to modify resource pool information, use the settings listed in *Table 7-3*

Table 7-3. Settings to allow users to view resource pool information

Setting	Value	Description
Access Grant (only one is required)	Resource Mgmt: View Resource Pools	View resource pool information if the user has view access on the Configure Access for Resource Pool page.
	Resource Mgmt: View All Resource Pools	View resource pool information for all resource pools. Note: This grant provides unlimited view access to any resource pool. To provide more limited view access, consider using the Resource Mgmt: View Resource Pool access grant.
Configure Access for Resource Pool	View Access	Users who are included in the View Access list and have the Resource Mgmt: View Resource Pools access grant can view the resource pool information.

Creating Resource Pools

To allow a user to create resource pools, use the settings listed in [Table 7-4](#).

Table 7-4. Settings to allow users to create resource pools

Setting	Value	Description
Access Grant	Resource Mgmt: Edit Resource Pools	Create a resource pool.
	Resource Mgmt: Edit All Resource Pools	Create a resource pool.
	Resource Mgmt: Create Resource Pools (required)	Create resource pools using the standard interface. The user must also have either the Resource Mgmt: Edit Resource Pools or Resource Mgmt: Edit All Resource Pools access grant.

Modifying Resource Pools

To allow a user to modify resource pool information, use the settings listed in *Table 7-5*.

Table 7-5. Settings to allow users to modify resource pools

Setting	Value	Description
Access Grant (only one is required)	Resource Mgmt: Edit All Resource Pools	Edit and disable any resource pool.
	Resource Mgmt: Edit Resource Pools	Edit resource pool information, if the user has been granted edit access on the Configure Access for Resource Pool page (<i>Figure 7-2</i>). Disable these resource pools if given sufficient access in the Configure Access for Resource Pool page for that resource pool.
Additional Editing Access	Edit Basic Resource Pool Information	Used with the Resource Mgmt: Edit Resource Pools access grant. Lets the user edit resource pool header fields and notes. The user cannot change the periods or any information in the Resource Pool Breakdown section.
	Edit Plan	Lets the user edit the periods and the information in the Resource Pool Breakdown section.
	Edit Security	Lets the user edit the list of users who can modify the resource pool using the Configure Access for Resource Pool page.

Figure 7-2. Configure Access for Resource Pool page

Configure Access for Resource Pool: Shared Developers

The following users have access to view the Resource Pool for HP Project and Portfolio Management Center. Provide additional editing access on an individual basis.

View Access			
Username	Edit Header	Edit Unnamed Headcount	Edit Security
Bridget Holbrook	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Allen Zumwalt	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Barbara Getty	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Working with Skills

Access to skills is controlled through access grants.

Viewing Skills

To enable a user to view skill information, assign the Resource Mgmt: View All Skills access grant.

Creating, Modifying, and Deleting Skills

To allow a user to modify any skills defined in PPM Center, assign the Resource Mgmt: Edit All Skills access grant.

Working with the Organization Model

Access to the organization model is set through access grants.

Viewing the Organization Model

To allow a user to view the organization model and organization unit detail pages in PPM Center, assign the Resource Mgmt: View Organization access grant.

Modifying Organization Definitions

To allow a user to modify organization information, assign one of the access grants listed in *Figure 7-6*.

Table 7-6. Settings to modify organization information

Setting	Value	Description
Access Grant (only one is required)	Resource Mgmt: Edit Entire Organization	Edit and delete any organization unit.
	Resource Mgmt: Edit Only Organization Units That I Manage	Edit organization unit information for units that list the current user as the manager in the View Organization Unit page. Also delete any of these organization units.



Working with Staffing Profiles

User actions relating to staffing profiles are controlled by a combination of access grants and settings in the Configure Access for Staffing Profile page, which is shown in *Figure 7-3*.

Figure 7-3. Configure Access for Staffing Profile page

Configure Access for Staffing Profile: Expand to Europe

The following users have access to view the Staffing Profile for HP Project and Portfolio Management Center. Provide additional editing access on an individual basis.

View Access				
Username	Edit Header	Edit Positions	Edit Assignment Actuals	Edit Security
Proposal Managers	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Proposal Process Partic...	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Barbara Getty	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
 Benjamin U. Cason	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 Carolyn Sayer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Add User

Done

Cancel

Viewing Staffing Profiles

To allow a user to view staffing profile information, use the settings listed in *Table 7-7*.

Table 7-7. Settings to allow users to view resource pool information

Setting	Value	Description
Access Grant (only one is required)	Resource Mgmt: View Staffing Profiles	View staffing profile information if the user has view access on the Configure Access for Staffing Profile page.
	Resource Mgmt: View All Staffing Profiles	View staffing profiles information for all Staffing profiles. Note: This grant provides unlimited access to view any staffing profile. To provide more limited view access, consider using the Resource Mgmt: View Staffing Profiles grant.
Configure Access for Staffing Profile	View Access	Users included in the View Access list and who have the Resource Mgmt: View Staffing Profiles access grant can view the staffing profile information.

Creating Staffing Profiles

To allow a user to create a staffing profile, use the settings listed in [Table 7-8](#).

Table 7-8. Settings to allow users to create staffing profiles

Setting	Value	Description
Access Grant	Resource Mgmt: Edit Staffing Profiles	Create a new staffing profile.
	Resource Mgmt: Edit All Staffing Profiles	Create a new staffing profile.
	Resource Mgmt: Create Staffing Profiles (required)	Create staffing profiles using the standard interface. The user must also have either the Resource Mgmt: Edit Staffing Profiles or Resource Mgmt: Edit All Staffing Profiles access grant.

Modifying Staffing Profiles

To allow a user to modify staffing profile information, use the settings listed in *Table 7-9*.

Table 7-9. Settings to allow users to modify staffing profiles

Setting	Value	Description
Access Grant	Resource Mgmt: Edit All Staffing Profiles	Edit any staffing profile.
	Resource Mgmt: Edit Staffing Profiles	Edit staffing profile information when the user has edit access to the Configure Access for Staffing Profile page.
Additional Editing Access	Edit Basic Staffing Profile Information	Used with the Resource Mgmt: Edit Staffing Profiles access grant, lets the user edit staffing profile header fields and notes. The user cannot change the periods or any information in the Staffing Profile Breakdown section.
	Edit Plan and Actuals	Lets the user edit the Periods and the information in the Staffing Profile Breakdown section. Also lets users view and edit the planning and actuals data in the Profile Allocation table.
	Edit Actuals	Let the user edit the Periods and the information in the Staffing Profile Breakdown section. Also lets the user to view and edit the actuals data in the Profile Allocation table.
	Edit Security	Lets the user use the Configure Access for Staffing Profile page to edit the list of users who can modify the staffing profile.

Figure 7-4. Configure Access for Staffing Profile page

Configure Access for Staffing Profile: Expand to Europe

The following users have access to view the Staffing Profile for HP Project and Portfolio Management Center. Provide additional editing access on an individual basis.

View Access				
Username	Edit Header	Edit Positions	Edit Assignment Actuals	Edit Security
Proposal Managers	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Proposal Process Partic...	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Barbara Getty	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Benjamin U. Cason	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Carolyn Sayer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<div>Add User</div>				
				<div>DoneCancel</div>

Deleting Staffing Profiles

To allow a user to delete a staffing profile, use the settings listed in *Table 7-10*.

Table 7-10. Settings to allow users to delete staffing profiles

Setting	Value	Description
Access Grant	Resource Mgmt: Delete Staffing Profiles	Delete a staffing profile as long as no actuals are specified.
	Resource Mgmt: Delete Staffing Profiles with Actuals	Delete any staffing profile.

Working with Calendars

Regional calendars and resource calendars have separate sets of access grants. Access grants for regional calendars do not provide access to resource calendars, and vice versa.

Viewing and Editing Regional Calendars

To allow a user to view or edit regional calendars, use the settings listed in *Table 7-11*.

Table 7-11. Settings to allow users to view or edit regional calendars

Setting	Value	Description
Access Grant (only one is required)	Resource Mgmt: View Regional Calendars	Allows users to view regional calendars, but not resource calendars.
	Resource Mgmt: Edit Regional Calendars	Allows users to view and edit regional calendars. Does not provide the ability to view resource calendars.

Viewing and Editing Resource Calendars

To allow a user to view or modify calendar-related resource information, use the settings listed in *Table 7-12*.

Table 7-12. Settings to allow users to modify resource information

Setting	Value	Description
Access Grant (only one is required)	Resource Mgmt: Edit only resources that I manage	Lets a user edit resource information, including the regional and resource calendars, for resources that list the current user as the Direct Manager. The Direct Manager for a resource is displayed on the View Resource page.
	Resource Mgmt: Edit all resources	Lets a user edit the resource information, including the regional and resource calendar, for any resource.
	Resource Mgmt: Edit My Calendar	Lets a user edit his own resource calendar. (Requires Time Management license only.)
	Resource Mgmt: View all resources	Lets a user view the resource calendar for all resources.
	Resource Mgmt: View my personal resource info only	Lets a user view his own resource calendar, but not edit it.

Users must have a license for one of the following:

- Demand Management
- Project Management
- Program Management
- Portfolio Management
- Time Management (Edit My Calendar access grant)
- System-Level Configuration

Additional Protection for Resource Information

This section addresses how users can gain unauthorized access to sensitive resource information (including billing rates), and how to prevent this unauthorized access.

Users Who Are Assigned the Configurator License

Users who have the Configuration license can create entities such as reports, and then use those entities to query the database for sensitive data. To prevent this activity, remove the Configuration license. For information about how to remove licenses from a user or set of users, see [Removing Licenses Using the Assign Licenses Wizard on page 42](#).



Technically, users are not required to have the Configuration license in a production environment.

Members of Security Groups with View or Edit Access to Cost Data

Users who belong to a security group that is assigned to one of the following access grants:

- Cost: View Project, Program, and Time Sheet Cost Data
- Cost: Edit Work Plan Cost Data

can see or edit skill rates, resource rates, or project costs. The user could divide the actual cost of a task by the actual effort to calculate the billing rate for a resource. Without one of these access grants, a user cannot see the actual cost of a task. Therefore, HP recommends that you remove these access grants from all security groups and assign them only to individual project managers.

Members of Security Groups with View or Edit Access to Resource Data

Users who belong to security groups with one of the following Resource Management access grants assigned to it can access the user attribute window and view all attributes except for cost:

- **Resource Management.** Edit All Resources
- **Resource Management.** Edit only resources that I manage
- **Resource Management.** View all resources
- **Resource Management.** View my personal resource info only

To prevent such unauthorized access to resource attributes, remove these access grants from all security groups, and assign them only to the users within Human Resources who are responsible for providing cost rate information in the system.

Users Who Have the Administrator Password

To migrate code from the development environment to the staging environment, and then to the production environment, the administrator password is required. A user with Administrator access can assign licenses or security groups to grant visibility to resource attributes. HP recommends that, in the staging and production environments, you give the “admin” user password only to an administrator level user within the IT organization.

Users Who Run the Unsecured "User Detail Report"

The User Detail Report queries the database for information, and then displays some user attributes. (It does not report on resource rate.) Because this report is not secured, anyone who runs it can potentially access sensitive resource information. To prevent this from occurring, secure this report to the “admin” user only and to Human Resources members.



Secure all reports to their intended audiences. For information about how to secure reports, see the *Reports Guide and Reference*.

Users with the Sys Admin: Server Tools - Execute SQL Runner Access Grant

Users who belong to a security group that has the Sys Admin: Server Tools - Execute SQL Runner access grant assigned, can access resource data by running database queries from the PPM Workbench. To ensure that this access grant is not misused, make sure that you link it only to the PPM Administrator security group, and to no other.

8 Cost and Financial Data Security

Overview of Cost and Financial Data Security

Configuring data and process security often involves setting licenses, access grants, entity-level settings, and field-level settings. This chapter addresses the data and process security related to financial functions (cost and financial data) in PPM Center.

By default, users cannot view or modify information related to financial data or cost. The following sections provide information on how to enable users to view and modify financial data and cost information in PPM Center, as well as information on the settings required to secure the actions or data related to features in HP Financial Management.

The screen and function access that access grants provide is cumulative. A user who belongs to three different security groups has access to all of the user interface and functionality provided to the three groups combined. Therefore, to restrict certain screen and feature access, you remove the user from any security group that grants that access.



You can click the **Access Grants** tabs in the User window to see all of the security groups that have been given specific access grants. You can then:

- Remove the user from the security group (using the **Security Group** tab on the User window)
- Remove the access grants from the security group (in the Security Group window). Do this only if no one in that security group needs the access that the access grant provides.

Working with Cost Data

In PPM Center, cost data can be associated with tasks, projects, programs, resources, and skills.

Viewing Cost Data

To view cost information, a user must have the Financial Mgmt: View Project, Program, and Time Sheet Cost Data access grant. This grant lets the user view cost data related to tasks, projects, programs, resources, and skills. The user must also have view access to these entities.

Making Project Cost Data Visible to Users

If Financial Management is enabled for a project, you can use the **Project Security** section of the Project Settings page (see [Figure 8-1](#)) to specify who can view cost information. You can make cost information on the project and tasks visible to one of the following user groups:

- All users who can view the project and its tasks
- Project managers and stakeholders
- Project managers, stakeholders, summary task owners and process participants



To change these settings in the Project Settings page, you must have the Financial Mgmt: Edit Cost Security access grant.

Figure 8-1. Project Security section of the Project Settings page

Project Settings - ERP Upgrade

Save Done Cancel

* Project Type: Large Capital Projects
Description:

Select a policy to configure:

- Project Fields
- Work Plan
- Request Types
- Scheduling
- Schedule Health
- Cost and Effort
- Cost and Earned Value Health
- Microsoft Project Integration
- Staffing Profile Assignments
- Project Health
- Issue Health
- Task Auditing
- Project Security

Key: Policies are inherited from Project Type and cannot be altered.

Project Security

Users who can view this project and its tasks:

- ☐ All Users
- ☒ Only participants (Project Managers, Summary Task Owners, Assigned Resource Groups, Stakeholders, and Process Participants)

Budget, Benefit, and Cost information on the Project and Tasks can be viewed by:

- ☐ All Users that can view the project and its tasks
- ☒ Project Managers and Stakeholders
- ☐ Project Managers, Stakeholders, Summary Task Owners and Process Participants

Save Done Cancel

Users in the selected group can access the **Cost and Effort** and the **Cost and Earned Value Health** sections of the Project Settings page.

You can use a combination of security settings and access grants to provide a granular level view of cost data. You could, for instance, provide all users with cost data access, but provide just a subset of those users with the Financial Mgmt: View Project, Program, and Time Sheet Cost Data access grant.

Making Program Cost Data Visible to Users

If Financial Management is enabled for a program, you can specify who can view the related cost information. Enable Financial Management in the **Financial Management Settings** section at the top of the Program Settings page.

On the Configure Access page, which is shown in *Figure 8-2*, you can make program cost information available to one of the following user groups:

- Only the program manager
- All project managers of projects in this program
- All other program managers
- All program managers; and project managers in this program
- Only specified security groups



To change these settings on the Configure Access page, you must have the Financial Mgmt: Edit Cost Security access grant.

Figure 8-2. Configure Access page for programs

Configure Access for Enterprise Business Apps

Save Done Cancel

Program Access

In addition to Carolyn Sayer, the Program Manager(s) of this Program, give view access to:

☐ No One

☐ All Project Managers of Projects in this Program

☒ All other Program Managers

☐ All Program Managers; and Project managers in this Program

☐ Only these Security Groups:

Security Group

Add Security Group

Note: Only the Program Manager(s) of this Program can delete this Program.

Cost Access

In addition to Carolyn Sayer, the Program Manager(s) of this Program, give view access to:

☒ No One

☐ All Project Managers of Projects in this Program

☐ All other Program Managers

☐ All Program Managers; and Project managers in this Program

☐ Only these Security Groups:

Security Group

Add Security Group

Save Done Cancel

Modifying Cost Data

To modify cost data, users must have the Financial Mgmt: Edit Work Plan Cost Data access grant. This grant lets the user edit cost data related to tasks, projects, programs, resources, and skills. The user must also have the required permission to access these entities.

For information on how to allow users to view cost information, see [Viewing Cost Data on page 116](#).

Working with Financial Summaries

To enable users to view or modify approved budgets, costs, or financial benefits of a financial summary or financial data table, or set a Plan of Record for a financial summary, use a combination of access grants and settings on the Configure Access for Financial Summary or Configure Access for Financial Data page.

Viewing Approved Budgets

To allow a user to view approved budgets, use the settings listed in [Table 8-1](#).

Table 8-1. Settings to view approved budgets

Setting	Value	Description
Access Grant	Financial Mgmt: View Costs on Financial Summary	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of the financial summary.• View forecast and actual costs of the request's financial data table.
Configure Access for Financial Summary	View Costs	Allows the user to view forecast and actual costs on the financial summary and view the costs in its snapshots.

Modifying Approved Budgets

To allow a user to modify approved budgets, use the settings listed in *Table 8-2*.

Table 8-2. Settings to modify approved budgets

Setting	Value	Description
Access Grant	Financial Mgmt: Edit Approved Budget	Allows the user to edit the approved budget of the financial summary.
	Financial Mgmt: View Costs on Financial Summary	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of the financial summary.• View forecast and actual costs of the request's financial data table.
Configure Access for Financial Summary	Edit Approved Budget	Allows the user to edit the approved budget of the financial summary.
	View Costs	Allows the user to view forecast and actual costs on the financial summary and view the costs in its snapshots.

Modifying Approved Budgets on All Financial Summaries

To allow a user to modify approved budgets on all financial summaries, use the settings listed in [Table 8-3](#).

Table 8-3. Settings to modify approved budgets on all financial summaries

Setting	Value	Description
Access Grant	Financial Mgmt: Edit Approved Budget on All Financial Summaries	Allows the user to edit approved budgets of all financial summaries in the system.
Access Grant (only one is required)	Financial Mgmt: View Costs on All Financial Summaries	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of all financial summaries in the system.• View forecast and actual costs of all financial data tables of all requests in the system.
	Financial Mgmt: Edit Costs on All Financial Summaries	Allows the user to do the following: <ul style="list-style-type: none">• Edit forecast and actual costs (add, update, and delete cost lines) of all financial summaries in the system.• Take and view snapshots of all financial summaries in the system.• Edit the Name and Description fields in the Summary section of all financial summaries in the system.• Edit the financial summary settings of all financial summaries in the system.• Edit forecast and actual costs (add, update, and delete cost lines) of all financial data tables of all requests in the system.• Edit the Name and Description fields in the Summary section of all financial data tables of all requests in the system.

Viewing Costs

To allow a user to view costs, use the settings listed in *Table 8-4*.

Table 8-4. Settings to view costs

Setting	Value	Description
Access Grant	Financial Mgmt: View Costs on Financial Summary	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of the financial summary.• View forecast and actual costs of the request's financial data table.
Configure Access for Financial Summary or Configure Access for Financial Data	View Costs	Allows the user to view forecast and actual costs on the financial summary or financial data table and view the costs in its snapshots.

Viewing Costs on All Financial Summaries

To allow a user to view costs for any financial summary, assign the Financial Mgmt: View Costs on All Financial Summaries access grant.

Modifying Costs

To allow a user to modify costs, use the settings listed in [Table 8-5](#).

Table 8-5. Settings to modify costs

Setting	Value	Description
Access Grant	Financial Mgmt: Edit Costs on Financial Summary	<p>Allows the user to do the following:</p> <ul style="list-style-type: none">• Edit forecast and actual costs (add, update, and delete cost lines) of the financial summary.• Take and view snapshots of the financial summary.• Edit the Name and Description fields in the Summary section of the financial summary.• Edit the financial summary settings.• Edit forecast and actual costs (add, update, and delete cost lines) of the request's financial data table.• Edit the Name and Description fields in the Summary section of the request's financial data table.
Configure Access for Financial Summary or Configure Access for Financial Data	Edit Costs	<p>Allows the user to do the following:</p> <ul style="list-style-type: none">• Edit forecast and actual costs (add, update, and delete cost lines) of the financial summary or financial data table.• Take and view snapshots of the financial summary.• Edit the Name and Description fields in the Summary section of the financial summary or financial data table.• Edit the financial summary settings.

Modifying Costs on All Financial Summaries

To allow a user to modify costs for any financial summary, assign the Financial Mgmt: Edit Costs on All Financial Summaries access grant.

Modifying Cost Security

To allow a user to modify cost security, use the settings listed in *Table 8-6*.

Table 8-6. Settings to modify cost security

Setting	Value	Description
Access Grant	Financial Mgmt: Edit Cost Security	Allows the user to add and delete users and security groups and change their access rights on the Configure Access page of the financial summary or the request's financial data table. (For a project, also allows the user to select cost participants in the Project Security policy in Project Settings.)
	Financial Mgmt: View Costs on Financial Summary	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of the financial summary.• View forecast and actual costs of the request's financial data table.
Configure Access for Financial Summary or Configure Access for Financial Data	Edit Security	Allows the user to do the following: <ul style="list-style-type: none">• Add and delete users and security groups on the Configure Access page.• Change access rights to the financial summary or financial data table for users and security groups.
	View Costs	Allows the user to view forecast and actual costs on the financial summary or financial data table and view the costs in its snapshots.

Modifying Cost Security on All Financial Summaries

To allow a user to modify cost security for any financial summary, assign the Financial Mgmt: Edit Cost Security on All Financial Summaries access grant.

Viewing Financial Benefits

To allow a user to view financial benefits, use the settings listed in *Table 8-7*.

Table 8-7. Settings to view financial benefits

Setting	Value	Description
Access Grant	Financial Mgmt: View Financial Benefits	Allows the user to view financial benefits of the financial summary or the request's financial data table.
	Financial Mgmt: View Costs on Financial Summary	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of the financial summary.• View forecast and actual costs of the request's financial data table.
Configure Access for Financial Summary or Configure Access for Financial Data	View Benefits	Allows the user to view financial benefits on the financial summary or financial data table and view the snapshots of a financial summary.
	View Costs	Allows the user to view forecast and actual costs on the financial summary or financial data table and view the costs in its snapshots.

Viewing Financial Benefits on All Financial Summaries

To allow a user to view financial benefits on all financial summaries, use the settings listed in [Table 8-8](#).

Table 8-8. Settings to view financial benefits on all financial summaries

Setting	Value	Description
Access Grant	Financial Mgmt: View All Financial Benefits	Allows the user to do the following: <ul style="list-style-type: none">• View financial benefits of all financial summaries in the system.• View financial benefits of all financial data tables of all requests in the system.
	Financial Mgmt: View Costs on All Financial Summaries	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of all financial summaries in the system.• View forecast and actual costs of all financial data tables of all requests in the system.

Modifying Financial Benefits

To allow a user to modify financial benefits, use the settings listed in *Table 8-9*.

Table 8-9. Settings to modify financial benefits

Setting	Value	Description
Access Grant	Financial Mgmt: Edit Financial Benefits	Allows the user to do the following: <ul style="list-style-type: none">• Edit financial benefits (add, update, and delete benefit lines) of the financial summary.• Edit financial benefits of the request's financial data table.
	Financial Mgmt: View Costs on Financial Summary	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of the financial summary.• View forecast and actual costs of the request's financial data table.
Configure Access for Financial Summary or Configure Access for Financial Data	Edit Benefits	Allows the user to do the following: <ul style="list-style-type: none">• Edit benefits (add, update, and delete benefit lines) of the financial summary or financial data table.• Take and view snapshots of the financial summary
	View Costs	Allows the user to view forecast and actual costs on the financial summary or financial data table and view the costs in its snapshots.

Modifying Financial Benefits on All Financial Summaries

To allow a user to modify financial benefits on all financial summaries, use the settings listed in *Table 8-10*.

Table 8-10. Settings to modify financial benefits on all financial summaries

Setting	Value	Description
Access Grant	Financial Mgmt: Edit All Financial Benefits	Allows the user do the following: <ul style="list-style-type: none">• Edit financial benefits (add, update, and delete benefit lines) of all financial summaries in the system.• Take and view snapshots of all financial summaries in the system.• Edit financial benefits of all financial data tables of all requests in the system.
	Financial Mgmt: View Costs on All Financial Summaries	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of all financial summaries in the system.• View forecast and actual costs of all financial data tables of all requests in the system.

Setting the Plan of Record

To allow a user to specify a snapshot as the Plan of Record, use the settings listed in *Table 8-11*.

Table 8-11. Settings to set the plan of record

Setting	Value	Description
Access Grant	Financial Mgmt: Set a Financial Summary Snapshot as the Plan of Record	Allows the user to specify a snapshot in the list of financial summary snapshots as the Plan of Record. The user must also have the following: <ul style="list-style-type: none">• Set Plan of Record access right on the Configure Access page of the financial summary.• Access to view the financial summary's costs (see the View Costs on Financial Summary access grant in this table).
	Financial Mgmt: View Costs on Financial Summary	Allows the user to do the following: <ul style="list-style-type: none">• View forecast and actual costs, approved budgets, and cost forecasts on snapshots of the financial summary.• View forecast and actual costs of the request's financial data table.
Configure Access for Financial Summary	Set Plan of Record	Allows the user to specify a snapshot in the list of financial summary snapshots as the Plan of Record.
	View Costs	Allows the user to view forecast and actual costs on the financial summary and view the costs in its snapshots.

Setting the Plan of Record on All Financial Summaries

To allow a user to specify a snapshot as the Plan of Record for any financial summary, assign the Financial Mgmt: Set Plan of Record on All Financial Summaries access grant.

Working with Activities

You can configure users to view, create, or modify activities. These actions are controlled by access grants.

Viewing Activities

To allow a user to view activity information, assign the Config: View Activities access grant.

Creating and Modifying Activities

To allow a user to create, modify, or delete activities, assign the Config: Edit Activities access grant.

Working with Regions

To allow users to view, create, or modify regions, assign the access grants listed in *Table 8-12*.

Table 8-12. Access grants for working with regions

To allow user to	Access Grant	Description
View regions	Resource Mgmt: View Regions	Lets users view region information.
Create or modify regions	Resource Mgmt: Edit Regions	Lets users view, create, edit, or delete regions.

Working with Financial Exchange Rates and Currencies

To control who can view, create, or modify financial exchange (FX) rates, you use the same access grants that you use to control who can modify currency.

Table 8-13 lists these access grants.

Table 8-13. Access grants for working with financial exchange rates

To allow user to	Access Grant	Description
View financial exchange rate information	Financial Mgmt: View Financial Exchange Rates	Lets users view financial exchange rate information.
Create or modify financial exchange rate	Financial Mgmt: Edit Financial Exchange Rates	Lets users view, create, edit, or delete financial exchange rates.

9 PPM Dashboard Security

Controlling User Access to Portlets in the PPM Dashboard

The PPM Dashboard gives users access to PPM Center data through the portlets (system and custom) displayed on their PPM Dashboard pages. To control user access to any portlet, you specify which users can access it. You can also control user access to a custom portlet by disabling the portlet. You cannot disable a system portlet. This section provides details on how to do both.



For information about how to configure security for PPM Dashboard modules, see the *Creating Portlets and Modules* guide.

Disabling Custom Portlets

Although you cannot disable built-in system portlets in PPM Center, you can disable portlets customized for your site.

To disable a custom portlet:

1. In the standard interface, select **Open > Administration > Portlet Definitions > Configure Portlet Definitions**.
2. On the Configure Portlet Definitions page, search for, and then open the custom portlet that you want to disable.

Configure Portlet Definition: Package List1

Preview Save Done Cancel

Portlet Type: List Data Source: Package List

Created By: seed_data seed_data Last Modified By: seed_data seed_data Last Modification Date: Feb 21, 2007

Name: Package List1

Category: Packages Manage Categories

Description: Displays general information about PPM packages, including their descriptions and status.

Default Width: Narrow

Enabled: ☒ Yes ☐ No In use by 1 user(s), 0 module(s), and 0 hyperlink(s).

View Usage Copy Delete

3. In the portlet description area at the top of the page, next to **Enabled**, select **No**.



Disabling the portlet deletes it from all PPM Dashboard pages that previously displayed them.

4. Click **Save**.

Restricting User Access

You can control who can add a system or custom portlet to their PPM Dashboard. For example, you may want to restrict the package-related portlets to members involved in deployments. Enabling only the portlets that a specific user needs makes it easier for that user to personalize his own PPM Dashboard because there are fewer irrelevant portlets from which to choose.

To specify which users can use a portlet on their PPM Dashboard:

1. In the standard interface, select **Open > Administration > Portlet Definitions > Configure Portlet Definitions**.
2. On the Configure Portlet Definitions page, search for, and then open the portlet definition to configure.
3. Scroll to the **Configure Access** section.

Configure Access

User Access

Users specified below will have access to add this Portlet to their dashboards.

Require users to have one of these licenses:

Require users to have one of these privileges:

Allow access to only the following users and groups:

Security Type	Name
All Users	

Give Access to:

Administrator Access

Users specified below will have access to modify this Portlet Definition.

Security Type	Name
All Portlet Definition Administrators	

Give Access to:

4. In the **User Access** subsection, in the **Give Access to** list, select **User** or **Group**.
5. Select the users or security groups.

6. Click **Add**.

The selections are listed in the **Configure Access** section.

Configure Access

User Access

Users specified below will have access to add this Portlet to their dashboards.

Require users to have one of these licenses:

Require users to have one of these privileges:

Allow access to only the following users and groups:

Security Type	Name
<input checked="" type="checkbox"/> User	Sandra Cowper
<input checked="" type="checkbox"/> User	Rajeev Bhat
<input checked="" type="checkbox"/> Group	PPM Resource Manager

Give Access to:

Administrator Access

Users specified below will have access to modify this Portlet Definition.

Security Type	Name
All Portlet Definition Administrators	

Give Access to:

7. Click **Save**.

You can restrict access by specifying multiple security groups and users for each portlet. Only members of the specified security group or the specified users can add this portlet to their PPM Dashboard.

You can also restrict access by choosing a specific license or access grant from the **Require users to have one of these licenses/privileges** fields. Only users who have the required licenses or access grants can add this portlet to the PPM Dashboard.

Restricting Data to Participants

The PPM Dashboard respects any participant restrictions configured for requests, packages, and projects. If these items are restricted, only users who are directly involved with them can view associated data on the PPM Dashboard. Restricted items are not displayed in portlets or returned in searches.



The participant-restriction model is supported by all PPM Center system portlets. Custom portlets are not supported. They display the information specified in the SQL query that defines the portlet.

10 Configuration Security

Overview of Configuration Security

To configure security for PPM Center configuration entities, you can specify who has permission to:

- Change a workflow
- Change each object type
- Change request types
- Change user and security group definitions

Setting Ownership for Configuration Entities

Different groups of users in PPM Center have ownership and control over the configuration entities. These groups are referred to as *ownership groups*. Unless global permission has been provided to all users for an entity, ownership group members are the only users who can edit, delete, or copy that entity. To complete those tasks, the ownership groups must also have the required access grant for the entity. For example, a user must have the Config: Edit Workflows access grant to edit workflows and workflow steps.

You can assign multiple ownership groups to the various entities. Ownership groups are defined in the Security Group window. Security groups become ownership groups when used in the ownership capacity.

You can specify ownership groups for the following entities involved in your process:

- Environments
- Object types
- Request header types
- Security groups
- User definitions
- Workflows
- Environment groups
- Report types
- Request types
- Special commands
- Validations
- Workflow steps

The ownership setting is accessed through the individual entity windows in the Workflow Workbench.

The System: Ownership Override access grant lets the user access and edit configuration entities, even if that user does not belong to the ownership groups associated with the entities. Assign this access grant only to high-level users who may be required to configure processes for multiple groups.

For example, to set the ownership for a workflow:

1. Log on to PPM Center.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Configuration > Workflows**.

The Workflow Workbench opens.

4. Click **List**.

5. On the **Results** tab, in the **Workflow Name** column, double-click the name of a workflow for which you want to configure ownership.

The Workflow window opens to the **Layout** tab.

6. Click the **Ownership** tab.
7. Click **Only groups listed below that have the Edit Workflows Access Grant**.
8. Click **Add**.


The Add Security Group window opens.

9. Select one or more security groups.

10. Do one of the following:

- To add the current security group and continue adding security groups, click **Add**.
- To add the current security group and close the window, click **OK**.

On the **Ownership** tab, the **Security Group** column lists the security groups you selected.



11. Do one of the following:

- To save the selection and close the Workflow window, click **OK**.
- To save the selection and leave the Workflow window open, click **Save**.

Removing Access Grants

You can also restrict the ability to modify configuration entities by removing the user from any security group that grants that access.

Use the **Access Grants** tabs in the User window to see all security groups where specific access grants are included. You can do one of the following:

- Remove the user from the security group (using the **Security Group** tab in the User window).
- Remove the access grants from the security group (in the Security Group window).



Do this only if no one in that security group needs what this access grant provides.

Table 10-1 lists the access grants that provide users with edit access to various PPM Center configuration entities.

Table 10-1. Access grants for editing configuration entities (page 1 of 2)

Category	Access Grant Name	Description
Config	Edit Activities	View, create, edit, or delete activities in the PPM Dashboard.
Config	Edit Notification Templates	Create, edit, and delete notification templates in the Notification Templates Workbench.
Config	Edit Report Types	Create, edit, and delete report types in the Report Types Workbench.
Config	Edit Special Commands	Create, edit, and delete special commands in the Special Command Workbench.
Config	Edit User Data	Create, edit, and delete user data definitions in the User Data Workbench.
Config	Edit Validation Values	Create, edit, and delete validation values in the Validation Workbench.

Table 10-1. Access grants for editing configuration entities (page 2 of 2)

Category	Access Grant Name	Description
Config	Edit Validations	Create, edit, and delete validations in the Validation Workbench.
Config	Edit Workflows	Create, edit, and delete workflows in the Workflows Workbench.
Demand Mgmt	Edit Request Header Types	Create, edit, and delete request header types in the Request Header Types Workbench.
Demand Mgmt	Edit Request Types	Create, edit, and delete request types in the Request Types Workbench.
Deployment Mgmt	Edit Object Types	Create, edit, and delete object types in the Object Types Workbench.
Environments	Edit Environments	Create, edit, and delete environments in the Environments Workbench.
Sys Admin	Configure Modules	Create and configure Modules, which are then used to distribute PPM Dashboard pages.
Sys Admin	Edit Security Groups	Create, edit, and delete security groups in the Security Groups Workbench.
Sys Admin	Edit Users	Create, edit, and delete users in the Users Workbench.
System	Edit Portlet Definition	Create, edit, and delete portlets in the Portlets Workbench.
Time Mgmt	Edit Charge Codes	Create, edit, and delete charge codes in the Charge Codes Workbench.
Time Mgmt	Edit Override Rules	Create, edit, and delete override rules in the Override Rules Workbench.
Time Mgmt	Edit Time Sheet Policies	Create, edit, and delete policies in the Time Sheet Policies Workbench.

11 Service Provider Functionality

Recommended Practice: Service Provider Functionality

HP recommends that, for your organization, you create a group of PPM Center users that no users in the system outside of this group can modify. This prevents these users from being locked out of the system and ensures that they always maintain a specific set of access rights.

To configure your PPM Center instance to use this “super-user” functionality, perform the following steps:

Step 1. Create a service provider user.

To create a service provider user:

1. Log on to PPM Center with administrator privileges.
2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Sys Admin > Users**.

The User Workbench opens.

4. Click **New User**.

The User window opens to the **User Information** tab.

5. In the **Username** box, type a name like **Restricted User 1**.
6. Provide values in all required fields (displayed in red text).

7. In the **System Level Licenses** section, select the **Configuration** and **User Administration** checkboxes.
8. Click **OK**.

Step 2. Create the service provider security group.

To create the service provider security group:

1. From the PPM Workbench shortcut bar, select **Sys Admin > Security Groups**.
2. Click **New Security Group**.

The Security Group window opens to the **Users** tab.

3. In the **Name** box, type **Restricted Users**.



The name Restricted Users is not mandatory. You can provide a different name for this security group.

4. Next to **Enabled**, select **Yes**.
5. On the **Users** tab, click **Add New User to this Group**.

The Users dialog box opens.

6. Select the Restricted User 1 user you created in step 1 to this security group, and then click **Add**.
7. Click the **Access Grants** tab, and then assign the following access grants to this security group.
 - Sys Admin: Edit Users
 - Sys Admin: Edit Security Groups



Ensure that the user has all of the access grants required to open the PPM Workbench, and to create, edit, and delete users and security groups.

8. Click **OK**.

Step 3. Set ownership on the user.

To set ownership on the user:

1. From the PPM Workbench shortcut bar, select **Sys Admin > Users**.

The User Workbench opens.

2. Locate and open the Restricted User 1 user record.
3. Click the **Ownership** tab.
4. Under **Give ability to edit this User to**, select **Only groups listed below that have the Edit Users access grant**.
5. Click **Add**.

The Add Security Group window opens.

6. Locate and select the Restricted Users security group.
7. Click **OK**.
8. Click **Save**.

Step 4. Set ownership on the security group.

To set ownership on the security group:

1. From the PPM Workbench shortcut bar, select **Sys Admin > Security Groups**.

The Security Group Workbench opens.

2. Locate and open the Restricted Users security group record.
3. The Security Group: Restricted Users window opens.
4. Click the **Ownership** tab.
5. Click the **Ownership** tab.
6. Under **Give ability to edit this Security Group to**, select **Only Groups listed below that have the Edit Security Groups Access Grant**.
7. Click **Add**.
8. Locate and select the Restricted Users security group.
9. Click **Add**.
10. Click **Save**.

Step 5: Add a server configuration parameter.

To add a server configuration parameter:

1. Open the `<PPM_Home>/server.conf` file in a text editor such as Notepad.
2. Add the following line to the file:

```
com.kintana.core.server.SERVICE_PROVIDER_SECURITY_
GROUP=Restricted Users
```



The `server.conf` parameter value is case-sensitive. So, for example, if the security group name is `Restricted Users`, and if you add the line `com.kintana.core.server.SERVICE_PROVIDER_SECURITY_GROUP=RESTRICTED Users` to the `server.conf` file, then the security restriction does not work.

3. Save the `server.conf` file.
4. Restart the PPM Server.

Step 6. Test the functionality.

To test the functionality of the new user group:

1. Log on to PPM Center as an administrator, and check to ensure that you *cannot* edit the `Restricted User 1` user or the `Restricted Users` security group.
2. Log on to PPM Center as `Restricted User 1`, and ensure that you *can* edit the `Restricted User 1` user and the `Restricted Users` security group.

Step 7. Create another user to assign to the Restricted Users security group.

To create another user to assign to the Restricted Users group:

1. After you perform steps 1 through 6, log on to PPM Center as Restricted User 1.

2. From the menu bar, select **Open > Administration > Open Workbench**.

The PPM Workbench opens.

3. From the shortcut bar, select **Sys Admin > Users**.

The User Workbench opens.

4. Click **List**.

5. On the **Results** tab, in the **Username** column, locate and click **Restricted User 1**.

6. Click **Copy**.

The Copy User window opens.

7. Provide a new user name and password, and then confirm the password.

8. Click **OK**.

The User Workbench prompts you to indicate whether you want to edit the user.

9. Click **No**.

The new user has the same licenses, access grants, and security group association as Restricted User 1 has.

A Access Grants

Access grants enable certain activities within PPM Center. PPM Center comes with predefined access grants. Installing an HP Deployment Management Extension may introduce additional access grants. [Table A-1 on page 151](#) lists the available access grants and provides a description of each.

- ▶ View access grants provide read-only access to screens and entities. Users who do not have a view access grant cannot see certain workbenches and windows.
- ▶ Edit access grants typically enable a user to view, create, modify, and delete entities. For example, if you have the Edit Requests access grant, you can delete requests that you have created.

Table A-1. Access grants (page 1 of 23)

Category	Access Grant Name	Description
Config	Edit Activities	Modify activities in the Activities Workbench.
Config	Edit Notification Templates	Create, update, and delete notification templates in the Notification Templates Workbench.
Config	Edit Report Types	Create, update, and delete report types in the Report Types Workbench.
Config	Edit Special Commands	Create, update, and delete special commands in the Special Command Workbench.
Config	Edit User Data	Create, update, and delete user data definitions in the User Data Workbench.

Table A-1. Access grants (page 2 of 23)

Category	Access Grant Name	Description
Config	Edit Validation Values	Create, update, and delete validation values in the Validations Workbench.
Config	Edit Validations	Create, update, and delete validations in the Validation Workbench.
Config	Edit Workflows	Generate, update, and delete workflows in the Workflows Workbench.
Config	View Activities	View activities in the Activities Workbench.
Config	View Notification Templates	View notification template definitions in the Notification Templates Workbench.
Config	View Report Types	View report type definitions in the Report Types Workbench.
Config	View Special Commands	View special command definitions in the Special Command Workbench.
Config	View User Data	View user data definitions in the User Data Workbench.
Config	View Validations	View validations in the Validations Workbench.
Config	View Workflows	View workflow definitions in the Workflows Workbench.
Demand Mgmt	Access Request Query Builder	Use the request query builder on the Search Requests page.
Demand Mgmt	Change Request Type	Change the request type for existing requests.
Demand Mgmt	Edit All Contacts	Edit and delete contacts using the Contact Workbench.

Table A-1. Access grants (page 3 of 23)

Category	Access Grant Name	Description
Demand Mgmt	Edit All Requests	<p>Perform advanced request processing actions.</p> <p>User always has permission to:</p> <ul style="list-style-type: none"> Edit the request. Delete or cancel a request. <p>User can:</p> <ul style="list-style-type: none"> Override and remove any references on any request. Change the workflow when creating and editing a request.
Demand Mgmt	Edit Contacts	Create and update contacts in the Contact Workbench.
Demand Mgmt	Edit Demand	Access the HP Demand Management scheduling functions, the consolidated picture of demand, and all other HP Demand Management menu items related to scheduling or managing demand.
Demand Mgmt	Edit Request Header Types	Create, update, and delete request header types in the Request Header Types Workbench.
Demand Mgmt	Edit Request Types	Create, update, and delete request types in the Request Types Workbench.

Table A-1. Access grants (page 4 of 23)

Category	Access Grant Name	Description
Demand Mgmt	Edit Requests	<p>Perform basic request processing actions.</p> <p>Allows the user to:</p> <ul style="list-style-type: none"> • Generate requests. • Edit the request as specified on the User Access tab in the Request Type window. • Delete the request as specified on the User Access tab in the Request Type window for requests that you have submitted. • Cancel the request as specified on the User Access tab in the Request Type window. <p>User cannot change the workflow when creating or editing a request.</p>
Demand Mgmt	Override Demand Mgmt Participant Restriction	Allows the user to review a request regardless of whether the user is allowed to view as defined on the request type's User Access tab.
Demand Mgmt	View All Contacts in Request	View all contacts in a request, even if a company is associated with the request.
Demand Mgmt	View Contacts	View the contact definition in the Contact Workbench.
Demand Mgmt	View Request Header Types	View request header type definitions in the Request Header Types Workbench.
Demand Mgmt	View Request Types	View the request type definition in the Request Types Workbench.
Demand Mgmt	View Requests	View requests in the Request Types Workbench.
Deployment Mgmt	Edit All Packages	Edit or delete any packages.

Table A-1. Access grants (page 5 of 23)

Category	Access Grant Name	Description
Deployment Mgmt	Edit All Releases	<p>Create, edit and delete any release using the Releases Workbench.</p> <p>A user with this grant can:</p> <ul style="list-style-type: none"> • Create a release • Be designated as the release manager in the Release window • Edit or delete any release in PPM Center (regardless of the specified release manager in the Release Management window).
Deployment Mgmt	Edit Object Types	<p>Create, edit, and delete object types in the Object Types Workbench.</p>
Deployment Mgmt	Edit Packages	<p>Perform the following basic package processing actions:</p> <ul style="list-style-type: none"> • Create, edit certain related packages. • Delete certain packages that have not been submitted. <p>To edit the package, user must be:</p> <ul style="list-style-type: none"> • The creator • “Assigned to” user • Member of the assigned group • Member of the workflow step’s security group <p>User cannot delete a package if it has been released or if user is not the owner.</p>

Table A-1. Access grants (page 6 of 23)

Category	Access Grant Name	Description
Deployment Mgmt	Edit Releases	<p>Perform basic release processing actions in the Releases Workbench.</p> <p>A user with this grant can:</p> <ul style="list-style-type: none"> • View any release • Be designated as the release manager • Create releases • Edit or delete any release that the user created • Act on any distribution workflow steps where the user is included in the step security. • Edit or delete a release that the user did not create (only if the user is designated as the release manager in the Release Management window).
Deployment Mgmt	Override Deployment Mgmt Participant Restriction	View detailed information on a restricted package for which the user is not an active participant.
Deployment Mgmt	Submit Environment Refreshes	Create and submit an environment refresh in the Env Refresh Workbench.
Deployment Mgmt	View Environment Refreshes	View environment refresh definitions in the Env Refresh Workbench.
Deployment Mgmt	View Object Types	View object type definitions in the Object Types Workbench.
Deployment Mgmt	View Packages	View packages in the standard interface or the Package Workbench.
Deployment Mgmt	View Releases	View release definitions in the Releases Workbench. Act on any distribution workflow steps that include the user in the step security.

Table A-1. Access grants (page 7 of 23)

Category	Access Grant Name	Description
Environments	Edit Environments	Create, update and delete environments in the Environment Workbench.
Environments	View Environments	View environment definitions in the Environment Workbench.
Financial Mgmt	Edit Approved Budget	<p>Allows the user to edit the approved budget of the financial summary.</p> <p>The user must also have the following:</p> <ul style="list-style-type: none"> • Edit Approved Budget access right on the Configure Access page of the financial summary. • Access to view the financial summary's costs (see the View Costs on Financial Summary access grant in this table).
Financial Mgmt	Edit Approved Budget on All Financial Summaries	<p>Allows the user to edit approved budgets of all financial summaries in the system.</p> <p>This access grant should be used in conjunction with the View Costs on All Financial Summaries or the Edit Costs on All Financial Summaries access grant.</p>
Financial Mgmt	Edit Cost Rate Rules	Create, edit, and delete cost rate rules.

Table A-1. Access grants (page 8 of 23)

Category	Access Grant Name	Description
Financial Mgmt	Edit Cost Security	<p>Allows the user to add and delete users and security groups and change their access rights on the Configure Access page of the financial summary or the request's financial data table. (For a project, also allows the user to select cost participants in the Project Security policy in Project Settings.)</p> <p>The user must also have the following:</p> <ul style="list-style-type: none"> • Edit Security access right on the Configure Access page of the financial summary or the financial data table. • Access to view the financial summary's costs or the financial data table's costs (see the View Costs on Financial Summary access grant in this table).
Financial Mgmt	Edit Cost Security on All Financial Summaries	Allows the user to edit cost security of all financial summaries and all financial data tables in the system.

Table A-1. Access grants (page 9 of 23)

Category	Access Grant Name	Description
Financial Mgmt	Edit Costs on All Financial Summaries	<p>Allows the user to do the following:</p> <ul style="list-style-type: none"> • Edit forecast and actual costs (add, update, and delete cost lines) of all financial summaries in the system. • Take and view snapshots of all financial summaries in the system. • Edit the Name and Description fields in the Summary section of all financial summaries in the system. • Edit the financial summary settings of all financial summaries in the system. • Edit forecast and actual costs (add, update, and delete cost lines) of all financial data tables of all requests in the system. • Edit the Name and Description fields in the Summary section of all financial data tables of all requests in the system.

Table A-1. Access grants (page 10 of 23)

Category	Access Grant Name	Description
Financial Mgmt	Edit Costs on Financial Summary	<p>Allows the user to do the following:</p> <ul style="list-style-type: none"> • Edit forecast and actual costs (add, update, and delete cost lines) of the financial summary. • Take and view snapshots of the financial summary. • Edit the Name and Description fields in the Summary section of the financial summary. • Edit the financial summary settings. • Edit forecast and actual costs (add, update, and delete cost lines) of the request's financial data table. • Edit the Name and Description fields in the Summary section of the request's financial data table. <p>The user must also have the Edit Costs access right on the Configure Access page of the financial summary or the financial data table.</p>
Financial Mgmt	Edit All Financial Benefits	<p>Allows the user do the following:</p> <ul style="list-style-type: none"> • Edit financial benefits (add, update, and delete benefit lines) of all financial summaries in the system. • Take and view snapshots of all financial summaries in the system. • Edit financial benefits of all financial data tables of all requests in the system. <p>The user must also have access to view the financial summary's costs or the financial data table's costs (see the View Costs on Financial Summary access grant in this table).</p>

Table A-1. Access grants (page 11 of 23)

Category	Access Grant Name	Description
Financial Mgmt	Edit Costs on Financial Summary	Edit budget information if the user has been granted edit access on the Configure Access for Budget page.
Financial Mgmt	Edit Financial Benefits	<p>Allows the user to do the following:</p> <ul style="list-style-type: none"> Edit financial benefits (add, update, and delete benefit lines) of the financial summary. Edit financial benefits of the request's financial data table. <p>The user must also have the following:</p> <ul style="list-style-type: none"> Edit Benefits access right on the Configure Access page of the financial summary or the financial data table. Access to view the financial summary's costs or the financial data table's costs (see the View Costs on Financial Summary access grant in this table).
Financial Mgmt	Edit Financial Exchange Rates	Create and update financial exchange rates.
Financial Mgmt	Edit Work Plan Cost Data	Edit cost data related to tasks, projects, programs, resources and skills. The user must also have access to edit these entities.
Financial Mgmt	Manage Cost Factors	User can reprioritize, add, or remove cost factors.

Table A-1. Access grants (page 12 of 23)

Category	Access Grant Name	Description
Financial Mgmt	Set a Financial Summary Snapshot as the Plan of Record	<p>Allows the user to specify a snapshot in the list of financial summary snapshots as the Plan of Record.</p> <p>The user must also have the following:</p> <ul style="list-style-type: none"> • Set Plan of Record access right on the Configure Access page of the financial summary. • Access to view the financial summary's costs (see the View Costs on Financial Summary access grant in this table).
Financial Mgmt	Set Plan of Record on All Financial Summaries	<p>Allows the user to specify a snapshot in the list of snapshots as the Plan of Record, for any financial summary in the system.</p>
Financial Mgmt	View All Financial Benefits	<p>Allows the user to do the following:</p> <ul style="list-style-type: none"> • View financial benefits of all financial summaries in the system. • View financial benefits of all financial data tables of all requests in the system. <p>The user must also have access to view the financial summary's costs or the financial data table's costs (see the View Costs on Financial Summary access grant in this table).</p>
Financial Mgmt	View Cost Rate Rules	<p>View cost rate rules on the Cost Rate Rules page.</p>
Financial Mgmt	View Costs on All Financial Summaries	<p>Allows the user to do the following:</p> <ul style="list-style-type: none"> • View forecast and actual costs, approved budgets, and cost forecasts on snapshots of all financial summaries in the system. • View forecast and actual costs of all financial data tables of all requests in the system.

Table A-1. Access grants (page 13 of 23)

Category	Access Grant Name	Description
Financial Mgmt	View Costs on Financial Summary	<p>Allows the user to do the following:</p> <ul style="list-style-type: none"> • View forecast and actual costs, approved budgets, and cost forecasts on snapshots of the financial summary. • View forecast and actual costs of the request's financial data table. <p>The user must also have the View Costs access right on the Configure Access page of the financial summary or the financial data table.</p> <p>Note: The View Costs access right is automatically given to the cost participants of the lifecycle entity that is the current parent of the financial summary.</p>
Financial Mgmt	View Financial Benefits	<p>Allows the user to view financial benefits of the financial summary or the request's financial data table.</p> <p>The user must also have the following:</p> <ul style="list-style-type: none"> • View Benefits access right on the Configure Access page of the financial summary or the financial data table. • Access to view the financial summary's costs or the financial data table's costs (see the View Costs on Financial Summary access grant in this table).
Financial Mgmt	View Financial Exchange Rates	User can view financial exchange rates.
Financial Mgmt	View Project, Program, and Time Sheet Cost Data	View cost data related to tasks, projects, programs, resources, and skills. The user must also have access to view these entities.

Table A-1. Access grants (page 14 of 23)

Category	Access Grant Name	Description
PMO	Create Programs	When combined with the Edit Programs access grant, the user can create a program.
PMO	Edit All Programs	Create and update any program.
PMO	Edit Programs	The user can edit programs.
PMO	View Programs	View program definitions.
Portfolio Mgmt	Configure Portfolio Management	Gives the user access to the Configure Portfolio Management page where the user can set portfolio tracking and categorization metrics.
Portfolio Mgmt	Edit All Scenario Comparisons	View, edit, and delete any scenario comparisons in the system, and create new scenario comparisons.
Portfolio Mgmt	Edit Scenario Comparison	The user can view, edit, and delete any scenario comparison for which the user is on the specified Edit list, and can create new scenario comparisons.
Portfolio Mgmt	Portfolio Manager	Provides the user with access to the following additional HP Portfolio Management portlets and visualizations: <ul style="list-style-type: none"> • Portfolio by Category • Current Portfolio Map • View Current Portfolio
Portfolio Mgmt	View Scenario Comparison	The user can view any scenario comparison for which the user is on the specified View or Edit list.
Project Mgmt	Create Projects	Create projects through the standard interface. The user must have one of the following access grants: <ul style="list-style-type: none"> • Project Mgmt: Edit Projects • Project Mgmt: Edit All Projects

Table A-1. Access grants (page 15 of 23)

Category	Access Grant Name	Description
Project Mgmt	Edit All Projects	Edit all projects, even if the user does not otherwise meet the participant restrictions on the project. This includes the ability to perform functions reserved for the project manager.
Project Mgmt	Delete Projects	Delete projects that do not have actuals logged. The user must also have the Project Mgmt: Edit Projects access grant and be assigned as a project manager on the project, or have the Project Mgmt: Edit All Projects grant.
Project Mgmt	Delete Projects with Actuals	Delete projects, even if actuals have been logged. The user must have the Project Mgmt: Delete Projects and associated access grants.
Project Mgmt	Edit Project Types	Create, edit and delete project types. Editing can be further restricted through ownership controls defined in the project type.

Table A-1. Access grants (page 16 of 23)

Category	Access Grant Name	Description
Project Mgmt	Edit Projects	<p>Edit projects and work plans. If the users is editing project-level fields and the project process, any security defined on the project process request type and workflow is enforced.</p> <p>Note: Some functions are limited to the project managers for the project. These are:</p> <ul style="list-style-type: none"> • Modify settings • Modify participant groups • Override the overall project health • Create, edit, schedule, or delete the project work plan • Create the project staffing profile from the project overview page (also requires access grants for this entity) • Create, delete, and set the active work plan baselines (requires additional grants) • Delete projects (requires additional grants)
Project Mgmt	Edit Work Plan Templates	Create and edit work plan templates. Editing can be further restricted through ownership controls defined in the work plan template.
Project Mgmt	Manage All Work Plan Baselines	Create, update, delete, and set work plan baselines active for any project the user can view, even if the user is not a project manager for the project.
Project Mgmt	Manage Work Plan Baselines	Create, update, delete, and set work plan baselines as active. The user must also be the project manager for the project and have either the Edit Projects access grant, or the Edit All Projects access grant.

Table A-1. Access grants (page 17 of 23)

Category	Access Grant Name	Description
Project Mgmt	Synchronize Work Plans	Integrate work plans between Microsoft® Project and PPM Center.
Project Mgmt	View All Projects	View all projects, even if the user does not otherwise meet the participant restrictions on the project. Also allows the user to add projects to programs including projects that the user is not a participant.
Project Mgmt	Update Tasks	Allows assigned resources to update their work plan tasks through the My Tasks portlet.
Project Mgmt	View Project Types	View project types.
Project Mgmt	View Projects	View projects for which the user meets defined participant restrictions.
Project Mgmt	View Work Plan Templates	View work plan templates.
Resource Mgmt	Create Resource Pools	Create resource pools using the standard interface. The user must have one of the following access grants: <ul style="list-style-type: none"> • Resource Mgmt: Edit Resource Pools • Resource Mgmt: Edit All Resource Pools
Resource Mgmt	Create Staffing Profiles	Create staffing profiles using the standard interface. The user must have one of the following access grants: <ul style="list-style-type: none"> • Resource Mgmt: Edit Staffing Profiles • Resource Mgmt: Edit All Staffing Profiles
Resource Mgmt	Delete Staffing Profiles	User can delete a staffing profile as long as no actuals are specified.

Table A-1. Access grants (page 18 of 23)

Category	Access Grant Name	Description
Resource Mgmt	Delete Staffing Profiles with Actuals	User can delete any staffing profile in the system.
Resource Mgmt	Edit All Resource Pools	Edit or delete any resource pool.
Resource Mgmt	Edit All Resources	Edit the resource information for any resource defined in PPM Center.
Resource Mgmt	Edit All Roles	Create, edit, and delete all roles defined in PPM Center.
Resource Mgmt	Edit All Skills	Create, edit, and delete all skills defined in PPM Center.
Resource Mgmt	Edit All Staffing Profiles	Allows the user to edit or delete any staffing profile in the system.
Resource Mgmt	Edit Entire Organization	Edit and delete any organization unit.
Resource Mgmt	Edit My Calendar	A user who also has the View All Resources access grant can edit his or her own calendar information.
Resource Mgmt	Edit Only Organization Units That I Manage	Edit organization unit information for units that list the current user as the manager in the View Organization Unit page. Also delete any of these organization units.
Resource Mgmt	Edit only resources that I manage	Edit resource information for resources that list the current user as the Direct Manager. A resource's Direct Manager is displayed on the View Resource page.
Resource Mgmt	Edit Regional Calendars	Create, edit, and delete regional calendars defined in PPM Center.

Table A-1. Access grants (page 19 of 23)

Category	Access Grant Name	Description
Resource Mgmt	Edit Resource Pools	Edit resource pool information if the user has been granted edit access on the Configure Access for Resource Pool page. Delete these resource pools if given sufficient access on the Configure Access for Resource Pool page for that resource pool.
Resource Mgmt	Edit Staffing Profiles	Edit staffing profile information if the user has been granted edit access on the Configure Access for Staffing Profile page. Delete these staffing profiles if given sufficient access on the Configure Access for Staffing Profile page for that staffing profile.
Resource Mgmt	Edit Regions	Create, edit, and delete all regions defined in PPM Center. The user must also have the Configuration license to use this grant.
Resource Mgmt	Update Staffing Profile Status	Change the Staffing Profile Status value on the Modify Staffing Profile page. To use this grant, the user must also have either the Edit Staffing Profiles or Edit All Staffing Profiles grant.
Resource Mgmt	View All Resource Pools	View resource pool information for all resource pools.
Resource Mgmt	View All Resources	View the resource information page for any resource defined in PPM Center.
Resource Mgmt	View All Roles	View all roles defined in PPM Center.
Resource Mgmt	View All Skills	View all skills defined in PPM Center.
Resource Mgmt	View All Staffing Profiles	Allows the user to view any staffing profile in the system.

Table A-1. Access grants (page 20 of 23)

Category	Access Grant Name	Description
Resource Mgmt	View my personal resource info only	View only the user's own resource information page.
Resource Mgmt	View Organization	View the organization model and organization unit detail pages.
Resource Mgmt	View Regional Calendars	View all regional calendars defined in PPM Center.
Resource Mgmt	View Regions	View all regions defined in PPM Center.
Resource Mgmt	View Resource Pools	View resource pool information if the user has been granted view access on the Configure Access for Resource Pool page.
Resource Mgmt	View Staffing Profiles	View staffing profile information if the user has been granted view access on the Configure Access for Staffing Profile page.
Sys Admin	Configure Default Page	Configure the default page.
Sys Admin	Configure Modules	Create, edit, and delete modules on Module Configuration in the PPM Dashboard page. View and set the default dashboard on the Set Default Dashboard in the PPM Dashboard page.
Sys Admin	Distribute Modules	View, publish, and distribute modules, pages and portlets to PPM Dashboards on the Distributing Modules Dashboard page.
Sys Admin	Edit Security Groups	Create, update, and delete security groups in the Security Groups Workbench. The user must also have the Edit Users access grant.
Sys Admin	Edit Services Schedules	User can modify any scheduled services in the system.

Table A-1. Access grants (page 21 of 23)

Category	Access Grant Name	Description
Sys Admin	Edit Users	Create, update, and delete users in the Users Workbench.
Sys Admin	Manage Translations	User can run the <code>kExportAttributes.sh</code> and <code>kImportAttributes.sh</code> translation scripts.
Sys Admin	Migrate PPM Objects	Migrate configuration objects (such as workflows and request types) using the Migrators.
Sys Admin	Server Administrator	Stop the PPM Server, log on to the application when the server is started in restricted mode, and send messages through <code>kWall.sh</code> .
Sys Admin	Server Tools: Execute Admin Tools	Execute administration reports in the Admin Tools window and view the SQL Runner window in the Server Tools Workbench.
Sys Admin	Server Tools: Execute SQL Runner	Execute SQL statements in the SQL Runner window and view the Admin Tools window in the Server Tools Workbench.
Sys Admin	Synchronize Meta Layer	Perform reporting meta layer synchronizations using the Report Types Workbench.
Sys Admin	View Security Groups	View security group definitions in the Security Groups Workbench.
Sys Admin	View Server Tools	View the SQL Runner and Admin Tools screens in the Server Tools Workbench.
Sys Admin	View Services Schedules	User can view any scheduled services in the system.
Sys Admin	View Users	View user definitions in the Users Workbench.

Table A-1. Access grants (page 22 of 23)

Category	Access Grant Name	Description
System	Edit Dependent References	Create and edit dependency relationships between entities and their references.
System	Edit Portlet Definition	Create, edit, and delete portlets in the Portlets Workbench.
System	Edit All Reports	Use the Reports Workbench to delete any submitted report.
System	Open Workbench	User can start the PPM Workbench.
System	Override Document Check Out	Override document check out.
System	Override Key Fields Segmentation	View all information contained in restricted key fields. Key fields include: <ul style="list-style-type: none"> • Resource and Resource Group fields in HP Project Management tasks • Assigned User, Assigned Group, and Contacts fields in HP Demand Management requests • Assigned User and Assigned Group fields in HP Deployment Management packages
System	Ownership Override	Access and edit all configuration entities even if the user is not a member of one of the entity's ownership groups.
System	Submit Reports	Submit reports in PPM Center.
System	View Portlet Definition	View portlet definitions in the Portlets Workbench.
Time Mgmt	Approve Time Sheets	Approve or reject time sheets if the resource is a direct report or if the time sheet has been delegated to the user.

Table A-1. Access grants (page 23 of 23)

Category	Access Grant Name	Description
Time Mgmt	Close Time Sheets	Close or freeze time sheets if the resource is a direct report or if the time sheet has been delegated to the user.
Time Mgmt	Edit Charge Codes	Create, modify, and delete charge codes in the Charge Codes Workbench.
Time Mgmt	Edit Override Rules	Create, modify, and delete override rules in the Override Rules Workbench.
Time Mgmt	Edit Time Sheet Policies	Create, modify, and delete time sheet policies in the Time Sheet Policy Workbench.
Time Mgmt	Edit Time Sheets	Edit time sheets if the resource is a direct report or if the time sheet has been delegated to the user.
Time Mgmt	Edit Work Allocations	View and edit work allocations. The user can also close or delete allocations the user created.
Time Mgmt	Edit All Work Allocations	View, edit, delete, and close any work allocation.
Time Mgmt	View All Time Sheets (Summary Info Only)	View only summary info for all time sheets.
Time Mgmt	View Charge Codes	View charge code definitions in the Charge Code Workbench.
Time Mgmt	View Override Rules	View override rules in the Override Rules Workbench.
Time Mgmt	View Time Sheet Policies	View time sheet policies.
Time Mgmt	View Time Sheets	View time sheet information for a user.
Time Mgmt	View Work Allocations	View work allocations in HP Time Management.

B License Types

To log on to PPM Center, a user must have a license. The different license types are designed to suit different business needs and responsibilities. User access to screens and functions in PPM Center are controlled by a combination of license and access grants. For information on access grants, see [Appendix A, *Access Grants*, on page 151](#).

Within PPM Center there are the following license types:

- **Product licenses.** Provides basic product features and access to data.

Product licenses provide access to PPM Center features in the standard (HTML) interface, including the PPM Dashboard, and the PPM Workbench, depending on the product license used.

- **Configuration.** Provides product license level access and additional advanced configuration functionality.

Provides access to all product features through both the PPM Workbench and the standard interface.

- **User Administrator.** Provides access to the PPM Center administration of users, security and the PPM Center application.

You must have this license to configure user accounts and security groups, and to run reports related to importing new users through the Open Interface. This license also provides access to the system administration functionality of the PPM Center licensed at your site.

The following table lists the available licenses, their type and a brief description.

Table B-1. Available Licenses (page 1 of 3)

License	License Type	Description
Configuration	Configuration	<p>Gives access to all functionality for the products licensed at the site, including configuration interfaces for all PPM Center entities (such as object types and request types) except users and security groups.</p> <p>Provides access to all product features through both the PPM Workbench and the standard interface. It gives access to all product features available to a product license user, as well as more advanced configuration functionality through the PPM Workbench.</p> <p>For example, a user with the Configuration license does not require the Project Management license to perform the tasks associated with project management.</p>
Demand Management	Product	<p>Provides access to all default product functionality available through the PPM Workbench interface and grants additional access to the HP Demand Management screen group or menus.</p>
Deployment Management	Product	<p>Provides access to all default product functionality available through the PPM Workbench interface and grants additional access to the HP Deployment Management screen group or menus.</p>

Table B-1. Available Licenses (page 2 of 3)

License	License Type	Description
HP Deployment Management Extension	Product	<p>Extension licenses are site wide and enable additional screens and fields in PPM Center. For details, see the documentation for the Extensions installed at your site.</p> <p>HP Deployment Management Extension licenses are provided for an entire site; that is, they are not assigned to individual users. Extension licenses enable additional screens and fields in PPM Center.</p> <p>These licenses cannot be assigned to individual users.</p>
Portfolio Management	Product	<p>Provides access to HP Portfolio Management functionality.</p> <p>Requires a Demand Management license.</p>
Portfolio Optimization	Site wide	<p>This is a site wide license that allows all users who have Portfolio Management licenses to configure and run scenario optimizations and to generate the efficient frontier graph.</p> <p>Requires a Portfolio Management license.</p>
Program Management	Product	<p>Provides access to HP Program Management functions.</p> <p>Requires the Demand Management and Project Management licenses.</p>

Table B-1. Available Licenses (page 3 of 3)

License	License Type	Description
Project Management	Product	<p>Provides access to work planning functions such as work plans, baselines, and earned value, as well as functions like project types and work plan templates.</p> <p>HP Project Management functions such as project type management and work plan management are only available to users with a Project Management license.</p>
Time Management	Product	<p>Provides access to HP Time Management functions.</p> <p>Users for whom timesheets are to be submitted must also have this license.</p>
User Administration	User Administrator	<p>Allows configuration of user accounts and security groups.</p> <p>For users responsible for administering PPM Center users and security, as well as the application itself. You must have this license to configure user accounts and security groups, and to run reports related to importing new users through the Open Interface. This license also provides access to the system administration functionality of the PPM Center licensed at your site.</p>

C Licenses and User Roles

This appendix addresses the typical user functions and required licenses by user types and by product/license type. *Table C-1* lists the licenses required by, and recommended for, different types of users. *Table C-2 on page 183* lists the user roles and functions based on product/license types.

Table C-1. Product licenses by user type (page 1 of 4)

User Type	Tasks	Required and Recommended () Licenses (Unless noted with an asterisk*, these are product licenses.)
Business User	Submit requests, monitor status of own requests, and provide user sign-off.	<ul style="list-style-type: none">• Demand Management
Business Project Manager	Create, plan, and monitor project workplans—update tasks; assign resources; schedule, define project exception rules; set notifications; maintain project templates, manage scope changes, issues, and risk. Manage resource skills, pools, profiles, and capacity. Manage project expenses. Synchronize with Microsoft Project.	<ul style="list-style-type: none">• Demand Management• Program Management• Project Management• (Time Management)

Table C-1. Product licenses by user type (page 2 of 4)

User Type	Tasks	Required and Recommended () Licenses (Unless noted with an asterisk*, these are product licenses.)
Business Analyst	Monitor initiative (schedule and cost) status; act on SLA exceptions; track issues; manage scope changes, issues, and risk. Manage portfolio.	<ul style="list-style-type: none"> • Demand Management • Portfolio Management • Program Management • Project Management
Business Manager	Monitor initiative (schedule, cost, earned value) status, act on SLA exceptions, prioritize portfolio.	<ul style="list-style-type: none"> • Demand Management • Portfolio Management • Program Management • Project Management
IT Management: CIOs, IT VPs, Directors, Enterprise Architects, CTOs	<p>Monitor status of initiatives (schedule and cost), drill down on SA exceptions, control and prioritize portfolio.</p> <p>Monitor resource use. Manage resource capacity.</p>	<ul style="list-style-type: none"> • Demand Management • Portfolio Management • Program Management • Project Management • (Time Management) • (Deployment Management)
Process and Project participants: IT Support Analyst, QA, team member, Change Control	<p>Participate in project tasks and in request processes.</p> <p>Execute project tasks and update task status.</p> <p>Actively resolve requests—update request information, perform approvals, assign requests, prioritize requests, move requests through the workflow.</p>	<ul style="list-style-type: none"> • Demand Management • Project Management • (Time Management)

Table C-1. Product licenses by user type (page 3 of 4)

User Type	Tasks	Required and Recommended () Licenses (Unless noted with an asterisk*, these are product licenses.)
Engineering Team: Developer, Infra-structure (DBA / Sysadmin / Web Admin), Release Manager, Operations	Create packages, update package information, perform approvals, schedule and execute migrations. Update tasks. Create and manage deployment releases.	<ul style="list-style-type: none"> • Deployment Management
Portfolio Manager, Program Manager, IT Controller	Manage portfolio. Manage rating and prioritization of projects. Perform what-if portfolio scenarios. Manage scope changes, issues, and risk. Manage resource skills, pools, profiles, and capacity. Manage project expenses.	<ul style="list-style-type: none"> • Demand Management • Portfolio Management • Program Management • Project Management • (Time Management)
Project Manager	Create, plan, and monitor project workplans—update tasks, assign resources, schedule, define project exception rules, set notifications, maintain project templates. Manage resource skills, pools, profiles, and capacity. Manage project expenses. Synchronize with Microsoft Project (if required).	<ul style="list-style-type: none"> • Project Management • (Time Management)
PPM Center User Administrator	Common administration functions, including set up users and assign security.	<ul style="list-style-type: none"> • Demand Management, PPM User Administration license*

Table C-1. Product licenses by user type (page 4 of 4)

User Type	Tasks	Required and Recommended () Licenses (Unless noted with an asterisk*, these are product licenses.)
PPM Center Administrator, Process Owner / Implementer	Common administration functions such as configure user-defined project information, and configure report types and PPM Dashboard portlets. Configure object types, model process workflows; and configure business rules.	<ul style="list-style-type: none">• Demand Management, PPM Configuration license*

Table C-2. User roles and functions by product license type (page 1 of 6)

Product	License Type	User Type	Primary Tasks Performed with this License Type
PPM Dashboard	Any	All	Overall visibility of status and metrics, drill down to a specific level of detail on requests, task, projects, and packages requiring action or further review.
HP Demand Management	Configuration	IT Process Analyst	Configure workflows and request types.
	Project Management	Project Manager, Resource Manager	Create and manage resource pools and project resource profiles. Manage resource capacity and use. Create and manage financial summaries for departments, programs, and projects.
	Demand Management	Business User, Requestor	Submit requests, monitor the status of own request, and provide user sign-off.
		Analyst, IT Support Staff, Request Contact	Participate in the request processes and actively resolve requests—update request information, perform approvals, assign requests, prioritize requests, move requests through the workflow.
		Upper-level Manager, Business Analyst, Change Control Team, Project Manager, Program Manager	Monitor SLAs and act on exceptions, run reports, and perform approvals. Prioritize demand, assign requests. participate in deployment management.

Table C-2. User roles and functions by product license type (page 2 of 6)

Product	License Type	User Type	Primary Tasks Performed with this License Type
HP Portfolio Management	Portfolio Management	Portfolio Manager, Business Analyst, Program Manager, Enterprise Architect, CTO, IT Controller	Manage IT portfolio. Explore what-if scenarios. Evaluate value and mix of current and proposed projects. Rank and rate projects. Create and manage resource pools and project resource profiles. Manage resource capacity and utilization. Create and manage financial summaries for departments, programs, and projects. Track and compare actuals to forecast, perform earned value analysis.
HP Program Management	Program Management	Program Manager	Prioritize programs and projects. Manage program and project initiation; monitor resource utilization; monitor program status, scope changes, issues, and risk. Act on exceptions.

Table C-2. User roles and functions by product license type (page 3 of 6)

Product	License Type	User Type	Primary Tasks Performed with this License Type
HP Project Management	Project Management	Project Manager, Project Lead	Create, plan, and monitor project workplans—update milestones, baselines, tasks; assign resources; schedule, define project exception rules; set notifications; maintain project templates. Monitor status and critical path. Define resource and regional calendars.
		Project Manager, Resource Manager	Create and manage resource pools and project resource profiles. Manage resource capacity and utilization. Create and manage financial summaries for departments, programs, and projects. Define resource and regional calendars.
		Project Administrator	Configure user-defined project information/fields, define project notifications. Define resource and regional calendars.
		Upper-Level Manager, Other Stakeholder, Program Manager	Monitor project status and drill down on exceptions. Track and compare actuals to forecasts, perform earned value analysis.

Table C-2. User roles and functions by product license type (page 4 of 6)

Product	License Type	User Type	Primary Tasks Performed with this License Type
HP Resource Management	Project Management, Demand Management	IT Manager, Project Manager, IT HR	Base functionality is included with the PPM Center Foundation. IT supports creating, viewing, updating, and assigning: skills, resource details (capacity, rate, utilizations, availability), and organization model.
		Portfolio Manager, Program Manager, Project Manager	Create and update resource pools and staffing profiles.
HP Time Management	Time Management	Staff	Provide time sheets by hour or time against work items.
		Manager	Review, freeze, and approve timesheets. Close, cancel timesheets. Delegate functions. Compare work item forecasts versus actuals.
		Time Management Analyst	Establish work allocations and charging rules by work item, department, job/role. Configure start-end dates and periods, and approval hierarchies.

Table C-2. User roles and functions by product license type (page 5 of 6)

Product	License Type	User Type	Primary Tasks Performed with this License Type
HP Financial Management	Project Management, Demand Management	All Users	Base functionality is included with the PPM Center Foundation and supports the ability to view financial summaries and associated visualizations.
	Portfolio Management, Program Management, or Project Management	Portfolio Manager, Program Manager, Project Manager	Update financial summaries.
		IT Manager, Portfolio Manager, Program Manager, Project Manager, Business Analyst	Display earned value analysis information and visualization.
HP Deployment Management	Deployment Management	Developer	Create and update packages for deployment, monitor package status.
		DBA, System Administrator, Configuration Manager, Tech. Project Lead, Release Manager	Create packages, update package information, perform approvals, schedule and execute migrations. Create, manage, and perform deployment releases. Assign packages to developers.
	Configuration	Release Mgmt Analyst	Configure object types and workflows.
	Deployment Management	IT Manager, QA and Business Analyst	View that status of deployment packages and perform QA approvals.

Table C-2. User roles and functions by product license type (page 6 of 6)

Product	License Type	User Type	Primary Tasks Performed with this License Type
All Products	User Admin	PPM Center Administrator	Set up users, manage licenses, assign security.
All Products	Configuration	PPM Center Configurator	Create and configure report types, portlets, request types, request header types, object types, workflows, environments, validations, activities. Configure security for standard portlets.

Index

A

- access grants, [47](#)
 - described, [12](#)
 - for creating and modifying financial exchange rates, [131](#)
 - for creating regions, [130](#)
 - for modifying regions, [130](#)
 - for viewing financial exchange rates, [131](#)
 - list, [151](#)
 - removing, [143](#)
 - viewing regions, [130](#)
- activities
 - security for creating, [130](#)
 - security for deleting, [130](#)
 - security for modifying, [130](#)
 - security for viewing, [130](#)
- app codes, [33](#)
- App Codes tab
 - security groups, [33](#)
- approved budgets
 - security for modifying, [120](#), [121](#)
 - security for viewing, [119](#)
- approving
 - security for package lines, [83](#)

B

- baselines
 - managing for projects, [94](#)

benefits

- security for modifying, [127](#), [128](#)
- security for viewing, [125](#), [126](#)

C

- charge code rules, [34](#)
- configuration entities
 - setting ownership for, [139](#)
- configuration security, [139](#)
- configuration-level restrictions, [13](#)
- cost data
 - making visible for programs, [118](#)
 - project data visibility, [116](#)
 - security for modifying, [119](#)
 - security for viewing, [116](#)
- cost security, [115](#)
 - security for modifying, [124](#)
- costs
 - security for modifying, [123](#)
 - security for viewing, [122](#)
- creating
 - packages, setting security for, [79](#)
 - resource pools, security for, [101](#)
 - security groups, [25](#)
 - staffing profiles, [106](#)
 - users, creating, [17](#)
- creating regions
 - access grant for, [130](#)

creating requests
security for, [52](#)

D

Dashboard
restricting data to participants, [137](#)

deleting
packages, security settings for, [84](#)
staffing profiles, [108](#)

Deployment Management
app codes tab, [33](#)

E

editing
work plan information, [94](#)

entities
ownership of configuration entities, [139](#)

entity-level restrictions, [12](#)

F

field-level restrictions, [13](#)

financial exchange rates
access grant for creating and modifying,
[131](#)
access grant for viewing, [131](#)
security for creating, [131](#)
security for modifying, [131](#)
security for viewing, [131](#)

financial information security, [115](#)

I

importing
users, [24](#)

L

licenses, [46](#)
and user roles, [179](#)
assigning from the User Workbench, [36](#)
assigning in batch, [38](#)

assigning using the open interface, [43](#)
described, [12](#)
managing, [35](#)
removing using the wizard, [42](#)
using the wizard, [38](#)

M

managing
project baselines, [94](#)

modifying regions
access grant for, [130](#)

O

organization model
changing, [104](#)
security for viewing, [103](#)
setting security for, [103](#)

ownership
setting for configuration entities, [139](#)

P

package lines
setting security for approving, [83](#)

package security, [75](#)
overriding, [85](#)

packages
acting on workflow step, [83](#)
participant restriction, [78](#)
security for creating, [79](#)
security for deleting, [84](#)
security for selecting a specific workflow,
[81](#)
security for viewing, [77](#)
security overview, [75](#)
selecting a specific object type, security for,
[82](#)

Plan of Record snapshot of lifecycle entity
security for setting, [129](#)

- portlets
 - controlling access, [133](#)
 - disabling, [134](#)
 - restricting user access, [135](#)
- processing
 - requests, [56](#)
- project security
 - overriding, [96](#)
- projects
 - controlling resources, [92](#)
 - creating, [92](#)
 - managing baselines, [94](#)
 - security for viewing, [88](#)

R

- regions
 - access grant for viewing, [130](#)
 - security for creating, [130](#)
 - security for modifying, [130](#)
 - security for viewing, [130](#)
- request creation security
 - workflow restrictions, [54](#)
- request security, [45](#)
- requests
 - creating, [52](#)
 - field attributes, [67](#)
 - field level security, [65](#), [69](#)
 - overriding security, [73](#)
 - processing, [56](#)
 - processing security, [61](#)
 - security for creating, [52](#)
 - status dependencies, [72](#)
 - viewing, [49](#)
 - viewing and editing fields, [65](#)
- resource information
 - configuring, [24](#)
- resource pools
 - security for creating, [101](#)
 - security for modifying, [102](#)
 - setting security for working with, [99](#)
 - viewing, [100](#)

- resources, [98](#)
 - project security, [92](#)
 - setting security for modifying, [98](#)
 - viewing information about, [98](#)

S

- security
 - creating activities, [130](#)
 - creating financial exchange rates, [131](#)
 - creating regions, [130](#)
 - deleting activities, [130](#)
 - for packages, overview, [75](#)
 - modifying activities, [130](#)
 - modifying approved budgets, [120](#), [121](#)
 - modifying benefits, [127](#), [128](#)
 - modifying cost data, [119](#)
 - modifying cost security, [124](#)
 - modifying costs, [123](#)
 - modifying financial exchange rates, [131](#)
 - modifying regions, [130](#)
 - setting Plan of Record snapshot of lifecycle entity, [129](#)
 - viewing activities, [130](#)
 - viewing approved budgets, [119](#)
 - viewing benefits, [125](#), [126](#)
 - viewing cost data, [116](#)
 - viewing costs, [122](#)
 - viewing financial exchange rates, [131](#)
 - viewing regions, [130](#)
- security groups
 - app codes tab, [33](#)
 - creating, [25](#)
 - linking users to, [21](#)
 - membership controlled by Resource Management, [31](#)
 - specifying list of users, [28](#)
- Setting
 - who can create a request, [52](#)
 - who views a request, [49](#)

skills

- access to, [103](#)
- security for creating, [103](#)
- security for deleting, [103](#)
- security for editing, [103](#)
- security for viewing, [103](#)

staffing profiles, [104](#)

- creating, [106](#)
- deleting, [108](#)
- modifying, [107](#)
- viewing, [105](#)

T

tasks

- security for viewing, [88](#)
- updating, [95](#)

U

user roles, [179](#)

users

- creating, [17](#)
- importing from a database or LDAP, [24](#)
- linking to security groups, [21](#)
- resource information, [24](#)
- restricting, [54](#)

W

work plans

- editing information, [94](#)

workflow step security, [61](#)

workflow steps

- security, [61](#)

workflows

- step security, [61](#)