

HP Server Automation

for the HP-UX, IBM AIX, Red Hat Enterprise Linux, Solaris, SUSE Linux Enterprise Server, VMware, and Windows® operating systems

Software Version: 9.0

Content Utilities Guide

Document Release Date: June 2010
Software Release Date: June 2010



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 2000-2010 Hewlett-Packard Development Company, L.P.

Trademark Notices

Intel® and Itanium® are trademarks of Intel Corporation in the U.S. and other countries.

Java™ is a U.S. trademark of Sun Microsystems, Inc.

Microsoft®, Windows®, Windows® XP are U.S. registered trademarks of Microsoft Corporation.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

UNIX® is a registered trademark of The Open Group.

Adobe® is a trademark of Adobe Systems Incorporated.

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent updates or to verify that you are using the most recent edition of a document, go to:

<http://h20230.www2.hp.com/selfsolve/manuals>

This site requires that you register for an HP Passport and sign in. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

Or click the **New users - please register** link on the HP Passport login page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Document Changes

Chapter	Date	Version	Changes
	June 2010	9.0	Document Created
	June 2010	9.0	OCLI content moved to <i>SA Users Guide: Server Automation</i>

Support

Visit the HP Software Support Online web site at:

www.hp.com/go/hpsoftwaresupport

This web site provides contact information and details about the products, services, and support that HP Software offers.

HP Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract. To register for an HP Passport ID, go to:

<http://h20229.www2.hp.com/passport-registration.html>

To find more information about access levels, go to:

http://h20230.www2.hp.com/new_access_levels.jsp

About This Guide

Welcome to HP Server Automation (SA) — an enterprise-class software solution that enables customers to get all the benefits of data center automation platform and support services. SA provides a core foundation for automating formerly manual tasks associated with the deployment, support, and growth of server and server application infrastructure.

This guide describes how to use the following command-line utilities:

- DCML Exchange Tool (DET) – formerly the `cbt` command
- Intelligent Software Module Development Kit (IDK) – `ismtool` and `ismusertool`

Contents

1	Import/Export SA Content	11
	The DCML Exchange Utility (DET)	11
	DET Relationship to DCML	12
	Custom Fields and Custom Attributes	12
	DET 3.0 Features	12
	Installing and Configuring DET	13
	Creating a Target Mesh Configuration File	14
	Distribution Directory	17
2	DET Usage	21
	DCML Exchange Tool (DET) Usage	21
	Exporting Content	21
	Export Filters	22
	Application Configuration Export Filter	25
	Application Configuration Template Export Filter	26
	Custom Extension Export Filter	27
	Custom Fields Schema Export Filter	27
	Customer Export Filter	28
	Distributed Script Export Filter	28
	Folder Export Filter	29
	OS Export Filter	31
	Package Export Filter	33
	Patch Export Filter	36
	Patch Policy Export Filter	38
	Server Compliance Criteria (Audit Policies) Export Filter	39
	Server (Device) Group Export Filter	40
	Service Level Export Filter	42
	Template Export Filter	43
	User Group Export Filter	44
	customerName Element Examples	45
	Importing Content	47
	Policy on Importing Content Types	48
	Import Delete Conditions	53
	Renamed Objects That Cannot Be Found	54
	Considerations When Importing Customers	56
	Importing Customers Workaround	57
	Synchronizing Multimaster Meshes with Deltas	57
	Delta Exports	57
	Delta Imports	58

Mesh Synchronization Usage Scenario	58
Content Directory	59
3 DET Commands	61
Command Syntax	61
Export Command	61
Import Command	63
Show Export Status Command	66
Configuration File Command	66
Show Version Command	66
Show Help Command	67
DET Permissions Command	67
4 IDK Overview	69
Introducing the IDK and ISMs	69
Benefits of the IDK	69
IDK Tools and Environment	69
Supported Package Types	70
What's New in the IDK	70
What's New in IDK 3.0	70
What's New in IDK 3.2	70
Compatibility With Previous Releases	71
Installing the IDK	71
IDK Quickstart	72
Platform Differences	74
Solaris Differences	74
Windows Differences	75
5 IDK Build Environment	77
ISM File System Structure	77
Build Process	78
When to Invoke the --build Command	79
Multiple Command-Line Options	79
Actions Performed by the --build Command	79
Packages Created by the --build Command	80
Specifying the Application Files of an ISM	80
Placing Archives in the bar Subdirectory	80
Specifying Passthru Packages	81
Compiling Source (Unix Only)	81
ISM Name, Version Number, and Release Number	84
Initial Values for the ISM Name, Version, and Release	84
ISM Version and Release Numbers Compared	84
Upgrading the ISM Version	85
6 IDK Scripts	87
Overview of ISM Scripts	87
Installation Hooks	87
Creating Installation Hooks	88

Check Installation Hook	88
Invocation of Installation Hooks	88
Installation Hooks and ZIP Packages	89
ZIP Packages and Installation Directories	89
Installation Hook Functions.	89
Scripts for Control-Only ISMs	89
Location of Installation Hooks on Managed Servers	90
Default Installation Hooks for Unix	90
Default Installation Hooks for Windows	91
Control Scripts	92
Creating Control Scripts.	92
Control Script Functions	93
Location of Control Scripts on Managed Servers	93
Dynamic Configuration with ISM Parameters.	94
Development Process for ISM Parameters	94
Adding, Viewing, and Removing ISM Parameters	95
Accessing Parameters in Scripts	95
The ISM parameters Utility.	96
Example Scripts	96
Search Order for Custom Attributes	97
Installation Scripts	99
Differences Between Installation Scripts and Hooks	99
Creating Installation Scripts	99
Invocation of Installation Scripts and Hooks	100
7 IDK Commands	101
ISMTool Argument Types	101
ISMTool Informational Commands.	102
--help	102
--env	102
--myversion	102
--info ISMDIR	102
--showParams ISMDIR.	102
--showPkgs ISMNAME.	103
--showOrder ISMNAME.	103
--showPathProps ISMNAME	103
ISMTool Creation Commands	103
--new ISMNAME.	103
--pack ISMDIR	103
--unpack ISMFILE	104
ISMTool Build Commands.	105
--verbose	105
--banner	105
--clean	105
--build	105
--upgrade	105
--name STRING	106

--version STRING	106
--prefix PATH	106
--ctlprefix PATH	108
--user STRING (Unix only).	108
--group STRING (Unix only)	108
--ctluser STRING (Unix only).	108
--ctlgroup STRING (Unix only)	109
--pkgengine STRING (Unix only).	109
--ignoreAbsolutePath BOOL (Unix only).	109
--addCurrentPlatform (Unix only)	109
--removeCurrentPlatform (Unix only).	109
--addPlatform TEXT (Unix only)	109
--removePlatform TEXT (Unix only)	109
--target STRING (Unix only)	110
--skipControlPkg BOOL	110
--skipApplicationPkg BOOL.	110
--chunksize BYTES (Unix only)	110
--solpkgMangle BOOL (SunOS only).	110
--embedPkgScripts BOOL	111
--skipRuntimePkg BOOL	111
ISMTool Interface Commands.	111
--upload	111
--noconfirm	112
--opswpath STRING	112
--commandCenter HOST[:PORT].	113
--dataAccesEngine HOST[:PORT]	113
--commandEngine HOST[:PORT]	113
--softwareRepository HOST[:PORT]	113
--description TEXT	113
--addParam STRING	113
--paramValue TEXT	113
--paramType PARAMTYPE	114
--paramDesc TEXT	114
--removeParam STRING	114
--rebootOnInstall BOOL.	114
--rebootOnUninstall BOOL	114
--registerAppScripts BOOL (Windows only)	114
--endOnPreIScriptFail BOOL (Windows only)	114
--endOnPstIScriptFail BOOL (Windows only)	115
--endOnPreUScriptFail BOOL (Windows only).	115
--endOnPstUScriptFail BOOL (Windows only).	115
--addPassthruPkg {PathToPkg} --pkgType {PkgType} ISMNAME	115
--removePassthruPkg {PassthruPkgFileName} ISMNAME.	116
--attachPkg {PkgName} --attachValue BOOLEAN ISMNAME	116
--orderPkg {PkgName} --orderPos {OrderPos} ISMNAME	117
--addPathProp {PathProp} --propValue {PropValue} ISMNAME	118
--editPkg {PkgName} --addPkgProp {PkgProp} --propValue {PropValue} ISMNAME	118

ISMTool Environment Variables.....	120
CRYPTO_PATH	120
ISMTOOLBINPATH.....	121
ISMTOOLCC.....	121
ISMTOOLCE.....	121
ISMTOOLDA	121
ISMTOOLPASSWORD.....	121
ISMTOOLSITEPATH.....	121
ISMTOOLSRL.....	122
ISMTOOLUSERNAME	122
ISMUserTool.....	123

1 Import/Export SA Content

This guide is intended for system administrators responsible for specifying SA content (such as installable packages). To understand the material in this guide, you should be familiar with script programming, package installation, and SA fundamentals.

The DCML Exchange Utility (DET)

The DCML Exchange Utility (DET) exports and imports SA content. DET enables you to inject a newly-installed SA Multimaster Mesh with content from an existing mesh. This tool can also be used to export partial content from one mesh and import it into other mesh instances.

In the context of DET, *content* means user-created SA server management information. This includes the following content types:

- Applications, Application Configurations
- Application Configuration Templates
- Custom Extensions
- Custom Fields Schema, Customers
- Distributed Scripts
- Folders
- SOs
- Packages
- Patches
- Patch Policies
- Server Compliance Criteria
- Device Groups
- User Groups.

Associated content information includes

- MRLs
- Install Hooks
- Configuration Tracking Policies
- Custom Attributes
- Custom Field Schemas
- Custom Fields.

Content does not include managed environment type information. For example, facility information and server properties are not included. Also, CD&R is not included in this release of DET.

DET is a command-line utility that you can run on any Unix host with network connectivity to a target SA mesh. DET is written in Java and uses OWL and RDF for its schema definition and persistent store. DET imports and exports SA content by using SA component APIs to extract both configuration and large binary content, such as packages and scripts.

DET Relationship to DCML

The content exported by the DET is in compliance with DCML Framework Specification v0.11, the first publicly-available specification of DCML. The DCML Exchange Tool uses a proprietary extension schema to describe contents exported from HP Server Automation. The exported data.rdf is a valid DCML instance document that is parsable by a compliant DCML processor.

Custom Fields and Custom Attributes

Each custom field exists in a namespace. The DET only has access to (and thus will only export) these objects in the default, user-visible namespace. Objects in other namespaces (OPSWARE, etc.) will not be exported. If objects in other namespaces need to be exported (for example, OS sequences), they will be exported via application-specific APIs (for example, OS sequence APIs).

All custom attributes are exported, including those that are hidden from end-users (those keys starting with __OPSW).

For custom fields and attributes, imported values (including nulls) overlay existing values.

DET 3.0 Features

DET has been modified to support folders and application policies, which are new in SA 6.0. In this release, DET has the following new features.

- Support for exporting and importing folders, folder contents, and sub-folders. A new Folder filter supports exports.
- Support for exporting and importing relocatable ZIP files. A new package type for relocatable ZIP files has been added to the Package filter.
- A new import command-line option (`--folderacls`) associates imported folders with existing user groups.

Installing and Configuring DET

The following instructions detail how to install and configure the DCML Exchange Tool (DET).



The DCML Exchange Tool (DET) can be run on any UNIX computer, though not necessarily a managed server. (Although DET is not supported on the Windows platform, it does support import and export of Windows content.)

- 1 Log on as root to a server managed by HP Server Automation.
- 2 Obtain the HP Server Automation installation media.
- 3 Mount the HP Server Automation product DVD.
- 4 On the DVD, locate the `cbt-<version>.zip` file, which resides in the `packages` subdirectory.
- 5 Copy the zip file to the directory where you want to install DET.
- 6 Unzip the zip file.
- 7 If you do not already have them, download JRE 1.4.x or JDK 1.6.x from `www.sun.com`, and install it on the server where you have logged in.
- 8 Set your `JAVA_HOME` environment variable to point to a Java 1.4.x installation. For example, in `csh` you would issue the following command:
`% setenv JAVA_HOME <j2re 1.4.x installation>`
- 9 Optionally, you can set the `PATH` environment variable to include the DET install directory: `<cbt-install_dir>/bin`.
- 10 To verify that you have performed the previous steps correctly, enter the following commands:

```
% cd <cbt-install_dir>/bin
% ./cbt -v
```

The `cbt` executable script launches the DET utility. The `-v` option should display the command's version string.

On some servers, the `cbt` command displays the following error:

```
Error occurred during initialization of VM
Could not reserve enough space for object heap
```

If this error occurs, then edit the `cbt` script, changing the value of the `-Xmx` option in `jargs` to a lower value, for example: `-Xmx512m`.

- 11 Perform the following steps for each mesh that DET will be importing into or exporting from.
 - a Obtain a copy of the `opsware-ca.crt` trust certificate from `/var/opt/opsware/crypto/twist/opsware-ca.crt` and save it in a location DET can access. This step is optional if you are running DET from the server where the Command Center core component is installed.
 - b Obtain a copy of the `spog.pkcs8` client certificate from `/var/opt/opsware/crypto/twist/spog.pkcs8` and save it in a location DET can access. This step is optional if you are running DET from the server where the Command Center core component is installed.

- c Obtain the twist username and password - this is set during the twist install and the SA administrator should have this information.
- d Create a target mesh configuration file that contains the location and identity information required to access the SA mesh components. For details on this task, see the following section.

Creating a Target Mesh Configuration File

Create a target mesh configuration file to simplify the use of DET. A sample default configuration file is installed with DET at the following location:

```
cbt/cfg/default.properties
```

The mesh configuration file is a key=value pair text file that contains SA component access information that would otherwise need to be given on the DET command-line. To define the parameters of the DET mesh configuration file, make a copy of this file and save it to a known location.



Because the configuration file contains user names and passwords, make sure it is secure.

Table 1 contains all possible DET configuration-related properties. These properties can be either given on the DET command-line or specified in a configuration file.

The default configuration property values listed in **Table 1** assume that you are running DET on an SA mesh running the Command Center core component. (It is for this reason that the `.host` properties shows a `localhost` value.) Also, `twist.certpaths`, `ssl.trustcerts`, and `ssl.keypairs` assume paths on an Command Center server.



If a configuration-related property is not specifically mentioned in the mesh Configuration file, the default value shown in the Configuration Properties table below will be used.

Table 1 Configuration Properties

Property Name	Default Value	Description
<code>cbt.numthreads</code>	1	Number of concurrent threads used for export. For exporting content, you can specify as many threads as you wish. However, for importing content, DET supports only one thread.
<code>spike.enabled</code>	true	Use Spike for authentication and authorization on all XML-RPC-based servers.
<code>spike.host</code>	way	Spike's host name or IP.
<code>spike.path</code>	<code>wayrpc.py</code>	Spike's base URL path.

Table 1 Configuration Properties (cont'd)

Property Name	Default Value	Description
<code>spike.password</code>	<no default>	User password for Spike authentication. This is an OCC user's password and is set during the installation of the mesh. Contact your SA Administrator (or the person who installed the mesh) for this information.
<code>spike.port</code>	1018	Spike's listener port.
<code>spike.protocol</code>	https	Spike's listener protocol. This is typically HTTPS.
<code>spike.username</code>	admin	User name for Spike authentication. This is the user who was granted permissions by the <code>cbt-perm</code> tool. This username needs to be needs to be an admin account that has permissions to create or modify objects; however, it cannot be the <code>detuser</code> account. The <code>det</code> default configuration sets <code>spike.username</code> to <code>account: admin</code>
<code>spin.host</code>	spin	Data Access Engine's host name or IP.
<code>spin.path</code>	<code>spinrpc.py</code>	Data Access Engine's base URL path.
<code>spin.port</code>	1004	Data Access Engine's listener port.
<code>spin.protocol</code>	http	Data Access Engine's listener protocol. HTTP if the DET is on the same server as the SA Command Center and is running a <code>cleartext spin</code> in a multi-server mesh or HTTPS for any other configuration.
<code>ssl.keyPairs</code>	<code>/var/opt/opsware/crypto/twist/spog.pkcs8</code>	Comma-separated list of client certificates used to communicate with XML-RPC-based servers.
<code>ssl.trustCerts</code>	<code>/var/opt/opsware/crypto/twist/opsware-ca.crt</code>	Comma-separated list of trust certificate files used to communicate with XML-RPC-based servers.
<code>ssl.useHttpClient</code>	true	Use the <code>HttpClient</code> library instead of JDK's built-in HTTP client.

Table 1 Configuration Properties (cont'd)

Property Name	Default Value	Description
<code>twist.certPaths</code>	<code>/var/opt/opsware/ crypto/twist/ opsware-ca.crt</code>	Comma-separated list of trust certificates used to communicate with the Web Services Data Access Engine.
<code>twist.host</code>	<code>localhost</code>	Web Services Data Access Engine's host name or IP.
<code>twist.password</code>	<no default>	Web Services Data Access Engine's password. This password is set during the installation of the mesh. Contact your SA Administrator (or the person who installed the mesh) for this information.
<code>twist.port</code>	<code>1032</code>	Web Services Data Access Engine's listening port.
<code>twist.protocol</code>	<code>t3s</code>	Web Services Data Access Engine's protocol. This should be t3 or t3s.
<code>twist.username</code>	<code>detuser</code>	Web Services Data Access Engine's username. This needs to be "detuser". This account is a system account, and the password is set during install of the mesh.
<code>way.host</code>	<code>way</code>	Command Engine's host name or IP.
<code>way.path</code>	<code>wayrpc.py</code>	Command Engine's base URL path.
<code>way.port</code>	<code>1018</code>	Command Engine's listener port.
<code>way.protocol</code>	<code>https</code>	Command Engine's listener protocol. This is typically HTTPS.
<code>word.host</code>	<code>word</code>	Software Repository's host name or IP. As of SA 7.80, the Software Repository is part of the Slice Component bundle.
<code>word.path</code>	<code>wordbot-new.py</code>	Software Repository's base URL path.
<code>word.port</code>	<code>1003</code>	Software Repository's listener port.
<code>word.protocol</code>	<code>https</code>	Software Repository's listener protocol. This is HTTPS.
<code>mail.transport.protocol</code>	<code>smtp</code>	Mail transport protocol used for your mail server.

Table 1 Configuration Properties (cont'd)

Property Name	Default Value	Description
mail.smtp.host	smtp	Mail server hostname.
mail.smtp.port	25	Port number used by your mail server.
mail.from	<currentuser>@<currenthost>	Email address to use for the From field in the notification email.

The following is an example of a target mesh configuration file that contains only essential mesh configuration information.

```
twist.host=twist.c07.dev.opsware.com
twist.port=1032
twist.protocol=t3s
twist.username=<detuser>
twist.password=<twist_password>
twist.certPaths=<absolute path to opsware-ca.crt>

spike.username=<OCC_user>
spike.password=<OCC_user_password>
spike.host=way.c07.dev.opsware.com
way.host=way.c07.dev.opsware.com
spin.host=spin.c07.dev.opsware.com
word.host=theword.c07.dev.opsware.com

ssl.keyPairs=<absolute path to spog.pkcs8>
ssl.trustCerts=<absolute path to opsware-ca.crt>

mail.transport.protocol=smtp
mail.smtp.host=mail
mail.smtp.port=44
mail.from=joe_user@yourcompany.com
```

Distribution Directory

The following list shows what an expanded cbt-<version>.zip file contains.

```
% ls -R cbt

cbt:
  bin/
  cfg/
  filters/
  lib/
cbt/bin:
  cbt*
  cbtperm*
  rdql*
cbt/cfg:
```

```
core.owl
default.properties
filter.owl
java.policy
license.bea
logging.bootstrap
logging.template
mail.properties
opsware.owl
version.txt
cbt/filters:
  all.rdf
  appconfigfile.rdf
  appconfig.rdf
  app.rdf
  compliancecriteria.rdf
  custext.rdf
  customer.rdf
  customfield.rdf
  distscript.rdf
  os.rdf
  package.rdf
  patchpolicy.rdf
  patch.rdf
  servergroup.rdf
  servicelevel.rdf
  template.rdf
  usergroup.rdf
cbt/lib:
activation.jar
antlr.jar
bea-license.jar
cbt.jar
certicom-jdk<version>-patch.jar
common-1.2.0.jar
commons-lang-2.0.jar
commons-logging.jar
concurrent.jar
copyright.txt
CR186100_700sp5.jar
ejb-2.0.jar
HTTPClient-hacked.jar
icu4j.jar
jakarta-oro-2.0.5.jar
jena_0604.jar
junit.jar
LICENSE-jaf.txt
LICENSE-javamail.txt
mail.jar
NOTES-javamail.txt
opsware_common-1.0.5.jar
rdf-api-2001-01-19.jar
spinclient-14b.0.0.108.jar
twistclient-latest.jar
```

weblogic.jar
xercesImpl.jar
xml-apis.jar

2 DET Usage

DCML Exchange Tool (DET) Usage

Exporting Content

DET exports the content you specify from a target SA mesh to an RDF/XML file that can be imported by DET into another SA mesh.

The DET executable is found in the directory:

```
/opt/opsware/cbt/
```

The export command is:

```
cbt -e <content_dir> -f <filter_file> -cf <target_core_config>
```

The command and its arguments indicate:

- `content_dir` - the path to a directory where the exported content will be stored. This directory will be created by the export function if it does not already exist.
- `filter_file` - a set of rules that tells DET what content it should export from the target SA mesh. See the [Export Filters](#) on page 22 for information on creating this file.
- `target_core_config` - a configuration file that tells DET where the various SA components are located, and what identity it should use to access them. Instructions for creating this file are found at [Creating a Target Mesh Configuration File](#) on page 80.

The export command can be run multiple times using the same arguments, with the following caveats:

- If a filter has been specified, DET will ignore any previous exports in the content directory and will restart the export process.
- If the export command specifies a content directory that contains a valid export (one which previously succeeded), DET will prompt the user if it is OK to overwrite. If the user says it is not OK to overwrite, then DET will exit.



Before beginning an export or import process in a standalone mesh, shut down the Command Center core component to prevent users from changing any SA content until the process has completed.

In a multimaster mesh, first use the multimaster tools to ensure that the mesh is caught up and there are no conflicts, then shut down all Command Centers in the mesh to prevent users from changing any SA content until the process has completed.

See the *SA Administration Guide* for information about stopping and restarting the Command Center core component.

Export Filters

An export filter is a user-specified rule that tells DET what content to export — content that will subsequently be imported. Export filters are used with the following content types:

- [Application Export Filter*](#)
- [Application Configuration Export Filter](#)
- [Application Configuration Template Export Filter](#)
- [Custom Extension Export Filter](#)
- [Custom Fields Schema Export Filter](#)
- [Customer Export Filter](#)
- [Distributed Script Export Filter](#)
- [Folder Export Filter](#)
- [OS Export Filter](#)
- [Package Export Filter](#)
- [Patch Export Filter](#)
- [Patch Policy Export Filter](#)
- [Server Compliance Criteria \(Audit Policies\) Export Filter](#)
- [Server \(Device\) Group Export Filter](#)
- [Service Level Export Filter*](#)
- [Template Export Filter*](#)
- [User Group Export Filter](#)

* Starting with version 6.0 of HP Server Automation, the object of this filter is not supported for new installations.



To export folder content such as software policies and OS sequences, you export the parent folder using the Folder Export Filter.

Example Export Filter File

DET reads export filters in a specified filter file. The filter file is encoded in RDF/XML. The following is an example of a simple filter file that contains a single export filter rule.

```
1. <?xml version="1.0" encoding="UTF-8"?>
2. <!DOCTYPE rdf:RDF [
3. <!ENTITY filter "http://www.opsware.com/ns/cbt/0.1/filter#">
4. ]>
5. <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
6.         xmlns="http://www.opsware.com/ns/cbt/0.1/filter#">
7. <ApplicationFilter rdf:ID="exportAppServers">
8.   <path>/Application Servers/Package Test</path>
9.   <directive rdf:resource="&filter;Descendants" />
10. </ApplicationFilter>
11. </rdf:RDF>
```

This example shows the standard filter headers in lines 1 through 6. These lines are the same in every filter, as is Line 11, which is the standard filter footer.

Lines 7 through 10 are the lines that are unique in each filter and indicate the specific function of the filter.

In the example above, there is just one export filter rule. However, filters can contain any number of unique filters between the standard header and footer lines. For example, this filter contains three export filter rules:

```
1.  <?xml version="1.0" encoding="UTF-8"?>
2.  <!DOCTYPE rdf:RDF [
3.  <!ENTITY filter "http://www.opsware.com/ns/cbt/0.1/filter#">
4.  ]>
5.  <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
6.  xmlns="http://www.opsware.com/ns/cbt/0.1/filter#">
7.  <ApplicationFilter rdf:ID="exportAppServers">
8.    <path>/Application Servers/Package Test</path>
9.    <directive rdf:resource="&filter;Descendants" />
10. </ApplicationFilter>
11. <ApplicationFilter rdf:ID="exportAppServfoo">
12.   <path>/Application Servers/Foo</path>
13.   <directive rdf:resource="&filter;Node" />
14. </ApplicationFilter>
15. <CustomExtensionFilter rdf:ID="exportCustExtBulkPasswd">
16.   <scriptName>Bulk_Password_Changes</scriptName>
17. </CustomExtensionFilter>
18. </rdf:RDF>
```

Example filters can be found in the DET install directory under:

```
<install_dir>/filters
```

This directory includes examples for each filter type and also an `all.rdf` filter, that exports all known SA data types from an SA mesh.

The following sections describe each filter type and their allowed parameters. In general, filter types map to an object type that can be manipulated by a user of the SAS Web Client. The Patch Filter, for example, maps to the SAS Web Client Patch object. Naming of the filters and their attributes also maps to the naming structure of the SAS Web Client so filter authors can quickly acquaint themselves with filters and their relevance to SA content.

Application Export Filter

An application export filter tells DET what application nodes and associated content to export. The following application nodes are shown in the SAS Web Client by clicking the Software link in the navigation panel followed by the Application link on the Software menu.

- Application Servers
- Database Servers
- OS Extras
- Other Applications
- System Utilities
- Web Servers

The following tables describe the syntax of the Application Filter element:

Table 2 Application Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name".

Table 3 Application Export Filter Nested Elements

Element	Description
path (required)	An absolute path from the top level of the software tree to the node to be exported. The path separator is "/".
directive (required)	<p>An empty content element with a single rdf:resource parameter. The parameter refers to one of three constants:</p> <ul style="list-style-type: none"> • Descendants — export all descendants of the given path including the leaf of the path. • Node — only export the given node. • Path - export all nodes along the path and no other nodes. <p>For example, given the following path: /Custom Applications/A/B/C/D and your path is /Custom Applications/A/B</p> <p>If the rdf:resource parameter is Node, node B is exported. If the rdf:resource parameter is Path, nodes A and B are exported. If the rdf:resource parameter is Descendants, nodes B, C, and D are exported.</p>
customerName (optional)	<p>This optional element restricts the export to nodes owned by this customer at or below the specified path. If the node specified by the path is not owned by the specified customer, nothing is exported and a warning is logged.</p> <p>For examples of how this element works in a filter file, see customerName Element Examples on page 45.</p>

Application Export Filter Examples

Export the /Application Servers/Foo node only.

```
<ApplicationFilter rdf:ID="exportAppServfoo">
  <path>/Application Servers/Foo</path>
  <directive rdf:resource="&filter;Node"/>
</ApplicationFilter>
```

Export Bar and Baz nodes along the given path. (Note that the stack root is not exported.)

```
<ApplicationFilter rdf:ID="exportDBServBarBaz">
```



```

    <path>/DBServer/Bar/Baz</path>
    <directive rdf:resource="&filter;Path"/>
</ApplicationFilter>

```

Export the patchtool node and all its descendants, including the leaf node.

```

<ApplicationFilter rdf:ID="exportSUpatchtool">
  <path>/System Utilities/patchtool</path>
  <directive rdf:resource="&filter;Descendants"/>
</ApplicationFilter>

```

Export all Apache web servers that belong to the Acme customer:

```

<ApplicationFilter rdf:ID="exportAcmeAppServApache">
  <path>/Application Servers/Web Servers/Apache Web</path>
  <directive rdf:resource="&filter;Descendants"/>
  <customerName>Acme</customerName>
</ApplicationFilter>

```

Application Configuration Export Filter

The Application Configuration export filter tells DET what Application Configurations you want to export. An Application Configuration is a container for one or more Application Configuration Template files. Thus, if you export an Application Configuration, you will also be exporting all template files inside it.

Table 4 Application Configuration Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format <code>rdf:ID="unique name"</code>

Table 5 Application Configuration Export Filter Nested Elements

Element	Description
configurationName (optional)	An optional element that specifies the name of the Application Configuration. Use this if you want to export specific Application Configurations by name.
customerName (optional)	An optional element that specifies to export all Application Configurations that have been associated with the specified customer.
osPlatform rdf:resource (optional)	An optional element that specifies to export all Application Configurations that have been associated with the specified OS.

Application Configuration Export Filter Example

Export all Application Configurations.

```

<ApplicationConfigurationFilter rdf:ID="getAllAppConfigs"/>

```

Export only the Application Configuration named "iPlanet" that is customer independent and that has been associated with the SunOS 5.8 operating system.

```

<ApplicationConfigurationFilter rdf:ID="getSpecificAppConfigs">

  <configurationName>iPlanet</configurationName>

  <customerName>Customer Independent</customerName>

  <osPlatform rdf:resource="&filter;SunOS_5.8" />

</ApplicationConfigurationFilter>

```

Application Configuration Template Export Filter

The Application Configuration Template export filter tells DET what Application Configuration Template files you want to export.

Table 6 Application Configuration Template Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format <code>rdf:ID="unique name"</code>

Table 7 Application Configuration Template Export Filter Nested Elements

Element	Description
configurationFileName (optional)	An optional element that specifies the name of the Application Configuration Template. Use this if you want to export specific Application Configuration Templates by name.
osPlatform rdf:resource (optional)	An optional element that specifies to export all Application Configurations that have been associated with the specified OS.
customerName (optional)	An optional element that specifies to export all Application Configuration Templates that have been associated with the specified customer.

Application Configuration Template Export Filter Examples

Export all Application Configuration Templates.

```
<ApplicationConfigurationFileFilter rdf:ID="getAllAppConfigTemps" />
```

Export the specific Application Configuration Template named "iplanet6.1_mimetypes.tpl" that is customer independent and is associated with the Red Hat Enterprise Linux AS 3 X86_64 operating system.

```
<ApplicationConfigurationFileFilter rdf:ID="getSpecificAppConfigTemp">
```

```
  <configurationFileName>iplanet6.1_mimetypes.tpl</configurationFileName>
```

```
  <customerName>Customer Independent</customerName>
```

```
<osPlatform rdf:resource="&filter;Red_Hat_Enterprise_Linux_AS_3_X86_64"/>

</ApplicationConfigurationFileFilter>
```

Custom Extension Export Filter

The custom extension export filter tells DET to either export a specific custom extension or all custom extensions. If you want to export more than one custom extension, but not all, create a filter for each custom extension you want to export.

Table 8 Custom Extension Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name".

Table 9 Custom Extension Export Filter Nested Elements

Element	Description
scriptName (optional)	An optional element that specifies a script to export. The script name does not include the account prefix. If this element is omitted, all custom extension scripts are exported.

Custom Extension Export Filter Examples

Export the Bulk_Password_Changes custom extension script only.

```
<CustomExtensionFilter rdf:ID="exportCustExtBulkPasswd">
  <scriptName>Bulk_Password_Changes</scriptName>
</CustomExtensionFilter>
```

Export all custom extension scripts.

```
<CustomExtensionFilter rdf:ID="exportAllCustExtScripts"/>
```

Custom Fields Schema Export Filter

The custom fields schema export filter tells DET to export all custom fields definitions from a mesh.

Table 10 Custom Fields Schema Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name".

Custom Field Schema Export Filter Example

Export all custom field definitions from a mesh:

```
<CustomFieldSchemaFilter rdf:ID="getCustomFieldsSchema"/>
```

Customer Export Filter

The customer export filter tells DET to export all or specific customers from a mesh.

Table 11 Customer Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name".

Table 12 Customer Export Filter Nested Elements

Element	Description
customerName (optional)	An optional element that specifies a unique customer to export.

Customer Export Filter Example

Export the all customers from a mesh:

```
<CustomerFilter rdf:ID="exportAllCustomers"/>
```

Export Customer named "Acme Computers" from a mesh:

```
<CustomerFilter rdf:ID="exportAcmeCustomer">  
  <customerName>Acme Computers</customerName>  
</CustomerFilter>
```

Distributed Script Export Filter

The distributed export script filter tells DET to either export a specific distributed script or all distributed scripts. Only shared distributed scripts are exported and imported.

Table 13 Distributed Script Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name"

Table 14 Distributed Script Export Filter Nested Elements

Element	Description
scriptName (optional)	An optional element that specifies a script to export. The script name does not include the __global__ prefix. If this element is omitted, all shared distributed scripts are exported.

Distributed Script Export Filter Examples

Export all shared distributed scripts.

```
<DistributedScriptFilter rdf:ID="exportAllSharedScripts"/>
```

Export the shared ls distributed script only.

```
<DistributedScriptFilter rdf:ID="exportScriptLS">
  <scriptName>ls</scriptName>
</DistributedScriptFilter>
```

Folder Export Filter

The folder filter tells DET to either export a specific Folder, including the following items that are associated with or contained in the Folder:

- Attributes and custom attributes
- Associated customers
- Contained packages
- Contained software policies
- Contained OS sequences
- Subfolders (optional)
- Placeholders for all folders along the path to the specified Folder
- FolderACLs referencing user groups by name (user groups not exported).

Table 15 Folder Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name"

Table 16 Folder Export Filter Nested Elements

Element	Description
path (required)	A required element that specifies the folder path.
customerName (optional)	An optional element that restricts the export to folders owned by this customer at or below the specified path. Folder ownership above the specified path is not considered.
recursive (optional)	An optional element that specifies the export of sub-folders.

Folder Export Filter Examples

If the folder specified by the path is not owned by the specified customer, nothing is exported and a warning is logged. If an invalid customer name is given, an error is logged and the export will exit.

For example, suppose that HP Server Automation has the following folder hierarchy. The customer of each folder is listed in parentheses.

```

/           (Customer Independent)
/A          (Customer Independent)
/A/B       (Customer Independent)
/A/B/C     (Nike & Adidas)
/A/B/C/D   (Nike)

```

The following examples list which folders are exported given the preceding folder hierarchy and customers.

Export folder C:

```

<FolderFilter rdf:ID="f1">
  <path>/A/C</path>
</FolderFilter>

```

Export folder C:

```

<FolderFilter rdf:ID="f1">
  <path>/A/C</path>
  <recursive rdf:resource="&filter;No"/>
</FolderFilter>

```

Export folders C and D:

```

<FolderFilter rdf:ID="f1">
  <path>/A/C</path>
  <recursive rdf:resource="&filter;Yes"/>
</FolderFilter>

```

Export folders A and B:

```

<FolderFilter rdf:ID="f1">
  <path>/A</path>
  <recursive rdf:resource="&filter;Yes"/>
  <customerName>Customer Independent</customerName>
</FolderFilter>

```

Export folders C and D:

```

<FolderFilter rdf:ID="f1">
  <path>/A/C</path>

```

```

    <recursive rdf:resource="&filter;Yes"/>
    <customerName>Nike</customerName>
  </FolderFilter>

```

Export folder C:

```

<FolderFilter rdf:ID="f1">
  <path>/A/C</path>
  <recursive rdf:resource="&filter;Yes"/>
  <customerName>Adidas</customerName>
</FolderFilter>

```

Export nothing:

```

<FolderFilter rdf:ID="f1">
  <path>/A</path>
  <recursive rdf:resource="&filter;Yes"/>
  <customerName>Nike</customerName>
</FolderFilter>

```

OS Export Filter

The Operating System export filter tells DET what Operating System node or Operating System type to export.

Table 17 OS Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name".

Table 18 OS Export Filter Nested Elements

Element	Description
osName (optional)	The name of the OS assigned by the user in the SAS Web Client.
osPlatform (required)	<p>A required nested element. This empty element has an <code>rdf:resource</code> parameter. This parameter may refer to one of the following operating systems:</p> <ul style="list-style-type: none"> • AIX_4.3 • AIX_5.1 • AIX_5.2 • AIX_5.3 • HP-UX_10.20 • HP-UX_11.00 • HP-UX_11.11 • HP-UX_11.23 • Red_Hat_Enterprise_Linux_AS_2.1 • Red_Hat_Enterprise_Linux_AS_3 • Red_Hat_Enterprise_Linux_AS_3_X86_64 • Red_Hat_Enterprise_Linux_AS_4 • Red_Hat_Enterprise_Linux_AS_4_X86_64 • Red_Hat_Enterprise_Linux_ES_2.1 • Red_Hat_Enterprise_Linux_ES_3 • Red_Hat_Enterprise_Linux_ES_3_X86_64 • Red_Hat_Enterprise_Linux_ES_4 • Red_Hat_Enterprise_Linux_ES_4_X86_64 • Red_Hat_Enterprise_Linux_WS_2.1 • Red_Hat_Enterprise_Linux_WS_3 • Red_Hat_Enterprise_Linux_WS_3_X86_64 • Red_Hat_Enterprise_Linux_WS_4 • Red_Hat_Enterprise_Linux_WS_4_X86_64 • SuSE_Linux_8 • SuSE_Linux_Enterprise_Server_8 • SuSE_Linux_Enterprise_Server_9 • SuSE_Linux_Enterprise_Server_9_X86_64 • SunOS_5.6 • SunOS_5.7 • SunOS_5.8 • SunOS_5.9 • SunOS_5.10 • SunOS_5.10_X86 • UNKNOWN • Windows_2000 • Windows_2003 • Windows_NT_4.0

OS Export Filter Examples

Export the “7.1 for mwp” Red Hat Linux 7.1 OS.

```
<OSfilter rdf:ID="exportOSRHLinux71">
  <osPlatform rdf:resource="&filter;Red_Hat_Linux_7.1"/>
```



```
<osName>7.1 for mwp</osName>
</OSFilter>
```

Export all Solaris 5.6 operating systems.

```
<OSFilter rdf:ID="exportOSSun56">
  <osPlatform rdf:resource="&filter;SunOS_5.6"/>
</OSFilter>
```

Package Export Filter

The package export filter tells DET to export all or specified packages from a mesh. A placeholder for the containing folder is exported. Placeholders for all folders on the path to the containing folder are also exported.



For Microsoft Hotfixes and service packs, it is possible that the Microsoft package you want to export has not yet had its binary file uploaded, even though the package shows as existing in the mesh. For example, a user may have uploaded the Microsoft Patch Database to the mesh, but not yet uploaded the actual binary file of the package. In this case, a unit record for the package will have been created in the SA model, but there is no content to export. In this case, if you try to export the package content using the Package Export Filter, the content of the Microsoft package will not be exported.

Table 19 Package Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name".

Table 20 Package Export Filter Nested Elements

Element	Description
packageType (required)	<p>A required element that specifies the package type you want to export. This parameter may refer to one of the following package types:</p> <ul style="list-style-type: none">• AIX_Base_Fileset• AIX_LPP• AIX_Update_Fileset• APAR• Build_Customization_Script• HPUX_Depot• HPUX_Fileset• HPUX_Patch_Fileset• HPUX_Patch_Product• HPUX_Product• Relocatable_ZIP• RPM• Solaris_Package• Solaris_Package_Instance• Solaris_Patch• Solaris_Patch_Cluster• Unknown• Windows_Hotfix• Windows_MSI• Windows_OS_Service_Pack• Windows_ZIP (deprecated)• ZIP

Table 20 Package Export Filter Nested Elements (cont'd)

Element	Description
packageName (optional)	An optional element that allows you to specify a named package. The name of the package is the Name field as it appears in the Package Properties page in the SAS Web Client, not the filename of the package.
osPlatform (optional)	<p>An optional element that allows you to specify the operating system of a named package.</p> <ul style="list-style-type: none"> • AIX_4.3 • AIX_5.1 • AIX_5.2 • AIX_5.3 • HP-UX_10.20 • HP-UX_11.00 • HP-UX_11.11 • Red_Hat_Enterprise_Linux_AS_2.1 • Red_Hat_Enterprise_Linux_AS_3 • Red_Hat_Enterprise_Linux_AS_3_X86_64 • Red_Hat_Enterprise_Linux_AS_4 • Red_Hat_Enterprise_Linux_AS_4_X86_64 • Red_Hat_Enterprise_Linux_ES_2.1 • Red_Hat_Enterprise_Linux_ES_3 • Red_Hat_Enterprise_Linux_ES_3_X86_64 • Red_Hat_Enterprise_Linux_ES_4_X86_64 • Red_Hat_Enterprise_Linux_WS_2.1 • Red_Hat_Enterprise_Linux_WS_3 • Red_Hat_Enterprise_Linux_WS_3_X86_64 • Red_Hat_Enterprise_Linux_WS_4_X86_64 • SuSE_Linux_8 • SuSE_Linux_Enterprise_Server_8 • SuSE_Linux_Enterprise_Server_9 • SunOS_5.6 • SunOS_5.7 • SunOS_5.8 • SunOS_5.9 • SunOS_5.10 • Windows_2000 • Windows_2003 • Windows_NT_4.0
customerName (optional)	An optional element that allows you to specify the customer of a named package.

Package Export Filter Example

Export all RPM packages for all servers that are customer independent and that run on the SunOS_5.8 operating system:

```
<PackageFilter rdf:ID="exportCIPackages">
  <packageType rdf:resource="&filter;RPM"/>
  <customerName>Customer Independent</customerName>
  <osPlatform rdf:resource="&filter;SunOS_5.8"/>
</PackageFilter>
```

Export the RPM package named "software1.0.0-1.rpm" for all servers that belong to the Acme Computers customer:

```
<PackageFilter rdf:ID="exportAcmePackages">
  <packageType rdf:resource="&filter;RPM"/>
  <packageName>software1.0.0-1.rpm</packageName>
  <customerName>Acme Computers</customerName>
</PackageFilter>
```

A relocatable ZIP file can be installed into different locations on a single server. Because the name of a relocatable ZIP file is the same as that of its parent ZIP file, specifying one will export all relocatable versions of that ZIP file. For example, suppose the ZIP file hierarchy is as follows:

- ZIP hmp.zip (SunOS 5.8)
 - Relocatable ZIP hmp.zip installed in /foo.
 - Relocatable ZIP hmp.zip installed in /bar.

For the preceding ZIP file hierarchy, with the following filter, both relocatable ZIP files will be exported (/foo and /bar).

```
<PackageFilter rdf:ID="p1">
  <packageType rdf:resource="&filter;Relocatable_ZIP"/>
  <packageName>hmp.zip</packageName>
  <osPlatform rdf:resource="&filter;SunOS_5.8"/>
</PackageFilter>
```

Patch Export Filter

The patch export filter tells DET what patch or patch type to export.



For Windows patch content that was defined previous to DET 2.5, make sure that the Windows MBSA patch definitions are the same for both the source mesh and the destination mesh, or undefined Windows patches will not get imported.

Table 21 Patch Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format <code>rdf:ID="unique name"</code> .

Table 22 Patch Filter Nested Elements

Element	Description
patchType (required)	<p>A required nested element. This empty element has an <code>rdf:resource</code> parameter. This parameter may refer to one of the following patch types:</p> <ul style="list-style-type: none"> • APAR • APAR_FILESET • UPDATE_FILESET • AIX_Update_Fileset • HPUX_PATCH_PRODUCT • HPUX_Patch_Product • HPUX_PATCH_FILESET • HPUX_Patch_Fileset • SOL_PATCH • Solaris_Patch • SOL_PATCH_CLUSTER • Solaris_Patch_Cluster • HOTFIX • Windows_Hotfix • SERVICE_PACK • Windows_OS_Service_Pack • PATCH_META_DATA • Microsoft_Patch_Database
patchName (optional)	<p>An optional element that specifies the name of a specific patch. The name must be the patch unit_name, which is the name shown in the SAS Web Client.</p>
patchLocale (optional)	<p>The locale, which identifies the language of the Windows patch. This element is ignored for non-Windows patches.</p> <p>Examples of values for this element are <code>en</code>, <code>ja</code>, and <code>ko</code>. These values represent English, Japanese, and Korean. English is the default. For the list of locales currently supported by the Windows patching feature of HP Server Automation, see the <i>HP SA User's Guide: Application Automation</i>.</p>

Patch Filter Examples

Export the IY13260 APAR.

```
<PatchFilter rdf:ID="exportAPARIY13260">
  <patchName>IY13260</patchName>
  <patchType rdf:resource="&filter;APAR"/>
</PatchFilter>
```

Export all Solaris patches.

```
<PatchFilter rdf:ID="exportSolPatches">
  <patchType rdf:resource="&filter;SOL_PATCH"/>
</PatchFilter>
```

Export the patch named Q123456 for the Japanese locale.

```
<PatchFilter rdf:ID="pf1">
```

```

    <patchName>Q123456</patchName>
    <patchLocale>ja</patchLocale>
  </PatchFilter>

```

Patch Policy Export Filter

The patch policy export filter tells DET what user-defined patch policy to export. (Vendor recommended policies will not be exported.)

The optional nested elements `<patchPolicyName>` and `<osPlatform>` can be specified to filter for a specific patch policy. If no optional nested elements are specified, all patch policies in the target mesh are exported.

Table 23 Patch Policy Export Filter Parameters

Parameter	Description
<code>rdf:ID</code>	Each filter has a unique name that is specified in the filter file using the format <code>rdf:ID="unique name"</code> .

Table 24 Patch Policy Export Filter Nested Elements

Element	Description
<code>patchPolicyName</code>	An optional element that specifies the unique name of the patch policy.
<code>osPlatform</code>	An optional element that specifies a specific operating system of the patch policy using an <code>rdf:resource</code> parameter. This parameter can refer to one of the following operating systems: <ul style="list-style-type: none"> Windows_2000 Windows_2003 Windows_NT_4.0

Patch Policy Export Filter Examples

Export all patch policies from the target mesh:

```
<PatchPolicyFilter rdf:ID="PatchPolicies"/>
```

Export only the patch policies named "BestWindowsPoliciesNT" on the Windows NT operating system, and "BestWindowsPolicies2003" on the Windows 2003 operating system:

```

<PatchPolicyFilter rdf:ID="PatchPolicies"/>
  <patchPolicyName>BestWindowsPoliciesNT</patchPolicyName>
  <osPlatform rdf:resource="&filter;Windows_NT"/>
</PatchPolicyFilter>

<PatchPolicyFilter rdf:ID="PatchPolicies2"/>
  <patchPolicyName>BestWindowsPolicies2003</patchPolicyName>
  <osPlatform rdf:resource="&filter;Windows_2003"/>
</PatchPolicyFilter>

```

Export all Patch Policies for the Windows 2003 operating system:

```

<PatchPolicyFilter rdf:ID="PatchPolicies"/>
  <osPlatform rdf:resource="&filter;Windows_2003"/>
</PatchPolicyFilter>

```

Server Compliance Criteria (Audit Policies) Export Filter

The Server Compliance Criteria export filter instructs DET what Audit Policies you want to export.

Table 25 Server Compliance Criteria Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format <code>rdf:ID="unique name"</code>

Table 26 Server Compliance Criteria Filter Nested Elements

Element	Description
selectionCriteriaName (optional)	An optional element that specifies the name of the Audit Policy. Use this if you want to export specific Audit Policy by name.
osType rdf:resource (optional)	An optional element that specifies to export all Audit Policy that have been associated with the specified OS. The two possible values for this element are either Windows or Unix. For example, <pre> <osType rdf:resource="&filter;Windows"/> </pre> or <pre> <osType rdf:resource="&filter;Unix"/> </pre>

Server Compliance Criteria Export Filter Examples

Export all Audit Policies.

```

<ComplianceSelectionCriteriaFilter rdf:ID="getAllSelectionCriteria"/>

```

Export the specific Audit Policy named "My Audit Policy" that has been associated with the Windows operating system.

```

<ComplianceSelectionCriteriaFilter rdf:ID="getSpecificSelectionCriteria">
  <selectionCriteriaName>My Audit Policy</selectionCriteriaName>
  <osType rdf:resource="&filter;Windows"/>
</ComplianceSelectionCriteriaFilter>

```

Server (Device) Group Export Filter

The server groups export filter tells DET to export specified server groups from a mesh.

Table 27 Server Group Export Filter Parameters

Parameter	Description
<code>rdf:ID</code>	Each filter has a unique name that is specified in the filter file using the format <code>rdf:ID="unique name"</code> .

Table 28 Server Group Filter Nested Elements

Element	Description
<code>path</code> (required)	A required element that specifies the name of the server group to export.
<code>directive</code> (required)	<p>A required empty content element with a single <code>rdf:resource</code> parameter. Allows you to specify the contents of the groups to export. The parameter refers to one of three constants:</p> <ul style="list-style-type: none">• Node: Exports only the leaf node of the path, but create empty placeholders (name and description, no rules) down the path if the path doesn't already exist.• Path: Exports all groups along the path (name, description, and rules) but not the descendants.• Descendants: Exports all descendants of the given path, including the leaf node of the path. <p>For example, given the following path:</p> <pre>/Group/A/B/C/D</pre> <p>and your path is</p> <pre>/Group/A/B</pre> <p>If the <code>rdf:resource</code> parameter is <code>Node</code>, server group node B is exported.</p> <p>If the <code>rdf:resource</code> parameter is <code>Path</code>, server group nodes A and B are exported.</p> <p>If the <code>rdf:resource</code> parameter is <code>Descendants</code>, server group nodes B, C and D are exported.</p>
<code>customerName</code> (optional)	<p>This optional element restricts the export of attached server group nodes so that only those attached nodes owned by this customer get exported.</p> <p>The <code>customerName</code> element does not affect the export of nodes referenced by dynamic server group rules.</p>

Notes

- Core specific information such as group membership and “Date last used”, or History properties, are not exported.
- Static groups can also be exported; however, only the name and description of the group are exported.
- If a dynamic group rule references a custom field, the custom field schema will only export the individual custom field, not the whole schema.
- The path defines whether a group is public or private. So all public groups can be exported by specifying a path of /Group/Public (and Descendants directive).
- Private groups cannot be exported, so a path of /Group/Private will result in an error during export.
- It is possible for an imported dynamic server group to not have any rules. This can happen if the source group only had rules like “Facility is C07” or “Realm is Sat02”. Since Facility and Realm are core specific, these rules are not exported.
- Also, any rules that reference Server IDs will not be exported. For example rules like “Server ID equals 55500001” will not be exported.
- All attached software policies are exported.

Server Group Export Filter Example

Export all public server groups from a mesh:

```
<ServerGroupFilter rdf:ID="exportPubServGroups">
  <path>/Group/Public/</path>
  <directive rdf:resource="&filter;Descendants"/>
</ServerGroupFilter>
```

Export the public server group named “NT Servers” including all sub groups that belong to it:

```
<ServerGroupFilter rdf:ID="exportNTServGroups">
  <path>/Group/Public/NT Servers</path>
  <directive rdf:resource="&filter;Descendants"/>
</ServerGroupFilter>
```

Export only the public server group named “Production Web Servers” (but none of its subgroups):

```
<ServerGroupFilter rdf:ID="exportProdWebServGroups">
  <path>/Group/Public/Production Web Servers</path>
  <directive rdf:resource="&filter;Node"/>
</ServerGroupFilter>
```

Export the public group named “Production Web Servers” and its subgroup named “iPlanet”, but no other subgroups.

```
<ServerGroupFilter rdf:ID="exportProdWebServGroupsIP">
  <path>/Group/Public/Production Web Servers/iPlanet</path>
  <directive rdf:resource="&filter;Path"/>
</ServerGroupFilter>
```

Service Level Export Filter

The service level export filter tells DET what service level nodes to export.

Table 29 Service Level Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format <code>rdf:ID="unique name"</code> .

Table 30 Service Level Export Filter Nested Elements

Element	Description
path (required)	An absolute path from the top level node to the node to be exported. The path separator is "/".
directive (required)	<p>An empty content element with a single <code>rdf:resource</code> parameter. The parameter refers to one of three constants:</p> <ul style="list-style-type: none">• Descendants: Export all descendants of the given path including the leaf of the path.• Node: Only export the given node.• Path: Export all nodes along the path and no other nodes. <p>For example, given the following path:</p> <pre>/Service Level/A/B/C/D</pre> <p>and your path is</p> <pre>/Service Level/A/B</pre> <p>If the <code>rdf:resource</code> parameter is Node, node B is exported.</p> <p>If the <code>rdf:resource</code> parameter is Path, nodes A and B are exported.</p> <p>If the <code>rdf:resource</code> parameter is Descendants, nodes B, C and D are exported.</p>
customerName (optional)	<p>This optional element restricts the export to nodes owned by this customer at or below the specified path. If the node specified by the path is not owned by the specified customer, nothing is exported and a warning is logged.</p> <p>For examples of how this element works in a filter file, see customerName Element Examples on page 45.</p>

Service Level Export Examples

Export the `/Service Level/Foo` node only.

```
<ServiceLevelFilter rdf:ID="exportServLevfoo">
  <path>/Service Level/Foo</path>
  <directive rdf:resource="&filter;Node"/>
</ServiceLevelFilter>
```

Export Bar and Baz nodes along the given path. Note that the stack root is not exported.

```
<ServiceLevelFilter rdf:ID="exportServLevBarBaz">
  <path>/ServiceLevel/Bar/Baz</path>
  <directive rdf:resource="&filter;Path"/>
</ServiceLevelFilter>
```

Export the Gold Service Level node and all of its descendants, including the leaf node.

```
<ServiceLevelFilter rdf:ID="exportServLevGold">
  <path>/ServiceLevel/Gold</path>
  <directive rdf:resource="&filter;Descendants"/>
</ServiceLevelFilter>
```

Template Export Filter

The template export filter tells DET what template nodes to export.

Table 31 Template Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format <code>rdf:ID="unique name"</code> .

Table 32 Template Export Filter Nested Elements

Element	Description
path (required)	An absolute path from the top level node to the node to be exported. The path separator is "/".
directive (required)	<p>An empty content element with a single <code>rdf:resource</code> parameter. The parameter refers to one of three constants:</p> <ul style="list-style-type: none"> • Descendants - export all descendants of the given path including the leaf of the path. • Node - only export the given node. • Path - export all node along the path and no other nodes. <p>For example, given the following path:</p> <pre>/Templates/A/B/C/D</pre> <p>and your path is</p> <pre>/Templates/A/B</pre> <p>If the <code>rdf:resource</code> parameter is Node, node B is exported.</p> <p>If the <code>rdf:resource</code> parameter is Path, nodes A and B are exported.</p> <p>If the <code>rdf:resource</code> parameter is Descendants, nodes B, C, and D are exported.</p>

Table 32 Template Export Filter Nested Elements (cont'd)

Element	Description
customerName (optional)	<p>This optional element restricts the export to nodes owned by this customer at or below the specified path. If the node specified by the path is not owned by the specified customer, nothing is exported and a warning is logged.</p> <p>For examples of how this element works in a filter file, see customerName Element Examples on page 45.</p>

Template Export Filter Examples

Export the /Templates/Foo node only.

```
<TemplateFilter rdf:ID="exportTemplatesfoo">
  <path>/Templates/Foo</path>
  <directive rdf:resource="&filter;Node"/>
</TemplateFilter>
```

Export Bar and Baz nodes along the given path. Note that the stack root is not exported.

```
<TemplateFilter rdf:ID="exportTemplatesBarBaz">
  <path>/Templates/Bar/Baz</path>
  <directive rdf:resource="&filter;Path"/>
</TemplateFilter>
```

Export the Alpha Template node and all of its descendants, including the leaf node.

```
<TemplateFilter rdf:ID="exportTemplatesAlpha">
  <path>/Templates/Alpha</path>
  <directive rdf:resource="&filter;Descendants"/>
</TemplateFilter>
```

User Group Export Filter

The User Group export filter tells DET what user groups to export. A user group export includes the following information for each user group:

- Name
- Description
- The checked state of each feature in the Features tab (of the SAS Web Client user group administration page)
- The checked state of each permission in the Other tab.
- The read, read & write, none state of each role class stack in the Node Stacks tab
- The read, read & write, none state of each customer in the Customers tab
- The read, read & write state of each server group in the Device Groups tab

- The read, read & write, none or yes, no state of each feature in the Client Features tab.

Table 33 User Groups Export Filter Parameters

Parameter	Description
rdf:ID	Each filter has a unique name that is specified in the filter file using the format rdf:ID="unique name"

Table 34 User Groups Export Filter Nested Elements

Element	Description
groupName (optional)	An optional element that allows you to export specific user groups by name. If groupName is not specified, then all user groups will be exported.

Notes

- The membership of users and facility permissions (as seen in the Users and Facilities tabs) are not exported.
- The Customers and Device Groups tabs currently list all customers and server groups respectively to allow the read, read & write, none state to be set. Only customers and device groups that are configured with read or read & write will be exported.

User Group Export Filter Examples

Export all user groups from a mesh.

```
<UserGroupFilter rdf:ID="exportAllUserGroups" />
```

Export the group named "SuperUsers":

```
<UserGroupFilter rdf:ID="exportUserGroups">
  <groupName>SuperUsers</groupName>
</UserGroupFilter>
```

Export three user groups with the names "AdvancedUsers," "OpswareAdministrators," and "BasicUsers":

```
<UserGroupFilter rdf:ID="exportAdvUsersGroup">
  <groupName>AdvancedUsers</groupName>
</UserGroupFilter>
<UserGroupFilter rdf:ID="exportOpsUsersGroup">
  <groupName>OpswareAdministrators</groupName>
</UserGroupFilter>
<UserGroupFilter rdf:ID="exportBasicUsersGroup">
  <groupName>BasicUsers</groupName>
</UserGroupFilter>
```

customerName Element Examples

These examples illustrate how the customerName element works for the Application, Service Level, Template, and Server Group export filters.

This section contains two topics:

- [customerName Examples for Applications, Service Levels, Templates](#)
- [customerName Examples for Server Groups](#)

customerName Examples for Applications, Service Levels, Templates

Given this node hierarchy:

```
Service Levels (owned by Customer Independent)
  A (Customer Independent)
    B (Customer Independent)
    C (Nike & Adidas)
      D (Nike)
```

- If your file specifies the following filter definition, then A, B, C, and D will be exported. In other words, the service levels of all customers.

```
<ServiceLevelFilter rdf:ID="a1">
  <path>/Service Level/A</path>
  <directive rdf:resource="&filter;Descendants"/>
</ServiceLevelFilter>
```

- If your file specifies the following filter definition, then A and B will be exported. C and D will be skipped

```
ServiceLevelFilter rdf:ID="a1">
  <path>/Service Level/A</path>
  <directive rdf:resource="&filter;Descendants"/>
  <customerName>Customer Independent</customerName>
</ServiceLevelFilter>
```

- If your file specifies the following filter definition, then C and D will be exported.

```
<ServiceLevelFilter rdf:ID="a1">
  <path>/Service Level/A/C</path>
  <directive rdf:resource="&filter;Descendants"/>
  <customerName>Nike</customerName>
</ServiceLevelFilter>
```

- If your file specifies the following filter definition, then only C will be exported. D will be skipped because it is not owned by Adidas.

```
<ServiceLevelFilter rdf:ID="a1">
  <path>/Service Level/A/C</path>
  <directive rdf:resource="&filter;Descendants"/>
  <customerName>Adidas</customerName>
</ServiceLevelFilter>
```

- If your file specifies the following filter definition, then nothing will be exported:

```
<ServiceLevelFilter rdf:ID="a1">
<path>/Service Level/A</path>
<directive rdf:resource="&filter;Descendants"/>
<customerName>Nike</customerName>
</ServiceLevelFilter>
```

customerName Examples for Server Groups

The examples illustrate how the customerName Element works for the Server Group filter. For example, if your core had this server group hierarchy:

```
Server Groups
  Public
    SG1
      + /Application Servers/A (owned by Customer
Independent)
      + /System Utilities/B (Nike)
      + /Web Servers/C (Adidas)
```

- If your file specifies the following filter definition, then SG1, A, B, and C will be exported.

```
<ServerGroupFilter rdf:ID="a1">
  <path>/Group/Public/SG1</path>
  <directive rdf:resource="&filter;Node"/>
</ServerGroupFilter>
```

- If your file specifies the following filter definition, then SG1 and A will be exported.

```
<ServerGroupFilter rdf:ID="a1">
  <path>/Group/Public/SG1</path>
  <directive rdf:resource="&filter;Node"/>
  <customerName>Customer Independent</customerName>
</ServerGroupFilter>
```

- If your file specifies the following filter definition, then SG1 and B will be exported.

```
<ServerGroupFilter rdf:ID="a1">
  <path>/Group/Public/SG1</path>
  <directive rdf:resource="&filter;Node"/>
  <customerName>Nike</customerName>
</ServerGroupFilter>
```

- If your file specifies the following filter definition, then server group SG1 will be exported.

```
<ServerGroupFilter rdf:ID="a1">
  <path>/Group/Public/SG1</path>
  <directive rdf:resource="&filter;Node"/>
  <customerName>Acme</customerName>
</ServerGroupFilter>
```

Importing Content

The Import process imports content to a target SA mesh.



Content import using the DET into an SA mesh is supported on a forward compatible basis. For example, you can import content from an HP Server Automation 4.7 mesh into an HP Server Automation 5.5 mesh. (But you cannot do this in reverse.)

The DET executable is found in the directory:

```
/opt/opsware/cbt/
```

The import command is:

```
cbt -i <content_dir> -p <policy> -cf <target_core_config> --noop
```

The command and its arguments indicate:

- `content_dir` — the directory containing the previously-exported content
- `policy` — the import policy that DET should use when it detects duplicates in the target SA mesh. See the [Policy on Importing Content Types](#) on page 48.
- `target_core_config` - a configuration file that tells DET where the various SA components are located, and what identity it should use to access them. Instructions for creating this file are located at [Installing and Configuring DET](#) on page 78.
- `--noop` — Run the import in a “dry run” mode. In other words, don't modify any data. Instead, output a summary of what changes would be made if run normally.

See [Command Syntax](#) on page 125 for a complete list all the available arguments and their meanings.

When Applications are imported using DET, the associated package name in the SA mesh receives a “cbt” suffix. For example:

```
openssh-3.8p1-sol8-sparc-local_cbt796213986
```

Policy on Importing Content Types

The following table shows the affect of the policy you specify on the command-line for each content type when duplicates are found.

The choices are:

- `overwrite` - the default if no policy is specified. The effect of this option is different for each content type as described in the table.
- `duplicate` - the effect of this option is different for each content type as described in the following table.
- `skip` - for all content types, specifying “skip” means that if a duplicate is found, a message is entered in the session log and the import continues.

See [Command Syntax](#) on page 125 for a complete list of all the available arguments and their meanings.

Table 35 Policies Used By DET When Importing Each Content Type

Content Type	Associated Content Types	Import Policy (Overwrite)	Import Policy (Duplicate)
Application	<ul style="list-style-type: none">• Custom attributes• Config tracking policy• Install order• Software list• Customer	Content information overrides existing node in target SA mesh without changing its node ID. Content information is overlaid on the existing node.	Content information is renamed by applying a “cbt-<random>” suffix to the application name.

Table 35 Policies Used By DET When Importing Each Content Type (cont'd)

Content Type	Associated Content Types	Import Policy (Overwrite)	Import Policy (Duplicate)
Application Configuration	Account Application Configuration File	All attributes are updated in overwrite mode.	New Application Configuration is created and named "Oldname-cbt-<random >"
Application Configuration Template	Account	All attributes are updated in overwrite mode.	New Application Configuration template is created and named "Oldname-cbt-<random >"
Config Tracking Policy	NA	Creates and overrides existing policy.	Same as Install Order Relationship.
Custom Attributes	NA	Creates and overrides existing keys. The result is the union of the imported key and existing keys.	Same as Install Order Relationship.
Custom Extension	NA	A new version of the script is created.	Same as overwrite policy.
Custom Field Schema	NA	Display name is the only field that is updated.	Do nothing on duplication.
Customer	NA	Do nothing on duplication.	Do nothing on duplication. Please see Synchronizing Multimaster Meshes with Deltas on page 57 for important information about importing customers.
Distributed Script	NA	A new version of the script is created.	Same as overwrite policy.
Folder	<ul style="list-style-type: none"> • Package • Software Policy • OS Sequence • Customer 	Placeholders for all Folders along the path to this folder are created. All attributes of this folder are updated. Folder contents and associated customers are overlaid on existing data. If --folderacls is specified, folderACLs to any pre-existing user groups are created.	Skip: folders are not duplicated.

Table 35 Policies Used By DET When Importing Each Content Type (cont'd)

Content Type	Associated Content Types	Import Policy (Overwrite)	Import Policy (Duplicate)
Install Hooks	NA	See Unit.	See Unit.
Install Order Relationship	NA	Creates the relationship regardless and override the existing relationship.	Since this is done in the context of the parent node, a new relationship is always created because a parent node is always created - albeit with a different name.
MRL	NA	Always create an MRL in the target mesh using the identical name as in the source mesh.	Same as overwrite.
OS	<ul style="list-style-type: none"> • Custom attributes • Config tracking policy • Customer • Software list • InstallHooks • MRL 	Content information overrides existing node in target SA mesh without changing its node ID. Content information is overlaid on the existing node.	Content information is renamed by applying a "cbt-<random>" suffix to the application name.
Package	NA	<p>Package is uploaded over the existing package and will overwrite the "container" package types: LPP, HPUX Depot, and Solaris Package. These package types will be overwritten with the new data if their new contents (contained packages) are a superset of the old contents. If not, DET will revert to the existing "rename" mode.</p> <p>If the package already exists in a different folder, it is imported as a new package in the new folder -- the existing package is not moved to the new folder.</p>	Same as overwrite.

Table 35 Policies Used By DET When Importing Each Content Type (cont'd)

Content Type	Associated Content Types	Import Policy (Overwrite)	Import Policy (Duplicate)
Patch	NA	Physical patch package is uploaded and contained units are created in the Software Repository. AIX LPPs and HPUX Depots, package types will be overwritten with the new data if their new contents (contained packages) are a superset of the old contents. If not, DET will revert to the existing "rename" mode.	Same as overwrite. This is because HP Server Automation cannot reliably and efficiently determine whether a package in the Software Repository is equivalent to the package being uploaded.
Patch Knowledge (PATCH_META_DATA)	NA	The patch database is imported into HP Server Automation, overwriting the existing database, if there is one. The knowledge created by the import will depend on the patch preference settings in the target SA mesh.	Same as overwrite.
Patch Policy	Patch	Description and list of patches are updated.	New patch policy is created and named "Oldname-cbt<random>"
Server Compliance Criteria	NA	All attributes are updated in overwrite mode.	New Server Compliance Criteria is created and named "Oldname-cbt-<random >"
Server (Device) Group	<ul style="list-style-type: none"> • Application • Software Policy • Custom Attribute • Custom Field Schema • Patch • Server Group • Service Level 	Group description and type are updated. Dynamic group rules are overwritten. The match "if any rules are met" and "if all rules are met" setting will be updated to reflect what is defined in the export. Custom attributes are overlaid. Attachments to patches, applications and service levels are overwritten.	New server group is created and named "Oldname-cbt<random>".

Table 35 Policies Used By DET When Importing Each Content Type (cont'd)

Content Type	Associated Content Types	Import Policy (Overwrite)	Import Policy (Duplicate)
Service Level	<ul style="list-style-type: none"> • Custom attributes • Config tracking policy • Customer 	Content information overrides existing node in target SA mesh without changing its node ID. Content information is overlaid on the existing node.	Content information is renamed by applying a "cvt-<random>" suffix to the template name.
Software List	<ul style="list-style-type: none"> • Unit 	Creates and overrides existing list.	Same as Install Order Relationship.
Template	<ul style="list-style-type: none"> • Custom attributes • Customer • Application • Patch • OS • Service Level 	Content information overrides existing node in target SA mesh without changing its node ID. Content information is overlaid on the existing node.	Content information is renamed by applying a "cvt-<random>" suffix to the template name.
Unit	Unit script	Units are associated with a physical package, see Package content type above. Virtual units are always associated with existing units in the target SA mesh - this is presumably created as a side effect of uploading the physical package that is also part of the same import session.	Same as overwrite.
Unit Script	NA	Created and overrides existing unit scripts.	Same as overwrite.

Table 35 Policies Used By DET When Importing Each Content Type (cont'd)

Content Type	Associated Content Types	Import Policy (Overwrite)	Import Policy (Duplicate)
User Group	Customer, Server (Device) Group	User group description is updated. In addition, the checked state of features (as seen in the Features and Other tabs) will be updated to reflect what is in the export. The Read, Read & Write, and None settings of customers, node stacks, and client features will be updated to reflect what is in the export. The Read and Read & Write settings of server groups are updated as well.	New user group is created and named "Oldname-cbt<random>".

Import Delete Conditions

If you have specified that content be marked as deleted during an export, running the `--delete` option on import will delete those marked items from the destination mesh.

In some cases, however, if the content marked for deletion in the destination mesh is being used by parts of the SA model, DET will take a ‘no harm’ approach by renaming the content item instead of deleting it. Or, if you used the `-del` option during export but did not use the `-del` option during import, then any content items marked for deletion in the export will not be deleted in the destination mesh — they will instead be renamed.

When a content item is renamed in the destination mesh, the following naming convention is used for the renamed item:

```
<item_name>-cbtDeleted<12345>
```

For example, if Application Configuration “foo” is renamed during one DET run, it would be renamed to “foo-cbtDeleted134234”.

Table 36 describes all conditions that must be met for a content item to be deleted on an import, and those cases in which the content item will be renamed. If the conditions for allowing delete are not met, then the item will be renamed according to the renaming convention.

For some content items, there are no restrictions and they will always be marked as deleted when the delete option is used for both import and export. For other content items, deletion will never be allowed.

Renamed Objects That Cannot Be Found

When a content item is renamed for any reason (no `-del` or “do no harm”), it may become un-findable by DET on subsequent imports. This reason for this is that the name by which the item is located in the destination mesh has been changed due to the rename.

For example, if Application Configuration “foo” is renamed during one DET run to “foo-cbtDeleted134234”, on subsequent runs the DET will attempt and fail to find an Application Configuration named “foo”. This will prevent the DET from re-renaming or deleting the Application Configuration.

Types of objects with dependencies that can become unfindable after they get renamed include Application, Application Configuration, Application Configuration file, Compliance Selection Criteria, Custom Extension, Distributed Script, OS, Patch Policy, Server (Device) Group, Service Level, Template.

Table 36 Condition for Content Items to Be Deleted Upon Import with the `-del` Option

object type	Conditions allowing delete
Application	Zero attached devices. Zero child nodes. Zero templates or device groups include this node.
Application Configuration	In use by zero servers or device Groups. In use by zero software policies.
Application Configuration File	In use by zero application configurations.
Compliance Selection Criteria	Always allow delete.
Custom Extension	Never allow delete; always rename.
Custom Field Schema	Always allow delete.
Customer	Zero application, service level, and template nodes. Zero non-deactivated devices. Zero packages (including those with status DELETED). Zero IP range groups. Zero folders. Note: A Customer cannot be deleted if it has any packages still in SA, including those with the status DELETED. When an object has a DELETED status, it means that either a) the package is still needed for remediation operations on at least one server, or b) the Satellite Software Repository Cache has not yet flushed the package. If this is the case, then the Customer marked for deletion will not be deleted, but renamed.
Deployment Stage Value	Zero devices using this value.

Table 36 Condition for Content Items to Be Deleted Upon Import with the -del Option (cont'd)

object type	Conditions allowing delete
Disturbed Script	Always allow delete.
Folder	Zero contained packages, software policies, and sub-folders.
OS	Zero attached devices. Zero child nodes. Zero templates or device Groups include this node.
Package	Is a deletable unit type (see below) Zero Solaris patch clusters or MRLs use this package. Zero software policies use this package. If a ZIP package, it has zero child relocatable ZIPs. Zero OS definitions or application nodes use this package. Zero software policies use this package. If a patch: <ul style="list-style-type: none"> — Zero devices attached to the patch node. — Zero templates or device Groups include the patch node. — Zero patch policies or patch exceptions include the patch node. If an LPP, HPUNIX depot, or Solaris package: <ul style="list-style-type: none"> — Zero sub-packages in use by software policies. — Zero OS definitions or application nodes use any sub-package. — For any sub-package that is a patch: <ul style="list-style-type: none"> – Zero devices attached to the patch node. – Zero templates or device Groups include the patch node. – Zero patch policies or patch exceptions include the patch node. Deletable package unit types* (see list following this table)
Patch Policy	Zero attached devices. Zero attached device groups.
Server (Device) Group	Zero attached devices. Zero child nodes. Not used by access control. Zero dynamically bound jobs.
Server Use Value	Zero devices using this value.

Table 36 Condition for Content Items to Be Deleted Upon Import with the -del Option (cont'd)

object type	Conditions allowing delete
Service Level	Zero attached devices. Zero child nodes. Zero templates or device Groups include this node.
Template	Zero child nodes.
User Group	Always allow delete.

* Detectable package unit types:

- HOTFIX
- HPUX_DEPOT
- LPP
- MRL
- MSI
- PROV_INSTALL_HOOKS
- RPM
- SERVICE_PACK
- SOL_PATCH
- SOL_PATCH_CLUSTER
- SOL_PKG
- SP_RESPONSE_FILE
- UNKNOWN
- UPDATE_ROLLUP
- WINDOWS_UTILITY
- ZIP

Considerations When Importing Customers

Currently, DET does not support the export of user group permissions that are associated with customers, except in cases when the customer name being exported has the same name as a customer in the target mesh (the mesh you are importing the customer into).

For example, let's say that in your source mesh, you had a software application node named iPlanet, and that software application node iPlanet was accessible for reading and writing to all groups associated with a customer named Computing Machines. One of these groups associated with the customer Computing Machines was named groupA.

Next, you export a software application node iPlanet from the source mesh, and then import that node into a new mesh — and this mesh does not have a customer named Computing Machines. The result would be that any users in groupA would not be able to see software application node iPlanet in the target mesh.

However, if the mesh you imported the customer Computing Machines into already has a customer with exactly the same name, then all permissions are untouched in the new mesh and all users groupA would be able to access the software application node named iPlanet — in other words, all permissions associated with the Computing Machines customer (the ability to read and write the software node iPlanet) will remain in tact.

Importing Customers Workaround

If a user group loses permissions to access objects (such as servers associated with a customer), then use the SAS Web Client to re-assign the permissions. Until doing so, only users who are administrators will see these customers and their associated objects.

Synchronizing Multimaster Meshes with Deltas

This release of DET provides the means of performing "incremental" exports and imports, which helps you keep the content in your multimaster mesh synchronized and up to date.

For example, you can run regular exports from your "source" mesh that represents all the content you want other meshes to contain. Using the new options allows you to export only content that has been modified or deleted so that your target mesh are consistent with the source mesh.

Delta Exports

These command-line options allow you to perform an delta export:

- `--baseline` (short form: `-b`)
Specifies a baseline export against which to compare the current export. This requires that either `--incremental` or `--delete` be specified during export.
- `--incremental` (short form: `-incr`)
Of the content specified by the filter file, export only that which has been added or modified since the baseline. If this option is not given, all content specified by the filter file is exported. Must be used with `--baseline`.
- `--delete` (short form: `-del`)
Include in the export any content in the baseline that is not specified by the filter file, marked "as deleted". If this option is not given, nothing is exported "as deleted". Must be used with `--baseline`.

Here is what happens when you use `--delete` and `--incremental` in combination with `--baseline` during an export:

- No incremental export options.
All content specified by filter file is exported.
- `-incr`
All content specified by filter file that is new or changed since the baseline is exported.
- `-del`

All content specified by filter file is exported (since `-incr` is not given), plus all content in the baseline that is not specified by the filter file (“as deleted”).

- `-incr -del`

All content specified by filter file that is new or changed since the baseline is exported, plus all content in the baseline that's not specified by the filter file (“as deleted”).

Delta Imports

This command-line options allows you to perform a delta import (if certain options were given during export):

- `--delete` (short form: `-del`)

If the `--baseline` option was given with `--delete` during export, then using the `--delete` option during import will delete objects that have been marked for deletion from the export.

If the `--baseline` option was given with `--delete` during export, but you do not use `--delete` during import, the items marked for deletion will not be deleted but rather renamed. For more information on cases in which some content may never get deleted and always renamed (for example, if the object has a dependency elsewhere in the mesh) then see [Import Delete Conditions](#) on page 53.

Mesh Synchronization Usage Scenario

Here is what a typical incremental export and import cycle might look like when content in the source mesh has been both deleted and modified:

- Initial, full export of a filter that exports Application Configuration content:

```
cbt -e content/appConfig.0 -f ac_Filter.rdf -cf meshA_Config
```

- Import exported content into another mesh:

```
cbt -i content/appConfig.0 -p overwrite -cf meshB_Config
```

Content is changed and deleted in source mesh.

- Export the modified and deleted content from the source mesh using `-b` and `-incr` and `-del`:

```
cbt -e content/appConfig.1 -f ac_Filter.rdf -b content/appConfig.0 -incr -del -cf meshA_Config
```

- Import the delta into the destination mesh, updating the modified content and deleting the deleted content:

```
cbt -i content/appConfig.1 -p overwrite -cf meshB_Config -del
```

- Repeat steps four and five every time you want to update content, using the most recent export as your baseline. For example, on the next round you would use:

— Export `content/appConfig.2` with `-b content/appConfig.1`.

— Import `content/appConfig.2`.

Content Directory

The content directory is the persistent store of exported SA content. The content directory contains:

- `data.rdf` - a database of exported SA configuration content.
- `filter.rdf` - a database of filters provided by the user and generated by DET.
- `blob/` - a directory containing exported software packages and scripts.
- `var/` - a directory containing logs for each of the last ten import and export sessions. Logs are named `cbtexport {0-9}.log` and `cbtimport {0-9}.log`. The 0 log is always the most recent and the 9 log file is always the oldest of the ten session logs.

The following is an example content directory.

```
% ls -R
.:
blob
data.rdf
filter.rdf
var

./blob:
unitid_140270007.pkg
unitid_166510007.pkg
unitid_166540007.pkg
unitid_2090007.pkg

./var:
cbtexport0.log
cbtexport0.log.lck
cbtimport0.log
```


3 DET Commands

The DET command line is pre-configured to be executed as the user root on a managed server. If used in this configuration, you will only have to provide your SA user name and password to perform an export or an import. The following is an example session: (The example below assumes the user has been granted import and export permission. For more information, see [Installing and Configuring DET](#) on page 78.)

The following is an example csh session on the Command Center server.

```
% setenv JAVA_HOME <j2re 1.4.x installation>
% <cbt install dir>/bin/cbt -e /tmp/foo -f \
<cbt install dir>/filters/app.rdf \
--spike.username hermaime
Enter password for hermaime: *****
...
```

Command Syntax

The following sections describe the syntax of the DET command line interface.

Export Command

The export command uses the following syntax:

```
cbt -e <content_dir> [<options>]
```

Table 37 Export Command Options

Short Option	long option	description
-e <content_dir>	--export <content_dir>	Export SA data from an SA core and store the data in the given content directory.
-f <filter_file>	--filter <filter_file>	The first time you export, you must specify a filter file describing what data to export. After that, if no filter is specified, then any previously-used filter in the content directory is used. For more information on the DET filter file, see Example Export Filter File on page 86.

Table 37 Export Command Options (cont'd)

Short Option	long option	description
-b <content_dir>	--baseline <content_dir>	Specifies a baseline export against which to compare the current export. This requires that either --incremental or --delete be specified during export.
-incr	--incremental	Performs an incremental export. Of the content specified by the filter file, export only that which has been added or modified since the baseline. If this option is not given, all content specified by the filter file is exported.
-cf <file>	--config <file>	Specifies the DET configuration file. For more information, see Creating a Target Mesh Configuration File on page 80.
-c	--clean	Remove previously exported data from the content directory given by -e.
-d	--debug	Show more detailed debug information.
-del	--delete	Include in the export any content in the baseline that's not specified by the filter file, marked "as deleted". If this option is not given, nothing is exported "as deleted". If used, --baseline must also be used to specify the baseline export.
-np	--noprogess	Don't show the progress on the console.
-nd	--nodownload	Don't download the units from Software Repository (the word). IMPORTANT: Exports using this option cannot be imported.
-lx	--logxml	Create log file in XML format.

Table 37 Export Command Options (cont'd)

Short Option	long option	description
-em	--email	Email a summary of the export to this comma-separated list of addresses. In order for this option to work, you must have added the email notification parameters to the DET configuration file.
(none)	--emaillog	Include the entire log file in the email.

Change for -c Option

The -c option can no longer be used on its own and must instead be used with the export command.

For example, previously, you would have cleaned out the content directory using the following command:

```
$ cbt -c <content-dir>
```

Now, the -c (or --clean) flag can only be used with the export command. For example:

```
$ cbt -e <content-dir> -c (or --clean)
```

Import Command

The import command uses the following syntax:

```
cbt -i <content_dir> [<options>]
```

Table 38 Import Command Options

Short Option	long option	description
-i <content_dir>	--import <content_dir>	Import SA data from the given content directory.

Table 38 Import Command Options (cont'd)

Short Option	long option	description
-p overwrite duplicate skip	--policy overwrite duplicate skip	<p>Import policy. Default is “overwrite.”</p> <p>“overwrite” means to override objects in the same name space on the target HP Server Automation without affecting its object IDs.</p> <p>“duplicate” means to create a duplicate copy of an object with a synthetic name when a duplicate is detected on the target HP Server Automation.</p> <p>“skip” is the most conservative policy. It aborts the import of an object if the same object is detected in the target HP Server Automation.</p> <p>For more information on import policies for the specific content types, see Policy on Importing Content Types on page 111.</p>
-del	--delete	<p>Delete objects marked deleted by the export. (In other words, this option will only work if the -del option was given during export. If this option is not given, the objects will be renamed.</p>

Table 38 Import Command Options (cont'd)

Short Option	long option	description
-fa	--folderacls	<p>Associate imported folders with existing user groups.</p> <p>If this option is not specified, import the folders with the ACLs inherited from the parent folder in the destination mesh.</p> <p>If this option is specified, the DET will attempt to import the ACLs when importing the folder. An ACL will import only if a user group with the same name as in the source mesh already exists or has been imported as part of the current DET run. The ACLs will become associated with the existing user group of the same name. When inserting a folder, the imported ACLs will replace any inherited from a parent folder in the destination mesh. When updating a folder, the ACLs will overlay existing ACLs.</p>
-n	--noop	<p>Run the import in a “dry run” mode. In other words, don't modify any data. Instead, output a summary of what changes would be made if run normally.</p>
-cf <file>	--config <file>	<p>Read configuration from the given file.</p>
-d	--debug	<p>Show more detailed debug information.</p>
-np	--noprogress	<p>Don't show the progress on the console.</p>
-nu	--noupload	<p>Don't upload unchanged packages to the Software Repository (the word).</p> <p>The utility reports that the package is overwritten, but the package is untouched. Only its unit record is updated.</p>

Table 38 Import Command Options (cont'd)

Short Option	long option	description
-lx	--logxml	Create log file in XML format.
-em <addrs>	--email <addrs>	Email a summary of the import to this comma-separated list of addresses. In order for this option to work, you must have added the email notification parameters to the DET configuration file.
(none)	--emaillog	Include the entire log file in the email.

Show Export Status Command

The show export status command uses the following syntax:

```
cbt -t <content_dir>
```

Table 39 Show Export Status Command Options

short option	Long option	description
-t	--showstatus	Show status of export of the given content directory.

Configuration File Command

The configuration file command option uses the following syntax:

```
cbt -s [-cf <file>]
```

Table 40 Configuration File Command Options

short option	Long option	description
-s	--showconfig	Show current configuration values.
-cf <file>	--confi <file>	Read configuration from the given file.

Show Version Command

The show version command uses the following syntax:

```
cbt -v
```

Table 41 Show Version Command Options

short option	Long option	description
-v	--version	Show the version of the DET tool.

Show Help Command

The show help command uses the following options:

```
cbt -h
```

Table 42 Show Help Command Options

short option	Long option	description
-h	--help	Display this help message.

DET Permissions Command

The DET permissions command uses the following syntax:

```
cbtperm -u [user] -a [spike.username] -p [spike.port] -s [spike.host] -c
[ssl.trustCerts] -k [ssl.keyPairs]
```

Table 43 DET Permissions Command Options

short option	Long option	description
-u	N/A	The user to whom you want to grant permission to use the DCML Exchange Tool.
-a	--spike.username	User name for Spike authentication, such as the SA Administrator.
-p	--spike.port	Spike's listener port.
-s	--spike.host	Spike's hostname or IP.
-c	--ssl.trustCerts	Comma-separated list of trust certificate files to be used to communicate with XML-RPC servers
-k	--ssl.keyPairs	Comma-separated list of client certificates to be used to communicate with XML-RPC servers

4 IDK Overview

Introducing the IDK and ISMs

HP Server Automation includes the Intelligent Software Module (ISM) Development Kit (IDK). The IDK consists of command-line tools and libraries for creating, building, and uploading ISMs. An ISM is a set of files and directories that include application bits, installation scripts, and control scripts. You build an ISM in a local file system and then upload the ISM into an HP Server Automation application policy. After uploading the ISM, you use the HP Server Automation Client to install the ISM's application onto managed servers.

Benefits of the IDK

The IDK offers the following benefits:

- Encapsulates best practices for managing software products, enabling standards teams to deliver stable and consistent software builds and manage change in complex data center environments.
- Uploads modules into HP Server Automation, making them immediately available for installation onto managed servers.
- Separates an application's installation and control scripts from the bits to be installed. You can update the scripts without having to re-install the application bits.
- Enables dynamic configuration by querying HP Server Automation for custom attributes.
- Automatically builds native packages (such as RPMs) from binary archives.
- Support on Unix platforms for building from source code with a common specification format.
- Provides command-line tools for developers and administrators who prefer building packages and writing installation scripts in a shell environment.

IDK Tools and Environment

The IDK includes the following:

- ISMTool - A command-line tool that creates, builds, and uploads ISMs.
- ISMUserTool - A command-line tool that specifies the users allowed to upload ISMs.
- Environment variables - Shell environment variables accessed by the ISMTool.
- Runtime libraries - The HP Server Automation routines that support the IDK tools.

Supported Package Types

You can use the IDK to create the following types of packages:

- AIX LPP
- HP-UX Depot
- RPM
- Solaris Package
- Windows MSI
- ZIP (Windows and Unix)

What's New in the IDK

This section discusses new features of the IDK and ISM compatibility with previous releases.

What's New in IDK 3.0

The biggest change is that the IDK has been modified to support software policies, which were new in HP Server Automation 6.0. IDK 3.0 has the following new features:

- ISMs are uploaded into software policies, as specified by the `--opswpath` command. In previous releases, ISMs were uploaded to nodes in the software tree.
- The new `--commandCenter` option and `ISMTOOLCC` environment variable point to the Opware Command Center (core component) required for uploading to software policies.
- To install the IDK, you attach a software policy containing the IDK, attach the policy to a server, and remediate the server. The policy containing the IDK is shipped with HP Server Automation.
- With the `--addPathProp` command, only the `description` value is supported. The `notes` and `allowServers` values are deprecated. The `--showPathProps` command is deprecated.

What's New in IDK 3.2

IDK 3.2 has the following new features:

- ZIP packages can be created by the IDK for all platforms. You specify ZIP packages with the `--pkgengine` parameter. The ZIP packages created by the IDK are not relocatable.
- Starting with SA 6.1, you cannot assign a customer with a package. Instead, you assign the customer to the folder that contains the package. As a result, customer settings have been removed from the IDK. The ISMTool no longer prompts for the customer. The `$CUSTOMER ISMTool` variable and the `ISMTOOLCUSTOMER` environment variable have been deprecated.

Compatibility With Previous Releases

ISMs created with version 3.x of the IDK are compatible only with version 6.x of HP Server Automation. You cannot upload ISMs from IDK 1.x or 2.x into HP Server Automation 6.x. You cannot upload ISMs from IDK 3.x into HP Server Automation 5.x (or earlier). To migrate ISMs from IDK 2.x to 3.x, run the `ismrt-migrate.sh` script, as described in the *Opware® HP SA Content Migration Guide*.

Installing the IDK

To install the IDK and the ISMTool, perform the following steps:

- 1 Choose a managed server to run the IDK.

Hewlett Packard recommends that you install and run the IDK on a managed server (a server running an Server Agent).

You can install the IDK on a core server, but do so with care. The core components share the `CRYPTO_PATH` environment variable with the IDK tools. If you set the `CRYPTO_PATH` environment variable incorrectly, the core components might cease to function.

You can install the IDK on a server that does not run a core component or an Agent, but the functionality of the IDK will be limited. On such a server, you can build ISMs but you cannot upload them to the core unless you set the `CRYPTO_PATH` environment variable. See [CRYPTO_PATH](#) on page 120 for information on this variable.

- 2 Verify that the host where you install the IDK runs the same operating system version as the managed servers where the ISM's application will be installed.

For example, if you are creating ISMs for applications to be installed on Redhat Linux 7.3 managed servers, install the IDK on a Redhat Linux 7.3 system.

- 3 If you are installing the IDK on a Windows managed server, set the `CRYPTO_PATH` environment variable as described in [CRYPTO_PATH](#) on page 120.

- 4 If you are installing the IDK on a Redhat Linux Application Server, Enterprise Server, or Workstation, then make sure that the `rpm-build` package is already installed. To verify that this package is installed, enter the following command:

```
rpm -qa | grep rpm-build
```

- 5 If you are installing the IDK on a Solaris zone, make sure that the `/usr/local` directory exists and has write access. (This directory might not exist in a sparse root zone.) You can perform this task either with HP Server Automation or with the following `zonecfg` commands, where *path* is the file system on the global zone:

```
zonecfg:zone-name:fs> add fs
zonecfg:zone-name:fs> set dir=/usr/local
zonecfg:zone-name:fs> set special=path
zonecfg:zone-name:fs> set type=lofs
```

- 6 In the SA Client, search for a software policy with a name that contains “ismtool.”
- 7 In the list of software policies displayed, right-click the policy for the platform where you will run the IDK, and then select Attach Server.
- 8 On the Attach Server window, select the managed server where you will run the IDK.

- 9 Make sure that the Remediate Servers Immediately checkbox is selected.
- 10 Click Attach.
- 11 Unix: In a terminal window, log in as `root` to the host where you are installing the IDK and set the `PATH` environment variable to include the following value.

```
/usr/local/ismtool/bin
```

(On Windows the `PATH` is set automatically, but will not take effect until you log in again.)
- 12 In a terminal window, check the IDK installation by entering the following command:

```
ismtool --myversion
```

IDK Quickstart

This section shows how to create, build, and upload a simple ISM. After the upload operation, you can run the SA Client and examine the software policy containing the uploaded ISM.

Perform the following steps in a terminal window of the host where you've installed the IDK. Unless otherwise noted, the commands are the same on Unix and Windows.

- 1 Unix: Log in as `root` to the server where you installed the IDK.
If you cannot log in as `root`, then log in as another Unix user and set the `CRYPTO_PATH` environment variable as described in [CRYPTO_PATH](#) on page 120.
- 2 Windows: Open a terminal window and make sure that the `CRYPTO_PATH` environment variable is set.
- 3 Grant your user the privilege to upload ISMs by entering the `ismusertool` command, for example:

```
ismusertool --addUser johndoe
```

This command asks you to confirm that you are contacting the core through an agent gateway:

```
Using an agent gateway to reach an Opsware Core.  
Is this correct? [y/n]: y
```

Next, the command prompts for the Opsware admin user name and password:

```
Enter Opsware Admin Username: admin  
Enter admin's Opsware Password:
```

For more information, see [ISMUserTool](#) on page 123.

- 4 Create a new ISM.
For example, to create an ISM named `foo`, enter the following command:

```
ismtool --new foo
```

This command creates a directory named `foo` at the current directory level. The ISM is made up of the contents of the `foo` directory. You'll specify the `foo` ISM in the subsequent `ismtool` commands.
- 5 Add the application files to the ISM.

One way to add the application files is to copy one or more archives to the bar subdirectory. For example, if the application bits are in a file named `mytest.zip`, you might add them to the ISM as follows:

Unix:

```
cp /tmp/mytest.zip foo/bar
```

Windows:

```
copy c:\temp\mytest.zip foo\bar
```

- 6 Set the path to the software policy that will contain the ISM you upload in a later step.

Note: You must have Write Objects Within Folder permission to the folder that contains the software policy. Folder permissions are set on the Folder Properties window of the SA Client.

The following `ismtool` command sets the path to the software policy named Quote Policy:

Unix:

```
ismtool --opswpath '/My Kit/Service/Quote Policy' foo
```

Windows:

```
ismtool --opswpath "/My Kit/Service/Quote Policy" foo
```

On Unix you enclose the path in single quotes, but on Windows you use double quotes. For both Unix and Windows, the path contains forward slashes.

- 7 Build the packages within the ISM by entering the following command:

```
ismtool --build foo
```

This command creates three packages in the `foo/pkg` subdirectory. On a Linux system, these packages are as follows:

```
foo-1.0.0-1.i386.rpm  
foo-ism-1.0.0-1.i386.rpm  
ismruntime-rpm-3.0.0-1.i386.rpm
```

The `foo-1.0.0-1.i386.rpm` package contains the application bits, which in this example were copied to the `foo/bar` subdirectory in step 5. The `foo-ism-1.0.0-1.i386.rpm` package holds the installation hooks and control scripts. (Because this example is simple, it has no control scripts.) The `ismruntime-rpm-3.0.0-1.i386.rpm` package contains the SA shared runtimes that the Server Agent will use when it installs the package on a managed server.

Note that the package type (RPM) corresponds to the native packaging engine of a Linux System. On Windows, the `--build` command creates following MSI packages in the `foo\pkg` subdirectory:

```
foo-1.0.0-1.msi  
foo-ism-1.0.0-1.msi  
ismruntime-msi-3.0.0-1.msi
```

- 8 Upload the ISM into the software policy by entering the following command:

```
ismtool --upload foo
```

This command generates several prompts. First, it asks you to confirm the core into which you are uploading the ISM:

Using the following Opsware Core:

```
Data Access Engine : d02      192.168.198.91:1004
Software Repository: d02      192.168.198.91:1003
Command Engine     : d02      192.168.198.91:1018
```

```
Is this correct? [y/n]: y
```

Next, the `--upload` command prompts for the Opsware user and password:

```
Enter Opsware Username: johndoe
Enter johndoe's Opsware Password:
```

```
...
```

```
Success!
```

- 9 In the SA Client, open the software policy and verify that it contains the ISM you uploaded in the preceding step.

Platform Differences

In general, the IDK functions the same on packages from different platforms (operating systems). However, there are a few differences, as explained in the following sections.

Solaris Differences

Solaris package names have a 9 character limit. By convention, the format is a set of capital letters, followed by a set of lower case letters that identify the application. Optionally, the final character may have a special meaning. Note that this format is a convention, not a requirement. Here are some examples of Solaris package names:

```
SPROcc
SPROcpl
SPROcodmg
SUNWgssx
SUNWgzip
SUNWhea
SUNWhiu8x
SUNWhmd
SUNWhmdu
SUNWhmdx
```

When the ISMTool creates a Solaris package, it must use a package name that is no more than 9 characters in length. The package name constructed by ISMTool begins with `ISM`, followed by the five first characters of the ISM's name, followed by the letter `c` for the control package or a digit `0` for the first part of an application package, `1` for the second part, and so forth. For example, if the ISM name is `foobar`, the package names would be the following:

```
ISMfooba0
ISMfoobac
```

If truncation occurs, ISMTool generates a warning so that the developer can rename the ISM to avoid naming conflicts. To view the package names, use the Solaris `pkginfo` command.

If you upload a Solaris passthru package, the response file is not uploaded. You must manually upload the response file.

Windows Differences

On Windows, when ISMTool creates the application and control Windows Installer (MSI) packages, it encodes the `ProductName` and `ProductVersion` as follows:

```
ProductName:    <name>-<version>  
ProductVersion: 0.0.<app|ctl release>
```

The `<name>`, `<version>`, and `<release>` correspond to an ISM's internal information, which can be viewed with the ISMTool's `--info` command. This encoding scheme is by design and is required for the remediation process to work correctly.

5 IDK Build Environment

ISM File System Structure

The ISMTool `--build` and `--upload` commands operate on the ISM directory, which you create with either the `--unpack` or `--new` commands. The `--unpack` command unzips a file (containing the ISM directory contents) that was previously zipped with `--pack`. The `--new` command initially creates the ISM directory. For example, the following command creates a new directory named `ntp-4.1.2`:

```
ismtool --new ntp-4.1.2
```

This command creates the following subdirectories under the `ntp-4.1.2` directory:

- `bar` - Contains binary archives, the contents of which are used to create the application package.
- `doc` - A location for documentation (HTML) generated automatically during ISM build. You can also create other documentation files in the directory.
- `ism` - Contains all the files needed to create the control package of the ISM. The `ism` directory is where you can edit the default package hooks (`pre-install`, `post-install`, `pre-uninstall`, `post-uninstall`), as well as add control scripts to `ism/control`.
- `log` - Holds files which keep track of the output from source transformations (compilation or local installs), output from native packaging engines such as `msi`, `rpm`, `pkgtrans`, `swpackage`, or an SA upload.
- `pad` - Contains the installation scripts (`pre-install`, `post-install`, `pre-uninstall`, `post-uninstall`) specified by the ISMTool `--addPkgProp` option.
- `pkg` - Contains the application, control, and shared runtime packages, all of which are generated by `--build`. This subdirectory also contains copies of passthru packages.
- `tmp` - Used as scratch space for ISMTool operations.
- `src` - May optionally contain files that can control the compilation of sources into binary archives.

The following listing shows the contents of the ISM subdirectories after the following command:

```
ismtool --build ntp-4.1.2
```

The output of the source build is in the binary archive directory with the generated name `__ntp-4.1.2_src_ntp.spec.cpio`. The build creates the files in the `log`, `pkg`, and `tmp` subdirectories, in addition to the other files with names beginning with two underscores.

```
ntp-4.1.2/  
  src/  
    ntp-4.1.2.tar.gz  
    ntp.spec  
  bar/  
    __ntp-4.1.2_src_ntp.spec.cpio
```

```

    __ntp-4.1.2_src_ntp.spec.cpio.meta
pkg/
  ntp-4.1.2-3.i386.rpm
  ntp-ism-4.1.2-7.i386.rpm
  ismruntime-rpm-2.0.rpm
log/
  . . .
doc/
  index.html
  index/
    ntp-4.1.2-3.i386.rpm.html
    ntp-ism-4.1.2-7.i386.rpm.html
tmp/
  . . .
ism/
  ism.conf
  bin/
    ismget
    parameters
    platform
    python
  env/
    ism.sh
    ism.py
    ism.pl
  pkg/
    ism_check_install
    ism_post_install
    ism_post_uninstall
    ism_pre_install
    ism_pre_uninstall
  control/
pad/
  ismruntime-rpm-2.0.0.i386.rpm
  . . .
  ntp-4.1.2-3.i386.rpm/
                                pkg.conf
                                scripts/
  ntp-ism-4.1.2-7.i386.rpm/
  . . .

```

Build Process

This section describes the following:

- [When to Invoke the --build Command](#)
- [Multiple Command-Line Options](#)
- [Actions Performed by the --build Command](#)
- [Packages Created by the --build Command](#)

When to Invoke the `--build` Command

You run the ISMTool `--build` command after `--new` and before `--upload`. Whenever you change an ISM with an option, you must invoke `--build` before `--upload` for the change to take effect. For example, if you specify `--opswpath`, you must invoke `--build` for the new software policy path to take effect before you upload the ISM.

Multiple Command-Line Options

You may invoke multiple ISMTool options on the same command-line, or you may invoke the options separately. In the following Unix example, the command changes the native package engine to `rpm3`, the version to `2.0.47b`, the default install user to `root`, and the default install group to `root` for the ISM directory named `apache`:

```
ismtool --pkgengine rpm3 --version 2.0.47b --user root --group root apache
```

The next sequence of commands is equivalent:

```
ismtool --pkgengine rpm3      apache
ismtool --version 2.0.47b    apache
ismtool --user root          apache
ismtool --group root         apache
```

The ISMTool sorts command actions into the proper logical order for execution. The following command, for example, will change the version of `apache` to `3.0` before the build is executed.

```
ismtool --build --version 3.0 apache
```

Actions Performed by the `--build` Command

The ISMTool `--build` command performs the following steps.

- 1 Performs a pre-build clean by removing all side-effect build products. However, this step will leave any `cpio` archives generated during a previous build as a form of build cache. The build cache can be cleaned using the `--clean` command.
- 2 Runs the optional script `ism/build/ism_clean`. The scripts in the `ism/build` subdirectory are hooks into the build process. To use these scripts, you must create them manually.
- 3 Runs a checksum on the application sources and increment the application release number if the current checksum does not match the previous checksum.
- 4 Runs a checksum on the control sources (the contents of the `ism` subdirectory) and increment the control release number if the current checksum does not match the previous checksum.
- 5 Runs the optional script `ism/build/ism_pre`.
- 6 For source builds, recursively searches for `.spec` files in the `src` subdirectory, compiling and executing each.
- 7 Creates the shared runtime package.
- 8 Creates the control package.
- 9 Creates the application package.
- 10 Generates the automatic HTML document `doc/index/index.html`.
- 11 Runs the optional script `ism/buid/ism-post`.

Packages Created by the --build Command

The `--build` command creates the following packages in the `pkg` subdirectory:

- **Application package** - Created from the contents of the `bar` (binary archive) subdirectory, this package contains the application bits. You copy the application archives to the `bar` subdirectory before invoking the `--build` command. The file name of the application package has the following syntax. The `<version>` is for the entire ISM, and the `<release>` is specific to the application package. (See “ISM Name, Version Number, and Release Number” on page 84 of this guide.)

```
<name>-<version>-<release>.<package-extension>
```

- **Control package** - This package contains the control and installation scripts from the `ism` subdirectory. The control package file name has the following syntax:

```
<name>-ism-<version>-<release>.<package-extension>
```

- **Shared runtime package** - This package holds the shared runtime routines that are invoked by the Server Agent (during installation) and by any control scripts. These runtime routines are for HP Server Automation, not for the application itself. The file name of the shared runtime package has the following syntax. (The `<ctl-prefix>` is included in the file name only if you've specified a non-default value with the `--ctlprefix` option.)

```
ismruntime-<ctl-prefix>-<package-type>-<idk-version>.<package-extension>
```

- **Passthru packages** - You specify these packages with the `--addPassthruPkg` option, which copies them into the `pkg` subdirectory unchanged.

Specifying the Application Files of an ISM

This section discusses the methods for getting application files into an ISM:

- [Placing Archives in the bar Subdirectory](#)
- [Specifying Passthru Packages](#)
- [Compiling Source \(Unix Only\)](#)

Placing Archives in the bar Subdirectory

Before running `--build`, you may manually copy file archives to the ISM's `bar` (binary archive) subdirectory. Alternatively, the archives in the `bar` subdirectory may be generated as `cpio` files by the directives in the `%files` section of the specfile. (See “Compiling Source (Unix Only)” on page 81 of this guide.)

The `--build` command repackages the archives in the `bar` subdirectory into the application package of the `pkg` subdirectory. The following table lists the types of archives that may reside in the `bar` subdirectory.

Table 44 Valid Binary Archive Types

File Extension	Archive Type
.cpio	Unix CPIO Archive
.msi	Microsoft Installer
.rpm	RPM Package Manager
.tar	Tape Archive
.tar.bz2	bzip2 compressed Tape Archive
.tar.gz	gzip compressed Tape Archive
.zip	Info-Zip compatible Zip

Specifying Passthru Packages

Unlike an archive in the `bar` subdirectory, a passthru package is not extracted and re-packaged. The `--addPassthruPkg` command copies a passthru package unchanged into the `pkg` subdirectory. The package specified by `--addPassthruPkg` cannot reside in the ISM directory. The following example adds a passthru package to an ISM and designates the package for addition to the software policy:

```
ismtool --addPassthruPkg /tmp/bos.rte.libs.5.1.0.50.U --pkgType lpp ISMNAME
ismtool --attachPkg bos.rte.libs-5.1.0.50 --attachValue true ISMNAME
```

Compiling Source (Unix Only)

The `--build` command recursively searches the `src` subdirectory for specfiles (files ending in `.spec`). If found, a specfile is compiled into Bourne Shell and executed. Specfiles are written in a simplified derivative of the RPM specfile language. The ISMTool's specfile-like language compiler allows you to use existing RPM specfiles with minimal modifications.

For more information about the specfile language, see the Maximum RPM document, located at the following URL:

<http://www.rpm.org/max-rpm/index.html>

Example Specfile

Here is an example of a simple ISM specfile for NTP 4.1.2:

```
#####
# Common Preamble
#####

%define ismname %(../ism/bin/ismget name)
%define version %(../ism/bin/ismget version)
%define prefix %(../ism/bin/ismget prefix)
```

```

Name: %{ismname}
Version: %{version}

#####
# prep, build, install, files
#####

Source: http://www.eecis.udel.edu/~ntp/ntp_spool/ntp4/ntp-4.1.2.tar.gz

%prep

%setup -n ntp-4.1.2

%build

%ifos Solaris2.7
echo ``do something Solaris2.7 specific``
%endif

%ifos Linux
echo ``do something Linux specific``
%endif

./configure --prefix=%prefix
make

%install
/bin/rm -rf $ISM_BUILD_ROOT
make install prefix=$ISM_BUILD_ROOT/%{prefix}

%files
%defattr(-,root,root)
%prefix

```

Specfile Preamble

The preamble specifies information to be fetched from the ISM with the program `ismget`. The following lines fetch the name, version, and prefix of the ISM.

```

%define ismname    %(../ism/bin/ismget name)
%define version    %(../ism/bin/ismget version)
%define prefix     %(../ism/bin/ismget prefix)

```

This fetched information can be useful in the set up and compilation of sources. However, the `%define` commands are optional. The only required tags in the preamble are `Name` and `Version`.

`%prep`

The `%prep` section is designed to prepare sources for compilation. This involves uncompressing and untaring source distributions. A single source file is identified with the `Source` tag. A list of sources are identified by a vector of tags: `Source0`, `Source1`, `...`. Similarly, patches are identified by either a `Patch` tag or a vector of tags: `Patch0`, `Patch1`, `...`. The ISMTool duplicates the macro functionality as documented in Maximum RPM. The `%setup` macro controls how sources are unpacked. The `%prep` section can also manage patching using the `%patch` macro.

%build

The shell script commands in the %build section will transform the sources into binaries. Compiling from source usually involves running `./configure -prefix=%{prefix}` and `make`. It is possible to perform configuration switching based on the platform (operating system). The platform tags are designed for backward compatibility to RPMs found in real-world installations. The following platform strings are some examples that can be used in ISMTool specfiles for platform branching:

```
Linux
RedHat
RedHat-Linux-7.2
RedHat-Linux-AS2.1
Solaris
Solaris2.8
Solaris-2.8
SunOS
SunOS5.7
SunOS-5.7
hpux
hpux11.00
hpux-11.00
HPUX
HPUX11.00
HPUX-11.00
aix
aix4.3
aix-4.3
AIX
AIX4.3
AIX-4.3
```

%install

The %install section specifies the copying of files from the build to a virtual install location. For example, if the %prefix is set to `/usr/local`, the following line would install NTP into `/usr/local/bin`:

```
make install prefix=$ISM_BUILD_ROOT/%{prefix}
```

The variable `$ISM_BUILD_ROOT` (or equivalently `$RPM_BUILD_ROOT`) is the location of a temporary directory inside the ISM's `tmp` directory. This temporary directory will serve as the virtual install root where the directives in the %files section will be applied.

The %install section also indicates where the files from a binary install could be extracted. In a binary install, the files resulting from a binary install on a development server can be packaged into the virtual install location. However, if that is not possible then a binary installer could be transported to the end system and installed with an ISM post-install hook. In this case, you would create a binary archive of the installer and copy it to the ISM's `bar` subdirectory.

%files

In the specfile, the output of the source transformation phase is a set of files indicated by the directives in the %files section. These files are archived into a `cpio` in the ISM's `bar` subdirectory.

The final phase of the source transformation is to select the files installed into the `$ISM_BUILD_ROOT`. The directives in the `%files` section are a subset of the selection mechanisms documented in Maximum RPM. These directives specify a list of files or directories (which are recursively gathered) relative to `$ISM_BUILD_ROOT`. In this example, the install is into the path `$ISM_BUILD_ROOT/{prefix}`. To select these files for packaging, you would simply give the `%prefix` as the directory to package.

In addition to selecting files by naming files or directories, meta information can be described. The line `%defattr(-,root,root)` tells the archive engine to use the modes it finds in the file system, but to create the archive replacing the file ownerships it finds in the file system with `root,root`. For full documentation of `%defattr()` and `%attr()`, see Maximum RPM.

ISM Name, Version Number, and Release Number

This section includes the following:

- [Initial Values for the ISM Name, Version, and Release](#)
- [ISM Version and Release Numbers Compared](#)
- [Upgrading the ISM Version](#)

Initial Values for the ISM Name, Version, and Release

The `--new` command creates a directory for the new ISM and specifies the internal base name of the ISM. For example, the following command creates the `mystuff` directory in the file system, sets the internal base name to `mystuff`, and sets the version number to `1.0.0`.

```
ismtool --new mystuff
```

In most cases, you specify the version number with `--new`. The following command creates a directory named `ntp-1.4.2`, sets the internal base name to `ntp`, and sets the version number to `1.4.2`:

```
ismtool --new ntp-1.4.2
```

To view the internal base name, version number, and release numbers, use the `--info` command:

```
ismtool --info ntp-1.4.2.
```

The output generated by the preceding command includes the following:

```
. . .
name:                ntp
version:             4.2.1
appRelease:         0
. . .
ctlRelease:         0
. . .
```

ISM Version and Release Numbers Compared

ISM version and release numbers differ in several ways. You may specify the version number with either the `--new` or `--version` commands. The ISMTool automatically generates the release numbers; you cannot specify them. The version number applies to the entire ISM. The

application and control packages each have separate release numbers. The `--build` command increments the release numbers whenever it re-generates the packages. Because application and control packages can be built independently, the packages may have different release numbers.

The names of the application and control packages include the internal base name, version number, and release number. For example, the `ntp-4.1.2-3.i386.rpm` application package has a version number of 4.1.2 and a release number of 3. (See “Packages Created by the `--build` Command” on page 80 of this guide.)

To display the version of the IDK (not the ISM), enter the following:

```
ismtool --myversion
```

Upgrading the ISM Version

Although you may modify the internal base name (with `--name`) and the version number (with `--version`), this practice is not recommended because it does not automatically change the directory name. If you change the internal base name or version, to avoid confusion you should also rename the directory containing the ISM.

The recommended practice is to use a matching internal base name, version number, directory name, and software policy path. For example, to upgrade `foo-1.2.7` to `foo-1.2.8`, you would follow these steps:

- 1 At the same directory level as `foo-1.2.7`, create a new ISM directory:

```
ismtool --new foo-1.2.8
```
- 2 Copy archives to the `foo-1.2.8/bar` directory or specify `passthru` packages.
- 3 Set the path to the software policy at the same level as the previous version.

Unix:

```
ismtool --opswpath 'MyFolder/${NAME}/${VERSION}'
```

Windows:

```
ismtool --opswpath "MyFolder/${NAME}/${VERSION}"
```

The `--opswpath` command replaces the `NAME` variable with `foo` and the `VERSION` variable with `1.2.8`. To see the current values of the variables, use the `--info` command. For more information on variable substitution, see [ISMTool Variables](#) on page 112.

- 4 Build and upload the `foo-1.2.8` ISM with the ISMTool.
- 5 In the SA Client, detach the `foo-1.2.7` policy from the managed servers.
- 6 (Optional) Remove the `foo-1.2.7` policy.
- 7 Remediate managed servers against the new software policy.

6 IDK Scripts

Overview of ISM Scripts

ISM scripts are Unix shell or Windows command-line scripts that reside in the ISM directory. The sections that follow describe the different type of ISM scripts:

- **Installation Hooks:** Bundled into the ISM's control package by the ISMTool `--build` command, the installation hooks are run by the native packaging engine (such as `rpm`) on the managed server. Installation hooks may invoke control scripts.
- **Control Hooks:** Also bundled into the ISM's control package, the control scripts perform day-to-day, application-specific tasks such as starting software servers.
- **Installation Scripts:** Not contained in the control package, but instead stored in the Software Repository, installation scripts can be viewed on the Properties of a package in the SA Client.

The overall process for developing and running installation hooks and control scripts follows:

- 1 invoke the ISMTool `--new` command, which creates the default installation hooks.
- 2 With a text editor, create the control scripts.
- 3 With a text editor, modify the default installation hooks, which may call control scripts.
- 4 With the ISMTool, build and upload the ISM.
- 5 In the SA Client, install the application contained in the ISM onto a managed server. During the installation, the pre-installation and post-installation hooks are run on the managed server.
- 6 During the production lifetime of the application, run or schedule the control scripts.
- 7 At the end of the application's life cycle, with the SA Client, uninstall the application. During the uninstallation, the pre-uninstallation and post-uninstallation hooks are executed on the managed server.

Installation scripts have a different overall process than installation hooks and control scripts. For more information, see [Installation Scripts](#) on page 99.

An ISM script cannot call program (such as `rpm` or `pkgadd`) that locks the package associated with the script.

Installation Hooks

The installation hooks are scripts that reside in the `ism/pkg` subdirectory. (Some documents refer to the installation hooks as “packaging scripts.”) The installation hooks are run at certain stages during the installation and uninstallation of applications on managed servers.

Creating Installation Hooks

The ISMTool `--new` command creates the following installation hooks:

Unix:

```
ism/pkg/  
    ism_check_install  
    ism_post_install  
    ism_post_uninstall  
    ism_pre_install  
    ism_pre_uninstall
```

Windows:

```
ism\pkg\  
    ism_post_install.cmd  
    ism_post_uninstall.cmd  
    ism_pre_install.cmd  
    ism_pre_uninstall.cmd
```

To customize the installation hooks, you modify them with a text editor. Although you may edit the installation hooks, you cannot change their file names.

The default `ism_pre_install` and `ism_post_uninstall` hooks are just stubs; they perform no actions. The default `ism_post_install` hook calls the `ism_configure` and `ism_start` control scripts. The default `ism_pre_uninstall` hook calls the `ism_stop` control script. Note that the control scripts are not created automatically by the ISMTool; you must create them with a text editor. (See [Control Scripts](#) on page 92.)

For the contents of the default installation hooks created by the `--build` command, see the following sections:

- [Default Installation Hooks for Unix](#) on page 90
- [Default Installation Hooks for Windows](#) on page 91

Check Installation Hook

Some native packaging engines support the `ism_check_install` hook directly; others do so implicitly with the `ism_pre_install` hook. The ISMTool maps the `check_install` feature onto the native packaging engine. If the `check_install` script returns a non-zero code, the install is halted.

Invocation of Installation Hooks

When you install (or uninstall) the application of an ISM onto a managed server, the native packaging engine on the server invokes the installation hooks. (You do not run the installation hooks directly.) For example, on a Linux system, the `rpm` utility invokes `ism_pre_install` immediately before it installs the application bits and invokes `ism_post_uninstall` right after it removes the bits.

See also [Invocation of Installation Scripts and Hooks](#) on page 100.

Installation Hooks and ZIP Packages

Unlike some other packaging engines, the ZIP packaging engine used by HP Server Automation does not support installation hooks. If the ZIP packaging engine is specified and the installation hook files are not empty, the ISMTool generates a warning and ignores the installation hook files.

ZIP Packages and Installation Directories

The ZIP packages created by the IDK are not relocatable. In other words, the same ZIP package cannot be used to install multiple instances of an application in different directories on a single managed server. Therefore, if the end user changes the ZIP package's Install Path field in the SA Client, the package installation will fail. To change the installation directory, the ISM developer specifies a new path with the `--prefix` or `--ctlprefix` option, builds a new ISM, and uploads the new ISM to the core. (For Windows NT4, these options are required and cannot specify variables.)

As a best practice for ZIP packages, the ISM developer should include a warning in the ISM's description similar to the following: "WARNING: Do not change the Install Path of this package."

Installation Hook Functions

You can customize the installation hooks to perform actions such as those listed in the following table.

Table 45 Installation Hook Functions

Install hook	common functions
<code>ism_pre_install</code>	create required directories, create users, set directory permissions
<code>ism_post_install</code>	call <code>ism_configure</code> control script, call <code>ism_start</code> control script (to start a web server, for example)
<code>ism_pre_uninstall</code>	call <code>ism_stop</code> control script (to stop a server)
<code>ism_post_uninstall</code>	do any required clean up

Scripts for Control-Only ISMs

If you specify the `--skipApplicationPkg` option, the ISMTool will not build the application package, enabling the creation of a control-only ISM. You can use this feature to build a controller for an application that is not installed or packaged with the ISMTool. Examples are controllers for core operating system functions, currently running applications that cannot be packaged, and specialized hardware.

During the installation and uninstallation of a control-only ISM, the `ism_ctl_post_install` and `ism_ctl_pre_uninstall` scripts are run. (The scripts are run for all ISMs, but typically you specify them only for control-only ISMs.) Because these scripts are not generated by the ISMTool, you must create them before running the `--build` command. The following listing shows the required names and locations of these scripts:

Unix:

```
ism/pkg/  
    . . .  
    ism_ctl_post_install  
    ism_ctl_pre_uninstall
```

Windows:

```
ism\pkg\  
    . . .  
    ism_ctl_post_install.cmd  
    ism_ctl_pre_uninstall.cmd
```

Location of Installation Hooks on Managed Servers

On your development system, the `--build` command bundles the installation hooks into the ISM's control package. On the managed server, the contents of the control package are installed into the directory indicated by the `ctlprefix` of the ISM. By default, the installation hooks are installed into the following directory:

Unix:

```
/var/opt/OPSWism/<ism-name>/pkg
```

Windows:

```
%ProgramFiles%\OPSWism\<ism-name>\pkg
```

To change the default directory of the installation hooks, specify the `--ctlprefix` option before building and uploading the ISM. If you specify the `ctlprefix` as follows, for example, the installation hooks will be installed in `/usr/local/ntp-4.1.2/pkg`:

```
ismtool --ctlprefix /usr/local ntp-4.1.2
```

Default Installation Hooks for Unix

The default `ism_pre_install` hook:

```
#!/bin/sh  
#  
# ISM Pre Install Script  
#  
. `dirname $0`/../env/ism.sh
```

The default `ism_post_install` hook:

```
#!/bin/sh  
#  
# ISM Post Install Script  
#  
. `dirname $0`/../env/ism.sh  
if [ -x ${ISMDIR}/control/ism_configure ]; then  
${ISMDIR}/control/ism_configure  
fi  
if [ -x ${ISMDIR}/control/ism_start ]; then  
${ISMDIR}/control/ism_start  
fi
```

The default `ism_pre_uninstall` hook:

```
#!/bin/sh
#
# ISM Pre Uninstall Script
#
. `dirname $0`/../../env/ism.sh
if [ -x ${ISMDIR}/control/ism_stop ]; then
${ISMDIR}/control/ism_stop
fi
```

The default `ism_post_uninstall` hook:

```
#!/bin/sh
#
# ISM Post Uninstall Script
#
. `dirname $0`/../../env/ism.sh
```

Default Installation Hooks for Windows

The default `ism_pre_install.cmd` hook:

```
@echo off
REM
REM ISM Pre Install Hook
REM
SETLOCAL
REM
REM %1 specifies the full path to the ISM.CMD file
REM Call ISM.CMD to define ISM environment variables
REM
call %1
ENDLOCAL
```

The default `ism_post_install.cmd` hook:

```
@echo off
REM
REM ISM Post Install Script
REM
SETLOCAL
REM
REM %1 specifies the full path to the ISM.CMD file
REM Call ISM.CMD to define ISM environment variables
REM
call %1
REM
REM Call the ISM's configure script
REM
IF EXIST "%ISMDIR%\control\ism_configure.cmd"
call "%ISMDIR%\control\ism_configure.cmd"
REM
REM Call the ISM's start script
REM
IF EXIST "%ISMDIR%\control\ism_start.cmd"
call "%ISMDIR%\control\ism_start.cmd"
ENDLOCAL
```

The default `ism_pre_uninstall.cmd` hook:

```
@echo off
REM
REM ISM Pre Uninstall Hook
REM
SETLOCAL
REM
REM %1 specifies the full path to the ISM.CMD file
REM Call ISM.CMD to define ISM environment variables
REM
call %1
REM
REM Call the ISM's stop script
REM
IF EXIST "%ISMDIR%\control\ism_stop.cmd"
call "%ISMDIR%\control\ism_stop.cmd"
ENDLOCAL
```

The default `ism_post_uninstall.cmd` hook:

```
@echo off
REM
REM ISM Post Uninstall Script
REM
SETLOCAL
REM
REM %1 specifies the full path to the ISM.CMD file
REM Call ISM.CMD to define ISM environment variables
REM
call %1
```

Control Scripts

The ISM control scripts reside in the `ism/control` directory. Control scripts perform housekeeping or maintenance tasks for an application after it has been installed.

Installation hooks can run control scripts. If a task is performed during an installation (or uninstallation) but might also be performed on a regular basis, it should be coded as a control script. For example, the `ism_post_install` hook can invoke the `ism_start` control script to start an application immediately after installation. Also, the `ism_pre_uninstall` hook can invoke the `ism_stop` control script to shutdown the application.

End-users can run control scripts from the ISM Control window of the SA Client. (For more information, see “Control Scripts and Intelligent Software Modules” in the *Opsware® SAS User's Guide*.) Advanced end-users can run a control scripts from the command-line in the Global Shell.

Creating Control Scripts

Unlike installation hooks, control scripts are not created by the ISMTool; you create control scripts with a text editor. You may add any number of control scripts to the `ism/control` subdirectory. By convention, the file names for control scripts are as follows:

Unix:

```
ism/control/  
    ism_start  
    ism_stop  
    ism_configure  
    ism_reconfigure
```

Windows:

```
ism\control\  
    ism_start.cmd  
    ism_stop.cmd  
    ism_configure.cmd  
    ism_reconfigure.cmd
```

The control script name might appear differently in the ISM Control window of the SA Client. The Action field of the ISM Control window displays the name of the control script, but without the leading `ism_` or the file type extension. For example, a control script named `ism_start.cmd` appears in Action field as `start`. The Action field displays only the first 25 characters of a control script name. Therefore, the first 25 characters of the names should be unique. For both Unix and Windows, the leading `ism_` must be lower case; otherwise, the Action field displays the prefix.

For Unix, make sure that the control scripts under `ism/control` are executable. Otherwise, they will not appear in the SA Client.

Control Script Functions

Control scripts are for repetitive tasks needed to manage an application. The following table summarizes typical uses for control scripts.

Table 46 Control Script Functions

Control Script	common functions
<code>ism_start</code>	notifies any companion or dependent servers, starts the application
<code>ism_stop</code>	notifies any companion or dependent servers, stops the application
<code>ism_configure</code>	performs configuration operations
<code>ism_reconfigure</code>	similar to <code>ism_configure</code> , but calls <code>ism_stop</code> first and <code>ism_start</code> afterwards

Location of Control Scripts on Managed Servers

Like installation hooks, control scripts are bundled into the control package by the `--build` command. On the managed server, control scripts reside in the directory indicated by the ISM `ctlprefix` value. By default, control scripts are installed in the following directory on a managed server:

Unix:

```
/var/opt/OPSWism/<ism-name>/control
```

Windows (except for NT4):

```
%ProgramFiles%\OPSWism\\control
```

To change the default directory, specify the `--ctlprefix` option with ISMTool. For Windows NT4, `--ctlprefix` must be specified and cannot contain variables.

Dynamic Configuration with ISM Parameters

The `ISM parameter` utility enables control scripts and installation hooks to access the values of SA custom attributes. The key of an ISM parameter matches the name of its corresponding custom attribute. The value of a custom attribute determines the value of the parameter. The source of a custom attribute is an SA object such as a facility, customer, server, or device group.

Set with the SA Client, a custom attribute is a name-value pair that holds configuration information. For example, to designate the port number of an Apache web server, a custom attribute named `APACHE_1.3_PORT` could have a value of 80. If an ISM has a parameter named `APACHE_1.3_PORT`, a control script could access the current value of the custom attribute.

Using the ISM Control window of the SA Client, an end-user can view the source (SA object) of a parameter, view the parameter value, and override the parameter value.

Development Process for ISM Parameters

The overall process for developing and using ISM parameters follows:

- 1 With the ISMTool, add a new parameter.
- 2 With a text editor, write a control script (or modify an installation hook) to access the parameter.
- 3 With the ISMTool, build and upload the ISM.
- 4 In the SA Client, install the application contained in the ISM onto a managed server.
- 5 In the SA Client, create a custom attribute with the same name as the parameter.
- 6 In the SA Client, run the control script on the managed server. At runtime, the script retrieves the parameter (control attribute) value from HP Server Automation.

Adding, Viewing, and Removing ISM Parameters

The ISMTool `--addParam` command creates a new parameter, which may be fetched by any script in the ISM. A parameter is a tuple with four fields, each specified by an ISMTool option. The following table lists the fields and their corresponding options.

Table 47 ISM Parameter Fields

Parameter field	ISMTool option	Description
Name	<code>--addParam</code>	The name of the ISM parameter, which must match the name of the custom attribute.
Default Value	<code>--paramValue</code>	The default value of the parameter. The script uses the default value if a matching custom attribute is not found.
Type	<code>--paramType</code>	The data type of the parameter. Allowed values: 'String' 'Template'
Description	<code>--paramDesc</code>	Text describing the parameter.

The following Unix command adds a parameter named `NTP_SERVER` to the `ntp-4.2.1` ISM:

```
ismtool --addParam NTP_SERVER \  
  --paramValue 127.0.0.1 \  
  --paramType 'String' \  
  --paramDesc 'NTP server, default to loopback' ntp-4.2.1
```

To view the parameters that have been added to the `ntp-4.2.1` ISM, enter the following:

```
ismtool --showParams ntp-4.2.1
```

To remove the parameter added in this example, you enter the following command:

```
ismtool --removeParam NTP_SERVER ntp-4.2.1
```

Accessing Parameters in Scripts

After you've added a parameter with ISMTool, you can write an ISM control script to access the parameters. The supported scripting languages follow:

- Bourne Shell
- Korn Shell
- Windows command shell
- Python
- Perl

Shell scripts access the parameters through environment variables, Python scripts through dictionaries, and Perl scripts through hash tables.

The ISM parameters Utility

To fetch parameters, a control script runs the `parameters` utility, which resides in the ISM shared runtime package. Only those parameters defined with the `--addParam` command can be fetched.

For HP Server Automation 5.x, the `parameters` utility has the following syntax:

```
parameters [options]
--scope <scope> ; server|servergroup|customer|facility|
                ; servicelevel|os|custapps|webserver|appserver|
                ; dbserver|systemutilities|osextras|install|
                ; default (default is all)
-s/--sh                ; Bourne Shell syntax
-k/--ksh               ; Korn-Shell syntax
-p/--python            ; Python repr'ed dictionary
-l/--perl              ; PERL map
-c/--cmd               ; Windows Cmd syntax
-b/--vbscript          ; Windows VBScript syntax
-h/--help              ; Help
-v/--version           ; Version
```

For HP Server Automation 4.x, the `parameters` utility has the following syntax:

```
parameters [options]
--scope <scope> ; server|customer|facility|software|os|
                ; install|default (default is all)
--scope group   ; The 'group' scope needs to use
                ; --groupname and --grouptype
--groupname <name> ; Group name to search
--grouptype <type> ; Group type to search
-s/--sh                ; Bourne Shell syntax
-k/--ksh               ; Korn-Shell syntax
-p/--python            ; Python repr'ed dictionary
-l/--perl              ; PERL map
-c/--cmd               ; Windows Cmd syntax
-b/--vbscript          ; Windows VBScript syntax
-h/--help              ; Help
-v/--version           ; Version
```

The `--scope` option limits the search for the custom attribute to the specified area of HP Server Automation. For example, if you specify `--scope facility` and a custom attribute has been defined for both the facility and the customer, then the custom attribute of the customer is not considered. See also: [Search Order for Custom Attributes](#) on page 97.

If the `parameters` utility encounters an error during retrieval, it returns a special parameter named `_OPSW_ISMERR`, which contains a brief description of the error encountered.

Example Scripts

The following Bourne Shell example is a control script that configures the NTP time service on Unix. The `parameters` utility retrieves two parameters, `NTP_CONF_TEMPLATE` and `NTP_SERVER`, that have been defined for the ISM.

```
#!/bin/sh
. `dirname $0`/../env/ism.sh
eval `${ISMDIR}/bin/parameters`
```



```
echo $NTP_CONF_TEMPLATE | \
sed "s/NTP_SERVER_TAG/$NTP_SERVER/" > /etc/ntp.conf
```

The following control script, written in Python, also configures NTP.

```
#!/usr/bin/env python
import os
import sys
import string
ismdir=os.path.split(sys.argv[0])[0]
cmd = '%s --python' % (os.path.join(ismdir, 'bin', 'parameters'))
params = eval(os.popen(cmd, 'r').read())
template = params['NTP_CONF_TEMPLATE']
value = params['NTP_SERVER']
conf = string.replace(template, 'NTP_SERVER_TAG', value)
fd=open('/etc/ntp.conf', 'w')
fd.write(conf)
fd.close()
```

The following example shows a configuration control script for Windows. In this example, for 32 bit Windows operating systems, each parameter is output in the form of name=value (one per line).

The Windows FOR command sets each parameter as an environment variable. (In the listing that follows, the FOR command is split into two lines, but in the actual script, the FOR command must be on a single line.) Finally, the parameters are passed to an NTP configuration script named `WindowsNTPConfigureScript.cmd`.

```
@echo off
SETLOCAL
cd /d %ISMDIR%
for /f "delims== tokens=1,2" %i in ("%bin\parameters.cmd%") do set
%i=%j WindowsNTPConfigureScript.cmd %NTP_CONF_TEMPLATE% %NTP_SERVER%
ENDLOCAL
```

Search Order for Custom Attributes

With the SA Client, you can set a custom attribute in several places. For example, you could set a custom attribute named `APACHE_1.3_PORT` to 8085 for a managed server named `foo.opsware.com`, and you could set the same custom attribute to 80 for the Widget Corp. customer, which is associated with the `foo.opsware.com` server. At runtime, if a control script on `foo.opsware.com` accesses the `APACHE_1.3_PORT` parameter, which value will it fetch? In this case, the value will be 8085 because a custom attribute for a server occurs first in the search order.

Note that if a custom attribute is not found, the script uses the default parameter value that you set with the `ISMTool --paramValue` option.

HP Server Automation 6.x Search Order

For version 6.x, the search order for custom attributes is as follows:

- 1 Server
- 2 Device Group
- 3 Customer
- 4 Realm

- 5 Facility
- 6 Operating system.
- 7 ISM (created in the software policy during the upload operation)
- 8 Patch Policy
- 9 Software Policy

Multiple device groups and service levels are searched alphabetically. For example, if a server belongs to the ABC and XYZ groups, the ABC group is searched for the custom attribute before the XYZ group. A server group that is a subgroup does not inherit the custom attributes of its parent group.

HP Server Automation 5.x Search Order

For version 5.x, the search order for custom attributes is as follows:

- 1 Server
- 2 Server Group
- 3 Customer
- 4 Facility
- 5 Service Level
- 6 Operating System
- 7 ISM Node (created during the upload operation)
- 8 Applications-> Other Applications
- 9 Applications-> Web Servers
- 10 Applications-> Application Servers
- 11 Applications-> Database Servers
- 12 Applications-> System Utilities
- 13 Applications-> Operating System Extras

Multiple server groups and service levels are searched alphabetically. Multiple software nodes are searched alphabetically by full node path. For server group searches, custom attributes from attached nodes are not searched. Custom attributes are not inherited by subgroups.

HP Server Automation 4.x Search Order

For version 4.x, the search order for custom attributes is as follows:

- 1 Server
- 2 Customer
- 3 Facility
- 4 Service Level
- 5 Applications-> OS Extras
- 6 Applications-> System Utilities
- 7 Applications-> Database Servers
- 8 Applications-> Application Servers

- 9 Applications-> Web Utilities
- 10 Applications-> Other Applications
- 11 Operating Systems

Multiple service levels are searched alphabetically by the full path name of the service levels, for example:

```
/ ServiceLevel / foo
/ ServiceLevel / zoo
```

If a managed server is attached to multiple nodes within the same software stack (category), then the search order is determined by the node install order. If the node install order is not set, then the nodes are searched alphabetically by the full path name of the nodes, for example:

```
/ Application Servers / JBoss /
/ Application Servers / WebLogic /
```

Installation Scripts

The installation scripts reside in the `pad` subdirectory. Like installation hooks, the installation scripts are run at specific stages during the installation and uninstallation of an application on a managed server.

Differences Between Installation Scripts and Hooks

Although they serve a similar purpose, installation scripts and hooks have several differences, as noted in the following table.

Table 48 Differences Between Installation Scripts and Hooks

installation scripts	installation hooks
Displayed by the Properties of the package in the SA Client.	Displayed by the Contents of the package in the SA Client. (Only RPMs are displayed.)
Reside in the <code>pad</code> subdirectory.	Reside in the <code>ism/pkg</code> subdirectory.
Stored in Model Repository (after an upload).	Bundled in the control package, installed on the managed server in the directory specified by <code>ctlprefix</code> .
Run by the Server Agent.	Run by the native packaging engine.
Can be defined for each package in the ISM.	Defined for the entire ISM.

Creating Installation Scripts

Although the ISMTool creates the `pad` subdirectory structure, it does not create default installation scripts. For each package created with `--build` or added with `--addPassthruPkg`, the ISMTool creates a subdirectory as follows:

```
pad/<package-name>/scripts
```

For example, on Linux the `--build` command would create the following subdirectories for an ISM named `ntp-1.4.2`:

```
pad/ismruntime-rpm-2.0.0-1.i386.rpm/scripts
pad/ntp-ism-4.2.1-1.i386.rpm/scripts
pad/ntp-4.2.1-1.i386.rpm/scripts
```

With a text editor, you create the installation scripts in the `scripts` subdirectory. For example, you could create installation scripts for the `ntp-4.2.1-1.i386.rpm` package as follows:

```
pad/ntp-4.2.1-1.i386.rpm/scripts/
                                preinstallscript
                                postinstallscript
                                preuninstallscript
                                postuninstallscript
```

The file names of the installation scripts must match the preceding example. For example, the script invoked immediately after the installation must be named `postinstallscript`.

Invocation of Installation Scripts and Hooks

If an ISM has both installation scripts and hooks, when an application is installed on a managed server, HP Server Automation performs tasks in the following order:

- 1 Installs the ISM runtime package.
- 2 Installs the ISM control package.
- 3 Runs `preinstallscript` (installation script).
- 4 Runs `ism_pre_install` (installation hook).
- 5 Installs the application package (the application bits).
- 6 Runs `ism_post_install` (installation hook).
- 7 Runs `ism_configure` (control script).
- 8 Runs `ism_start` (control script).
- 9 Runs `postinstallscript` (installation script).

During the uninstallation of an application on a managed server, HP Server Automation performs actions in the following order:

- 1 Runs `preuninstallscript` (uninstallation script).
- 2 Runs `ism_pre_uninstall` (uninstallation hook).
- 3 Runs `ism_stop` (control script).
- 4 Uninstall the application package (the application bits).
- 5 Runs `ism_post_uninstall` (uninstallation hook).
- 6 Runs `postuninstallscript` (uninstallation script).
- 7 Uninstalls the ISM control package.
- 8 Uninstalls the ISM runtime package.

7 IDK Commands

ISMTool Argument Types

Table 49 defines the argument types that are used in the ISMTool commands defined in the rest of this chapter. The ISMNAME argument type, for example, is specified by the syntax of the ISMTool --new command.

Table 49 ISMTool Argument Types

Argument Type	Description	Example
PATH	Absolute file system path.	/foo/bar
STRING	Text string with no spaces.	foobar
TEXT	Arbitrary quoted text. On Unix you enclose the text in single quotes; on Windows use double quotes.	'This is some text'
BOOL	Boolean.	true or false
ISMFILE	Path to a valid .ism file in the file system. This file would unpack into an ISMDIR.	/foo/bar/name.ism
ISMDIR	Path to a valid extracted ISMFILE or to a newly created ISM.	xyz /home/sam/xyz
ISMNAME	Name for a newly-created ISM. The ISMNAME can have the format STRING or STRING-VERSION.	ntp ntp-4.1.2
VERSION	A STRING that represents the version of the ISM. The VERSION cannot contain spaces and must be a legal version string for the native packaging engine.	1.2.3 4.13 0.9.7b
HOST[:PORT]	Host and optional port.	www.foo.com www.foo.com:8000 192.168.1.2:8000
BYTES	Integer number of bytes.	42
SECONDS	Integer number of seconds.	300
PARAMTYPE	Expected type of the parameter data. The only allowed values are the constants 'String' and 'Template'. On Unix you enclose the values in single quotes; on Windows use double quotes.	'String' 'Template'

ISMTTool Informational Commands

This section describes the ISMTTool commands that provide information about the build environment.

--help

Display the ISMTTool command-line help.

--env

Display the locations of system-level tools found in the environment. This command is helpful for investigating build problem and for verifying that the environment variable ISMTOOLBINPATH is set correctly. For example, on a Unix system --env might display the following:

```
% ismtool --env
bzip2: /usr/local/ismtool/lib/tools/bin/bzip2
cpio: /usr/local/ismtool/lib/tools/bin/cpio
gzip: /usr/local/ismtool/lib/tools/bin/gzip
install: /usr/local/ismtool/lib/tools/bin/install
17
patch: /usr/local/ismtool/lib/tools/bin/patch
python: /usr/local/ismtool/lib/tools/bin/python
pythonlib: /usr/local/ismtool/lib/tools/lib/python1.5
rpm2cpio: /usr/bin/rpm2cpio
rpm: /bin/rpm
rpmbuild: /usr/bin/rpmbuild
tar: /usr/local/ismtool/lib/tools/bin/tar
unzip: /usr/local/ismtool/lib/tools/bin/unzip
wget: /usr/local/ismtool/lib/tools/bin/wget
zip: /usr/local/ismtool/lib/tools/bin/zip
zipinfo: /usr/local/ismtool/lib/tools/bin/zipinfo
pkgenines: ['rpm4']
```

--myversion

Display the version of the ISMTTool.

--info ISMDIR

Display an overview of the internal information about the ISM contained in the directory ISMDIR. After the build is completed, more detailed information is available, which can be viewed in browser at this URL:

```
<ISMDIR>/doc/index/index.html
```

--showParams ISMDIR

Display the name, default value, type, and description for each control parameter.

--showPkgs ISMNAME

Display the list of all packages managed by the ISM. This list includes the control package, the application package, all passthru packages, and all inner packages contained in passthru packages. Examples of inner packages are Solaris package instances contained in Solaris packages, or an update fileset contained in a AIX LPP package. For each managed package, the package name, type, attached status and all meta data that can be set will be listed.

--showOrder ISMNAME

Display the current install order of attached packages managed by the ISM.

--showPathProps ISMNAME

This option is deprecated in HP Server Automation 6.0.

Displays the values currently specified for software policy meta data.

ISMTool Creation Commands

This section describes the ISMTool commands that generate the ISM directory structure.

--new ISMNAME

Create a new ISM, which consists of directory that contains subdirectories and files. The value of ISMNAME specifies the name of the newly-created ISM directory. The internal ISM name varies with the format of ISMNAME.

For example, the following command creates an ISM directory called `foobar`. The internal name of the ISM is `foobar` and the initial version of the ISM defaults to `1.0.0`.

```
% ismtool --new foobar
```

The next command creates an ISM directory called `ntp-4.1.2`. The internal name of the ISM is `ntp` and the initial version of the ISM is `4.1.2`. Note that the internal name of the ISM does not include `-VERSION`.

```
% ismtool --new ntp-4.1.2
```

The name of the ISM directory is independent of the internal ISM name. For example, if the developer renames the `ntp-4.1.2` directory to `myntp`, the internal name of the ISM is still `ntp` and the version of the ISM remains `4.1.2`.

--pack ISMDIR

Creates a ZIP archive of the ISM contained in ISMDIR. The name of the archive will be `<ismname-version>.ism`. Note that the contents of ISMDIR must be less than 2GB. (If the size is greater than 2 GB, then use the `zip` or `tar` utility instead.) An example of `--pack` follows:

Unix:

```

% ismtool --new tick
% ismtool --version 3.14 tick
% ls
tick/
% mv tick spoon
% ls
spoon/
% ismtool --pack spoon
% ls
spoon/ tick-3.14.ism

```

Windows:

```

% ismtool --new tick
% ismtool --version 3.14 tick
% dir
11/21/2003 10:17a <DIR> tick
% move tick spoon
% dir
11/21/2003 10:17a <DIR> spoon
% ismtool --pack spoon
% dir
11/21/2003 10:17a <DIR> spoon
11/21/2003 10:17a 1,927,339 tick-3.14.ism

```

--unpack ISMFILE

Unpacks the ISM contained in the ZIP file named ISMFILE. The ISM is unpacked into the ISMDIR that was specified when the ISMFILE was created with the --pack command. The following example uses the ISMFILE created in the --pack example:

Unix:

```

% ls
spoon/ tick-3.14.ism
% rm -rf spoon
% ls
tick-3.14.ism
% ismtool --unpack tick-3.14.ism
% ls
spoon/ tick-3.14.ism

```

Windows:

```

% dir
11/21/2003 10:17a <DIR> spoon
11/21/2003 10:17a 1,927,339 tick-3.14.ism
% rmdir /s /q spoon
% dir
11/21/2003 10:17a 1,927,339 tick-3.14.ism
% ismtool --unpack tick-3.14.ism
% dir
11/21/2003 10:17a <DIR> spoon
11/21/2003 10:17a 1,927,339 tick-3.14.ism

```


ISMTTool Build Commands

This section describes the ISMTTool commands that build and modify an ISM.

--verbose

Display extra debugging information.

--banner

Suppress the display of the output banner.

--clean

Clean up all files generated as a result of a build. This removes temporary files and all build products.

--build

Builds the ISM, creating the packages in the `pkg` subdirectory.

The primary purpose of the build command is to create the packages contained in the ISM. Optionally, the build command may invoke source compilation and run pre-build and post-build scripts.

--upgrade

Upgrade the ISM to match the currently installed version of the ISMTTool.

New releases of the ISMTTool may fix bugs or modify how it operates on an extracted ISMDIR. If the version of the currently installed ISMTTool is different than the version of the ISMTTool that created the ISM, the developer may need to perform certain actions. Note that minor and major downgrades are NOT allowed. For example, if version 2.0.0 of the ISMTTool created the ISM, then version 1.0.0 of the ISMTTool cannot process the ISM. [Table 50](#) lists the developer actions if the currently installed and previous versions of ISMTTool are not the same.

For more information, see [Compatibility With Previous Releases](#) on page 71.

Table 50 ISMTool Upgrade Actions

Ismtool version currently installed	ISMTOOL VERSION That CREATED the ism	Developer Action
1.0.1	1.0.0	PATCH increment. Developer action is not needed. This is considered a simple automatic upgrade which is forward AND backward compatible.
1.0.0	1.0.1	PATCH decrement. Automatic downgrade. No action needed.
1.1.0	1.0.0	MINOR increment. The developer must apply the <code>--upgrade</code> command to the ISM. There may be small operational differences or enhanced capability. Warning: This operation is not reversible. Minor upgrades are designed to be as transparent as possible.
2.0.0	1.0.0	MAJOR increment. The developer must apply the <code>--upgrade</code> command to the ISM. There may be large operational differences. The developer will probably need to perform other actions specified in release notes.
1.0.0	2.0.0 or 1.1.0	MAJOR or MINOR decrement. This downgrade path is not allowed. The ISM cannot be processed with the installed version of the ISMTool.

--name STRING

Change the internal name of the ISM to `STRING`. The `ISMDIR`, the top level directory of an extracted ISM, can have a different name than the internal name of the ISM. To change both names, use the `ISMTool --name` command to change the internal name and a file system command to change the directory name. If the `STRING` format is not valid for the native packaging engine, the problem will not be found until a `--build` is issued and the packaging engine throws an error.

--version STRING

Change the internal version field of the ISM. The `STRING` cannot contain spaces. The `--version` command performs no other checks on the `STRING` format. If the `STRING` format is not valid for the native packaging engine, the problem will not be found until a `--build` is issued and the packaging engine throws an error.

--prefix PATH

Change the install prefix of an ISM. The `PATH` is used by the build-from-source feature of the `ISMTool` and also by the drivers for the packaging engines. During installation on a managed server, the application files packaged in the ISM are installed in the location relative to the `PATH`. In the SA Client, the `PATH` appears in the Install Path field in the package's properties. In the following Unix example, the developer begins with this `.tar` file:

```

% tar tvf ntp/bar/ntp.tar
-rw-r--r-- root/root      1808 2002-11-22 09:20:36 etc/ntp.conf
drwxr-xr-x ntp/ntp         0 2003-07-08 16:22:38 etc/ntp/
-rw-r--r-- root/root       22 2002-11-22 09:22:08 etc/ntp/step-tickers
-rw-r--r-- ntp/ntp         7 2003-07-08 16:22:38 etc/ntp/drift
-rw----- root/root      266 2001-09-05 03:54:42 etc/ntp/keys
-rwxr-xr-x root/root     252044 2001-09-05 03:54:43 usr/sbin/ntpd
-rwxr-xr-x root/root     40460 2001-09-05 03:54:43 usr/sbin/ntpdate
-rwxr-xr-x root/root     70284 2001-09-05 03:54:43 usr/sbin/ntpd
-rwxr-xr-x root/root     40908 2001-09-05 03:54:43 usr/sbin/ntp-genkeys
-rwxr-xr-x root/root     66892 2001-09-05 03:54:43 usr/sbin/ntpq
-rwxr-xr-x root/root     12012 2001-09-05 03:54:43 usr/sbin/ntpstime
-rwxr-xr-x root/root     40908 2001-09-05 03:54:43 usr/sbin/ntpstime
-rwxr-xr-x root/root     19244 2001-09-05 03:54:43 usr/sbin/ntptrace
-rwxr-xr-x root/root      1019 2001-09-05 03:54:39 usr/sbin/ntp-wait

```

In this example, a --prefix of '/' would build an application package such that all the files would be installed relative to the file system root.

```

% ismtool --build --prefix '/' --pkgen engine rpm4 ntp
.
.
.
% rpm -qlpv ntp/pkg/ntp-1.0.0-1.i386.rpm
drwxr-xr-x 2 ntp ntp 0 Jul 8 16:22 /etc/ntp
-rw-r--r-- 1 root root 1808 Nov 22 2002 /etc/ntp.conf
-rw-r--r-- 1 ntp ntp 7 Jul 8 16:22 /etc/ntp/drift
-rw----- 1 root root 266 Sep 5 2001 /etc/ntp/keys
-rw-r--r-- 1 root root 22 Nov 22 2002 /etc/ntp/step-tickers
-rwxr-xr-x 1 root root 40908 Sep 5 2001 /usr/sbin/ntp-genkeys
-rwxr-xr-x 1 root root 1019 Sep 5 2001 /usr/sbin/ntp-wait
-rwxr-xr-x 1 root root 252044 Sep 5 2001 /usr/sbin/ntpd
-rwxr-xr-x 1 root root 40460 Sep 5 2001 /usr/sbin/ntpdate
-rwxr-xr-x 1 root root 70284 Sep 5 2001 /usr/sbin/ntpd
-rwxr-xr-x 1 root root 66892 Sep 5 2001 /usr/sbin/ntpq
-rwxr-xr-x 1 root root 12012 Sep 5 2001 /usr/sbin/ntpstime
-rwxr-xr-x 1 root root 40908 Sep 5 2001 /usr/sbin/ntpstime
-rwxr-xr-x 1 root root 19244 Sep 5 2001 /usr/sbin/ntptrace

```

It is easy to change the install prefix to '/usr/local':

```

% ismtool --build --prefix '/usr/local' ntp
.
.
.
% rpm -qlpv ntp/pkg/ntp-1.0.0-2.i386.rpm
drwxr-xr-x 2 ntp ntp 0 Jul 8 16:22 /usr/local/etc/ntp
-rw-r--r-- 1 root root 1808 Nov 22 2002 /usr/local/etc/ntp.conf
-rw-r--r-- 1 ntp ntp 7 Jul 8 16:22 /usr/local/etc/ntp/drift
-rw----- 1 root root 266 Sep 5 2001 /usr/local/etc/ntp/keys
-rw-r--r-- 1 root root 22 Nov 22 2002 /usr/local/etc/ntp/
step-tickers
-rwxr-xr-x 1 root root 40908 Sep 5 2001 /usr/local/usr/sbin/
ntp-genkeys
-rwxr-xr-x 1 root root 1019 Sep 5 2001 /usr/local/usr/sbin/ntp-wait
-rwxr-xr-x 1 root root 252044 Sep 5 2001 /usr/local/usr/sbin/ntpd
-rwxr-xr-x 1 root root 40460 Sep 5 2001 /usr/local/usr/sbin/ntpdate

```

```

-rwxr-xr-x  1 root  root   70284 Sep  5  2001 /usr/local/usr/sbin/ntpd
-rwxr-xr-x  1 root  root   66892 Sep  5  2001 /usr/local/usr/sbin/ntpq
-rwxr-xr-x  1 root  root   12012 Sep  5  2001 /usr/local/usr/sbin/ntpdate
-rwxr-xr-x  1 root  root   40908 Sep  5  2001 /usr/local/usr/sbin/
ntptime
-rwxr-xr-x  1 root  root   19244 Sep  5  2001 /usr/local/usr/sbin/ntpdate

```

On Windows, there is no standard way to tell an MSI where to install itself. Therefore, application packages built from MSI files found in the `bar` directory will ignore the `--prefix` setting. However, for Windows application packages built from ZIP files, the ISMTool will use the `--prefix` setting. On Windows the prefix must be in this form: `driveletter:\directoryname` (for example, `D:\mydir`). On Windows NT4, `--prefix` is required and cannot contain variables.

On Unix, the default value of `PATH` is `/usr/local`.

--ctlprefix PATH

Change the install prefix of the control files. Note that this command is not recommended and that you should instead rely on the default values. During installation on a managed server, the control files packaged in the ISM are installed in the location relative to the `PATH`. In the SA Client, the `PATH` appears in the Install Path field in the package's properties. On Windows the prefix must be in this form: `driveletter:\directoryname` (for example, `D:\mydir`). On Windows NT4, `--ctlprefix` is required and cannot contain variables.

The default value for `PATH` follows:

Unix:

```
/var/opt/OPSWism
```

Windows:

```
%ProgramFiles%\OPSWism
```

On Solaris, if you specify `--ctlprefix` on Solaris, you will be prompted for the name of the shared run-time package.

--user STRING (Unix only)

Change the Unix user owner of the files in the application package to `STRING`. When the files in the package are installed on the managed server, they will be owned by the specified Unix user.

--group STRING (Unix only)

Change the Unix group owner of the files in the application package `STRING`.

--ctluser STRING (Unix only)

Change the Unix user owner of the files in the control package to `STRING`. The default value is `root`. When the files in the package are installed on the managed server, they will be owned by the specified Unix user.

--ctlgroup STRING (Unix only)

Change the Unix group owner of the files in the control package to `STRING`. The default value is `bin`.

--pkgengine STRING (Unix only)

Change the native packaging engine. On systems that have multiple packaging engines available, use this command to switch between them. To view the available engines, issue the `--help` or `--env` commands.

Note that if you change the native packaging engine, no packages will be added to the software policy during the `--upload` operation.

--ignoreAbsolutePath BOOL (Unix only)

Ignore the absolute paths in the archive. For example, the following is a binary archive with absolute paths:

```
% tar tvf test/bar/foo.tar
-rw-r--r-- root/root      1808 2002-11-22 09:20:36 /foo/bar/baz.conf
```

If the `--prefix` is set to `/usr/local` then the install path is ambiguous: Should ISMTool install `baz.conf` as `/foo/bar/baz.conf` or `/usr/local/foo/bar/baz.conf`? If the answer is `/foo/bar/baz.conf`, then the developer must set the `--prefix` of the ISM to `'/'`. However, if the answer is `/usr/local/foo/bar/baz.conf`, then the developer must specify the `--ignoreAbsolutePath` command.

--addCurrentPlatform (Unix only)

Add the current platform to the ISM's supported list. Note: This command does not make the ISM cross-platform. ISMs can be constructed on different SA-supported platforms. A platform is the combination of OS type and version. Example platforms are: Redhat-Linux-7.2, SunOS-5.9, Windows-2000. To view the currently supported platforms for an ISM use the `--info` command.

--removeCurrentPlatform (Unix only)

Removes the current platform from the ISM's supported platform list.

--addPlatform TEXT (Unix only)

Add to the ISM's supported platform list the platform specified by the `TEXT`. Because platform support and identification are dynamic, no error checking is done for `--addPlatform`. For this reason, the recommendation is to use `--addCurrentPlatform` instead of `--addPlatform`.

--removePlatform TEXT (Unix only)

Removes from the ISM's supported platform list the platform specified by the `TEXT`.

--target STRING (Unix only)

Warning: This command should only be used by experts.

Allow cross-platform packaging of the application package for the RPM packaging engine. The `--target` command must be used with `--skipControlPkg`. The format of the STRING is `<arch-os>`, for example, `i686-linux` or `sparc-solaris2.7`.

--skipControlPkg BOOL

Prevent the building of the control package. This command allows the ISMTool to support the packaging of files that have no need for a structured application control package.

--skipApplicationPkg BOOL

Prevent the building of the application package. This command allows the ISMTool to support the creation of a control-only ISM package. This feature can be used to build a controller for an application that is not installed or packaged with the ISMTool. Examples are controllers for core operating system functions, currently running applications that cannot be packaged, and specialized hardware.

--chunksize BYTES (Unix only)

Limits the number of bytes that will be inserted into an application package. (Heuristics are used to compensate for compression factors.) The binary archive (`bar`) directory may contain many archives from which to build the application package. If the chunksize is exceeded, then the application archives are grouped into several bins and each bin is turned into a-sub application package. The algorithm is a standard bin-packing heuristic. The movable units are binary archives within the `bar` directory.

For example, suppose that the output package format is an RPM and has five binary archives: `a.tgz` (100M), `b.tgz`(100M), `c.tgz` (200M), `d.tgz` (300M), and `e.tgz`(50M). If the chunksize is set to 314572800 (300M) then the output application bins will be:

```
part1( a.tgz, b.tgz, e.tgz ) == 250M
part2( c.tgz )                == 200M
part3( d.tgz )                == 300M
```

This would result in three application packages:

```
foobar-part0-1.0.0.i386.rpm
foobar-part1-1.0.0.i386.rpm
foobar-part2-1.0.0.i386.rpm
```

In general, the chunksize is not a problem unless the application package is almost a gigabyte in size. At that point, some package engines start breaking. The default chunksize is one gigabyte (2^{30} bytes).

--solpkgMangle BOOL (SunOS only)

Prevent the ISMTool from changing the name of the application package to conform to Solaris requirements. For more information, see [Solaris Differences](#) on page 74.

When creating a Solaris package, ISMTool must use a package name that conforms to the 9-character limit. However, it may be desirable to prevent ISMTool from changing (“mangling”) the package name during the `--build` process. When `--solpkgMangle false` is specified, ISMTool will use the ISM name when creating the application package. The control package name will continue to be mangled. Note that when `--solpkgMangle` is false, the ISM name must be 9 characters or less and there cannot be multiple application packages.

`--embedPkgScripts` BOOL

Embed the contents of the ISM packaging scripts (installation hooks) in the application package. This option must be used with `--skipControlPkg` and `--skipRunTimePkg`.

By default, the application package is built to call out to the ISM packaging scripts installed by the control package. The `--embedPkgScripts` option overrides this behavior by embedding the contents of the scripts found in the `ism/pkg` directory inside the application package. These scripts are invoked during the pre and post phases of the application package install and uninstall.

If one or more of the scripts in the `ism/pkg` directory are not needed, delete the scripts before the `--build` process. Note that RPM and LPP packaging engines do not have a `checkinstall` phase so the `ism_check_install` file is ignored when building RPMs and LPPs.

`--skipRuntimePkg` BOOL

Specify whether to build runtime packages during subsequent `--build` operations.

A runtime package is built by default. If `--skipRuntimePkg true` is specified, the runtime package will not be built during subsequent operations until `--skipRuntimePkg false` is specified. ISM utilities such as the `parameters` interface will fail if the runtime package cannot be located. Do not specify `--skipRuntimePkg true` unless you are sure the runtime package already exists on the managed server on which you’ll install the ISM.

ISMTool Interface Commands

This section describes the ISMTool commands that interact with SA.

`--upload`

Upload the ISM contained in the ISMDIR to the software policy specified by `--opswpath`. If you specify a software policy that does not exist, it will be created automatically during the upload process. To specify which SA core to connect to, use either command-line arguments (such as `--softwareRepository`) or the environment variables listed in [Table 51](#).

The `--upload` command prompts for an SA user name and password. Before the upload operation, this user must be granted permission with `ismusertool`. Also, this user must have write permission on the folder containing the software policy.

--noconfirm

Suppress confirmation prompts, which require a y or n reply. For example, the ISMTool has the following confirmation prompt:

```
Do you wish to proceed with upload? [y/n]:
```

If `--noconfirm` is set, the prompts are suppressed and the ISMTool behaves as if the answer is y. The `--noconfirm` option affects only the current invocation of the ISMTool.

--opswpath STRING

Specify the path of the software policy that will contain the uploaded ISM. Note that the path always contains forward slashes, even on Windows.

If you specify a software policy that does not exist, it will be created automatically during the upload process. If you specify a folder (a path not terminated by a policy), an error occurs because you cannot upload an ISM into a folder.

The ISMTool supports the construction of cross-platform ISMs. An example of such an ISM is the Network Time Protocol (NTP) daemon, which can be built from source on a variety of platforms. To make uploading of cross-platform ISMs easier, the ISMTool supports variable substitution within the `--opswpath STRING`. These variables represent the internal settings of the ISM. [Table 51](#) lists the variables recognized by the ISMTool.

Table 51 ISMTool Variables

Variable	Example
<code>\${NAME}</code>	ntp
<code>\${VERSION}</code>	4.1.2
<code>\${APPRELEASE}</code>	3
<code>\${CTLRELEASE}</code>	7
<code>\${PLATFORM}</code>	Redhat Linux 7.2
<code>\${OSTYPE}</code>	Redhat Linux
<code>\${OSVERSION}</code>	7.2

Unix example:

```
% ismtool --opswpath '/System Utilities/${NAME}/${VERSION}/${PLATFORM}'  
ntp
```

Possible expansion:

```
'/System Utilities/ntp/4.1.2/Redhat Linux 7.2'
```

Windows example:

```
% ismtool --opswpath "/System Utilities/${NAME}/${VERSION}/${PLATFORM}"  
ntp
```

Possible expansion:

```
"/System Utilities/ntp/4.1.2/Windows 2000"
```


--commandCenter HOST[:PORT]

For an upload to a folder, use the Opware Command Center core component located at HOST[:PORT].

--dataAccessEngine HOST[:PORT]

For the upload, use the SA Data Access Engine located at HOST[:PORT].

--commandEngine HOST[:PORT]

For the upload, use the SA Command Engine located at HOST[:PORT].

--softwareRepository HOST[:PORT]

For the upload, use the SA Software Repository located at HOST[:PORT].

--description TEXT

Provide descriptive text for the ISM. During the upload, this text is copied to the description field on the software policy.

--addParam STRING

Add a parameter named STRING to the ISM. Usually, the commands --paramValue, --paramDesc, and --paramType are also specified. For example:

```
% ismtool --addParam NTP_SERVER \  
--paramValue 127.0.0.1 \  
--paramType 'String' \  
--paramDesc 'NTP server, default to loopback' ntp  
  
% ismtool --addParam NTP_CONF_TEMPLATE \  
--paramValue /some/path/ntp.conf.template \  
--paramType 'Template' \  
--paramDesc 'Template for the /etc/ntp.conf file' ntp
```

--paramValue TEXT

Set the default value for the parameter. The --addParam command must also be specified. If the parameter type is 'String' then the value is the string specified by TEXT. If the parameter type is 'Template' then TEXT is interpreted as a PATH to a configuration template file. The data in the template file is loaded as the default value. If the --paramValue and --paramType are not specified, then the default value is the empty string.

--paramType PARAMTYPE

Set the type of the parameter. The `--addParam` command must also be specified. The `PARAMTYPE` must be either `'String'` or `'Template'`. The default type is `'String'`.

--paramDesc TEXT

Set the descriptive text for the parameter. The `--addParam` command must also be specified. The default value is an empty string.

--removeParam STRING

Remove the parameter named `STRING`.

--rebootOnInstall BOOL

Tag the application package with the SA package control flag `reboot_on_install`. If `--rebootOnInstall` is set to `true`, then the managed server will be rebooted after the package is installed. If the ISM has multiple application packages, the last package in the list is tagged.

--rebootOnUninstall BOOL

Tag the application package with the SA package control flag `reboot_on_uninstall`. If `--rebootOnUninstall` is set to `true`, then the managed server will be rebooted after the package is uninstalled. If the ISM has multiple application packages, the first package in the list is tagged.

--registerAppScripts BOOL (Windows only)

Register the ISM packaging scripts (installation hooks) with the application package.

By default, ISM packaging scripts are encoded in the application MSI to run at pre-installation, post-installation, pre-uninstallation, and post-uninstallation. When `--registerAppScripts` is specified, the ISM packaging scripts are instead registered as SA package control scripts during the upload. The package control scripts are registered in the Model Repository and are viewable from the HP Server Automation Client.

The `--registerAppScripts` command is required if the ISM packaging scripts contain actions that conflict with the application MSI installation. For example, a conflict could occur if a post-install script contains a call to `msiexec.exe`. Since the Microsoft Installer does not allow concurrent installs, a script containing a call to `msiexec.exe` will not complete successfully. By registering the ISM packaging scripts as SA package control scripts, the scripts are called outside of the MSI installation and uninstallation.

--endOnPreScriptFail BOOL (Windows only)

Register to end subsequent installs with the application package.

If `--endOnPreIScriptFail` and `--registerAppScripts` are both set to true, then the installation will abort if the ISM pre-install script returns a non-zero exit code.

`--endOnPstIScriptFail` BOOL (Windows only)

Register to end subsequent installs with the application package.

If `--endOnPstIScriptFail` and `--registerAppScripts` are both set to true, then the installation will abort if the ISM post-install script returns a non-zero exit code.

`--endOnPreUScriptFail` BOOL (Windows only)

Register to end subsequent uninstalls with the application package.

If `--endOnPreUScriptFail` and `--registerAppScripts` are both set to true, then the uninstall will abort if the ISM pre-uninstall script returns a non-zero exit code.

`--endOnPstUScriptFail` BOOL (Windows only)

Register to end uninstalls with the application package.

If `--endOnPstUScriptFail` and `--registerAppScripts` are both set to true, then the uninstall will abort if the ISM post-uninstall script returns a non-zero exit code.

`--addPassthruPkg` {PathToPkg} --pkgType {PkgType} ISMNAME

Specifies that the package identified by {PathToPkg} should be treated as a passthru package. The supported package type {PkgType} depends on the platform, as shown by [Table 52](#).

{PathToPkg} can be either a full or relative path to the package, but the package must exist at the time the `--addPassthruPkg` option is specified. {PathToPkg} cannot specify a package in the current ISM's directory structure. For example, the control package, the application package, or a package in the bar directory cannot be specified as a passthru package.

Note that by default, the upload operation does not add the passthru package (specified by `--addPassthruPkg`) to the software policy. To add the passthru package, you must specify the `--attachPkg` option.

If you upload a Solaris passthru package, the response file is not uploaded. You must manually upload the response file.

The following table lists the allowed values of {PkgType} (package type) for each platform.

Table 52 Supported Package Types for Passthru Option

platform (OS)	allowed value for {Pkgtype}
AIX	lpp rpm zip
HP-UX	depot zip

Table 52 Supported Package Types for Passthru Option (cont'd)

platform (OS)	allowed value for {Pkgtype}
Linux	rpm zip
SunOS	rpm solcluster solpatch solpkg zip
Windows	hotfix msi sp zip

The following example shows how to add a passthru package to an ISM and specify the package for addition to the software policy:

```
% ismtool --addPassthruPkg /tmp/bos.rte.libs.5.1.0.50.U --pkgType lpp ISMNAME
Inspecting specified package: ...
bos.rte.libs.5.1.0.50.U (lpp)
  bos.rte.libs-5.1.0.50 (update fileset)
  IY42527 (apar)
Done.
% ismtool --attachPkg bos.rte.libs-5.1.0.50 --attachValue true ISMNAME
```

--removePassthruPkg {PassthruPkgFileName} ISMNAME

Specify that an already registered passthru package is no longer a passthru package.

ISMTool will do the following:

- 1 Delete {PassthruPkgFileName} from the ISMs directory structure.
- 2 Record in `ism.conf` that {PassthruPkgFileName} is no longer a passthru package.
- 3 During the next upload and all subsequent uploads, if the package is added to the `--opswpath` software policy, it will be removed.

Note that an ISM remembers all packages that have been removed as a passthru package. If a package was added to the software policy via the SA Client or a previous upload operation, the package will be removed from the policy on the next upload operation.

--attachPkg {PkgName} --attachValue BOOLEAN ISMNAME

Specify whether a package managed by an ISM should be added to the software policy identified by `--opswpath`.

By default, when control or application packages are built, these types of packages are marked for addition to the software policy. However passthru packages and inner packages are not marked for addition until the `--attachPkg` option is specified.

{PkgName} is the name of the package as listed by the `--showPkgs` command. If `--attachValue` is true, a package is marked for addition to the software policy. If `--attachValue` is false, a package will be uploaded into the Software Repository but it will

not be added to the software policy. If `--attachValue` is false and the package already resides in the software policy, the package is marked for removal from the policy. A package is added or removed during an `--upload` operation. The following table lists the package types that can be added to a software policy.

Table 53 Package Type Properties

Package type	can this package type contain scripts?	can this package type be added to a software policy?
AIX LPP	no	no
AIX Base Fileset	yes	yes
AIX Update Fileset	yes	yes
AIX APAR	no	yes
HP-UX Depot	no	no
HP-UX Fileset	yes	yes
HP-UX Patch Fileset	no	no
HP-UX Product	no	yes
HP-UX Patch Product	no	yes
RPM	yes	yes
Solaris Package	no	no
Solaris Package Instance	yes	yes
Solaris Patch	yes	yes
Solaris Patch Cluster	no	yes
Windows Hotfix	yes	yes
Windows MSI	yes	yes
Windows Service Pack	yes	yes
Windows ZIP File	yes	yes

`--orderPkg {PkgName} --orderPos {OrderPos} ISMNAME`

Change the install order of attached packages managed by the ISM.

{OrderPos} is an integer that specifies the new install order for the package identified by {PkgName}. {OrderPos} is 1 (not 0) or the first package to be installed. To display the install order, use the `ismtool --showOrder` command.

The following example shows how to display and change the install order:

```
% ismtool --showOrder ISMNAME
[1] test-ism-1.0.0-1.rpm
[2] test-1.0.0-1.rpm
[3] bos.rte.libs-5.1.0.50
[4] IY42527
```

```
% ismtool --orderPkg IY42527 --orderPos 1 ISMNAME
[1] IY42527
[2] test-ism-1.0.0-1.rpm
[3] test-1.0.0-1.rpm
[4] bos.rte.libs-5.1.0.50
```

--addPathProp {PathProp} --propValue {PropValue} ISMNAME

Specify a value for a property (meta data) of the software policy.

To display the current values, use the `--showPathProps` command. The following table lists the allowed values and types for the `--addPathProp` command.

Table 54 Allowed values for {PathProp}

{PathProp} Allowed Value	{PropValue} Type	Example
description	TEXT	'This does something important'
Deprecated: notes	TEXT	'And so does this'
Deprecated: allowservers	BOOLEAN	false

The following example commands show how to set the description property:

```
% ismtool --addPathProp description --propValue 'This policy does something'
ISMNAME
% ismtool --showPathProps ISMNAME
description: This policy does something
```

--editPkg {PkgName} --addPkgProp {PkgProp} --propValue {PropValue} ISMNAME

Specify a value for a given package meta data property.

{PkgName} identifies the package to update; it can be any of the package names listed using the `--showPkgs` command. The following table lists the allowed values for {PkgProp}.

Table 55 Allowed values for {PkgProp}

{PkgProp} allowed value	Description	{PropValue} type
deprecated	Deprecated status for package	BOOLEAN
description	Description for package	TEXT
endonpreinstallfail	Remediation ends on pre-install script failure	BOOLEAN
endonpreuninstallfail	Remediation ends on pre-uninstall script failure	BOOLEAN

Table 55 Allowed values for {PkgProp}

{PkgProp} allowed value	Description	{PropValue} type
endonpstiscriptfail	Remediation ends on post-install script failure	BOOLEAN
endonpstuscriptfail	Remediation ends on post-uninstall script failure	BOOLEAN
installflags	Install flags for package	TEXT
notes	Notes for the package	TEXT
rebootoninstall	Package requires a reboot after install	BOOLEAN
rebootonuninstall	Package requires a reboot after uninstall	BOOLEAN
uninstallflags	Uninstall flags for package	TEXT

The endonXXXscriptfail values are set only if a pre/post install/uninstall script has been defined for a package. These scripts reside in the ISMNAME/pad subdirectory.

Note that not all package types support all the {PkgProp} values listed in the preceding table. The supported {PkgProp} values for each package type can be seen by viewing the package property details in the SA Client. In addition, the following table lists {PkgProp} values supported by specific package types.

Table 56 {PkgProp} Allowed Values by Package Type

{PkgProp} allowed value	Package Type	Description	{PropValue}
upgradeable	RPM	Package is upgradeable	BOOLEAN
productname	Windows MSI	MSI product name	STRING
productversion	Windows MSI	MSI version number	STRING
servicepacklevel	Windows OS Service Pack	Service Pack version number	INTEGER
installdir	Windows ZIP	Installation directory	STRING
postinstallscriptfilename	Windows ZIP	Post install script filename	STRING
postinstallscriptfilenamefail	Windows ZIP	Remediation ends on post install script failure	BOOLEAN
preuninstallscriptfilename	Windows ZIP	Pre uninstall script filename	STRING

Table 56 {PkgProp} Allowed Values by Package Type

{PkgProp} allowed value	Package Type	Description	{PropValue}
preuninstallscriptfilenamefail	Windows ZIP	Remediation ends on pre uninstall script failure	BOOLEAN

The `productversion`, `productname`, and `servicepacklevel` must be set before performing an `--upload` operation. The `productname` and `productversion` cannot be changed after an `--upload` operation. If you modify the `productname` or `productversion` and then perform another `--upload` operation, the modified values will not be applied.

The following example shows how to specify the description of a package:

```
% ismtool --editPkg bos.rte.libs.5.1.0.50 --addPkgProp description
--propValue 'This is a fileset' ISMNAME
```

ISMTool Environment Variables

The ISMTool references the shell environment variables described in this section.

CRYPTO_PATH

This environment variable indicates the directory that contains the file `ismtool/token.srv`.

`CRYPTO_PATH` and `token.srv` are required only if you are uploading the ISM from a Windows managed server or a server not managed by SA (that is, a server that has no Server Agent.) To connect to the SA core during the upload of an ISM, the ISMTool needs the client certificate (the `token.srv` file) that was generated during the installation of HP Server Automation.

Keep in mind that using this certificate with the ISMTool invokes a different security mechanism than the one used by the SA Client. As a result, you might have increased or reduced permissions. You might have access to servers belonging to customers that you usually do not have access to. Also, you might be able to perform operations that you cannot perform with the SA Client. Therefore, in this situation use the ISMTool with caution to avoid unintended consequences caused by a possible change in security permissions.

To obtain the `token.srv` file and set the `CRYPTO_PATH` environment variable, perform the following steps:

- 1 Log in to the core server as `root` and locate the following file:

```
/var/opt/opsware/crypto/agent/agent.srv
```

- 2 Copy `agent.srv` to the server where you have installed the IDK, to the following file:

```
<some-path>/ismtool/token.srv
```

The `<some-path>` part of the directory path is your choice, but the subdirectory containing `token.srv` must be `ismtool`.

- 3 Set the `CRYPTO_PATH` environment variable to `<some-path>`, the directory above `ismtool/token.srv`.

For example, on a Unix server, suppose that the full path name of `token.srv` is as follows:

```
/home/jdoe/dev/crypto/ismtool/token.srv
```

In `csh` you would set the environment variable as follows:

```
setenv CRYPTO_PATH /home/jdoe/dev/crypto
```

On Windows, perhaps `token.srv` resides here:

```
C:\jdoe\dev\crypto\ismtool\token.srv
```

You could set the environment variable as follows:

```
set CRYPTO_PATH=C:\jdoe\dev\crypto
```

ISMTOOLBINPATH

This environment variable is a list of directory names, separated by colons, where the ISMTool searches for system-level tools (such as `tar` and `cpio`). The following search strategy is used:

- 1 Search the paths from the environment variable `ISMTOOLBINPATH`.
- 2 Search the compiled-in binaries (if any) in `/usr/local/ismtool/lib/tools/bin`.
- 3 Search within the user's path.

ISMTOOLCC

This environment variable is the `HOST[:PORT]` of the Opsware Command Center core component used during an ISMTool upload to a folder.

ISMTOOLCE

This environment variable is the `HOST[:PORT]` of the SA Command Engine used by the ISMTool.

ISMTOOLDA

This environment variable is the `HOST[:PORT]` of the SA Data Access Engine used by the ISMTool.

ISMTOOLPASSWORD

This environment variable is a `STRING` that specifies the SA password during an ISMTool upload.

ISMTOOLSITEPATH

This environment variable is a `PATH` for a “site” directory.

The ISMTool contains certain default scripts and attribute values (for example, the install prefix) which are referenced when a new ISM is created. A developer can override the default scripts and a selected set of attribute values by using a site directory.

The defaults.conf File

Within the site directory, a developer can create the `defaults.conf` file, which contains overrides for attribute values. A line in `defaults.conf` has the format: `<tag>:<value>`. A line starting with the `#` character is a comment. The following example shows the values that can be set in `defaults.conf`:

Unix:

```
prefix:    /usr/local
ctlprefix: /var/opt/OPSWism
opswpath:  /System Utilities/${NAME}/${VERSION}/${PLATFORM}
version:   1.0.0
ctluser:   root
ctlgroup:  bin
```

Windows:

```
prefix:    ???
ctlprefix: ???
opswpath:  /System Utilities/${NAME}/${VERSION}/${PLATFORM}
version:   1.0.0
```

The templates Subdirectory

Developers can override the files in the `/usr/local/ismtool/lib/ismtoollib/templates` directory by placing their own copies in a `templates` subdirectory located within the `ISMTOOLSITEPATH`. For example, developers can override the files that are the default packaging hooks for Windows or Unix.

The control Subdirectory

Sometimes, developers need to install a common set of tools into an ISM's `control` directory. The ISMTool supports this requirement by copying all files from a `control` subdirectory of the `ISMTOOLSITEPATH` to the ISM's `control` directory. If a file already exists in the ISM's `control` directory, it will not be overwritten.

ISMTOOLSUR

This environment variable is the `HOST[:PORT]` of the SA Software Repository used by the ISMTool.

ISMTOOLUSERNAME

This environment variable is a `STRING` that specifies the SA user name during an ISMTool upload.

ISMUserTool

The `--upload` command of the ISMTool prompts for an SA user name. To enable SA users to perform an upload, run the ISMUserTool to assign privileges.

To list the users that have upload privileges:

```
% ismusertool --showUsers
```

To grant a user users upload privileges:

```
% ismusertool --addUser johndoe
```

To revoke upload privileges:

```
% ismusertool --removeUser johndoe
```

ISMUserTool allows you to specify multiple options on a single command line. For more information, specify the `--help` option:

```
% ismusertool --help
```

By default, the Opsware admin user has upload privileges, which cannot be revoked.

Folders are new in version 6.0 of HP Server Automation. To upload an ISM into a folder, the user must have folder privileges. By default, the admin user does not have folder privileges. In a production environment, admin should not have folder privileges, so you should not use admin for uploads.

