



# Additional License Authorizations

For HP Software Security Center software products

## Products and suites covered

Products	E-LTU or E-Media available *	Non-Production use category **
HP ArcSight Application View	Yes	Class 1
HP Assessment Management Platform	Yes	Class 3
HP Fortify Computer Based Training	Yes	Class 3
HP Fortify Governance	Yes	Class 3
HP Fortify on Demand for MSPs	Yes	Class 3
HP Fortify Real-Time Analyzer	Yes	Class 3
HP Fortify Runtime	Yes	Class 3
HP Fortify SecurityScope	Yes	Class 3
HP Fortify Static Code Analyzer	Yes	Class 3
HP License and Infrastructure Manager	Yes	Class 3
HP QAInspect	Yes	Class 3
HP Software Security Center	Yes	Class 3
HP WebInspect	Yes	Class 3
HP WebInspect Enterprise	Yes	Class 3

Suites	E-LTU or E-Media available *	Non-Production use category **
HP Assessment Management Platform Sensor Suites	Yes	Class 3
HP Fortify Runtime Suite	Yes	Class 3
HP Software Security Center Build to Order Starter Edition	Yes	Class 3
HP Software Security Center Build to Order Starter Edition w/o SSC Server	Yes	Class 3
HP WebInspect Enterprise Build to Order Starter Edition Suite	Yes	Class 3

\* Any product sold as E-LTU or E-Media shall be delivered electronically regardless of any contrary designation in a purchase order.

\*\* Non-production use rights, if any, can be found at [www.hp.com/go/SWlicensing](http://www.hp.com/go/SWlicensing).



# Definitions

Capitalized terms not otherwise defined in this ALA document are defined in the governing agreement.

<b>Term</b>	<b>Definition</b>
<i>AMP Concurrent User</i>	means the software is licensed by the amount of active AMP Users that interact (directly or indirectly) with software at any one point in time on one (1) OS Instance.
<i>AMP User</i>	means a single individual who makes use of the software and /or the functionality provided by the software either directly or indirectly through user interfaces, clients, 3rd party software, or Application Programming Interfaces.
<i>Application</i>	see Target.
<i>“Application Instance” or “AppInstance”</i>	<p>means a monitored environment running an instance of an application</p> <ul style="list-style-type: none"><li>▪ For .NET based application, AppInstance is one windows process that runs .net (one worker processes).</li><li>▪ For Citrix, AppInstance is any monitored XenApp, XenServer, XenDesktop, Web Interface, License Server, Provisioning Services, or Secure Gateway hosted on one hostname.</li><li>▪ For DB2 databases, an AppInstance is one DB2 Database Instance as identified by a DB2 Instance User on a given system. For EMC Documentum, AppInstance is any monitored Content Server, Index Server, xPlore Indexing Server, Web Based Applications (WebTop, DA, DAM), Web Content Publishing Services (SCS, IDS), Distributed Content Services (BOCS, DMS), or Content Transformation Services (DTS, ADTS) hosted on one hostname.</li><li>▪ For Java based applications, AppInstance is one JVM.</li><li>▪ For Microsoft Enterprise Servers (e.g., Exchange, Active Directory, Office Communications Server, Sharepoint, Biztalk, ISA etc.) AppInstance is any monitored installation of any of the Servers.</li><li>▪ For Microsoft SQL Server, AppInstance is one SQL Server service with its own port, logins and set of system and user databases.</li><li>▪ For an Oracle database, AppInstance is one SID (Oracle system ID) in a database environment, including the RDBMS software, table structure, stored procedures and other functionality.</li><li>▪ For PeopleTools servers, an AppInstance is one of Application Server, Batch Server (Process Scheduler), Database Server, Web Server.</li><li>▪ For SAP Netweaver ABAP stack, AppInstance is one Dialog or Central Instance. For Netweaver Java stack, AppInstance is one JVM. Technically, for SAP Netweaver AppInstance is the unique combination of the hostname, System ID of the SAP system and System Number of the SAP system (two-digit numeric value) to identify an instance.</li><li>▪ For Siebel, AppInstance is one database instance, one application server or one web server. For Siebel CRM, AppInstance is any monitored Siebel application server, Gateway name server, web server with Web Server Extension, Siebel Analytics, or Oracle Business Intelligence services hosted on one hostname.</li><li>▪ For Sybase and Informix Server, AppInstance is one Server with its own logins and set of system and user databases.</li><li>▪ For Tuxedo servers, AppInstance is one Tuxedo instance.</li><li>▪ For Web Application Servers, AppInstance is one Server that runs on a Java Virtual Machine (JVM) and has its own configuration.</li><li>▪ For WMQ AppInstance is one MQ Queue Manager instance. For CICS and IMS applications, AppInstance is one CICS/IMS region that the monitored application (or part of it) is being hosted in.</li></ul>
<i>Application Programmatic Interface (“API”)</i>	means a set of access methods, through which the functionality provided by the application is made available to other applications.
<i>Authorized Machine</i>	means a named OS Instance licensed to run the software.
<i>Base</i>	means an offering of HP Fortify Governance with a minimum of 10 Projects.
<i>Build to Order Plan or B2O</i>	means a pricing plan under which Power Users and/or Regular Users use the software on Authorized Machines for Projects.
<i>CBT Seat</i>	means a license for an individual to use a specific computer based training course.
<i>Clients</i>	means any applications or systems which provide functionality separate from that of the software while providing for the facility to connect to and interact with the software.

<b>Term</b>	<b>Definition</b>
<i>Cold Standby System</i>	means a standby non-production system which is NOT up and running. If the production system breaks down, or needs to be taken out of service, you are required to switch on and start the Cold Standby System in order to take over for the production system.
<i>Concurrent Running Instance or CRI</i>	means a physical or Virtual Machine that is running HP Fortify SecurityScope.
<i>Concurrent Users or CC Users</i>	means the software is licensed by the amount of users that simultaneously use the software at any one point in time. The software can be installed on any number of computers, provided that the actual usage of the software does not exceed the number of licenses purchased.
<i>Connection</i>	means an application actively communicating through an established and authenticated communication session with the AMP Server.
<i>Curriculum</i>	means a combination of courses that may or may not be offered individually.
<i>Development and Test Systems</i>	means a non-production system to be used for a) developing your add-on applications in order to access the licensed software b) migration testing c) pre-production staging or d) version upgrades/configurations and transition purposes.
<i>Device or Dev</i>	means an addressable entity, physical or virtual, including but not limited to router, switch, bridge, hub, server, PC, laptops, handheld device or printer that resides within the range defined for interrogation and asset tracking.
<i>Documentation</i>	means any explanatory written or on-line material including, but not limited to, user guides, reference manuals and HTML files.
<i>E-LTU and E-Media</i>	means products which are electronically delivered only, and as such any reference to FOB Destination or delivery methods that are stated on your purchase order other than electronic shall be null and void with respect to these E-LTU or E-Media products.
<i>Enterprise or Ent</i>	means a license which allows Unlimited CBT Seats within the legal entity.
<i>Fail or Failover</i>	means a backup operation that automatically switches the functions of a primary system to a standby server if the primary system fails or is temporarily taken out of service.
<i>Flexible Deployment Plan or Flex</i>	means the licensing arrangement under which Customer knows how many developers contributed code to the applications, and the software may be used to analyze/scan code written only by the Named Contributing Developers.
<i>Foundation</i>	means a single Instance of the core or primary components of a software application which enable its basic functionality, and without which the additional modules available for the application are unable to operate. Foundation software may be installed on one or multiple servers, depending on the specific architecture required to enable the functioning of the single Instance.
<i>Hot Standby System</i>	means a non-production system which is up and running, ready to take over from the production system if the production system breaks down or needs to be taken out of service.
<i>Implementation</i>	means an installation of the software on a single Server or installed on a cluster of Servers which work together as a single installation of the software.
<i>Instance</i>	means each implementation of the application
<i>Internal Use</i>	means access and Use of the software for purposes of supporting your internal operations or functions.
<i>Lines of Code or LOC</i>	means the total number of lines of your software source code that are authorized to be scanned by an Unlimited number of software developers on an Unlimited number of Authorized Machines using the software.
<i>Lines of Code Plan or LOC</i>	means the licensing arrangement that specifies the authorized Lines of Code.
<i>LTU</i>	means License To Use.

<b>Term</b>	<b>Definition</b>
<i>Managed Service or MS</i>	means services provided by you using the eligible HP Products for managing or augmenting the information technology functions of other companies for a fee, such as but not limited to, outsourcing, hosting, Infrastructure-as-a-Service (“IaaS”), Platform-as-a-Service (“PaaS”), Software –as-a-Service (“SaaS”), or Business Process-as-a-Service (“BPaaS”), remote network management, security monitoring, log management, patch management, remote data back-up, and application services such as load testing, quality testing, regression testing, or performance testing.
<i>Managed Service Provider or MSP</i>	means you when acting as a third party service provider contracted by an end user ( that is not your Affiliate) to provide Managed Services to that end user.
<i>Named Contributing Developer or NCD</i>	means a named software developer authorized to contribute code to the projects to be scanned by the licenses product.
<i>Named User or Nmd User</i>	means a specific individual authorized by you to access the software regardless of whether they are actively using the software.
<i>Non-Production or NP</i>	means internal use which is limited to Use on Development and Test Systems and Hot and/or Cold Standby Systems. This NP license requires the previous purchase of the equivalent or greater production licenses. Support for NP licenses is restricted to the period of and current status of the equivalent production license.
<i>Operating System Instance or OS Instance</i>	means each implementation of the bootable program that can be installed onto a physical system or a partition, such as system Virtual Machines, virtual environments, virtual private servers, containers, guests and zones, within the physical system. A physical system can contain multiple Operating System Instances. A container means a system partition based on software rather than hardware. Guests means a VM system running on a host system where the host runs its own complete OS Instance (as opposed to a hypervisor), like VMware Workstation. Zone means Oracle/Sun Solaris specific nomenclature for a software partition which can run a virtual OS instance including but not limited to Sparse, native, and ipkg.
<i>Professional Services Engagement(s)</i>	means a contract between Security Consultant and a third party for the Security Consultant to perform a Web Application Vulnerability Assessment of a defined web site or a Static Code Analysis on behalf of the third party.
<i>Project or Prj</i>	means a unique code base analyzed by HP Fortify Static Code Analyzer or managed by HP Fortify Governance.
<i>Power User</i>	means authorized access to use HP Fortify Software Security Center, HP Fortify Static Code Analyzer, IDE plug-in and Audit Workbench to run scans on and view results for all Projects.
<i>Regular User</i>	<p>means a Named User authorized to use HP Fortify Software Security Center to view results for only Projects that they have worked on. A HP Fortify Static Code Analyzer Regular User license is authorized to use IDE plug ins to run scans and view results for only Projects that you have worked on.</p> <p>A Software Security Center Regular User license (when purchased separately) includes a HP Fortify Static Code Analyzer Regular User License and therefore is authorized to use IDE plug ins to run scans and view results for only Projects that you have worked on.</p> <p>A Software Security Center Build To Order WebInspect Enterprise Edition license includes a version of Software Security Center Regular User that is not authorized to use IDE plug ins to run scans and view results for only Projects that you have worked on.</p>
<i>SaaS</i>	means Software as a Service which is a service that allows access to the software, support and related professional services, as described in an order document, datasheet or a Statement of Work (SOW).
<i>Scan</i>	means the act of, through automated or manual means, examining computer software for security vulnerabilities.
<i>Scanning Machine</i>	means the number of named physical machines that are running the software.
<i>Security Consultants</i>	means you who enters into Professional Services Engagement contracts with 3rd parties as part of their defined business offerings and as a material part of their day to day business.
<i>Sensor</i>	means Instances of the of the HP scanning technology that acts on behalf of and are controlled by the AMP Base Server in order to provide application, system and networks scanning capabilities.
<i>Server or SVR</i>	means any designated computer system in which an Instance or Instances of the software is installed.

<b>Term</b>	<b>Definition</b>
<i>Single Scan Coverage or SngScanOver</i>	means an incremental single Scan that can be purchased for FOD for MSPs.
<i>Static Code Analysis</i>	means analyzing software source code, bytecode, or object code to find security vulnerabilities.
<i>Suite</i>	means two or more software products combined into a single license offering. The specific software products included in a Suite are specified in the Software Specific License Terms below. Software products included in a Suite are governed by the individual authorizations and use restrictions associated with each software product.
<i>Target</i>	means a unique logical computer system being scanned as part of a Web Application Vulnerability Assessment. A unique Target has a single authentication management system (log-in page). Web applications that expose services and end-points to support mobile applications are considered two distinct Targets (Web and Mobile). A unique Target application is a fully qualified domain name (FQDN) unless it is the same Target used for a staging or lab environment.
<i>Term License to Use or Term LTU</i>	means a software license to use (LTU) which indicates in its license description that the license is valid for a specific period of time such as One Month (1M), One Year (1Y) etc. Term LTU's are not perpetual licenses.
<i>Unlimited or Unl</i>	means without restriction in terms of number of systems, devices or media, depending on the context.
<i>Use</i>	means to install, store, load, execute and display one copy of the software.
<i>User</i>	means a user whose use is restricted to the type of software that is being licensed.
<i>Virtual Machine(s) or VM(s)</i>	means a computer that does not physically exist but is simulated by another computer.
<i>Web Application Vulnerability Assessment or Web Application Vulnerability Assessment Scan</i>	means the act of, through automated or manual means, examining web based or web delivered computer software for security vulnerabilities.

## Software specific license terms

Software products with software specific license terms are described below. Software products covered by this ALA document (as listed above) and not covered in this section do not have software specific license terms.

### HP ArcSight Application View

HP ArcSight Application View is licensed by Application Instance for a single HP ArcSight Enterprise Security Manager or an HP ArcSight Express Implementation.

### HP Assessment Management Platform

**HP AMP Base Server:** The AMP Base Server consists of a single Implementation of the AMP software's Foundation components. Included in the AMP Base Server are the Management Console application, the Web base User Interface and the Application Programming Interface which are licensed by Concurrent Users. AMP Users connected to the Base Server are considered Concurrent Users of AMP. Concurrent Users requires AMP Base Server. The AMP Base Server includes five (5) Concurrent User Licenses.

**HP AMP Concurrent User(s):** The Clients that allow multiple end users to access the functionality of the software through a single connection will require an AMP Concurrent User license for each of the end users of the Client who concurrently accesses the software functionality. AMP Concurrent Users require the AMP Base Server. AMP Concurrent User licenses may be purchased individually and added to new or to existing AMP Base Servers.

**HP AMP Sensor(s):** The actual number of active Sensors connected to the AMP Base Server must not exceed the number of AMP Sensor licenses purchased. AMP Sensors require the AMP Base Server.

## HP Fortify Computer Based Training software

The Computer Based Training software (also known as eLearning or Web-Based Training) is licensed by training course in the following ways:

- CBT Seat license:
  - The CBT Seat License is a perpetual or Term license for an individual to Use a specific eLearning course. For example, 1 User with 2 courses is 2 CBT Seats; 2 Users with 3 courses each is 6 CBT Seats.
  - A CBT Seat license cannot be reassigned after an individual uses the eLearning course.
- Enterprise license: no internal usage or reassignment limit within the legal entity that licensed the software. Enterprise licenses are not transferrable from one legal entity to another.

HP Fortify eLearning course descriptions may be found at the *Security and Risk Management* section at [www.hp.com/go/software](http://www.hp.com/go/software).

Note: Customers who choose to host the eLearning courses on their own Learning Management System (LMS) are obligated to provide the sales representative a periodic usage report upon request.

## HP Fortify Governance

**HP Fortify Governance Base:** Includes a license for ten (10) Projects. The HP Fortify Governance User license is required for each User authorized to customize process templates for use with HP Fortify Software Security Center.

## HP Fortify on Demand for MSPs

HP Fortify on Demand for MSPs is licensed by Managed Service and by number of Scans and is limited to use by a Managed Service Provider who has signed an HP Managed Service Provider Agreement and only for the purpose of providing Managed Services. HP Fortify on Demand for MSPs cannot be used for internal use.

## HP Fortify Real-Time Analyzer

HP Fortify Real-Time Analyzer (RTA) requires one RTA Server license for each physical Server running one or more protected applications in a production environment. One RTA User license is required for each User authorized to configure and administer RTA on the licensed RTA Servers.

## HP Fortify Runtime

HP Fortify Runtime requires one HP Fortify Runtime Platform Server license and either one HP Fortify Runtime Application Protection Server or one HP Fortify Runtime Application Logging Server license for each physical Server. HP Fortify Runtime Platform Server, HP Fortify Runtime Application Protection Server and HP Fortify Application Logging Server are licensed per single Server. One HP Fortify Runtime User license is required for each User authorized to configure and administer HP Fortify Runtime on the licensed Servers.

## HP Fortify Security Scope

HP Fortify SecurityScope provides root cause analysis into security vulnerabilities and is licensed per Concurrent Running Instance.

## HP Fortify Static Code Analyzer

HP Fortify Static Code Analyzer (SCA) Scans a code base, produces results, and stores those results in a Fortify Project Report (FPR) file. A Project is a unique code base, upon which you choose to perform a Scan using HP Fortify SCA and generate an FPR file. Every unique code base that is Scanned is considered to be a Project. A separate license for each Project is required. Project licenses cannot be reused or reassigned. The definition of a Project is independent of how the operator chooses to initiate a HP Fortify SCA Scan: from Fortify SCA Audit Workbench, IDE Plug-In or part of a build process.

**HP Fortify Static Code Analyzer Build to Order Starter Edition:** Includes a license for one (1) Software Security Center, one (1) Scanning Machine, one (1) Power User, and thirty (30) Projects.

**HP Fortify Static Code Analyzer Build to Order Starter Edition without Software Security Center:** Includes a license for one (1) Scanning Machine, one (1) Power User, and thirty (30) Projects.

**HP Fortify Static Code Analyzer Flexible Deployment Plan:** Includes unlimited usage of HP Fortify Software Security Center, HP Fortify Static Code Analyzer, Audit Workbench and IDE plug-ins to scan code written by Named Contributing Developer licenses. This licensing arrangement is based solely on the number of Named Contributing Developers that are authorized to contribute code to the projects to be scanned by HP Fortify Static Code Analyzer. It is not based on the number of people using the software. A Named Contributing Developer license is required for the maximum number of software developers that contributes to the code base of a Project at any given time; therefore, a Named Contributing Developer license reflects a maximum capacity of developers contributing code to the Projects and is not assigned to a specific named developer. Developers may transfer in and out of the Project without impacting the licenses as long as the maximum number of contributing developers

does not exceed the number of Named Contributing Developer licenses. Code contributed by developers not included in the licensed number of Named Contributing Developers is not authorized to be scanned by the software.

**HP Fortify Static Code Analyzer Lines of Code Plan:** Includes Unlimited usage of HP Fortify Software Security Center, HP Fortify Static Code Analyzer, Audit Workbench and IDE plug-ins to Scan code licensed under the plan. The number of Lines of Code authorized under this plan is based on the aggregate number of lines of software source code before compilation in all Projects to be Scanned. The Lines of Code should be counted by an industry standard method for counting Lines of Code.

**HP Fortify Software Security Center Server:** Every individual authorized by you to use the HP Fortify Software Security Center Server for any purpose must be a licensed User through one of the following license plans: Build to Order, Flexible Deployment or Lines of Code. In the Build to Order plan, either a Regular User or a Power User license is required for any individual that uses the Server for any purpose, including but not limited to viewing results and reports, managing Projects, Scanning Projects, managing Users, or accessing the collaboration module. In the Flexible Deployment or Lines of Code plans, any individual authorized by you is able to use the HP Fortify Software Security Center server, but only for licensed Projects. HP WebInspect Enterprise, HP Fortify Governance Projects and HP Fortify Governance Users authorized to customize process templates are licensed separately and are not included by default in any of these license plans.

### **HP License and Infrastructure Manager**

HP License and Infrastructure Manager (LIM) is licensed per installation of the HP LIM Server. Concurrent QAIInspect and Concurrent WebInspect licenses require a licensed, installed and active HP LIM Server. There are no restrictions to the number of users of the HP LIM Server.

### **HP QAIInspect**

**HP QAIInspect Concurrent User License:** QAIInspect Concurrent Users License is required for each of the end users of the Clients who concurrently access the software functionality. There are no limits on the number of scans performed or the number of Targets scanned. QAIInspect Concurrent User Licenses require a licensed, installed and active Instance of an HP License and Infrastructure Manager. Available AMP Concurrent User License required when connecting to the AMP Base Server.

**HP QAIInspect Named User License (QC, WR/QTP, ClearQuest):** QAIInspect is restricted to one (1) Named User for use on one (1) OS Instance. There are no limits on the number of scans performed or the number of Targets scanned.

### **HP WebInspect**

**HP WebInspect Named User License:** WebInspect Named User License is for use on one (1) OS Instance. There are no limits on the number of scans performed or the number of Targets scanned.

**HP WebInspect Concurrent User License:** WebInspect Concurrent Users License is required for each of the end users of the Clients who concurrently access the software functionality. WebInspect Concurrent Users require the License and Infrastructure Manager Server. WebInspect Concurrent User licenses may be purchased individually and added to new or to existing AMP Base Servers. There are no limits on the number of scans performed or the number of Targets scanned. WebInspect Concurrent User Licenses require a licensed, installed and active Instance of an HP License and Infrastructure Manager. Available AMP Concurrent User License required when connecting to the AMP Base Server.

**HP WebInspect Single Scan Target License:** WebInspect Single Scan Target License performs unlimited web application vulnerability scans on a single IP address. This license is further restricted to installation on not more than five (5) logical computer systems. Available AMP Concurrent User License required when connecting to the AMP Base Server. You may request two (2) changes to the IP address in a 12 month period. HP maintains the right to refuse the change in cases where the change of IP address is outside of normal IT operations.

**HP WebInspect Security Consultant Term License:** The WebInspect Term Licenses are limited to: 1) use by Security Consultants and only for the purpose of performing Web Application Vulnerability Assessments during the course of a Professional Services Engagement and 2) a single Web Application Vulnerability Assessment in the case of the one (1) month License, or a series of single Web Application Vulnerability Assessments in the case of a one (1) year License. WebInspect Term LTU is restricted to one (1) Named User for use on (1) OS Instance for a limited time period. License includes the ability to Scan premium languages.

**HP WebInspect Flexible Deployment Plan License:** The WebInspect Flexible Deployment Plan License enables unlimited Web Application Vulnerability Assessment Scans for a single Target. This license allows an unlimited number of logical computer systems.

### **HP WebInspect Enterprise**

HP WebInspect Enterprise license entitles User to install one Instance of the HP WebInspect Enterprise software. Every individual authorized by you to use the HP WebInspect Enterprise software for configuring, managing, executing, auditing, reviewing or reporting on Scans must be a licensed User of HP Fortify Software Security Center Server. Users that only login to request Scans do not require a User license.

## HP Software Security Center Suite offerings

Suite	Offering includes
HP AMP 1-Sensor Suite	<ul style="list-style-type: none"><li>▪ 1 AMP Base Server</li><li>▪ 1 AMP Sensor</li><li>▪ 5 Total AMP Concurrent Users</li><li>▪ 1 Named WebInspect User</li></ul>
HP AMP 3-Sensor Suite	<ul style="list-style-type: none"><li>▪ 1 AMP Base Server</li><li>▪ 3 AMP Sensors</li><li>▪ 10 Total AMP Concurrent Users</li><li>▪ 1 Named WebInspect User</li></ul>
HP AMP 5-Sensor Suite	<ul style="list-style-type: none"><li>▪ 1 AMP Base Server</li><li>▪ 5 AMP Sensors</li><li>▪ 15 Total AMP Concurrent Users</li><li>▪ 2 Named WebInspect Users</li></ul>
HP AMP 10-Sensor Suite	<ul style="list-style-type: none"><li>▪ 1 AMP Base Server</li><li>▪ 10 AMP Sensors</li><li>▪ 25 Total AMP Concurrent Users</li><li>▪ 3 Named WebInspect User</li></ul>
HP AMP 25-Sensor Suite	<ul style="list-style-type: none"><li>▪ 1 AMP Base Server</li><li>▪ 25 AMP Sensors</li><li>▪ 50 Total AMP Concurrent Users</li><li>▪ 10 Named WebInspect Users</li></ul>
HP Fortify Runtime Suite	<ul style="list-style-type: none"><li>▪ 1 HP Fortify Runtime Platform Server</li><li>▪ 1 HP Fortify Runtime Application Protection Server</li><li>▪ 1 HP Fortify Runtime Application Logging Server</li><li>▪ 1 HP Fortify Runtime User</li></ul>
HP Software Security Center Starter Edition	<ul style="list-style-type: none"><li>▪ 1 Software Security Center Build to Order Server</li><li>▪ 1 Software Security Center Build to Order Power User</li><li>▪ 1 Static Code Analyzer Scanning Machine</li><li>▪ 30 Static Code Analyzer Projects</li></ul>
HP Software Security Center Starter Edition w/o SSC Server	<ul style="list-style-type: none"><li>▪ 1 Software Security Center Build to Order Power User</li><li>▪ 1 Static Code Analyzer Scanning Machine</li><li>▪ 30 Static Code Analyzer Projects</li></ul>
HP WebInspect Enterprise Build to Order Starter Edition Suite	<ul style="list-style-type: none"><li>▪ 1 Software Security Center Build to Order Server</li><li>▪ 1 WebInspect Enterprise Build to Order OS Instance</li><li>▪ 1 WebInspect Enterprise Sensor</li><li>▪ 1 WebInspect Named User</li><li>▪ 5 Software Security Center Build to Order Regular Users</li></ul>



## Additional license terms

### Term

- A. Software contains software and associated specifications licensed from third parties that are confidential to, and trade secrets of, such parties. You will not take any action other than to Use it as authorized under the agreement as part of the software products and will not disclose it to third parties.
- B. You shall install and use the software as authorized in the applicable agreement only as a complete product and may not use portions of such software on a standalone basis separate from the complete software unless expressly authorized in the Supporting Material, specifications or an applicable agreement.
- C. Unless stated otherwise, you are authorized to Use one Device at a time for your Internal Use.
- D. The software is restricted to use solely for the purpose of scanning software owned by you or under the direct guidance of the owner of the software for security vulnerabilities and may not be used for any other purpose.
- E. You agree that you shall not use the software to scan the software of any third party and may not install or use the software on any third party or shared (hosted) server without explicit consent from the third party.
- F. To the extent this restriction is not prohibited under applicable law, you shall not disclose to any third party the results of (i) any performance benchmarks you run on software products themselves, or any portion thereof, or (ii) specific detailed comparisons you make between software products, or any portion thereof, and any of your or third-party products, in each case under (i) and (ii) without the prior written consent of HP.
- G. LICENSEE ACKNOWLEDGES THAT SOME OF THE SOFTWARE IS DESIGNED TO TEST THE SECURITY OF COMPUTER SOFTWARE AND WHEN FUNCTIONING PROPERLY IN ACCORDANCE WITH ITS SPECIFICATIONS MAY NEVERTHELESS DISCLOSE OR CREATE PROBLEMS IN THE OPERATION OF THE SYSTEMS TESTED. LICENSEE ACCEPTS THIS RISK AND ASSUMES FULL RESPONSIBILITY FOR ANY SUCH PROBLEMS THAT MIGHT RESULT.

---

[hp.com/go/SWlicensing](http://hp.com/go/SWlicensing)

Latest version of software licensing documents

© Copyright 2009-2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services or in your mutually executed license and/or consulting services agreement(s) with HP. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

5066-3280, Created September 2013; Replaces 5066-3271 (July 2013)

