



Additional License Authorizations

For HP Automation Center software products

Products and suites covered

Products	E-LTU or E-Media available *	Non-Production use category **
HP Automation Insight	Yes	Class 1
HP BSA Essentials	Yes	Class 1
HP Continuous Delivery Automation	Yes	Class 3
HP Continuous Delivery Automation Add-on: for Infrastructure Provisioning	Yes	Class 3
HP Database & Middleware Automation	Yes	Class 1
HP Server Automation	Yes	Class 1
HP Service Automation Visualizer	Yes	Class 1

* Any product sold as E-LTU or E-Media shall be delivered electronically regardless of any contrary designation in a purchase order.

** Non-production use rights, if any, can be found at www.hp.com/go/SWlicensing.

Definitions

Capitalized terms not otherwise defined in this ALA document are defined in the governing agreement.

Term	Definition
<i>Application Instance</i> or <i>AppInstance</i>	<p>means a monitored environment running an instance of an application</p> <ul style="list-style-type: none"> For .NET based application, AppInstance is one windows process that runs .net (one worker processes). For Citrix, AppInstance is any monitored XenApp, XenServer, XenDesktop, Web Interface, License Server, Provisioning Services, or Secure Gateway hosted on one hostname. For DB2 databases, an AppInstance is one DB2 Database Instance as identified by a DB2 Instance User on a given system. For EMC Documentum, AppInstance is any monitored Content Server, Index Server, xPlore Indexing Server, Web Based Applications (WebTop, DA, DAM), Web Content Publishing Services (SCS, IDS), Distributed Content Services (BOCS, DMS), or Content Transformation Services (DTS, ADTS) hosted on one hostname. For Java based applications, AppInstance is one JVM. For Microsoft Enterprise Servers (e.g., Exchange, Active Directory, Office Communications Server, Sharepoint, Biztalk, ISA etc.) AppInstance is any monitored installation of any of the Servers. For Microsoft SQL Server, AppInstance is one SQL Server service with its own port, logins and set of system and user Databases. For an Oracle database, AppInstance is one SID (Oracle system ID) in a database environment, including the RDBMS software, table structure, stored procedures and other functionality. For PeopleTools servers, an AppInstance is one of Application Server, Batch Server (Process Scheduler), Database Server, Web Server. For SAP Netweaver ABAP stack, AppInstance is one Dialog or Central Instance. For Netweaver Java stack, AppInstance is one JVM. Technically, for SAP Netweaver AppInstance is the unique combination of the hostname, System ID of the SAP system and System Number of the SAP system (two-digit numeric value) to identify an Instance. For Siebel, AppInstance is one Database Instance, one application server or one web server. For Siebel CRM, AppInstance is any monitored Siebel application server, Gateway name server, web server with Web Server Extension, Siebel Analytics, or Oracle Business Intelligence services hosted on one hostname.



Term	Definition
	<ul style="list-style-type: none"> ▪ For Sybase and Informix Server, ApplInstance is one Server with its own logins and set of system and user Databases. ▪ For Tuxedo servers, ApplInstance is one Tuxedo Instance. ▪ For Web Application Servers, ApplInstance is one Server that runs on a Java Virtual Machine (JVM) and has its own configuration. ▪ For WebSphere, WebLogic and JBoss Application Servers, an ApplInstance is one JVM that can be deployed standalone or clustered, and hosts and executes Java EE applications. For WMQ ApplInstance is one MQ Queue Manager instance. ▪ For CICS and IMS applications, ApplInstance is one CICS/IMS region that the monitored application (or part of it) is being hosted in.
<i>Application Deployment Manager / Application Release Management</i>	means the tasks and processes associated with moving an application from development, through testing to production.
<i>Application Model</i>	means software solution designed to help users perform specific tasks. Examples of Application Models include portals, financial management systems, retail POS software, human and customer relationship management software etc. The Application Model can consist of one more individual programs including Databases, Application Servers and the infrastructure on which the platform and application run. Every Application Model can have multiple versions which don't add to the Application Model count.
<i>Application Server</i>	means software that can be deployed standalone or clustered and has the sole purpose of acting as a container that hosts and executes one or more applications. Application Servers are typically J2EE application servers or .Net application servers.
<i>Compliance Management</i>	means the process of proactively establishing and applying compliance policies including patch levels and configuration standards.
<i>Connector or Conn</i>	means an integration element to a certain software, format or function through use of the HP software product.
<i>Core</i>	means the server side component of software. Is typically complemented by an Agent component.
<i>Database</i>	means application data including table structure, stored procedures, and other functionality that runs on a Database Instance.
<i>Database Instance</i>	<p>means a software application that has the sole purpose of acting as a container that hosts and executes one or more Databases</p> <ul style="list-style-type: none"> ▪ For Microsoft SQL Server, Database Instance is one SQL Server Service with its own port, logins and set of system and user Databases. ▪ For an Oracle database, Database Instance is one SID (Oracle system ID) in a database environment, including the RDBMS software, table structure, stored procedures and other functionality. For Oracle RAC, each Instance referencing a database environment is a Database Instance. ▪ For DB2 databases, Database Instance is one DB2 Database Instance as identified by a DB2 Instance with its User, TCP/IP service port on a given system. ▪ For Sybase and Informix Server, Database Instance is one Server (SAP Sybase Adaptive Server) with its own login, Dataserver port and set of system and user Databases.
<i>Device or Dev</i>	means an addressable entity, physical or virtual, including but not limited to router, switch, bridge, hub, server, PC, laptop, handheld device or printer that resides within the range defined for interrogation and asset tracking.
<i>E-LTU and E-Media</i>	means products which are electronically delivered only, and as such any references to FOB Destination or delivery methods that are stated on Your purchase order other than electronic shall be null and void with respect to these E-LTU or E-Media products.
<i>Foundation or Foundation Server</i>	means the server side component of software that is required in order to get an operational Implementation as specified in the software specific license terms below.
<i>Implementation</i>	means an installation of the software on a single Server or installed on a cluster of Servers which work together as a single installation of the software.
<i>Instance</i>	means each Implementation of the application installed on a Server.

Term	Definition
<i>Internal Use</i>	means access and Use of the software for purposes of supporting your internal operations or functions.
<i>LTU</i>	means License To Use.
<i>Managed Entity or Mgd Enti</i>	means an addressable entity such as an operating system, middleware Instance, Database or application as specified in the software specific license terms below .
<i>Network Node</i>	means a managed Device (module) that has its own configuration. Note: Network Devices and Nodes are not always the same thing e.g. a switch (one Network Device) may have three nodes: one switching card, one routing card and one backup routing card.
<i>Operating System Instance or OS Inst or OSI</i>	means each implementation of the bootable program that can be installed onto a physical system or a partition, such as system Virtual Machines, virtual environments, virtual private servers, containers, guests and zones within the physical system. A physical system can contain multiple Operating System Instances. A container means a system partition based on software rather than hardware. Guests means a VM system running on a host system where the host runs its own complete OS Instance (as opposed to a hypervisor), like VMware Workstation. Zone means Oracle ®/Sun Solaris specific nomenclature for a software partition which can run a virtual OS instance including but not limited to Sparse, native, and ipkg.
<i>Patching and Provisioning</i>	means the act of applying patches to servers and the process of provisioning software such as operating systems, middleware etc. to physical or Virtual Machines.
<i>Points</i>	means the numerical tracking system representing the total number of metrics you are authorized to execute.
<i>Reported Server Element</i>	means an element under management by Service Automation that is imported into or HP BSA Essentials.
<i>Reported Non-Server Element</i>	means an element that is either under a Network Automation node or an Application Storage Automation Managed Storage element that is imported into or HP BSA Essentials.
<i>SA Agent</i>	means an Agent that is designed to interoperate with the Server Automation Core.
<i>Satellite</i>	means gateway software that interoperates with a standard Core or a Non-Production Core.
<i>Server</i>	means any designated computer system in which an Instance or Instances of the software is installed.
<i>Solution Pack or SolPk</i>	means software that is imported into HP Database & Middleware Automation that provides specific pre-packaged automation capabilities.
<i>Suite</i>	means two or more software products combined into a single license offering. The specific software products included in a Suite are specified in the Software Specific License Terms below. Software products included in a Suite are governed by the individual authorizations and use restrictions associated with each software product.
<i>Universal Agent</i>	means an Agent running on a single Operating System Instance.
<i>Unlimited</i>	means without restrictions in terms of number of systems, devices or media, depending on the context.
<i>Use</i>	means to install, store, load, execute and display one copy of the software.
<i>Virtual Machine(s) or VM(s)</i>	means a computer that does not physically exist but is simulated by another computer.

Software specific license terms

Software products with software specific license terms are described below. Software products covered by this ALA document (as listed above) and not covered in this section do not have software specific license terms.

HP Automation Insight

HP Automation Insight is licensed by Operating System Instance.

HP BSA Essentials (previously called HP Service Automation Reporter)

HP BSA Essentials Connector to BMC Atrium CMDB is licensed per HP BSA Essentials deployment and may only be used to connect to BMC Atrium Configuration Management Databases.

HP Continuous Delivery Automation

Each Instance of HP Continuous Delivery Automation is licensed by Application Model. Any provisioning using HP Continuous Delivery Automation requires HP Continuous Delivery Automation Add-on: for Infrastructure Provisioning license for each OS Instance provisioned. HP Continuous Delivery Automation requires additional licenses for separate Development and Test environments.

HP Continuous Delivery Automation Add-on: for Infrastructure Provisioning (previously called HP Matrix Operating Environment for Continuous Delivery Automation)

HP Continuous Delivery Automation Add-on: for Infrastructure Provisioning is licensed by a pack of 100 Operating System Instances.

HP Database & Middleware Automation

HP Database & Middleware Automation is licensed as follows.

The HP Database & Middleware Automation Database Module is licensed by Operating System Instance and there is a limit of 10 Database Instances allowed per OS Instance license, with each Database Instance authorized to host an Unlimited number of Databases. The HP Database & Middleware Automation Application Server Module is licensed by Operating System Instance and there is a limit of 10 Application Instances allowed per OS Instance license. Every target OS Instance requires a license of HP Database & Middleware Automation Database Module or HP Database & Middleware Automation Application Server Module regardless of whether executing HP or non-HP workflow content.

HP Database & Middleware Automation licensed per Database Instance and Application Instance is only licensed to customers who purchased such licenses between December 1, 2013 and May 1, 2014:

- The Database Module is licensed by Database Instance
- The Application Server Module is licensed by Application Instance.

HP Database & Middleware Automation licensed per OS Instance is only licensed to customers who purchased such licenses between September 1, 2012 and December 1, 2013:

- For the Database Solution Pack a Managed Entity is defined as an Operating System Instance.
- For the Application Server Solution Pack a Managed Entity is defined as an Operating System Instance.

HP Database & Middleware Automation licensed per Solution Pack and per Managed Entity is only licensed to customers who purchased such licenses prior to September 1, 2012:

- For the Database Provisioning Solution Pack and the Application Server Provisioning Solution Pack a Managed Entity is defined as an Operating System Instance.
- For the Advanced Database Provisioning Solution Pack and the Advanced Database Patching Solution Pack, a Managed Entity is defined as a Database Instance.
- For the Database Compliance Solution Pack, a Managed Entity is defined as a Database Instance.
- For the Database Release Management Solution Pack, a Managed Entity is defined as a Database.
- For the Application Server Release Management Solution Pack, a Managed Entity is defined as an Application Server.

HP Server Automation

HP Server Automation 10.10 and higher includes a license of HP Automation Insight; older versions of HP Server Automation include a license of HP BSA Essentials. These HP Automation Insight and HP BSA Essentials licenses can only be used in conjunction with HP Server Automation. HP Server Automation Enterprise Plus, Enterprise Edition and Starter Editions require an Oracle database; the license to run Oracle is not included with HP Server Automation. Customers are expected to purchase their license directly from Oracle or to Use an existing license.

HP Server Automation Premium Edition (previously called HP Server Automation Standard) is licensed by Operating System Instance and can be used in environments with up to 3,000 Operating System Instances for the purpose of Provisioning, Patching, Software Management and Compliance. HP Server Automation Premium Edition does not include Multi-Master, Satellite and Service Automation Visualizer (SAV) functionality.

HP Server Automation Ultimate Edition (previously called HP Server Automation Enterprise Plus) is licensed by Operating System Instance. Multi-Master, Satellite and Service Automation Visualizer (SAV) functionality are included in HP Server Automation Ultimate Edition and are licensed by OS Instance and are limited to Use with the same HP Server Automation Ultimate Edition OS Instance license that it was originally licensed with. In addition, Multi-Master, Satellite and Service Automation Visualizer functionality that is included in HP Server Automation Ultimate Edition is also licensed to Use with previously purchased licenses of the stand-alone versions of HP Server Automation Multi-Master or HP Server Automation Satellite or HP Server Automation Visualizer. The HP Server Automation Ultimate Edition version included in the HP Cloud and Automation Suite Premium Edition does not include the Multi-Master and Service Automation Visualizer functionality as described in this paragraph.

HP Server Automation Enterprise Edition is only licensed per OS Instance to customers who purchased HP Server Automation Enterprise Edition prior to September 1, 2011.

HP Server Automation Starter Edition for Compliance Management is only licensed to customers who purchased HP Server Automation Starter Edition for Compliance Management prior to September 1, 2011. HP Server Automation Starter Edition for Compliance Management is an entry level HP Server Automation package which can be used in environments with up to 1000 Operating System Instances for the purpose of Compliance Management. Users are not entitled to perform Provisioning functions. Customers are entitled to Use other basic features such as global shell, baseline, and security features.

HP Server Automation Starter Edition for Patching and Provisioning is licensed by Operating System Instance and is an entry level HP Server Automation package which can be used in environments with up to 1000 Operating System Instances for the purpose of Patching and Provisioning including operating systems and applications. Customers are entitled to Use other basic features such as global shell, baseline, and security features. HP Server Automation Starter Edition for Patching and Provisioning is only licensed to customers who purchased HP Server Automation Starter Edition for Patching and Provisioning prior to June 1, 2013.

HP Application Deployment Manager

(previously called HP Server Automation Starter Edition for Application Deployment Manager and HP Server Automation Starter Edition for Application Release Manager)

HP Application Deployment Manager is only licensed to customers who purchased HP Application Deployment Manager prior to September 1, 2011. HP Application Deployment Manager is a HP Server Automation edition with limited HP Operations Orchestration bundling which can be used for the purpose of Application Deployment Management. Administrative Users are entitled to Use the lowest tier of HP Operations Orchestration, which is limited to 150 Devices, 1 Concurrent User and 1 Workflow Author User licenses.

hp.com/go/SWlicensing

Latest version of software licensing documents

© Copyright 2009-2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services or in your mutually executed license and/or consulting services agreement(s) with HP. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Oracle is a registered trademark of Oracle Corporation and/or its' affiliates.

5066-4164, Created July 2014; Replaces 5066-4153 (May 2014)

